

EXHIBIT A
EQUIPMENT LABEL

FCC ID: GXZE13653-M-T

THIS DEVICE COMPLIES WITH FCC RULES PART 15.
OPERATIONS SUBJECT TO THE FOLLOWING TWO
CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE
HARMFUL INTERFERENCE AND (2) THIS DEVICE
MUST ACCEPT ANY INTERFERENCE THAT MAY
CAUSE UNDESIRE OPERATION.


The FCC equipment label shall be placed on the back of the case.

DRAWING NO. PP-N13653-1-0.0A-A	
SHEET 1 OF 1	
ISSUE A	
1.50 .75 FCC ID: GXZE13653-M-T THIS DEVICE COMPLIES WITH FCC RULES PART 15. OPERATIONS ARE LIMITED TO THE FOLLOWING: NO HARMFUL INTERFERENCE AND NO INTERFERENCE MUST BE RECEIVED. INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.	
1/16R, (4) CORNERS (NOT CRITICAL)	
NOTE: 1. MATERIAL: .005 MYLAR. 2. COLOR: BACKGROUND--WHITE. LETTERS AND GRAPHICS--BLACK. 3. PRINTING ON REVERSE SIDE PER ARTWORK ABOVE. 4. ADHESIVE: 3M #467 PRESSURE SENSITIVE ON BACKSIDE WITH EASY-OFF SPLIT BACKING. 5. ENVIRONMENTAL: LABEL TO REMAIN READABLE AND ADHERE TO A TEMPERATURE RANGE OF -20°F TO +140°F IN VARIOUS INDUSTRIAL ATMOSPHERES.	
TELEMOTIVE INDUSTRIAL CONTROLS 175 WALL STREET, GLENDALE HEIGHTS, ILLINOIS 60139-1985 	
TITLE LABEL, FCC ID, 10K, SURF MT, MEMBRANE/TOGGLE Tx	
DRAWN BY JCM DATE 5/11/98 DWG. SCALE 1/1 C.A.D. SCALE 1/1	
APPROVED 1ST MODEL/USER 10K MEMB/TGLE Tx	
APPROVED SHEET 1 OF 1	
ISSUE A	
DRAWING NO. PP-N13653-1-0.0A-A	
A ISSUE ECN 9474	
REV. DESCRIPTION	


EXHIBIT A

EQUIPMENT LABEL

A: Equipment Label



The FCC Equipment Label shall be placed on the bottom of the equipment.



DRAWING NO. PP-N13653-1-0.0A-A		SHEET 1 OF 1		ISSUE A	
1.50 .75 1/16R, (4) CORNERS (NOT CRITICAL)					
TELEMOTE INDUSTRIAL CONTROLS 175 WALL STREET, GLENDALE HEIGHTS, ILLINOIS 60139-1985 telemotive ISSUE ECN 9474 DESCRIPTION					
TITLE LABEL, FCC ID, 10K, SURF MT, MEMBRANE/TOGGLE Tx					
DRAWN BY JCM DATE 5/11/98 APPROVED		DWG. SCALE 1/1 1ST MODEL/USER 10K MEMB/TGLE Tx APPROVED		C.A.D. SCALE 1/1 ISSUE A	
UNLESS OTHERWISE SPECIFIED 1. ALL DIMENSIONS ARE IN INCHES 2. ALL BENDS ARE 90° 3. TOLERANCES: FRACTIONS ±1/64 DECIMAL (TWO PLACE) ±.010 DECIMAL (THREE PLACE) ±.005 HOLES ±.003 ANGLES ±1° DO NOT SCALE DRAWING.					
DRAWING NO. PP-N13653-1-0.0A-A					

NOTE:

1. MATERIAL: .005 MYLAR.
2. COLOR: BACKGROUND—WHITE.
LETTERS AND GRAPHICS—BLACK.
3. PRINTING ON REVERSE SIDE PER ARTWORK ABOVE.
4. ADHESIVE: 3M #467 PRESSURE SENSITIVE ON BACKSIDE
WITH EASY-OFF SPLIT BACKING.
5. ENVIRONMENTAL: LABEL TO REMAIN READABLE AND
ADHERE TO A TEMPERATURE RANGE OF
-20°F TO +140°F IN VARIOUS
INDUSTRIAL ATMOSPHERES.