

RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	Spurious Radiated Emissions (ERP) 30 MHz to 25 GHz		
Customer:	DTC Communications	Job No:	R-4794N
Test Sample:	Digital Video Transmitter		
Model No:	PDTX5000A	Serial No:	001
Test Specification:	FCC Part 2, TIA/EIA-603 Paragraph: 2.1053		
Operating Mode:	Transmitting Digital Signal		
Technician:	M. Seamans	Date:	3/19/2007
Notes:	Transmit Frequency: 2.483 GHz Peak Detector		

EUT Emissions observed throughout the given frequency spectrum were recorded & evaluated.

* These harmonic frequencies were not observed above the noise floor of the test equipment which was a minimum of 10dB below the limit.

RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	Spurious Radiated Emissions (ERP) 30 MHz to 25 GHz		
Customer:	DTC Communications	Job No.:	R-4794N
Test Sample:	Digital Video Transmitter		
Model No.:	PDTX5000A	Serial No.:	001
Test Specification:	FCC Part 2, TIA/EIA-603 Paragraph: 2.1053		
Operating Mode:	Transmitting Digital Signal		
Technician:	M. Seamans	Date:	3/19/2007
Notes:	Transmit Frequency: 2.466 GHz Peak Detector		

EUT Emissions observed throughout the given frequency spectrum were recorded & evaluated.

* These harmonic frequencies were not observed above the noise floor of the test equipment which was a minimum of 10dB below the limit.

RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	Spurious Radiated Emissions (ERP) 30 MHz to 25 GHz		
Customer:	DTC Communications	Job No.:	R-4794N
Test Sample:	Digital Video Transmitter		
Model No.:	PDTX5000A	Serial No.:	001
Test Specification:	FCC Part 2, TIA/EIA-603 Paragraph: 2.1053		
Operating Mode:	Transmitting Digital Signal		
Technician:	M. Seamans	Date:	3/19/2007
Notes:	Transmit Frequency: 2.45 GHz Peak Detector		

EUT Emissions observed throughout the given frequency spectrum were recorded & evaluated.

* These harmonic frequencies were not observed above the noise floor of the test equipment which was a minimum of 10dB below the limit.