

ISO 9001  
ISO14001



Manufacturer

**TLV** CO., LTD.  
Kakogawa, Japan  
Is approved by LRQA Ltd. to ISO 9001/14001



# Instruction Manual

---

## (Safety and Explosion-Proof Requirements)

**Steam Trap Management System  
Pocket TrapMan.**

PT3

(UL/cUL-certified Model)

172-65823MA-00  
Publication date 30 November 2023  
Copyright © 2023 TLV CO., LTD.

# Table of Contents

Introduction .....	3
Safety Considerations .....	4
Replacing the Battery Pack .....	8
Adjustment .....	9
Specifications .....	10
TLV EXPRESS LIMITED WARRANTY .....	11
Service .....	13

# Introduction

Thank you for purchasing the TLV Pocket TrapMan steam trap management system, PT3.

When the product is delivered, before doing anything else, check the specifications and external appearance to make sure nothing is out of the ordinary. Also be sure to read this manual carefully before use and follow the instructions to be sure of using the product properly.

To ensure safe and correct use of this product, be sure to observe the safety precautions listed in this manual as they relate to installation, operation, maintenance and repair of the product. Please keep it in a safe place for future reference.

TLV accepts no responsibility for incorrect use of the product by the customer or any third-party, malfunction occurring during use, other defects and any damage caused by this product, excluding cases in which it is under obligation to pay reparations by law.

This product has undergone strict quality management and product inspection before being shipped from the factory. However, in the event of malfunction or defects, please contact your local TLV representative or the TLV customer service center.

This instruction manual and product are subject to modification without notice, for the purpose of improvement.

Unauthorized reprinting or reproduction, in whole or in part, of this instruction manual or product is strictly prohibited.

# Safety Considerations

- Read this section carefully before use and be sure to follow the instructions.
- Installation, inspection, maintenance, repairs, disassembly, adjustment and valve opening/closing should be carried out only by trained maintenance personnel.
- The precautions listed in this manual are designed to ensure safety and prevent equipment damage and personal injury. For situations that may occur as a result of erroneous handling, three different types of cautionary items are used to indicate the degree of urgency and the scale of potential damage and danger: DANGER, WARNING and CAUTION.
- The three types of cautionary items above are very important for safety: be sure to observe all of them as they relate to installation, use, maintenance and repair. Furthermore, TLV accepts no responsibility for any accidents or damage occurring as a result of failure to observe these precautions.

## Cautionary items and definitions



### Danger

Indicates an urgent situation which poses a threat of death or serious injury



### Warning

Indicates that there is a potential threat of death or serious injury



### Caution

Indicates that there is a possibility of injury or equipment/product damage

## Charging Precautions



### Warning

**DO NOT charge the battery pack with anything other than the device.** Failure to observe this precaution could result in excessive heat generation or fire.



### Warning

**After charging is complete, disconnect the USB cable from the device.** Once main charging is complete and the charger has switched to trickle charging, make sure to unplug the USB cable, as failure to do so may result in heat generation or fire.



### Warning

**DO NOT plug or unplug the charger with wet hands.** Failure to observe this precaution could result in electrocution.



### Warning

**DO NOT charge the battery pack in hazardous areas.** Failure to observe this warning may result in explosion, fire or injury.

## Battery Pack Precautions



### Danger

**DO NOT replace the battery pack in hazardous areas.** Make sure to replace the battery pack in non-hazardous areas. Failure to observe this precaution could result in explosion, fire or injury.



### Danger

**DO NOT open, disassemble or crush the battery pack.** Failure to observe this precaution could result in leakage of the battery fluid, battery pack overheating, rupture or ignition. If battery fluid leaks and comes into contact with your body or gets into your eyes, immediately rinse the affected area with clean water and see a doctor.

**Danger**

**DO NOT apply heat to the battery pack or throw it into a fire.** Do not throw the battery pack into a fire or heat it, neither before nor after use. Both are very dangerous and could result in explosion, ignition or rupture. The temperature should be kept below 40 °C while charging and below 50 °C while in use.

**Danger**

**DO NOT let the battery pack become immersed in water.** Do not immerse or let the battery pack become immersed in water or other liquids. Failure to observe this precaution could result in leakage of the battery fluid, battery pack overheating, rupture or ignition.

**Danger**

**DO NOT use the battery pack if damaged.** Do not use the battery pack in the case of any abnormalities such as battery pack overheating, unusual odors, discoloration or deformation, etc. Battery pack damage could result in overheating, expansion, leakage, smoke, ignition or explosion.

**Danger**

**DO NOT incinerate the battery pack.** Failure to observe this precaution may result in fire or explosion.

**Danger**

**DO NOT use a battery pack other than the specified model.** When replacing the battery pack, use only the SEnergy Corporation model P11-22050-x battery pack. Failure to observe this precaution may result in fire or injury.

**Danger**

**DO NOT use or leave the device in areas that will become very hot.** Do not leave the device where it will be exposed to direct sunlight or in areas that will become very hot, such as interiors of cars, near heating equipment, etc. Failure to observe this precaution could result in leakage of the battery fluid, battery pack overheating, rupture or ignition.

**Danger**

**Keep the device out of reach of children.** Failure to observe this precaution could result in injuries, overheating, smoke, ignition or explosion.

**Danger**

**Keep the device out of reach of children.** Failure to observe this precaution could result in injuries, overheating, smoke, ignition or explosion.

**Warning**

**DO NOT use the battery pack in the case of any abnormalities such as battery fluid leakage, unusual odors, battery pack overheating, discoloration or deformation, etc.** Failure to observe these precautions may result in damage to the device, fire or burns.

**Warning**

**If battery fluid leaks and comes into contact with the body, rinse immediately.** There is danger of resultant damage to the skin. Immediately rinse any battery fluid off with clean water.

**Caution**

**Be sure to charge the battery pack regularly.** If the device is not used for a long time with the battery pack installed, fully charge the battery pack once a month. The battery will deteriorate and become unusable.

**Caution**

**DO NOT remove the battery pack from the device except when replacement is required.** Water resistance may be impaired.



#### Caution

**Return unnecessary battery packs to your local TLV office or distributor either before or after use of the battery pack, insulating the contact terminals with tape or dispose according to your company regulations.**

## Usage/Storage Precautions



#### Warning

**DO NOT operate the device with wet hands.** Do not plug or unplug the charger with wet hands. Failure to observe this precaution could result in electrocution.



#### Caution

**This device is explosion-proof certified. The explosion-proof marking is indicated on the device nameplate.** The device should be used by trained personnel with knowledge of the hazardous locations/classifications.



#### Caution

**DO NOT allow any foreign matter to enter the device.** In areas with small foreign matter such as metal dust, use the device after taking measures to prevent foreign matter entering the device. Failure to observe this precaution could result in fire or malfunction.



#### Caution

**Surface temperature measurement range is -40 to 350 °C.** If an object with a surface temperature of 350 °C or higher is measured, the probe tip or internal parts may be damaged. If the surface temperature is expected to exceed 350 °C, stop measuring.



#### Caution

**DO NOT drop the device or otherwise subject it to strong impacts.** Doing so may cause damage, malfunction, battery pack ignition or burns.



#### Caution

**DO NOT leave the device in areas that will become very hot.** Do not leave device where it will be exposed to direct sunlight or in areas that will become very hot, such as interiors of cars, near heating equipment, etc. This may cause the device to malfunction or fail.



#### Caution

**DO NOT use sharp objects such as pens to operate the buttons.** This may damage the buttons.



#### Caution

**DO NOT place any part of the device other than the tip of the probe against a hot location.** Failure to observe this precaution could result in malfunction.



#### Caution

**DO NOT drag the tip of the probe across the surface of the object being measured.** Failure to observe this precaution could result in malfunction.



#### Caution

**DO NOT leave the device in places subject to excessive dust and strong vibrations.** Failure to observe this precaution could result in malfunction.



#### Caution

**DO NOT remove the temperature sensor from the tip of the probe.** Forcibly removing the sensor may cause malfunction.



#### Caution

**Return the unnecessary device to your local TLV office or distributor for disposal, or dispose according to your company regulations.**

## Precautions related to Site Inspections



### Danger

**DO NOT use earphones other than those specified.** Any earphones other than those specified should not be used in hazardous areas.



### Warning

**DO NOT operate the device while walking.** Failure to observe this precaution could lead to accidents such as tripping or collisions.



### Warning

**Take measures to prevent getting caught in rotating machinery.** When passing by or working near rotating machinery, take measures to prevent the strap, earphone cord, clothing etc. from getting caught in the machinery. This may result in accident or injury and damage to the device or equipment.



### Warning

**Before using the product, make sure to take measures to prevent burns.** Take measures to prevent burns from accidentally touching hot piping.



### Caution

**Turn down the volume first when using earphones.** Using earphones in places where there is loud noise or vibrations may result in hearing loss.

# Replacing the Battery Pack



## Danger

**DO NOT replace the battery pack in hazardous areas.** Make sure to replace the battery pack in non-hazardous areas. Failure to observe this precaution could result in explosion, fire or injury.

**DO NOT disassemble the battery pack.** Failure to observe this precaution could result in leakage of the battery fluid, excessive heat generation, rupture or ignition.

Use only the P11-22050-x battery pack (SEnergy Corporation) when replacing the battery pack.

1. Turn off the power of the device. Refer to the instruction manual for details.
2. Remove the four hex bolts (M2) that hold the battery cover on the back of the device.
3. Remove the battery pack from the device and disconnect it from the connector. Make sure to disconnect the battery pack by holding the connector instead of the wiring cable to prevent the wire from breaking.
4. Connect a new battery pack and insert it to the device. Be careful to observe the correct polarity of the battery pack.
5. Secure the battery cover with the four hex bolts (removed in step 2).



# Adjustment

The tip of the probe, which is used to detect temperature and ultrasonic waves, is a crucial component of the device. The detection sensitivity may change, not only if the device is dropped or knocked about, but also as a result of regular wear and use.

Therefore, periodic calibration is recommended.

Frequency: Every 2 years, after 30,000 measurements, or when the sensor is warped or damaged

Adjustment can only be performed with special equipment at TLV's factory.

Contact your local TLV representative or your regional TLV office for details.

## FCC WARNING

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:

- 1) this device may not cause harmful interference, and
- 2) this device must accept any interference received, including interference that may cause undesired operation.

Caution: Changes or modifications not expressly approved by the party responsible for compliance could void your authority to operate the equipment.

### Radiation Exposure Statement

The device has been evaluated to meet general RF exposure requirement.

## ISED WARNING

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s).

Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence.


L'exploitation est autorisée aux deux conditions suivantes:

- (1) l'appareil ne doit pas produire de brouillage, et
- (2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement l'appareil numérique du ciem conforme

This device complies with ISED RF radiation exposure limits set forth for an uncontrolled environment.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

# Specifications

Type	<b>Steam Trap Management System</b>
Device Name	<b>Pocket TrapMan</b>
Model	<b>PT3</b>
Classification Markings of Hazardous Locations	<p><b>UL:</b> Class I, Zone 2, AEx ic IIB T3 Gc File No.: Exxxxxx</p> <p><b>cUL:</b> Ex ic IIB T3 Gc File No.: Exxxxxx</p>
Nameplate	
Power Supply	<p>SEnergy Corporation: model P11-22050-x battery pack ("x" for 1 alphanumeric character)</p> <p>Secondary lithium-ion battery pack</p> <p>Rated voltage: 3.7 V</p> <p>Rated capacity: 1,000 mAh</p>
Allowable Measurement Temp. Range	-40 to 350 °C (-40 to 662 °F)
Operating Temp. Range	-10 to 50 °C (-14 to 122 °F)
Temp./Humidity Range when Charging	0 to 40 °C (32 to 104 °F) / 20 to 80% RH
Protection Class	IP54
Charging Information	USB 2.0 650 mA
Frequency Bandwidth and Wireless Outlet Power	Bluetooth® Ver. 5.0 Class 1 (2.4 GHz -14 dBm)

# TLV EXPRESS LIMITED WARRANTY

Subject to the limitations set forth below, TLV CO., LTD., a Japanese corporation ("TLV"), warrants that products which are sold by it, TLV International Inc. ("TII") or one of its group companies excluding TLV Corporation (a corporation of the United States of America), (hereinafter the "**Products**") are designed and manufactured by TLV, conform to the specifications published by TLV for the corresponding part numbers (the "**Specifications**") and are free from defective workmanship and materials. The party from whom the Products were purchased shall be known hereinafter as the "**Seller**". With regard to products or components manufactured by unrelated third parties (the "**Components**"), TLV provides no warranty other than the warranty from the third party manufacturer(s), if any.

## Exceptions to Warranty

This warranty does not cover defects or failures caused by:

1. improper shipping, installation, use, handling, etc., by persons other than TLV, TII or TLV group company personnel, or service representatives authorized by TLV; or
2. dirt, scale or rust, etc.; or
3. improper disassembly and reassembly, or inadequate inspection and maintenance by persons other than TLV or TLV group company personnel, or service representatives authorized by TLV; or
4. disasters or forces of nature or Acts of God; or
5. abuse, abnormal use, accidents or any other cause beyond the control of TLV, TII or TLV group companies; or
6. improper storage, maintenance or repair; or
7. operation of the Products not in accordance with instructions issued with the Products or with accepted industry practices; or
8. use for a purpose or in a manner for which the Products were not intended; or
9. use of the Products in a manner inconsistent with the Specifications; or
10. use of the Products with Hazardous Fluids (fluids other than steam, air, water, nitrogen, carbon dioxide and inert gases (helium, neon, argon, krypton, xenon and radon)); or
11. failure to follow the instructions contained in the TLV Instruction Manual for the Product.

## Duration of Warranty

This warranty is effective for a period of one (1) year after delivery of Products to the first end user. Notwithstanding the foregoing, asserting a claim under this warranty must be brought within three (3) years after the date of delivery to the initial buyer if not sold initially to the first end user.

ANY IMPLIED WARRANTIES NOT NEGATED HEREBY WHICH MAY ARISE BY OPERATION OF LAW, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND ANY EXPRESS WARRANTIES NOT NEGATED HEREBY, ARE GIVEN SOLELY TO THE INITIAL BUYER AND ARE LIMITED IN DURATION TO ONE (1) YEAR FROM THE DATE OF SHIPMENT BY THE SELLER.

## Exclusive Remedy

THE EXCLUSIVE REMEDY UNDER THIS WARRANTY, UNDER ANY EXPRESS WARRANTY OR UNDER ANY IMPLIED WARRANTIES NOT NEGATED HEREBY (INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE), IS **REPLACEMENT**; PROVIDED: (a) THE CLAIMED DEFECT IS

REPORTED TO THE SELLER IN WRITING WITHIN THE WARRANTY PERIOD, INCLUDING A DETAILED WRITTEN DESCRIPTION OF THE CLAIMED DEFECT AND HOW AND WHEN THE CLAIMED DEFECTIVE PRODUCT WAS USED; AND (b) THE CLAIMED DEFECTIVE PRODUCT AND A COPY OF THE PURCHASE INVOICE IS RETURNED TO THE SELLER, FREIGHT AND TRANSPORTATION COSTS PREPAID, UNDER A RETURN MATERIAL AUTHORIZATION AND TRACKING NUMBER ISSUED BY THE SELLER. ALL LABOR COSTS, SHIPPING COSTS, AND TRANSPORTATION COSTS ASSOCIATED WITH THE RETURN OR REPLACEMENT OF THE CLAIMED DEFECTIVE PRODUCT ARE SOLELY THE RESPONSIBILITY OF BUYER OR THE FIRST END USER. THE SELLER RESERVES THE RIGHT TO INSPECT ON THE FIRST END USER'S SITE ANY PRODUCTS CLAIMED TO BE DEFECTIVE BEFORE ISSUING A RETURN MATERIAL AUTHORIZATION. SHOULD SUCH INSPECTION REVEAL, IN THE SELLER'S REASONABLE DISCRETION, THAT THE CLAIMED DEFECT IS NOT COVERED BY THIS WARRANTY, THE PARTY ASSERTING THIS WARRANTY SHALL PAY THE SELLER FOR THE TIME AND EXPENSES RELATED TO SUCH ON-SITE INSPECTION.

#### **Exclusion of Consequential and Incidental Damages**

IT IS SPECIFICALLY ACKNOWLEDGED THAT THIS WARRANTY, ANY OTHER EXPRESS WARRANTY NOT NEGATED HEREBY, AND ANY IMPLIED WARRANTY NOT NEGATED HEREBY, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, DO NOT COVER, AND NEITHER TLV, TII NOR ITS TLV GROUP COMPANIES WILL IN ANY EVENT BE LIABLE FOR, INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING, BUT NOT LIMITED TO LOST PROFITS, THE COST OF DISASSEMBLY AND SHIPMENT OF THE DEFECTIVE PRODUCT, INJURY TO OTHER PROPERTY, DAMAGE TO BUYER'S OR THE FIRST END USER'S PRODUCT, DAMAGE TO BUYER'S OR THE FIRST END USER'S PROCESSES, LOSS OF USE, OR OTHER COMMERCIAL LOSSES. WHERE, DUE TO OPERATION OF LAW, CONSEQUENTIAL AND INCIDENTAL DAMAGES UNDER THIS WARRANTY, UNDER ANY OTHER EXPRESS WARRANTY NOT NEGATED HEREBY OR UNDER ANY IMPLIED WARRANTY NOT NEGATED HEREBY (INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE) CANNOT BE EXCLUDED, SUCH DAMAGES ARE EXPRESSLY LIMITED IN AMOUNT TO THE PURCHASE PRICE OF THE DEFECTIVE PRODUCT. THIS EXCLUSION OF CONSEQUENTIAL AND INCIDENTAL DAMAGES, AND THE PROVISION OF THIS WARRANTY LIMITING REMEDIES HEREUNDER TO REPLACEMENT, ARE INDEPENDENT PROVISIONS, AND ANY DETERMINATION THAT THE LIMITATION OF REMEDIES FAILS OF ITS ESSENTIAL PURPOSE OR ANY OTHER DETERMINATION THAT EITHER OF THE ABOVE REMEDIES IS UNENFORCEABLE, SHALL NOT BE CONSTRUED TO MAKE THE OTHER PROVISIONS UNENFORCEABLE.

#### **Exclusion of Other Warranties**

THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, AND ALL OTHER WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE EXPRESSLY DISCLAIMED.

#### **Severability**

Any provision of this warranty which is invalid, prohibited or unenforceable in any jurisdiction shall, as to such jurisdiction, be ineffective to the extent of such invalidity, prohibition or unenforceability without invalidating the remaining provisions hereof, and any such invalidity, prohibition or unenforceability in any such jurisdiction shall not invalidate or render unenforceable such provision in any other jurisdiction.

# Service

For Service or Technical Assistance: Contact your TLV representative or your regional TLV office.

## In Europe:

### **TLV EURO ENGINEERING GmbH**

Daimler-Benz-Straße 16-18, 74915 Waibstadt, **Germany**

Tel: [49]-(0)7263-9150-0

### **TLV EURO ENGINEERING UK LTD.**

Units 7 & 8, Furlong Business Park, Bishops Cleeve,  
Gloucestershire GL52 8TW, **U.K.**

Tel: [44]-(0)1242-227223

### **TLV EURO ENGINEERING FRANCE SARL**

Parc d'Ariane 2, bât. C, 290 rue Ferdinand Perrier, 69800 Saint  
Priest, **France**

Tel: [33]-(0)4-72482222

Fax: [33]-(0)4-72482220

## In North America:

### **TLV CORPORATION**

13901 South Lakes Drive, Charlotte, NC 28273-6790, **U.S.A.**

Tel: [1]-704-597-9070

Fax: [1]-704-583-1610

### **TLV ENGINEERING S. A. DE C. V.**

Av. Jesús del Monte 39-B-1001, Col. Hda. de las Palmas,  
Huixquilucan, Edo. de México, 52763, **Mexico**

Tel: [52]-55-5359-7949

Fax: [52]-55-5359-7585

## In Oceania:

### **TLV PTY LIMITED**

Unit 8, 137-145 Rooks Road, Nunawading, Victoria 3131,  
**Australia**

Tel: [61]-(0)3-9873 5610

Fax: [61]-(0)3-9873 5010

## In East Asia:

### **TLV PTE LTD**

36 Kaki Bukit Place, #02-01/02, **Singapore** 416214

Tel: [65]-6747 4600

Fax: [65]-6742 0345

### **TLV SHANGHAI CO., LTD.**

5/F, Building 7, No.103 Caobao Road, Xuhui District, Shanghai,  
**China** 200233

Tel: [86]-(0)21-6482-8622

Fax: [86]-(0)21-6482-8623

### **TLV ENGINEERING SDN. BHD.**

No.16, Jalan MJ14, Taman Industri Meranti Jaya, 47120  
Puchong, Selangor, **Malaysia**

Tel: [60]-3-8052-2928

Fax: [60]-3-8051-0899

### **TLV PRIVATE LIMITED**

252/94 (K-L) 17th Floor, Muang Thai-Phatra Complex Tower B,  
Rachadaphisek Road, Huaykwang, Bangkok 10310, **Thailand**

Tel: [66]-2-693-3799

Fax: [66]-2-693-3979

### **TLV INC.**

#302-1 Bundang Technopark B, 723 Pangyo-ro, Bundang,  
Seongnam, Gyeonggi, 13511, **Korea**

Tel: [82]-(0)31-726-2105

Fax: [82]-(0)31-726-2195

## In the Middle East:

### **TLV ENGINEERING FZCO**

Building 9W, B163, PO Box 371684, Dubai Airport Free Zone,  
Dubai, **UAE**

Email: sales-me@tlv.co.jp

## In Other Countries:

### **TLV INTERNATIONAL, INC.**

881 Nagasuna, Noguchi, Kakogawa, Hyogo 675-8511, **Japan**

Tel: [81]-(0)79-427-1818

Fax: [81]-(0)79-425-1167

## Manufacturer:

### **TLV CO., LTD.**

881 Nagasuna, Noguchi, Kakogawa, Hyogo 675-8511, **Japan**

Tel: [81]-(0)79-427-1800

Fax: [81]-(0)79-422-2277