



Intertek Testing Services

ETL SEMKO

Report No.: 9912594

Mode of operation: Transmitting (channel A)

Tested By: Hong, Report No.: 9912594


Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement: x QP

Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
3	9k	30M	EI078



PAGE 1

Ctrl No.: NA



Intertek Testing Services

ETL SEMKO

Mode of operation = Transmitting (channel A)

Report No.: 9912594

Tested By: Hong, Report No.: 9912594

Scan Settings (1 Range)

----- Frequencies ----- || ----- Receiver Settings -----

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl No.: NA



Report No.: 9912594

Mode of operation: Transmitting (channel B)

Tested By: Hong, Report No.: 9912594

Scan Settings (1 Range)

Frequencies			Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten
450k	30M	5k	10k	PK	20ms	AUTO
					LN	OFF
						60dB


Final Measurement: x QP

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
3	9k	30M	EI078



PAGE 1

Ctrl No.: NA



Intertek Testing Services

ETL SEMKO

Mode of operating = Transmitting (channel B) Report No.: 9912594

Tested By: Hong, Report No.: 9912594

Scan Settings (1 Range)

|----- Frequencies -----| |----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
-------	------	------	-------	----------	--------	-------	--------	-------

450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB
------	-----	----	-----	----	------	------	--------	------

Final Measurement Results:

no Results

Ctrl No.: NA



Report No.: 9912594

Mode of operation = Transmitting (channel c)

Tested By: Hong, Report No.: 9912594

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450K	30M	5K	10K	PK	20ms	AUTO	LN OFF	60dB


Final Measurement: X QP

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
3	9k	30M	EI078



PAGE 1

Ctrl No.: NA



Intertek Testing Services

ETL SEMKO

Mode of operation: Transmitting (channel c)

Report No.: 9912594

Tested By: Hong, Report No.: 9912594

Scan Settings (1 Range)

----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN	OFF 60dB

Final Measurement Results:

no Results

Ctrl No.: NA