




Band26-Part90s_1.4MHz_QPSK_RB1_0_CH26783




Band26-Part90s_3MHz_QPSK_RB1_0_CH26775




Band26-Part90s_3MHz_QPSK_RB1_0_CH26705




Band26-Part90s_5MHz_QPSK_RB1_0_CH26715



Band26-Part90s_3MHz_QPSK_RB1_0_CH26740



Band26-Part90s_5MHz_QPSK_RB1_0_CH26740




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band26-Part90s_5MHz_QPSK_RB1_0_CH26765




Band26_1.4MHz_QPSK_RB1_0_CH26915




Band26-Part90s_10MHz_QPSK_RB1_0_CH2740




Band26_1.4MHz_QPSK_RB1_0_CH27033



Band26_1.4MHz_QPSK_RB1_0_CH26797



Band26_3MHz_QPSK_RB1_0_CH26805




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band26_3MHz_QPSK_RB1_0_CH26915




Band26_5MHz_QPSK_RB1_0_CH26915




Band26_3MHz_QPSK_RB1_0_CH27025




Band26_5MHz_QPSK_RB1_0_CH27015



Band26_5MHz_QPSK_RB1_0_CH26815



Band26_10MHz_QPSK_RB1_0_CH26840




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band26_10MHz_QPSK_RB1_0_CH26915




Band26_15MHz_QPSK_RB1_0_CH26915




Band26_10MHz_QPSK_RB1_0_CH26990



Band26_15MHz_QPSK_RB1_0_CH26965



Band26_15MHz_QPSK_RB1_0_CH26865



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

Report Number :TERF2402000305E2

Test Site :SAC 3

Operation Mode :LTE B2

Test Date :2024-02-27

Test Mode :Tx


Temp./Humi. :20.7°C/58%

EUT Pol :H Plane

Antenna
Pol. :Vertical

Test Frequency :1860 MHz

Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
50.370	-59.55	-47.19	-11.55	-0.80	-13.00	-46.55
145.430	-68.35	-65.17	-1.85	-1.33	-13.00	-55.35
209.450	-65.80	-68.70	4.49	-1.59	-13.00	-52.80
253.100	-64.47	-66.87	4.15	-1.75	-13.00	-51.47
357.860	-63.15	-65.64	4.55	-2.07	-13.00	-50.15
561.560	-62.35	-64.00	4.23	-2.58	-13.00	-49.35
3720.000	-58.30	-64.19	12.56	-6.68	-13.00	-45.30
5580.000	-50.47	-59.53	13.32	-8.25	-13.00	-37.47
7440.000	-42.12	-47.51	11.02	-9.62	-13.00	-29.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000305E2

Operation Mode :LTE B2

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :1860 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna Pol. :Horizontal

Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
81.410	-73.49	-70.13	-2.35	-1.02	-13.00	-60.49
167.740	-70.83	-68.72	-0.67	-1.44	-13.00	-57.83
217.210	-69.55	-72.78	4.86	-1.63	-13.00	-56.55
348.160	-59.32	-61.70	4.42	-2.04	-13.00	-46.32
372.410	-61.61	-63.80	4.30	-2.11	-13.00	-48.61
468.440	-67.00	-68.63	3.99	-2.36	-13.00	-54.00
3720.000	-59.76	-65.65	12.56	-6.68	-13.00	-46.76
5580.000	-47.25	-56.32	13.32	-8.25	-13.00	-34.25
7440.000	-39.68	-45.08	11.02	-9.62	-13.00	-26.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2402000305E2

Operation Mode :LTE B2

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :1880 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna
Pol. :Vertical

Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
33.880	-60.60	-46.41	-13.55	-0.65	-13.00	-47.60
50.370	-68.77	-56.42	-11.55	-0.80	-13.00	-55.77
165.800	-62.07	-59.83	-0.81	-1.42	-13.00	-49.07
233.700	-67.99	-70.76	4.46	-1.68	-13.00	-54.99
357.860	-63.11	-65.59	4.55	-2.07	-13.00	-50.11
613.940	-62.09	-62.96	3.57	-2.70	-13.00	-49.09
3760.000	-57.87	-63.62	12.46	-6.71	-13.00	-44.87
5640.000	-47.89	-57.06	13.48	-8.31	-13.00	-34.89
7520.000	-43.77	-49.27	11.14	-9.64	-13.00	-30.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000305E2

Operation Mode :LTE B2

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :1880 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna Pol. :Horizontal

Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
50.370	-64.35	-52.00	-11.55	-0.80	-13.00	-51.35
80.440	-71.77	-68.12	-2.63	-1.01	-13.00	-58.77
206.540	-66.68	-69.42	4.31	-1.57	-13.00	-53.68
357.860	-60.59	-63.08	4.55	-2.07	-13.00	-47.59
434.490	-66.53	-68.21	3.95	-2.27	-13.00	-53.53
605.210	-65.50	-66.53	3.71	-2.68	-13.00	-52.50
3760.000	-59.77	-65.52	12.46	-6.71	-13.00	-46.77
5640.000	-47.14	-56.30	13.48	-8.31	-13.00	-34.14
7520.000	-40.89	-46.39	11.14	-9.64	-13.00	-27.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2402000305E2

Operation Mode :LTE B2

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :1900 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna
Pol. :Vertical

Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
51.340	-64.57	-52.39	-11.37	-0.81	-13.00	-51.57
143.490	-67.98	-64.68	-1.98	-1.32	-13.00	-54.98
238.550	-66.87	-69.24	4.07	-1.70	-13.00	-53.87
372.410	-63.99	-66.18	4.30	-2.11	-13.00	-50.99
562.530	-62.78	-64.42	4.23	-2.59	-13.00	-49.78
592.600	-61.95	-63.08	3.78	-2.66	-13.00	-48.95
3800.000	-58.34	-63.90	12.30	-6.74	-13.00	-45.34
5700.000	-57.73	-62.65	13.30	-8.38	-13.00	-44.73
7600.000	-38.74	-44.33	11.30	-9.71	-13.00	-25.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000305E2

Operation Mode :LTE B2

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :1900 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna
Pol. :Horizontal

Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
51.340	-61.16	-48.98	-11.37	-0.81	-13.00	-48.16
162.890	-70.72	-68.23	-1.07	-1.42	-13.00	-57.72
202.660	-70.24	-72.80	4.12	-1.56	-13.00	-57.24
348.160	-59.12	-61.50	4.42	-2.04	-13.00	-46.12
491.720	-66.70	-68.38	4.11	-2.42	-13.00	-53.70
600.360	-65.34	-66.42	3.74	-2.66	-13.00	-52.34
3800.000	-60.46	-66.02	12.30	-6.74	-13.00	-47.46
5700.000	-52.74	-57.66	13.30	-8.38	-13.00	-39.74
7600.000	-34.72	-40.31	11.30	-9.71	-13.00	-21.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2402000305E2

Operation Mode :LTE B4

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :1720 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna
Pol. :Vertical

Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-64.43	-52.61	-11.01	-0.81	-13.00	-51.43
141.550	-67.70	-64.53	-1.86	-1.32	-13.00	-54.70
169.680	-67.46	-65.66	-0.36	-1.45	-13.00	-54.46
222.060	-63.98	-67.48	5.15	-1.65	-13.00	-50.98
357.860	-63.98	-66.47	4.55	-2.07	-13.00	-50.98
450.010	-64.92	-66.55	3.94	-2.31	-13.00	-51.92
3440.000	-58.82	-64.93	12.52	-6.41	-13.00	-45.82
5160.000	-51.39	-59.88	12.46	-7.96	-13.00	-38.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000305E2

Operation Mode :LTE B4

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :1720 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna
Pol. :Horizontal

Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
61.040	-69.33	-59.46	-8.99	-0.87	-13.00	-56.33
145.430	-71.01	-67.83	-1.85	-1.33	-13.00	-58.01
201.690	-66.63	-69.15	4.07	-1.55	-13.00	-53.63
343.310	-59.74	-62.01	4.30	-2.02	-13.00	-46.74
549.920	-66.15	-67.87	4.29	-2.56	-13.00	-53.15
626.550	-64.96	-65.83	3.59	-2.72	-13.00	-51.96
3440.000	-60.28	-66.40	12.52	-6.41	-13.00	-47.28
5160.000	-52.58	-57.07	12.46	-7.96	-13.00	-39.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000305E2

Operation Mode :LTE B4

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :1732.5 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna
Pol. :Vertical

Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
57.160	-65.16	-54.37	-9.94	-0.84	-13.00	-52.16
161.920	-68.27	-65.82	-1.03	-1.41	-13.00	-55.27
238.550	-67.66	-70.03	4.07	-1.70	-13.00	-54.66
362.710	-64.00	-66.48	4.57	-2.09	-13.00	-51.00
450.010	-65.57	-67.20	3.94	-2.31	-13.00	-52.57
556.710	-62.83	-64.52	4.26	-2.57	-13.00	-49.83
3465.000	-57.22	-63.22	12.44	-6.44	-13.00	-44.22
5197.500	-50.70	-59.41	12.69	-7.98	-13.00	-37.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000305E2

Operation Mode :LTE B4

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :1732.5 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna
Pol. :Horizontal

Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
77.530	-65.14	-60.58	-3.57	-0.99	-13.00	-52.14
171.620	-70.62	-68.96	-0.20	-1.45	-13.00	-57.62
193.930	-67.26	-69.25	3.53	-1.54	-13.00	-54.26
289.960	-68.19	-70.35	4.03	-1.87	-13.00	-55.19
343.310	-60.73	-63.00	4.30	-2.02	-13.00	-47.73
450.010	-66.95	-68.58	3.94	-2.31	-13.00	-53.95
3465.000	-59.38	-65.39	12.44	-6.44	-13.00	-46.38
5197.500	-54.96	-59.67	12.69	-7.98	-13.00	-41.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000305E2

Operation Mode :LTE B4

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :1745 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna
Pol. :Vertical

Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
61.040	-65.68	-55.82	-8.99	-0.87	-13.00	-52.68
164.830	-68.40	-66.19	-0.80	-1.42	-13.00	-55.40
203.630	-67.74	-70.34	4.16	-1.56	-13.00	-54.74
233.700	-67.70	-70.47	4.46	-1.68	-13.00	-54.70
367.560	-64.61	-66.93	4.43	-2.11	-13.00	-51.61
566.410	-62.87	-64.43	4.16	-2.59	-13.00	-49.87
3490.000	-58.08	-63.96	12.34	-6.46	-13.00	-45.08
5235.000	-57.81	-62.80	12.98	-7.99	-13.00	-44.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000305E2

Operation Mode :LTE B4

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :1745 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna
Pol. :Horizontal

Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
44.550	-65.06	-52.01	-12.28	-0.77	-13.00	-52.06
193.930	-66.70	-68.70	3.53	-1.54	-13.00	-53.70
234.670	-70.08	-72.73	4.34	-1.69	-13.00	-57.08
357.860	-60.61	-63.10	4.55	-2.07	-13.00	-47.61
456.800	-66.31	-68.01	4.04	-2.33	-13.00	-53.31
601.330	-65.31	-66.38	3.73	-2.67	-13.00	-52.31
3490.000	-59.10	-64.98	12.34	-6.46	-13.00	-46.10
5235.000	-53.05	-58.03	12.98	-7.99	-13.00	-40.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000305E2

Operation Mode :LTE B5

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :829 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna
Pol. :Vertical

Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
66.860	-66.76	-58.75	-7.12	-0.90	-13.00	-53.76
194.900	-57.29	-59.32	3.58	-1.54	-13.00	-44.29
357.860	-63.85	-66.34	4.55	-2.07	-13.00	-50.85
450.010	-65.62	-67.25	3.94	-2.31	-13.00	-52.62
524.700	-64.07	-65.75	4.18	-2.50	-13.00	-51.07
604.240	-62.12	-63.17	3.72	-2.68	-13.00	-49.12
1658.000	-60.44	-65.68	9.58	-4.34	-13.00	-47.44
2487.000	-57.75	-62.90	10.57	-5.41	-13.00	-44.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000305E2

Operation Mode :LTE B5

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :829 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna
Pol. :Horizontal

Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
52.310	-67.14	-55.32	-11.01	-0.81	-13.00	-54.14
148.340	-70.28	-67.14	-1.79	-1.35	-13.00	-57.28
195.870	-69.80	-71.97	3.71	-1.54	-13.00	-56.80
229.820	-66.47	-69.72	4.92	-1.67	-13.00	-53.47
241.460	-65.31	-67.58	3.97	-1.71	-13.00	-52.31
353.010	-61.48	-63.90	4.47	-2.06	-13.00	-48.48
1658.000	-61.45	-66.69	9.58	-4.34	-13.00	-48.45
2487.000	-59.68	-64.84	10.57	-5.41	-13.00	-46.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000305E2

Operation Mode :LTE B5

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :836.5 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna
Pol. :Vertical

Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
79.470	-61.06	-57.03	-3.02	-1.00	-13.00	-48.06
182.290	-63.83	-63.96	1.62	-1.50	-13.00	-50.83
235.640	-67.35	-69.91	4.26	-1.69	-13.00	-54.35
371.440	-64.21	-66.41	4.32	-2.11	-13.00	-51.21
419.940	-65.74	-67.45	3.94	-2.24	-13.00	-52.74
554.770	-62.85	-64.55	4.27	-2.57	-13.00	-49.85
1673.000	-60.50	-65.97	9.83	-4.36	-13.00	-47.50
2509.500	-59.05	-64.22	10.60	-5.44	-13.00	-46.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000305E2

Operation Mode :LTE B5

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :836.5 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna Pol. :Horizontal

Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
59.100	-65.31	-54.96	-9.49	-0.86	-13.00	-52.31
194.900	-65.31	-67.35	3.58	-1.54	-13.00	-52.31
244.370	-65.73	-67.97	3.96	-1.73	-13.00	-52.73
316.150	-60.38	-62.50	4.06	-1.94	-13.00	-47.38
357.860	-61.08	-63.56	4.55	-2.07	-13.00	-48.08
536.340	-65.41	-67.13	4.24	-2.52	-13.00	-52.41
1673.000	-60.49	-65.97	9.83	-4.36	-13.00	-47.49
2509.500	-58.89	-64.06	10.60	-5.44	-13.00	-45.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2402000305E2

Operation Mode :LTE B5

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :844 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna
Pol. :Vertical

Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
53.280	-62.63	-50.83	-10.98	-0.81	-13.00	-49.63
143.490	-68.71	-65.41	-1.98	-1.32	-13.00	-55.71
167.740	-68.62	-66.51	-0.67	-1.44	-13.00	-55.62
232.730	-66.24	-69.13	4.58	-1.68	-13.00	-53.24
366.590	-64.31	-66.67	4.47	-2.11	-13.00	-51.31
559.620	-63.03	-64.69	4.24	-2.58	-13.00	-50.03
1688.000	-60.37	-65.89	9.90	-4.38	-13.00	-47.37
2532.000	-58.69	-63.83	10.60	-5.46	-13.00	-45.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000305E2

Operation Mode :LTE B5

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :844 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna
Pol. :Horizontal

Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
51.340	-63.93	-51.75	-11.37	-0.81	-13.00	-50.93
206.540	-69.79	-72.53	4.31	-1.57	-13.00	-56.79
239.520	-63.64	-65.95	4.01	-1.70	-13.00	-50.64
348.160	-61.52	-63.89	4.42	-2.04	-13.00	-48.52
553.800	-66.20	-67.91	4.27	-2.57	-13.00	-53.20
601.330	-64.91	-65.98	3.73	-2.67	-13.00	-51.91
1688.000	-59.95	-65.47	9.90	-4.38	-13.00	-46.95
2532.000	-59.51	-64.65	10.60	-5.46	-13.00	-46.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2402000305E2

Operation Mode :LTE B12

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :704 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna
Pol. :Vertical

Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
51.340	-67.11	-54.93	-11.37	-0.81	-13.00	-54.11
81.410	-70.72	-67.36	-2.35	-1.02	-13.00	-57.72
141.550	-67.46	-64.29	-1.86	-1.32	-13.00	-54.46
200.720	-66.17	-68.65	4.03	-1.55	-13.00	-53.17
234.670	-67.07	-69.72	4.34	-1.69	-13.00	-54.07
362.710	-63.73	-66.21	4.57	-2.09	-13.00	-50.73
1408.000	-40.08	-45.79	7.70	-3.99	-13.00	-27.08
2112.000	-45.48	-52.34	9.80	-4.95	-13.00	-32.48
2816.000	-47.78	-54.91	10.90	-5.77	-13.00	-34.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000305E2

Operation Mode :LTE B12

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :704 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna
Pol. :Horizontal

Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
143.490	-70.57	-67.27	-1.98	-1.32	-13.00	-57.57
179.380	-68.95	-68.50	1.04	-1.49	-13.00	-55.95
195.870	-68.97	-71.14	3.71	-1.54	-13.00	-55.97
343.310	-60.47	-62.75	4.30	-2.02	-13.00	-47.47
554.770	-66.14	-67.84	4.27	-2.57	-13.00	-53.14
600.360	-60.11	-61.18	3.74	-2.66	-13.00	-47.11
1408.000	-39.63	-47.34	7.70	-3.99	-13.00	-26.63
2112.000	-53.22	-62.07	9.80	-4.95	-13.00	-40.22
2816.000	-53.05	-61.18	10.90	-5.77	-13.00	-40.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000305E2

Operation Mode :LTE B12

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :707.5 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna
Pol. :Vertical

Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
52.310	-61.16	-49.34	-11.01	-0.81	-13.00	-48.16
196.840	-63.88	-66.19	3.85	-1.54	-13.00	-50.88
233.700	-67.06	-69.83	4.46	-1.68	-13.00	-54.06
357.860	-63.16	-65.65	4.55	-2.07	-13.00	-50.16
448.070	-66.25	-67.89	3.94	-2.31	-13.00	-53.25
595.510	-62.04	-63.15	3.77	-2.66	-13.00	-49.04
1415.000	-40.11	-47.80	7.70	-4.00	-13.00	-27.11
2122.500	-52.47	-59.33	9.83	-4.96	-13.00	-39.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000305E2

Operation Mode :LTE B12

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :707.5 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna
Pol. :Horizontal

Engineer :Nick Lin



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
163.860	-71.07	-68.71	-0.94	-1.42	-13.00	-58.07
204.600	-70.06	-72.70	4.20	-1.56	-13.00	-57.06
241.460	-61.05	-63.32	3.97	-1.71	-13.00	-48.05
357.860	-61.27	-63.76	4.55	-2.07	-13.00	-48.27
485.900	-66.58	-68.26	4.09	-2.40	-13.00	-53.58
599.390	-62.97	-64.05	3.74	-2.66	-13.00	-49.97
1415.000	-40.91	-47.61	7.70	-4.00	-13.00	-27.91
2122.500	-53.10	-59.96	9.83	-4.96	-13.00	-40.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000305E2

Operation Mode :LTE B12

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :711 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna
Pol. :Vertical

Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
32.910	-60.78	-46.84	-13.31	-0.64	-13.00	-47.78
81.410	-69.40	-66.04	-2.35	-1.02	-13.00	-56.40
239.520	-63.92	-66.23	4.01	-1.70	-13.00	-50.92
357.860	-64.27	-66.76	4.55	-2.07	-13.00	-51.27
554.770	-62.81	-64.51	4.27	-2.57	-13.00	-49.81
600.360	-60.96	-62.04	3.74	-2.66	-13.00	-47.96
1422.000	-40.71	-48.42	7.72	-4.01	-13.00	-27.71
2133.000	-50.72	-57.61	9.87	-4.98	-13.00	-37.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000305E2

Operation Mode :LTE B12

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :711 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna
Pol. :Horizontal

Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
37.760	-63.75	-49.89	-13.18	-0.68	-13.00	-50.75
182.290	-69.73	-69.85	1.62	-1.50	-13.00	-56.73
218.180	-69.43	-72.72	4.92	-1.63	-13.00	-56.43
343.310	-60.03	-62.30	4.30	-2.02	-13.00	-47.03
496.570	-66.42	-68.18	4.20	-2.44	-13.00	-53.42
604.240	-65.37	-66.42	3.72	-2.68	-13.00	-52.37
1422.000	-41.87	-49.57	7.72	-4.01	-13.00	-28.87
2133.000	-54.07	-60.96	9.87	-4.98	-13.00	-41.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000305E2

Operation Mode :LTE B13

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :782 MHz


Test Site :SAC 3

Test Date :2024-02-27

Temp./Humi. :20.7°C/58%

Antenna
Pol. :Vertical

Engineer :Nick Lin



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
57.160	-65.87	-55.09	-9.94	-0.84	-13.00	-52.87
146.400	-66.73	-63.41	-1.99	-1.34	-13.00	-53.73
222.060	-66.90	-70.40	5.15	-1.65	-13.00	-53.90
384.050	-63.93	-65.99	4.19	-2.13	-13.00	-50.93
564.470	-63.01	-64.65	4.22	-2.59	-13.00	-50.01
606.180	-61.56	-62.57	3.69	-2.68	-13.00	-48.56
1564.000	-48.72	-53.60	9.10	-4.22	-40.00	-8.72
2346.000	-51.61	-56.17	9.80	-5.24	-13.00	-38.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.