CONSTRUCTION PHOTOS OF EUT




NFC Ant.
Ant. 5
Ant. 3
Ant. 8
Ant. 6
Ant. 2
Ant. 4
Ant. 7
Ant. 1
Ant. 0






Ant. 2
Ant. 3
Ant. 6
Ant. 8
Ant. 5




Ant. 7
Ant. 1
Ant. 0














PCTE020-RoHS-RMB
REV:2
08R1-0WR2100
GTW 18
94V-0 E244417
2520 10-01
Qualcomm
JE443H2G
ANT4
ANT7
ANT6
mm


JE443H2G
Qualcomm
WCN6750
-001
JH244760
ANT6
PCTE020-RoHS-RMB
REV:2
08R1-0WR2100
GTW 18
94V-0 E244417
2520 10-01


JE443H2G
Qualcomm
WCN6750
JH24476Q
ANT0


JE443H2G
ANT4
ANT1
ANT7
CN3201
ANT0


Qualcomm
QCM4490
000-AB
JE443H2G
CN3202
ANT4
ANT6
F03


JE443H2G
Qualcomm
WCN6750
-001
JH24476Q
ANT6








mm


ANT2






ANT6


ANT8
ANT5
ANT8
Qualcomm
PM4450
001
PE448XRJ
L4


100
50
40
30
20
10
mm
0
10
20
30
40


Cmi
E215894
94V-0
mm


mm


30
20
10
mm
0
10
20
30
40
50


- M 451019 3.85V
75mAh 0.289Wh
+ 250117 002075


CN201
U401
J401
J501
J502
J302
F02
0 30 20 10 mm 0
10 20 30 40 50 60


U402
U203
PCTE020-RoHS-RDB
REV:2
0 30 20 10 mm 0
10 20 30 40 50 60



PCTE020 ANT4







Rechargeable Lithium-ion Battery Pack
Model:RC40-BR-SBL500 1ICP7/57/72
Nominal Voltage:3.85V⎓
Nominal Capacity : 5000mAh 19.25Wh
Rated Capacity:4900mAh 18.865Wh
Limited Charging Voltage:4.4V
Red (+) /Black (-) Weight:Approx 95g
Critical raw materials:Lithium cobalt oxides、Carbon
Applicable fire extinguishers:dry powder fire extinguishers
MH46418
Li-ion
CAUTION:
Do not use it after immersing.
Do not place it in the hot environment.
Do not continue to use if the serious bulging appears.
Do not disassemble, impact, squeeze or put into the fire.
Please use the designated charger to charge.
Avertissement:
L'interdiction de démantèlement, bosse, extrusion, ou le jet dans le feu.
En cas de gonflement grave, ne pas continuer à l'utiliser
Ne le placez pas dans un environnement à haute température.
Il est interdire de l'utiliser après immersion dans de l'eau.
S'il vous plaît, utilisez un chargeur désigné.
FUJI Electronics (SHENZHEN) Co., Ltd.
Address:Bld.10,2nd Industrial Park,Tangxiayong,
Songgang,Baoan,Shenzhen,China
000224
MADE IN CHINA
DATE:20250517