

Test Logs

FCC ID: H8NSCU2080

Test Model: SCU2080 N48

Received Date: May 22, 2025

Test Date: May 28, 2025 ~ Jun. 9, 2025

Issued Date: Jun. 19, 2025

Applicant: Askey Computer Corp

Address: 10F, NO. 119, JIANKANG RD., ZHONGHE DIST., NEW TAIPEI CITY
23585, TAIWAN.

Issued By: Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch
Lin Kou Laboratories

Lab Address: No. 47-2, 14th Ling, Chia Pau Vil., Lin Kou Dist., New Taipei City, Taiwan

Test Location: No. 70, Wenming Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)

**FCC Registration/
Designation Number:** 281270 / TW0032

Table of Contents

1	CBSD Registration Process.....	3
1.1	WINNF.FT.C.REG.5.....	3
1.2	WINNF.FT.C.REG.7.....	5
1.3	WINNF.FT.C.REG.8.....	10
1.4	WINNF.FT.C.REG.10.....	12
1.5	WINNF.FT.C.REG.12.....	14
1.6	WINNF.FT.C.REG.14.....	16
1.7	WINNF.FT.C.REG.16.....	18
1.8	WINNF.FT.C.REG.18.....	20
2	CBSD Spectrum Grant Process	22
2.1	WINNF.FT.C.GRA.1	22
2.2	WINNF.FT.C.GRA.2	25
3	CBSD Heart Beat Process.....	28
3.1	WINNF.FT.C.HBT.1	28
3.2	WINNF.FT.C.HBT.3	34
3.3	WINNF.FT.C.HBT.4	39
3.4	WINNF.FT.C.HBT.5	45
3.5	WINNF.FT.C.HBT.6	49
3.6	WINNF.FT.C.HBT.7	54
3.7	WINNF.FT.C.HBT.9	59
3.8	WINNF.FT.C.HBT.10	63
4	CBSD Relinquishment Process.....	68
4.1	WINNF.FT.C.RLQ.1	68
5	CBSD Deregistration Process	72
5.1	WINNF.FT.C.DRG.1.....	72
6	CBSD Security Validation	76
6.1	WINNF.FT.C.SCS.1	76
6.2	WINNF.FT.C.SCS.2.....	78
6.3	WINNF.FT.C.SCS.3.....	78
6.4	WINNF.FT.C.SCS.4.....	78
6.5	WINNF.FT.C.SCS.5.....	78
7	CBSD RF Power Measurement.....	79
7.1	WINNF.PT.C.HBT.1(Max Eirp = 20 dBm/MHz)	79
7.2	WINNF.PT.C.HBT.1(Max Eirp = 28 dBm/MHz)	84
7.3	WINNF.PT.C.HBT.1(Max Eirp = 36 dBm/MHz)	88


```
"indoorDeployment": false,
"antennaBeamwidth": 0,
"horizontalAccuracy": 3,
"antennaDowntilt": 0,
"latitude": 62.5,
"height": 5.0,
"verticalAccuracy": 3
},
"fcclId": "H8NSCU2080",
"professionalInstallerData": {
  "cpiName": "BV Installer Certificate",
  "installCertificationTime": "2025-05-22T05:00:00Z",
  "cpilId": "cpi9001"
},
"cbbsdSerialNumber": "E1F41000196"
}
2025-05-28T02:59:09.295Z - INFO - verified signature on cpiSignatureData
2025-05-28T02:59:09.295Z - INFO - cpiSignatureData data successfully validated against jsonschema
2025-05-28T02:59:09.295Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2025-05-28T02:59:10.513Z - INFO - arrived to nstep starting question answer session with the technician
2025-05-28T02:59:10.513Z - INFO - the question is : Were there RF transmissions from the CBSD1 during
the test? please choose one of the answers :
2025-05-28T03:01:30.575Z - INFO - for the question : Were there RF transmissions from the CBSD1 during
the test? , the user choose n
2025-05-28T03:01:30.966Z - INFO - The final result of the test : WINNF.FT.C.REG.5 is - passed
```



```

    "antennaDowntilt": 0,
    "latitude": 62.5,
    "height": 5.0,
    "verticalAccuracy": 3
  },
  "fccId": "H8NSCU2080",
  "professionalInstallerData": {
    "cpiName": "BV Installer Certificate",
    "installCertificationTime": "2025-05-22T05:00:00Z",
    "cpId": "cpi9001"
  },
  "cbsdSerialNumber": "E1F41000196"
}
2025-06-02T06:00:40.948Z - INFO - verified signature on cpiSignatureData
2025-06-02T06:00:40.953Z - INFO - cpiSignatureData data successfully validated against jsonschema
2025-06-02T06:00:40.953Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-02T06:00:45.423Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "inquiredSpectrum": [
        {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      ]
    }
  ]
}
2025-06-02T06:00:45.447Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3590000000.0,
            "lowFrequency": 3550000000.0
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}

```

```

2025-06-02T06:00:49.854Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "operationParam": {
        "maxEirp": 36.0,
        "operationFrequencyRange": {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      }
    }
  ]
}
2025-06-02T06:00:49.872Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "channelType": "GAA",
      "grantExpireTime": "2025-06-09T06:00:49Z",
      "grantId": "348870370",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-02T06:00:53.756Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "348870370",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2025-06-02T06:00:53.775Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "348870370",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-02T06:04:13Z"
    }
  ]
}
2025-06-02T06:01:55.588Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "348870370",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}

```

```

    ]
  }
2025-06-02T06:01:55.592Z - INFO - Time interval between two heartbeat request messages is: 61.833, limit
is: 65.0
2025-06-02T06:01:55.598Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "348870370",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-02T06:05:15Z"
    }
  ]
}
2025-06-02T06:02:58.635Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "348870370",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2025-06-02T06:02:58.637Z - INFO - Time interval between two heartbeat request messages is: 63.047, limit
is: 65.0
2025-06-02T06:02:58.644Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "348870370",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-02T06:06:18Z"
    }
  ]
}
2025-06-02T06:04:00.957Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "348870370",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2025-06-02T06:04:00.957Z - INFO - Time interval between two heartbeat request messages is: 62.321, limit
is: 65.0
2025-06-02T06:04:00.963Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "348870370",
      "response": {

```



```

        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-02T06:07:20Z"
    ]
  ]
}
2025-06-02T06:05:04.638Z - INFO - relinquishment request from CBRS : {
  "relinquishmentRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "348870370"
    }
  ]
}
2025-06-02T06:05:04.661Z - INFO - engine sent successfully, the response to CBRS : {
  "relinquishmentResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "348870370",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-02T06:05:08.529Z - INFO - deregistration request from CBRS : {
  "deregistrationRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196"
    }
  ]
}
2025-06-02T06:05:08.546Z - INFO - engine sent successfully, the response to CBRS : {
  "deregistrationResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-02T06:05:09.693Z - INFO - arrived to nstep starting question answer session with the technician
2025-06-02T06:05:09.694Z - INFO - the question is : Did CBSD1 cease RF transmission before receipt of
Relinquishment request (if sent) or Deregistration request at Test Harness? please choose one of the
answers :
2025-06-02T06:07:42.240Z - INFO - for the question : Did CBSD1 cease RF transmission before receipt of
Relinquishment request (if sent) or Deregistration request at Test Harness? , the user choose y
2025-06-02T06:07:42.532Z - INFO - The final result of the test : WINNF.FT.C.REG.7 is - passed

```



```
"antennaDowntilt": 0,
"latitude": 62.5,
"height": 5.0,
"verticalAccuracy": 3
},
"fcclId": "H8NSCU2080",
"professionalInstallerData": {
  "cpiName": "BV Installer Certificate",
  "installCertificationTime": "2025-05-22T05:00:00Z",
  "cpiId": "cpi9001"
},
"cbbsdSerialNumber": "E1F41000196"
}
2025-05-28T03:02:59.691Z - INFO - verified signature on cpiSignatureData
2025-05-28T03:02:59.691Z - INFO - cpiSignatureData data successfully validated against jsonschema
2025-05-28T03:02:59.691Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "response": {
        "responseCode": 102
      }
    }
  ]
}
}
2025-05-28T03:03:01.255Z - INFO - arrived to nstep starting question answer session with the technician
2025-05-28T03:03:01.255Z - INFO - the question is : Were there RF transmissions from the CBSD1 during
the test? please choose one of the answers :
2025-05-28T03:05:08.299Z - INFO - for the question : Were there RF transmissions from the CBSD1 during
the test? , the user choose n
2025-05-28T03:05:08.565Z - INFO - The final result of the test : WINNF.FT.C.REG.8 is - passed
```



```
"antennaDowntilt": 0,
"latitude": 62.5,
"height": 5.0,
"verticalAccuracy": 3
},
"fcclId": "H8NSCU2080",
"professionalInstallerData": {
  "cpiName": "BV Installer Certificate",
  "installCertificationTime": "2025-05-22T05:00:00Z",
  "cpiId": "cpi9001"
},
"cbbsdSerialNumber": "E1F41000196"
}
2025-05-28T03:25:28.872Z - INFO - verified signature on cpiSignatureData
2025-05-28T03:25:28.872Z - INFO - cpiSignatureData data successfully validated against jsonschema
2025-05-28T03:25:28.872Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "response": {
        "responseCode": 200
      }
    }
  ]
}
}
2025-05-28T03:25:29.936Z - INFO - arrived to nstep starting question answer session with the technician
2025-05-28T03:25:29.936Z - INFO - the question is : Were there RF transmissions from the CBSD1 during
the test? please choose one of the answers :
2025-05-28T03:28:10.592Z - INFO - for the question : Were there RF transmissions from the CBSD1 during
the test? , the user choose n
2025-05-28T03:28:10.890Z - INFO - The final result of the test : WINNF.FT.C.REG.10 is - passed
```



```

    "antennaDowntilt": 0,
    "latitude": 62.5,
    "height": 5.0,
    "verticalAccuracy": 3
  },
  "fccId": "H8NSCU2080",
  "professionalInstallerData": {
    "cpiName": "BV Installer Certificate",
    "installCertificationTime": "2025-05-22T05:00:00Z",
    "cpild": "cpi9001"
  },
  "cbbsdSerialNumber": "E1F41000196"
}
2025-05-28T03:38:13.450Z - INFO - verified signature on cpiSignatureData
2025-05-28T03:38:13.453Z - INFO - cpiSignatureData data successfully validated against jsonschema
2025-05-28T03:38:13.454Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "response": {
        "responseCode": 103
      }
    }
  ]
}
2025-05-28T03:38:15.181Z - INFO - arrived to nstep starting question answer session with the technician
2025-05-28T03:38:15.183Z - INFO - the question is : Were there RF transmissions from the CBSD1 during
the test? please choose one of the answers :
2025-05-28T03:40:44.016Z - INFO - for the question : Were there RF transmissions from the CBSD1 during
the test? , the user choose n
2025-05-28T03:40:44.243Z - INFO - The final result of the test : WINNF.FT.C.REG.12 is - passed

```



```
"antennaDowntilt": 0,
"latitude": 62.5,
"height": 5.0,
"verticalAccuracy": 3
},
"fcclId": "H8NSCU2080",
"professionalInstallerData": {
  "cpiName": "BV Installer Certificate",
  "installCertificationTime": "2025-05-22T05:00:00Z",
  "cpilId": "cpi9001"
},
"cbbsdSerialNumber": "E1F41000196"
}
2025-06-02T07:15:00.872Z - INFO - verified signature on cpiSignatureData
2025-06-02T07:15:00.888Z - INFO - cpiSignatureData data successfully validated against jsonschema
2025-06-02T07:15:00.888Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "response": {
        "responseCode": 101
      }
    }
  ]
}
}
2025-06-02T07:15:02.107Z - INFO - arrived to nstep starting question answer session with the technician
2025-06-02T07:15:02.107Z - INFO - the question is : Were there RF transmissions from the CBSD1 during
the test? please choose one of the answers :
2025-06-02T07:17:07.194Z - INFO - for the question : Were there RF transmissions from the CBSD1 during
the test? , the user choose n
2025-06-02T07:17:07.522Z - INFO - The final result of the test : WINNF.FT.C.REG.14 is - passed
```



```
"antennaDowntilt": 0,
"latitude": 62.5,
"height": 5.0,
"verticalAccuracy": 3
},
"fcclId": "H8NSCU2080",
"professionalInstallerData": {
  "cpiName": "BV Installer Certificate",
  "installCertificationTime": "2025-05-22T05:00:00Z",
  "cpilId": "cpi9001"
},
"cbbsdSerialNumber": "E1F41000196"
}
2025-06-02T07:26:33.221Z - INFO - verified signature on cpiSignatureData
2025-06-02T07:26:33.221Z - INFO - cpiSignatureData data successfully validated against jsonschema
2025-06-02T07:26:33.237Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "response": {
        "responseCode": 100
      }
    }
  ]
}
}
2025-06-02T07:26:34.940Z - INFO - arrived to nstep starting question answer session with the technician
2025-06-02T07:26:34.940Z - INFO - the question is : Were there RF transmissions from the CBSD1 during
the test? please choose one of the answers :
2025-06-02T07:28:44.161Z - INFO - for the question : Were there RF transmissions from the CBSD1 during
the test? , the user choose n
2025-06-02T07:28:44.457Z - INFO - The final result of the test : WINNF.FT.C.REG.16 is - passed
```



```
"antennaDowntilt": 0,
"latitude": 62.5,
"height": 5.0,
"verticalAccuracy": 3
},
"fcclId": "H8NSCU2080",
"professionalInstallerData": {
  "cpiName": "BV Installer Certificate",
  "installCertificationTime": "2025-05-22T05:00:00Z",
  "cpilId": "cpi9001"
},
"cbbsdSerialNumber": "E1F41000196"
}
2025-06-02T07:47:58.236Z - INFO - verified signature on cpiSignatureData
2025-06-02T07:47:58.236Z - INFO - cpiSignatureData data successfully validated against jsonschema
2025-06-02T07:47:58.236Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "response": {
        "responseCode": 201
      }
    }
  ]
}
}
2025-06-02T07:47:59.377Z - INFO - arrived to nstep starting question answer session with the technician
2025-06-02T07:47:59.377Z - INFO - the question is : Were there RF transmissions from the CBSD1 during
the test? please choose one of the answers :
2025-06-02T07:51:31.221Z - INFO - for the question : Were there RF transmissions from the CBSD1 during
the test? , the user choose n
2025-06-02T07:51:31.436Z - INFO - The final result of the test : WINNF.FT.C.REG.18 is - passed
```



```

    "horizontalAccuracy": 3,
    "antennaDowntilt": 0,
    "latitude": 62.5,
    "height": 5.0,
    "verticalAccuracy": 3
  },
  "fcclId": "H8NSCU2080",
  "professionalInstallerData": {
    "cpiName": "BV Installer Certificate",
    "installCertificationTime": "2025-05-22T05:00:00Z",
    "cpilId": "cpi9001"
  },
  "cbsdSerialNumber": "E1F41000196"
}
2025-06-02T08:07:32.861Z - INFO - verified signature on cpiSignatureData
2025-06-02T08:07:32.875Z - INFO - cpiSignatureData data successfully validated against jsonschema
2025-06-02T08:07:32.875Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-02T08:07:36.611Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "inquiredSpectrum": [
        {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      ]
    }
  ]
}
2025-06-02T08:07:36.611Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3590000000.0,
            "lowFrequency": 3550000000.0
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}

```

```
}
2025-06-02T08:07:41.627Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "operationParam": {
        "maxEirp": 36.0,
        "operationFrequencyRange": {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      }
    }
  ]
}
2025-06-02T08:07:41.627Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 400
      }
    }
  ]
}
2025-06-02T08:07:42.954Z - INFO - arrived to nstep starting question answer session with the technician
2025-06-02T08:07:42.954Z - INFO - the question is : Were there RF transmissions from the CBSD1 during
the test? please choose one of the answers :
2025-06-02T08:10:23.246Z - INFO - for the question : Were there RF transmissions from the CBSD1 during
the test? , the user choose n
2025-06-02T08:10:23.793Z - INFO - The final result of the test : WINNF.FT.C.GRA.1 is – passed
```



```

    "antennaDowntilt": 0,
    "latitude": 62.5,
    "height": 5.0,
    "verticalAccuracy": 3
  },
  "fcclId": "H8NSCU2080",
  "professionalInstallerData": {
    "cpiName": "BV Installer Certificate",
    "installCertificationTime": "2025-05-22T05:00:00Z",
    "cpilId": "cpi9001"
  },
  "cbsdSerialNumber": "E1F41000196"
}
2025-06-02T08:18:11.105Z - INFO - verified signature on cpiSignatureData
2025-06-02T08:18:11.119Z - INFO - cpiSignatureData data successfully validated against jsonschema
2025-06-02T08:18:11.119Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-02T08:18:16.184Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "inquiredSpectrum": [
        {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      ]
    }
  ]
}
2025-06-02T08:18:16.184Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3590000000.0,
            "lowFrequency": 3550000000.0
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}

```

2025-06-02T08:18:20.028Z - INFO - grant request from CBRS : {

```
"grantRequest": [
  {
    "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
    "operationParam": {
      "maxEirp": 36.0,
      "operationFrequencyRange": {
        "highFrequency": 3590000000.0,
        "lowFrequency": 3550000000.0
      }
    }
  }
]
```

}
2025-06-02T08:18:20.043Z - INFO - engine sent successfully, the response to CBRS : {

```
"grantResponse": [
  {
    "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
    "response": {
      "responseCode": 401
    }
  }
]
```

}
2025-06-02T08:18:21.903Z - INFO - arrived to nstep starting question answer session with the technician

2025-06-02T08:18:21.903Z - INFO - the question is : Were there RF transmissions from the CBSD1 during the test? please choose one of the answers :

2025-06-02T08:20:32.869Z - INFO - for the question : Were there RF transmissions from the CBSD1 during the test? , the user choose n

2025-06-02T08:20:33.135Z - INFO - The final result of the test : WINNF.FT.C.GRA.2 is - passed


```

    "antennaDowntilt": 0,
    "latitude": 62.5,
    "height": 5.0,
    "verticalAccuracy": 3
  },
  "fccId": "H8NSCU2080",
  "professionalInstallerData": {
    "cpiName": "BV Installer Certificate",
    "installCertificationTime": "2025-05-22T05:00:00Z",
    "cpId": "cpi9001"
  },
  "cbsdSerialNumber": "E1F41000196"
}
2025-06-02T09:05:14.437Z - INFO - verified signature on cpiSignatureData
2025-06-02T09:05:14.437Z - INFO - cpiSignatureData data successfully validated against jsonschema
2025-06-02T09:05:14.437Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-02T09:05:18.390Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "inquiredSpectrum": [
        {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      ]
    }
  ]
}
2025-06-02T09:05:18.390Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3590000000.0,
            "lowFrequency": 3550000000.0
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}

```

```
2025-06-02T09:05:22.233Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "operationParam": {
        "maxEirp": 36.0,
        "operationFrequencyRange": {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      }
    }
  ]
}
2025-06-02T09:05:22.250Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "channelType": "GAA",
      "grantExpireTime": "2025-06-09T09:05:22Z",
      "grantId": "854327527",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-02T09:05:27.141Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "854327527",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2025-06-02T09:05:27.141Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "854327527",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-02T09:08:47Z"
    }
  ]
}
2025-06-02T09:06:29.584Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "854327527",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
```

```

    ]
  }
2025-06-02T09:06:29.584Z - INFO - Time interval between two heartbeat request messages is: 62.443, limit
is: 65.0
2025-06-02T09:06:29.599Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "854327527",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-02T09:09:49Z"
    }
  ]
}
2025-06-02T09:07:30.871Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "854327527",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2025-06-02T09:07:30.871Z - INFO - Time interval between two heartbeat request messages is: 61.288, limit
is: 65.0
2025-06-02T09:07:30.871Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "854327527",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-02T09:10:50Z"
    }
  ]
}
2025-06-02T09:08:32.612Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "854327527",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2025-06-02T09:08:32.628Z - INFO - Time interval between two heartbeat request messages is: 61.741, limit
is: 65.0
2025-06-02T09:08:32.628Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "854327527",
      "response": {

```

```

        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-02T09:11:52Z"
    }
  ]
}
2025-06-02T09:09:33.884Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "854327527",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2025-06-02T09:09:33.884Z - INFO - Time interval between two heartbeat request messages is: 61.272, limit
is: 65.0
2025-06-02T09:09:33.901Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "854327527",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-02T09:12:53Z"
    }
  ]
}
2025-06-02T09:10:35.407Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "854327527",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2025-06-02T09:10:35.407Z - INFO - Time interval between two heartbeat request messages is: 61.522, limit
is: 65.0
2025-06-02T09:10:35.407Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "854327527",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-02T09:13:55Z"
    }
  ]
}
2025-06-02T09:10:37.078Z - INFO - arrived to nstep starting question answer session with the technician
2025-06-02T09:10:37.078Z - INFO - the question is : Did CBSD1 transmit power prior to AUTHORIZED state
(first successful HBT response)? please choose one of the answers :
2025-06-02T09:19:44.134Z - INFO - for the question : Did CBSD1 transmit power prior to AUTHORIZED state

```


(first successful HBT response)? , the user choose n

2025-06-02T09:19:44.134Z - INFO - the question is : Did CBSD1 transmit only within the frequency range specified in its grantRequest message? please choose one of the answers :

2025-06-02T09:19:45.792Z - INFO - for the question : Did CBSD1 transmit only within the frequency range specified in its grantRequest message? , the user choose y

2025-06-02T09:19:46.401Z - INFO - The final result of the test : WINNF.FT.C.HBT.1 is - passed


```

        "antennaDowntilt": 0,
        "latitude": 62.5,
        "height": 5.0,
        "verticalAccuracy": 3
    },
    "fcclId": "H8NSCU2080",
    "professionalInstallerData": {
        "cpiName": "BV Installer Certificate",
        "installCertificationTime": "2025-05-22T05:00:00Z",
        "cpilId": "cpi9001"
    },
    "cbsdSerialNumber": "E1F41000196"
}
2025-06-03T06:16:11.667Z - INFO - verified signature on cpiSignatureData
2025-06-03T06:16:11.667Z - INFO - cpiSignatureData data successfully validated against jsonschema
2025-06-03T06:16:11.667Z - INFO - engine sent successfully, the response to CBRS : {
    "registrationResponse": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2025-06-03T06:16:16.105Z - INFO - spectrumInquiry request from CBRS : {
    "spectrumInquiryRequest": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "inquiredSpectrum": [
                {
                    "highFrequency": 3590000000.0,
                    "lowFrequency": 3550000000.0
                }
            ]
        }
    ]
}
2025-06-03T06:16:16.105Z - INFO - engine sent successfully, the response to CBRS : {
    "spectrumInquiryResponse": [
        {
            "availableChannel": [
                {
                    "channelType": "GAA",
                    "frequencyRange": {
                        "highFrequency": 3590000000.0,
                        "lowFrequency": 3550000000.0
                    },
                    "ruleApplied": "FCC_PART_96"
                }
            ],
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "response": {
                "responseCode": 0
            }
        }
    ]
}

```

```

2025-06-03T06:16:20.464Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "operationParam": {
        "maxEirp": 36.0,
        "operationFrequencyRange": {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      }
    }
  ]
}
2025-06-03T06:16:20.464Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "channelType": "GAA",
      "grantExpireTime": "2025-06-10T06:16:20Z",
      "grantId": "460509163",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-03T06:16:25.605Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "460509163",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2025-06-03T06:16:25.621Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "460509163",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-03T06:19:45Z"
    }
  ]
}
2025-06-03T06:17:27.767Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "460509163",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}

```

```

    ]
  }
2025-06-03T06:17:27.767Z - INFO - Time interval between two heartbeat request messages is: 62.162, limit
is: 65.0
2025-06-03T06:17:27.767Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "460509163",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-03T06:20:47Z"
    }
  ]
}
2025-06-03T06:18:29.368Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "460509163",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2025-06-03T06:18:29.368Z - INFO - Time interval between two heartbeat request messages is: 61.6, limit is:
65.0
2025-06-03T06:18:29.368Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "460509163",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-03T06:21:49Z"
    }
  ]
}
2025-06-03T06:19:30.888Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "460509163",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2025-06-03T06:19:30.888Z - INFO - Time interval between two heartbeat request messages is: 61.521, limit
is: 65.0
2025-06-03T06:19:30.888Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "460509163",
      "response": {

```

```
        "responseCode": 105
      },
      "transmitExpireTime": "2025-06-03T06:19:30Z"
    }
  ]
}
```

2025-06-03T06:19:32.201Z - INFO - arrived to nstep starting question answer session with the technician
2025-06-03T06:19:32.201Z - INFO - the question is : Did the CBSD stop RF transmission within 60 seconds of receiving Heartbeat response with responseCode = 105? please choose one of the answers :
2025-06-03T06:22:42.782Z - INFO - for the question : Did the CBSD stop RF transmission within 60 seconds of receiving Heartbeat response with responseCode = 105? , the user choose y
2025-06-03T06:22:43.049Z - INFO - The final result of the test : WINNF.FT.C.HBT.3 is - passed


```

    "antennaDowntilt": 0,
    "latitude": 62.5,
    "height": 5.0,
    "verticalAccuracy": 3
  },
  "fccId": "H8NSCU2080",
  "professionalInstallerData": {
    "cpiName": "BV Installer Certificate",
    "installCertificationTime": "2025-05-22T05:00:00Z",
    "cpId": "cpi9001"
  },
  "cbsdSerialNumber": "E1F41000196"
}
2025-06-03T06:48:41.463Z - INFO - verified signature on cpiSignatureData
2025-06-03T06:48:41.467Z - INFO - cpiSignatureData data successfully validated against jsonschema
2025-06-03T06:48:41.470Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-03T06:48:45.490Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "inquiredSpectrum": [
        {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      ]
    }
  ]
}
2025-06-03T06:48:45.496Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3590000000.0,
            "lowFrequency": 3550000000.0
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}

```



```
2025-06-03T06:48:50.845Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "operationParam": {
        "maxEirp": 36.0,
        "operationFrequencyRange": {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      }
    }
  ]
}
2025-06-03T06:48:50.851Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "channelType": "GAA",
      "grantExpireTime": "2025-06-10T06:48:50Z",
      "grantId": "676820375",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-03T06:48:55.048Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "676820375",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2025-06-03T06:48:55.055Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "676820375",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-03T06:52:15Z"
    }
  ]
}
2025-06-03T06:49:57.470Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "676820375",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
```

```

    ]
  }
2025-06-03T06:49:57.470Z - INFO - Time interval between two heartbeat request messages is: 62.421, limit
is: 65.0
2025-06-03T06:49:57.476Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "676820375",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-03T06:53:17Z"
    }
  ]
}
2025-06-03T06:50:59.509Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "676820375",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2025-06-03T06:50:59.512Z - INFO - Time interval between two heartbeat request messages is: 62.041, limit
is: 65.0
2025-06-03T06:50:59.516Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "676820375",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-03T06:54:19Z"
    }
  ]
}
2025-06-03T06:52:01.732Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "676820375",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2025-06-03T06:52:01.733Z - INFO - Time interval between two heartbeat request messages is: 62.222, limit
is: 65.0
2025-06-03T06:52:01.740Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "676820375",
      "response": {

```

```

        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-03T06:55:21Z"
    }
  ]
}
2025-06-03T06:53:03.701Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "676820375",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2025-06-03T06:53:03.703Z - INFO - Time interval between two heartbeat request messages is: 61.969, limit
is: 65.0
2025-06-03T06:53:03.709Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "676820375",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-03T06:56:23Z"
    }
  ]
}
2025-06-03T06:54:05.509Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "676820375",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2025-06-03T06:54:05.512Z - INFO - Time interval between two heartbeat request messages is: 61.808, limit
is: 65.0
2025-06-03T06:54:05.516Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "676820375",
      "response": {
        "responseCode": 500
      },
      "transmitExpireTime": "2025-06-03T06:54:05Z"
    }
  ]
}
2025-06-03T06:54:07.217Z - INFO - arrived to nstep starting question answer session with the technician
2025-06-03T06:54:07.219Z - INFO - the question is : Did the CBSD1 stop RF transmission within 60 seconds
of receiving Heartbeat response with responseCode = 500? please choose one of the answers :
2025-06-03T07:01:10.618Z - INFO - for the question : Did the CBSD1 stop RF transmission within 60

```

seconds of receiving Heartbeat response with responseCode = 500? , the user choose y
2025-06-03T07:01:10.914Z - INFO - The final result of the test : WINNF.FT.C.HBT.4 is - passed


```

    "antennaDowntilt": 0,
    "latitude": 62.5,
    "height": 5.0,
    "verticalAccuracy": 3
  },
  "fccId": "H8NSCU2080",
  "professionalInstallerData": {
    "cpiName": "BV Installer Certificate",
    "installCertificationTime": "2025-05-22T05:00:00Z",
    "cpId": "cpi9001"
  },
  "cbsdSerialNumber": "E1F41000196"
}
2025-06-03T08:22:02.930Z - INFO - verified signature on cpiSignatureData
2025-06-03T08:22:02.946Z - INFO - cpiSignatureData data successfully validated against jsonschema
2025-06-03T08:22:02.946Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-03T08:22:06.851Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "inquiredSpectrum": [
        {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      ]
    }
  ]
}
2025-06-03T08:22:06.851Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3590000000.0,
            "lowFrequency": 3550000000.0
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}

```

```

2025-06-03T08:22:10.884Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "operationParam": {
        "maxEirp": 36.0,
        "operationFrequencyRange": {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      }
    }
  ]
}
2025-06-03T08:22:10.884Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "channelType": "GAA",
      "grantExpireTime": "2025-06-10T08:22:10Z",
      "grantId": "670364189",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-03T08:22:15.368Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "670364189",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2025-06-03T08:22:15.384Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "670364189",
      "response": {
        "responseCode": 501
      },
      "transmitExpireTime": "2025-06-03T08:22:15Z"
    }
  ]
}
2025-06-03T08:23:19.374Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "670364189",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}

```

```
]
}
2025-06-03T08:23:19.374Z - INFO - Time interval between two heartbeat request messages is: 64.006, limit
is: 65.0
2025-06-03T08:23:19.374Z - INFO - engine sent successfully, the response to CBRS  : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "670364189",
      "response": {
        "responseCode": 501
      },
      "transmitExpireTime": "2025-06-03T08:23:19Z"
    }
  ]
}
}
2025-06-03T08:23:21.358Z - INFO - arrived to nstep starting question answer session with the technician
2025-06-03T08:23:21.358Z - INFO - the question is : Did the CBSD transmit at any time during the test?
please choose one of the answers :
2025-06-03T08:26:15.174Z - INFO - for the question : Did the CBSD transmit at any time during the test? , the
user choose n
2025-06-03T08:26:15.392Z - INFO - The final result of the test : WINNF.FT.C.HBT.5 is - passed
```



```

    "antennaDowntilt": 0,
    "latitude": 62.5,
    "height": 5.0,
    "verticalAccuracy": 3
  },
  "fcclId": "H8NSCU2080",
  "professionalInstallerData": {
    "cpiName": "BV Installer Certificate",
    "installCertificationTime": "2025-05-22T05:00:00Z",
    "cpilId": "cpi9001"
  },
  "cbsdSerialNumber": "E1F41000196"
}
2025-06-03T08:36:45.114Z - INFO - verified signature on cpiSignatureData
2025-06-03T08:36:45.114Z - INFO - cpiSignatureData data successfully validated against jsonschema
2025-06-03T08:36:45.114Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-03T08:36:49.941Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "inquiredSpectrum": [
        {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      ]
    }
  ]
}
2025-06-03T08:36:49.941Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3590000000.0,
            "lowFrequency": 3550000000.0
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}

```

```

2025-06-03T08:36:53.943Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "operationParam": {
        "maxEirp": 36.0,
        "operationFrequencyRange": {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      }
    }
  ]
}
2025-06-03T08:36:53.959Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "channelType": "GAA",
      "grantExpireTime": "2025-06-10T08:36:53Z",
      "grantId": "428486125",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-03T08:36:58.286Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "428486125",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2025-06-03T08:36:58.302Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "428486125",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-03T08:40:18Z"
    }
  ]
}
2025-06-03T08:38:00.415Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "428486125",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}

```

```

    ]
  }
2025-06-03T08:38:00.415Z - INFO - Time interval between two heartbeat request messages is: 62.129, limit
is: 65.0
2025-06-03T08:38:00.415Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "428486125",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-03T08:41:20Z"
    }
  ]
}
2025-06-03T08:39:03.224Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "428486125",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2025-06-03T08:39:03.224Z - INFO - Time interval between two heartbeat request messages is: 62.809, limit
is: 65.0
2025-06-03T08:39:03.240Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "428486125",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-03T08:42:23Z"
    }
  ]
}
2025-06-03T08:40:05.540Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "428486125",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2025-06-03T08:40:05.540Z - INFO - Time interval between two heartbeat request messages is: 62.316, limit
is: 65.0
2025-06-03T08:40:05.540Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "428486125",
      "response": {

```

```

        "responseCode": 501
      },
      "transmitExpireTime": "2025-06-03T08:40:05Z"
    }
  ]
}
2025-06-03T08:41:07.739Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "428486125",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2025-06-03T08:41:07.739Z - INFO - Time interval between two heartbeat request messages is: 62.198, limit
is: 65.0
2025-06-03T08:41:07.739Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "428486125",
      "response": {
        "responseCode": 501
      },
      "transmitExpireTime": "2025-06-03T08:41:07Z"
    }
  ]
}
2025-06-03T08:41:09.457Z - INFO - arrived to nstep starting question answer session with the technician
2025-06-03T08:41:09.457Z - INFO - the question is : Did the CBSD stop RF transmission within 60 seconds
of receiving Heartbeat response with responseCode = 501? please choose one of the answers :
2025-06-03T08:44:09.582Z - INFO - for the question : Did the CBSD stop RF transmission within 60 seconds
of receiving Heartbeat response with responseCode = 501? , the user choose y
2025-06-03T08:44:09.832Z - INFO - The final result of the test : WINNF.FT.C.HBT.6 is - passed

```



```

        "antennaDowntilt": 0,
        "latitude": 62.5,
        "height": 5.0,
        "verticalAccuracy": 3
    },
    "fccId": "H8NSCU2080",
    "professionalInstallerData": {
        "cpiName": "BV Installer Certificate",
        "installCertificationTime": "2025-05-22T05:00:00Z",
        "cpId": "cpi9001"
    },
    "cbsdSerialNumber": "E1F41000196"
}
2025-06-03T08:56:58.325Z - INFO - verified signature on cpiSignatureData
2025-06-03T08:56:58.329Z - INFO - cpiSignatureData data successfully validated against jsonschema
2025-06-03T08:56:58.331Z - INFO - engine sent successfully, the response to CBRS : {
    "registrationResponse": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2025-06-03T08:57:02.299Z - INFO - spectrumInquiry request from CBRS : {
    "spectrumInquiryRequest": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "inquiredSpectrum": [
                {
                    "highFrequency": 3590000000.0,
                    "lowFrequency": 3550000000.0
                }
            ]
        }
    ]
}
2025-06-03T08:57:02.305Z - INFO - engine sent successfully, the response to CBRS : {
    "spectrumInquiryResponse": [
        {
            "availableChannel": [
                {
                    "channelType": "GAA",
                    "frequencyRange": {
                        "highFrequency": 3590000000.0,
                        "lowFrequency": 3550000000.0
                    },
                    "ruleApplied": "FCC_PART_96"
                }
            ],
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "response": {
                "responseCode": 0
            }
        }
    ]
}

```

```
2025-06-03T08:57:07.165Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "operationParam": {
        "maxEirp": 36.0,
        "operationFrequencyRange": {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      }
    }
  ]
}
2025-06-03T08:57:07.171Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "channelType": "GAA",
      "grantExpireTime": "2025-06-10T08:57:07Z",
      "grantId": "292363237",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-03T08:57:12.539Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "292363237",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2025-06-03T08:57:12.546Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "292363237",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-03T09:00:32Z"
    }
  ]
}
2025-06-03T08:58:14.427Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "292363237",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
```



```

    ]
  }
2025-06-03T08:58:14.428Z - INFO - Time interval between two heartbeat request messages is: 61.888, limit
is: 65.0
2025-06-03T08:58:14.434Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "292363237",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-03T09:01:34Z"
    }
  ]
}
2025-06-03T08:59:16.688Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "292363237",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2025-06-03T08:59:16.690Z - INFO - Time interval between two heartbeat request messages is: 62.261, limit
is: 65.0
2025-06-03T08:59:16.694Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "292363237",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-03T09:02:36Z"
    }
  ]
}
2025-06-03T09:00:18.115Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "292363237",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2025-06-03T09:00:18.117Z - INFO - Time interval between two heartbeat request messages is: 61.427, limit
is: 65.0
2025-06-03T09:00:18.121Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "292363237",
      "response": {

```

```
        "responseCode": 502
      },
      "transmitExpireTime": "2025-06-03T09:00:18Z"
    ]
  }
}
2025-06-03T09:00:21.987Z - INFO - relinquishment request from CBRS : {
  "relinquishmentRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "292363237"
    }
  ]
}
2025-06-03T09:00:22.012Z - INFO - engine sent successfully, the response to CBRS : {
  "relinquishmentResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "292363237",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
}
2025-06-03T09:00:23.638Z - INFO - arrived to nstep starting question answer session with the technician
2025-06-03T09:00:23.638Z - INFO - the question is : Did the CBSD stop RF transmission within 60 seconds
of receiving Heartbeat response with responseCode = 502? please choose one of the answers :
2025-06-03T09:02:54.493Z - INFO - for the question : Did the CBSD stop RF transmission within 60 seconds
of receiving Heartbeat response with responseCode = 502? , the user choose y
2025-06-03T09:02:54.763Z - INFO - The final result of the test : WINNF.FT.C.HBT.7 is - passed
```



```

        "antennaDowntilt": 0,
        "latitude": 62.5,
        "height": 5.0,
        "verticalAccuracy": 3
    },
    "fccId": "H8NSCU2080",
    "professionalInstallerData": {
        "cpiName": "BV Installer Certificate",
        "installCertificationTime": "2025-05-22T05:00:00Z",
        "cpId": "cpi9001"
    },
    "cbsdSerialNumber": "E1F41000196"
}
2025-06-03T09:31:49.053Z - INFO - verified signature on cpiSignatureData
2025-06-03T09:31:49.058Z - INFO - cpiSignatureData data successfully validated against jsonschema
2025-06-03T09:31:49.059Z - INFO - engine sent successfully, the response to CBRS : {
    "registrationResponse": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2025-06-03T09:31:52.815Z - INFO - spectrumInquiry request from CBRS : {
    "spectrumInquiryRequest": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "inquiredSpectrum": [
                {
                    "highFrequency": 3590000000.0,
                    "lowFrequency": 3550000000.0
                }
            ]
        }
    ]
}
2025-06-03T09:31:52.822Z - INFO - engine sent successfully, the response to CBRS : {
    "spectrumInquiryResponse": [
        {
            "availableChannel": [
                {
                    "channelType": "GAA",
                    "frequencyRange": {
                        "highFrequency": 3590000000.0,
                        "lowFrequency": 3550000000.0
                    },
                    "ruleApplied": "FCC_PART_96"
                }
            ],
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "response": {
                "responseCode": 0
            }
        }
    ]
}

```

```
2025-06-03T09:31:57.036Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "operationParam": {
        "maxEirp": 36.0,
        "operationFrequencyRange": {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      }
    }
  ]
}
2025-06-03T09:31:57.043Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "channelType": "GAA",
      "grantExpireTime": "2025-06-10T09:31:57Z",
      "grantId": "367225101",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-03T09:32:01.368Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "367225101",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2025-06-03T09:33:38.519Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "367225101",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2025-06-03T09:33:38.519Z - INFO - request message received while HBT is absent, sleep 107 sec before responding
2025-06-03T09:35:17.196Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "367225101",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
```

```
]
}
2025-06-03T09:35:17.197Z - INFO - request message received while HBT is absent, sleep 9 sec before
responding
2025-06-03T09:35:21.375Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "367225101",
      "response": {
        "responseCode": 501
      },
      "transmitExpireTime": "2025-06-03T09:35:21Z"
    }
  ]
}
}
2025-06-03T09:35:22.923Z - INFO - arrived to nstep starting question answer session with the technician
2025-06-03T09:35:22.924Z - INFO - the question is : Were there RF transmissions from the CBSD during the
test? please choose one of the answers :
2025-06-03T09:35:25.519Z - INFO - engine sent successfully, the response to CBRS : "list index out of
range"
2025-06-03T09:35:26.197Z - INFO - engine sent successfully, the response to CBRS : "list index out of
range"
2025-06-03T09:37:38.444Z - INFO - for the question : Were there RF transmissions from the CBSD during
the test? , the user choose n
2025-06-03T09:37:39.391Z - INFO - The final result of the test : WINNF.FT.C.HBT.9 is - passed
```



```

        "antennaDowntilt": 0,
        "latitude": 62.5,
        "height": 5.0,
        "verticalAccuracy": 3
    },
    "fcclId": "H8NSCU2080",
    "professionalInstallerData": {
        "cpiName": "BV Installer Certificate",
        "installCertificationTime": "2025-05-22T05:00:00Z",
        "cpilId": "cpi9001"
    },
    "cbsdSerialNumber": "E1F41000196"
}
2025-06-04T03:01:11.766Z - INFO - verified signature on cpiSignatureData
2025-06-04T03:01:11.769Z - INFO - cpiSignatureData data successfully validated against jsonschema
2025-06-04T03:01:11.772Z - INFO - engine sent successfully, the response to CBRS : {
    "registrationResponse": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2025-06-04T03:01:16.759Z - INFO - spectrumInquiry request from CBRS : {
    "spectrumInquiryRequest": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "inquiredSpectrum": [
                {
                    "highFrequency": 3590000000.0,
                    "lowFrequency": 3550000000.0
                }
            ]
        }
    ]
}
2025-06-04T03:01:16.766Z - INFO - engine sent successfully, the response to CBRS : {
    "spectrumInquiryResponse": [
        {
            "availableChannel": [
                {
                    "channelType": "GAA",
                    "frequencyRange": {
                        "highFrequency": 3590000000.0,
                        "lowFrequency": 3550000000.0
                    },
                    "ruleApplied": "FCC_PART_96"
                }
            ],
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "response": {
                "responseCode": 0
            }
        }
    ]
}

```



```
2025-06-04T03:01:20.644Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "operationParam": {
        "maxEirp": 36.0,
        "operationFrequencyRange": {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      }
    }
  ]
}
2025-06-04T03:01:20.651Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "channelType": "GAA",
      "grantExpireTime": "2025-06-11T03:01:20Z",
      "grantId": "192917909",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-04T03:01:24.677Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "192917909",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2025-06-04T03:01:24.683Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "192917909",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-04T03:04:44Z"
    }
  ]
}
2025-06-04T03:02:26.746Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "192917909",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
```

```

    ]
  }
2025-06-04T03:02:26.749Z - INFO - Time interval between two heartbeat request messages is: 62.07, limit is:
65.0
2025-06-04T03:02:26.753Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "192917909",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-04T03:05:46Z"
    }
  ]
}
2025-06-04T03:03:28.505Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "192917909",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2025-06-04T03:03:28.506Z - INFO - Time interval between two heartbeat request messages is: 61.758, limit
is: 65.0
2025-06-04T03:03:28.509Z - INFO - LAST HBT RESPONSE THAT SET TRANSMIT_EXPIRE_TIME WAS AT:
2025-06-04 03:02:26.747000
2025-06-04T03:05:05.420Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "192917909",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2025-06-04T03:05:05.420Z - INFO - request message received while HBT is absent, sleep 108 sec before
responding
2025-06-04T03:06:42.328Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "192917909",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2025-06-04T03:06:42.329Z - INFO - request message received while HBT is absent, sleep 11 sec before
responding
2025-06-04T03:06:48.516Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",

```

```
"grantId": "192917909",  
"response": {  
  "responseCode": 501  
},  
"transmitExpireTime": "2025-06-04T03:06:48Z"
```

```
}
```

```
]
```

```
}
```

2025-06-04T03:06:49.618Z - INFO - arrived to nstep starting question answer session with the technician

2025-06-04T03:06:49.619Z - INFO - the question is : Did the CBSD stop RF transmissions within (transmitExpireTime + 60seconds) of last valid heartbeat response? please choose one of the answers :

2025-06-04T03:06:53.329Z - INFO - engine sent successfully, the response to CBRS : "list index out of range"

2025-06-04T03:06:53.421Z - INFO - engine sent successfully, the response to CBRS : "list index out of range"

2025-06-04T03:07:03.533Z - INFO - for the question : Did the CBSD stop RF transmissions within (transmitExpireTime + 60seconds) of last valid heartbeat response? , the user choose y

2025-06-04T03:07:04.190Z - INFO - The final result of the test : WINNF.FT.C.HBT.10 is - passed


```

    "antennaDowntilt": 0,
    "latitude": 62.5,
    "height": 5.0,
    "verticalAccuracy": 3
  },
  "fccId": "H8NSCU2080",
  "professionalInstallerData": {
    "cpiName": "BV Installer Certificate",
    "installCertificationTime": "2025-05-22T05:00:00Z",
    "cpId": "cpi9001"
  },
  "cbsdSerialNumber": "E1F41000196"
}
2025-06-04T07:27:53.555Z - INFO - verified signature on cpiSignatureData
2025-06-04T07:27:53.572Z - INFO - cpiSignatureData data successfully validated against jsonschema
2025-06-04T07:27:53.572Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-04T07:27:59.197Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "inquiredSpectrum": [
        {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      ]
    }
  ]
}
2025-06-04T07:27:59.213Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3590000000.0,
            "lowFrequency": 3550000000.0
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}

```

```
2025-06-04T07:28:03.107Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "operationParam": {
        "maxEirp": 36.0,
        "operationFrequencyRange": {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      }
    }
  ]
}
2025-06-04T07:28:03.121Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "channelType": "GAA",
      "grantExpireTime": "2025-06-11T07:28:03Z",
      "grantId": "684200406",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-04T07:28:07.561Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "684200406",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2025-06-04T07:28:07.575Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "684200406",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-04T07:31:27Z"
    }
  ]
}
2025-06-04T07:29:09.450Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "684200406",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
```

```

    ]
  }
2025-06-04T07:29:09.450Z - INFO - Time interval between two heartbeat request messages is: 61.89, limit is:
65.0
2025-06-04T07:29:09.467Z - INFO - engine sent successfully, the response to CBRS  : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "684200406",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-04T07:32:29Z"
    }
  ]
}
2025-06-04T07:29:42.483Z - INFO - relinquishment request from CBRS  : {
  "relinquishmentRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "684200406"
    }
  ]
}
2025-06-04T07:29:42.500Z - INFO - engine sent successfully, the response to CBRS  : {
  "relinquishmentResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "684200406",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-04T07:29:44.171Z - INFO - arrived to nstep starting question answer session with the technician
2025-06-04T07:29:44.171Z - INFO - the question is : Did CBSD1 cease RF transmission before receipt of
Relinquishment Request by Test Harness? please choose one of the answers :
2025-06-04T07:32:16.664Z - INFO - for the question : Did CBSD1 cease RF transmission before receipt of
Relinquishment Request by Test Harness? , the user choose y
2025-06-04T07:32:16.928Z - INFO - The final result of the test : WINNF.FT.C.RLQ.1 is - passed

```



```

    "antennaDowntilt": 0,
    "latitude": 62.5,
    "height": 5.0,
    "verticalAccuracy": 3
  },
  "fccId": "H8NSCU2080",
  "professionalInstallerData": {
    "cpiName": "BV Installer Certificate",
    "installCertificationTime": "2025-05-22T05:00:00Z",
    "cpId": "cpi9001"
  },
  "cbsdSerialNumber": "E1F41000196"
}
2025-06-04T09:14:42.760Z - INFO - verified signature on cpiSignatureData
2025-06-04T09:14:42.763Z - INFO - cpiSignatureData data successfully validated against jsonschema
2025-06-04T09:14:42.766Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-04T09:14:46.684Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "inquiredSpectrum": [
        {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      ]
    }
  ]
}
2025-06-04T09:14:46.690Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3590000000.0,
            "lowFrequency": 3550000000.0
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}

```

```
2025-06-04T09:14:52.063Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "operationParam": {
        "maxEirp": 36.0,
        "operationFrequencyRange": {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      }
    }
  ]
}
2025-06-04T09:14:52.069Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "channelType": "GAA",
      "grantExpireTime": "2025-06-11T09:14:52Z",
      "grantId": "123895283",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-04T09:14:56.108Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "123895283",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2025-06-04T09:14:56.114Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "123895283",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-04T09:18:16Z"
    }
  ]
}
2025-06-04T09:15:57.987Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "123895283",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
```

```

    ]
  }
2025-06-04T09:15:57.989Z - INFO - Time interval between two heartbeat request messages is: 61.88, limit is:
65.0
2025-06-04T09:15:57.993Z - INFO - engine sent successfully, the response to CBRS  : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "123895283",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-04T09:19:17Z"
    }
  ]
}
2025-06-04T09:16:26.836Z - INFO - deregistration request from CBRS  : {
  "deregistrationRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196"
    }
  ]
}
2025-06-04T09:16:26.855Z - INFO - engine sent successfully, the response to CBRS  : {
  "deregistrationResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-04T09:16:28.706Z - INFO - arrived to nstep starting question answer session with the technician
2025-06-04T09:16:28.707Z - INFO - the question is : Did CBSD1 cease RF transmission before receipt of
Relinquishment request (if sent) or Deregistration request at Test Harness? please choose one of the
answers :
2025-06-04T09:21:18.562Z - INFO - for the question : Did CBSD1 cease RF transmission before receipt of
Relinquishment request (if sent) or Deregistration request at Test Harness? , the user choose y
2025-06-04T09:21:18.835Z - INFO - The final result of the test : WINNF.FT.C.DRG.1 is - passed

```



```

    "antennaDowntilt": 0,
    "latitude": 62.5,
    "height": 5.0,
    "verticalAccuracy": 3
  },
  "fcclId": "H8NSCU2080",
  "professionalInstallerData": {
    "cpiName": "BV Installer Certificate",
    "installCertificationTime": "2025-05-22T05:00:00Z",
    "cpilId": "cpi9001"
  },
  "cbbsdSerialNumber": "E1F41000196"
}
2025-06-04T09:27:00.405Z - INFO - verified signature on cpiSignatureData
2025-06-04T09:27:00.410Z - INFO - cpiSignatureData data successfully validated against jsonschema
2025-06-04T09:27:00.411Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-04T09:27:02.349Z - INFO - arrived to nstep starting question answer session with the technician
2025-06-04T09:27:02.351Z - INFO - the question is : Were there RF transmissions from the CBSD1 during
the test? please choose one of the answers :
2025-06-04T09:28:29.387Z - INFO - for the question : Were there RF transmissions from the CBSD1 during
the test? , the user choose n
2025-06-04T09:28:29.726Z - INFO - The final result of the test : WINNF.FT.C.SCS.1 is – passed

```

6.2 WINNF.FT.C.SCS.2

2025-06-04T09:33:39.322Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2025-06-04T09:33:39.322Z - INFO - the selected test from the user : WINNF.FT.C.SCS.2 is starting now

6.3 WINNF.FT.C.SCS.3

2025-06-04T09:43:33.819Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2025-06-04T09:43:33.819Z - INFO - the selected test from the user : WINNF.FT.C.SCS.3 is starting now

6.4 WINNF.FT.C.SCS.4

2025-06-06T08:55:34.628Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2025-06-06T08:55:34.628Z - INFO - the selected test from the user : WINNF.FT.C.SCS.4 is starting now

6.5 WINNF.FT.C.SCS.5

2025-06-06T09:09:51.444Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2025-06-06T09:09:51.444Z - INFO - the selected test from the user : WINNF.FT.C.SCS.5 is starting now


```

    }
  ]
}
2025-06-08T07:41:51.875Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "inquiredSpectrum": [
        {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      ]
    }
  ]
}
2025-06-08T07:41:51.881Z - INFO - The requested spectrum is in the range, SpectrumInquiry response code
is 0
2025-06-08T07:41:51.882Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3590000000.0,
            "lowFrequency": 3550000000.0
          },
          "maxEirp": 20,
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-08T07:41:56.427Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "operationParam": {
        "maxEirp": 20,
        "operationFrequencyRange": {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      }
    }
  ]
}
2025-06-08T07:41:56.431Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "channelType": "GAA",

```



```

    "grantExpireTime": "2025-06-15T07:41:56Z",
    "grantId": "522599955",
    "heartbeatInterval": 60,
    "response": {
      "responseCode": 0
    }
  }
]
}
2025-06-08T07:42:01.299Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "522599955",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2025-06-08T07:42:01.305Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "522599955",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-08T07:45:21Z"
    }
  ]
}
2025-06-08T07:43:03.476Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "522599955",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2025-06-08T07:43:03.483Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "522599955",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-08T07:46:23Z"
    }
  ]
}
2025-06-08T07:44:05.246Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "522599955",

```

```

        "grantRenew": false,
        "operationState": "AUTHORIZED"
    }
]
}
2025-06-08T07:44:05.252Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "grantId": "522599955",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2025-06-08T07:47:25Z"
        }
    ]
}
2025-06-08T07:45:07.361Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "grantId": "522599955",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2025-06-08T07:45:07.367Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "grantId": "522599955",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2025-06-08T07:48:27Z"
        }
    ]
}
2025-06-08T07:46:09.121Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "grantId": "522599955",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2025-06-08T07:46:09.131Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "grantId": "522599955",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2025-06-08T07:49:29Z"
        }
    ]
}

```

}
}
}


```

}
2025-06-08T07:36:38.321Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "inquiredSpectrum": [
        {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      ]
    }
  ]
}
2025-06-08T07:36:38.326Z - INFO - The requested spectrum is in the range, SpectrumInquiry response code
is 0
2025-06-08T07:36:38.328Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3590000000.0,
            "lowFrequency": 3550000000.0
          },
          "maxEirp": 28,
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2025-06-08T07:36:42.836Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "operationParam": {
        "maxEirp": 28,
        "operationFrequencyRange": {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        }
      }
    }
  ]
}
2025-06-08T07:36:42.841Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "channelType": "GAA",
      "grantExpireTime": "2025-06-15T07:36:42Z",
      "grantId": "867051340",

```

```

        "heartbeatInterval": 60,
        "response": {
            "responseCode": 0
        }
    }
]
}
2025-06-08T07:36:47.232Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "grantId": "867051340",
            "grantRenew": false,
            "operationState": "GRANTED"
        }
    ]
}
2025-06-08T07:36:47.236Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "grantId": "867051340",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2025-06-08T07:40:07Z"
        }
    ]
}
2025-06-08T07:37:49.279Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "grantId": "867051340",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2025-06-08T07:37:49.283Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "grantId": "867051340",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2025-06-08T07:41:09Z"
        }
    ]
}
2025-06-08T07:38:51.565Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "grantId": "867051340",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}

```

```
    }  
  ]  
}  
2025-06-08T07:38:51.572Z - INFO - engine sent successfully, the response to CBRS : {  
  "heartbeatResponse": [  
    {  
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",  
      "grantId": "867051340",  
      "response": {  
        "responseCode": 0  
      },  
      "transmitExpireTime": "2025-06-08T07:42:11Z"  
    }  
  ]  
}  
2025-06-08T07:39:53.625Z - INFO - heartbeat request from CBRS : {  
  "heartbeatRequest": [  
    {  
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",  
      "grantId": "867051340",  
      "grantRenew": false,  
      "operationState": "AUTHORIZED"  
    }  
  ]  
}  
2025-06-08T07:39:53.631Z - INFO - engine sent successfully, the response to CBRS : {  
  "heartbeatResponse": [  
    {  
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",  
      "grantId": "867051340",  
      "response": {  
        "responseCode": 0  
      },  
      "transmitExpireTime": "2025-06-08T07:43:13Z"  
    }  
  ]  
}
```


2025-06-08T07:29:36.709Z - INFO - spectrumInquiry request from CBRS : {

```
"spectrumInquiryRequest": [
  {
    "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
    "inquiredSpectrum": [
      {
        "highFrequency": 3590000000.0,
        "lowFrequency": 3550000000.0
      }
    ]
  }
]
```

}
2025-06-08T07:29:36.736Z - INFO - The requested spectrum is in the range, SpectrumInquiry response code is 0

2025-06-08T07:29:36.737Z - INFO - engine sent successfully, the response to CBRS : {

```
"spectrumInquiryResponse": [
  {
    "availableChannel": [
      {
        "channelType": "GAA",
        "frequencyRange": {
          "highFrequency": 3590000000.0,
          "lowFrequency": 3550000000.0
        },
        "maxEirp": 36,
        "ruleApplied": "FCC_PART_96"
      }
    ],
    "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
    "response": {
      "responseCode": 0
    }
  }
]
```

}
2025-06-08T07:29:41.351Z - INFO - grant request from CBRS : {

```
"grantRequest": [
  {
    "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
    "operationParam": {
      "maxEirp": 36,
      "operationFrequencyRange": {
        "highFrequency": 3590000000.0,
        "lowFrequency": 3550000000.0
      }
    }
  }
]
```

}
2025-06-08T07:29:41.378Z - INFO - engine sent successfully, the response to CBRS : {

```
"grantResponse": [
  {
    "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
    "channelType": "GAA",
    "grantExpireTime": "2025-06-15T07:29:41Z",
    "grantId": "498273056",
    "heartbeatInterval": 60,
```

```

        "response": {
            "responseCode": 0
        }
    ]
}
2025-06-08T07:29:45.713Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "grantId": "498273056",
            "grantRenew": false,
            "operationState": "GRANTED"
        }
    ]
}
2025-06-08T07:29:45.740Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "grantId": "498273056",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2025-06-08T07:33:05Z"
        }
    ]
}
2025-06-08T07:30:48.147Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "grantId": "498273056",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2025-06-08T07:30:48.151Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "grantId": "498273056",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2025-06-08T07:34:08Z"
        }
    ]
}
2025-06-08T07:31:49.799Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
            "grantId": "498273056",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}

```

```
]
}
2025-06-08T07:31:49.805Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "498273056",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-08T07:35:09Z"
    }
  ]
}
2025-06-08T07:32:51.165Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "498273056",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2025-06-08T07:32:51.171Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "498273056",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-08T07:36:11Z"
    }
  ]
}
2025-06-08T07:33:52.846Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "498273056",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2025-06-08T07:33:52.852Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSCU2080Mock-SASE1F41000196",
      "grantId": "498273056",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2025-06-08T07:37:12Z"
    }
  ]
}
```