


DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	MyQ Garage Door Opener
MODEL NO.	B6765T
TEST	FCC §15.247, RSS-247 – Band Edge
MODE	Wi-Fi – 802.11n - 2412MHz
DATE TESTED	February 10 – 14, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	

BAND EDGE – LOW



Date: 14.FEB.2020 21:28:20

DATA PAGE

MANUFACTURER	Chamberlain Group, Inc.
EUT	MyQ Garage Door Opener
MODEL NO.	B6765T
TEST	FCC §15.247, RSS-247 – Band Edge
MODE	Wi-Fi – 2462MHz
DATE TESTED	February 10 – 14, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	

BAND EDGE – HIGH - PEAK


Mode	Freq. (MHz)	Ant. Pol	Meter Reading (dBμV)	CBL Fac. (dB)	Ant. Fac. (dB)	Pre Amp (dB)	Peak Total dBμV/m at 3m	Peak Total μV/m at 3m	Peak Limit μV/m at 3m	Margin (dB)
802.11b	2483.50	H	18.26	4.33	32.33	0.00	54.92	557.49	5000.00	-19.05
	2483.50	V	19.03	4.33	32.33	0.00	55.69	609.17	5000.00	-18.28
802.11g	2483.50	H	30.31	4.33	32.33	0.00	66.97	2232.22	5000.00	-7.00
	2483.50	V	31.10	4.33	32.33	0.00	67.76	2444.76	5000.00	-6.21
802.11n	2483.50	H	23.75	4.33	32.33	0.00	60.41	1048.90	5000.00	-13.56
	2483.50	V	24.44	4.33	32.33	0.00	61.10	1135.63	5000.00	-12.87

BAND EDGE – HIGH - AVERAGE

Mode	Freq. (MHz)	Ant. Pol	Meter Reading (dBμV)	CBL Fac. (dB)	Ant. Fac. (dB)	Pre Amp (dB)	Duty Cycle (dB)	Average Total dBμV/m at 3m	Average Total μV/m at 3m	Average Limit μV/m at 3m	Margin (dB)
802.11b	2483.50	H	9.25	4.33	32.33	0.00	0.00	45.91	197.58	500.00	-8.06
	2483.50	V	9.36	4.33	32.33	0.00	0.00	46.02	200.09	500.00	-7.95
802.11g	2483.50	H	12.48	4.33	32.33	0.00	0.00	49.14	286.57	500.00	-4.83
	2483.50	V	12.71	4.33	32.33	0.00	0.00	49.37	294.26	500.00	-4.60
802.11n	2483.50	H	11.62	4.33	32.33	0.00	0.00	48.28	259.56	500.00	-5.69
	2483.50	V	11.35	4.33	32.33	0.00	0.00	48.01	251.61	500.00	-5.96

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	MyQ Garage Door Opener
MODEL NO.	B6765T
TEST	FCC §15.247, RSS-247 – Band Edge
MODE	BLE
DATE TESTED	February 10 – 14, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	

BAND EDGE – LOW



Date: 13.FEB.2020 01:00:20

DATA PAGE	
MANUFACTURER	Chamberlain Group, Inc.
EUT	MyQ Garage Door Opener
MODEL NO.	B6765T
TEST	FCC §15.247, RSS-247 – Band Edge
MODE	BLE
DATE TESTED	February 10 – 14, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	

BAND EDGE – HIGH - PEAK

Freq. (MHz)	Ant. Pol	Meter Reading (dBμV)	CBL Fac. (dB)	Ant. Fac. (dB)	Pre Amp (dB)	Peak Total dBμV/m at 3m	Peak Total μV/m at 3m	Peak Limit μV/m at 3m	Margin (dB)
2483.50	H	21.72	4.33	32.33	0.00	58.38	830.30	5000.00	-15.59
2483.50	V	23.24	4.33	32.33	0.00	59.90	989.09	5000.00	-14.07

BAND EDGE – HIGH - AVERAGE

Freq. (MHz)	Ant. Pol	Meter Reading (dBμV)	CBL Fac. (dB)	Ant. Fac. (dB)	Pre Amp (dB)	Duty Cycle (dB)	Average Total dBμV/m at 3m	Average Total μV/m at 3m	Average Limit μV/m at 3m	Margin (dB)
2483.50	H	9.78	4.33	32.33	0.00	0.00	46.44	210.01	500.00	-7.53
2483.50	V	9.58	4.33	32.33	0.00	0.00	46.24	205.23	500.00	-7.73