


DATA PAGE

MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CMRAA0101E3 (ARQ2-UGDO)
TEST MODE	FCC §15.231, RSS-210 99% Bandwidth
FREQUENCY TESTED	390MHz (9 DIP Code - Genie)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 314.27kHz Max allowed BW = (0.25% BW = 975kHz)

99% BANDWIDTH




22:33:32 17.11.2020

DATA PAGE

MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CMRAA0101E3 (ARQ2-UGDO)
TEST MODE	FCC §15.231, RSS-210 20dB Bandwidth
FREQUENCY TESTED	303MHz (Fixed Long Code)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	<p>Vertical Lines V1 and V2 represent the 0.25% bandwidth of the center frequency of the EUT. Horizontal line H1 represents the level 20dB down from the peak of the modulated carrier</p> <p>Max allowed BW = (0.25% BW = 757.5kHz)</p>

20DB BANDWIDTH




23:49:24 17.11.2020

DATA PAGE

MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CMRAA0101E3 (ARQ2-UGDO)
TEST MODE	FCC §15.231, RSS-210 99% Bandwidth
FREQUENCY TESTED	303MHz (Fixed Long Code)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 298.03kHz Max allowed BW = (0.25% BW = 757.5kHz)


99% BANDWIDTH



DATA PAGE

MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CMRAA0101E3 (ARQ2-UGDO)
TEST MODE	FCC §15.231, RSS-210 20dB Bandwidth
FREQUENCY TESTED	310MHz (Rolling Code - Ryobi)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	<p>Vertical Lines V1 and V2 represent the 0.25% bandwidth of the center frequency of the EUT. Horizontal line H1 represents the level 20dB down from the peak of the modulated carrier</p> <p>Max allowed BW = (0.25% BW = 775kHz)</p>

20DB BANDWIDTH




23:22:46 17.11.2020

DATA PAGE

MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CMRAA0101E3 (ARQ2-UGDO)
TEST MODE	FCC §15.231, RSS-210 99% Bandwidth
FREQUENCY TESTED	310MHz (Rolling Code - Ryobi)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 299.33kHz Max allowed BW = (0.25% BW = 775kHz)

99% BANDWIDTH




23:22:18 17.11.2020

DATA PAGE

MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CMRAA0101E3 (ARQ2-UGDO)
TEST MODE	FCC §15.231, RSS-210 20dB Bandwidth
FREQUENCY TESTED	372.5MHz (Rolling Code - Ryobi)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	<p>Vertical Lines V1 and V2 represent the 0.25% bandwidth of the center frequency of the EUT. Horizontal line H1 represents the level 20dB down from the peak of the modulated carrier</p> <p>Max allowed BW = (0.25% BW = 931.25kHz)</p>

20DB BANDWIDTH




23:39:21 17.11.2020

DATA PAGE

MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CMRAA0101E3 (ARQ2-UGDO)
TEST MODE	FCC §15.231, RSS-210 99% Bandwidth
FREQUENCY TESTED	372.5MHz (Rolling Code - Ryobi)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 301.89kHz Max allowed BW = (0.25% BW = 931.25kHz)

99% BANDWIDTH




23:38:57 17.11.2020

DATA PAGE

MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CMRAA0101E3 (ARQ2-UGDO)
TEST	FCC §15.231, RSS-210 20dB Bandwidth
MODE	Tx
FREQUENCY TESTED	315MHz (Synergy Code)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	<p>Vertical Lines V1 and V2 represent the 0.25% bandwidth of the center frequency of the EUT. Horizontal line H1 represents the level 20dB down from the peak of the modulated carrier</p> <p>Max allowed BW = (0.25% BW = 787.5kHz)</p>

20DB BANDWIDTH




22:56:44 17.11.2020

DATA PAGE

MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CMRAA0101E3 (ARQ2-UGDO)
TEST MODE	FCC §15.231, RSS-210 99% Bandwidth
FREQUENCY TESTED	315MHz (Synergy Code)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 296.7kHz Max allowed BW = (0.25% BW = 787.5kHz)

99% BANDWIDTH




22:55:13 17.11.2020

DATA PAGE

MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CMRAA0101E3 (ARQ2-UGDO)
TEST	FCC §15.231, RSS-210 20dB Bandwidth
MODE	Tx
FREQUENCY TESTED	433.92MHz (EX Series Code)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	<p>Vertical Lines V1 and V2 represent the 0.25% bandwidth of the center frequency of the EUT. Horizontal line H1 represents the level 20dB down from the peak of the modulated carrier</p> <p>Max allowed BW = (0.25% BW = 1.08MHz)</p>

20DB BANDWIDTH




23:57:21 17.11.2020

DATA PAGE

MANUFACTURER	The Chamberlain Group, Inc.
EUT	Automotive Transceiver for Garage Door Control
MODEL NO.	CMRAA0101E3 (ARQ2-UGDO)
TEST	FCC §15.231, RSS-210 99% Bandwidth
MODE	Tx
FREQUENCY TESTED	433.92MHz (EX Series Code)
DATE TESTED	November 17, 2020
TEST PERFORMED BY	Tylar Jozefczyk
NOTES	99% BW = 298.02kHz Max allowed BW = (0.25% BW = 1.08MHz)

99% BANDWIDTH



23:54:58 17.11.2020