





11AX20MIMO_Ant6_2462_30~1000




11AX20MIMO_Ant6_2462_1000~26500






11AX20MIMO_Ant7_2462_30~1000




11AX20MIMO_Ant7_2462_1000~26500






11AX40MIMO_Ant6_2422_30~1000




11AX40MIMO_Ant6_2422_1000~26500






11AX40MIMO_Ant7_2422_30~1000




11AX40MIMO_Ant7_2422_1000~26500






11AX40MIMO_Ant6_2427_30~1000




11AX40MIMO_Ant6_2427_1000~26500






11AX40MIMO_Ant7_2427_30~1000




11AX40MIMO_Ant7_2427_1000~26500






11AX40MIMO_Ant6_2437_30~1000




11AX40MIMO_Ant6_2437_1000~26500






11AX40MIMO_Ant7_2437_30~1000




11AX40MIMO_Ant7_2437_1000~26500






11AX40MIMO_Ant6_2447_30~1000




11AX40MIMO_Ant6_2447_1000~26500






11AX40MIMO_Ant7_2447_30~1000




11AX40MIMO_Ant7_2447_1000~26500






11AX40MIMO_Ant6_2452_30~1000




11AX40MIMO_Ant6_2452_1000~26500






11AX40MIMO_Ant7_2452_30~1000



11AX40MIMO_Ant7_2452_1000~26500





Partial RU


Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20MIMO	Ant6	2412	26Tone	RU0	-9.77	≤8.00	PASS
			52Tone	RU37	-10.30	≤8.00	PASS
			106Tone	RU53	-10.10	≤8.00	PASS
	Ant7	2412	26Tone	RU0	-9.49	≤8.00	PASS
			52Tone	RU37	-9.01	≤8.00	PASS
			106Tone	RU53	-9.01	≤8.00	PASS
	total	2412	26Tone	RU0	-6.62	≤8.00	PASS
			52Tone	RU37	-6.60	≤8.00	PASS
			106Tone	RU53	-6.51	≤8.00	PASS
	Ant6	2437	26Tone	RU0	-6.79	≤8.00	PASS
			52Tone	RU37	-6.68	≤8.00	PASS
			106Tone	RU53	-6.92	≤8.00	PASS
	Ant7	2437	26Tone	RU0	-5.88	≤8.00	PASS
			52Tone	RU37	-6.11	≤8.00	PASS
			106Tone	RU53	-6.36	≤8.00	PASS
	total	2437	26Tone	RU0	-3.30	≤8.00	PASS
			52Tone	RU37	-3.38	≤8.00	PASS
			106Tone	RU53	-3.62	≤8.00	PASS
	Ant6	2457	26Tone	RU8	-9.10	≤8.00	PASS
			52Tone	RU40	-9.13	≤8.00	PASS
			106Tone	RU54	-8.70	≤8.00	PASS
	Ant7	2457	26Tone	RU8	-8.18	≤8.00	PASS
			52Tone	RU40	-8.58	≤8.00	PASS
			106Tone	RU54	-8.09	≤8.00	PASS
	total	2457	26Tone	RU8	-5.61	≤8.00	PASS
			52Tone	RU40	-5.84	≤8.00	PASS
			106Tone	RU54	-5.37	≤8.00	PASS
	Ant6	2462	26Tone	RU8	-10.81	≤8.00	PASS
			52Tone	RU40	-10.14	≤8.00	PASS
			106Tone	RU54	-10.44	≤8.00	PASS
	Ant7	2462	26Tone	RU8	-9.61	≤8.00	PASS
			52Tone	RU40	-9.50	≤8.00	PASS
			106Tone	RU54	-8.92	≤8.00	PASS
	total	2462	26Tone	RU8	-7.16	≤8.00	PASS
			52Tone	RU40	-6.80	≤8.00	PASS
			106Tone	RU54	-6.60	≤8.00	PASS




Test Graphs






11AX20MIMO_Ant6_2412_106Tone_RU53




11AX20MIMO_Ant7_2412_26Tone_RU0






11AX20MIMO_Ant7_2412_52Tone_RU37




11AX20MIMO_Ant7_2412_106Tone_RU53






11AX20MIMO_Ant6_2437_26Tone_RU0




11AX20MIMO_Ant6_2437_52Tone_RU37






11AX20MIMO_Ant6_2437_106Tone_RU53




11AX20MIMO_Ant7_2437_26Tone_RU0






11AX20MIMO_Ant7_2437_52Tone_RU37




11AX20MIMO_Ant7_2437_106Tone_RU53






11AX20MIMO_Ant6_2457_26Tone_RU8




11AX20MIMO_Ant6_2457_52Tone_RU40






11AX20MIMO_Ant6_2457_106Tone_RU54




11AX20MIMO_Ant7_2457_26Tone_RU8






11AX20MIMO_Ant7_2457_52Tone_RU40




11AX20MIMO_Ant7_2457_106Tone_RU54






11AX20MIMO_Ant6_2462_26Tone_RU8




11AX20MIMO_Ant6_2462_52Tone_RU40






11AX20MIMO_Ant6_2462_106Tone_RU54




11AX20MIMO_Ant7_2462_26Tone_RU8






11AX20MIMO_Ant7_2462_52Tone_RU40



11AX20MIMO_Ant7_2462_106Tone_RU54






Reference level measurement

Test Result

TestMode	Antenna	Freq(MHz)	Max.Point[MHz]	Result[dBm/100KHZ]
11AX20MIMO	Ant6	2412	2403.93	1.44
			2406.14	1.26
			2404.49	1.22
	Ant7	2412	2403.27	2.55
			2403.10	1.72
			2408.83	2.78
	Ant6	2457	2465.47	3.85
			2464.77	2.42
			2463.34	2.13
	Ant7	2457	2465.55	3.72
			2464.77	3.29
			2465.60	2.98
	Ant6	2462	2470.25	0.84
			2468.38	0.83
			2470.68	0.79
	Ant7	2462	2470.12	0.48
			2468.38	1.57
			2470.08	2.55




Test Graphs






11AX20MIMO_Ant6_2412_106Tone_RU53




11AX20MIMO_Ant7_2412_26Tone_RU0






11AX20MIMO_Ant7_2412_52Tone_RU37




11AX20MIMO_Ant7_2412_106Tone_RU53






11AX20MIMO_Ant6_2457_26Tone_RU8




11AX20MIMO_Ant6_2457_52Tone_RU40






11AX20MIMO_Ant6_2457_106Tone_RU54




11AX20MIMO_Ant7_2457_26Tone_RU8






11AX20MIMO_Ant7_2457_52Tone_RU40




11AX20MIMO_Ant7_2457_106Tone_RU54






11AX20MIMO_Ant6_2462_26Tone_RU8




11AX20MIMO_Ant6_2462_52Tone_RU40






11AX20MIMO_Ant6_2462_106Tone_RU54




11AX20MIMO_Ant7_2462_26Tone_RU8






11AX20MIMO_Ant7_2462_52Tone_RU40



11AX20MIMO_Ant7_2462_106Tone_RU54




Band edge measurements

Test Result

TestMode	Antenna	ChName	Freq(MHz)	Ru Size	Ru Index	RefLevel [dBm/100 KHZ]	Result [dBm/100 KHZ]	Limit [dBm/100 KHZ]	Verdict
11AX20MI MO	Ant6	Low	2412	26Tone	RU0	1.44	-28.26	≤-18.56	PASS
				52Tone	RU37	1.26	-31.92	≤-18.74	PASS
				106Tone	RU53	1.22	-29.69	≤-18.78	PASS
	Ant7	Low	2412	26Tone	RU0	2.55	-27.36	≤-17.45	PASS
				52Tone	RU37	1.72	-29.89	≤-18.28	PASS
				106Tone	RU53	2.78	-26.7	≤-17.22	PASS
	Ant6	High	2457	26Tone	RU8	3.85	-48.02	≤-16.15	PASS
				52Tone	RU40	2.42	-48.03	≤-17.58	PASS
				106Tone	RU54	2.13	-48.05	≤-17.87	PASS
	Ant7	High	2457	26Tone	RU8	3.72	-48.43	≤-16.28	PASS
				52Tone	RU40	3.29	-47.32	≤-16.71	PASS
				106Tone	RU54	2.98	-46.92	≤-17.02	PASS
	Ant6	High	2462	26Tone	RU8	0.84	-47.7	≤-19.16	PASS
				52Tone	RU40	0.83	-48.36	≤-19.17	PASS
				106Tone	RU54	0.79	-48.31	≤-19.21	PASS
	Ant7	High	2462	26Tone	RU8	0.48	-48	≤-19.52	PASS
				52Tone	RU40	1.57	-47.66	≤-18.43	PASS
				106Tone	RU54	2.55	-47.7	≤-17.45	PASS




Test Graphs






11AX20MIMO_Ant6_Low_2412_106Tone_RU53




11AX20MIMO_Ant7_Low_2412_26Tone_RU0






11AX20MIMO_Ant7_Low_2412_52Tone_RU37




11AX20MIMO_Ant7_Low_2412_106Tone_RU53






11AX20MIMO_Ant6_High_2457_26Tone_RU8




11AX20MIMO_Ant6_High_2457_52Tone_RU40






11AX20MIMO_Ant6_High_2457_106Tone_RU54




11AX20MIMO_Ant7_High_2457_26Tone_RU8






11AX20MIMO_Ant7_High_2457_52Tone_RU40




11AX20MIMO_Ant7_High_2457_106Tone_RU54






11AX20MIMO_Ant6_High_2462_26Tone_RU8




11AX20MIMO_Ant6_High_2462_52Tone_RU40






11AX20MIMO_Ant6_High_2462_106Tone_RU54




11AX20MIMO_Ant7_High_2462_26Tone_RU8






11AX20MIMO_Ant7_High_2462_52Tone_RU40




11AX20MIMO_Ant7_High_2462_106Tone_RU54





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS

Condition : 15C RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.186	43.00	-21.20	64.20	32.50	0.09	10.41	QP
2 *	0.186	37.10	-17.10	54.20	26.60	0.09	10.41	Average
3	0.437	37.00	-20.11	57.11	26.80	-0.06	10.26	QP
4	0.437	28.40	-18.71	47.11	18.20	-0.06	10.26	Average
5	0.513	37.40	-18.60	56.00	27.30	-0.11	10.21	QP
6	0.513	26.00	-20.00	46.00	15.90	-0.11	10.21	Average
7	1.153	33.10	-22.90	56.00	23.20	-0.19	10.09	QP
8	1.153	23.50	-22.50	46.00	13.60	-0.19	10.09	Average
9	25.864	36.37	-23.63	60.00	25.20	-0.38	11.55	QP
10	25.864	27.07	-22.93	50.00	15.90	-0.38	11.55	Average
11	28.152	36.69	-23.31	60.00	25.51	-0.44	11.62	QP
12	28.152	26.39	-23.61	50.00	15.21	-0.44	11.62	Average



Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.186	38.74	-25.46	64.20	28.20	0.13	10.41	QP
2	0.186	27.44	-26.76	54.20	16.90	0.13	10.41	Average
3 *	0.486	35.88	-20.35	56.23	25.80	-0.15	10.23	QP
4	0.486	24.68	-21.55	46.23	14.60	-0.15	10.23	Average
5	0.564	33.84	-22.16	56.00	23.81	-0.16	10.19	QP
6	0.564	23.34	-22.66	46.00	13.31	-0.16	10.19	Average
7	0.675	33.19	-22.81	56.00	23.20	-0.16	10.15	QP
8	0.675	21.49	-24.51	46.00	11.50	-0.16	10.15	Average
9	25.591	34.54	-25.46	60.00	23.50	-0.51	11.55	QP
10	25.591	24.84	-25.16	50.00	13.80	-0.51	11.55	Average
11	27.562	35.72	-24.28	60.00	24.60	-0.48	11.60	QP
12	27.562	23.82	-26.18	50.00	12.70	-0.48	11.60	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jake	Relative Humidity :	41~42 %
		Temperature :	22 ~23℃

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 16	2400-2483.5	CDD 6+7	802.11b	01	2412	1Mbps	-	-
Mode 17	2400-2483.5	CDD 6+7	802.11b	06	2437	1Mbps	-	-
Mode 18	2400-2483.5	CDD 6+7	802.11b	11	2462	1Mbps	-	-
Mode 19	2400-2483.5	CDD 6+7	802.11g	01	2412	6Mbps	-	-
Mode 20	2400-2483.5	CDD 6+7	802.11g	06	2437	6Mbps	-	-
Mode 21	2400-2483.5	CDD 6+7	802.11g	11	2462	6Mbps	-	-
Mode 22	2400-2483.5	CDD 6+7	802.11ax HE20	01	2412	MCS0	Full	-
Mode 23	2400-2483.5	CDD 6+7	802.11ax HE20	06	2437	MCS0	Full	-
Mode 24	2400-2483.5	CDD 6+7	802.11ax HE20	11	2462	MCS0	Full	-
Mode 25	2400-2483.5	CDD 6+7	802.11ax HE20	01	2412	MCS0	RU26/0	-
Mode 26	2400-2483.5	CDD 6+7	802.11ax HE20	01	2412	MCS0	RU52/37	-
Mode 27	2400-2483.5	CDD 6+7	802.11ax HE20	01	2412	MCS0	RU106/53	-
Mode 28	2400-2483.5	CDD 6+7	802.11ax HE20	11	2462	MCS0	RU26/8	-
Mode 29	2400-2483.5	CDD 6+7	802.11ax HE20	11	2462	MCS0	RU52/40	-
Mode 30	2400-2483.5	CDD 6+7	802.11ax HE20	11	2462	MCS0	RU106/54	-
Mode 31	2400-2483.5	CDD 6+7	802.11ax HE40	03	2422	MCS0	Full	-
Mode 32	2400-2483.5	CDD 6+7	802.11ax HE40	06	2437	MCS0	Full	-
Mode 33	2400-2483.5	CDD 6+7	802.11ax HE40	09	2452	MCS0	Full	-
Mode 34	2400-2483.5	CDD 6+7	802.11ax HE20	10	2457	MCS0	Full	-
Mode 35	2400-2483.5	CDD 6+7	802.11ax HE40	04	2427	MCS0	Full	-
Mode 36	2400-2483.5	CDD 6+7	802.11ax HE40	08	2447	MCS0	Full	-
Mode 37	2400-2483.5	CDD 6+7	802.11ax HE20	10	2457	MCS0	RU26/8	-
Mode 38	2400-2483.5	CDD 6+7	802.11ax HE20	10	2457	MCS0	RU52/40	-
Mode 39	2400-2483.5	CDD 6+7	802.11ax HE20	10	2457	MCS0	RU106/54	-







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
16	802.11b	01	2387.35	49.27	54.00	-4.73	H	AVERAGE	Pass	Band Edge
16	802.11b	01	4824.00	41.87	74.00	-32.13	V	PEAK	Pass	Harmonic
17	802.11b	06	-	-	-	-	-	-	-	Band Edge
17	802.11b	06	7311.00	44.89	74.00	-29.11	H	PEAK	Pass	Harmonic
18	802.11b	11	2490.23	49.75	54.00	-4.25	H	AVERAGE	Pass	Band Edge
18	802.11b	11	7386.00	43.77	74.00	-30.23	H	PEAK	Pass	Harmonic
19	802.11g	01	2389.95	50.59	54.00	-3.41	V	AVERAGE	Pass	Band Edge
19	802.11g	01	4824.00	41.19	74.00	-32.81	H	PEAK	Pass	Harmonic
20	802.11g	06	-	-	-	-	-	-	-	Band Edge
20	802.11g	06	7311.00	43.13	74.00	-30.87	H	PEAK	Pass	Harmonic
21	802.11g	11	2484.52	50.95	54.00	-3.05	H	AVERAGE	Pass	Band Edge
21	802.11g	11	7386.00	42.10	74.00	-31.90	H	PEAK	Pass	Harmonic
22	802.11ax HE20	01	2389.95	50.32	54.00	-3.68	H	AVERAGE	Pass	Band Edge
22	802.11ax HE20	01	4824.00	40.95	74.00	-33.05	H	PEAK	Pass	Harmonic
23	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE20	06	7311.00	43.34	74.00	-30.66	H	PEAK	Pass	Harmonic
24	802.11ax HE20	11	2486.20	50.48	54.00	-3.52	H	AVERAGE	Pass	Band Edge
24	802.11ax HE20	11	7386.00	42.00	74.00	-32.00	V	PEAK	Pass	Harmonic
25	802.11ax HE20	01	2389.95	44.05	54.00	-9.95	H	AVERAGE	Pass	Band Edge
25	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE20	01	2380.72	44.17	54.00	-9.83	H	AVERAGE	Pass	Band Edge
26	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE20	01	2389.95	44.38	54.00	-9.62	H	AVERAGE	Pass	Band Edge
27	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
28	802.11ax HE20	11	2483.74	47.45	54.00	-6.55	H	AVERAGE	Pass	Band Edge
28	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
29	802.11ax HE20	11	2484.23	45.17	54.00	-8.83	H	AVERAGE	Pass	Band Edge
29	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	11	2489.89	67.93	74.00	-6.07	H	PEAK	Pass	Band Edge
30	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE40	03	2389.95	50.64	54.00	-3.36	H	AVERAGE	Pass	Band Edge
31	802.11ax HE40	03	7266.00	43.16	74.00	-30.84	H	PEAK	Pass	Harmonic
32	802.11ax HE40	06	2483.50	50.83	54.00	-3.17	H	AVERAGE	Pass	Band Edge
32	802.11ax HE40	06	7311.00	43.13	74.00	-30.87	H	PEAK	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
33	802.11ax HE40	09	2486.80	50.96	54.00	-3.04	H	AVERAGE	Pass	Band Edge
33	802.11ax HE40	09	7356.00	43.33	74.00	-30.67	H	PEAK	Pass	Harmonic
34	802.11ax HE20	10	2483.51	50.73	54.00	-3.27	H	AVERAGE	Pass	Band Edge
34	802.11ax HE20	10	7371.00	43.84	74.00	-30.16	V	PEAK	Pass	Harmonic
35	802.11ax HE40	04	2388.91	50.99	54.00	-3.01	H	AVERAGE	Pass	Band Edge
35	802.11ax HE40	04	7281.00	43.61	74.00	-30.39	H	PEAK	Pass	Harmonic
36	802.11ax HE40	08	2483.56	50.50	54.00	-3.50	H	Average	Pass	Band Edge
36	802.11ax HE40	08	7341.00	44.15	74.00	-29.85	H	PEAK	Pass	Harmonic
37	802.11ax HE20	10	2484.53	66.51	74.00	-7.49	H	PEAK	Pass	Band Edge
37	802.11ax HE20	10	-	-	-	-	-	-	-	Harmonic
38	802.11ax HE20	10	2483.51	44.70	54.00	-9.30	H	AVERAGE	Pass	Band Edge
38	802.11ax HE20	10	-	-	-	-	-	-	-	Harmonic
39	802.11ax HE20	10	2494.19	68.82	74.00	-5.18	V	PEAK	Pass	Band Edge
39	802.11ax HE20	10	-	-	-	-	-	-	-	Harmonic





Mode	16																																																						
	Band Edge																																																						
	2400-2483.5_802.11b_CH01_2412MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2355.89</td><td>60.99</td><td>74.00</td><td>-13.01</td><td>48.57</td><td>32.07</td><td>6.55</td><td>32.20</td><td>6.00</td><td>200 114 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2355.89	60.99	74.00	-13.01	48.57	32.07	6.55	32.20	6.00	200 114 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2355.89	60.99	74.00	-13.01	48.57	32.07	6.55	32.20	6.00	200 114 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>111.12</td><td>-----</td><td>98.13</td><td>32.55</td><td>6.63</td><td>32.19</td><td>6.00</td><td>200</td><td>114 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	111.12	-----	98.13	32.55	6.63	32.19	6.00	200	114 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	111.12	-----	98.13	32.55	6.63	32.19	6.00	200	114 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.35</td><td>49.27</td><td>54.00</td><td>-4.73</td><td>36.40</td><td>32.45</td><td>6.60</td><td>32.18</td><td>6.00</td><td>200 114 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.35	49.27	54.00	-4.73	36.40	32.45	6.60	32.18	6.00	200 114 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2387.35	49.27	54.00	-4.73	36.40	32.45	6.60	32.18	6.00	200 114 AVERAGE																																													
AVERAGE																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>106.61</td><td>-----</td><td>93.62</td><td>32.55</td><td>6.63</td><td>32.19</td><td>6.00</td><td>200</td><td>114 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	106.61	-----	93.62	32.55	6.63	32.19	6.00	200	114 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	106.61	-----	93.62	32.55	6.63	32.19	6.00	200	114 AVERAGE																																													





Mode	16																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																		
ANT	CDD 6+7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2358.75</td><td>61.21</td><td>74.00</td><td>-12.79</td><td>48.74</td><td>32.10</td><td>6.56</td><td>32.19</td><td>6.00</td><td>339 360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2358.75	61.21	74.00	-12.79	48.74	32.10	6.56	32.19	6.00	339 360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>110.35</td><td>-----</td><td>-----</td><td>97.36</td><td>32.55</td><td>6.63</td><td>32.19</td><td>6.00</td><td>339 360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.35	-----	-----	97.36	32.55	6.63	32.19	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2358.75	61.21	74.00	-12.79	48.74	32.10	6.56	32.19	6.00	339 360 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	110.35	-----	-----	97.36	32.55	6.63	32.19	6.00	339 360 PEAK																																																																																									
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2387.35</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>36.33</td><td>32.45</td><td>6.60</td><td>32.18</td><td>6.00</td><td>339 360 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.35	49.20	54.00	-4.80	36.33	32.45	6.60	32.18	6.00	339 360 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>105.78</td><td>-----</td><td>-----</td><td>92.79</td><td>32.55</td><td>6.63</td><td>32.19</td><td>6.00</td><td>339 360 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.78	-----	-----	92.79	32.55	6.63	32.19	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2387.35	49.20	54.00	-4.80	36.33	32.45	6.60	32.18	6.00	339 360 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	105.78	-----	-----	92.79	32.55	6.63	32.19	6.00	339 360 AVERAGE																																																																																									







Mode	16																																																																																																							
	Harmonic																																																																																																							
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																							
ANT	CDD 6+7																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4824.00</td><td>41.78</td><td>74.00</td><td>-32.22</td><td>59.38</td><td>34.20</td><td>9.47</td><td>61.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	41.78	74.00	-32.22	59.38	34.20	9.47	61.27	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4824.00</td><td>41.87</td><td>74.00</td><td>-32.13</td><td>59.47</td><td>34.20</td><td>9.47</td><td>61.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	41.87	74.00	-32.13	59.47	34.20	9.47	61.27	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	4824.00	41.78	74.00	-32.22	59.38	34.20	9.47	61.27	0.00	---	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	4824.00	41.87	74.00	-32.13	59.47	34.20	9.47	61.27	0.00	---	---	PEAK																																																																																												







Mode	17																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																													
ANT	CDD 6+7																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>41.22</td><td>74.00</td><td>-32.78</td><td>58.78</td><td>34.15</td><td>9.52</td><td>61.23</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>44.89</td><td>74.00</td><td>-29.11</td><td>58.23</td><td>35.70</td><td>11.69</td><td>60.73</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	41.22	74.00	-32.78	58.78	34.15	9.52	61.23	0.00	---	PEAK	2	7311.00	44.89	74.00	-29.11	58.23	35.70	11.69	60.73	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>41.67</td><td>74.00</td><td>-32.33</td><td>59.23</td><td>34.15</td><td>9.52</td><td>61.23</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>44.30</td><td>74.00</td><td>-29.70</td><td>57.64</td><td>35.70</td><td>11.69</td><td>60.73</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	41.67	74.00	-32.33	59.23	34.15	9.52	61.23	0.00	---	PEAK	2	7311.00	44.30	74.00	-29.70	57.64	35.70	11.69	60.73	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4874.00	41.22	74.00	-32.78	58.78	34.15	9.52	61.23	0.00	---	PEAK																																																																																																																			
2	7311.00	44.89	74.00	-29.11	58.23	35.70	11.69	60.73	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4874.00	41.67	74.00	-32.33	59.23	34.15	9.52	61.23	0.00	---	PEAK																																																																																																																			
2	7311.00	44.30	74.00	-29.70	57.64	35.70	11.69	60.73	0.00	---	PEAK																																																																																																																			



		18																																																				
Mode	Band Edge																																																					
	2400-2483.5_802.11b_CH11_2462MHz																																																					
ANT	CDD 6+7																																																					
Pol.																																																						
Peak	Horizontal																																																					
																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.43</td><td>61.64</td><td>74.00</td><td>-12.36</td><td>48.45</td><td>32.68</td><td>6.75</td><td>32.24</td><td>6.00</td><td>100 85 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.43	61.64	74.00	-12.36	48.45	32.68	6.75	32.24	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2496.43	61.64	74.00	-12.36	48.45	32.68	6.75	32.24	6.00	100 85 PEAK																																												
Peak	Fundamental																																																					
																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>115.18</td><td>-----</td><td>-----</td><td>102.23</td><td>32.47</td><td>6.70</td><td>32.22</td><td>6.00</td><td>100 85 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	115.18	-----	-----	102.23	32.47	6.70	32.22	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2462.00	115.18	-----	-----	102.23	32.47	6.70	32.22	6.00	100 85 PEAK																																												
Avg	Horizontal																																																					
																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.23</td><td>49.75</td><td>54.00</td><td>-4.25</td><td>36.61</td><td>32.64</td><td>6.74</td><td>32.24</td><td>6.00</td><td>100 85 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.23	49.75	54.00	-4.25	36.61	32.64	6.74	32.24	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2490.23	49.75	54.00	-4.25	36.61	32.64	6.74	32.24	6.00	100 85 AVERAGE																																												
Avg	Fundamental																																																					
																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>110.70</td><td>-----</td><td>-----</td><td>97.75</td><td>32.47</td><td>6.70</td><td>32.22</td><td>6.00</td><td>100 85 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	110.70	-----	-----	97.75	32.47	6.70	32.22	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2462.00	110.70	-----	-----	97.75	32.47	6.70	32.22	6.00	100 85 AVERAGE																																												







Mode	18																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																	
ANT	CDD 6+7																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.78</td><td>61.84</td><td>74.00</td><td>-12.16</td><td>48.70</td><td>32.64</td><td>6.74</td><td>32.24</td><td>6.00</td><td>366 122 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.78	61.84	74.00	-12.16	48.70	32.64	6.74	32.24	6.00	366 122 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>110.71</td><td>-----</td><td>-----</td><td>97.76</td><td>32.47</td><td>6.70</td><td>32.22</td><td>6.00</td><td>366 122 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	110.71	-----	-----	97.76	32.47	6.70	32.22	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2489.78	61.84	74.00	-12.16	48.70	32.64	6.74	32.24	6.00	366 122 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	110.71	-----	-----	97.76	32.47	6.70	32.22	6.00	366 122 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.54</td><td>49.67</td><td>54.00</td><td>-4.33</td><td>36.53</td><td>32.64</td><td>6.74</td><td>32.24</td><td>6.00</td><td>366 122 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.54	49.67	54.00	-4.33	36.53	32.64	6.74	32.24	6.00	366 122 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>106.19</td><td>-----</td><td>-----</td><td>93.24</td><td>32.47</td><td>6.70</td><td>32.22</td><td>6.00</td><td>366 122 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.19	-----	-----	93.24	32.47	6.70	32.22	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2490.54	49.67	54.00	-4.33	36.53	32.64	6.74	32.24	6.00	366 122 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	106.19	-----	-----	93.24	32.47	6.70	32.22	6.00	366 122 AVERAGE																																																																																								







Mode	18																																																																			
	Harmonic																																																																			
	2400-2483.5_802.11b_CH11_2462MHz																																																																			
ANT	CDD 6+7																																																																			
Pol.	Horizontal											Vertical																																																								
Peak Avg																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>41.49</td><td>74.00</td><td>-32.51</td><td>59.06</td><td>34.05</td><td>9.57</td><td>61.19</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>43.77</td><td>74.00</td><td>-30.23</td><td>57.24</td><td>35.70</td><td>11.72</td><td>60.89</td><td>0.00</td><td>--- PEAK</td></tr></tbody></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	41.49	74.00	-32.51	59.06	34.05	9.57	61.19	0.00	--- PEAK	2	7386.00	43.77	74.00	-30.23	57.24	35.70	11.72	60.89	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	4924.00	41.49	74.00	-32.51	59.06	34.05	9.57	61.19	0.00	--- PEAK																																																										
2	7386.00	43.77	74.00	-30.23	57.24	35.70	11.72	60.89	0.00	--- PEAK																																																										
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>41.73</td><td>74.00</td><td>-32.27</td><td>59.30</td><td>34.05</td><td>9.57</td><td>61.19</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>43.59</td><td>74.00</td><td>-30.41</td><td>57.06</td><td>35.70</td><td>11.72</td><td>60.89</td><td>0.00</td><td>--- PEAK</td></tr></tbody></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	41.73	74.00	-32.27	59.30	34.05	9.57	61.19	0.00	--- PEAK	2	7386.00	43.59	74.00	-30.41	57.06	35.70	11.72	60.89	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	4924.00	41.73	74.00	-32.27	59.30	34.05	9.57	61.19	0.00	--- PEAK																																																										
2	7386.00	43.59	74.00	-30.41	57.06	35.70	11.72	60.89	0.00	--- PEAK																																																										





Mode	19																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																		
ANT	CDD 6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.96</td><td>61.85</td><td>74.00</td><td>-12.15</td><td>53.74</td><td>31.81</td><td>7.16</td><td>36.86</td><td>6.00</td><td>102</td><td>185</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.96	61.85	74.00	-12.15	53.74	31.81	7.16	36.86	6.00	102	185	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>109.69</td><td>-----</td><td>-----</td><td>101.38</td><td>31.96</td><td>7.21</td><td>36.86</td><td>6.00</td><td>102</td><td>185</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.69	-----	-----	101.38	31.96	7.21	36.86	6.00	102	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2386.96	61.85	74.00	-12.15	53.74	31.81	7.16	36.86	6.00	102	185	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	109.69	-----	-----	101.38	31.96	7.21	36.86	6.00	102	185	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.48</td><td>48.75</td><td>54.00</td><td>-5.25</td><td>40.64</td><td>31.81</td><td>7.16</td><td>36.86</td><td>6.00</td><td>102</td><td>185</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.48	48.75	54.00	-5.25	40.64	31.81	7.16	36.86	6.00	102	185	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>100.89</td><td>-----</td><td>-----</td><td>92.58</td><td>31.96</td><td>7.21</td><td>36.86</td><td>6.00</td><td>102</td><td>185</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	100.89	-----	-----	92.58	31.96	7.21	36.86	6.00	102	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2387.48	48.75	54.00	-5.25	40.64	31.81	7.16	36.86	6.00	102	185	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	100.89	-----	-----	92.58	31.96	7.21	36.86	6.00	102	185	AVERAGE																																																																																							





Mode	19																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>65.53</td><td>74.00</td><td>-8.47</td><td>57.40</td><td>31.83</td><td>7.16</td><td>36.86</td><td>6.00</td><td>354</td><td>129</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	65.53	74.00	-8.47	57.40	31.83	7.16	36.86	6.00	354	129	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>110.92</td><td>-----</td><td>-----</td><td>102.61</td><td>31.96</td><td>7.21</td><td>36.86</td><td>6.00</td><td>354</td><td>129</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.92	-----	-----	102.61	31.96	7.21	36.86	6.00	354	129
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.95	65.53	74.00	-8.47	57.40	31.83	7.16	36.86	6.00	354	129	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	110.92	-----	-----	102.61	31.96	7.21	36.86	6.00	354	129	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>50.59</td><td>54.00</td><td>-3.41</td><td>42.46</td><td>31.83</td><td>7.16</td><td>36.86</td><td>6.00</td><td>354</td><td>129</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.59	54.00	-3.41	42.46	31.83	7.16	36.86	6.00	354	129	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.99</td><td>-----</td><td>-----</td><td>93.68</td><td>31.96</td><td>7.21</td><td>36.86</td><td>6.00</td><td>354</td><td>129</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.99	-----	-----	93.68	31.96	7.21	36.86	6.00	354	129
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.95	50.59	54.00	-3.41	42.46	31.83	7.16	36.86	6.00	354	129	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	101.99	-----	-----	93.68	31.96	7.21	36.86	6.00	354	129	AVERAGE																																																																																																			







Mode	19																																																																																																																																													
	Harmonic																																																																																																																																													
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																																																													
ANT	CDD 6+7																																																																																																																																													
Pol.	Horizontal												Vertical																																																																																																																																	
Peak Avg																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4824.00</td><td>41.19</td><td>74.00</td><td>-32.81</td><td>60.33</td><td>34.05</td><td>10.29</td><td>63.48</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>-- PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	41.19	74.00	-32.81	60.33	34.05	10.29	63.48								0.00									cm	deg								--	-- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4824.00</td><td>40.98</td><td>74.00</td><td>-33.02</td><td>60.12</td><td>34.05</td><td>10.29</td><td>63.48</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>-- PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	40.98	74.00	-33.02	60.12	34.05	10.29	63.48								0.00									cm	deg								--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																						
1	4824.00	41.19	74.00	-32.81	60.33	34.05	10.29	63.48																																																																																																																																						
							0.00																																																																																																																																							
							cm	deg																																																																																																																																						
							--	-- PEAK																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																						
1	4824.00	40.98	74.00	-33.02	60.12	34.05	10.29	63.48																																																																																																																																						
							0.00																																																																																																																																							
							cm	deg																																																																																																																																						
							--	-- PEAK																																																																																																																																						







Mode	20																																																																			
	Harmonic																																																																			
	2400-2483.5_802.11g_CH06_2437MHz																																																																			
ANT	CDD 6+7																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>41.47</td><td>74.00</td><td>-32.53</td><td>60.66</td><td>33.95</td><td>10.34</td><td>63.48</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>43.13</td><td>74.00</td><td>-30.87</td><td>58.42</td><td>35.60</td><td>12.78</td><td>63.67</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4874.00	41.47	74.00	-32.53	60.66	33.95	10.34	63.48	0.00	--	--	--	PEAK	2	7311.00	43.13	74.00	-30.87	58.42	35.60	12.78	63.67	0.00	--	--	--	PEAK
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																							
1	4874.00	41.47	74.00	-32.53	60.66	33.95	10.34	63.48	0.00	--	--	--	PEAK																																																							
2	7311.00	43.13	74.00	-30.87	58.42	35.60	12.78	63.67	0.00	--	--	--	PEAK																																																							
<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>41.83</td><td>74.00</td><td>-32.17</td><td>61.02</td><td>33.95</td><td>10.34</td><td>63.48</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>42.26</td><td>74.00</td><td>-31.74</td><td>57.55</td><td>35.60</td><td>12.78</td><td>63.67</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4874.00	41.83	74.00	-32.17	61.02	33.95	10.34	63.48	0.00	--	--	--	PEAK	2	7311.00	42.26	74.00	-31.74	57.55	35.60	12.78	63.67	0.00	--	--	--	PEAK	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																							
1	4874.00	41.83	74.00	-32.17	61.02	33.95	10.34	63.48	0.00	--	--	--	PEAK																																																							
2	7311.00	42.26	74.00	-31.74	57.55	35.60	12.78	63.67	0.00	--	--	--	PEAK																																																							





Mode	21																																																					
	Band Edge																																																					
	2400-2483.5_802.11g_CH11_2462MHz																																																					
ANT	CDD 6+7																																																					
Pol.	Horizontal																																																					
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.52</td><td>66.30</td><td>74.00</td><td>-7.70</td><td>57.58</td><td>32.24</td><td>7.33</td><td>36.85</td><td>6.00</td><td>178</td><td>84 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.52	66.30	74.00	-7.70	57.58	32.24	7.33	36.85	6.00	178	84 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2484.52	66.30	74.00	-7.70	57.58	32.24	7.33	36.85	6.00	178	84 PEAK																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>112.95</td><td>-----</td><td>-----</td><td>104.39</td><td>32.13</td><td>7.28</td><td>36.85</td><td>6.00</td><td>178</td><td>84 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	112.95	-----	-----	104.39	32.13	7.28	36.85	6.00	178	84 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2462.00	112.95	-----	-----	104.39	32.13	7.28	36.85	6.00	178	84 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.52</td><td>50.95</td><td>54.00</td><td>-3.05</td><td>42.23</td><td>32.24</td><td>7.33</td><td>36.85</td><td>6.00</td><td>178</td><td>84 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.52	50.95	54.00	-3.05	42.23	32.24	7.33	36.85	6.00	178	84 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2484.52	50.95	54.00	-3.05	42.23	32.24	7.33	36.85	6.00	178	84 AVERAGE																																											
AVERAGE																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>104.32</td><td>-----</td><td>-----</td><td>95.76</td><td>32.13</td><td>7.28</td><td>36.85</td><td>6.00</td><td>178</td><td>84 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.32	-----	-----	95.76	32.13	7.28	36.85	6.00	178	84 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2462.00	104.32	-----	-----	95.76	32.13	7.28	36.85	6.00	178	84 AVERAGE																																											







Mode	21																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.46</td><td>63.18</td><td>74.00</td><td>-10.82</td><td>54.46</td><td>32.24</td><td>7.33</td><td>36.85</td><td>6.00</td><td>382</td><td>119</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.46	63.18	74.00	-10.82	54.46	32.24	7.33	36.85	6.00	382	119	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>109.01</td><td>-----</td><td>-----</td><td>100.40</td><td>32.16</td><td>7.30</td><td>36.85</td><td>6.00</td><td>382</td><td>119</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	109.01	-----	-----	100.40	32.16	7.30	36.85	6.00	382	119
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2484.46	63.18	74.00	-10.82	54.46	32.24	7.33	36.85	6.00	382	119	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2462.00	109.01	-----	-----	100.40	32.16	7.30	36.85	6.00	382	119	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>49.59</td><td>54.00</td><td>-4.41</td><td>40.88</td><td>32.23</td><td>7.33</td><td>36.85</td><td>6.00</td><td>382</td><td>119</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	49.59	54.00	-4.41	40.88	32.23	7.33	36.85	6.00	382	119	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>100.00</td><td>-----</td><td>-----</td><td>91.39</td><td>32.16</td><td>7.30</td><td>36.85</td><td>6.00</td><td>382</td><td>119</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.00	-----	-----	91.39	32.16	7.30	36.85	6.00	382	119
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2483.50	49.59	54.00	-4.41	40.88	32.23	7.33	36.85	6.00	382	119	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2462.00	100.00	-----	-----	91.39	32.16	7.30	36.85	6.00	382	119	AVERAGE																																																																																																			



Mode	21																																																																				
	Harmonic																																																																				
	2400-2483.5_802.11g_CH11_2462MHz																																																																				
ANT	CDD 6+7																																																																				
Pol.	Horizontal																																																																				
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.09</td><td>74.00</td><td>-32.91</td><td>60.25</td><td>33.92</td><td>10.40</td><td>63.48</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>42.10</td><td>74.00</td><td>-31.90</td><td>57.34</td><td>35.60</td><td>12.88</td><td>63.72</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	41.09	74.00	-32.91	60.25	33.92	10.40	63.48	0.00	--	-- PEAK	2	7386.00	42.10	74.00	-31.90	57.34	35.60	12.88	63.72	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	4924.00	41.09	74.00	-32.91	60.25	33.92	10.40	63.48	0.00	--	-- PEAK																																																										
2	7386.00	42.10	74.00	-31.90	57.34	35.60	12.88	63.72	0.00	--	-- PEAK																																																										
Vertical																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.73</td><td>74.00</td><td>-33.27</td><td>59.89</td><td>33.92</td><td>10.40</td><td>63.48</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>41.93</td><td>74.00</td><td>-32.07</td><td>57.17</td><td>35.60</td><td>12.88</td><td>63.72</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	40.73	74.00	-33.27	59.89	33.92	10.40	63.48	0.00	--	-- PEAK	2	7386.00	41.93	74.00	-32.07	57.17	35.60	12.88	63.72	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	4924.00	40.73	74.00	-33.27	59.89	33.92	10.40	63.48	0.00	--	-- PEAK																																																										
2	7386.00	41.93	74.00	-32.07	57.17	35.60	12.88	63.72	0.00	--	-- PEAK																																																										



		22																																																																																																
Mode	Band Edge																																																																																																	
	2400-2483.5_802.11ax HE20_CH01_Full_2412MHz																																																																																																	
ANT	CDD 6+7																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>63.49</td><td>74.00</td><td>-10.51</td><td>55.36</td><td>31.83</td><td>7.16</td><td>36.86</td><td>6.00</td><td>101</td><td>83</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	63.49	74.00	-10.51	55.36	31.83	7.16	36.86	6.00	101	83	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>114.01</td><td>-----</td><td>-----</td><td>105.70</td><td>31.96</td><td>7.21</td><td>36.86</td><td>6.00</td><td>101</td><td>83</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	114.01	-----	-----	105.70	31.96	7.21	36.86	6.00	101	83
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.69	63.49	74.00	-10.51	55.36	31.83	7.16	36.86	6.00	101	83	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	114.01	-----	-----	105.70	31.96	7.21	36.86	6.00	101	83	PEAK																																																																																						
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>50.32</td><td>54.00</td><td>-3.68</td><td>42.19</td><td>31.83</td><td>7.16</td><td>36.86</td><td>6.00</td><td>101</td><td>83</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.32	54.00	-3.68	42.19	31.83	7.16	36.86	6.00	101	83	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>102.15</td><td>-----</td><td>-----</td><td>93.83</td><td>31.97</td><td>7.21</td><td>36.86</td><td>6.00</td><td>101</td><td>83</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.15	-----	-----	93.83	31.97	7.21	36.86	6.00	101	83
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.95	50.32	54.00	-3.68	42.19	31.83	7.16	36.86	6.00	101	83	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	102.15	-----	-----	93.83	31.97	7.21	36.86	6.00	101	83	AVERAGE																																																																																						