





11AX20MIMO_Ant6_6515_106Tone_RU54



Date: 17.JUL.2024 07:40:27


11AX20MIMO_Ant7_6515_26Tone_RU6



Date: 17.JUL.2024 07:35:44




11AX20MIMO_Ant7_6515_52Tone_RU40



Date: 17.JUL.2024 07:38:43


11AX20MIMO_Ant7_6515_106Tone_RU54



Date: 17.JUL.2024 07:41:09




11AX20MIMO_Ant6_6535_26Tone_RU0



Date: 17.JUL.2024 07:44:27


11AX20MIMO_Ant6_6535_52Tone_RU37



Date: 17.JUL.2024 07:47:05




11AX20MIMO_Ant6_6535_106Tone_RU53



Date: 17.JUL.2024 07:49:19


11AX20MIMO_Ant7_6535_26Tone_RU60



Date: 17.JUL.2024 07:45:16




11AX20MIMO_Ant7_6535_52Tone_RU37



Date: 17.JUL.2024 07:47:43


11AX20MIMO_Ant7_6535_106Tone_RU53



Date: 17.JUL.2024 07:50:06




11AX20MIMO_Ant6_6695_26Tone_RU0



Date: 17.JUL.2024 07:52:52


11AX20MIMO_Ant6_6695_52Tone_RU37



Date: 17.JUL.2024 08:08:50




11AX20MIMO_Ant6_6695_106Tone_RU53



Date: 17.JUL.2024 08:10:26


11AX20MIMO_Ant7_6695_26Tone_RU0




Date: 17.JUL.2024 08:06:41



11AX20MIMO_Ant7_6695_52Tone_RU37




11AX20MIMO_Ant7_6695_106Tone_RU53






11AX20MIMO_Ant6_6855_26Tone_RU8



Date: 17.JUL.2024 08:15:34


11AX20MIMO_Ant6_6855_52Tone_RU40



Date: 17.JUL.2024 08:19:42




11AX20MIMO_Ant6_6855_106Tone_RU54



Date: 17.JUL.2024 08:21:47


11AX20MIMO_Ant7_6855_26Tone_RU8




Date: 17.JUL.2024 08:16:23



11AX20MIMO_Ant7_6855_52Tone_RU40




11AX20MIMO_Ant7_6855_106Tone_RU54






11AX20MIMO_Ant6_6875_26Tone_RU8



Date: 17.JUL.2024 08:26:41


11AX20MIMO_Ant6_6875_52Tone_RU40



Date: 17.JUL.2024 08:28:24




11AX20MIMO_Ant6_6875_106Tone_RU54



Date: 17.JUL.2024 08:30:11


11AX20MIMO_Ant7_6875_26Tone_RU8




Date: 17.JUL.2024 08:27:23



11AX20MIMO_Ant7_6875_52Tone_RU40




11AX20MIMO_Ant7_6875_106Tone_RU54






11AX20MIMO_Ant6_6895_26Tone_RU0



Date: 17.JUL.2024 08:32:06


11AX20MIMO_Ant6_6895_52Tone_RU37



Date: 17.JUL.2024 08:34:06




11AX20MIMO_Ant6_6895_106Tone_RU53



Date: 17.JUL.2024 08:35:41


11AX20MIMO_Ant7_6895_26Tone_RU0



Date: 17.JUL.2024 08:32:46




11AX20MIMO_Ant7_6895_52Tone_RU37



Date: 17.JUL.2024 08:34:49


11AX20MIMO_Ant7_6895_106Tone_RU53



Date: 17.JUL.2024 08:36:18




11AX20MIMO_Ant6_6995_26Tone_RU0



Date: 17.JUL.2024 08:38:25


11AX20MIMO_Ant6_6995_52Tone_RU37



Date: 17.JUL.2024 08:41:17




11AX20MIMO_Ant6_6995_106Tone_RU53



Date: 17.JUL.2024 08:43:39


11AX20MIMO_Ant7_6995_26Tone_RU60



Date: 17.JUL.2024 08:39:27




11AX20MIMO_Ant7_6995_52Tone_RU37



Date: 17.JUL.2024 08:42:00


11AX20MIMO_Ant7_6995_106Tone_RU53



Date: 17.JUL.2024 08:44:26




11AX20MIMO_Ant6_7095_26Tone_RU8



Date: 17.JUL.2024 08:46:37


11AX20MIMO_Ant6_7095_52Tone_RU40




Date: 17.JUL.2024 08:52:11



11AX20MIMO_Ant6_7095_106Tone_RU54




11AX20MIMO_Ant7_7095_26Tone_RU8






11AX20MIMO_Ant7_7095_52Tone_RU40



Date: 17.JUL.2024 08:54:57

11AX20MIMO_Ant7_7095_106Tone_RU54




Date: 17.JUL.2024 08:57:48



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS

Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.431	37.01	-20.23	57.24	26.80	-0.05	10.26	QP
2	0.431	28.41	-18.83	47.24	18.20	-0.06	10.26	Average
3	0.505	38.31	-17.69	56.00	28.20	-0.11	10.22	QP
4	0.505	27.71	-18.29	46.00	17.60	-0.11	10.22	Average
5	0.589	39.25	-16.75	56.00	29.20	-0.13	10.18	QP
6 *	0.589	29.35	-16.65	46.00	19.30	-0.13	10.18	Average
7	1.178	37.70	-18.30	56.00	27.80	-0.19	10.09	QP
8	1.178	27.10	-18.90	46.00	17.20	-0.19	10.09	Average
9	24.400	34.44	-25.56	60.00	23.30	-0.37	11.51	QP
10	24.400	25.04	-24.96	50.00	13.90	-0.37	11.51	Average
11	27.271	36.78	-23.22	60.00	25.60	-0.41	11.59	QP
12	27.271	24.78	-25.22	50.00	13.60	-0.41	11.59	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.502	34.67	-21.33	56.00	24.60	-0.15	10.22	QP
2	0.502	23.37	-22.63	46.00	13.30	-0.15	10.22	Average
3	0.564	34.14	-21.86	56.00	24.11	-0.16	10.19	QP
4	0.564	22.34	-23.66	46.00	12.31	-0.16	10.19	Average
5	0.876	32.23	-23.77	56.00	22.30	-0.17	10.10	QP
6	0.876	21.53	-24.47	46.00	11.60	-0.17	10.10	Average
7	1.289	32.10	-23.90	56.00	22.19	-0.18	10.09	QP
8	1.289	20.60	-25.50	46.00	10.69	-0.18	10.09	Average
9	26.278	34.67	-25.33	60.00	23.61	-0.50	11.56	QP
10	26.278	23.27	-26.73	50.00	12.21	-0.50	11.56	Average
11	27.855	34.73	-25.27	60.00	23.60	-0.48	11.61	QP
12	27.855	22.63	-27.37	50.00	11.50	-0.48	11.61	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Levi zhao	Relative Humidity :	41~ 42%
		Temperature :	22 ~ 23℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	6+7	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	6+7	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	6+7	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	6+7	802.11a	97	6435	6Mbps	-	-
Mode 5	U-NII-6	6.425-6.525	6+7	802.11a	105	6475	6Mbps	-	-
Mode 6	U-NII-6	6.425-6.525	6+7	802.11a	113	6515	6Mbps	-	-
Mode 7	U-NII-7	6.525-6.875	6+7	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	6.525-6.875	6+7	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	6.525-6.875	6+7	802.11a	181	6855	6Mbps	-	-
Mode 10	U-NII-7	6.525-6.875	6+7	802.11a	185	6875	6Mbps	-	-
Mode 11	U-NII-8	6.875-7.125	6+7	802.11a	189	6895	6Mbps	-	-
Mode 12	U-NII-8	6.875-7.125	6+7	802.11a	209	6995	6Mbps	-	-
Mode 13	U-NII-8	6.875-7.125	6+7	802.11a	229	7095	6Mbps	-	-
Mode 14	U-NII-5	5.925-6.425	6+7	802.11ax HE20	1	5955	MCS0	Full	-
Mode 15	U-NII-5	5.925-6.425	6+7	802.11ax HE20	1	5955	MCS0	RU26/0	-
Mode 16	U-NII-5	5.925-6.425	6+7	802.11ax HE20	1	5955	MCS0	RU52/37	-
Mode 17	U-NII-5	5.925-6.425	6+7	802.11ax HE20	1	5955	MCS0	RU106/53	-
Mode 18	U-NII-5	5.925-6.425	6+7	802.11ax HE20	45	6175	MCS0	Full	-
Mode 19	U-NII-5	5.925-6.425	6+7	802.11ax HE20	93	6415	MCS0	Full	-
Mode 20	U-NII-5	5.925-6.425	6+7	802.11ax HE40	3	5965	MCS0	Full	-
Mode 21	U-NII-5	5.925-6.425	6+7	802.11ax HE40	43	6165	MCS0	Full	-
Mode 22	U-NII-5	5.925-6.425	6+7	802.11ax HE40	91	6405	MCS0	Full	-
Mode 23	U-NII-5	5.925-6.425	6+7	802.11ax HE80	7	5985	MCS0	Full	-
Mode 24	U-NII-5	5.925-6.425	6+7	802.11ax HE80	39	6145	MCS0	Full	-
Mode 25	U-NII-5	5.925-6.425	6+7	802.11ax HE80	87	6385	MCS0	Full	-
Mode 26	U-NII-5	5.925-6.425	6+7	802.11ax HE160	15	6025	MCS0	Full	-
Mode 27	U-NII-5	5.925-6.425	6+7	802.11ax HE160	47	6185	MCS0	Full	-
Mode 28	U-NII-5	5.925-6.425	6+7	802.11ax HE160	79	6345	MCS0	Full	-
Mode 29	U-NII-6	6.425-6.525	6+7	802.11ax HE20	97	6435	MCS0	Full	-
Mode 30	U-NII-6	6.425-6.525	6+7	802.11ax HE20	105	6475	MCS0	Full	-
Mode 31	U-NII-6	6.425-6.525	6+7	802.11ax HE20	113	6515	MCS0	Full	-
Mode 32	U-NII-6	6.425-6.525	6+7	802.11ax HE40	99	6445	MCS0	Full	-
Mode 33	U-NII-6	6.425-6.525	6+7	802.11ax HE40	107	6485	MCS0	Full	-
Mode 34	U-NII-6	6.425-6.525	6+7	802.11ax HE80	103	6465	MCS0	Full	-
Mode 35	U-NII-6	6.425-6.525	6+7	802.11ax HE40	115	6525	MCS0	Full	-
Mode 36	U-NII-6	6.425-6.525	6+7	802.11ax HE80	119	6545	MCS0	Full	-
Mode 37	U-NII-6	6.425-6.525	6+7	802.11ax HE160	111	6505	MCS0	Full	-



Mode 38	U-NII-7	6.525-6.875	6+7	802.11ax HE20	117	6535	MCS0	Full	-
Mode 39	U-NII-7	6.525-6.875	6+7	802.11ax HE20	149	6695	MCS0	Full	-
Mode 40	U-NII-7	6.525-6.875	6+7	802.11ax HE20	181	6855	MCS0	Full	-
Mode 41	U-NII-7	6.525-6.875	6+7	802.11ax HE40	123	6565	MCS0	Full	-
Mode 42	U-NII-7	6.525-6.875	6+7	802.11ax HE40	147	6685	MCS0	Full	-
Mode 43	U-NII-7	6.525-6.875	6+7	802.11ax HE40	179	6845	MCS0	Full	-
Mode 44	U-NII-7	6.525-6.875	6+7	802.11ax HE80	135	6625	MCS0	Full	-
Mode 45	U-NII-7	6.525-6.875	6+7	802.11ax HE80	151	6705	MCS0	Full	-
Mode 46	U-NII-7	6.525-6.875	6+7	802.11ax HE160	143	6665	MCS0	Full	-
Mode 47	U-NII-8	6.875-7.125	6+7	802.11ax HE20	185	6875	MCS0	Full	-
Mode 48	U-NII-8	6.875-7.125	6+7	802.11ax HE40	187	6885	MCS0	Full	-
Mode 49	U-NII-8	6.875-7.125	6+7	802.11ax HE80	183	6865	MCS0	Full	-
Mode 50	U-NII-8	6.875-7.125	6+7	802.11ax HE160	175	6825	MCS0	Full	-
Mode 51	U-NII-8	6.875-7.125	6+7	802.11ax HE20	189	6895	MCS0	Full	-
Mode 52	U-NII-8	6.875-7.125	6+7	802.11ax HE20	209	6995	MCS0	Full	-
Mode 53	U-NII-8	6.875-7.125	6+7	802.11ax HE20	229	7095	MCS0	Full	-
Mode 54	U-NII-8	6.875-7.125	6+7	802.11ax HE20	229	7095	MCS0	RU26/8	-
Mode 55	U-NII-8	6.875-7.125	6+7	802.11ax HE20	229	7095	MCS0	RU52/40	-
Mode 56	U-NII-8	6.875-7.125	6+7	802.11ax HE20	229	7095	MCS0	RU106/54	-
Mode 57	U-NII-8	6.875-7.125	6+7	802.11ax HE40	195	6925	MCS0	Full	-
Mode 58	U-NII-8	6.875-7.125	6+7	802.11ax HE40	203	6965	MCS0	Full	-
Mode 59	U-NII-8	6.875-7.125	6+7	802.11ax HE40	227	7085	MCS0	Full	-
Mode 60	U-NII-8	6.875-7.125	6+7	802.11ax HE80	199	6945	MCS0	Full	-
Mode 61	U-NII-8	6.875-7.125	6+7	802.11ax HE80	215	7025	MCS0	Full	-
Mode 62	U-NII-8	5.925-6.425	6+7	802.11ax HE160	207	6985	MCS0	Full	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5922.37	44.07	68.20	-24.13	V	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	46.54	74.00	-27.46	H	PEAK	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	45.73	74.00	-28.27	H	PEAK	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	47.43	88.20	-40.77	V	PEAK	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	46.88	88.20	-41.32	V	PEAK	Pass	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	47.19	88.20	-41.01	V	PEAK	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge
6	802.11a	113	13030.00	46.55	88.20	-41.65	V	PEAK	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	47.52	88.20	-40.68	V	PEAK	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	47.02	74.00	-26.98	V	PEAK	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	46.17	88.20	-42.03	V	PEAK	Pass	Harmonic
10	802.11a	185	-	-	-	-	-	-	-	Band Edge
10	802.11a	185	13750.00	45.79	88.20	-42.41	V	PEAK	Pass	Harmonic
11	802.11a	189	-	-	-	-	-	-	-	Band Edge
11	802.11a	189	13790.00	46.53	88.20	-41.67	V	PEAK	Pass	Harmonic
12	802.11a	209	-	-	-	-	-	-	-	Band Edge
12	802.11a	209	13990.00	45.47	88.20	-42.73	H	PEAK	Pass	Harmonic
13	802.11a	229	7199.56	45.07	68.20	-23.13	H	AVERAGE	Pass	Band Edge
13	802.11a	229	14190.00	45.85	88.20	-42.35	V	PEAK	Pass	Harmonic
14	802.11ax HE20	1	5923.28	44.06	68.20	-24.14	V	AVERAGE	Pass	Band Edge
14	802.11ax HE20	1	11910.00	47.84	74.00	-26.16	V	PEAK	Pass	Harmonic
15	802.11ax HE20	1	5924.45	44.06	68.20	-24.14	H	AVERAGE	Pass	Band Edge
15	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
16	802.11ax HE20	1	5922.37	44.05	68.20	-24.15	V	AVERAGE	Pass	Band Edge
16	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
17	802.11ax HE20	1	5924.84	44.05	68.20	-24.15	V	AVERAGE	Pass	Band Edge
17	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
18	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE20	45	12350.00	45.72	74.00	-28.28	V	PEAK	Pass	Harmonic
19	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
19	802.11ax HE20	93	12830.00	46.84	88.20	-41.36	V	PEAK	Pass	Harmonic
20	802.11ax HE40	3	5923.56	44.09	68.20	-24.11	H	AVERAGE	Pass	Band Edge
20	802.11ax HE40	3	11930.00	45.97	74.00	-28.03	V	PEAK	Pass	Harmonic
21	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE40	43	12330.00	46.09	74.00	-27.91	H	PEAK	Pass	Harmonic
22	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
22	802.11ax HE40	91	12810.00	46.67	88.20	-41.53	V	PEAK	Pass	Harmonic







23	802.11ax HE80	7	5922.28	44.34	68.20	-23.86	H	AVERAGE	Pass	Band Edge
23	802.11ax HE80	7	11970.00	46.88	74.00	-27.12	H	PEAK	Pass	Harmonic
24	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE80	39	12290.00	46.72	74.00	-27.28	H	PEAK	Pass	Harmonic
25	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
25	802.11ax HE80	87	12770.00	46.78	88.20	-41.42	V	PEAK	Pass	Harmonic
26	802.11ax HE160	15	5921.80	46.96	68.20	-21.24	H	AVERAGE	Pass	Band Edge
26	802.11ax HE160	15	12050.00	46.45	74.00	-27.55	V	PEAK	Pass	Harmonic
27	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE160	47	12370.00	46.52	74.00	-27.48	V	PEAK	Pass	Harmonic
28	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE160	79	12690.00	47.27	74.00	-26.73	H	PEAK	Pass	Harmonic
29	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE20	97	12870.00	47.31	88.20	-40.89	H	PEAK	Pass	Harmonic
30	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE20	105	12950.00	48.35	88.20	-39.85	V	PEAK	Pass	Harmonic
31	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE20	113	13030.00	46.46	88.20	-41.74	V	PEAK	Pass	Harmonic
32	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	99	12890.00	46.73	88.20	-41.47	H	PEAK	Pass	Harmonic
33	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE40	107	12970.00	46.12	88.20	-42.08	H	PEAK	Pass	Harmonic
34	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE80	103	12930.00	46.81	88.20	-41.39	V	PEAK	Pass	Harmonic
35	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE40	115	13050.00	46.01	88.20	-42.19	V	PEAK	Pass	Harmonic
36	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE80	119	13090.00	45.82	88.20	-42.38	V	PEAK	Pass	Harmonic
37	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE160	111	13010.00	46.59	88.20	-41.61	H	PEAK	Pass	Harmonic
38	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE20	117	13070.00	47.40	88.20	-40.80	V	PEAK	Pass	Harmonic
39	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE20	149	13390.00	46.75	74.00	-27.25	H	PEAK	Pass	Harmonic
40	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE20	181	13710.00	46.50	88.20	-41.70	V	PEAK	Pass	Harmonic
41	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE40	123	13130.00	46.06	88.20	-42.14	H	PEAK	Pass	Harmonic
42	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE40	147	13370.00	46.29	74.00	-27.71	V	PEAK	Pass	Harmonic
43	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE40	179	13690.00	45.42	88.20	-42.78	H	PEAK	Pass	Harmonic
44	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE80	135	13250.00	45.92	74.00	-28.08	V	PEAK	Pass	Harmonic
45	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE80	151	13410.00	45.14	88.20	-43.06	V	PEAK	Pass	Harmonic
46	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge







46	802.11ax HE160	143	13330.00	46.09	74.00	-27.91	V	PEAK	Pass	Harmonic
47	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE20	185	13750.00	44.99	88.20	-43.21	V	PEAK	Pass	Harmonic
48	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE40	187	13770.00	45.58	88.20	-42.62	H	PEAK	Pass	Harmonic
49	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
49	802.11ax HE80	183	13730.00	45.08	88.20	-43.12	H	PEAK	Pass	Harmonic
50	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
50	802.11ax HE160	175	13650.00	44.91	88.20	-43.29	H	PEAK	Pass	Harmonic
51	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
51	802.11ax HE20	189	13790.00	45.23	88.20	-42.97	V	PEAK	Pass	Harmonic
52	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE20	209	13990.00	45.13	88.20	-43.07	H	PEAK	Pass	Harmonic
53	802.11ax HE20	229	7196.52	45.04	68.20	-23.16	H	AVERAGE	Pass	Band Edge
53	802.11ax HE20	229	14190.00	46.10	88.20	-42.10	V	PEAK	Pass	Harmonic
54	802.11ax HE20	229	7200.52	45.04	68.20	-23.16	H	AVERAGE	Pass	Band Edge
54	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE20	229	7212.36	45.03	68.20	-23.17	V	AVERAGE	Pass	Band Edge
55	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE20	229	7208.20	45.05	68.20	-23.15	V	AVERAGE	Pass	Band Edge
56	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
57	802.11ax HE40	195	-	-	-	-	-	-	-	Band Edge
57	802.11ax HE40	195	13850.00	45.78	88.20	-42.42	V	PEAK	Pass	Harmonic
58	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
58	802.11ax HE40	203	13930.00	44.86	88.20	-43.34	V	PEAK	Pass	Harmonic
59	802.11ax HE40	227	7201.64	45.04	68.20	-23.16	V	AVERAGE	Pass	Band Edge
59	802.11ax HE40	227	14170.00	45.36	88.20	-42.84	H	PEAK	Pass	Harmonic
60	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
60	802.11ax HE80	199	13890.00	45.45	88.20	-42.75	V	PEAK	Pass	Harmonic
61	802.11ax HE80	215	7201.44	45.14	68.20	-23.06	V	AVERAGE	Pass	Band Edge
61	802.11ax HE80	215	14050.00	44.88	88.20	-43.32	H	PEAK	Pass	Harmonic
62	802.11ax HE160	207	7202.68	45.16	68.20	-23.04	H	AVERAGE	Pass	Band Edge
62	802.11ax HE160	207	13970.00	45.58	88.20	-42.62	V	PEAK	Pass	Harmonic





Mode	1																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5890.52</td><td>55.80</td><td>88.20</td><td>-32.40</td><td>42.61</td><td>34.86</td><td>10.49</td><td>32.16</td><td>0.00</td><td>100</td><td>224</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5890.52	55.80	88.20	-32.40	42.61	34.86	10.49	32.16	0.00	100	224	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>96.52</td><td>-----</td><td>-----</td><td>82.90</td><td>35.24</td><td>10.55</td><td>32.17</td><td>0.00</td><td>100</td><td>224</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.52	-----	-----	82.90	35.24	10.55	32.17	0.00	100	224
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5890.52	55.80	88.20	-32.40	42.61	34.86	10.49	32.16	0.00	100	224	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	96.52	-----	-----	82.90	35.24	10.55	32.17	0.00	100	224	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>44.04</td><td>68.20</td><td>-24.16</td><td>30.63</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>224</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	44.04	68.20	-24.16	30.63	35.05	10.52	32.16	0.00	100	224	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>89.04</td><td>-----</td><td>-----</td><td>75.47</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>224</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	89.04	-----	-----	75.47	35.20	10.54	32.17	0.00	100	224
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	44.04	68.20	-24.16	30.63	35.05	10.52	32.16	0.00	100	224	AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	89.04	-----	-----	75.47	35.20	10.54	32.17	0.00	100	224	AVERAGE																																																																																							





Mode	1																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																		
ANT	6+7																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5884.02</td><td>55.46</td><td>88.20</td><td>-32.74</td><td>42.30</td><td>34.84</td><td>10.48</td><td>32.16</td><td>0.00</td><td>336</td><td>266</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5884.02	55.46	88.20	-32.74	42.30	34.84	10.48	32.16	0.00	336	266	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>94.86</td><td>-----</td><td>-----</td><td>81.29</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>336</td><td>266</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	94.86	-----	-----	81.29	35.20	10.54	32.17	0.00	336	266
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5884.02	55.46	88.20	-32.74	42.30	34.84	10.48	32.16	0.00	336	266	PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5955.00	94.86	-----	-----	81.29	35.20	10.54	32.17	0.00	336	266	PEAK																																																																																																							
Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.37</td><td>44.07</td><td>68.20</td><td>-24.13</td><td>30.69</td><td>35.03</td><td>10.51</td><td>32.16</td><td>0.00</td><td>336</td><td>266</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.37	44.07	68.20	-24.13	30.69	35.03	10.51	32.16	0.00	336	266	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>87.28</td><td>-----</td><td>-----</td><td>73.66</td><td>35.24</td><td>10.55</td><td>32.17</td><td>0.00</td><td>336</td><td>266</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	87.28	-----	-----	73.66	35.24	10.55	32.17	0.00	336	266
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5922.37	44.07	68.20	-24.13	30.69	35.03	10.51	32.16	0.00	336	266	AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5955.00	87.28	-----	-----	73.66	35.24	10.55	32.17	0.00	336	266	AVERAGE																																																																																																							





Mode	1																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																					
ANT	6+7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 11910.00</td><td>46.54</td><td>74.00</td><td>-27.46</td><td>53.92</td><td>38.70</td><td>15.21</td><td>61.29</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11910.00	46.54	74.00	-27.46	53.92	38.70	15.21	61.29	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 11910.00</td><td>46.27</td><td>74.00</td><td>-27.73</td><td>53.65</td><td>38.70</td><td>15.21</td><td>61.29</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11910.00	46.27	74.00	-27.73	53.65	38.70	15.21	61.29	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 11910.00	46.54	74.00	-27.46	53.92	38.70	15.21	61.29	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 11910.00	46.27	74.00	-27.73	53.65	38.70	15.21	61.29	0.00	---	---	PEAK																																																																																											





Mode	2																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11a_CH45_6175MHz																																																																																																								
ANT	6+7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>45.73</td><td>74.00</td><td>-28.27</td><td>52.97</td><td>38.00</td><td>15.54</td><td>61.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12350.00	45.73	74.00	-28.27	52.97	38.00	15.54	61.58	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>45.57</td><td>74.00</td><td>-28.43</td><td>52.81</td><td>38.00</td><td>15.54</td><td>61.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12350.00	45.57	74.00	-28.43	52.81	38.00	15.54	61.58	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	12350.00	45.73	74.00	-28.27	52.97	38.00	15.54	61.58	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	12350.00	45.57	74.00	-28.43	52.81	38.00	15.54	61.58	0.00	---	---	PEAK																																																																																													







Mode	3																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																								
ANT	6+7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.26</td><td>88.20</td><td>-41.94</td><td>52.96</td><td>39.33</td><td>15.92</td><td>61.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	46.26	88.20	-41.94	52.96	39.33	15.92	61.95	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.43</td><td>88.20</td><td>-40.77</td><td>54.13</td><td>39.33</td><td>15.92</td><td>61.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	47.43	88.20	-40.77	54.13	39.33	15.92	61.95	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	12830.00	46.26	88.20	-41.94	52.96	39.33	15.92	61.95	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	12830.00	47.43	88.20	-40.77	54.13	39.33	15.92	61.95	0.00	---	---	PEAK																																																																																													





Mode	4																																																																																																			
	Harmonic																																																																																																			
	U-NII-5_5.925-6.425_802.11a_CH97_6435MHz																																																																																																			
ANT	6+7																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12870.00</td><td>46.76</td><td>88.20</td><td>-41.44</td><td>53.42</td><td>39.37</td><td>15.95</td><td>61.98</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12870.00	46.76	88.20	-41.44	53.42	39.37	15.95	61.98	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12870.00</td><td>46.88</td><td>88.20</td><td>-41.32</td><td>53.54</td><td>39.37</td><td>15.95</td><td>61.98</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12870.00	46.88	88.20	-41.32	53.54	39.37	15.95	61.98	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1 12870.00	46.76	88.20	-41.44	53.42	39.37	15.95	61.98	0.00	---	---	PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1 12870.00	46.88	88.20	-41.32	53.54	39.37	15.95	61.98	0.00	---	---	PEAK																																																																																									





		5																																										
Mode		Harmonic																																										
		U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																										
ANT		6+7																																										
Pol.		Horizontal																																										
Peak Avg																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	46.37	88.20	-41.83	53.00	39.40	16.01	62.04	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	12950.00	46.37	88.20	-41.83	53.00	39.40	16.01	62.04	0.00	---	PEAK																																	
		Vertical																																										
Peak Avg																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	47.19	88.20	-41.01	53.82	39.40	16.01	62.04	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	12950.00	47.19	88.20	-41.01	53.82	39.40	16.01	62.04	0.00	---	PEAK																																	

	6																																																						
Mode	Harmonic																																																						
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																						
ANT	6+7																																																						
Pol.	Horizontal						Vertical																																																
Peak Avg																																																							
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamplifier</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>13030.00</td><td>45.35</td><td>88.20</td><td>-42.85</td><td>52.05</td><td>39.34</td><td>16.06</td><td>62.10</td><td>0.00</td><td>--- --- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamplifier	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13030.00	45.35	88.20	-42.85	52.05	39.34	16.06	62.10	0.00	--- --- PEAK
		Limit	Over	Read	Ant	Cable	Preamplifier	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	13030.00	45.35	88.20	-42.85	52.05	39.34	16.06	62.10	0.00	--- --- PEAK																																													
<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamplifier</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>13030.00</td><td>46.55</td><td>88.20</td><td>-41.65</td><td>53.25</td><td>39.34</td><td>16.06</td><td>62.10</td><td>0.00</td><td>--- --- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamplifier	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13030.00	46.55	88.20	-41.65	53.25	39.34	16.06	62.10	0.00	--- --- PEAK	
	Limit	Over	Read	Ant	Cable	Preamplifier	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	13030.00	46.55	88.20	-41.65	53.25	39.34	16.06	62.10	0.00	--- --- PEAK																																													





Mode	7																																																																																																					
	Harmonic																																																																																																					
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																					
ANT	6+7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 13070.00</td><td>46.46</td><td>88.20</td><td>-41.74</td><td>53.25</td><td>39.26</td><td>16.08</td><td>62.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13070.00	46.46	88.20	-41.74	53.25	39.26	16.08	62.13	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 13070.00</td><td>47.52</td><td>88.20</td><td>-40.68</td><td>54.31</td><td>39.26</td><td>16.08</td><td>62.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13070.00	47.52	88.20	-40.68	54.31	39.26	16.08	62.13	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 13070.00	46.46	88.20	-41.74	53.25	39.26	16.08	62.13	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 13070.00	47.52	88.20	-40.68	54.31	39.26	16.08	62.13	0.00	---	---	PEAK																																																																																											





Mode	8																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																									
ANT	6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.07</td><td>74.00</td><td>-27.93</td><td>53.29</td><td>38.92</td><td>16.23</td><td>62.37</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	dB	cm	deg	1	13390.00	46.07	74.00	-27.93	53.29	38.92	16.23	62.37	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>47.02</td><td>74.00</td><td>-26.98</td><td>54.24</td><td>38.92</td><td>16.23</td><td>62.37</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	dB	cm	deg	1	13390.00	47.02	74.00	-26.98	54.24	38.92	16.23	62.37	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13390.00	46.07	74.00	-27.93	53.29	38.92	16.23	62.37	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13390.00	47.02	74.00	-26.98	54.24	38.92	16.23	62.37	0.00	---	---	PEAK																																																																																														





Mode	9																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																																									
ANT	6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>45.11</td><td>88.20</td><td>-43.09</td><td>52.71</td><td>38.60</td><td>16.38</td><td>62.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13710.00	45.11	88.20	-43.09	52.71	38.60	16.38	62.58	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>46.17</td><td>88.20</td><td>-42.03</td><td>53.77</td><td>38.60</td><td>16.38</td><td>62.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13710.00	46.17	88.20	-42.03	53.77	38.60	16.38	62.58	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13710.00	45.11	88.20	-43.09	52.71	38.60	16.38	62.58	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13710.00	46.17	88.20	-42.03	53.77	38.60	16.38	62.58	0.00	---	---	PEAK																																																																																														





Mode	10																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz																																																																																																									
ANT	6+7																																																																																																									
Pol.	Horizontal											Vertical																																																																																														
Peak Avg																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13750.00</td><td>45.00</td><td>88.20</td><td>-43.12</td><td>52.60</td><td>38.60</td><td>16.40</td><td>62.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	45.00	88.20	-43.12	52.60	38.60	16.40	62.60	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13750.00</td><td>45.79</td><td>88.20</td><td>-42.41</td><td>53.39</td><td>38.60</td><td>16.40</td><td>62.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13750.00	45.79	88.20	-42.41	53.39	38.60	16.40	62.60	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	13750.00	45.00	88.20	-43.12	52.60	38.60	16.40	62.60	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13750.00	45.79	88.20	-42.41	53.39	38.60	16.40	62.60	0.00	---	---	PEAK																																																																																														







Mode	11																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																																									
ANT	6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>44.95</td><td>88.20</td><td>-43.25</td><td>52.55</td><td>38.60</td><td>16.42</td><td>62.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13790.00	44.95	88.20	-43.25	52.55	38.60	16.42	62.62	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>46.53</td><td>88.20</td><td>-41.67</td><td>54.13</td><td>38.60</td><td>16.42</td><td>62.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13790.00	46.53	88.20	-41.67	54.13	38.60	16.42	62.62	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13790.00	44.95	88.20	-43.25	52.55	38.60	16.42	62.62	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13790.00	46.53	88.20	-41.67	54.13	38.60	16.42	62.62	0.00	---	---	PEAK																																																																																														







Mode	12																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																																									
ANT	6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>45.47</td><td>88.20</td><td>-42.73</td><td>52.91</td><td>38.79</td><td>16.51</td><td>62.74</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13990.00	45.47	88.20	-42.73	52.91	38.79	16.51	62.74	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>45.23</td><td>88.20</td><td>-42.97</td><td>52.67</td><td>38.79</td><td>16.51</td><td>62.74</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13990.00	45.23	88.20	-42.97	52.67	38.79	16.51	62.74	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13990.00	45.47	88.20	-42.73	52.91	38.79	16.51	62.74	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13990.00	45.23	88.20	-42.97	52.67	38.79	16.51	62.74	0.00	---	---	PEAK																																																																																														





Mode	13																																																																																																				
	Band Edge																																																																																																				
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																				
ANT	6+7																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7179.08</td><td>57.46</td><td>88.20</td><td>-30.74</td><td>42.81</td><td>35.60</td><td>11.63</td><td>32.58</td><td>0.00</td><td>100</td><td>276 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7179.08	57.46	88.20	-30.74	42.81	35.60	11.63	32.58	0.00	100	276 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>91.81</td><td>-----</td><td>-----</td><td>77.16</td><td>35.60</td><td>11.56</td><td>32.51</td><td>0.00</td><td>100</td><td>276 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	91.81	-----	-----	77.16	35.60	11.56	32.51	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7179.08	57.46	88.20	-30.74	42.81	35.60	11.63	32.58	0.00	100	276 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7095.00	91.81	-----	-----	77.16	35.60	11.56	32.51	0.00	100	276 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7199.56</td><td>45.07</td><td>68.20</td><td>-23.13</td><td>30.42</td><td>35.60</td><td>11.65</td><td>32.60</td><td>0.00</td><td>100</td><td>276 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7199.56	45.07	68.20	-23.13	30.42	35.60	11.65	32.60	0.00	100	276 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>82.96</td><td>-----</td><td>-----</td><td>68.31</td><td>35.60</td><td>11.57</td><td>32.52</td><td>0.00</td><td>100</td><td>276 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	82.96	-----	-----	68.31	35.60	11.57	32.52	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7199.56	45.07	68.20	-23.13	30.42	35.60	11.65	32.60	0.00	100	276 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7095.00	82.96	-----	-----	68.31	35.60	11.57	32.52	0.00	100	276 AVERAGE																																																																																										







Mode	13																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																						
ANT	6+7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7242.44</td><td>57.03</td><td>88.20</td><td>-31.17</td><td>42.41</td><td>35.60</td><td>11.66</td><td>32.64</td><td>0.00</td><td>303</td><td>269</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7242.44	57.03	88.20	-31.17	42.41	35.60	11.66	32.64	0.00	303	269	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>89.31</td><td>-----</td><td>-----</td><td>74.66</td><td>35.60</td><td>11.56</td><td>32.51</td><td>0.00</td><td>303</td><td>269</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	89.31	-----	-----	74.66	35.60	11.56	32.51	0.00	303	269
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7242.44	57.03	88.20	-31.17	42.41	35.60	11.66	32.64	0.00	303	269	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7095.00	89.31	-----	-----	74.66	35.60	11.56	32.51	0.00	303	269	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7198.60</td><td>45.05</td><td>68.20</td><td>-23.15</td><td>30.41</td><td>35.60</td><td>11.64</td><td>32.60</td><td>0.00</td><td>303</td><td>269</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7198.60	45.05	68.20	-23.15	30.41	35.60	11.64	32.60	0.00	303	269	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>80.29</td><td>-----</td><td>-----</td><td>65.64</td><td>35.60</td><td>11.56</td><td>32.51</td><td>0.00</td><td>303</td><td>269</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	80.29	-----	-----	65.64	35.60	11.56	32.51	0.00	303	269
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7198.60	45.05	68.20	-23.15	30.41	35.60	11.64	32.60	0.00	303	269	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7095.00	80.29	-----	-----	65.64	35.60	11.56	32.51	0.00	303	269	AVERAGE																																																																																											







Mode	13																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																								
ANT	6+7																																																																																																								
Pol.	Horizontal												Vertical																																																																																												
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>45.20</td><td>88.20</td><td>-43.00</td><td>52.50</td><td>38.99</td><td>16.65</td><td>62.94</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	45.20	88.20	-43.00	52.50	38.99	16.65	62.94	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>45.85</td><td>88.20</td><td>-42.35</td><td>53.15</td><td>38.99</td><td>16.65</td><td>62.94</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	45.85	88.20	-42.35	53.15	38.99	16.65	62.94	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	14190.00	45.20	88.20	-43.00	52.50	38.99	16.65	62.94	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	14190.00	45.85	88.20	-42.35	53.15	38.99	16.65	62.94	0.00	---	---	PEAK																																																																																													





		14																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz																																																																																																	
ANT		6+7																																																																																																	
Pol.		Horizontal					Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5833.32</td><td>55.17</td><td>88.20</td><td>-33.03</td><td>42.18</td><td>34.67</td><td>10.43</td><td>32.11</td><td>0.00</td><td>101</td><td>222 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5833.32	55.17	88.20	-33.03	42.18	34.67	10.43	32.11	0.00	101	222 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>99.44</td><td>-----</td><td>-----</td><td>85.87</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>101</td><td>222 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.44	-----	-----	85.87	35.20	10.54	32.17	0.00	101
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5833.32	55.17	88.20	-33.03	42.18	34.67	10.43	32.11	0.00	101	222 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	99.44	-----	-----	85.87	35.20	10.54	32.17	0.00	101	222 PEAK																																																																																								
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.45</td><td>44.05</td><td>68.20</td><td>-24.15</td><td>30.64</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>101</td><td>222 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	44.05	68.20	-24.15	30.64	35.05	10.52	32.16	0.00	101	222 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>90.18</td><td>-----</td><td>-----</td><td>76.61</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>101</td><td>222 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	90.18	-----	-----	76.61	35.20	10.54	32.17	0.00	101
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.45	44.05	68.20	-24.15	30.64	35.05	10.52	32.16	0.00	101	222 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	90.18	-----	-----	76.61	35.20	10.54	32.17	0.00	101	222 AVERAGE																																																																																								







Mode	14																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz																																																																																																	
ANT	6+7																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5905.73</td><td>55.46</td><td>88.20</td><td>-32.74</td><td>42.19</td><td>34.93</td><td>10.50</td><td>32.16</td><td>0.00</td><td>354 262 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5905.73	55.46	88.20	-32.74	42.19	34.93	10.50	32.16	0.00	354 262 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>90.72</td><td>-----</td><td>-----</td><td>85.15</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>354 262 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	90.72	-----	-----	85.15	35.20	10.54	32.17	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5905.73	55.46	88.20	-32.74	42.19	34.93	10.50	32.16	0.00	354 262 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	90.72	-----	-----	85.15	35.20	10.54	32.17	0.00	354 262 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.28</td><td>44.06</td><td>68.20</td><td>-24.14</td><td>30.67</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>354 262 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.28	44.06	68.20	-24.14	30.67	35.04	10.51	32.16	0.00	354 262 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>87.61</td><td>-----</td><td>-----</td><td>74.04</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>354 262 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	87.61	-----	-----	74.04	35.20	10.54	32.17	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5923.28	44.06	68.20	-24.14	30.67	35.04	10.51	32.16	0.00	354 262 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5955.00	87.61	-----	-----	74.04	35.20	10.54	32.17	0.00	354 262 AVERAGE																																																																																								







Mode	14																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz																																																																																																								
ANT	6+7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.38</td><td>74.00</td><td>-27.62</td><td>53.76</td><td>38.70</td><td>15.21</td><td>61.29</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	46.38	74.00	-27.62	53.76	38.70	15.21	61.29	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.84</td><td>74.00</td><td>-26.16</td><td>55.22</td><td>38.70</td><td>15.21</td><td>61.29</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	47.84	74.00	-26.16	55.22	38.70	15.21	61.29	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11910.00	46.38	74.00	-27.62	53.76	38.70	15.21	61.29	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11910.00	47.84	74.00	-26.16	55.22	38.70	15.21	61.29	0.00	---	---	PEAK																																																																																													







Mode	15																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU26/0_5955MHz																																																																																																				
ANT	6+7																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>56.18</td><td>88.20</td><td>-32.02</td><td>42.77</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>106</td><td>204 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	56.18	88.20	-32.02	42.77	35.05	10.52	32.16	0.00	106	204 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.01</td><td>-----</td><td>-----</td><td>86.44</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>106</td><td>204 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.01	-----	-----	86.44	35.20	10.54	32.17	0.00	106
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.58	56.18	88.20	-32.02	42.77	35.05	10.52	32.16	0.00	106	204 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	100.01	-----	-----	86.44	35.20	10.54	32.17	0.00	106	204 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.45</td><td>44.06</td><td>68.20</td><td>-24.14</td><td>30.65</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>106</td><td>204 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	44.06	68.20	-24.14	30.65	35.05	10.52	32.16	0.00	106	204 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>91.82</td><td>-----</td><td>-----</td><td>78.25</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>106</td><td>204 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	91.82	-----	-----	78.25	35.20	10.54	32.17	0.00	106
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.45	44.06	68.20	-24.14	30.65	35.05	10.52	32.16	0.00	106	204 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	91.82	-----	-----	78.25	35.20	10.54	32.17	0.00	106	204 AVERAGE																																																																																										







Mode	15																																																						
	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU26/0_5955MHz																																																						
ANT	6+7																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5947.88</td><td>55.69</td><td>88.20</td><td>-32.51</td><td>42.68</td><td>34.70</td><td>10.45</td><td>32.14</td><td>0.00</td><td>353 254 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5947.88	55.69	88.20	-32.51	42.68	34.70	10.45	32.14	0.00	353 254 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5947.88	55.69	88.20	-32.51	42.68	34.70	10.45	32.14	0.00	353 254 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>98.50</td><td>-----</td><td>-----</td><td>84.93</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>353 254 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	98.50	-----	-----	84.93	35.20	10.54	32.17	0.00	353 254 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5955.00	98.50	-----	-----	84.93	35.20	10.54	32.17	0.00	353 254 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.00</td><td>44.04</td><td>68.20</td><td>-24.16</td><td>30.65</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>353 254 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.00	44.04	68.20	-24.16	30.65	35.04	10.51	32.16	0.00	353 254 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5923.00	44.04	68.20	-24.16	30.65	35.04	10.51	32.16	0.00	353 254 AVERAGE																																													
AVERAGE																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>89.95</td><td>-----</td><td>-----</td><td>76.38</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>353 254 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	89.95	-----	-----	76.38	35.20	10.54	32.17	0.00	353 254 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5955.00	89.95	-----	-----	76.38	35.20	10.54	32.17	0.00	353 254 AVERAGE																																													







Mode	16																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU52/37_5955MHz																																																							
ANT	6+7																																																							
Pol.	Horizontal																																																							
Peak	Fundamental																																																							
																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5870.11</td><td>55.74</td><td>88.20</td><td>-32.46</td><td>42.65</td><td>34.78</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>272 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5870.11	55.74	88.20	-32.46	42.65	34.78	10.47	32.16	0.00	100	272 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5870.11	55.74	88.20	-32.46	42.65	34.78	10.47	32.16	0.00	100	272 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>101.56</td><td>-----</td><td>-----</td><td>87.99</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>272 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	101.56	-----	-----	87.99	35.20	10.54	32.17	0.00	100	272 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	101.56	-----	-----	87.99	35.20	10.54	32.17	0.00	100	272 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.28</td><td>44.05</td><td>68.20</td><td>-24.15</td><td>30.66</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>272 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.28	44.05	68.20	-24.15	30.66	35.04	10.51	32.16	0.00	100	272 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5923.28	44.05	68.20	-24.15	30.66	35.04	10.51	32.16	0.00	100	272 AVERAGE																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>92.35</td><td>-----</td><td>-----</td><td>78.78</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>272 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	92.35	-----	-----	78.78	35.20	10.54	32.17	0.00	100	272 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	92.35	-----	-----	78.78	35.20	10.54	32.17	0.00	100	272 AVERAGE																																													







Mode	16																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU52/37_5955MHz																																																																																																						
ANT	6+7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.51</td><td>56.64</td><td>88.20</td><td>-31.56</td><td>43.63</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>396</td><td>240</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.51	56.64	88.20	-31.56	43.63	34.72	10.45	32.16	0.00	396	240	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>99.56</td><td>-----</td><td>-----</td><td>85.99</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>396</td><td>240</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.56	-----	-----	85.99	35.20	10.54	32.17	0.00	396	240
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5854.51	56.64	88.20	-31.56	43.63	34.72	10.45	32.16	0.00	396	240	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	99.56	-----	-----	85.99	35.20	10.54	32.17	0.00	396	240	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.37</td><td>44.05</td><td>68.20</td><td>-24.15</td><td>30.67</td><td>35.03</td><td>10.51</td><td>32.16</td><td>0.00</td><td>396</td><td>240</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.37	44.05	68.20	-24.15	30.67	35.03	10.51	32.16	0.00	396	240	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>90.26</td><td>-----</td><td>-----</td><td>76.69</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>396</td><td>240</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	90.26	-----	-----	76.69	35.20	10.54	32.17	0.00	396	240
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5922.37	44.05	68.20	-24.15	30.67	35.03	10.51	32.16	0.00	396	240	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	90.26	-----	-----	76.69	35.20	10.54	32.17	0.00	396	240	AVERAGE																																																																																											





Mode	17																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU106/53_5955MHz																																																																																																						
ANT	6+7																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>55.89</td><td>88.20</td><td>-32.31</td><td>42.48</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>223</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	55.89	88.20	-32.31	42.48	35.05	10.52	32.16	0.00	100	223	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>101.24</td><td>-----</td><td>-----</td><td>87.67</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>223</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	101.24	-----	-----	87.67	35.20	10.54	32.17	0.00	100	223
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5924.84	55.89	88.20	-32.31	42.48	35.05	10.52	32.16	0.00	100	223	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	101.24	-----	-----	87.67	35.20	10.54	32.17	0.00	100	223	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.15</td><td>44.05</td><td>68.20</td><td>-24.15</td><td>30.66</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>223</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.15	44.05	68.20	-24.15	30.66	35.04	10.51	32.16	0.00	100	223	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>92.30</td><td>-----</td><td>-----</td><td>78.73</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>223</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	92.30	-----	-----	78.73	35.20	10.54	32.17	0.00	100	223
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5923.15	44.05	68.20	-24.15	30.66	35.04	10.51	32.16	0.00	100	223	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	92.30	-----	-----	78.73	35.20	10.54	32.17	0.00	100	223	AVERAGE																																																																																											





Mode	17																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU106/53_5955MHz																																																																																																						
ANT	6+7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.93</td><td>55.49</td><td>88.20</td><td>-32.71</td><td>42.10</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>300</td><td>270</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.93	55.49	88.20	-32.71	42.10	35.04	10.51	32.16	0.00	300	270	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>96.52</td><td>-----</td><td>-----</td><td>82.95</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>300</td><td>270</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.52	-----	-----	82.95	35.20	10.54	32.17	0.00	300	270
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5923.93	55.49	88.20	-32.71	42.10	35.04	10.51	32.16	0.00	300	270	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	96.52	-----	-----	82.95	35.20	10.54	32.17	0.00	300	270	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>44.05</td><td>68.20</td><td>-24.15</td><td>30.64</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>300</td><td>270</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	44.05	68.20	-24.15	30.64	35.05	10.52	32.16	0.00	300	270	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>88.88</td><td>-----</td><td>-----</td><td>75.31</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>300</td><td>270</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	88.88	-----	-----	75.31	35.20	10.54	32.17	0.00	300	270
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5924.84	44.05	68.20	-24.15	30.64	35.05	10.52	32.16	0.00	300	270	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	88.88	-----	-----	75.31	35.20	10.54	32.17	0.00	300	270	AVERAGE																																																																																											







Mode	18																																																																																																							
	Harmonic																																																																																																							
	U-NII-5_5.925-6.425_802.11ax HE20_CH45_Full_6175MHz																																																																																																							
ANT	6+7																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>45.69</td><td>74.00</td><td>-28.31</td><td>52.93</td><td>38.80</td><td>15.54</td><td>61.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	45.69	74.00	-28.31	52.93	38.80	15.54	61.58	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>45.72</td><td>74.00</td><td>-28.28</td><td>52.96</td><td>38.80</td><td>15.54</td><td>61.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	45.72	74.00	-28.28	52.96	38.80	15.54	61.58	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	12350.00	45.69	74.00	-28.31	52.93	38.80	15.54	61.58	0.00	---	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	12350.00	45.72	74.00	-28.28	52.96	38.80	15.54	61.58	0.00	---	---	PEAK																																																																																												







Mode	19																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full_6415MHz																																																																																																									
ANT	6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.69</td><td>88.20</td><td>-41.51</td><td>53.39</td><td>39.33</td><td>15.92</td><td>61.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	46.69	88.20	-41.51	53.39	39.33	15.92	61.95	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.84</td><td>88.20</td><td>-41.36</td><td>53.54</td><td>39.33</td><td>15.92</td><td>61.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	46.84	88.20	-41.36	53.54	39.33	15.92	61.95	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12830.00	46.69	88.20	-41.51	53.39	39.33	15.92	61.95	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12830.00	46.84	88.20	-41.36	53.54	39.33	15.92	61.95	0.00	---	---	PEAK																																																																																														





Mode	20																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full_5965MHz																																																																																																			
ANT	6+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5877.50</td><td>55.54</td><td>88.20</td><td>-32.66</td><td>42.42</td><td>34.81</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>202 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5877.50	55.54	88.20	-32.66	42.42	34.81	10.47	32.16	0.00	100	202 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>95.94</td><td>-----</td><td>-----</td><td>82.29</td><td>35.27</td><td>10.55</td><td>32.17</td><td>0.00</td><td>100</td><td>202 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	95.94	-----	-----	82.29	35.27	10.55	32.17	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5877.50	55.54	88.20	-32.66	42.42	34.81	10.47	32.16	0.00	100	202 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	95.94	-----	-----	82.29	35.27	10.55	32.17	0.00	100	202 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.56</td><td>44.09</td><td>68.20</td><td>-24.11</td><td>30.70</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>202 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.56	44.09	68.20	-24.11	30.70	35.04	10.51	32.16	0.00	100	202 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>87.26</td><td>-----</td><td>-----</td><td>73.61</td><td>35.27</td><td>10.55</td><td>32.17</td><td>0.00</td><td>100</td><td>202 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	87.26	-----	-----	73.61	35.27	10.55	32.17	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5923.56	44.09	68.20	-24.11	30.70	35.04	10.51	32.16	0.00	100	202 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	87.26	-----	-----	73.61	35.27	10.55	32.17	0.00	100	202 AVERAGE																																																																																									





Mode	20																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full_5965MHz																																																																																																	
ANT	6+7																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5894.02</td><td>54.83</td><td>88.20</td><td>-33.37</td><td>41.62</td><td>34.88</td><td>10.49</td><td>32.16</td><td>0.00</td><td>298 264 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5894.02	54.83	88.20	-33.37	41.62	34.88	10.49	32.16	0.00	298 264 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>93.64</td><td>-----</td><td>-----</td><td>79.94</td><td>35.31</td><td>10.56</td><td>32.17</td><td>0.00</td><td>298 264 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	93.64	-----	-----	79.94	35.31	10.56	32.17	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5894.02	54.83	88.20	-33.37	41.62	34.88	10.49	32.16	0.00	298 264 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5965.00	93.64	-----	-----	79.94	35.31	10.56	32.17	0.00	298 264 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.82</td><td>44.04</td><td>68.20</td><td>-24.16</td><td>30.63</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>298 264 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	44.04	68.20	-24.16	30.63	35.05	10.52	32.16	0.00	298 264 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>84.26</td><td>-----</td><td>-----</td><td>70.56</td><td>35.31</td><td>10.56</td><td>32.17</td><td>0.00</td><td>298 264 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	84.26	-----	-----	70.56	35.31	10.56	32.17	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.82	44.04	68.20	-24.16	30.63	35.05	10.52	32.16	0.00	298 264 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5965.00	84.26	-----	-----	70.56	35.31	10.56	32.17	0.00	298 264 AVERAGE																																																																																								





Mode	20																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full_5965MHz																																																																																																									
ANT	6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>45.84</td><td>74.00</td><td>-28.16</td><td>53.22</td><td>38.70</td><td>15.22</td><td>61.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11930.00	45.84	74.00	-28.16	53.22	38.70	15.22	61.30	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>45.97</td><td>74.00</td><td>-28.03</td><td>53.35</td><td>38.70</td><td>15.22</td><td>61.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11930.00	45.97	74.00	-28.03	53.35	38.70	15.22	61.30	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11930.00	45.84	74.00	-28.16	53.22	38.70	15.22	61.30	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11930.00	45.97	74.00	-28.03	53.35	38.70	15.22	61.30	0.00	---	---	PEAK																																																																																														







Mode	21																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE40_CH43_Full_6165MHz																																																																																																									
ANT	6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>46.09</td><td>74.00</td><td>-27.91</td><td>53.33</td><td>38.00</td><td>15.53</td><td>61.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12330.00	46.09	74.00	-27.91	53.33	38.00	15.53	61.57	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>53.23</td><td>38.00</td><td>15.53</td><td>61.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12330.00	45.99	74.00	-28.01	53.23	38.00	15.53	61.57	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12330.00	46.09	74.00	-27.91	53.33	38.00	15.53	61.57	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12330.00	45.99	74.00	-28.01	53.23	38.00	15.53	61.57	0.00	---	---	PEAK																																																																																														





Mode	22																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full_6405MHz																																																																																																								
ANT	6+7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>45.79</td><td>88.20</td><td>-42.41</td><td>52.51</td><td>39.31</td><td>15.90</td><td>61.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12810.00	45.79	88.20	-42.41	52.51	39.31	15.90	61.93	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>46.67</td><td>88.20</td><td>-41.53</td><td>53.39</td><td>39.31</td><td>15.90</td><td>61.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12810.00	46.67	88.20	-41.53	53.39	39.31	15.90	61.93	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	12810.00	45.79	88.20	-42.41	52.51	39.31	15.90	61.93	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	12810.00	46.67	88.20	-41.53	53.39	39.31	15.90	61.93	0.00	---	---	PEAK																																																																																													



Mode	23																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5879.08</td><td>55.55</td><td>88.20</td><td>-32.65</td><td>42.41</td><td>34.82</td><td>10.48</td><td>32.16</td><td>0.00</td><td>100</td><td>224</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5879.08	55.55	88.20	-32.65	42.41	34.82	10.48	32.16	0.00	100	224	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>97.97</td><td>-----</td><td>-----</td><td>84.23</td><td>35.34</td><td>10.57</td><td>32.17</td><td>0.00</td><td>100</td><td>224</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	97.97	-----	-----	84.23	35.34	10.57	32.17	0.00	100	224
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5879.08	55.55	88.20	-32.65	42.41	34.82	10.48	32.16	0.00	100	224	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	97.97	-----	-----	84.23	35.34	10.57	32.17	0.00	100	224	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.28</td><td>44.34</td><td>68.20</td><td>-23.86</td><td>30.96</td><td>35.03</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>224</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.28	44.34	68.20	-23.86	30.96	35.03	10.51	32.16	0.00	100	224	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>86.78</td><td>-----</td><td>-----</td><td>73.04</td><td>35.34</td><td>10.57</td><td>32.17</td><td>0.00</td><td>100</td><td>224</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	86.78	-----	-----	73.04	35.34	10.57	32.17	0.00	100	224
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.28	44.34	68.20	-23.86	30.96	35.03	10.51	32.16	0.00	100	224	AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	86.78	-----	-----	73.04	35.34	10.57	32.17	0.00	100	224	AVERAGE																																																																																							



Mode	23																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz																																																							
ANT	6+7																																																							
Pol.	Vertical																																																							
Peak	Fundamental																																																							
																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5983.72</td><td>55.52</td><td>88.20</td><td>-32.68</td><td>42.37</td><td>34.83</td><td>10.48</td><td>32.16</td><td>0.00</td><td>277</td><td>270 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5983.72	55.52	88.20	-32.68	42.37	34.83	10.48	32.16	0.00	277
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5983.72	55.52	88.20	-32.68	42.37	34.83	10.48	32.16	0.00	277	270 PEAK																																													
Avg	Fundamental																																																							
																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.96</td><td>44.15</td><td>68.20</td><td>-24.05</td><td>30.77</td><td>35.03</td><td>10.51</td><td>32.16</td><td>0.00</td><td>277</td><td>270 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5921.96	44.15	68.20	-24.05	30.77	35.03	10.51	32.16	0.00	277
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5921.96	44.15	68.20	-24.05	30.77	35.03	10.51	32.16	0.00	277	270 AVERAGE																																													