









Mode	45																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full_6705MHz																																																																																																																							
ANT	6+7																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>44.56</td><td>88.20</td><td>-43.64</td><td>51.81</td><td>38.89</td><td>16.24</td><td>62.38</td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	44.56	88.20	-43.64	51.81	38.89	16.24	62.38	0.00	---											PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>45.14</td><td>88.20</td><td>-43.06</td><td>52.39</td><td>38.89</td><td>16.24</td><td>62.38</td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	45.14	88.20	-43.06	52.39	38.89	16.24	62.38	0.00	---										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	13410.00	44.56	88.20	-43.64	51.81	38.89	16.24	62.38	0.00	---																																																																																																														
										PEAK																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	13410.00	45.14	88.20	-43.06	52.39	38.89	16.24	62.38	0.00	---																																																																																																														
										PEAK																																																																																																														



Mode	46																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE160_CH143_Full_6665MHz																																																																																																									
ANT	6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>13330.00</td><td>45.49</td><td>74.00</td><td>-28.51</td><td>52.57</td><td>39.04</td><td>16.20</td><td>62.32</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13330.00	45.49	74.00	-28.51	52.57	39.04	16.20	62.32	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>13330.00</td><td>46.09</td><td>74.00</td><td>-27.91</td><td>53.17</td><td>39.04</td><td>16.20</td><td>62.32</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13330.00	46.09	74.00	-27.91	53.17	39.04	16.20	62.32	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13330.00	45.49	74.00	-28.51	52.57	39.04	16.20	62.32	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13330.00	46.09	74.00	-27.91	53.17	39.04	16.20	62.32	0.00	---	---	PEAK																																																																																														



Mode	47																																																												
	Harmonic																																																												
	U-NII-8_5.925-6.425_802.11ax HE80_CH167_Full_6785MHz																																																												
ANT	6+7																																																												
Pol.	Horizontal						Vertical																																																						
Peak Avg																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																			
<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>44.69</td><td>88.20</td><td>-43.51</td><td>52.20</td><td>38.66</td><td>16.32</td><td>62.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13570.00	44.69	88.20	-43.51	52.20	38.66	16.32	62.49	0.00	---	---	PEAK	<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>45.28</td><td>88.20</td><td>-42.92</td><td>52.79</td><td>38.66</td><td>16.32</td><td>62.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13570.00	45.28	88.20	-42.92	52.79	38.66	16.32	62.49	0.00	---	---	PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	13570.00	44.69	88.20	-43.51	52.20	38.66	16.32	62.49	0.00	---	---	PEAK																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	13570.00	45.28	88.20	-42.92	52.79	38.66	16.32	62.49	0.00	---	---	PEAK																																																	



<Simultaneous transmission>





Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	2400-2483.5	6+7	802.11ax HE40	04	2427	MCS0	Full	-
	U-NII-5	5.925-6.425	6+7	802.11ax HE80	7	5985	MCS0	Full	-
Mode 2	2400-2483.5	2400-2483.5	6+7	Bluetooth-LE	39	2480	2Mbps	Full	-
	U-NII-5	5.925-6.425	6+7	802.11ax HE80	7	5985	MCS0	Full	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11ax HE40	04	2386.57	50.93	54.00	-3.07	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	04	7281.00	42.78	74.00	-31.22	H	-	Pass	Harmonic
	802.11ax HE80	7	5923.40	59.97	68.20	-8.23	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	7	11970.00	46.16	74.00	-27.84	H	PEAK	Pass	Harmonic
2	Bluetooth-LE	39	2495.92	45.71	54.00	-8.29	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE	39	7440.00	41.62	74.00	-32.38	H	Peak	Pass	Harmonic
	802.11ax HE80	7	5922.44	59.84	68.20	-8.36	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	7	11970.00	47.21	74.00	-26.79	V	PEAK	Pass	Harmonic



		1																																																				
Mode		Simultaneous transmission Band Edge																																																				
Pol.		Horizontal					Fundamental																																															
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.96</td><td>64.46</td><td>74.00</td><td>-9.54</td><td>51.60</td><td>32.44</td><td>6.60</td><td>32.18</td><td>6.00</td><td>100 79 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.96	64.46	74.00	-9.54	51.60	32.44	6.60	32.18	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2386.96	64.46	74.00	-9.54	51.60	32.44	6.60	32.18	6.00	100 79 PEAK																																												
Fundamental																																																						
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2427.00</td><td>110.06</td><td>-----</td><td>97.12</td><td>32.48</td><td>6.66</td><td>32.20</td><td>6.00</td><td>100</td><td>79 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2427.00	110.06	-----	97.12	32.48	6.66	32.20	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2427.00	110.06	-----	97.12	32.48	6.66	32.20	6.00	100	79 PEAK																																												
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.57</td><td>50.93</td><td>54.00</td><td>-3.07</td><td>38.07</td><td>32.44</td><td>6.60</td><td>32.18</td><td>6.00</td><td>100 79 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.57	50.93	54.00	-3.07	38.07	32.44	6.60	32.18	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2386.57	50.93	54.00	-3.07	38.07	32.44	6.60	32.18	6.00	100 79 AVERAGE																																												
Fundamental																																																						
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2427.00</td><td>100.18</td><td>-----</td><td>87.20</td><td>32.52</td><td>6.65</td><td>32.19</td><td>6.00</td><td>100</td><td>79 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2427.00	100.18	-----	87.20	32.52	6.65	32.19	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2427.00	100.18	-----	87.20	32.52	6.65	32.19	6.00	100	79 AVERAGE																																												



1

Mode



Simultaneous transmission Band Edge

Pol.



Vertical

Fundamental

Peak



Avg





1


Mode

Simultaneous transmission Harmonic


Pol.

Horizontal

Vertical





Peak
Avg

Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg
1	4854.00	41.45	74.00	-32.55	59.00	34.19	9.50	61.24	0.00 100 82
2	7281.00	42.78	74.00	-31.22	56.10	35.66	11.68	60.66	0.00 100 246



Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg
1	4854.00	40.30	74.00	-33.70	57.85	34.19	9.50	61.24	0.00 149 360
2	7281.00	41.98	74.00	-32.02	55.30	35.66	11.68	60.66	0.00 300 223



		1																																																																																																											
Mode		Simultaneous transmission Band Edge																																																																																																											
Pol.	Horizontal					Fundamental																																																																																																							
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.56</td><td>69.82</td><td>88.20</td><td>-18.38</td><td>56.43</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>221 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.56	69.82	88.20	-18.38	56.43	35.04	10.51	32.16	0.00	100	221 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2431.00</td><td>103.34</td><td>-----</td><td>96.40</td><td>32.48</td><td>6.66</td><td>32.20</td><td>0.00</td><td>100</td><td>221 Peak</td></tr><tr><td>2</td><td>5985.00</td><td>106.80</td><td>-----</td><td>93.01</td><td>35.38</td><td>10.58</td><td>32.17</td><td>0.00</td><td>100</td><td>221 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2431.00	103.34	-----	96.40	32.48	6.66	32.20	0.00	100	221 Peak	2	5985.00	106.80	-----	93.01	35.38	10.58	32.17	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5923.56	69.82	88.20	-18.38	56.43	35.04	10.51	32.16	0.00	100	221 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2431.00	103.34	-----	96.40	32.48	6.66	32.20	0.00	100	221 Peak																																																																																																			
2	5985.00	106.80	-----	93.01	35.38	10.58	32.17	0.00	100	221 PEAK																																																																																																			
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.40</td><td>59.97</td><td>68.20</td><td>-8.23</td><td>46.58</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>221 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.40	59.97	68.20	-8.23	46.58	35.04	10.51	32.16	0.00	100	221 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>94.48</td><td>-----</td><td>87.51</td><td>32.51</td><td>6.65</td><td>32.19</td><td>0.00</td><td>100</td><td>221 Average</td></tr><tr><td>2</td><td>5985.00</td><td>97.89</td><td>-----</td><td>84.15</td><td>35.34</td><td>10.57</td><td>32.17</td><td>0.00</td><td>100</td><td>221 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	94.48	-----	87.51	32.51	6.65	32.19	0.00	100	221 Average	2	5985.00	97.89	-----	84.15	35.34	10.57	32.17	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5923.40	59.97	68.20	-8.23	46.58	35.04	10.51	32.16	0.00	100	221 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2422.00	94.48	-----	87.51	32.51	6.65	32.19	0.00	100	221 Average																																																																																																			
2	5985.00	97.89	-----	84.15	35.34	10.57	32.17	0.00	100	221 AVERAGE																																																																																																			



1

Mode


Simultaneous transmission Band Edge

Pol.


Vertical

Fundamental

Peak




	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
1	5922.76	68.55	88.20	-19.65	55.16	35.04	10.51	32.16	0.00	280	270	PEAK




		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	2422.00	95.07	-----	-----	88.10	32.51	6.65	32.19	0.00	280	270 Peak
2	5985.00	104.31	-----	-----	90.61	35.31	10.56	32.17	0.00	280	270 PEAK

Avg



	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
1	5923.08	56.46	68.20	-11.74	43.07	35.04	10.51	32.16	0.00	280	270	AVERAGE







		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	2422.00	85.72	-----	-----	78.75	32.51	6.65	32.19	0.00	280	270 Average
2	5985.00	95.63	-----	-----	81.89	35.34	10.57	32.17	0.00	280	270 AVERAGE



		1																																																									
Mode		Simultaneous transmission Harmonic																																																									
Pol.		Horizontal						Vertical																																																			
Peak Avg																																																											
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11978.00</td><td>46.16</td><td>74.00</td><td>-27.84</td><td>53.52</td><td>38.70</td><td>15.25</td><td>61.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11978.00	46.16	74.00	-27.84	53.52	38.70	15.25	61.31	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11978.00	46.16	74.00	-27.84	53.52	38.70	15.25	61.31	0.00	---	---	PEAK																																															
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11978.00</td><td>45.83</td><td>74.00</td><td>-28.17</td><td>53.19</td><td>38.70</td><td>15.25</td><td>61.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11978.00	45.83	74.00	-28.17	53.19	38.70	15.25	61.31	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11978.00	45.83	74.00	-28.17	53.19	38.70	15.25	61.31	0.00	---	---	PEAK																																															



		2																																																																																																										
Mode		Simultaneous transmission Band Edge																																																																																																										
Pol.		Horizontal					Fundamental																																																																																																					
Peak																																																																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2499.58</td><td>55.99</td><td>74.00</td><td>-18.01</td><td>42.78</td><td>32.70</td><td>6.75</td><td>32.24</td><td>6.00</td><td>100 308 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.58	55.99	74.00	-18.01	42.78	32.70	6.75	32.24	6.00	100 308 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>103.75</td><td>-----</td><td>90.67</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>308 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.75	-----	90.67	32.58	6.73	32.23	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2499.58	55.99	74.00	-18.01	42.78	32.70	6.75	32.24	6.00	100 308 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2480.00	103.75	-----	90.67	32.58	6.73	32.23	6.00	100	308 PEAK																																																																																																		
Avg																																																																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.16</td><td>45.63</td><td>54.00</td><td>-8.37</td><td>32.53</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100 308 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.16	45.63	54.00	-8.37	32.53	32.60	6.73	32.23	6.00	100 308 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>101.37</td><td>-----</td><td>88.29</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>308 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.37	-----	88.29	32.58	6.73	32.23	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2484.16	45.63	54.00	-8.37	32.53	32.60	6.73	32.23	6.00	100 308 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2480.00	101.37	-----	88.29	32.58	6.73	32.23	6.00	100	308 AVERAGE																																																																																																		



2

Mode



Simultaneous transmission Band Edge

Pol.



Vertical

Fundamental

Peak



Avg





2


Mode

Simultaneous transmission Harmonic


Pol.

Horizontal


Vertical

Peak
Avg

Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
		Line	Limit	Level	Factor	Loss	Factor	Factor			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4960.50	40.35	74.00	-33.65	59.43	33.96	10.44	63.48	0.00	---	Peak
2	7440.00	41.62	74.00	-32.38	56.80	35.64	12.93	63.75	0.00	---	Peak



Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
		Line	Limit	Level	Factor	Loss	Factor	Factor			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4960.50	39.99	74.00	-34.01	59.07	33.96	10.44	63.48	0.00	---	Peak
2	7440.00	40.60	74.00	-33.40	55.78	35.64	12.93	63.75	0.00	---	Peak





2

Mode


Simultaneous transmission Band Edge

Pol.


Vertical

Fundamental

Peak




	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	5923.40	68.69	88.20	-19.51	55.30	35.04	10.51	32.16	0.00	317 270 PEAK




	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	2476.00	89.61	-----	-----	82.56	32.56	6.72	32.23	0.00	317 270 Peak
2	5985.00	105.04	-----	-----	91.39	35.27	10.55	32.17	0.00	317 270 PEAK


Avg




	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	5922.92	57.21	68.20	-10.99	43.82	35.04	10.51	32.16	0.00	317 270 AVERAGE



	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	2476.00	85.48	-----	-----	78.43	32.56	6.72	32.23	0.00	317 270 Average
2	5985.00	95.58	-----	-----	81.84	35.34	10.57	32.17	0.00	317 270 AVERAGE





Note: For all plots above, the over limit line signals are Fundamental signal which can be ignored.



Note: Only the worst case has assessed 18G ~40GHz to test.




Mode	1																																																																																																																																																																																																														
	Simultaneous transmission 30MHz-1GHz																																																																																																																																																																																																														
Pol.	Horizontal					Vertical																																																																																																																																																																																																									
Peak																																																																																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>20.86</td><td>40.00</td><td>-19.14</td><td>27.31</td><td>25.74</td><td>0.76</td><td>32.95</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>112.45</td><td>19.52</td><td>43.50</td><td>-23.98</td><td>33.78</td><td>16.97</td><td>1.57</td><td>32.00</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>183.26</td><td>22.91</td><td>43.50</td><td>-20.59</td><td>38.65</td><td>15.08</td><td>1.98</td><td>32.00</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>258.92</td><td>19.96</td><td>46.00</td><td>-26.04</td><td>31.26</td><td>19.56</td><td>2.17</td><td>33.03</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>444.19</td><td>22.71</td><td>46.00</td><td>-23.29</td><td>29.90</td><td>22.83</td><td>3.12</td><td>33.14</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>783.69</td><td>30.78</td><td>46.00</td><td>-15.22</td><td>31.94</td><td>27.96</td><td>4.17</td><td>33.29</td><td>0.00</td><td>--- Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	20.86	40.00	-19.14	27.31	25.74	0.76	32.95	0.00	--- Peak	2	112.45	19.52	43.50	-23.98	33.78	16.97	1.57	32.00	0.00	--- Peak	3	183.26	22.91	43.50	-20.59	38.65	15.08	1.98	32.00	0.00	--- Peak	4	258.92	19.96	46.00	-26.04	31.26	19.56	2.17	33.03	0.00	--- Peak	5	444.19	22.71	46.00	-23.29	29.90	22.83	3.12	33.14	0.00	--- Peak	6	783.69	30.78	46.00	-15.22	31.94	27.96	4.17	33.29	0.00	--- Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>48.43</td><td>23.87</td><td>40.00</td><td>-16.13</td><td>40.37</td><td>15.45</td><td>0.98</td><td>32.93</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>61.04</td><td>23.20</td><td>40.00</td><td>-16.80</td><td>42.36</td><td>12.48</td><td>1.08</td><td>32.72</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>113.42</td><td>25.60</td><td>43.50</td><td>-17.90</td><td>39.76</td><td>17.05</td><td>1.58</td><td>32.79</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>431.58</td><td>20.59</td><td>46.00</td><td>-25.41</td><td>28.13</td><td>22.56</td><td>3.09</td><td>33.19</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>734.22</td><td>26.04</td><td>46.00</td><td>-19.96</td><td>28.16</td><td>27.22</td><td>4.03</td><td>33.37</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>829.28</td><td>28.82</td><td>46.00</td><td>-17.18</td><td>29.11</td><td>28.46</td><td>4.24</td><td>32.99</td><td>0.00</td><td>--- Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	48.43	23.87	40.00	-16.13	40.37	15.45	0.98	32.93	0.00	--- Peak	2	61.04	23.20	40.00	-16.80	42.36	12.48	1.08	32.72	0.00	--- Peak	3	113.42	25.60	43.50	-17.90	39.76	17.05	1.58	32.79	0.00	--- Peak	4	431.58	20.59	46.00	-25.41	28.13	22.56	3.09	33.19	0.00	--- Peak	5	734.22	26.04	46.00	-19.96	28.16	27.22	4.03	33.37	0.00	--- Peak	6	829.28	28.82	46.00	-17.18	29.11	28.46	4.24	32.99	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																					
1	30.00	20.86	40.00	-19.14	27.31	25.74	0.76	32.95	0.00	--- Peak																																																																																																																																																																																																					
2	112.45	19.52	43.50	-23.98	33.78	16.97	1.57	32.00	0.00	--- Peak																																																																																																																																																																																																					
3	183.26	22.91	43.50	-20.59	38.65	15.08	1.98	32.00	0.00	--- Peak																																																																																																																																																																																																					
4	258.92	19.96	46.00	-26.04	31.26	19.56	2.17	33.03	0.00	--- Peak																																																																																																																																																																																																					
5	444.19	22.71	46.00	-23.29	29.90	22.83	3.12	33.14	0.00	--- Peak																																																																																																																																																																																																					
6	783.69	30.78	46.00	-15.22	31.94	27.96	4.17	33.29	0.00	--- Peak																																																																																																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																					
1	48.43	23.87	40.00	-16.13	40.37	15.45	0.98	32.93	0.00	--- Peak																																																																																																																																																																																																					
2	61.04	23.20	40.00	-16.80	42.36	12.48	1.08	32.72	0.00	--- Peak																																																																																																																																																																																																					
3	113.42	25.60	43.50	-17.90	39.76	17.05	1.58	32.79	0.00	--- Peak																																																																																																																																																																																																					
4	431.58	20.59	46.00	-25.41	28.13	22.56	3.09	33.19	0.00	--- Peak																																																																																																																																																																																																					
5	734.22	26.04	46.00	-19.96	28.16	27.22	4.03	33.37	0.00	--- Peak																																																																																																																																																																																																					
6	829.28	28.82	46.00	-17.18	29.11	28.46	4.24	32.99	0.00	--- Peak																																																																																																																																																																																																					

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.97	-	-	10Hz
802.11ax HE20	100	-	-	10Hz
802.11ax HE40	100	-	-	10Hz
802.11ax HE80	100	-	-	10Hz
802.11ax HE160	100	-	-	10Hz
802.11ax HE20 RU26	100	-	-	10Hz
802.11ax HE20 RU52	100	-	-	10Hz
802.11ax HE20 RU106	100	-	-	10Hz

802.11a







802.11ax HE20




802.11ax HE40








802.11ax HE20 RU26



802.11ax HE20 RU52





802.11ax HE20 RU106

