










































11N20MIMO_Ant6_2437_30~1000




11N20MIMO_Ant6_2437_1000~26500








11N20MIMO_Ant6_2457_30~1000




11N20MIMO_Ant6_2457_1000~26500







11N20MIMO_Ant7_2457_30~1000




11N20MIMO_Ant7_2457_1000~26500








11N20MIMO_Ant7_2462_30~1000




11N20MIMO_Ant7_2462_1000~26500






11N40MIMO_Ant6_2422_30~1000




11N40MIMO_Ant6_2422_1000~26500







11N40MIMO_Ant7_2422_30~1000




11N40MIMO_Ant7_2422_1000~26500








11N40MIMO_Ant7_2437_30~1000




11N40MIMO_Ant7_2437_1000~26500








11N40MIMO_Ant6_2452_30~1000





11N40MIMO_Ant6_2452_1000~26500















































Maximum power spectral density – Part RU

Test Result

TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20MIMO	Ant6	2412	26Tone	RU0	-8.34	≤8.00	PASS
			52Tone	RU37	-7.78	≤8.00	PASS
			106Tone	RU53	-8.63	≤8.00	PASS
	Ant7	2412	26Tone	RU0	-7.62	≤8.00	PASS
			52Tone	RU37	-8.32	≤8.00	PASS
			106Tone	RU53	-8.26	≤8.00	PASS
	total	2412	26Tone	RU0	-4.95	≤8.00	PASS
			52Tone	RU37	-5.03	≤8.00	PASS
			106Tone	RU53	-5.43	≤8.00	PASS
	Ant6	2437	26Tone	RU0	-5.82	≤8.00	PASS
			52Tone	RU37	-5.96	≤8.00	PASS
			106Tone	RU53	-5.64	≤8.00	PASS
	Ant7	2437	26Tone	RU0	-4.76	≤8.00	PASS
			52Tone	RU37	-4.98	≤8.00	PASS
			106Tone	RU53	-5.14	≤8.00	PASS
	total	2437	26Tone	RU0	-2.25	≤8.00	PASS
			52Tone	RU37	-2.43	≤8.00	PASS
			106Tone	RU53	-2.37	≤8.00	PASS
	Ant6	2457	26Tone	RU8	-8.32	≤8.00	PASS
			52Tone	RU40	-8.19	≤8.00	PASS
			106Tone	RU54	-6.90	≤8.00	PASS
	Ant7	2457	26Tone	RU8	-5.91	≤8.00	PASS
			52Tone	RU40	-5.95	≤8.00	PASS
			106Tone	RU54	-5.81	≤8.00	PASS
	total	2457	26Tone	RU8	-3.94	≤8.00	PASS
			52Tone	RU40	-3.92	≤8.00	PASS
			106Tone	RU54	-3.31	≤8.00	PASS
	Ant6	2462	26Tone	RU8	-8.44	≤8.00	PASS
			52Tone	RU40	-9.35	≤8.00	PASS
			106Tone	RU54	-9.40	≤8.00	PASS
	Ant7	2462	26Tone	RU8	-8.90	≤8.00	PASS
			52Tone	RU40	-8.71	≤8.00	PASS
			106Tone	RU54	-8.31	≤8.00	PASS
	total	2462	26Tone	RU8	-5.65	≤8.00	PASS
			52Tone	RU40	-6.01	≤8.00	PASS
			106Tone	RU54	-5.81	≤8.00	PASS




Test Graphs






11AX20MIMO_Ant6_2412_106Tone_RU53




11AX20MIMO_Ant7_2412_26Tone_RU0






11AX20MIMO_Ant7_2412_52Tone_RU37




11AX20MIMO_Ant7_2412_106Tone_RU53






11AX20MIMO_Ant6_2437_26Tone_RU0




11AX20MIMO_Ant6_2437_52Tone_RU37






11AX20MIMO_Ant6_2437_106Tone_RU53




11AX20MIMO_Ant7_2437_26Tone_RU0






11AX20MIMO_Ant7_2437_52Tone_RU37




11AX20MIMO_Ant7_2437_106Tone_RU53






11AX20MIMO_Ant6_2457_26Tone_RU8




11AX20MIMO_Ant6_2457_52Tone_RU40






11AX20MIMO_Ant6_2457_106Tone_RU54




11AX20MIMO_Ant7_2457_26Tone_RU8






11AX20MIMO_Ant7_2457_52Tone_RU40




11AX20MIMO_Ant7_2457_106Tone_RU54






11AX20MIMO_Ant6_2462_26Tone_RU8



Date: 18.OCT.2024 18:38:02


11AX20MIMO_Ant6_2462_52Tone_RU40



Date: 18.OCT.2024 18:40:08




11AX20MIMO_Ant6_2462_106Tone_RU54



Date: 18.OCT.2024 18:44:12


11AX20MIMO_Ant7_2462_26Tone_RU8



Date: 18.OCT.2024 18:38:46




11AX20MIMO_Ant7_2462_52Tone_RU40



Date: 18.OCT.2024 18:42:04

11AX20MIMO_Ant7_2462_106Tone_RU54



Date: 18.OCT.2024 18:44:58



Maximum conducted output power

Test Result Peak

2.4GHz Band MIMO																
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Peak Conducted Power (dBm)			Conducted Power Limit (dBm)		DG (dBi)		EIRP Power (dBm)		EIRP Power Limit (dBm)		Pass /Fail
					Ant6	Ant7	SUM	Ant6	Ant7	Ant6	Ant7	Ant6	Ant7	Ant6	Ant7	
11b	1Mbps	2	1	2412	21.39	21.92	24.67	30.00		1.50		26.17		36.00		Pass
11b	1Mbps	2	6	2437	21.44	21.69	24.58	30.00		1.50		26.08		36.00		Pass
11b	1Mbps	2	11	2462	21.31	21.62	24.48	30.00		1.50		25.98		36.00		Pass
11g	6Mbps	2	1	2412	23.68	24.07	26.89	30.00		1.50		28.39		36.00		Pass
11g	6Mbps	2	6	2437	25.19	24.89	28.05	30.00		1.50		29.55		36.00		Pass
11g	6Mbps	2	11	2462	23.64	24.02	26.84	30.00		1.50		28.34		36.00		Pass
HT20	MCS0	2	1	2412	22.35	23.28	25.85	30.00		1.50		27.35		36.00		Pass
HT20	MCS0	2	6	2437	24.64	24.52	27.59	30.00		1.50		29.09		36.00		Pass
HT20	MCS0	2	11	2462	22.97	23.81	26.42	30.00		1.50		27.92		36.00		Pass
HT40	MCS0	2	3	2422	22.08	22.67	25.40	30.00		1.50		26.90		36.00		Pass
HT40	MCS0	2	6	2437	23.43	23.58	26.52	30.00		1.50		28.02		36.00		Pass
HT40	MCS0	2	9	2452	22.83	23.01	25.93	30.00		1.50		27.43		36.00		Pass



2.4GHz Band MIMO																	
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Peak Conducted Power (dBm)			Conducted Power Limit (dBm)		DG (dBi)		EIRP Power (dBm)		EIRP Power Limit (dBm)		Pass /Fail
						Ant6	Ant7	SUM	Ant6	Ant7	Ant6	Ant7	Ant6	Ant7	Ant6	Ant7	
HE20	MCS0	2	1	2412	Full	23.71	25.12	27.48	30.00		1.50		28.98		36.00		Pass
HE20	MCS0	2	1	2412	26/0	20.95	22.05	24.55	30.00		1.50		26.05		36.00		Pass
HE20	MCS0	2	1	2412	52/37	21.81	23.52	25.76	30.00		1.50		27.26		36.00		Pass
HE20	MCS0	2	1	2412	106/53	23.42	23.74	26.59	30.00		1.50		28.09		36.00		Pass
HE20	MCS0	2	6	2437	Full	25.33	25.29	28.32	30.00		1.50		29.82		36.00		Pass
HE20	MCS0	2	6	2437	26/0	22.17	23.77	26.05	30.00		1.50		27.55		36.00		Pass
HE20	MCS0	2	6	2437	52/37	23.34	24.69	27.08	30.00		1.50		28.58		36.00		Pass
HE20	MCS0	2	6	2437	106/53	25.27	25.22	28.26	30.00		1.50		29.76		36.00		Pass
HE20	MCS0	2	10	2457	Full	24.76	25.01	27.90	30.00		1.50		29.40		36.00		Pass
HE20	MCS0	2	10	2457	26/8	20.12	21.69	23.99	30.00		1.50		25.49		36.00		Pass
HE20	MCS0	2	10	2457	52/40	22.52	23.63	26.12	30.00		1.50		27.62		36.00		Pass
HE20	MCS0	2	10	2457	106/54	24.45	24.85	27.66	30.00		1.50		29.16		36.00		Pass
HE20	MCS0	2	11	2462	Full	22.62	23.58	26.14	30.00		1.50		27.64		36.00		Pass
HE20	MCS0	2	11	2462	26/8	17.85	19.76	21.92	30.00		1.50		23.42		36.00		Pass
HE20	MCS0	2	11	2462	52/40	20.52	21.99	24.33	30.00		1.50		25.83		36.00		Pass
HE20	MCS0	2	11	2462	106/54	22.25	23.56	25.96	30.00		1.50		27.46		36.00		Pass
HE40	MCS0	2	3	2422	Full	22.17	22.92	25.57	30.00		1.50		27.07		36.00		Pass
HE40	MCS0	2	6	2437	Full	24.31	24.51	27.42	30.00		1.50		28.92		36.00		Pass
HE40	MCS0	2	9	2452	Full	23.01	23.37	26.20	30.00		1.50		27.70		36.00		Pass



Test Result Average

2.4GHz Band MIMO																		
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Duty Factor (dB)		Average Conducted Power with duty factor (dBm)			Conducted Power Limit (dBm)		DG (dBi)		EIRP Power (dBm)		EIRP Power Limit (dBm)		Pass /Fail
					Ant6	Ant7	Ant6	Ant7	SUM	Ant6	Ant7	Ant6	Ant7	Ant6	Ant7	Ant6	Ant7	
11b	1Mbps	2	1	2412	0.04	0.04	18.68	19.43	22.08	30.00		1.50		23.58		36.00		Pass
11b	1Mbps	2	6	2437	0.04	0.04	18.79	19.16	21.99	30.00		1.50		23.49		36.00		Pass
11b	1Mbps	2	11	2462	0.04	0.04	18.68	19.13	21.92	30.00		1.50		23.42		36.00		Pass
11g	6Mbps	2	1	2412	0.04	0.03	17.32	18.30	20.85	30.00		1.50		22.35		36.00		Pass
11g	6Mbps	2	6	2437	0.04	0.03	20.56	20.60	23.59	30.00		1.50		25.09		36.00		Pass
11g	6Mbps	2	11	2462	0.04	0.03	17.27	18.24	20.79	30.00		1.50		22.29		36.00		Pass
HT20	MCS0	2	1	2412	0.00	0.00	15.85	16.97	19.46	30.00		1.50		20.96		36.00		Pass
HT20	MCS0	2	6	2437	0.00	0.00	19.06	19.67	22.39	30.00		1.50		23.89		36.00		Pass
HT20	MCS0	2	11	2462	0.00	0.00	16.44	17.39	19.95	30.00		1.50		21.45		36.00		Pass
HT40	MCS0	2	3	2422	0.00	0.00	15.21	16.16	18.72	30.00		1.50		20.22		36.00		Pass
HT40	MCS0	2	6	2437	0.00	0.00	16.95	17.62	20.31	30.00		1.50		21.81		36.00		Pass
HT40	MCS0	2	9	2452	0.00	0.00	16.06	16.92	19.52	30.00		1.50		21.02		36.00		Pass




2.4GHz Band MIMO																			
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	RU Config.	Duty Factor (dB)		Average Conducted Power with duty factor (dBm)			Conducted Power Limit (dBm)		DG (dBi)		EIRP Power (dBm)		EIRP Power Limit (dBm)		Pass /Fail
						Ant6	Ant7	Ant6	Ant7	SUM	Ant6	Ant7	Ant6	Ant7	Ant6	Ant7	Ant6	Ant7	
HE20	MCS0	2	1	2412	Full	0.00	0.00	16.07	17.09	19.62	30.00		1.50		21.12		36.00		Pass
HE20	MCS0	2	1	2412	26/0	0.00	0.00	9.37	9.97	12.69	30.00		1.50		14.19		36.00		Pass
HE20	MCS0	2	1	2412	52/37	0.00	0.00	11.15	11.47	14.32	30.00		1.50		15.82		36.00		Pass
HE20	MCS0	2	1	2412	106/53	0.00	0.00	13.05	13.19	16.13	30.00		1.50		17.63		36.00		Pass
HE20	MCS0	2	6	2437	Full	0.00	0.00	19.22	19.86	22.56	30.00		1.50		24.06		36.00		Pass
HE20	MCS0	2	6	2437	26/0	0.00	0.00	11.06	12.83	15.04	30.00		1.50		16.54		36.00		Pass
HE20	MCS0	2	6	2437	52/37	0.00	0.00	13.22	14.13	16.71	30.00		1.50		18.21		36.00		Pass
HE20	MCS0	2	6	2437	106/53	0.00	0.00	15.51	16.93	19.29	30.00		1.50		20.79		36.00		Pass
HE20	MCS0	2	10	2457	Full	0.00	0.00	17.71	18.92	21.37	30.00		1.50		22.87		36.00		Pass
HE20	MCS0	2	10	2457	26/8	0.00	0.00	9.05	11.36	13.37	30.00		1.50		14.87		36.00		Pass
HE20	MCS0	2	10	2457	52/40	0.00	0.00	11.29	13.52	15.56	30.00		1.50		17.06		36.00		Pass
HE20	MCS0	2	10	2457	106/54	0.00	0.00	14.39	16.03	18.30	30.00		1.50		19.80		36.00		Pass
HE20	MCS0	2	11	2462	Full	0.00	0.00	15.09	16.22	18.70	30.00		1.50		20.20		36.00		Pass
HE20	MCS0	2	11	2462	26/8	0.00	0.00	7.24	9.45	11.49	30.00		1.50		12.99		36.00		Pass
HE20	MCS0	2	11	2462	52/40	0.00	0.00	9.38	11.49	13.57	30.00		1.50		15.07		36.00		Pass
HE20	MCS0	2	11	2462	106/54	0.00	0.00	11.36	13.52	15.58	30.00		1.50		17.08		36.00		Pass
HE40	MCS0	2	3	2422	Full	0.00	0.00	15.25	16.19	18.76	30.00		1.50		20.26		36.00		Pass
HE40	MCS0	2	6	2437	Full	0.00	0.00	17.61	18.76	21.23	30.00		1.50		22.73		36.00		Pass
HE40	MCS0	2	9	2452	Full	0.00	0.00	16.08	16.96	19.55	30.00		1.50		21.05		36.00		Pass



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS

Condition : 15C RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.400	38.86	-19.00	57.86	28.60	-0.02	10.28	QP
2	0.400	24.46	-23.40	47.86	14.20	-0.02	10.28	Average
3	0.866	33.74	-22.26	56.00	23.81	-0.17	10.10	QP
4	0.866	22.84	-23.16	46.00	12.91	-0.17	10.10	Average
5	1.166	33.10	-22.90	56.00	23.20	-0.19	10.09	QP
6	1.166	22.10	-23.90	46.00	12.20	-0.19	10.09	Average
7	2.678	32.39	-23.61	56.00	22.50	-0.18	10.07	QP
8	2.678	21.39	-24.61	46.00	11.50	-0.18	10.07	Average
9	21.373	32.47	-27.53	60.00	21.49	-0.42	11.40	QP
10	21.373	23.17	-26.83	50.00	12.19	-0.42	11.40	Average
11	25.864	32.67	-27.33	60.00	21.50	-0.38	11.55	QP
12	25.864	22.77	-27.23	50.00	11.60	-0.38	11.55	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.246	36.87	-25.04	61.91	26.50	0.00	10.37	QP
2	0.246	25.97	-25.94	61.91	15.60	0.00	10.37	Average
3	0.358	35.67	-23.11	58.78	25.50	-0.13	10.30	QP
4	0.358	24.47	-24.31	48.78	14.30	-0.13	10.30	Average
5 *	0.476	35.69	-20.72	56.41	25.61	-0.15	10.23	QP
6	0.476	23.69	-22.72	46.41	13.61	-0.15	10.23	Average
7	0.614	32.51	-23.49	56.00	22.50	-0.16	10.17	QP
8	0.614	21.21	-24.79	46.00	11.20	-0.16	10.17	Average
9	21.600	32.50	-27.50	60.00	21.50	-0.41	11.41	QP
10	21.600	21.60	-28.40	50.00	10.60	-0.41	11.41	Average
11	24.922	32.52	-27.48	60.00	21.49	-0.50	11.53	QP
12	24.922	22.52	-27.48	50.00	11.49	-0.50	11.53	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jake	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes





Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 16	2400-2483.5	CDD 6+7	802.11b	01	2412	1Mbps	-	-
Mode 17	2400-2483.5	CDD 6+7	802.11b	06	2437	1Mbps	-	-
Mode 18	2400-2483.5	CDD 6+7	802.11b	11	2462	1Mbps	-	-
Mode 19	2400-2483.5	CDD 6+7	802.11g	01	2412	6Mbps	-	-
Mode 20	2400-2483.5	CDD 6+7	802.11g	06	2437	6Mbps	-	-
Mode 21	2400-2483.5	CDD 6+7	802.11g	11	2462	6Mbps	-	-
Mode 22	2400-2483.5	CDD 6+7	802.11ax HE20	01	2412	MCS0	Full	-
Mode 23	2400-2483.5	CDD 6+7	802.11ax HE20	06	2437	MCS0	Full	-
Mode 24	2400-2483.5	CDD 6+7	802.11ax HE20	11	2462	MCS0	Full	-
Mode 25	2400-2483.5	CDD 6+7	802.11ax HE20	01	2412	MCS0	RU26/0	-
Mode 26	2400-2483.5	CDD 6+7	802.11ax HE20	01	2412	MCS0	RU52/37	-
Mode 27	2400-2483.5	CDD 6+7	802.11ax HE20	01	2412	MCS0	RU106/53	-
Mode 28	2400-2483.5	CDD 6+7	802.11ax HE20	11	2462	MCS0	RU26/8	-
Mode 29	2400-2483.5	CDD 6+7	802.11ax HE20	11	2462	MCS0	RU52/40	-
Mode 30	2400-2483.5	CDD 6+7	802.11ax HE20	11	2462	MCS0	RU106/54	-
Mode 31	2400-2483.5	CDD 6+7	802.11ax HE40	03	2422	MCS0	Full	-
Mode 32	2400-2483.5	CDD 6+7	802.11ax HE40	06	2437	MCS0	Full	-
Mode 33	2400-2483.5	CDD 6+7	802.11ax HE40	09	2452	MCS0	Full	-
Mode 34	2400-2483.5	CDD 6+7	802.11ax HE20	10	2457	MCS0	Full	-
Mode 38	2400-2483.5	CDD 6+7	802.11ax HE20	11	2462	MCS0	Full	-
Part 27D N30 BW=10M								







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
16	802.11b	01	2387.48	50.68	54.00	-3.32	H	AVERAGE	Pass	Band Edge
16	802.11b	01	4824.00	40.88	74.00	-33.12	V	PEAK	Pass	Harmonic
17	802.11b	06	-	-	-	-	-	-	-	Band Edge
17	802.11b	06	7311.00	41.86	74.00	-32.14	V	PEAK	Pass	Harmonic
18	802.11b	11	2483.50	48.31	54.00	-5.69	H	AVERAGE	Pass	Band Edge
18	802.11b	11	7386.00	44.82	74.00	-29.18	V	PEAK	Pass	Harmonic
19	802.11g	01	2389.95	50.84	54.00	-3.16	H	Average	Pass	Band Edge
19	802.11g	01	4824.00	40.38	74.00	-33.62	H	PEAK	Pass	Harmonic
20	802.11g	06	2484.76	48.89	54.00	-5.11	H	AVERAGE	Pass	Band Edge
20	802.11g	06	7311.00	44.40	74.00	-29.60	V	PEAK	Pass	Harmonic
21	802.11g	11	2483.50	50.00	54.00	-4.00	V	AVERAGE	Pass	Band Edge
21	802.11g	11	7386.00	46.55	74.00	-27.45	V	PEAK	Pass	Harmonic
22	802.11ax HE20	01	2389.95	48.33	54.00	-5.67	H	AVERAGE	Pass	Band Edge
22	802.11ax HE20	01	4824.00	40.92	74.00	-33.08	H	PEAK	Pass	Harmonic
23	802.11ax HE20	06	2483.80	49.43	54.00	-4.57	H	AVERAGE	Pass	Band Edge
23	802.11ax HE20	06	7311.00	43.60	74.00	-30.40	V	PEAK	Pass	Harmonic
24	802.11ax HE20	11	2483.50	50.98	54.00	-3.02	H	AVERAGE	Pass	Band Edge
24	802.11ax HE20	11	7386.00	42.09	74.00	-31.91	V	PEAK	Pass	Harmonic
25	802.11ax HE20	01	2389.82	44.29	54.00	-9.71	H	AVERAGE	Pass	Band Edge
25	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE20	01	2389.95	44.75	54.00	-9.25	H	AVERAGE	Pass	Band Edge
26	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE20	01	2387.74	67.39	74.00	-6.61	H	PEAK	Pass	Band Edge
27	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
28	802.11ax HE20	11	2486.62	45.14	54.00	-8.86	H	AVERAGE	Pass	Band Edge
28	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
29	802.11ax HE20	11	2483.62	45.11	54.00	-8.89	H	AVERAGE	Pass	Band Edge
29	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	11	2483.50	45.46	54.00	-8.54	H	AVERAGE	Pass	Band Edge
30	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE40	03	2389.95	49.48	54.00	-4.52	H	AVERAGE	Pass	Band Edge
31	802.11ax HE40	03	7266.00	42.44	74.00	-31.56	V	PEAK	Pass	Harmonic
32	802.11ax HE40	06	2387.61	48.09	54.00	-5.91	H	AVERAGE	Pass	Band Edge
32	802.11ax HE40	06	7311.00	42.48	74.00	-31.52	H	PEAK	Pass	Harmonic
33	802.11ax HE40	09	2483.50	49.21	54.00	-4.79	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	09	7356.00	42.61	74.00	-31.39	V	PEAK	Pass	Harmonic
34	802.11ax HE20	10	2483.50	49.57	54.00	-4.43	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	10	7371.00	44.47	74.00	-29.53	H	PEAK	Pass	Harmonic
38	802.11ax HE20	11	2483.50	50.80	54.00	-3.20	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	7386.00	44.03	74.00	-29.97	H	Peak	Pass	Harmonic
	N30	462000	4611.20	51.30	55.2	-3.9	H	PEAK	Pass	Harmonic
		462000	4611.20	51.06	55.2	-4.14	V	PEAK	Pass	Harmonic





		16																																									
Mode		Band Edge																																									
		2400-2483.5_802.11b_CH01_2412MHz																																									
ANT		CDD 6+7																																									
Pol.		Horizontal																																									
Peak																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.65	59.36	74.00	-14.64	51.12	32.19	7.10	37.05	6.00	100	115
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2388.65	59.36	74.00	-14.64	51.12	32.19	7.10	37.05	6.00	100	115	PEAK																															
Fundamental																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	113.77	-----	-----	105.32	32.32	7.14	37.01	6.00	100	115
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2412.00	113.77	-----	-----	105.32	32.32	7.14	37.01	6.00	100	115	PEAK																															
Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.48	50.68	54.00	-3.32	42.46	32.17	7.10	37.05	6.00	100	115
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2387.48	50.68	54.00	-3.32	42.46	32.17	7.10	37.05	6.00	100	115	AVERAGE																															
Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.33	-----	-----	100.88	32.32	7.14	37.01	6.00	100	115
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2412.00	109.33	-----	-----	100.88	32.32	7.14	37.01	6.00	100	115	AVERAGE																															





Mode	16																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.87</td><td>58.10</td><td>74.00</td><td>-15.90</td><td>49.87</td><td>32.18</td><td>7.10</td><td>37.05</td><td>6.00</td><td>347</td><td>88</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.87	58.10	74.00	-15.90	49.87	32.18	7.10	37.05	6.00	347	88	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>110.28</td><td>-----</td><td>-----</td><td>101.83</td><td>32.32</td><td>7.14</td><td>37.01</td><td>6.00</td><td>347</td><td>88</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.28	-----	-----	101.83	32.32	7.14	37.01	6.00	347	88
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2387.87	58.10	74.00	-15.90	49.87	32.18	7.10	37.05	6.00	347	88	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	110.28	-----	-----	101.83	32.32	7.14	37.01	6.00	347	88	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.48</td><td>47.98</td><td>54.00</td><td>-6.02</td><td>39.76</td><td>32.17</td><td>7.10</td><td>37.05</td><td>6.00</td><td>347</td><td>88</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.48	47.98	54.00	-6.02	39.76	32.17	7.10	37.05	6.00	347	88	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>105.74</td><td>-----</td><td>-----</td><td>97.29</td><td>32.32</td><td>7.14</td><td>37.01</td><td>6.00</td><td>347</td><td>88</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.74	-----	-----	97.29	32.32	7.14	37.01	6.00	347	88
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2387.48	47.98	54.00	-6.02	39.76	32.17	7.10	37.05	6.00	347	88	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	105.74	-----	-----	97.29	32.32	7.14	37.01	6.00	347	88	AVERAGE																																																																																																			



Mode	16																																																																																																		
	Harmonic																																																																																																		
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																		
ANT	CDD 6+7																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>39.58</td><td>74.00</td><td>-34.42</td><td>68.74</td><td>34.10</td><td>10.23</td><td>65.49</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	39.58	74.00	-34.42	68.74	34.10	10.23	65.49	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>40.88</td><td>74.00</td><td>-33.12</td><td>62.04</td><td>34.10</td><td>10.23</td><td>65.49</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	40.88	74.00	-33.12	62.04	34.10	10.23	65.49	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4824.00	39.58	74.00	-34.42	68.74	34.10	10.23	65.49	0.00	--	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4824.00	40.88	74.00	-33.12	62.04	34.10	10.23	65.49	0.00	--	--	PEAK																																																																																							



Mode	17																																																															
	Harmonic																																																															
	2400-2483.5_802.11b_CH06_2437MHz																																																															
ANT	CDD 6+7																																																															
Pol.	Horizontal						Vertical																																																									
Peak Avg																																																																
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>39.67</td><td>74.00</td><td>-34.33</td><td>60.77</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>41.70</td><td>74.00</td><td>-32.30</td><td>59.55</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>													Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	39.67	74.00	-34.33	60.77	34.14	10.29	65.53	0.00	--	--	PEAK	2	7311.00	41.70	74.00	-32.30	59.55	35.72	12.72	66.29	0.00	--	--	PEAK
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1	4874.00	39.67	74.00	-34.33	60.77	34.14	10.29	65.53	0.00	--	--	PEAK																																																				
2	7311.00	41.70	74.00	-32.30	59.55	35.72	12.72	66.29	0.00	--	--	PEAK																																																				
<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>39.87</td><td>74.00</td><td>-34.13</td><td>60.97</td><td>34.14</td><td>10.29</td><td>65.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>41.86</td><td>74.00</td><td>-32.14</td><td>59.71</td><td>35.72</td><td>12.72</td><td>66.29</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>													Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	39.87	74.00	-34.13	60.97	34.14	10.29	65.53	0.00	--	--	PEAK	2	7311.00	41.86	74.00	-32.14	59.71	35.72	12.72	66.29	0.00	--	--	PEAK	
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1	4874.00	39.87	74.00	-34.13	60.97	34.14	10.29	65.53	0.00	--	--	PEAK																																																				
2	7311.00	41.86	74.00	-32.14	59.71	35.72	12.72	66.29	0.00	--	--	PEAK																																																				