





11AX20MIMO_Ant6_6535_106Tone_RU53




11AX20MIMO_Ant7_6535_26Tone_RU0






11AX20MIMO_Ant7_6535_52Tone_RU37




11AX20MIMO_Ant7_6535_106Tone_RU53






11AX20MIMO_Ant6_6695_26Tone_RU0




11AX20MIMO_Ant6_6695_52Tone_RU37






11AX20MIMO_Ant6_6695_106Tone_RU53




11AX20MIMO_Ant7_6695_26Tone_RU0






11AX20MIMO_Ant7_6695_52Tone_RU37




11AX20MIMO_Ant7_6695_106Tone_RU53






11AX20MIMO_Ant6_6855_26Tone_RU8




11AX20MIMO_Ant6_6855_52Tone_RU40






11AX20MIMO_Ant6_6855_106Tone_RU54




11AX20MIMO_Ant7_6855_26Tone_RU8






11AX20MIMO_Ant7_6855_52Tone_RU40




11AX20MIMO_Ant7_6855_106Tone_RU54






11AX20MIMO_Ant6_6875_26Tone_RU8




11AX20MIMO_Ant6_6875_52Tone_RU40






11AX20MIMO_Ant6_6875_106Tone_RU54




11AX20MIMO_Ant7_6875_26Tone_RU8






11AX20MIMO_Ant7_6875_52Tone_RU40




11AX20MIMO_Ant7_6875_106Tone_RU54






11AX20MIMO_Ant6_6895_26Tone_RU0




11AX20MIMO_Ant6_6895_52Tone_RU37






11AX20MIMO_Ant6_6895_106Tone_RU53




11AX20MIMO_Ant7_6895_26Tone_RU0






11AX20MIMO_Ant7_6895_52Tone_RU37




11AX20MIMO_Ant7_6895_106Tone_RU53






11AX20MIMO_Ant6_6995_26Tone_RU0




11AX20MIMO_Ant6_6995_52Tone_RU37






11AX20MIMO_Ant6_6995_106Tone_RU53




11AX20MIMO_Ant7_6995_26Tone_RU0






11AX20MIMO_Ant7_6995_52Tone_RU37




11AX20MIMO_Ant7_6995_106Tone_RU53






11AX20MIMO_Ant6_7095_26Tone_RU8




11AX20MIMO_Ant6_7095_52Tone_RU40






11AX20MIMO_Ant6_7095_106Tone_RU54




11AX20MIMO_Ant7_7095_26Tone_RU8






11AX20MIMO_Ant7_7095_52Tone_RU40



11AX20MIMO_Ant7_7095_106Tone_RU54





In-Band Emissions

Test Result


Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result	Limit	Verdict
11AX20 MIMO	Ant6	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant7	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant6	6175	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant7	6175	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant6	6415	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant7	6415	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant6	6435	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant7	6435	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant6	6475	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant7	6475	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant6	6515	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant7	6515	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant6	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant7	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant6	6695	26Tone	RU0	See test graph	See test graph	PASS



			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
			26Tone	RU0	See test graph	See test graph	PASS
	Ant7	6695	52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
			26Tone	RU8	See test graph	See test graph	PASS
	Ant6	6855	52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
			26Tone	RU8	See test graph	See test graph	PASS
	Ant7	6855	52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
			26Tone	RU8	See test graph	See test graph	PASS
	Ant6	6875	52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
			26Tone	RU8	See test graph	See test graph	PASS
	Ant7	6875	52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
			26Tone	RU8	See test graph	See test graph	PASS
	Ant6	6895	52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
			26Tone	RU0	See test graph	See test graph	PASS
	Ant7	6895	52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
			26Tone	RU0	See test graph	See test graph	PASS
	Ant6	6995	52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
			26Tone	RU0	See test graph	See test graph	PASS
	Ant7	6995	52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
			26Tone	RU8	See test graph	See test graph	PASS
	Ant6	7095	52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
			26Tone	RU8	See test graph	See test graph	PASS
	Ant7	7095	52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
			26Tone	RU8	See test graph	See test graph	PASS




Test Graphs






11AX20MIMO_Ant6_5955_106Tone_RU53




11AX20MIMO_Ant7_5955_26Tone_RU0






11AX20MIMO_Ant7_5955_52Tone_RU37




11AX20MIMO_Ant7_5955_106Tone_RU53






11AX20MIMO_Ant6_6175_26Tone_RU0



Date: 8.OCT.2024 21:40:46


11AX20MIMO_Ant6_6175_52Tone_RU37




Date: 8.OCT.2024 21:56:33



11AX20MIMO_Ant6_6175_106Tone_RU53




11AX20MIMO_Ant7_6175_26Tone_RU0






11AX20MIMO_Ant7_6175_52Tone_RU37



Date: 8.OCT.2024 21:57:38


11AX20MIMO_Ant7_6175_106Tone_RU53



Date: 8.OCT.2024 22:00:34




11AX20MIMO_Ant6_6415_26Tone_RU8



Date: 8.OCT.2024 22:06:13


11AX20MIMO_Ant6_6415_52Tone_RU40




Date: 8.OCT.2024 22:08:36



11AX20MIMO_Ant6_6415_106Tone_RU54




11AX20MIMO_Ant7_6415_26Tone_RU6






11AX20MIMO_Ant7_6415_52Tone_RU40



Date: 8.OCT.2024 22:12:03


11AX20MIMO_Ant7_6415_106Tone_RU54




Date: 8.OCT.2024 22:15:10



11AX20MIMO_Ant6_6435_26Tone_RU0




11AX20MIMO_Ant6_6435_52Tone_RU37






11AX20MIMO_Ant6_6435_106Tone_RU53




11AX20MIMO_Ant7_6435_26Tone_RU0






11AX20MIMO_Ant7_6435_52Tone_RU37




11AX20MIMO_Ant7_6435_106Tone_RU53






11AX20MIMO_Ant6_6475_26Tone_RU0




11AX20MIMO_Ant6_6475_52Tone_RU37






11AX20MIMO_Ant6_6475_106Tone_RU53



Date: 8.OCT.2024 22:31:46


11AX20MIMO_Ant7_6475_26Tone_RU0



Date: 8.OCT.2024 22:26:33




11AX20MIMO_Ant7_6475_52Tone_RU37



Date: 8.OCT.2024 22:30:49


11AX20MIMO_Ant7_6475_106Tone_RU53



Date: 8.OCT.2024 22:32:39




11AX20MIMO_Ant6_6515_26Tone_RU8



Date: 8.OCT.2024 22:37:32


11AX20MIMO_Ant6_6515_52Tone_RU40




Date: 8.OCT.2024 22:39:21



11AX20MIMO_Ant6_6515_106Tone_RU54




11AX20MIMO_Ant7_6515_26Tone_RU6






11AX20MIMO_Ant7_6515_52Tone_RU40




11AX20MIMO_Ant7_6515_106Tone_RU54






11AX20MIMO_Ant6_6535_26Tone_RU0



Date: 8.OCT.2024 23:26:19


11AX20MIMO_Ant6_6535_52Tone_RU37




Date: 8.OCT.2024 23:29:01



11AX20MIMO_Ant6_6535_106Tone_RU53




11AX20MIMO_Ant7_6535_26Tone_RU0






11AX20MIMO_Ant7_6535_52Tone_RU37



Date: 8.OCT.2024 23:29:56


11AX20MIMO_Ant7_6535_106Tone_RU53




Date: 8.OCT.2024 23:32:04



11AX20MIMO_Ant6_6695_26Tone_RU0




11AX20MIMO_Ant6_6695_52Tone_RU37






11AX20MIMO_Ant6_6695_106Tone_RU53




11AX20MIMO_Ant7_6695_26Tone_RU60






11AX20MIMO_Ant7_6695_52Tone_RU37




11AX20MIMO_Ant7_6695_106Tone_RU53






11AX20MIMO_Ant6_6855_26Tone_RU8




11AX20MIMO_Ant6_6855_52Tone_RU40






11AX20MIMO_Ant6_6855_106Tone_RU54




11AX20MIMO_Ant7_6855_26Tone_RU6






11AX20MIMO_Ant7_6855_52Tone_RU40




11AX20MIMO_Ant7_6855_106Tone_RU54






11AX20MIMO_Ant6_6875_26Tone_RU8



Date: 8.OCT.2024 23:52:52


11AX20MIMO_Ant6_6875_52Tone_RU40




Date: 8.OCT.2024 23:55:11



11AX20MIMO_Ant6_6875_106Tone_RU54




11AX20MIMO_Ant7_6875_26Tone_RU6






11AX20MIMO_Ant7_6875_52Tone_RU40




11AX20MIMO_Ant7_6875_106Tone_RU54






11AX20MIMO_Ant6_6895_26Tone_RU0



Date: 8.OCT.2024 23:59:58


11AX20MIMO_Ant6_6895_52Tone_RU37




Date: 9.OCT.2024 00:02:10



11AX20MIMO_Ant6_6895_106Tone_RU53




11AX20MIMO_Ant7_6895_26Tone_RU0






11AX20MIMO_Ant7_6895_52Tone_RU37




11AX20MIMO_Ant7_6895_106Tone_RU53






11AX20MIMO_Ant6_6995_26Tone_RU0




11AX20MIMO_Ant6_6995_52Tone_RU37






11AX20MIMO_Ant6_6995_106Tone_RU53




11AX20MIMO_Ant7_6995_26Tone_RU0






11AX20MIMO_Ant7_6995_52Tone_RU37




11AX20MIMO_Ant7_6995_106Tone_RU53






11AX20MIMO_Ant6_7095_26Tone_RU8




11AX20MIMO_Ant6_7095_52Tone_RU40






11AX20MIMO_Ant6_7095_106Tone_RU54




11AX20MIMO_Ant7_7095_26Tone_RU8






11AX20MIMO_Ant7_7095_52Tone_RU40




11AX20MIMO_Ant7_7095_106Tone_RU54





Appendix B. AC Conducted Emission Test Results


Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	0.516	34.30	-21.70	56.00	24.20	-0.11	10.21	QP
2	0.516	22.30	-23.70	46.00	12.20	-0.11	10.21	Average
3	0.716	33.28	-22.72	56.00	23.29	-0.15	10.14	QP
4	0.716	22.18	-23.82	46.00	12.19	-0.15	10.14	Average
5	1.636	33.07	-22.93	56.00	23.20	-0.21	10.08	QP
6	1.636	22.07	-23.93	46.00	12.20	-0.21	10.08	Average
7	2.213	33.07	-22.93	56.00	23.19	-0.20	10.08	QP
8	2.213	22.07	-23.93	46.00	12.19	-0.20	10.08	Average
9	20.056	33.49	-26.51	60.00	22.60	-0.45	11.34	QP
10	20.056	23.09	-26.91	50.00	12.20	-0.45	11.34	Average
11	24.922	36.36	-23.64	60.00	25.19	-0.36	11.53	QP
12	24.922	24.76	-25.24	50.00	13.59	-0.36	11.53	Average

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.421	37.03	-20.39	57.42	26.90	-0.14	10.27	QP
2	0.421	25.73	-21.69	47.42	15.60	-0.14	10.27	Average
3 *	0.481	36.98	-19.34	56.32	26.90	-0.15	10.23	QP
4	0.481	25.98	-20.34	46.32	15.90	-0.15	10.23	Average
5	0.876	34.13	-21.87	56.00	24.20	-0.17	10.10	QP
6	0.876	22.53	-23.47	46.00	12.60	-0.17	10.10	Average
7	1.949	32.49	-23.51	56.00	22.60	-0.19	10.08	QP
8	1.949	21.09	-24.91	46.00	11.20	-0.19	10.08	Average
9	19.740	35.19	-24.81	60.00	24.19	-0.34	11.34	QP
10	19.740	23.29	-26.71	50.00	12.29	-0.34	11.34	Average
11	24.529	37.62	-22.38	60.00	26.60	-0.49	11.51	QP
12	24.529	25.22	-24.78	50.00	14.20	-0.49	11.51	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Levi zhao	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	6+7	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	6+7	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	6+7	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	6+7	802.11a	97	6435	6Mbps	-	-
Mode 5	U-NII-6	6.425-6.525	6+7	802.11a	105	6475	6Mbps	-	-
Mode 6	U-NII-6	6.425-6.525	6+7	802.11a	113	6515	6Mbps	-	-
Mode 7	U-NII-7	6.525-6.875	6+7	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	6.525-6.875	6+7	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-8	6.525-6.875	6+7	802.11a	181	6855	6Mbps	-	-
Mode 10	U-NII-7	6.525-6.875	6+7	802.11a	185	6875	6Mbps	-	-
Mode 11	U-NII-8	6.875-7.125	6+7	802.11a	189	6895	6Mbps	-	-
Mode 12	U-NII-8	6.875-7.125	6+7	802.11a	209	6995	6Mbps	-	-
Mode 13	U-NII-8	6.875-7.125	6+7	802.11a	229	7095	6Mbps	-	-
Mode 14	U-NII-5	5.925-6.425	6+7	802.11ax HE20	1	5955	MCS0	Full	-
Mode 15	U-NII-5	5.925-6.425	6+7	802.11ax HE20	1	5955	MCS0	RU26/0	-
Mode 16	U-NII-5	5.925-6.425	6+7	802.11ax HE20	1	5955	MCS0	RU52/37	-
Mode 17	U-NII-5	5.925-6.425	6+7	802.11ax HE20	1	5955	MCS0	RU106/53	-
Mode 18	U-NII-5	5.925-6.425	6+7	802.11ax HE20	45	6175	MCS0	Full	-
Mode 19	U-NII-5	5.925-6.425	6+7	802.11ax HE20	93	6415	MCS0	Full	-
Mode 20	U-NII-5	5.925-6.425	6+7	802.11ax HE40	3	5965	MCS0	Full	-
Mode 21	U-NII-5	5.925-6.425	6+7	802.11ax HE40	43	6165	MCS0	Full	-
Mode 22	U-NII-5	5.925-6.425	6+7	802.11ax HE40	91	6405	MCS0	Full	-
Mode 23	U-NII-5	5.925-6.425	6+7	802.11ax HE80	7	5985	MCS0	Full	-
Mode 24	U-NII-5	5.925-6.425	6+7	802.11ax HE80	39	6145	MCS0	Full	-
Mode 25	U-NII-5	5.925-6.425	6+7	802.11ax HE80	87	6385	MCS0	Full	-
Mode 26	U-NII-5	5.925-6.425	6+7	802.11ax HE160	15	6025	MCS0	Full	-
Mode 27	U-NII-5	5.925-6.425	6+7	802.11ax HE160	47	6185	MCS0	Full	-
Mode 28	U-NII-5	5.925-6.425	6+7	802.11ax HE160	79	6345	MCS0	Full	-
Mode 29	U-NII-5	5.925-6.425	6+7	802.11ax HE20	97	6435	MCS0	Full	-
Mode 30	U-NII-6	6.425-6.525	6+7	802.11ax HE20	105	6475	MCS0	Full	-
Mode 31	U-NII-6	6.425-6.525	6+7	802.11ax HE20	113	6515	MCS0	Full	-
Mode 32	U-NII-6	6.425-6.525	6+7	802.11ax HE40	99	6445	MCS0	Full	-
Mode 33	U-NII-6	6.425-6.525	6+7	802.11ax HE40	107	6485	MCS0	Full	-
Mode 34	U-NII-6	6.425-6.525	6+7	802.11ax HE80	103	6465	MCS0	Full	-
Mode 35	U-NII-6	6.425-6.525	6+7	802.11ax HE40	115	6525	MCS0	Full	-
Mode 36	U-NII-6	6.425-6.525	6+7	802.11ax HE80	119	6545	MCS0	Full	-
Mode 37	U-NII-5	5.925-6.425	6+7	802.11ax HE160	111	6505	MCS0	Full	-



Mode 38	U-NII-7	6.525-6.875	6+7	802.11ax HE20	117	6535	MCS0	Full	-
Mode 39	U-NII-7	6.525-6.875	6+7	802.11ax HE20	149	6695	MCS0	Full	-
Mode 40	U-NII-5	6.525-6.875	6+7	802.11ax HE20	181	6855	MCS0	Full	-
Mode 41	U-NII-7	6.525-6.875	6+7	802.11ax HE40	123	6565	MCS0	Full	-
Mode 42	U-NII-7	6.525-6.875	6+7	802.11ax HE40	147	6685	MCS0	Full	-
Mode 43	U-NII-8	6.875-7.125	6+7	802.11ax HE40	179	6845	MCS0	Full	-
Mode 44	U-NII-7	6.525-6.875	6+7	802.11ax HE80	135	6625	MCS0	Full	-
Mode 45	U-NII-7	6.525-6.875	6+7	802.11ax HE80	151	6705	MCS0	Full	-
Mode 46	U-NII-7	6.525-6.875	6+7	802.11ax HE80	167	6785	MCS0	Full	-
Mode 47	U-NII-5	5.925-6.425	6+7	802.11ax HE160	143	6665	MCS0	Full	-
Mode 48	U-NII-7	6.525-6.875	6+7	802.11ax HE20	185	6875	MCS0	Full	-
Mode 49	U-NII-8	6.875-7.125	6+7	802.11ax HE40	187	6885	MCS0	Full	-
Mode 50	U-NII-7	6.525-6.875	6+7	802.11ax HE80	183	6865	MCS0	Full	-
Mode 51	U-NII-5	5.925-6.425	6+7	802.11ax HE160	175	6825	MCS0	Full	-
Mode 52	U-NII-8	6.875-7.125	6+7	802.11ax HE20	189	6895	MCS0	Full	-
Mode 53	U-NII-8	6.875-7.125	6+7	802.11ax HE20	209	6995	MCS0	Full	-
Mode 54	U-NII-8	6.875-7.125	6+7	802.11ax HE20	229	7095	MCS0	Full	-
Mode 55	U-NII-8	6.875-7.125	6+7	802.11ax HE20	229	7095	MCS0	RU26/8	-
Mode 56	U-NII-8	6.875-7.125	6+7	802.11ax HE20	229	7095	MCS0	RU52/40	-
Mode 57	U-NII-8	6.875-7.125	6+7	802.11ax HE20	229	7095	MCS0	RU106/54	-
Mode 58	U-NII-7	6.525-6.875	6+7	802.11ax HE40	195	6925	MCS0	Full	-
Mode 59	U-NII-8	6.875-7.125	6+7	802.11ax HE40	203	6965	MCS0	Full	-
Mode 60	U-NII-8	6.875-7.125	6+7	802.11ax HE40	227	7085	MCS0	Full	-
Mode 61	U-NII-8	6.875-7.125	6+7	802.11ax HE80	199	6945	MCS0	Full	-
Mode 62	U-NII-8	6.875-7.125	6+7	802.11ax HE80	215	7025	MCS0	Full	-
Mode 63	U-NII-8	5.925-6.425	6+7	802.11ax HE160	207	6985	MCS0	Full	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5924.06	46.56	68.20	-21.64	V	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	46.52	54.00	-7.48	H	AVERAGE	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	45.18	54.00	-8.82	V	AVERAGE	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	47.79	68.20	-20.41	V	AVERAGE	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	49.78	68.20	-18.42	V	AVERAGE	Pass	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	50.04	68.20	-18.16	V	AVERAGE	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge
6	802.11a	113	13030.00	48.03	68.20	-20.17	V	AVERAGE	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	47.87	68.20	-20.33	V	AVERAGE	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	43.02	54.00	-10.98	H	AVERAGE	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	49.85	88.20	-38.35	H	PEAK	Pass	Harmonic
10	802.11a	185	-	-	-	-	-	-	-	Band Edge
10	802.11a	185	13750.00	45.07	88.20	-43.13	H	PEAK	Pass	Harmonic
11	802.11a	189	-	-	-	-	-	-	-	Band Edge
11	802.11a	189	13790.00	45.05	88.20	-43.15	V	PEAK	Pass	Harmonic
12	802.11a	209	-	-	-	-	-	-	-	Band Edge
12	802.11a	209	13990.00	45.08	88.20	-43.12	H	PEAK	Pass	Harmonic
13	802.11a	229	7205.16	45.18	68.20	-23.02	V	AVERAGE	Pass	Band Edge
13	802.11a	229	14190.00	45.43	88.20	-42.77	V	PEAK	Pass	Harmonic
14	802.11ax HE20	1	5923.67	47.43	68.20	-20.77	V	AVERAGE	Pass	Band Edge
14	802.11ax HE20	1	11910.00	46.89	54.00	-7.11	H	AVERAGE	Pass	Harmonic
15	802.11ax HE20	1	5923.80	45.27	68.20	-22.93	V	AVERAGE	Pass	Band Edge
15	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
16	802.11ax HE20	1	5923.41	45.86	68.20	-22.34	V	AVERAGE	Pass	Band Edge
16	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
17	802.11ax HE20	1	5924.19	45.50	68.20	-22.70	V	AVERAGE	Pass	Band Edge
17	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
18	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE20	45	12350.00	45.13	54.00	-8.87	V	AVERAGE	Pass	Harmonic
19	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
19	802.11ax HE20	93	12830.00	47.83	68.20	-20.37	V	AVERAGE	Pass	Harmonic
20	802.11ax HE40	3	5924.40	63.52	68.20	-4.68	V	AVERAGE	Pass	Band Edge
20	802.11ax HE40	3	11930.00	46.69	54.00	-7.31	H	AVERAGE	Pass	Harmonic
21	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE40	43	12330.00	44.35	54.00	-9.65	V	AVERAGE	Pass	Harmonic
22	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
22	802.11ax HE40	91	12810.00	46.57	68.20	-21.63	V	AVERAGE	Pass	Harmonic







23	802.11ax HE80	7	5922.60	63.47	68.20	-4.73	V	AVERAGE	Pass	Band Edge
23	802.11ax HE80	7	11970.00	39.41	54.00	-14.59	V	AVERAGE	Pass	Harmonic
24	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE80	39	12290.00	42.01	54.00	-11.99	H	AVERAGE	Pass	Harmonic
25	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
25	802.11ax HE80	87	12770.00	45.26	68.20	-22.94	V	AVERAGE	Pass	Harmonic
26	802.11ax HE160	15	5920.40	60.79	68.20	-7.41	V	AVERAGE	Pass	Band Edge
26	802.11ax HE160	15	12050.00	47.91	74.00	-26.09	H	PEAK	Pass	Harmonic
27	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE160	47	12370.00	47.99	74.00	-26.01	V	PEAK	Pass	Harmonic
28	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE160	79	12690.00	36.96	54.00	-17.04	H	AVERAGE	Pass	Harmonic
29	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE20	97	12870.00	49.99	68.20	-18.21	V	AVERAGE	Pass	Harmonic
30	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE20	105	12950.00	49.03	68.20	-19.17	V	AVERAGE	Pass	Harmonic
31	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE20	113	13030.00	48.50	68.20	-19.70	V	AVERAGE	Pass	Harmonic
32	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	99	12890.00	47.80	68.20	-20.40	V	AVERAGE	Pass	Harmonic
33	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE40	107	12970.00	47.31	68.20	-20.89	V	AVERAGE	Pass	Harmonic
34	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE80	103	12930.00	45.04	68.20	-23.16	V	AVERAGE	Pass	Harmonic
35	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE40	115	13050.00	46.38	68.20	-21.82	V	AVERAGE	Pass	Harmonic
36	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE80	119	13090.00	40.49	68.20	-27.71	H	AVERAGE	Pass	Harmonic
37	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE160	111	13010.00	47.35	88.20	-40.85	H	PEAK	Pass	Harmonic
38	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE20	117	13070.00	47.39	68.20	-20.81	V	AVERAGE	Pass	Harmonic
39	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE20	149	13390.00	44.19	54.00	-9.81	H	AVERAGE	Pass	Harmonic
40	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE20	181	13710.00	46.52	88.20	-41.68	H	PEAK	Pass	Harmonic
41	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE40	123	13130.00	45.63	68.20	-22.57	V	AVERAGE	Pass	Harmonic
42	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE40	147	13370.00	40.57	54.00	-13.43	H	AVERAGE	Pass	Harmonic
43	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE40	179	13690.00	47.39	88.20	-40.81	V	PEAK	Pass	Harmonic
44	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE80	135	13250.00	49.87	74.00	-24.13	H	PEAK	Pass	Harmonic
45	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE80	151	13410.00	47.97	88.20	-40.23	H	PEAK	Pass	Harmonic
46	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge







46	802.11ax HE80	167	13570.00	45.52	88.20	-42.68	H	PEAK	Pass	Harmonic
47	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	143	13330.00	46.54	74.00	-27.46	V	PEAK	Pass	Harmonic
48	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE20	185	13750.00	46.37	88.20	-41.83	H	PEAK	Pass	Harmonic
49	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
49	802.11ax HE40	187	13770.00	45.91	88.20	-42.29	V	PEAK	Pass	Harmonic
50	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
50	802.11ax HE80	183	13730.00	44.85	88.20	-43.35	V	PEAK	Pass	Harmonic
51	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
51	802.11ax HE160	175	13650.00	45.15	88.20	-43.05	H	PEAK	Pass	Harmonic
52	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE20	189	13790.00	45.85	88.20	-42.35	H	PEAK	Pass	Harmonic
53	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
53	802.11ax HE20	209	13990.00	45.63	88.20	-42.57	H	PEAK	Pass	Harmonic
54	802.11ax HE20	229	7204.36	45.19	68.20	-23.01	V	AVERAGE	Pass	Band Edge
54	802.11ax HE20	229	14190.00	46.10	88.20	-42.10	V	PEAK	Pass	Harmonic
55	802.11ax HE20	229	7136.84	51.00	68.20	-17.20	V	AVERAGE	Pass	Band Edge
55	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE20	229	7127.24	59.01	68.20	-9.19	V	AVERAGE	Pass	Band Edge
56	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
57	802.11ax HE20	229	7125.32	49.32	68.20	-18.88	V	AVERAGE	Pass	Band Edge
57	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
58	802.11ax HE40	195	-	-	-	-	-	-	-	Band Edge
58	802.11ax HE40	195	13850.00	45.73	88.20	-42.47	V	PEAK	Pass	Harmonic
59	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
59	802.11ax HE40	203	13930.00	44.76	88.20	-43.44	V	PEAK	Pass	Harmonic
60	802.11ax HE40	227	7184.52	45.18	68.20	-23.02	V	AVERAGE	Pass	Band Edge
60	802.11ax HE40	227	14170.00	45.82	88.20	-42.38	V	PEAK	Pass	Harmonic
61	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
61	802.11ax HE80	199	13890.00	44.29	88.20	-43.91	H	PEAK	Pass	Harmonic
62	802.11ax HE80	215	7206.72	45.34	68.20	-22.86	V	AVERAGE	Pass	Band Edge
62	802.11ax HE80	215	14050.00	44.55	88.20	-43.65	H	PEAK	Pass	Harmonic
63	802.11ax HE160	207	7200.76	45.32	68.20	-22.88	V	AVERAGE	Pass	Band Edge
63	802.11ax HE160	207	13970.00	44.44	88.20	-43.76	H	PEAK	Pass	Harmonic





Mode	1																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-5_5.925-6.425_802.11a_CH1_5955 MHz																																																																																																																						
ANT	6+7																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5924.45</td><td>56.45</td><td>88.20</td><td>-31.75</td><td>43.04</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>188</td><td>336 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5924.45	56.45	88.20	-31.75	43.04	35.05	10.52	32.16	0.00	188	336 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5955.00</td><td>112.31</td><td>-----</td><td>-----</td><td>98.69</td><td>35.24</td><td>10.55</td><td>32.17</td><td>0.00</td><td>188</td><td>336 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5955.00	112.31	-----	-----	98.69	35.24	10.55	32.17	0.00	188
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5924.45	56.45	88.20	-31.75	43.04	35.05	10.52	32.16	0.00	188	336 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5955.00	112.31	-----	-----	98.69	35.24	10.55	32.17	0.00	188	336 PEAK																																																																																																												
Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5922.37</td><td>45.60</td><td>68.20</td><td>-22.60</td><td>32.22</td><td>35.03</td><td>10.51</td><td>32.16</td><td>0.00</td><td>188</td><td>336 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5922.37	45.60	68.20	-22.60	32.22	35.03	10.51	32.16	0.00	188	336 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5955.00</td><td>103.92</td><td>-----</td><td>-----</td><td>90.30</td><td>35.24</td><td>10.55</td><td>32.17</td><td>0.00</td><td>188</td><td>336 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5955.00	103.92	-----	-----	90.30	35.24	10.55	32.17	0.00	188
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5922.37	45.60	68.20	-22.60	32.22	35.03	10.51	32.16	0.00	188	336 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5955.00	103.92	-----	-----	90.30	35.24	10.55	32.17	0.00	188	336 AVERAGE																																																																																																												





Mode	1																																																								
	Band Edge																																																								
	U-NII-5_5.925-6.425_802.11a_CH1_5955 MHz																																																								
ANT	6+7																																																								
Pol.	Vertical																																																								
Peak																																																									
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.56</td><td>58.25</td><td>88.20</td><td>-29.95</td><td>44.89</td><td>35.01</td><td>10.51</td><td>32.16</td><td>0.00</td><td>195</td><td>338</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5917.56	58.25	88.20	-29.95	44.89	35.01	10.51	32.16	0.00	195	338	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5917.56	58.25	88.20	-29.95	44.89	35.01	10.51	32.16	0.00	195	338	PEAK																																													
Fundamental																																																									
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>114.01</td><td>-----</td><td>-----</td><td>100.44</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>195</td><td>338</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	114.01	-----	-----	100.44	35.20	10.54	32.17	0.00	195	338	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5955.00	114.01	-----	-----	100.44	35.20	10.54	32.17	0.00	195	338	PEAK																																													
Avg																																																									
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.06</td><td>46.56</td><td>68.20</td><td>-21.64</td><td>33.17</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>195</td><td>338</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.06	46.56	68.20	-21.64	33.17	35.04	10.51	32.16	0.00	195	338	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5924.06	46.56	68.20	-21.64	33.17	35.04	10.51	32.16	0.00	195	338	AVERAGE																																													
AVERAGE																																																									
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>106.96</td><td>-----</td><td>-----</td><td>93.39</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>195</td><td>338</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	106.96	-----	-----	93.39	35.20	10.54	32.17	0.00	195	338	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5955.00	106.96	-----	-----	93.39	35.20	10.54	32.17	0.00	195	338	AVERAGE																																													



Mode	1																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-5_5.925-6.425_802.11a_CH1_5955 MHz																																																																																																																													
ANT	6+7																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>58.15</td><td>74.00</td><td>-15.85</td><td>65.53</td><td>38.70</td><td>15.21</td><td>61.29</td><td>0.00</td><td>180</td><td>334 PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>46.52</td><td>54.00</td><td>-7.48</td><td>53.90</td><td>38.70</td><td>15.21</td><td>61.29</td><td>0.00</td><td>180</td><td>334 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	58.15	74.00	-15.85	65.53	38.70	15.21	61.29	0.00	180	334 PEAK	2	11910.00	46.52	54.00	-7.48	53.90	38.70	15.21	61.29	0.00	180	334 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>56.33</td><td>74.00</td><td>-17.67</td><td>63.71</td><td>38.70</td><td>15.21</td><td>61.29</td><td>0.00</td><td>100</td><td>348 PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>44.96</td><td>54.00</td><td>-9.04</td><td>52.34</td><td>38.70</td><td>15.21</td><td>61.29</td><td>0.00</td><td>100</td><td>348 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	56.33	74.00	-17.67	63.71	38.70	15.21	61.29	0.00	100	348 PEAK	2	11910.00	44.96	54.00	-9.04	52.34	38.70	15.21	61.29	0.00	100	348 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11910.00	58.15	74.00	-15.85	65.53	38.70	15.21	61.29	0.00	180	334 PEAK																																																																																																																			
2	11910.00	46.52	54.00	-7.48	53.90	38.70	15.21	61.29	0.00	180	334 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11910.00	56.33	74.00	-17.67	63.71	38.70	15.21	61.29	0.00	100	348 PEAK																																																																																																																			
2	11910.00	44.96	54.00	-9.04	52.34	38.70	15.21	61.29	0.00	100	348 AVERAGE																																																																																																																			





Mode	2																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH45_6175MHz																																																																																																																																	
ANT	6+7																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>55.70</td><td>74.00</td><td>-18.30</td><td>62.94</td><td>38.80</td><td>15.54</td><td>61.58</td><td>0.00</td><td>152</td><td>358</td><td>PEAK</td></tr><tr><td>2</td><td>12350.00</td><td>44.77</td><td>54.00</td><td>-9.23</td><td>52.02</td><td>38.80</td><td>15.54</td><td>61.59</td><td>0.00</td><td>152</td><td>358</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	55.70	74.00	-18.30	62.94	38.80	15.54	61.58	0.00	152	358	PEAK	2	12350.00	44.77	54.00	-9.23	52.02	38.80	15.54	61.59	0.00	152	358	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>57.02</td><td>74.00</td><td>-16.98</td><td>64.26</td><td>38.80</td><td>15.54</td><td>61.58</td><td>0.00</td><td>113</td><td>287</td><td>PEAK</td></tr><tr><td>2</td><td>12350.00</td><td>45.18</td><td>54.00</td><td>-8.82</td><td>52.42</td><td>38.80</td><td>15.54</td><td>61.58</td><td>0.00</td><td>113</td><td>287</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	57.02	74.00	-16.98	64.26	38.80	15.54	61.58	0.00	113	287	PEAK	2	12350.00	45.18	54.00	-8.82	52.42	38.80	15.54	61.58	0.00	113	287	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	12350.00	55.70	74.00	-18.30	62.94	38.80	15.54	61.58	0.00	152	358	PEAK																																																																																																																						
2	12350.00	44.77	54.00	-9.23	52.02	38.80	15.54	61.59	0.00	152	358	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	12350.00	57.02	74.00	-16.98	64.26	38.80	15.54	61.58	0.00	113	287	PEAK																																																																																																																						
2	12350.00	45.18	54.00	-8.82	52.42	38.80	15.54	61.58	0.00	113	287	AVERAGE																																																																																																																						





Mode	3																																																																			
	Harmonic																																																																			
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																			
ANT	6+7																																																																			
Pol.	Horizontal																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>55.79</td><td>88.20</td><td>-32.41</td><td>62.49</td><td>39.33</td><td>15.92</td><td>61.95</td><td>0.00</td><td>255</td><td>0 PEAK</td></tr><tr><td>2</td><td>12830.00</td><td>44.54</td><td>68.20</td><td>-23.66</td><td>51.24</td><td>39.33</td><td>15.92</td><td>61.95</td><td>0.00</td><td>255</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	55.79	88.20	-32.41	62.49	39.33	15.92	61.95	0.00	255	0 PEAK	2	12830.00	44.54	68.20	-23.66	51.24	39.33	15.92	61.95	0.00	255	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	12830.00	55.79	88.20	-32.41	62.49	39.33	15.92	61.95	0.00	255	0 PEAK																																																									
2	12830.00	44.54	68.20	-23.66	51.24	39.33	15.92	61.95	0.00	255	0 AVERAGE																																																									
Pol.	Vertical																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>59.47</td><td>88.20</td><td>-28.73</td><td>66.17</td><td>39.33</td><td>15.92</td><td>61.95</td><td>0.00</td><td>118</td><td>288 PEAK</td></tr><tr><td>2</td><td>12830.00</td><td>47.79</td><td>68.20</td><td>-20.41</td><td>54.49</td><td>39.33</td><td>15.92</td><td>61.95</td><td>0.00</td><td>118</td><td>288 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	59.47	88.20	-28.73	66.17	39.33	15.92	61.95	0.00	118	288 PEAK	2	12830.00	47.79	68.20	-20.41	54.49	39.33	15.92	61.95	0.00	118	288 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	12830.00	59.47	88.20	-28.73	66.17	39.33	15.92	61.95	0.00	118	288 PEAK																																																									
2	12830.00	47.79	68.20	-20.41	54.49	39.33	15.92	61.95	0.00	118	288 AVERAGE																																																									





Mode	4																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH97_6435MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12870.00</td><td>58.61</td><td>88.20</td><td>-29.59</td><td>65.27</td><td>39.37</td><td>15.95</td><td>61.98</td><td>0.00</td><td>100</td><td>3 PEAK</td></tr><tr><td>2 12870.00</td><td>46.47</td><td>68.20</td><td>-21.73</td><td>53.13</td><td>39.37</td><td>15.95</td><td>61.98</td><td>0.00</td><td>100</td><td>3 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12870.00	58.61	88.20	-29.59	65.27	39.37	15.95	61.98	0.00	100	3 PEAK	2 12870.00	46.47	68.20	-21.73	53.13	39.37	15.95	61.98	0.00	100	3 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12870.00</td><td>61.41</td><td>88.20</td><td>-26.79</td><td>68.07</td><td>39.37</td><td>15.95</td><td>61.98</td><td>0.00</td><td>253</td><td>280 PEAK</td></tr><tr><td>2 12870.00</td><td>49.78</td><td>68.20</td><td>-18.42</td><td>56.44</td><td>39.37</td><td>15.95</td><td>61.98</td><td>0.00</td><td>253</td><td>280 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12870.00	61.41	88.20	-26.79	68.07	39.37	15.95	61.98	0.00	253	280 PEAK	2 12870.00	49.78	68.20	-18.42	56.44	39.37	15.95	61.98	0.00	253	280 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 12870.00	58.61	88.20	-29.59	65.27	39.37	15.95	61.98	0.00	100	3 PEAK																																																																																																																
2 12870.00	46.47	68.20	-21.73	53.13	39.37	15.95	61.98	0.00	100	3 AVERAGE																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 12870.00	61.41	88.20	-26.79	68.07	39.37	15.95	61.98	0.00	253	280 PEAK																																																																																																																
2 12870.00	49.78	68.20	-18.42	56.44	39.37	15.95	61.98	0.00	253	280 AVERAGE																																																																																																																





Mode	5																																																																																																																																		
	Harmonic																																																																																																																																		
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																																																																		
ANT	6+7																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																												
Peak Avg																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>56.94</td><td>88.20</td><td>-31.26</td><td>63.57</td><td>39.40</td><td>16.01</td><td>62.04</td><td>0.00</td><td>271</td><td>280</td><td>PEAK</td></tr><tr><td>2</td><td>12950.00</td><td>45.84</td><td>68.20</td><td>-22.36</td><td>52.46</td><td>39.40</td><td>16.01</td><td>62.03</td><td>0.00</td><td>271</td><td>280</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	56.94	88.20	-31.26	63.57	39.40	16.01	62.04	0.00	271	280	PEAK	2	12950.00	45.84	68.20	-22.36	52.46	39.40	16.01	62.03	0.00	271	280	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>61.07</td><td>88.20</td><td>-27.13</td><td>67.70</td><td>39.40</td><td>16.01</td><td>62.04</td><td>0.00</td><td>116</td><td>287</td><td>PEAK</td></tr><tr><td>2</td><td>12950.00</td><td>50.04</td><td>68.20</td><td>-18.16</td><td>56.66</td><td>39.40</td><td>16.01</td><td>62.03</td><td>0.00</td><td>116</td><td>287</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12950.00	61.07	88.20	-27.13	67.70	39.40	16.01	62.04	0.00	116	287	PEAK	2	12950.00	50.04	68.20	-18.16	56.66	39.40	16.01	62.03	0.00	116	287	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	12950.00	56.94	88.20	-31.26	63.57	39.40	16.01	62.04	0.00	271	280	PEAK																																																																																																																							
2	12950.00	45.84	68.20	-22.36	52.46	39.40	16.01	62.03	0.00	271	280	AVERAGE																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	12950.00	61.07	88.20	-27.13	67.70	39.40	16.01	62.04	0.00	116	287	PEAK																																																																																																																							
2	12950.00	50.04	68.20	-18.16	56.66	39.40	16.01	62.03	0.00	116	287	AVERAGE																																																																																																																							



Mode	6																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																																																														
ANT	6+7																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>56.03</td><td>88.20</td><td>-32.17</td><td>62.73</td><td>39.34</td><td>16.06</td><td>62.10</td><td>0.00</td><td>323</td><td>5 PEAK</td></tr><tr><td>2</td><td>13030.00</td><td>45.66</td><td>68.20</td><td>-22.54</td><td>52.35</td><td>39.34</td><td>16.06</td><td>62.09</td><td>0.00</td><td>323</td><td>5 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	56.03	88.20	-32.17	62.73	39.34	16.06	62.10	0.00	323	5 PEAK	2	13030.00	45.66	68.20	-22.54	52.35	39.34	16.06	62.09	0.00	323	5 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>59.06</td><td>88.20</td><td>-29.14</td><td>65.76</td><td>39.34</td><td>16.06</td><td>62.10</td><td>0.00</td><td>285</td><td>275 PEAK</td></tr><tr><td>2</td><td>13030.00</td><td>48.03</td><td>68.20</td><td>-20.17</td><td>54.72</td><td>39.34</td><td>16.06</td><td>62.09</td><td>0.00</td><td>285</td><td>275 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13030.00	59.06	88.20	-29.14	65.76	39.34	16.06	62.10	0.00	285	275 PEAK	2	13030.00	48.03	68.20	-20.17	54.72	39.34	16.06	62.09	0.00	285	275 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	13030.00	56.03	88.20	-32.17	62.73	39.34	16.06	62.10	0.00	323	5 PEAK																																																																																																																				
2	13030.00	45.66	68.20	-22.54	52.35	39.34	16.06	62.09	0.00	323	5 AVERAGE																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	13030.00	59.06	88.20	-29.14	65.76	39.34	16.06	62.10	0.00	285	275 PEAK																																																																																																																				
2	13030.00	48.03	68.20	-20.17	54.72	39.34	16.06	62.09	0.00	285	275 AVERAGE																																																																																																																				





Mode	7																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																																														
ANT	6+7																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>56.38</td><td>88.20</td><td>-31.82</td><td>63.17</td><td>39.26</td><td>16.08</td><td>62.13</td><td>0.00</td><td>256</td><td>57 PEAK</td></tr><tr><td>2</td><td>13070.00</td><td>45.26</td><td>68.20</td><td>-22.94</td><td>52.05</td><td>39.26</td><td>16.08</td><td>62.13</td><td>0.00</td><td>256</td><td>57 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	56.38	88.20	-31.82	63.17	39.26	16.08	62.13	0.00	256	57 PEAK	2	13070.00	45.26	68.20	-22.94	52.05	39.26	16.08	62.13	0.00	256	57 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>59.10</td><td>88.20</td><td>-29.10</td><td>65.89</td><td>39.26</td><td>16.08</td><td>62.13</td><td>0.00</td><td>272</td><td>278 PEAK</td></tr><tr><td>2</td><td>13070.00</td><td>47.87</td><td>68.20</td><td>-20.33</td><td>54.66</td><td>39.26</td><td>16.08</td><td>62.13</td><td>0.00</td><td>272</td><td>278 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13070.00	59.10	88.20	-29.10	65.89	39.26	16.08	62.13	0.00	272	278 PEAK	2	13070.00	47.87	68.20	-20.33	54.66	39.26	16.08	62.13	0.00	272	278 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	13070.00	56.38	88.20	-31.82	63.17	39.26	16.08	62.13	0.00	256	57 PEAK																																																																																																																				
2	13070.00	45.26	68.20	-22.94	52.05	39.26	16.08	62.13	0.00	256	57 AVERAGE																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	13070.00	59.10	88.20	-29.10	65.89	39.26	16.08	62.13	0.00	272	278 PEAK																																																																																																																				
2	13070.00	47.87	68.20	-20.33	54.66	39.26	16.08	62.13	0.00	272	278 AVERAGE																																																																																																																				





Mode	8																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>53.78</td><td>74.00</td><td>-20.22</td><td>61.00</td><td>38.92</td><td>16.23</td><td>62.37</td><td>0.00</td><td>302</td><td>8 PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>43.02</td><td>54.00</td><td>-10.98</td><td>50.24</td><td>38.92</td><td>16.23</td><td>62.37</td><td>0.00</td><td>302</td><td>8 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	53.78	74.00	-20.22	61.00	38.92	16.23	62.37	0.00	302	8 PEAK	2	13390.00	43.02	54.00	-10.98	50.24	38.92	16.23	62.37	0.00	302	8 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>48.10</td><td>74.00</td><td>-25.90</td><td>55.32</td><td>38.92</td><td>16.23</td><td>62.37</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>37.28</td><td>54.00</td><td>-16.72</td><td>44.50</td><td>38.92</td><td>16.23</td><td>62.37</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	48.10	74.00	-25.90	55.32	38.92	16.23	62.37	0.00	100	0 PEAK	2	13390.00	37.28	54.00	-16.72	44.50	38.92	16.23	62.37	0.00	100	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13390.00	53.78	74.00	-20.22	61.00	38.92	16.23	62.37	0.00	302	8 PEAK																																																																																																															
2	13390.00	43.02	54.00	-10.98	50.24	38.92	16.23	62.37	0.00	302	8 AVERAGE																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13390.00	48.10	74.00	-25.90	55.32	38.92	16.23	62.37	0.00	100	0 PEAK																																																																																																															
2	13390.00	37.28	54.00	-16.72	44.50	38.92	16.23	62.37	0.00	100	0 AVERAGE																																																																																																															



Mode	9																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6.525-6.875_802.11a_CH181_6855MHz																																																																																																									
ANT	6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>49.85</td><td>88.20</td><td>-38.35</td><td>57.45</td><td>38.60</td><td>16.38</td><td>62.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13710.00	49.85	88.20	-38.35	57.45	38.60	16.38	62.58	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.79</td><td>88.20</td><td>-40.41</td><td>55.39</td><td>38.60</td><td>16.38</td><td>62.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13710.00	47.79	88.20	-40.41	55.39	38.60	16.38	62.58	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13710.00	49.85	88.20	-38.35	57.45	38.60	16.38	62.58	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13710.00	47.79	88.20	-40.41	55.39	38.60	16.38	62.58	0.00	---	---	PEAK																																																																																														





Mode	10																																																																																																									
	Harmonic																																																																																																									
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz																																																																																																									
ANT	6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>45.07</td><td>88.20</td><td>-43.13</td><td>52.67</td><td>38.60</td><td>16.40</td><td>62.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13750.00	45.07	88.20	-43.13	52.67	38.60	16.40	62.60	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>44.45</td><td>88.20</td><td>-43.75</td><td>52.05</td><td>38.60</td><td>16.40</td><td>62.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13750.00	44.45	88.20	-43.75	52.05	38.60	16.40	62.60	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13750.00	45.07	88.20	-43.13	52.67	38.60	16.40	62.60	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13750.00	44.45	88.20	-43.75	52.05	38.60	16.40	62.60	0.00	---	---	PEAK																																																																																														







Mode	11																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																																								
ANT	6+7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>44.85</td><td>88.20</td><td>-43.35</td><td>52.45</td><td>38.60</td><td>16.42</td><td>62.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13790.00	44.85	88.20	-43.35	52.45	38.60	16.42	62.62	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>45.05</td><td>88.20</td><td>-43.15</td><td>52.65</td><td>38.60</td><td>16.42</td><td>62.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13790.00	45.05	88.20	-43.15	52.65	38.60	16.42	62.62	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	13790.00	44.85	88.20	-43.35	52.45	38.60	16.42	62.62	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	13790.00	45.05	88.20	-43.15	52.65	38.60	16.42	62.62	0.00	---	---	PEAK																																																																																													







Mode	12																																																																																																									
	Harmonic																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																																									
ANT	6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>45.00</td><td>88.20</td><td>-43.12</td><td>52.52</td><td>38.79</td><td>16.51</td><td>62.74</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13990.00	45.00	88.20	-43.12	52.52	38.79	16.51	62.74	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>44.94</td><td>88.20</td><td>-43.26</td><td>52.38</td><td>38.79</td><td>16.51</td><td>62.74</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13990.00	44.94	88.20	-43.26	52.38	38.79	16.51	62.74	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13990.00	45.00	88.20	-43.12	52.52	38.79	16.51	62.74	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	13990.00	44.94	88.20	-43.26	52.38	38.79	16.51	62.74	0.00	---	---	PEAK																																																																																														





Mode	13																																																																																																				
	Band Edge																																																																																																				
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																				
ANT	6+7																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7153.32</td><td>57.19</td><td>88.20</td><td>-31.01</td><td>42.54</td><td>35.60</td><td>11.61</td><td>32.56</td><td>0.00</td><td>200</td><td>20 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7153.32	57.19	88.20	-31.01	42.54	35.60	11.61	32.56	0.00	200	20 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>89.20</td><td>-----</td><td>-----</td><td>74.55</td><td>35.60</td><td>11.56</td><td>32.51</td><td>0.00</td><td>200</td><td>20 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	89.20	-----	-----	74.55	35.60	11.56	32.51	0.00	200
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7153.32	57.19	88.20	-31.01	42.54	35.60	11.61	32.56	0.00	200	20 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7095.00	89.20	-----	-----	74.55	35.60	11.56	32.51	0.00	200	20 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7201.00</td><td>45.15</td><td>68.20</td><td>-23.05</td><td>30.50</td><td>35.60</td><td>11.65</td><td>32.60</td><td>0.00</td><td>200</td><td>20 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7201.00	45.15	68.20	-23.05	30.50	35.60	11.65	32.60	0.00	200	20 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>81.76</td><td>-----</td><td>-----</td><td>67.11</td><td>35.60</td><td>11.56</td><td>32.51</td><td>0.00</td><td>200</td><td>20 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	81.76	-----	-----	67.11	35.60	11.56	32.51	0.00	200
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7201.00	45.15	68.20	-23.05	30.50	35.60	11.65	32.60	0.00	200	20 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7095.00	81.76	-----	-----	67.11	35.60	11.56	32.51	0.00	200	20 AVERAGE																																																																																										







Mode	13																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																						
ANT	6+7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7239.08</td><td>57.29</td><td>88.20</td><td>-30.91</td><td>42.67</td><td>35.60</td><td>11.66</td><td>32.64</td><td>0.00</td><td>143</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7239.08	57.29	88.20	-30.91	42.67	35.60	11.66	32.64	0.00	143	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>94.58</td><td>-----</td><td>-----</td><td>79.93</td><td>35.60</td><td>11.56</td><td>32.51</td><td>0.00</td><td>143</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	94.58	-----	-----	79.93	35.60	11.56	32.51	0.00	143	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7239.08	57.29	88.20	-30.91	42.67	35.60	11.66	32.64	0.00	143	360	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7095.00	94.58	-----	-----	79.93	35.60	11.56	32.51	0.00	143	360	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7205.16</td><td>45.18</td><td>68.20</td><td>-23.02</td><td>30.54</td><td>35.60</td><td>11.65</td><td>32.61</td><td>0.00</td><td>143</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7205.16	45.18	68.20	-23.02	30.54	35.60	11.65	32.61	0.00	143	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>85.99</td><td>-----</td><td>-----</td><td>71.34</td><td>35.60</td><td>11.56</td><td>32.51</td><td>0.00</td><td>143</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	85.99	-----	-----	71.34	35.60	11.56	32.51	0.00	143	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7205.16	45.18	68.20	-23.02	30.54	35.60	11.65	32.61	0.00	143	360	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7095.00	85.99	-----	-----	71.34	35.60	11.56	32.51	0.00	143	360	AVERAGE																																																																																											







Mode	13																																																																																																				
	Harmonic																																																																																																				
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																				
ANT	6+7																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>45.16</td><td>88.20</td><td>-43.04</td><td>52.46</td><td>38.99</td><td>16.65</td><td>62.94</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	45.16	88.20	-43.04	52.46	38.99	16.65	62.94	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>45.43</td><td>88.20</td><td>-42.77</td><td>52.73</td><td>38.99</td><td>16.65</td><td>62.94</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	45.43	88.20	-42.77	52.73	38.99	16.65	62.94	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	14190.00	45.16	88.20	-43.04	52.46	38.99	16.65	62.94	0.00	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	14190.00	45.43	88.20	-42.77	52.73	38.99	16.65	62.94	0.00	---	PEAK																																																																																										





Mode	14																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz																																																																																																																		
ANT	6+7																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.64</td><td>56.90</td><td>88.20</td><td>-31.30</td><td>43.53</td><td>35.02</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>335</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.64	56.90	88.20	-31.30	43.53	35.02	10.51	32.16	0.00	100	335	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>112.60</td><td>-----</td><td>-----</td><td>99.03</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>335</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	112.60	-----	-----	99.03	35.20	10.54	32.17	0.00	100	335
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5919.64	56.90	88.20	-31.30	43.53	35.02	10.51	32.16	0.00	100	335	PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5955.00	112.60	-----	-----	99.03	35.20	10.54	32.17	0.00	100	335	PEAK																																																																																																							
Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.60</td><td>46.06</td><td>68.20</td><td>-22.14</td><td>32.70</td><td>35.01</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>335</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.60	46.06	68.20	-22.14	32.70	35.01	10.51	32.16	0.00	100	335	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>103.28</td><td>-----</td><td>-----</td><td>89.66</td><td>35.24</td><td>10.55</td><td>32.17</td><td>0.00</td><td>100</td><td>335</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.28	-----	-----	89.66	35.24	10.55	32.17	0.00	100	335
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5918.60	46.06	68.20	-22.14	32.70	35.01	10.51	32.16	0.00	100	335	AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5955.00	103.28	-----	-----	89.66	35.24	10.55	32.17	0.00	100	335	AVERAGE																																																																																																							







Mode	14																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz																																																							
ANT	6+7																																																							
Pol.	Vertical																																																							
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.50</td><td>59.08</td><td>88.20</td><td>-29.12</td><td>45.70</td><td>35.03</td><td>10.51</td><td>32.16</td><td>0.00</td><td>255</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.50	59.08	88.20	-29.12	45.70	35.03	10.51	32.16	0.00	255	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5922.50	59.08	88.20	-29.12	45.70	35.03	10.51	32.16	0.00	255	0 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>114.64</td><td>-----</td><td>-----</td><td>101.07</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>255</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	114.64	-----	-----	101.07	35.20	10.54	32.17	0.00	255	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	114.64	-----	-----	101.07	35.20	10.54	32.17	0.00	255	0 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.67</td><td>47.43</td><td>68.20</td><td>-20.77</td><td>34.04</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>255</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.67	47.43	68.20	-20.77	34.04	35.04	10.51	32.16	0.00	255	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5923.67	47.43	68.20	-20.77	34.04	35.04	10.51	32.16	0.00	255	0 AVERAGE																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>106.22</td><td>-----</td><td>-----</td><td>92.65</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>255</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.22	-----	-----	92.65	35.20	10.54	32.17	0.00	255	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	106.22	-----	-----	92.65	35.20	10.54	32.17	0.00	255	0 AVERAGE																																													







Mode	14																																																																																											
	Harmonic																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz																																																																																											
ANT	6+7																																																																																											
Pol.	Horizontal																																																																																											
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>61.23</td><td>74.00</td><td>-12.77</td><td>68.61</td><td>38.70</td><td>15.21</td><td>61.29</td><td>0.00</td><td>166</td><td>336 PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>46.89</td><td>54.00</td><td>-7.11</td><td>54.28</td><td>38.70</td><td>15.20</td><td>61.29</td><td>0.00</td><td>166</td><td>336 AVERAGE</td></tr><tr><td>3</td><td>17868.80</td><td>49.85</td><td>74.00</td><td>-24.15</td><td>53.15</td><td>40.90</td><td>18.77</td><td>62.97</td><td>0.00</td><td>150</td><td>360 Peak</td></tr><tr><td>4</td><td>17868.80</td><td>45.06</td><td>54.00</td><td>-8.94</td><td>48.36</td><td>40.90</td><td>18.77</td><td>62.97</td><td>0.00</td><td>150</td><td>360 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	61.23	74.00	-12.77	68.61	38.70	15.21	61.29	0.00	166	336 PEAK	2	11910.00	46.89	54.00	-7.11	54.28	38.70	15.20	61.29	0.00	166	336 AVERAGE	3	17868.80	49.85	74.00	-24.15	53.15	40.90	18.77	62.97	0.00	150	360 Peak	4	17868.80	45.06	54.00	-8.94	48.36	40.90	18.77	62.97	0.00	150	360 Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	11910.00	61.23	74.00	-12.77	68.61	38.70	15.21	61.29	0.00	166	336 PEAK																																																																																	
2	11910.00	46.89	54.00	-7.11	54.28	38.70	15.20	61.29	0.00	166	336 AVERAGE																																																																																	
3	17868.80	49.85	74.00	-24.15	53.15	40.90	18.77	62.97	0.00	150	360 Peak																																																																																	
4	17868.80	45.06	54.00	-8.94	48.36	40.90	18.77	62.97	0.00	150	360 Average																																																																																	
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>57.94</td><td>74.00</td><td>-16.06</td><td>65.32</td><td>38.70</td><td>15.21</td><td>61.29</td><td>0.00</td><td>100</td><td>349 PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>45.80</td><td>54.00</td><td>-8.20</td><td>53.18</td><td>38.70</td><td>15.21</td><td>61.29</td><td>0.00</td><td>100</td><td>349 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	57.94	74.00	-16.06	65.32	38.70	15.21	61.29	0.00	100	349 PEAK	2	11910.00	45.80	54.00	-8.20	53.18	38.70	15.21	61.29	0.00	100	349 AVERAGE																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	11910.00	57.94	74.00	-16.06	65.32	38.70	15.21	61.29	0.00	100	349 PEAK																																																																																	
2	11910.00	45.80	54.00	-8.20	53.18	38.70	15.21	61.29	0.00	100	349 AVERAGE																																																																																	







Mode	15																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU26/0_5955MHz																																																																																																				
ANT	6+7																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak	 Level (dBuV/m) Frequency (MHz) WIFI 6E PEAK						 Level (dBuV/m) Frequency (MHz) WIFI 6E PEAK																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5887.79</td><td>56.65</td><td>88.20</td><td>-31.55</td><td>43.48</td><td>34.85</td><td>10.48</td><td>32.16</td><td>0.00</td><td>100</td><td>331 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5887.79	56.65	88.20	-31.55	43.48	34.85	10.48	32.16	0.00	100	331 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>115.55</td><td>-----</td><td>-----</td><td>101.98</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>331 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	115.55	-----	-----	101.98	35.20	10.54	32.17	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5887.79	56.65	88.20	-31.55	43.48	34.85	10.48	32.16	0.00	100	331 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	115.55	-----	-----	101.98	35.20	10.54	32.17	0.00	100	331 PEAK																																																																																										
Avg	 Level (dBuV/m) Frequency (MHz) WIFI 6E(AVG)						 Level (dBuV/m) Frequency (MHz) WIFI 6E(AVG)																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.45</td><td>45.26</td><td>68.20</td><td>-22.94</td><td>31.85</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>331 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	45.26	68.20	-22.94	31.85	35.05	10.52	32.16	0.00	100	331 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>108.39</td><td>-----</td><td>-----</td><td>94.82</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>331 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.39	-----	-----	94.82	35.20	10.54	32.17	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.45	45.26	68.20	-22.94	31.85	35.05	10.52	32.16	0.00	100	331 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	108.39	-----	-----	94.82	35.20	10.54	32.17	0.00	100	331 AVERAGE																																																																																										







Mode	15																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU26/0_5955MHz																																																																																																				
ANT	6+7																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5913.40</td><td>57.33</td><td>88.20</td><td>-30.87</td><td>44.00</td><td>34.98</td><td>10.51</td><td>32.16</td><td>0.00</td><td>324</td><td>5 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5913.40	57.33	88.20	-30.87	44.00	34.98	10.51	32.16	0.00	324	5 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>118.73</td><td>-----</td><td>-----</td><td>105.16</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>324</td><td>5 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	118.73	-----	-----	105.16	35.20	10.54	32.17	0.00	324
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5913.40	57.33	88.20	-30.87	44.00	34.98	10.51	32.16	0.00	324	5 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	118.73	-----	-----	105.16	35.20	10.54	32.17	0.00	324	5 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.00</td><td>45.27</td><td>68.20</td><td>-22.93</td><td>31.88</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>324</td><td>5 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.00	45.27	68.20	-22.93	31.88	35.04	10.51	32.16	0.00	324	5 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>109.83</td><td>-----</td><td>-----</td><td>96.26</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>324</td><td>5 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.83	-----	-----	96.26	35.20	10.54	32.17	0.00	324
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5923.00	45.27	68.20	-22.93	31.88	35.04	10.51	32.16	0.00	324	5 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	109.83	-----	-----	96.26	35.20	10.54	32.17	0.00	324	5 AVERAGE																																																																																										







Mode	16																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU52/37_5955MHz																																																							
ANT	6+7																																																							
Pol.	Horizontal																																																							
Peak	 Level (dBuV/m) Frequency (MHz) WIFI 6E PEAK																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5904.82</td><td>57.36</td><td>88.20</td><td>-30.84</td><td>44.09</td><td>34.93</td><td>10.50</td><td>32.16</td><td>0.00</td><td>100</td><td>343 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5904.82	57.36	88.20	-30.84	44.09	34.93	10.50	32.16	0.00	100	343 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5904.82	57.36	88.20	-30.84	44.09	34.93	10.50	32.16	0.00	100	343 PEAK																																													
Fundamental	 Level (dBuV/m) Frequency (MHz) WIFI 6E PEAK																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>113.56</td><td>-----</td><td>-----</td><td>99.99</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>343 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	113.56	-----	-----	99.99	35.20	10.54	32.17	0.00	100	343 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	113.56	-----	-----	99.99	35.20	10.54	32.17	0.00	100	343 PEAK																																													
Avg	 Level (dBuV/m) Frequency (MHz) WIFI 6E(AVG)																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.19</td><td>44.92</td><td>68.20</td><td>-23.28</td><td>31.52</td><td>35.05</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>343 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.19	44.92	68.20	-23.28	31.52	35.05	10.51	32.16	0.00	100	343 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5924.19	44.92	68.20	-23.28	31.52	35.05	10.51	32.16	0.00	100	343 AVERAGE																																													
Fundamental	 Level (dBuV/m) Frequency (MHz) WIFI 6E(AVG)																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>105.73</td><td>-----</td><td>-----</td><td>92.16</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>343 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.73	-----	-----	92.16	35.20	10.54	32.17	0.00	100	343 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	105.73	-----	-----	92.16	35.20	10.54	32.17	0.00	100	343 AVERAGE																																													



Mode	16																																																						
	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU52/37_5955MHz																																																						
ANT	6+7																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5886.49</td><td>57.84</td><td>88.20</td><td>-30.36</td><td>44.67</td><td>34.85</td><td>10.48</td><td>32.16</td><td>0.00</td><td>100</td><td>328 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5886.49	57.84	88.20	-30.36	44.67	34.85	10.48	32.16	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5886.49	57.84	88.20	-30.36	44.67	34.85	10.48	32.16	0.00	100	328 PEAK																																												
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>115.87</td><td>-----</td><td>-----</td><td>102.30</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>328 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	115.87	-----	-----	102.30	35.20	10.54	32.17	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5955.00	115.87	-----	-----	102.30	35.20	10.54	32.17	0.00	100	328 PEAK																																												
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.41</td><td>45.86</td><td>68.20</td><td>-22.34</td><td>32.47</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>328 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.41	45.86	68.20	-22.34	32.47	35.04	10.51	32.16	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5923.41	45.86	68.20	-22.34	32.47	35.04	10.51	32.16	0.00	100	328 AVERAGE																																												
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>107.50</td><td>-----</td><td>-----</td><td>93.93</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>328 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.50	-----	-----	93.93	35.20	10.54	32.17	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5955.00	107.50	-----	-----	93.93	35.20	10.54	32.17	0.00	100	328 AVERAGE																																												





Mode	17																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU106/53_5955MHz																																																							
ANT	6+7																																																							
Pol.	Horizontal																																																							
Peak	Fundamental																																																							
																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5909.89</td><td>56.13</td><td>88.20</td><td>-32.07</td><td>42.83</td><td>34.96</td><td>10.50</td><td>32.16</td><td>0.00</td><td>100</td><td>336 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5909.89	56.13	88.20	-32.07	42.83	34.96	10.50	32.16	0.00	100	336 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5909.89	56.13	88.20	-32.07	42.83	34.96	10.50	32.16	0.00	100	336 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>114.53</td><td>-----</td><td>-----</td><td>100.96</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>336 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	114.53	-----	-----	100.96	35.20	10.54	32.17	0.00	100	336 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	114.53	-----	-----	100.96	35.20	10.54	32.17	0.00	100	336 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.20</td><td>44.68</td><td>68.20</td><td>-23.52</td><td>31.30</td><td>35.03</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>336 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.20	44.68	68.20	-23.52	31.30	35.03	10.51	32.16	0.00	100	336 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5921.20	44.68	68.20	-23.52	31.30	35.03	10.51	32.16	0.00	100	336 AVERAGE																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>104.31</td><td>-----</td><td>-----</td><td>90.74</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>336 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	104.31	-----	-----	90.74	35.20	10.54	32.17	0.00	100	336 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	104.31	-----	-----	90.74	35.20	10.54	32.17	0.00	100	336 AVERAGE																																													



Mode	17																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU106/53_5955MHz																																																																																																						
ANT	6+7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5921.46</td><td>64.16</td><td>88.20</td><td>-24.04</td><td>50.78</td><td>35.03</td><td>10.51</td><td>32.16</td><td>0.00</td><td>122</td><td>334</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.46	64.16	88.20	-24.04	50.78	35.03	10.51	32.16	0.00	122	334	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>117.53</td><td>-----</td><td>-----</td><td>103.96</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>122</td><td>334</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	117.53	-----	-----	103.96	35.20	10.54	32.17	0.00	122	334
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5921.46	64.16	88.20	-24.04	50.78	35.03	10.51	32.16	0.00	122	334	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	117.53	-----	-----	103.96	35.20	10.54	32.17	0.00	122	334	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.19</td><td>45.50</td><td>68.20</td><td>-22.70</td><td>32.10</td><td>35.05</td><td>10.51</td><td>32.16</td><td>0.00</td><td>122</td><td>334</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.19	45.50	68.20	-22.70	32.10	35.05	10.51	32.16	0.00	122	334	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>107.77</td><td>-----</td><td>-----</td><td>94.20</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>122</td><td>334</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.77	-----	-----	94.20	35.20	10.54	32.17	0.00	122	334
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5924.19	45.50	68.20	-22.70	32.10	35.05	10.51	32.16	0.00	122	334	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	107.77	-----	-----	94.20	35.20	10.54	32.17	0.00	122	334	AVERAGE																																																																																											



Mode	18																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH45_Full_6175MHz																																																																																																																																	
ANT	6+7																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>56.07</td><td>74.00</td><td>-17.93</td><td>63.31</td><td>38.00</td><td>15.54</td><td>61.58</td><td>0.00</td><td>290</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>12350.00</td><td>43.43</td><td>54.00</td><td>-10.57</td><td>50.67</td><td>38.00</td><td>15.54</td><td>61.58</td><td>0.00</td><td>290</td><td>332</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	56.07	74.00	-17.93	63.31	38.00	15.54	61.58	0.00	290	332	PEAK	2	12350.00	43.43	54.00	-10.57	50.67	38.00	15.54	61.58	0.00	290	332	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>57.38</td><td>74.00</td><td>-16.62</td><td>64.62</td><td>38.00</td><td>15.54</td><td>61.58</td><td>0.00</td><td>116</td><td>287</td><td>PEAK</td></tr><tr><td>2</td><td>12350.00</td><td>45.13</td><td>54.00</td><td>-8.87</td><td>52.38</td><td>38.00</td><td>15.54</td><td>61.59</td><td>0.00</td><td>116</td><td>287</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	57.38	74.00	-16.62	64.62	38.00	15.54	61.58	0.00	116	287	PEAK	2	12350.00	45.13	54.00	-8.87	52.38	38.00	15.54	61.59	0.00	116	287	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	12350.00	56.07	74.00	-17.93	63.31	38.00	15.54	61.58	0.00	290	332	PEAK																																																																																																																						
2	12350.00	43.43	54.00	-10.57	50.67	38.00	15.54	61.58	0.00	290	332	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	12350.00	57.38	74.00	-16.62	64.62	38.00	15.54	61.58	0.00	116	287	PEAK																																																																																																																						
2	12350.00	45.13	54.00	-8.87	52.38	38.00	15.54	61.59	0.00	116	287	AVERAGE																																																																																																																						