










	29										
Mode	Band Edge										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz										
ANT	CDD 6+7										
Pol.	Horizontal										
Peak	Fundamental										
	Fundamental										
Peak	Fundamental										
	Fundamental										
Avg	Fundamental										
	Fundamental										






Mode	29																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz																																																																																																																												
ANT	CDD 6+7																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5444.40</td><td>56.11</td><td>74.00</td><td>-17.89</td><td>46.85</td><td>34.68</td><td>10.82</td><td>36.24</td><td>0.00</td><td>100</td><td>354</td><td>PEAK</td></tr><tr><td>2</td><td>5464.72</td><td>53.95</td><td>68.20</td><td>-14.25</td><td>44.61</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>100</td><td>354</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.40	56.11	74.00	-17.89	46.85	34.68	10.82	36.24	0.00	100	354	PEAK	2	5464.72	53.95	68.20	-14.25	44.61	34.70	10.85	36.21	0.00	100	354	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>114.79</td><td>-----</td><td>-----</td><td>105.35</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>100</td><td>354</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	114.79	-----	-----	105.35	34.73	10.88	36.17	0.00	100	354	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5444.40	56.11	74.00	-17.89	46.85	34.68	10.82	36.24	0.00	100	354	PEAK																																																																																																																	
2	5464.72	53.95	68.20	-14.25	44.61	34.70	10.85	36.21	0.00	100	354	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5500.00	114.79	-----	-----	105.35	34.73	10.88	36.17	0.00	100	354	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.32</td><td>42.65</td><td>54.00</td><td>-11.35</td><td>33.34</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>100</td><td>354</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.32	42.65	54.00	-11.35	33.34	34.69	10.84	36.22	0.00	100	354	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>104.91</td><td>-----</td><td>-----</td><td>95.47</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>100</td><td>354</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.91	-----	-----	95.47	34.73	10.88	36.17	0.00	100	354	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5458.32	42.65	54.00	-11.35	33.34	34.69	10.84	36.22	0.00	100	354	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5500.00	104.91	-----	-----	95.47	34.73	10.88	36.17	0.00	100	354	AVERAGE																																																																																																																	







Mode	30																																																				
	Band Edge																																																				
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																				
ANT	CDD 6+7																																																				
Pol.	Horizontal						Fundamental																																														
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.60</td><td>57.73</td><td>68.20</td><td>-10.47</td><td>49.02</td><td>34.96</td><td>11.19</td><td>37.44</td><td>0.00</td><td>166</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.60	57.73	68.20	-10.47	49.02	34.96	11.19	37.44	0.00	166
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5734.60	57.73	68.20	-10.47	49.02	34.96	11.19	37.44	0.00	166	0 PEAK																																										
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>109.25</td><td>-----</td><td>-----</td><td>100.13</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>166</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.25	-----	-----	100.13	34.93	11.15	36.96	0.00	166
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5700.00	109.25	-----	-----	100.13	34.93	11.15	36.96	0.00	166	0 PEAK																																										
Blank																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>101.45</td><td>-----</td><td>-----</td><td>92.33</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>166</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.45	-----	-----	92.33	34.93	11.15	36.96	0.00	166
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5700.00	101.45	-----	-----	92.33	34.93	11.15	36.96	0.00	166	0 AVERAGE																																										





Mode	30																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																																																																		
ANT	CDD 6+7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5750.00</td><td>63.87</td><td>68.20</td><td>-4.33</td><td>55.39</td><td>34.97</td><td>11.21</td><td>37.70</td><td>0.00</td><td>148</td><td>336</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5750.00	63.87	68.20	-4.33	55.39	34.97	11.21	37.70	0.00	148	336	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>115.15</td><td>-----</td><td>-----</td><td>106.03</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>148</td><td>336</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	115.15	-----	-----	106.03	34.93	11.15	36.96	0.00	148	336
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5750.00	63.87	68.20	-4.33	55.39	34.97	11.21	37.70	0.00	148	336	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	115.15	-----	-----	106.03	34.93	11.15	36.96	0.00	148	336	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>106.56</td><td>-----</td><td>-----</td><td>97.44</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>148</td><td>336</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.56	-----	-----	97.44	34.93	11.15	36.96	0.00	148	336	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	106.56	-----	-----	97.44	34.93	11.15	36.96	0.00	148	336	AVERAGE																																																																																							







Mode	31																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																																																		
ANT	CDD 6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.20</td><td>59.77</td><td>74.00</td><td>-14.23</td><td>51.43</td><td>34.40</td><td>10.60</td><td>36.66</td><td>0.00</td><td>103</td><td>332</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.20	59.77	74.00	-14.23	51.43	34.40	10.60	36.66	0.00	103	332	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>109.90</td><td>-----</td><td>-----</td><td>101.39</td><td>34.45</td><td>10.65</td><td>36.59</td><td>0.00</td><td>103</td><td>332</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	109.90	-----	-----	101.39	34.45	10.65	36.59	0.00	103	332
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5143.20	59.77	74.00	-14.23	51.43	34.40	10.60	36.66	0.00	103	332	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	109.90	-----	-----	101.39	34.45	10.65	36.59	0.00	103	332	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.88</td><td>48.19</td><td>54.00</td><td>-5.81</td><td>39.85</td><td>34.40</td><td>10.60</td><td>36.66</td><td>0.00</td><td>103</td><td>332</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.88	48.19	54.00	-5.81	39.85	34.40	10.60	36.66	0.00	103	332	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>100.62</td><td>-----</td><td>-----</td><td>92.11</td><td>34.45</td><td>10.65</td><td>36.59</td><td>0.00</td><td>103</td><td>332</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	100.62	-----	-----	92.11	34.45	10.65	36.59	0.00	103	332
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5142.88	48.19	54.00	-5.81	39.85	34.40	10.60	36.66	0.00	103	332	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	100.62	-----	-----	92.11	34.45	10.65	36.59	0.00	103	332	AVERAGE																																																																																							





Mode	31																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.33</td><td>57.52</td><td>74.00</td><td>-16.48</td><td>48.22</td><td>34.69</td><td>10.83</td><td>36.22</td><td>0.00</td><td>103</td><td>332</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.33	57.52	74.00	-16.48	48.22	34.69	10.83	36.22	0.00	103	332	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5454.33	57.52	74.00	-16.48	48.22	34.69	10.83	36.22	0.00	103	332	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.65</td><td>45.49</td><td>54.00</td><td>-8.51</td><td>36.18</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>103</td><td>332</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.65	45.49	54.00	-8.51	36.18	34.69	10.84	36.22	0.00	103	332	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5458.65	45.49	54.00	-8.51	36.18	34.69	10.84	36.22	0.00	103	332	AVERAGE																																												





Mode	31																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.64</td><td>60.61</td><td>74.00</td><td>-13.39</td><td>52.26</td><td>34.40</td><td>10.61</td><td>36.66</td><td>0.00</td><td>320</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.64	60.61	74.00	-13.39	52.26	34.40	10.61	36.66	0.00	320	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>111.40</td><td>-----</td><td>-----</td><td>102.91</td><td>34.44</td><td>10.65</td><td>36.60</td><td>0.00</td><td>320</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	111.40	-----	-----	102.91	34.44	10.65	36.60	0.00	320	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5148.64	60.61	74.00	-13.39	52.26	34.40	10.61	36.66	0.00	320	0	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	111.40	-----	-----	102.91	34.44	10.65	36.60	0.00	320	0	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.60</td><td>50.20</td><td>54.00</td><td>-3.80</td><td>41.84</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>320</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.60	50.20	54.00	-3.80	41.84	34.40	10.61	36.65	0.00	320	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>103.40</td><td>-----</td><td>-----</td><td>94.91</td><td>34.44</td><td>10.65</td><td>36.60</td><td>0.00</td><td>320</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	103.40	-----	-----	94.91	34.44	10.65	36.60	0.00	320	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.60	50.20	54.00	-3.80	41.84	34.40	10.61	36.65	0.00	320	0	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	103.40	-----	-----	94.91	34.44	10.65	36.60	0.00	320	0	AVERAGE																																																																																																			





Mode	31																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.59</td><td>56.49</td><td>74.00</td><td>-17.51</td><td>47.50</td><td>34.60</td><td>10.75</td><td>36.36</td><td>0.00</td><td>320</td><td>0</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.59	56.49	74.00	-17.51	47.50	34.60	10.75	36.36	0.00	320	0	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5356.59	56.49	74.00	-17.51	47.50	34.60	10.75	36.36	0.00	320	0	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.46</td><td>45.47</td><td>54.00</td><td>-8.53</td><td>36.15</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>320</td><td>0</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.46	45.47	54.00	-8.53	36.15	34.70	10.84	36.22	0.00	320	0	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5459.46	45.47	54.00	-8.53	36.15	34.70	10.84	36.22	0.00	320	0	AVERAGE																																											



Mode	31																																																																																																																																																				
	Harmonic																																																																																																																																																				
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																																																																																																				
ANT	CDD 6+7																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																														
Peak Avg																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10380.00</td><td>46.61</td><td>68.20</td><td>-21.59</td><td>60.71</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15570.00</td><td>53.19</td><td>74.00</td><td>-20.81</td><td>58.45</td><td>39.77</td><td>19.06</td><td>64.09</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>15570.00</td><td>42.64</td><td>54.00</td><td>-11.36</td><td>47.90</td><td>39.77</td><td>19.06</td><td>64.09</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10380.00	46.61	68.20	-21.59	60.71	37.38	15.47	66.95	0.00	--	--	PEAK	2	15570.00	53.19	74.00	-20.81	58.45	39.77	19.06	64.09	0.00	300	0	PEAK	3	15570.00	42.64	54.00	-11.36	47.90	39.77	19.06	64.09	0.00	300	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10380.00</td><td>45.70</td><td>68.20</td><td>-22.50</td><td>59.00</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15570.00</td><td>49.89</td><td>74.00</td><td>-24.11</td><td>55.15</td><td>39.77</td><td>19.06</td><td>64.09</td><td>0.00</td><td>100</td><td>19</td><td>PEAK</td></tr><tr><td>3</td><td>15570.00</td><td>39.91</td><td>54.00</td><td>-14.09</td><td>45.17</td><td>39.77</td><td>19.06</td><td>64.09</td><td>0.00</td><td>100</td><td>19</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10380.00	45.70	68.20	-22.50	59.00	37.38	15.47	66.95	0.00	--	--	PEAK	2	15570.00	49.89	74.00	-24.11	55.15	39.77	19.06	64.09	0.00	100	19	PEAK	3	15570.00	39.91	54.00	-14.09	45.17	39.77	19.06	64.09	0.00	100	19
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																													
1	10380.00	46.61	68.20	-21.59	60.71	37.38	15.47	66.95	0.00	--	--	PEAK																																																																																																																																									
2	15570.00	53.19	74.00	-20.81	58.45	39.77	19.06	64.09	0.00	300	0	PEAK																																																																																																																																									
3	15570.00	42.64	54.00	-11.36	47.90	39.77	19.06	64.09	0.00	300	0	AVERAGE																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																													
1	10380.00	45.70	68.20	-22.50	59.00	37.38	15.47	66.95	0.00	--	--	PEAK																																																																																																																																									
2	15570.00	49.89	74.00	-24.11	55.15	39.77	19.06	64.09	0.00	100	19	PEAK																																																																																																																																									
3	15570.00	39.91	54.00	-14.09	45.17	39.77	19.06	64.09	0.00	100	19	AVERAGE																																																																																																																																									







Mode	32																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz																																																																																																																																																																				
ANT	CDD 6+7																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10460.00</td><td>45.91</td><td>68.20</td><td>-22.29</td><td>59.82</td><td>37.46</td><td>15.54</td><td>66.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15690.00</td><td>57.52</td><td>74.00</td><td>-16.48</td><td>62.56</td><td>39.89</td><td>19.14</td><td>64.07</td><td>0.00</td><td>100</td><td>27</td><td>PEAK</td></tr><tr><td>3</td><td>15690.00</td><td>47.30</td><td>54.00</td><td>-6.70</td><td>52.34</td><td>39.89</td><td>19.14</td><td>64.07</td><td>0.00</td><td>100</td><td>27</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10460.00	45.91	68.20	-22.29	59.82	37.46	15.54	66.91	0.00	--	--	PEAK	2	15690.00	57.52	74.00	-16.48	62.56	39.89	19.14	64.07	0.00	100	27	PEAK	3	15690.00	47.30	54.00	-6.70	52.34	39.89	19.14	64.07	0.00	100	27	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10460.00</td><td>47.54</td><td>68.20</td><td>-20.66</td><td>61.45</td><td>37.46</td><td>15.54</td><td>66.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15690.00</td><td>49.34</td><td>74.00</td><td>-24.66</td><td>54.38</td><td>39.89</td><td>19.14</td><td>64.07</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>15690.00</td><td>39.51</td><td>54.00</td><td>-14.49</td><td>44.55</td><td>39.89</td><td>19.14</td><td>64.07</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10460.00	47.54	68.20	-20.66	61.45	37.46	15.54	66.91	0.00	--	--	PEAK	2	15690.00	49.34	74.00	-24.66	54.38	39.89	19.14	64.07	0.00	300	0	PEAK	3	15690.00	39.51	54.00	-14.49	44.55	39.89	19.14	64.07	0.00	300	0
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1	10460.00	45.91	68.20	-22.29	59.82	37.46	15.54	66.91	0.00	--	--	PEAK																																																																																																																																																									
2	15690.00	57.52	74.00	-16.48	62.56	39.89	19.14	64.07	0.00	100	27	PEAK																																																																																																																																																									
3	15690.00	47.30	54.00	-6.70	52.34	39.89	19.14	64.07	0.00	100	27	AVERAGE																																																																																																																																																									
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1	10460.00	47.54	68.20	-20.66	61.45	37.46	15.54	66.91	0.00	--	--	PEAK																																																																																																																																																									
2	15690.00	49.34	74.00	-24.66	54.38	39.89	19.14	64.07	0.00	300	0	PEAK																																																																																																																																																									
3	15690.00	39.51	54.00	-14.49	44.55	39.89	19.14	64.07	0.00	300	0	AVERAGE																																																																																																																																																									





		33																																																																					
Mode		Harmonic																																																																					
		U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																																																					
ANT		CDD 6+7																																																																					
Pol.		Horizontal																																																																					
Peak Avg																																																																							
		Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7026.40	45.58	68.20	-22.62	63.04	35.60	12.49	65.55	0.00	--	-- Peak	2	10540.00	45.48	68.20	-22.72	59.18	37.54	15.62	66.86	0.00	--	-- PEAK	3	15810.00	54.22	74.00	-19.78	58.94	40.11	19.22	64.05	0.00	100	30 PEAK	4	15810.00	44.81	54.00	-9.19	49.53	40.11	19.22	64.05	0.00	100
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	7026.40	45.58	68.20	-22.62	63.04	35.60	12.49	65.55	0.00	--	-- Peak																																																												
2	10540.00	45.48	68.20	-22.72	59.18	37.54	15.62	66.86	0.00	--	-- PEAK																																																												
3	15810.00	54.22	74.00	-19.78	58.94	40.11	19.22	64.05	0.00	100	30 PEAK																																																												
4	15810.00	44.81	54.00	-9.19	49.53	40.11	19.22	64.05	0.00	100	30 AVERAGE																																																												
		Vertical																																																																					
Peak Avg																																																																							
		Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7026.40	48.30	68.20	-19.90	65.76	35.60	12.49	65.55	0.00	--	-- Peak	2	10540.00	46.77	68.20	-21.43	60.47	37.54	15.62	66.86	0.00	--	-- PEAK	3	15810.00	55.78	74.00	-18.22	60.50	40.11	19.22	64.05	0.00	104	19 PEAK	4	15810.00	45.08	54.00	-8.92	49.81	40.10	19.22	64.05	0.00	104
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	7026.40	48.30	68.20	-19.90	65.76	35.60	12.49	65.55	0.00	--	-- Peak																																																												
2	10540.00	46.77	68.20	-21.43	60.47	37.54	15.62	66.86	0.00	--	-- PEAK																																																												
3	15810.00	55.78	74.00	-18.22	60.50	40.11	19.22	64.05	0.00	104	19 PEAK																																																												
4	15810.00	45.08	54.00	-8.92	49.81	40.10	19.22	64.05	0.00	104	19 AVERAGE																																																												







		34																																																																																																
Mode	Band Edge - L																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																																	
ANT	CDD 6+7																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.88</td><td>57.28</td><td>74.00</td><td>-16.72</td><td>48.94</td><td>34.40</td><td>10.60</td><td>36.66</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.88	57.28	74.00	-16.72	48.94	34.40	10.60	36.66	0.00	100	327	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>108.56</td><td>-----</td><td>-----</td><td>99.73</td><td>34.55</td><td>10.72</td><td>36.44</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	108.56	-----	-----	99.73	34.55	10.72	36.44	0.00	100	327
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5142.88	57.28	74.00	-16.72	48.94	34.40	10.60	36.66	0.00	100	327	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5310.00	108.56	-----	-----	99.73	34.55	10.72	36.44	0.00	100	327	PEAK																																																																																						
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5104.80</td><td>46.43</td><td>54.00</td><td>-7.57</td><td>38.23</td><td>34.36</td><td>10.56</td><td>36.72</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5104.80	46.43	54.00	-7.57	38.23	34.36	10.56	36.72	0.00	100	327	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>100.56</td><td>-----</td><td>-----</td><td>91.69</td><td>34.56</td><td>10.73</td><td>36.42</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	100.56	-----	-----	91.69	34.56	10.73	36.42	0.00	100	327
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5104.80	46.43	54.00	-7.57	38.23	34.36	10.56	36.72	0.00	100	327	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5310.00	100.56	-----	-----	91.69	34.56	10.73	36.42	0.00	100	327	AVERAGE																																																																																						



Mode	34																																																				
	Band Edge - R																																																				
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																				
ANT	CDD 6+7																																																				
Pol.	Horizontal										Fundamental																																										
Peak											Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.90</td><td>59.59</td><td>74.00</td><td>-14.41</td><td>50.61</td><td>34.60</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.90	59.59	74.00	-14.41	50.61	34.60	10.75	36.37	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5353.90	59.59	74.00	-14.41	50.61	34.60	10.75	36.37	0.00	100	327	PEAK																																									
Avg											Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.40</td><td>48.82</td><td>54.00</td><td>-5.18</td><td>39.85</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.40	48.82	54.00	-5.18	39.85	34.59	10.75	36.37	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5352.40	48.82	54.00	-5.18	39.85	34.59	10.75	36.37	0.00	100	327	AVERAGE																																									



Mode	34																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5118.88</td><td>58.86</td><td>74.00</td><td>-15.14</td><td>50.61</td><td>34.37</td><td>10.58</td><td>36.70</td><td>0.00</td><td>305</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5118.88	58.86	74.00	-15.14	50.61	34.37	10.58	36.70	0.00	305	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>111.02</td><td>-----</td><td>-----</td><td>102.18</td><td>34.55</td><td>10.72</td><td>36.43</td><td>0.00</td><td>305</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	111.02	-----	-----	102.18	34.55	10.72	36.43	0.00	305	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5118.88	58.86	74.00	-15.14	50.61	34.37	10.58	36.70	0.00	305	0	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	111.02	-----	-----	102.18	34.55	10.72	36.43	0.00	305	0	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.68</td><td>46.39</td><td>54.00</td><td>-7.61</td><td>38.07</td><td>34.39</td><td>10.60</td><td>36.67</td><td>0.00</td><td>305</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5139.68	46.39	54.00	-7.61	38.07	34.39	10.60	36.67	0.00	305	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>102.81</td><td>-----</td><td>-----</td><td>93.97</td><td>34.55</td><td>10.72</td><td>36.43</td><td>0.00</td><td>305</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	102.81	-----	-----	93.97	34.55	10.72	36.43	0.00	305	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5139.68	46.39	54.00	-7.61	38.07	34.39	10.60	36.67	0.00	305	0	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	102.81	-----	-----	93.97	34.55	10.72	36.43	0.00	305	0	AVERAGE																																																																																																			







Mode	34																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																					
ANT	CDD 6+7																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.70</td><td>59.67</td><td>74.00</td><td>-14.33</td><td>50.70</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>305</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.70	59.67	74.00	-14.33	50.70	34.59	10.75	36.37	0.00	305	0 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.70	59.67	74.00	-14.33	50.70	34.59	10.75	36.37	0.00	305	0 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>49.68</td><td>54.00</td><td>-4.32</td><td>40.71</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>305</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	49.68	54.00	-4.32	40.71	34.59	10.75	36.37	0.00	305	0 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.00	49.68	54.00	-4.32	40.71	34.59	10.75	36.37	0.00	305	0 AVERAGE																																											




		34																																																																																		
Mode		Harmonic																																																																																		
		U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																		
ANT		CDD 6+7																																																																																		
Pol.		Horizontal																																																																																		
Peak Avg																																																																																				
		Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7079.82	43.63	68.20	-24.57	61.10	35.66	12.56	65.69	0.00	--	-- PEAK	2	10620.00	44.44	74.00	-29.56	57.97	37.60	15.69	66.82	0.00	--	-- PEAK	3	15930.00	54.90	74.00	-19.10	59.34	40.29	19.30	64.03	0.00	268	352 PEAK	4	15930.00	44.65	54.00	-9.35	49.09	40.29	19.30	64.03	0.00	268	352 AVERAGE												
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	7079.82	43.63	68.20	-24.57	61.10	35.66	12.56	65.69	0.00	--	-- PEAK																																																																									
2	10620.00	44.44	74.00	-29.56	57.97	37.60	15.69	66.82	0.00	--	-- PEAK																																																																									
3	15930.00	54.90	74.00	-19.10	59.34	40.29	19.30	64.03	0.00	268	352 PEAK																																																																									
4	15930.00	44.65	54.00	-9.35	49.09	40.29	19.30	64.03	0.00	268	352 AVERAGE																																																																									
		Vertical																																																																																		
	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7079.82</td><td>48.58</td><td>68.20</td><td>-19.62</td><td>66.05</td><td>35.66</td><td>12.56</td><td>65.69</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>44.09</td><td>74.00</td><td>-29.91</td><td>57.62</td><td>37.60</td><td>15.69</td><td>66.82</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>3</td><td>15930.00</td><td>50.26</td><td>74.00</td><td>-23.74</td><td>54.70</td><td>40.29</td><td>19.30</td><td>64.03</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>4</td><td>15930.00</td><td>40.31</td><td>54.00</td><td>-13.69</td><td>44.75</td><td>40.29</td><td>19.30</td><td>64.03</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></tbody></table>													Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7079.82	48.58	68.20	-19.62	66.05	35.66	12.56	65.69	0.00	--	-- PEAK	2	10620.00	44.09	74.00	-29.91	57.62	37.60	15.69	66.82	0.00	--	-- PEAK	3	15930.00	50.26	74.00	-23.74	54.70	40.29	19.30	64.03	0.00	100	360 PEAK	4	15930.00	40.31	54.00	-13.69	44.75	40.29	19.30	64.03	0.00	100	360 AVERAGE
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	7079.82	48.58	68.20	-19.62	66.05	35.66	12.56	65.69	0.00	--	-- PEAK																																																																									
2	10620.00	44.09	74.00	-29.91	57.62	37.60	15.69	66.82	0.00	--	-- PEAK																																																																									
3	15930.00	50.26	74.00	-23.74	54.70	40.29	19.30	64.03	0.00	100	360 PEAK																																																																									
4	15930.00	40.31	54.00	-13.69	44.75	40.29	19.30	64.03	0.00	100	360 AVERAGE																																																																									





Mode	35																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																											
ANT	CDD 6+7																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5435.60</td><td>57.68</td><td>74.00</td><td>-16.32</td><td>48.45</td><td>34.67</td><td>10.81</td><td>36.25</td><td>0.00</td><td>100</td><td>329</td><td>PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>63.21</td><td>68.20</td><td>-4.99</td><td>53.85</td><td>34.71</td><td>10.85</td><td>36.20</td><td>0.00</td><td>100</td><td>329</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5435.60	57.68	74.00	-16.32	48.45	34.67	10.81	36.25	0.00	100	329	PEAK	2	5469.68	63.21	68.20	-4.99	53.85	34.71	10.85	36.20	0.00	100	329	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>109.11</td><td>-----</td><td>-----</td><td>99.60</td><td>34.75</td><td>10.90</td><td>36.14</td><td>0.00</td><td>100</td><td>329</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	109.11	-----	-----	99.60	34.75	10.90	36.14	0.00	100	329
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5435.60	57.68	74.00	-16.32	48.45	34.67	10.81	36.25	0.00	100	329	PEAK																																																																																																																
2	5469.68	63.21	68.20	-4.99	53.85	34.71	10.85	36.20	0.00	100	329	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5510.00	109.11	-----	-----	99.60	34.75	10.90	36.14	0.00	100	329	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>48.36</td><td>54.00</td><td>-5.64</td><td>39.03</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>100</td><td>329</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	48.36	54.00	-5.64	39.03	34.70	10.84	36.21	0.00	100	329	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>100.45</td><td>-----</td><td>-----</td><td>90.94</td><td>34.75</td><td>10.90</td><td>36.14</td><td>0.00</td><td>100</td><td>329</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	100.45	-----	-----	90.94	34.75	10.90	36.14	0.00	100	329	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5459.92	48.36	54.00	-5.64	39.03	34.70	10.84	36.21	0.00	100	329	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5510.00	100.45	-----	-----	90.94	34.75	10.90	36.14	0.00	100	329	AVERAGE																																																																																																																




Mode	35																																																									
	Band Edge - R																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																									
ANT	CDD 6+7																																																									
Pol.	Horizontal						Fundamental																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.76</td><td>56.84</td><td>68.20</td><td>-11.36</td><td>48.03</td><td>34.95</td><td>11.18</td><td>37.32</td><td>0.00</td><td>100</td><td>329</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5726.76	56.84	68.20	-11.36	48.03	34.95	11.18	37.32	0.00	100	329	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5726.76	56.84	68.20	-11.36	48.03	34.95	11.18	37.32	0.00	100	329	PEAK																																														





Mode	35																																																																				
	Band Edge - L																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																				
ANT	CDD 6+7																																																																				
Pol.	Vertical						Fundamental																																																														
Peak																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.80</td><td>60.66</td><td>74.00</td><td>-13.34</td><td>51.34</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>262</td><td>0 PEAK</td></tr><tr><td>2</td><td>5468.08</td><td>64.45</td><td>68.20</td><td>-3.75</td><td>55.10</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>262</td><td>0 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.80	60.66	74.00	-13.34	51.34	34.70	10.84	36.22	0.00	262	0 PEAK	2	5468.08	64.45	68.20	-3.75	55.10	34.70	10.85	36.20	0.00	262	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5458.80	60.66	74.00	-13.34	51.34	34.70	10.84	36.22	0.00	262	0 PEAK																																																										
2	5468.08	64.45	68.20	-3.75	55.10	34.70	10.85	36.20	0.00	262	0 PEAK																																																										
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>112.21</td><td>-----</td><td>-----</td><td>102.71</td><td>34.74</td><td>10.90</td><td>36.14</td><td>0.00</td><td>262</td><td>0 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	112.21	-----	-----	102.71	34.74	10.90	36.14	0.00	262	0 PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5510.00	112.21	-----	-----	102.71	34.74	10.90	36.14	0.00	262	0 PEAK																																																										
Avg																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.32</td><td>49.69</td><td>54.00</td><td>-4.31</td><td>40.38</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>262</td><td>0 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.32	49.69	54.00	-4.31	40.38	34.69	10.84	36.22	0.00	262	0 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5458.32	49.69	54.00	-4.31	40.38	34.69	10.84	36.22	0.00	262	0 AVERAGE																																																										
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>103.53</td><td>-----</td><td>-----</td><td>94.05</td><td>34.74</td><td>10.89</td><td>36.15</td><td>0.00</td><td>262</td><td>0 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	103.53	-----	-----	94.05	34.74	10.89	36.15	0.00	262	0 AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5510.00	103.53	-----	-----	94.05	34.74	10.89	36.15	0.00	262	0 AVERAGE																																																										





Mode	35																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5741.96</td><td>57.11</td><td>68.20</td><td>-11.09</td><td>48.51</td><td>34.96</td><td>11.20</td><td>37.56</td><td>0.00</td><td>262</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5741.96	57.11	68.20	-11.09	48.51	34.96	11.20	37.56	0.00	262	0	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5741.96	57.11	68.20	-11.09	48.51	34.96	11.20	37.56	0.00	262	0	PEAK																																												







Mode	35																																																																	
	Harmonic																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																	
ANT	CDD 6+7																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7706.93	42.96	74.00	-31.04	60.63	36.11	13.11	66.89	0.00	--	Peak	2	11020.00	45.18	74.00	-28.82	57.84	37.88	16.06	66.60	0.00	--	PEAK	3	16530.00	60.22	68.20	-7.98	63.59	40.99	19.69	64.05	0.00	133
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	7706.93	42.96	74.00	-31.04	60.63	36.11	13.11	66.89	0.00	--	Peak																																																							
2	11020.00	45.18	74.00	-28.82	57.84	37.88	16.06	66.60	0.00	--	PEAK																																																							
3	16530.00	60.22	68.20	-7.98	63.59	40.99	19.69	64.05	0.00	133	33 PEAK																																																							
Peak Avg																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7709.13	45.53	74.00	-28.47	63.18	36.12	13.12	66.89	0.00	--	Peak	2	11020.00	45.06	74.00	-28.94	57.72	37.88	16.06	66.60	0.00	--	PEAK	3	16530.00	59.56	68.20	-8.64	62.99	40.94	19.68	64.05	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	7709.13	45.53	74.00	-28.47	63.18	36.12	13.12	66.89	0.00	--	Peak																																																							
2	11020.00	45.06	74.00	-28.94	57.72	37.88	16.06	66.60	0.00	--	PEAK																																																							
3	16530.00	59.56	68.20	-8.64	62.99	40.94	19.68	64.05	0.00	100	21 PEAK																																																							




Mode	36																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																																																						
ANT	CDD 6+7																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																
Peak Avg																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11100.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>58.53</td><td>37.80</td><td>16.11</td><td>66.55</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16650.00</td><td>65.10</td><td>68.20</td><td>-3.10</td><td>68.18</td><td>41.20</td><td>19.78</td><td>64.06</td><td>0.00</td><td>146</td><td>32 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	45.89	74.00	-28.11	58.53	37.80	16.11	66.55	0.00	--	PEAK	2	16650.00	65.10	68.20	-3.10	68.18	41.20	19.78	64.06	0.00	146	32 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7761.20</td><td>46.50</td><td>68.20</td><td>-21.70</td><td>64.05</td><td>36.20</td><td>13.16</td><td>66.91</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11100.00</td><td>44.72</td><td>74.00</td><td>-29.28</td><td>57.36</td><td>37.80</td><td>16.11</td><td>66.55</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>16650.00</td><td>63.12</td><td>68.20</td><td>-5.08</td><td>66.21</td><td>41.20</td><td>19.77</td><td>64.06</td><td>0.00</td><td>104</td><td>26 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7761.20	46.50	68.20	-21.70	64.05	36.20	13.16	66.91	0.00	--	Peak	2	11100.00	44.72	74.00	-29.28	57.36	37.80	16.11	66.55	0.00	--	PEAK	3	16650.00	63.12	68.20	-5.08	66.21	41.20	19.77	64.06	0.00	104	26 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	11100.00	45.89	74.00	-28.11	58.53	37.80	16.11	66.55	0.00	--	PEAK																																																																																																																												
2	16650.00	65.10	68.20	-3.10	68.18	41.20	19.78	64.06	0.00	146	32 PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	7761.20	46.50	68.20	-21.70	64.05	36.20	13.16	66.91	0.00	--	Peak																																																																																																																												
2	11100.00	44.72	74.00	-29.28	57.36	37.80	16.11	66.55	0.00	--	PEAK																																																																																																																												
3	16650.00	63.12	68.20	-5.08	66.21	41.20	19.77	64.06	0.00	104	26 PEAK																																																																																																																												







Mode	37																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.28</td><td>56.56</td><td>74.00</td><td>-17.44</td><td>47.27</td><td>34.69</td><td>10.83</td><td>36.23</td><td>0.00</td><td>184</td><td>330</td><td>PEAK</td></tr><tr><td>2</td><td>5466.64</td><td>56.21</td><td>68.20</td><td>-11.99</td><td>46.87</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>184</td><td>330</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.28	56.56	74.00	-17.44	47.27	34.69	10.83	36.23	0.00	184	330	PEAK	2	5466.64	56.21	68.20	-11.99	46.87	34.70	10.85	36.21	0.00	184	330	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>110.31</td><td>-----</td><td>-----</td><td>100.72</td><td>34.89</td><td>11.10</td><td>36.40</td><td>0.00</td><td>184</td><td>330</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	110.31	-----	-----	100.72	34.89	11.10	36.40	0.00	184	330
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5451.28	56.56	74.00	-17.44	47.27	34.69	10.83	36.23	0.00	184	330	PEAK																																																																																																				
2	5466.64	56.21	68.20	-11.99	46.87	34.70	10.85	36.21	0.00	184	330	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	110.31	-----	-----	100.72	34.89	11.10	36.40	0.00	184	330	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.76</td><td>45.57</td><td>54.00</td><td>-8.43</td><td>36.25</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>184</td><td>330</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	45.57	54.00	-8.43	36.25	34.70	10.84	36.22	0.00	184	330	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>101.24</td><td>-----</td><td>-----</td><td>91.72</td><td>34.90</td><td>11.11</td><td>36.49</td><td>0.00</td><td>184</td><td>330</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	101.24	-----	-----	91.72	34.90	11.11	36.49	0.00	184	330	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.76	45.57	54.00	-8.43	36.25	34.70	10.84	36.22	0.00	184	330	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	101.24	-----	-----	91.72	34.90	11.11	36.49	0.00	184	330	AVERAGE																																																																																																				




Mode	37																																																																	
	Band Edge - R																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																	
ANT	CDD 6+7																																																																	
Pol.	Horizontal						Fundamental																																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5731.88</td><td>61.37</td><td>68.20</td><td>-6.83</td><td>52.63</td><td>34.95</td><td>11.19</td><td>37.40</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>184</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>330 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5731.88	61.37	68.20	-6.83	52.63	34.95	11.19	37.40								0.00	184									330 PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																										
1	5731.88	61.37	68.20	-6.83	52.63	34.95	11.19	37.40																																																										
							0.00	184																																																										
								330 PEAK																																																										





Mode	37																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																												
ANT	CDD 6+7																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.44</td><td>56.62</td><td>74.00</td><td>-17.38</td><td>47.33</td><td>34.69</td><td>10.83</td><td>36.23</td><td>0.00</td><td>217</td><td>0 PEAK</td></tr><tr><td>2</td><td>5469.52</td><td>57.19</td><td>68.20</td><td>-11.01</td><td>47.83</td><td>34.71</td><td>10.85</td><td>36.20</td><td>0.00</td><td>217</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.44	56.62	74.00	-17.38	47.33	34.69	10.83	36.23	0.00	217	0 PEAK	2	5469.52	57.19	68.20	-11.01	47.83	34.71	10.85	36.20	0.00	217	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>113.78</td><td>-----</td><td>-----</td><td>104.22</td><td>34.89</td><td>11.10</td><td>36.43</td><td>0.00</td><td>217</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	113.78	-----	-----	104.22	34.89	11.10	36.43	0.00	217	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5451.44	56.62	74.00	-17.38	47.33	34.69	10.83	36.23	0.00	217	0 PEAK																																																																																																		
2	5469.52	57.19	68.20	-11.01	47.83	34.71	10.85	36.20	0.00	217	0 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5670.00	113.78	-----	-----	104.22	34.89	11.10	36.43	0.00	217	0 PEAK																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.60</td><td>45.59</td><td>54.00</td><td>-8.41</td><td>36.27</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>217</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	45.59	54.00	-8.41	36.27	34.70	10.84	36.22	0.00	217	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>104.89</td><td>-----</td><td>-----</td><td>95.30</td><td>34.89</td><td>11.10</td><td>36.40</td><td>0.00</td><td>217</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	104.89	-----	-----	95.30	34.89	11.10	36.40	0.00	217	0 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5459.60	45.59	54.00	-8.41	36.27	34.70	10.84	36.22	0.00	217	0 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5670.00	104.89	-----	-----	95.30	34.89	11.10	36.40	0.00	217	0 AVERAGE																																																																																																		







Mode	37																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																					
ANT	CDD 6+7																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5737.56</td><td>64.14</td><td>68.20</td><td>-4.06</td><td>55.48</td><td>34.96</td><td>11.19</td><td>37.49</td><td>0.00</td><td>217</td><td>0 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5737.56	64.14	68.20	-4.06	55.48	34.96	11.19	37.49	0.00	217	0 Peak	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5737.56	64.14	68.20	-4.06	55.48	34.96	11.19	37.49	0.00	217	0 Peak																																											



Mode	37																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																																									
ANT	CDD 6+7																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 7000 to 18000 MHz. The plot shows a blue line for the average level and a red line for the peak level. The peak level is significantly higher than the average level, especially around 17010 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 7000 to 18000 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7938.00</td><td>43.24</td><td>68.20</td><td>-24.96</td><td>60.53</td><td>36.40</td><td>13.30</td><td>66.99</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2 11340.00</td><td>46.29</td><td>74.00</td><td>-27.71</td><td>58.51</td><td>37.94</td><td>16.26</td><td>66.42</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>3 17010.00</td><td>63.17</td><td>68.20</td><td>-5.03</td><td>66.07</td><td>41.18</td><td>20.02</td><td>64.10</td><td>0.00</td><td>123 0 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7938.00	43.24	68.20	-24.96	60.53	36.40	13.30	66.99	0.00	-- -- PEAK	2 11340.00	46.29	74.00	-27.71	58.51	37.94	16.26	66.42	0.00	-- -- PEAK	3 17010.00	63.17	68.20	-5.03	66.07	41.18	20.02	64.10	0.00	123 0 PEAK	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 7000 to 18000 MHz. The plot shows a blue line for the average level and a red line for the peak level. The peak level is significantly higher than the average level, especially around 17010 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 7000 to 18000 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7938.00</td><td>46.22</td><td>68.20</td><td>-21.98</td><td>63.51</td><td>36.40</td><td>13.30</td><td>66.99</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2 11340.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>57.67</td><td>37.94</td><td>16.26</td><td>66.42</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>3 17010.00</td><td>62.05</td><td>68.20</td><td>-6.15</td><td>64.97</td><td>41.17</td><td>20.02</td><td>64.11</td><td>0.00</td><td>117 31 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7938.00	46.22	68.20	-21.98	63.51	36.40	13.30	66.99	0.00	-- -- PEAK	2 11340.00	45.45	74.00	-28.55	57.67	37.94	16.26	66.42	0.00	-- -- PEAK	3 17010.00	62.05	68.20	-6.15	64.97	41.17	20.02	64.11	0.00	117 31 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 7938.00	43.24	68.20	-24.96	60.53	36.40	13.30	66.99	0.00	-- -- PEAK																																																																																																																	
2 11340.00	46.29	74.00	-27.71	58.51	37.94	16.26	66.42	0.00	-- -- PEAK																																																																																																																	
3 17010.00	63.17	68.20	-5.03	66.07	41.18	20.02	64.10	0.00	123 0 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 7938.00	46.22	68.20	-21.98	63.51	36.40	13.30	66.99	0.00	-- -- PEAK																																																																																																																	
2 11340.00	45.45	74.00	-28.55	57.67	37.94	16.26	66.42	0.00	-- -- PEAK																																																																																																																	
3 17010.00	62.05	68.20	-6.15	64.97	41.17	20.02	64.11	0.00	117 31 PEAK																																																																																																																	







		38																																																																																												
Mode	Band Edge - L																																																																																													
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																													
ANT	CDD 6+7																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C						 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5144.16</td><td>62.32</td><td>74.00</td><td>-11.68</td><td>53.98</td><td>34.40</td><td>10.60</td><td>36.66</td><td>0.00</td><td>108 334 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5144.16	62.32	74.00	-11.68	53.98	34.40	10.60	36.66	0.00	108 334 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>106.55</td><td>-----</td><td>-----</td><td>97.99</td><td>34.46</td><td>10.67</td><td>36.57</td><td>0.00</td><td>108 334 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	106.55	-----	-----	97.99	34.46	10.67	36.57	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5144.16	62.32	74.00	-11.68	53.98	34.40	10.60	36.66	0.00	108 334 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5210.00	106.55	-----	-----	97.99	34.46	10.67	36.57	0.00	108 334 PEAK																																																																																				
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG)						 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG)																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5142.88</td><td>49.52</td><td>54.00</td><td>-4.48</td><td>41.18</td><td>34.40</td><td>10.60</td><td>36.66</td><td>0.00</td><td>108 334 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5142.88	49.52	54.00	-4.48	41.18	34.40	10.60	36.66	0.00	108 334 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>98.18</td><td>-----</td><td>-----</td><td>89.62</td><td>34.46</td><td>10.67</td><td>36.57</td><td>0.00</td><td>108 334 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	98.18	-----	-----	89.62	34.46	10.67	36.57	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5142.88	49.52	54.00	-4.48	41.18	34.40	10.60	36.66	0.00	108 334 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5210.00	98.18	-----	-----	89.62	34.46	10.67	36.57	0.00	108 334 AVERAGE																																																																																				





Mode	38																																																												
	Band Edge - R																																																												
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																												
ANT	CDD 6+7																																																												
Pol.	Horizontal						Fundamental																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5309.92</td><td>56.30</td><td>74.00</td><td>-17.70</td><td>47.21</td><td>34.63</td><td>10.77</td><td>36.31</td><td>0.00</td><td>108</td><td>334</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5309.92	56.30	74.00	-17.70	47.21	34.63	10.77	36.31	0.00	108	334	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	5309.92	56.30	74.00	-17.70	47.21	34.63	10.77	36.31	0.00	108	334	PEAK																																																	
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5352.30</td><td>45.62</td><td>54.00</td><td>-8.38</td><td>36.65</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>108</td><td>334</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5352.30	45.62	54.00	-8.38	36.65	34.59	10.75	36.37	0.00	108	334	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	5352.30	45.62	54.00	-8.38	36.65	34.59	10.75	36.37	0.00	108	334	AVERAGE																																																	





Mode	38																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																		
ANT	CDD 6+7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5138.56</td><td>61.56</td><td>74.00</td><td>-12.44</td><td>53.24</td><td>34.39</td><td>10.60</td><td>36.67</td><td>0.00</td><td>302</td><td>343</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.56	61.56	74.00	-12.44	53.24	34.39	10.60	36.67	0.00	302	343	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>108.09</td><td>-----</td><td>-----</td><td>99.56</td><td>34.45</td><td>10.66</td><td>36.58</td><td>0.00</td><td>302</td><td>343</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	108.09	-----	-----	99.56	34.45	10.66	36.58	0.00	302	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5138.56	61.56	74.00	-12.44	53.24	34.39	10.60	36.67	0.00	302	343	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5210.00	108.09	-----	-----	99.56	34.45	10.66	36.58	0.00	302	343	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.60</td><td>50.50</td><td>54.00</td><td>-3.50</td><td>42.14</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>302</td><td>343</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.60	50.50	54.00	-3.50	42.14	34.40	10.61	36.65	0.00	302	343	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>99.83</td><td>-----</td><td>-----</td><td>91.28</td><td>34.46</td><td>10.66</td><td>36.57</td><td>0.00</td><td>302</td><td>343</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	99.83	-----	-----	91.28	34.46	10.66	36.57	0.00	302	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.60	50.50	54.00	-3.50	42.14	34.40	10.61	36.65	0.00	302	343	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5210.00	99.83	-----	-----	91.28	34.46	10.66	36.57	0.00	302	343	AVERAGE																																																																																							







Mode	38																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5360.40</td><td>56.44</td><td>74.00</td><td>-17.56</td><td>47.45</td><td>34.60</td><td>10.75</td><td>36.36</td><td>0.00</td><td>302</td><td>343</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5360.40	56.44	74.00	-17.56	47.45	34.60	10.75	36.36	0.00	302	343	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5360.40	56.44	74.00	-17.56	47.45	34.60	10.75	36.36	0.00	302	343	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.96</td><td>45.78</td><td>54.00</td><td>-8.22</td><td>36.79</td><td>34.60</td><td>10.75</td><td>36.36</td><td>0.00</td><td>302</td><td>343</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.96	45.78	54.00	-8.22	36.79	34.60	10.75	36.36	0.00	302	343	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5358.96	45.78	54.00	-8.22	36.79	34.60	10.75	36.36	0.00	302	343	AVERAGE																																												





Mode	38																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																																																
ANT	CDD 6+7																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																															
Peak Avg																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10420.00</td><td>45.97</td><td>68.20</td><td>-22.23</td><td>59.97</td><td>37.42</td><td>15.51</td><td>66.93</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 15630.00</td><td>50.18</td><td>74.00</td><td>-23.82</td><td>55.33</td><td>39.83</td><td>19.10</td><td>64.08</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>3 15630.00</td><td>41.16</td><td>54.00</td><td>-12.84</td><td>46.31</td><td>39.83</td><td>19.10</td><td>64.08</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10420.00	45.97	68.20	-22.23	59.97	37.42	15.51	66.93	0.00	--	-- PEAK	2 15630.00	50.18	74.00	-23.82	55.33	39.83	19.10	64.08	0.00	300	0 PEAK	3 15630.00	41.16	54.00	-12.84	46.31	39.83	19.10	64.08	0.00	300	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10420.00</td><td>45.14</td><td>68.20</td><td>-23.06</td><td>59.14</td><td>37.42</td><td>15.51</td><td>66.93</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 15630.00</td><td>48.10</td><td>74.00</td><td>-25.90</td><td>53.25</td><td>39.83</td><td>19.10</td><td>64.08</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>3 15630.00</td><td>38.45</td><td>54.00</td><td>-15.55</td><td>43.58</td><td>39.84</td><td>19.11</td><td>64.08</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10420.00	45.14	68.20	-23.06	59.14	37.42	15.51	66.93	0.00	--	-- PEAK	2 15630.00	48.10	74.00	-25.90	53.25	39.83	19.10	64.08	0.00	100	0 PEAK	3 15630.00	38.45	54.00	-15.55	43.58	39.84	19.11	64.08	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1 10420.00	45.97	68.20	-22.23	59.97	37.42	15.51	66.93	0.00	--	-- PEAK																																																																																																																							
2 15630.00	50.18	74.00	-23.82	55.33	39.83	19.10	64.08	0.00	300	0 PEAK																																																																																																																							
3 15630.00	41.16	54.00	-12.84	46.31	39.83	19.10	64.08	0.00	300	0 AVERAGE																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1 10420.00	45.14	68.20	-23.06	59.14	37.42	15.51	66.93	0.00	--	-- PEAK																																																																																																																							
2 15630.00	48.10	74.00	-25.90	53.25	39.83	19.10	64.08	0.00	100	0 PEAK																																																																																																																							
3 15630.00	38.45	54.00	-15.55	43.58	39.84	19.11	64.08	0.00	100	0 AVERAGE																																																																																																																							







	39																																																																																																														
Mode	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.56</td><td>59.30</td><td>74.00</td><td>-14.70</td><td>50.96</td><td>34.40</td><td>10.60</td><td>36.66</td><td>0.00</td><td>101</td><td>334</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.56	59.30	74.00	-14.70	50.96	34.40	10.60	36.66	0.00	101	334	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>106.42</td><td>-----</td><td>-----</td><td>97.64</td><td>34.53</td><td>10.71</td><td>36.46</td><td>0.00</td><td>101</td><td>334</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	106.42	-----	-----	97.64	34.53	10.71	36.46	0.00	101	334
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5142.56	59.30	74.00	-14.70	50.96	34.40	10.60	36.66	0.00	101	334	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	106.42	-----	-----	97.64	34.53	10.71	36.46	0.00	101	334	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5133.92</td><td>46.96</td><td>54.00</td><td>-7.04</td><td>38.66</td><td>34.39</td><td>10.59</td><td>36.68</td><td>0.00</td><td>101</td><td>334</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5133.92	46.96	54.00	-7.04	38.66	34.39	10.59	36.68	0.00	101	334	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>98.15</td><td>-----</td><td>-----</td><td>89.36</td><td>34.54</td><td>10.71</td><td>36.46</td><td>0.00</td><td>101</td><td>334</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	98.15	-----	-----	89.36	34.54	10.71	36.46	0.00	101	334
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5133.92	46.96	54.00	-7.04	38.66	34.39	10.59	36.68	0.00	101	334	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	98.15	-----	-----	89.36	34.54	10.71	36.46	0.00	101	334	AVERAGE																																																																																																			



Mode	39																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.10</td><td>62.52</td><td>74.00</td><td>-11.48</td><td>53.55</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>101</td><td>334</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5351.10	62.52	74.00	-11.48	53.55	34.59	10.75	36.37	0.00	101	334	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5351.10	62.52	74.00	-11.48	53.55	34.59	10.75	36.37	0.00	101	334	PEAK																																												
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.00</td><td>50.81</td><td>54.00</td><td>-3.19</td><td>41.84</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>101</td><td>334</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5352.00	50.81	54.00	-3.19	41.84	34.59	10.75	36.37	0.00	101	334	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5352.00	50.81	54.00	-3.19	41.84	34.59	10.75	36.37	0.00	101	334	AVERAGE																																												



Mode	39																																																																																																
	Band Edge - L																																																																																																
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																
ANT	CDD 6+7																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5140.48</td><td>57.70</td><td>74.00</td><td>-16.30</td><td>49.38</td><td>34.39</td><td>10.60</td><td>36.67</td><td>0.00</td><td>279</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5140.48	57.70	74.00	-16.30	49.38	34.39	10.60	36.67	0.00	279	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>108.15</td><td>-----</td><td>-----</td><td>99.36</td><td>34.54</td><td>10.71</td><td>36.46</td><td>0.00</td><td>279</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	108.15	-----	-----	99.36	34.54	10.71	36.46	0.00	279
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5140.48	57.70	74.00	-16.30	49.38	34.39	10.60	36.67	0.00	279	0 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5290.00	108.15	-----	-----	99.36	34.54	10.71	36.46	0.00	279	0 PEAK																																																																																						
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5138.40</td><td>46.76</td><td>54.00</td><td>-7.24</td><td>38.44</td><td>34.39</td><td>10.60</td><td>36.67</td><td>0.00</td><td>279</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.40	46.76	54.00	-7.24	38.44	34.39	10.60	36.67	0.00	279	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>99.85</td><td>-----</td><td>-----</td><td>91.06</td><td>34.54</td><td>10.71</td><td>36.46</td><td>0.00</td><td>279</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	99.85	-----	-----	91.06	34.54	10.71	36.46	0.00	279
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5138.40	46.76	54.00	-7.24	38.44	34.39	10.60	36.67	0.00	279	0 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5290.00	99.85	-----	-----	91.06	34.54	10.71	36.46	0.00	279	0 AVERAGE																																																																																						







Mode	39										
	Band Edge - R										
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz										
ANT	CDD 6+7										
Pol.	Vertical										
Fundamental	Blank										
	Blank										
Peak	Blank										
Avg	Blank										
	Blank										




Mode	39																																																																																							
	Harmonic																																																																																							
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																							
ANT	CDD 6+7																																																																																							
Pol.	Horizontal																																																																																							
Peak Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7053.53</td><td>44.85</td><td>68.20</td><td>-23.35</td><td>62.33</td><td>35.61</td><td>12.53</td><td>65.62</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>2 10580.00</td><td>44.93</td><td>68.20</td><td>-23.27</td><td>58.54</td><td>37.58</td><td>15.65</td><td>66.84</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>3 15870.00</td><td>48.45</td><td>74.00</td><td>-25.55</td><td>53.06</td><td>40.17</td><td>19.26</td><td>64.04</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>4 15870.00</td><td>39.22</td><td>54.00</td><td>-14.78</td><td>43.83</td><td>40.17</td><td>19.26</td><td>64.04</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7053.53	44.85	68.20	-23.35	62.33	35.61	12.53	65.62	0.00	--	-- Peak	2 10580.00	44.93	68.20	-23.27	58.54	37.58	15.65	66.84	0.00	--	-- PEAK	3 15870.00	48.45	74.00	-25.55	53.06	40.17	19.26	64.04	0.00	300	0 PEAK	4 15870.00	39.22	54.00	-14.78	43.83	40.17	19.26	64.04	0.00	300	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 7053.53	44.85	68.20	-23.35	62.33	35.61	12.53	65.62	0.00	--	-- Peak																																																																														
2 10580.00	44.93	68.20	-23.27	58.54	37.58	15.65	66.84	0.00	--	-- PEAK																																																																														
3 15870.00	48.45	74.00	-25.55	53.06	40.17	19.26	64.04	0.00	300	0 PEAK																																																																														
4 15870.00	39.22	54.00	-14.78	43.83	40.17	19.26	64.04	0.00	300	0 AVERAGE																																																																														
Vertical																																																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7052.80</td><td>48.62</td><td>68.20</td><td>-19.58</td><td>66.11</td><td>35.61</td><td>12.52</td><td>65.62</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>2 10580.00</td><td>44.31</td><td>68.20</td><td>-23.89</td><td>57.92</td><td>37.58</td><td>15.65</td><td>66.84</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>3 15870.00</td><td>48.18</td><td>74.00</td><td>-25.82</td><td>52.79</td><td>40.17</td><td>19.26</td><td>64.04</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>4 15870.00</td><td>37.97</td><td>54.00</td><td>-16.03</td><td>42.58</td><td>40.17</td><td>19.26</td><td>64.04</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7052.80	48.62	68.20	-19.58	66.11	35.61	12.52	65.62	0.00	--	-- Peak	2 10580.00	44.31	68.20	-23.89	57.92	37.58	15.65	66.84	0.00	--	-- PEAK	3 15870.00	48.18	74.00	-25.82	52.79	40.17	19.26	64.04	0.00	100	0 PEAK	4 15870.00	37.97	54.00	-16.03	42.58	40.17	19.26	64.04	0.00	100	0 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 7052.80	48.62	68.20	-19.58	66.11	35.61	12.52	65.62	0.00	--	-- Peak																																																																														
2 10580.00	44.31	68.20	-23.89	57.92	37.58	15.65	66.84	0.00	--	-- PEAK																																																																														
3 15870.00	48.18	74.00	-25.82	52.79	40.17	19.26	64.04	0.00	100	0 PEAK																																																																														
4 15870.00	37.97	54.00	-16.03	42.58	40.17	19.26	64.04	0.00	100	0 AVERAGE																																																																														





Mode	40																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																											
ANT	CDD 6+7																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.08</td><td>57.53</td><td>74.00</td><td>-16.47</td><td>48.54</td><td>34.60</td><td>10.75</td><td>36.36</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr><tr><td>2</td><td>5461.68</td><td>59.90</td><td>68.20</td><td>-8.30</td><td>50.57</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.08	57.53	74.00	-16.47	48.54	34.60	10.75	36.36	0.00	100	328	PEAK	2	5461.68	59.90	68.20	-8.30	50.57	34.70	10.84	36.21	0.00	100	328	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>105.46</td><td>-----</td><td>-----</td><td>95.90</td><td>34.76</td><td>10.92</td><td>36.12</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	105.46	-----	-----	95.90	34.76	10.92	36.12	0.00	100	328
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5356.08	57.53	74.00	-16.47	48.54	34.60	10.75	36.36	0.00	100	328	PEAK																																																																																																																
2	5461.68	59.90	68.20	-8.30	50.57	34.70	10.84	36.21	0.00	100	328	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5530.00	105.46	-----	-----	95.90	34.76	10.92	36.12	0.00	100	328	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>48.61</td><td>54.00</td><td>-5.39</td><td>39.28</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>100</td><td>328</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	48.61	54.00	-5.39	39.28	34.70	10.84	36.21	0.00	100	328	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>95.98</td><td>-----</td><td>-----</td><td>86.42</td><td>34.76</td><td>10.92</td><td>36.12</td><td>0.00</td><td>100</td><td>328</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	95.98	-----	-----	86.42	34.76	10.92	36.12	0.00	100	328	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5459.92	48.61	54.00	-5.39	39.28	34.70	10.84	36.21	0.00	100	328	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5530.00	95.98	-----	-----	86.42	34.76	10.92	36.12	0.00	100	328	AVERAGE																																																																																																																




Mode	40																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.64</td><td>56.55</td><td>68.20</td><td>-11.65</td><td>47.91</td><td>34.96</td><td>11.20</td><td>37.52</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.64	56.55	68.20	-11.65	47.91	34.96	11.20	37.52	0.00	100	328	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5739.64	56.55	68.20	-11.65	47.91	34.96	11.20	37.52	0.00	100	328	PEAK																																												



Mode	40																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																			
ANT	CDD 6+7																																																																			
Pol.	Vertical						Fundamental																																																													
Peak																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.36</td><td>61.33</td><td>74.00</td><td>-12.67</td><td>52.02</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>261</td><td>0 PEAK</td></tr><tr><td>2</td><td>5466.96</td><td>63.64</td><td>68.20</td><td>-4.56</td><td>54.29</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>261</td><td>0 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.36	61.33	74.00	-12.67	52.02	34.69	10.84	36.22	0.00	261	0 PEAK	2	5466.96	63.64	68.20	-4.56	54.29	34.70	10.85	36.20	0.00	261	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5457.36	61.33	74.00	-12.67	52.02	34.69	10.84	36.22	0.00	261	0 PEAK																																																									
2	5466.96	63.64	68.20	-4.56	54.29	34.70	10.85	36.20	0.00	261	0 PEAK																																																									
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>108.05</td><td>-----</td><td>-----</td><td>98.49</td><td>34.76</td><td>10.92</td><td>36.12</td><td>0.00</td><td>261</td><td>0 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	108.05	-----	-----	98.49	34.76	10.92	36.12	0.00	261	0 PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5530.00	108.05	-----	-----	98.49	34.76	10.92	36.12	0.00	261	0 PEAK																																																									
Avg																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.36</td><td>50.89</td><td>54.00</td><td>-3.11</td><td>41.58</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>261</td><td>0 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.36	50.89	54.00	-3.11	41.58	34.69	10.84	36.22	0.00	261	0 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5457.36	50.89	54.00	-3.11	41.58	34.69	10.84	36.22	0.00	261	0 AVERAGE																																																									
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>99.88</td><td>-----</td><td>-----</td><td>90.32</td><td>34.76</td><td>10.92</td><td>36.12</td><td>0.00</td><td>261</td><td>0 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	99.88	-----	-----	90.32	34.76	10.92	36.12	0.00	261	0 AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5530.00	99.88	-----	-----	90.32	34.76	10.92	36.12	0.00	261	0 AVERAGE																																																									







Mode	40																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5760.36</td><td>56.91</td><td>68.20</td><td>-11.29</td><td>48.55</td><td>34.98</td><td>11.23</td><td>37.85</td><td>0.00</td><td>261</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5760.36	56.91	68.20	-11.29	48.55	34.98	11.23	37.85	0.00	261	0	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5760.36	56.91	68.20	-11.29	48.55	34.98	11.23	37.85	0.00	261	0	PEAK																																												




		40																																																																																						
Mode		Harmonic																																																																																						
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																						
ANT		CDD 6+7																																																																																						
Pol.		Horizontal										Vertical																																																																												
Peak Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7742.00</td><td>43.19</td><td>74.00</td><td>-30.81</td><td>60.76</td><td>36.18</td><td>13.15</td><td>66.90</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>57.34</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>16590.00</td><td>53.09</td><td>68.20</td><td>-15.11</td><td>56.20</td><td>41.20</td><td>19.75</td><td>64.06</td><td>0.00</td><td>300</td><td>323</td><td>PEAK</td></tr></table>																			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7742.00	43.19	74.00	-30.81	60.76	36.18	13.15	66.90	0.00	--	--	PEAK	2	11060.00	44.69	74.00	-29.31	57.34	37.84	16.08	66.57	0.00	--	--	PEAK	3	16590.00	53.09	68.20	-15.11	56.20	41.20	19.75	64.06	0.00	300	323	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	7742.00	43.19	74.00	-30.81	60.76	36.18	13.15	66.90	0.00	--	--	PEAK																																																																												
2	11060.00	44.69	74.00	-29.31	57.34	37.84	16.08	66.57	0.00	--	--	PEAK																																																																												
3	16590.00	53.09	68.20	-15.11	56.20	41.20	19.75	64.06	0.00	300	323	PEAK																																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7742.00</td><td>43.95</td><td>74.00</td><td>-30.05</td><td>61.52</td><td>36.18</td><td>13.15</td><td>66.90</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>44.58</td><td>74.00</td><td>-29.42</td><td>57.23</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>16590.00</td><td>51.89</td><td>68.20</td><td>-16.31</td><td>55.15</td><td>41.00</td><td>19.71</td><td>64.05</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	7742.00	43.95	74.00	-30.05	61.52	36.18	13.15	66.90	0.00	--	--	PEAK	2	11060.00	44.58	74.00	-29.42	57.23	37.84	16.08	66.57	0.00	--	--	PEAK	3	16590.00	51.89	68.20	-16.31	55.15	41.00	19.71	64.05	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																													
1	7742.00	43.95	74.00	-30.05	61.52	36.18	13.15	66.90	0.00	--	--	PEAK																																																																												
2	11060.00	44.58	74.00	-29.42	57.23	37.84	16.08	66.57	0.00	--	--	PEAK																																																																												
3	16590.00	51.89	68.20	-16.31	55.15	41.00	19.71	64.05	0.00	--	--	PEAK																																																																												



Mode	41																																																																																									
	Band Edge - L																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																									
ANT	CDD 6+7																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5453.20</td><td>57.15</td><td>74.00</td><td>-16.85</td><td>47.85</td><td>34.69</td><td>10.83</td><td>36.22</td></tr><tr><td>2</td><td>5460.00</td><td>56.73</td><td>68.20</td><td>-11.47</td><td>47.40</td><td>34.70</td><td>10.84</td><td>36.21</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5453.20	57.15	74.00	-16.85	47.85	34.69	10.83	36.22	2	5460.00	56.73	68.20	-11.47	47.40	34.70	10.84	36.21	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>106.68</td><td>96.82</td><td>34.84</td><td>11.02</td><td>36.00</td><td>0.00</td><td>187</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5610.00	106.68	96.82	34.84	11.02	36.00	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5453.20	57.15	74.00	-16.85	47.85	34.69	10.83	36.22																																																																																		
2	5460.00	56.73	68.20	-11.47	47.40	34.70	10.84	36.21																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5610.00	106.68	96.82	34.84	11.02	36.00	0.00	187																																																																																		
Avg																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5453.52</td><td>45.97</td><td>54.00</td><td>-8.03</td><td>36.67</td><td>34.69</td><td>10.83</td><td>36.22</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5453.52	45.97	54.00	-8.03	36.67	34.69	10.83	36.22	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>97.85</td><td>87.99</td><td>34.84</td><td>11.02</td><td>36.00</td><td>0.00</td><td>187</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5610.00	97.85	87.99	34.84	11.02	36.00	0.00	187								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5453.52	45.97	54.00	-8.03	36.67	34.69	10.83	36.22																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																		
1	5610.00	97.85	87.99	34.84	11.02	36.00	0.00	187																																																																																		




Mode	41																																																																										
	Band Edge - R																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																										
ANT	CDD 6+7																																																																										
Pol.	Horizontal						Fundamental																																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5733.72</td><td>59.14</td><td>68.20</td><td>-9.06</td><td>50.43</td><td>34.95</td><td>11.19</td><td>37.43</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>187</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>330</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5733.72	59.14	68.20	-9.06	50.43	34.95	11.19	37.43								0.00	187									330									PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5733.72	59.14	68.20	-9.06	50.43	34.95	11.19	37.43																																																																			
							0.00	187																																																																			
								330																																																																			
								PEAK																																																																			





		41																																																															
Mode		Band Edge - L																																																															
		U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																															
ANT		CDD 6+7																																																															
Pol.		Vertical					Fundamental																																																										
Peak																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.64</td><td>56.89</td><td>74.00</td><td>-17.11</td><td>47.58</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>253</td><td>0 PEAK</td></tr><tr><td>2</td><td>5467.92</td><td>59.76</td><td>68.20</td><td>-8.44</td><td>50.41</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>253</td><td>0 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	56.89	74.00	-17.11	47.58	34.69	10.84	36.22	0.00	253	0 PEAK	2	5467.92	59.76	68.20	-8.44	50.41	34.70	10.85	36.20	0.00	253
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5458.64	56.89	74.00	-17.11	47.58	34.69	10.84	36.22	0.00	253	0 PEAK																																																						
2	5467.92	59.76	68.20	-8.44	50.41	34.70	10.85	36.20	0.00	253	0 PEAK																																																						
Avg																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.32</td><td>47.07</td><td>54.00</td><td>-6.93</td><td>37.76</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>253</td><td>0 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.32	47.07	54.00	-6.93	37.76	34.69	10.84	36.22	0.00	253	0 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5458.32	47.07	54.00	-6.93	37.76	34.69	10.84	36.22	0.00	253	0 AVERAGE																																																						
Peak																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>110.88</td><td>-----</td><td>-----</td><td>101.02</td><td>34.84</td><td>11.02</td><td>36.00</td><td>0.00</td><td>253</td><td>0 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	110.88	-----	-----	101.02	34.84	11.02	36.00	0.00	253	0 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5610.00	110.88	-----	-----	101.02	34.84	11.02	36.00	0.00	253	0 PEAK																																																						
Avg																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>102.30</td><td>-----</td><td>-----</td><td>92.46</td><td>34.84</td><td>11.01</td><td>36.01</td><td>0.00</td><td>253</td><td>0 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	102.30	-----	-----	92.46	34.84	11.01	36.01	0.00	253	0 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5610.00	102.30	-----	-----	92.46	34.84	11.01	36.01	0.00	253	0 AVERAGE																																																						







Mode	41																																															
	Band Edge - R																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																															
ANT	CDD 6+7																																															
Pol.	Vertical						Fundamental																																									
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5726.68</td><td>64.87</td><td>68.20</td><td>-3.33</td><td>56.06</td><td>34.95</td><td>11.18</td><td>37.32</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5726.68	64.87	68.20	-3.33	56.06	34.95	11.18	37.32	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																								
1	5726.68	64.87	68.20	-3.33	56.06	34.95	11.18	37.32																																								





Mode	41																																																																																																																																								
	Harmonic																																																																																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																																																								
ANT	CDD 6+7																																																																																																																																								
Pol.	Horizontal					Vertical																																																																																																																																			
Peak Avg																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7854.00</td><td>42.97</td><td>68.20</td><td>-25.23</td><td>60.37</td><td>36.31</td><td>13.24</td><td>66.95</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 11220.00</td><td>44.59</td><td>74.00</td><td>-29.41</td><td>56.99</td><td>37.90</td><td>16.18</td><td>66.48</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>3 16830.00</td><td>51.02</td><td>68.20</td><td>-17.18</td><td>53.85</td><td>41.38</td><td>19.86</td><td>64.07</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7854.00	42.97	68.20	-25.23	60.37	36.31	13.24	66.95	0.00	--	-- PEAK	2 11220.00	44.59	74.00	-29.41	56.99	37.90	16.18	66.48	0.00	--	-- PEAK	3 16830.00	51.02	68.20	-17.18	53.85	41.38	19.86	64.07	0.00	--	-- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7854.00</td><td>43.39</td><td>68.20</td><td>-24.81</td><td>60.79</td><td>36.31</td><td>13.24</td><td>66.95</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 11220.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>57.85</td><td>37.90</td><td>16.18</td><td>66.48</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>3 16830.00</td><td>49.95</td><td>68.20</td><td>-18.25</td><td>52.82</td><td>41.30</td><td>19.90</td><td>64.07</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7854.00	43.39	68.20	-24.81	60.79	36.31	13.24	66.95	0.00	--	-- PEAK	2 11220.00	45.45	74.00	-28.55	57.85	37.90	16.18	66.48	0.00	--	-- PEAK	3 16830.00	49.95	68.20	-18.25	52.82	41.30	19.90	64.07	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 7854.00	42.97	68.20	-25.23	60.37	36.31	13.24	66.95	0.00	--	-- PEAK																																																																																																																															
2 11220.00	44.59	74.00	-29.41	56.99	37.90	16.18	66.48	0.00	--	-- PEAK																																																																																																																															
3 16830.00	51.02	68.20	-17.18	53.85	41.38	19.86	64.07	0.00	--	-- PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 7854.00	43.39	68.20	-24.81	60.79	36.31	13.24	66.95	0.00	--	-- PEAK																																																																																																																															
2 11220.00	45.45	74.00	-28.55	57.85	37.90	16.18	66.48	0.00	--	-- PEAK																																																																																																																															
3 16830.00	49.95	68.20	-18.25	52.82	41.30	19.90	64.07	0.00	--	-- PEAK																																																																																																																															







Mode	42																																																																																											
	Band Edge - L																																																																																											
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																											
ANT	CDD 6+7																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5121.00</td><td>59.06</td><td>74.00</td><td>-14.94</td><td>50.79</td><td>34.38</td><td>10.58</td><td>36.69</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>152 331 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5121.00	59.06	74.00	-14.94	50.79	34.38	10.58	36.69	0.00									152 331 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5250.00</td><td>100.78</td><td>-----</td><td>-----</td><td>92.10</td><td>34.50</td><td>10.69</td><td>36.51</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>152 331 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5250.00	100.78	-----	-----	92.10	34.50	10.69	36.51	0.00									152 331 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 5121.00	59.06	74.00	-14.94	50.79	34.38	10.58	36.69	0.00																																																																																				
								152 331 PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 5250.00	100.78	-----	-----	92.10	34.50	10.69	36.51	0.00																																																																																				
								152 331 PEAK																																																																																				
Avg	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5092.00</td><td>48.68</td><td>54.00</td><td>-5.32</td><td>40.52</td><td>34.35</td><td>10.55</td><td>36.74</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>152 331 AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5092.00	48.68	54.00	-5.32	40.52	34.35	10.55	36.74	0.00									152 331 AVERAGE	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5250.00</td><td>93.25</td><td>-----</td><td>-----</td><td>84.60</td><td>34.49</td><td>10.68</td><td>36.52</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>152 331 AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5250.00	93.25	-----	-----	84.60	34.49	10.68	36.52	0.00									152 331 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 5092.00	48.68	54.00	-5.32	40.52	34.35	10.55	36.74	0.00																																																																																				
								152 331 AVERAGE																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1 5250.00	93.25	-----	-----	84.60	34.49	10.68	36.52	0.00																																																																																				
								152 331 AVERAGE																																																																																				





Mode	42																																																							
	Band Edge - R																																																							
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5400.99</td><td>58.67</td><td>74.00</td><td>-15.33</td><td>49.55</td><td>34.64</td><td>10.78</td><td>36.30</td><td>0.00</td><td>152</td><td>331</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5400.99	58.67	74.00	-15.33	49.55	34.64	10.78	36.30	0.00	152	331	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5400.99	58.67	74.00	-15.33	49.55	34.64	10.78	36.30	0.00	152	331	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5393.64</td><td>49.28</td><td>54.00</td><td>-4.72</td><td>40.19</td><td>34.63</td><td>10.77</td><td>36.31</td><td>0.00</td><td>152</td><td>331</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5393.64	49.28	54.00	-4.72	40.19	34.63	10.77	36.31	0.00	152	331	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5393.64	49.28	54.00	-4.72	40.19	34.63	10.77	36.31	0.00	152	331	AVERAGE																																												



Mode	42																																																					
	Band Edge - L																																																					
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																					
ANT	CDD 6+7																																																					
Pol.	Vertical						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.00</td><td>62.55</td><td>74.00</td><td>-11.45</td><td>54.21</td><td>34.40</td><td>10.60</td><td>36.66</td><td>0.00</td><td>314</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.00	62.55	74.00	-11.45	54.21	34.40	10.60	36.66	0.00	314
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5146.00	62.55	74.00	-11.45	54.21	34.40	10.60	36.66	0.00	314	0 PEAK																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>103.07</td><td>-----</td><td>-----</td><td>94.36</td><td>34.51</td><td>10.70</td><td>36.50</td><td>0.00</td><td>314</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	103.07	-----	-----	94.36	34.51	10.70	36.50	0.00	314
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5250.00	103.07	-----	-----	94.36	34.51	10.70	36.50	0.00	314	0 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5097.25</td><td>50.12</td><td>54.00</td><td>-3.88</td><td>41.95</td><td>34.35</td><td>10.55</td><td>36.73</td><td>0.00</td><td>314</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5097.25	50.12	54.00	-3.88	41.95	34.35	10.55	36.73	0.00	314
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5097.25	50.12	54.00	-3.88	41.95	34.35	10.55	36.73	0.00	314	0 AVERAGE																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>94.97</td><td>-----</td><td>-----</td><td>86.29</td><td>34.50</td><td>10.69</td><td>36.51</td><td>0.00</td><td>314</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	94.97	-----	-----	86.29	34.50	10.69	36.51	0.00	314
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5250.00	94.97	-----	-----	86.29	34.50	10.69	36.51	0.00	314	0 AVERAGE																																											







Mode	42																																																					
	Band Edge - R																																																					
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																					
ANT	CDD 6+7																																																					
Pol.	Vertical										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5309.06</td><td>61.03</td><td>74.00</td><td>-12.97</td><td>51.94</td><td>34.63</td><td>10.77</td><td>36.31</td><td>0.00</td><td>314</td><td>0 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5309.06	61.03	74.00	-12.97	51.94	34.63	10.77	36.31	0.00	314	0 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5309.06	61.03	74.00	-12.97	51.94	34.63	10.77	36.31	0.00	314	0 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5309.31</td><td>50.48</td><td>54.00</td><td>-3.52</td><td>41.36</td><td>34.64</td><td>10.78</td><td>36.30</td><td>0.00</td><td>314</td><td>0 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5309.31	50.48	54.00	-3.52	41.36	34.64	10.78	36.30	0.00	314	0 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5309.31	50.48	54.00	-3.52	41.36	34.64	10.78	36.30	0.00	314	0 AVERAGE																																											




		42																																																																											
Mode		Harmonic																																																																											
		U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																											
ANT		CDD 6+7																																																																											
Pol.		Horizontal					Vertical																																																																						
Peak Avg																																																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10500.00</td><td>44.86</td><td>68.20</td><td>-23.34</td><td>58.66</td><td>37.50</td><td>15.58</td><td>66.88</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15750.00</td><td>48.95</td><td>74.00</td><td>-25.05</td><td>53.83</td><td>40.00</td><td>19.18</td><td>64.06</td><td>0.00</td><td>300</td><td>360 PEAK</td></tr><tr><td>3</td><td>15750.00</td><td>38.70</td><td>54.00</td><td>-15.30</td><td>43.64</td><td>39.96</td><td>19.17</td><td>64.07</td><td>0.00</td><td>300</td><td>360 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10500.00	44.86	68.20	-23.34	58.66	37.50	15.58	66.88	0.00	--	PEAK	2	15750.00	48.95	74.00	-25.05	53.83	40.00	19.18	64.06	0.00	300	360 PEAK	3	15750.00	38.70	54.00	-15.30	43.64	39.96	19.17	64.07	0.00	300	360 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	10500.00	44.86	68.20	-23.34	58.66	37.50	15.58	66.88	0.00	--	PEAK																																																																		
2	15750.00	48.95	74.00	-25.05	53.83	40.00	19.18	64.06	0.00	300	360 PEAK																																																																		
3	15750.00	38.70	54.00	-15.30	43.64	39.96	19.17	64.07	0.00	300	360 AVERAGE																																																																		
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10500.00</td><td>44.23</td><td>68.20</td><td>-23.97</td><td>58.03</td><td>37.50</td><td>15.58</td><td>66.88</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15750.00</td><td>49.42</td><td>74.00</td><td>-24.58</td><td>54.30</td><td>40.00</td><td>19.18</td><td>64.06</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>3</td><td>15750.00</td><td>38.15</td><td>54.00</td><td>-15.85</td><td>42.92</td><td>40.00</td><td>19.21</td><td>64.06</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10500.00	44.23	68.20	-23.97	58.03	37.50	15.58	66.88	0.00	--	PEAK	2	15750.00	49.42	74.00	-24.58	54.30	40.00	19.18	64.06	0.00	100	360 PEAK	3	15750.00	38.15	54.00	-15.85	42.92	40.00	19.21	64.06	0.00	100	360 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	10500.00	44.23	68.20	-23.97	58.03	37.50	15.58	66.88	0.00	--	PEAK																																																																		
2	15750.00	49.42	74.00	-24.58	54.30	40.00	19.18	64.06	0.00	100	360 PEAK																																																																		
3	15750.00	38.15	54.00	-15.85	42.92	40.00	19.21	64.06	0.00	100	360 AVERAGE																																																																		







		43																																																																																																												
Mode		Band Edge - L																																																																																																												
		U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																												
ANT		CDD 6+7																																																																																																												
Pol.		Horizontal					Fundamental																																																																																																							
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.76</td><td>58.27</td><td>74.00</td><td>-15.73</td><td>48.98</td><td>34.69</td><td>10.83</td><td>36.23</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr><tr><td>2</td><td>5462.06</td><td>58.27</td><td>68.20</td><td>-9.93</td><td>48.94</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.76	58.27	74.00	-15.73	48.98	34.69	10.83	36.23	0.00	100	328	PEAK	2	5462.06	58.27	68.20	-9.93	48.94	34.70	10.84	36.21	0.00	100	328	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>101.82</td><td>-----</td><td>-----</td><td>92.14</td><td>34.79</td><td>10.96</td><td>36.07</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	101.82	-----	-----	92.14	34.79	10.96	36.07	0.00	100	328
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5450.76	58.27	74.00	-15.73	48.98	34.69	10.83	36.23	0.00	100	328	PEAK																																																																																																		
2	5462.06	58.27	68.20	-9.93	48.94	34.70	10.84	36.21	0.00	100	328	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5570.00	101.82	-----	-----	92.14	34.79	10.96	36.07	0.00	100	328	PEAK																																																																																																		
Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.64</td><td>48.04</td><td>54.00</td><td>-5.96</td><td>38.75</td><td>34.69</td><td>10.83</td><td>36.23</td><td>0.00</td><td>100</td><td>328</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.64	48.04	54.00	-5.96	38.75	34.69	10.83	36.23	0.00	100	328	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>91.12</td><td>-----</td><td>-----</td><td>81.44</td><td>34.79</td><td>10.96</td><td>36.07</td><td>0.00</td><td>100</td><td>328</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	91.12	-----	-----	81.44	34.79	10.96	36.07	0.00	100	328	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5451.64	48.04	54.00	-5.96	38.75	34.69	10.83	36.23	0.00	100	328	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5570.00	91.12	-----	-----	81.44	34.79	10.96	36.07	0.00	100	328	AVERAGE																																																																																																		



Mode	43																																																																
	Band Edge - R																																																																
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																
ANT	CDD 6+7																																																																
Pol.	Horizontal	Fundamental																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5734.19</td><td>59.13</td><td>68.20</td><td>-9.07</td><td>50.43</td><td>34.95</td><td>11.19</td><td>37.44</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>328</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5734.19	59.13	68.20	-9.07	50.43	34.95	11.19	37.44								0.00	100									328									PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5734.19	59.13	68.20	-9.07	50.43	34.95	11.19	37.44																																																									
							0.00	100																																																									
								328																																																									
								PEAK																																																									





		43																																																																																																																
Mode	Band Edge - L																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																																	
ANT	CDD 6+7																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.14</td><td>61.26</td><td>74.00</td><td>-12.74</td><td>51.95</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>270</td><td>0 PEAK</td></tr><tr><td>2</td><td>5468.58</td><td>61.14</td><td>68.20</td><td>-7.06</td><td>51.79</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>270</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.14	61.26	74.00	-12.74	51.95	34.69	10.84	36.22	0.00	270	0 PEAK	2	5468.58	61.14	68.20	-7.06	51.79	34.70	10.85	36.20	0.00	270	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>104.55</td><td>-----</td><td>-----</td><td>94.84</td><td>34.80</td><td>10.97</td><td>36.06</td><td>0.00</td><td>270</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	104.55	-----	-----	94.84	34.80	10.97	36.06	0.00	270
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5457.14	61.26	74.00	-12.74	51.95	34.69	10.84	36.22	0.00	270	0 PEAK																																																																																																							
2	5468.58	61.14	68.20	-7.06	51.79	34.70	10.85	36.20	0.00	270	0 PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5570.00	104.55	-----	-----	94.84	34.80	10.97	36.06	0.00	270	0 PEAK																																																																																																							
Avg																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.92</td><td>50.60</td><td>54.00</td><td>-3.40</td><td>41.29</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>270</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5456.92	50.60	54.00	-3.40	41.29	34.69	10.84	36.22	0.00	270	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>95.20</td><td>-----</td><td>-----</td><td>85.50</td><td>34.80</td><td>10.96</td><td>36.06</td><td>0.00</td><td>270</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	95.20	-----	-----	85.50	34.80	10.96	36.06	0.00	270	0 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5456.92	50.60	54.00	-3.40	41.29	34.69	10.84	36.22	0.00	270	0 AVERAGE																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5570.00	95.20	-----	-----	85.50	34.80	10.96	36.06	0.00	270	0 AVERAGE																																																																																																							



Mode	43																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.59</td><td>62.52</td><td>68.20</td><td>-5.68</td><td>53.71</td><td>34.95</td><td>11.18</td><td>37.32</td><td>0.00</td><td>270</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.59	62.52	68.20	-5.68	53.71	34.95	11.18	37.32	0.00	270	0	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5726.59	62.52	68.20	-5.68	53.71	34.95	11.18	37.32	0.00	270	0	PEAK																																												





Mode	43																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																																																											
ANT	CDD 6+7																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11140.00</td><td>45.25</td><td>74.00</td><td>-28.75</td><td>57.81</td><td>37.84</td><td>16.13</td><td>66.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16710.00</td><td>50.34</td><td>68.20</td><td>-17.86</td><td>53.42</td><td>41.20</td><td>19.78</td><td>64.06</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11140.00	45.25	74.00	-28.75	57.81	37.84	16.13	66.53	0.00	--	--	PEAK	2	16710.00	50.34	68.20	-17.86	53.42	41.20	19.78	64.06	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11140.00</td><td>44.66</td><td>74.00</td><td>-29.34</td><td>57.22</td><td>37.84</td><td>16.13</td><td>66.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16710.00</td><td>49.84</td><td>68.20</td><td>-18.36</td><td>52.67</td><td>41.38</td><td>19.86</td><td>64.07</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11140.00	44.66	74.00	-29.34	57.22	37.84	16.13	66.53	0.00	--	--	PEAK	2	16710.00	49.84	68.20	-18.36	52.67	41.38	19.86	64.07	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	11140.00	45.25	74.00	-28.75	57.81	37.84	16.13	66.53	0.00	--	--	PEAK																																																																																																																																
2	16710.00	50.34	68.20	-17.86	53.42	41.20	19.78	64.06	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	11140.00	44.66	74.00	-29.34	57.22	37.84	16.13	66.53	0.00	--	--	PEAK																																																																																																																																
2	16710.00	49.84	68.20	-18.36	52.67	41.38	19.86	64.07	0.00	--	--	PEAK																																																																																																																																






Mode	39	
	18G-40G	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz	
ANT	CDD 6+7	
Pol.	Horizontal	Vertical
Peak		
Avg		






Mode	39																																																																																																																																																																																											
	30-1G																																																																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																																																																																																											
ANT	CDD 6+7																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																					
Peak																																																																																																																																																																																												
	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.00</td><td>21.42</td><td>40.00</td><td>-18.58</td><td>29.16</td><td>24.57</td><td>0.71</td><td>33.02</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>105.66</td><td>23.84</td><td>43.50</td><td>-19.66</td><td>38.16</td><td>16.99</td><td>1.55</td><td>32.86</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>181.32</td><td>25.28</td><td>43.50</td><td>-18.22</td><td>40.28</td><td>15.79</td><td>2.04</td><td>32.83</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>267.65</td><td>25.91</td><td>46.00</td><td>-20.09</td><td>37.46</td><td>18.74</td><td>2.50</td><td>32.79</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>672.14</td><td>27.93</td><td>46.00</td><td>-18.07</td><td>31.75</td><td>25.22</td><td>3.96</td><td>33.00</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>900.09</td><td>29.94</td><td>46.00</td><td>-16.06</td><td>30.49</td><td>26.67</td><td>4.59</td><td>31.81</td><td>0.00</td><td>--- Peak</td></tr></table>						Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	30.00	21.42	40.00	-18.58	29.16	24.57	0.71	33.02	0.00	--- Peak	2	105.66	23.84	43.50	-19.66	38.16	16.99	1.55	32.86	0.00	--- Peak	3	181.32	25.28	43.50	-18.22	40.28	15.79	2.04	32.83	0.00	--- Peak	4	267.65	25.91	46.00	-20.09	37.46	18.74	2.50	32.79	0.00	--- Peak	5	672.14	27.93	46.00	-18.07	31.75	25.22	3.96	33.00	0.00	--- Peak	6	900.09	29.94	46.00	-16.06	30.49	26.67	4.59	31.81	0.00	--- Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>36.79</td><td>31.29</td><td>40.00</td><td>-8.71</td><td>42.45</td><td>20.92</td><td>0.83</td><td>32.91</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>48.43</td><td>34.53</td><td>40.00</td><td>-5.47</td><td>51.39</td><td>15.04</td><td>1.03</td><td>32.93</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>81.41</td><td>26.56</td><td>40.00</td><td>-13.44</td><td>44.56</td><td>13.43</td><td>1.34</td><td>32.77</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>179.38</td><td>23.66</td><td>43.50</td><td>-19.84</td><td>38.63</td><td>15.83</td><td>2.03</td><td>32.83</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>261.83</td><td>21.81</td><td>46.00</td><td>-24.19</td><td>33.49</td><td>18.63</td><td>2.47</td><td>32.78</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>639.16</td><td>27.23</td><td>46.00</td><td>-18.77</td><td>31.18</td><td>25.16</td><td>3.86</td><td>32.97</td><td>0.00</td><td>--- Peak</td></tr></table>						Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	36.79	31.29	40.00	-8.71	42.45	20.92	0.83	32.91	0.00	--- Peak	2	48.43	34.53	40.00	-5.47	51.39	15.04	1.03	32.93	0.00	--- Peak	3	81.41	26.56	40.00	-13.44	44.56	13.43	1.34	32.77	0.00	--- Peak	4	179.38	23.66	43.50	-19.84	38.63	15.83	2.03	32.83	0.00	--- Peak	5	261.83	21.81	46.00	-24.19	33.49	18.63	2.47	32.78	0.00	--- Peak	6	639.16	27.23	46.00	-18.77	31.18	25.16	3.86	32.97	0.00	--- Peak
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																		
	1	30.00	21.42	40.00	-18.58	29.16	24.57	0.71	33.02	0.00	--- Peak																																																																																																																																																																																	
	2	105.66	23.84	43.50	-19.66	38.16	16.99	1.55	32.86	0.00	--- Peak																																																																																																																																																																																	
	3	181.32	25.28	43.50	-18.22	40.28	15.79	2.04	32.83	0.00	--- Peak																																																																																																																																																																																	
	4	267.65	25.91	46.00	-20.09	37.46	18.74	2.50	32.79	0.00	--- Peak																																																																																																																																																																																	
	5	672.14	27.93	46.00	-18.07	31.75	25.22	3.96	33.00	0.00	--- Peak																																																																																																																																																																																	
	6	900.09	29.94	46.00	-16.06	30.49	26.67	4.59	31.81	0.00	--- Peak																																																																																																																																																																																	
Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																			
1	36.79	31.29	40.00	-8.71	42.45	20.92	0.83	32.91	0.00	--- Peak																																																																																																																																																																																		
2	48.43	34.53	40.00	-5.47	51.39	15.04	1.03	32.93	0.00	--- Peak																																																																																																																																																																																		
3	81.41	26.56	40.00	-13.44	44.56	13.43	1.34	32.77	0.00	--- Peak																																																																																																																																																																																		
4	179.38	23.66	43.50	-19.84	38.63	15.83	2.03	32.83	0.00	--- Peak																																																																																																																																																																																		
5	261.83	21.81	46.00	-24.19	33.49	18.63	2.47	32.78	0.00	--- Peak																																																																																																																																																																																		
6	639.16	27.23	46.00	-18.77	31.18	25.16	3.86	32.97	0.00	--- Peak																																																																																																																																																																																		





	44																																																																																																																																			
Mode	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5625.20</td><td>56.94</td><td>68.20</td><td>-11.26</td><td>47.03</td><td>34.85</td><td>11.04</td><td>35.98</td><td>0.00</td><td>182</td><td>0</td><td>Peak</td></tr><tr><td>2 5650.00</td><td>57.45</td><td>68.20</td><td>-10.75</td><td>47.62</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>182</td><td>0</td><td>PEAK</td></tr><tr><td>3 5702.00</td><td>56.53</td><td>105.86</td><td>-49.33</td><td>47.40</td><td>34.92</td><td>11.14</td><td>36.93</td><td>0.00</td><td>182</td><td>0</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>54.92</td><td>110.90</td><td>-55.98</td><td>46.03</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>182</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5625.20	56.94	68.20	-11.26	47.03	34.85	11.04	35.98	0.00	182	0	Peak	2 5650.00	57.45	68.20	-10.75	47.62	34.88	11.07	36.12	0.00	182	0	PEAK	3 5702.00	56.53	105.86	-49.33	47.40	34.92	11.14	36.93	0.00	182	0	PEAK	4 5720.00	54.92	110.90	-55.98	46.03	34.94	11.17	37.22	0.00	182	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5745.00</td><td>109.57</td><td>-----</td><td>-----</td><td>101.01</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>182</td><td>0</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	109.57	-----	-----	101.01	34.97	11.21	37.62	0.00	182	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5625.20	56.94	68.20	-11.26	47.03	34.85	11.04	35.98	0.00	182	0	Peak																																																																																																																									
2 5650.00	57.45	68.20	-10.75	47.62	34.88	11.07	36.12	0.00	182	0	PEAK																																																																																																																									
3 5702.00	56.53	105.86	-49.33	47.40	34.92	11.14	36.93	0.00	182	0	PEAK																																																																																																																									
4 5720.00	54.92	110.90	-55.98	46.03	34.94	11.17	37.22	0.00	182	0	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	109.57	-----	-----	101.01	34.97	11.21	37.62	0.00	182	0	PEAK																																																																																																																									
Avg	Blank																																																																																																																																			
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5745.00</td><td>101.45</td><td>-----</td><td>-----</td><td>92.89</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>182</td><td>0</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	101.45	-----	-----	92.89	34.97	11.21	37.62	0.00	182	0	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	101.45	-----	-----	92.89	34.97	11.21	37.62	0.00	182	0	AVERAGE																																																																																																																									



	44																																																																																																																																																					
Mode	Band Edge																																																																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																					
ANT	CDD 6+7																																																																																																																																																					
Pol.	Vertical						Fundamental																																																																																																																																															
Peak																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5602.40</td><td>57.47</td><td>68.20</td><td>-10.73</td><td>47.64</td><td>34.83</td><td>11.01</td><td>36.01</td><td>0.00</td><td>210</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>55.27</td><td>69.39</td><td>-14.12</td><td>45.46</td><td>34.88</td><td>11.07</td><td>36.14</td><td>0.00</td><td>210</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>58.71</td><td>105.75</td><td>-47.04</td><td>49.58</td><td>34.92</td><td>11.14</td><td>36.93</td><td>0.00</td><td>210</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>55.74</td><td>110.90</td><td>-55.16</td><td>46.85</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>210</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5602.40	57.47	68.20	-10.73	47.64	34.83	11.01	36.01	0.00	210	360	PEAK	2	5651.60	55.27	69.39	-14.12	45.46	34.88	11.07	36.14	0.00	210	360	PEAK	3	5701.60	58.71	105.75	-47.04	49.58	34.92	11.14	36.93	0.00	210	360	PEAK	4	5720.00	55.74	110.90	-55.16	46.85	34.94	11.17	37.22	0.00	210	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>114.32</td><td>-----</td><td>-----</td><td>105.76</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>210</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	114.32	-----	-----	105.76	34.97	11.21	37.62	0.00	210	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	5602.40	57.47	68.20	-10.73	47.64	34.83	11.01	36.01	0.00	210	360	PEAK																																																																																																																																										
2	5651.60	55.27	69.39	-14.12	45.46	34.88	11.07	36.14	0.00	210	360	PEAK																																																																																																																																										
3	5701.60	58.71	105.75	-47.04	49.58	34.92	11.14	36.93	0.00	210	360	PEAK																																																																																																																																										
4	5720.00	55.74	110.90	-55.16	46.85	34.94	11.17	37.22	0.00	210	360	PEAK																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	5745.00	114.32	-----	-----	105.76	34.97	11.21	37.62	0.00	210	360	PEAK																																																																																																																																										
Avg	Blank																																																																																																																																																					
													<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>105.82</td><td>-----</td><td>-----</td><td>97.26</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>210</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.82	-----	-----	97.26	34.97	11.21	37.62	0.00	210	360	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	5745.00	105.82	-----	-----	97.26	34.97	11.21	37.62	0.00	210	360	AVERAGE																																																																																																																																										






Mode	44																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																					
ANT	CDD 6+7																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																															
Peak Avg																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>58.14</td><td>74.00</td><td>-15.86</td><td>69.94</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>190</td><td>333</td><td>PEAK</td></tr><tr><td>2 11490.00</td><td>46.71</td><td>54.00</td><td>-7.29</td><td>58.52</td><td>38.18</td><td>16.35</td><td>66.34</td><td>0.00</td><td>190</td><td>333</td><td>AVERAGE</td></tr><tr><td>3 17235.00</td><td>64.33</td><td>68.20</td><td>-3.87</td><td>67.43</td><td>41.03</td><td>20.16</td><td>64.29</td><td>0.00</td><td>137</td><td>1</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	58.14	74.00	-15.86	69.94	38.18	16.36	66.34	0.00	190	333	PEAK	2 11490.00	46.71	54.00	-7.29	58.52	38.18	16.35	66.34	0.00	190	333	AVERAGE	3 17235.00	64.33	68.20	-3.87	67.43	41.03	20.16	64.29	0.00	137	1	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.93</td><td>48.56</td><td>74.00</td><td>-25.44</td><td>60.36</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 17235.00</td><td>60.35</td><td>68.20</td><td>-7.85</td><td>63.45</td><td>41.03</td><td>20.16</td><td>64.29</td><td>0.00</td><td>127</td><td>29</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.93	48.56	74.00	-25.44	60.36	38.18	16.36	66.34	0.00	--	--	Peak	2 17235.00	60.35	68.20	-7.85	63.45	41.03	20.16	64.29	0.00	127	29	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1 11490.00	58.14	74.00	-15.86	69.94	38.18	16.36	66.34	0.00	190	333	PEAK																																																																																																																											
2 11490.00	46.71	54.00	-7.29	58.52	38.18	16.35	66.34	0.00	190	333	AVERAGE																																																																																																																											
3 17235.00	64.33	68.20	-3.87	67.43	41.03	20.16	64.29	0.00	137	1	PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1 11490.93	48.56	74.00	-25.44	60.36	38.18	16.36	66.34	0.00	--	--	Peak																																																																																																																											
2 17235.00	60.35	68.20	-7.85	63.45	41.03	20.16	64.29	0.00	127	29	PEAK																																																																																																																											






Mode	45																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																							
ANT	CDD 6+7																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>59.50</td><td>74.00</td><td>-14.50</td><td>71.22</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>199</td><td>337</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>48.76</td><td>54.00</td><td>-5.24</td><td>60.49</td><td>38.20</td><td>16.40</td><td>66.33</td><td>0.00</td><td>199</td><td>337</td><td>AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>64.70</td><td>68.20</td><td>-3.50</td><td>67.76</td><td>41.10</td><td>20.24</td><td>64.40</td><td>0.00</td><td>173</td><td></td><td>1 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	59.50	74.00	-14.50	71.22	38.20	16.41	66.33	0.00	199	337	PEAK	2	11570.00	48.76	54.00	-5.24	60.49	38.20	16.40	66.33	0.00	199	337	AVERAGE	3	17355.00	64.70	68.20	-3.50	67.76	41.10	20.24	64.40	0.00	173		1 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>56.15</td><td>74.00</td><td>-17.85</td><td>67.87</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>105</td><td>343</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.13</td><td>54.00</td><td>-8.87</td><td>56.86</td><td>38.20</td><td>16.40</td><td>66.33</td><td>0.00</td><td>105</td><td>343</td><td>AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>62.37</td><td>68.20</td><td>-5.83</td><td>65.43</td><td>41.10</td><td>20.23</td><td>64.39</td><td>0.00</td><td>129</td><td></td><td>34 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	56.15	74.00	-17.85	67.87	38.20	16.41	66.33	0.00	105	343	PEAK	2	11570.00	45.13	54.00	-8.87	56.86	38.20	16.40	66.33	0.00	105	343	AVERAGE	3	17355.00	62.37	68.20	-5.83	65.43	41.10	20.23	64.39	0.00	129	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	11570.00	59.50	74.00	-14.50	71.22	38.20	16.41	66.33	0.00	199	337	PEAK																																																																																																																																												
2	11570.00	48.76	54.00	-5.24	60.49	38.20	16.40	66.33	0.00	199	337	AVERAGE																																																																																																																																												
3	17355.00	64.70	68.20	-3.50	67.76	41.10	20.24	64.40	0.00	173		1 PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	11570.00	56.15	74.00	-17.85	67.87	38.20	16.41	66.33	0.00	105	343	PEAK																																																																																																																																												
2	11570.00	45.13	54.00	-8.87	56.86	38.20	16.40	66.33	0.00	105	343	AVERAGE																																																																																																																																												
3	17355.00	62.37	68.20	-5.83	65.43	41.10	20.23	64.39	0.00	129		34 PEAK																																																																																																																																												





Mode	46																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue signal line with peaks at 5854.00, 5855.20, 5924.00, and 5986.40 MHz. A table below the plot provides detailed data for these peaks. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5854.00</td><td>68.70</td><td>111.36</td><td>-42.66</td><td>61.62</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td></tr><tr><td>2</td><td>5855.20</td><td>69.94</td><td>110.84</td><td>-40.90</td><td>62.86</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td></tr><tr><td>3</td><td>5924.00</td><td>52.77</td><td>68.94</td><td>-16.17</td><td>45.46</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td></tr><tr><td>4</td><td>5986.40</td><td>56.08</td><td>68.20</td><td>-12.12</td><td>48.54</td><td>35.19</td><td>11.46</td><td>39.11</td><td>0.00</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5854.00	68.70	111.36	-42.66	61.62	35.07	11.34	39.33	0.00	2	5855.20	69.94	110.84	-40.90	62.86	35.07	11.34	39.33	0.00	3	5924.00	52.77	68.94	-16.17	45.46	35.13	11.40	39.22	0.00	4	5986.40	56.08	68.20	-12.12	48.54	35.19	11.46	39.11	0.00	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue signal line with a peak at 5825.00 MHz. A table below the plot provides detailed data for this peak. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5825.00</td><td>111.12</td><td>-----</td><td>-----</td><td>103.62</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5825.00	111.12	-----	-----	103.62	35.04	11.31	38.85	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																							
1	5854.00	68.70	111.36	-42.66	61.62	35.07	11.34	39.33	0.00																																																																																																							
2	5855.20	69.94	110.84	-40.90	62.86	35.07	11.34	39.33	0.00																																																																																																							
3	5924.00	52.77	68.94	-16.17	45.46	35.13	11.40	39.22	0.00																																																																																																							
4	5986.40	56.08	68.20	-12.12	48.54	35.19	11.46	39.11	0.00																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																							
1	5825.00	111.12	-----	-----	103.62	35.04	11.31	38.85	0.00																																																																																																							
Avg	Blank	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue signal line with an average peak at 5825.00 MHz. A table below the plot provides detailed data for this peak. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5825.00</td><td>103.10</td><td>-----</td><td>-----</td><td>95.60</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5825.00	103.10	-----	-----	95.60	35.04	11.31	38.85	0.00																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																							
1	5825.00	103.10	-----	-----	95.60	35.04	11.31	38.85	0.00																																																																																																							






		46																																																																																																																														
Mode		Band Edge																																																																																																																														
		U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																														
ANT		CDD 6+7																																																																																																																														
Pol.		Fundamental																																																																																																																														
Peak	Vertical	Fundamental																																																																																																																														
	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>69.08</td><td>111.36</td><td>-42.28</td><td>62.00</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>196</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5855.60</td><td>69.87</td><td>110.73</td><td>-40.86</td><td>62.79</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>196</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>54.52</td><td>69.83</td><td>-15.31</td><td>47.21</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>196</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5934.40</td><td>56.86</td><td>68.20</td><td>-11.34</td><td>49.51</td><td>35.14</td><td>11.41</td><td>39.20</td><td>0.00</td><td>196</td><td>360</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	69.08	111.36	-42.28	62.00	35.07	11.34	39.33	0.00	196	360	PEAK	2	5855.60	69.87	110.73	-40.86	62.79	35.07	11.34	39.33	0.00	196	360	PEAK	3	5922.80	54.52	69.83	-15.31	47.21	35.13	11.40	39.22	0.00	196	360	PEAK	4	5934.40	56.86	68.20	-11.34	49.51	35.14	11.41	39.20	0.00	196	360	PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>114.16</td><td>-----</td><td>-----</td><td>106.66</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>196</td><td>360</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	114.16	-----	-----	106.66	35.04	11.31	38.85	0.00	196	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5854.80	69.08	111.36	-42.28	62.00	35.07	11.34	39.33	0.00	196	360	PEAK																																																																																																																				
2	5855.60	69.87	110.73	-40.86	62.79	35.07	11.34	39.33	0.00	196	360	PEAK																																																																																																																				
3	5922.80	54.52	69.83	-15.31	47.21	35.13	11.40	39.22	0.00	196	360	PEAK																																																																																																																				
4	5934.40	56.86	68.20	-11.34	49.51	35.14	11.41	39.20	0.00	196	360	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	114.16	-----	-----	106.66	35.04	11.31	38.85	0.00	196	360	PEAK																																																																																																																				
Avg	Blank	Fundamental																																																																																																																														
		 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>106.65</td><td>-----</td><td>-----</td><td>99.15</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>196</td><td>360</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.65	-----	-----	99.15	35.04	11.31	38.85	0.00	196	360	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	106.65	-----	-----	99.15	35.04	11.31	38.85	0.00	196	360	AVERAGE																																																																																																																				






Mode	46																																																																																																																																														
	Harmonic																																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																														
ANT	CDD 6+7																																																																																																																																														
Pol.	Horizontal										Vertical																																																																																																																																				
Peak Avg																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11650.00</td><td>60.11</td><td>74.00</td><td>-13.89</td><td>71.73</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>200</td><td>337 PEAK</td></tr><tr><td>2 11650.00</td><td>49.77</td><td>54.00</td><td>-4.23</td><td>61.39</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>200</td><td>337 AVERAGE</td></tr><tr><td>3 17475.00</td><td>62.88</td><td>68.20</td><td>-5.32</td><td>65.90</td><td>41.17</td><td>20.32</td><td>64.51</td><td>0.00</td><td>173</td><td>3 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11650.00	60.11	74.00	-13.89	71.73	38.25	16.46	66.33	0.00	200	337 PEAK	2 11650.00	49.77	54.00	-4.23	61.39	38.25	16.46	66.33	0.00	200	337 AVERAGE	3 17475.00	62.88	68.20	-5.32	65.90	41.17	20.32	64.51	0.00	173	3 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11650.00</td><td>59.44</td><td>74.00</td><td>-14.56</td><td>71.06</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>106</td><td>343 PEAK</td></tr><tr><td>2 11650.00</td><td>47.65</td><td>54.00</td><td>-6.35</td><td>59.27</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>106</td><td>343 AVERAGE</td></tr><tr><td>3 17475.00</td><td>52.85</td><td>68.20</td><td>-15.35</td><td>55.87</td><td>41.17</td><td>20.32</td><td>64.51</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11650.00	59.44	74.00	-14.56	71.06	38.25	16.46	66.33	0.00	106	343 PEAK	2 11650.00	47.65	54.00	-6.35	59.27	38.25	16.46	66.33	0.00	106	343 AVERAGE	3 17475.00	52.85	68.20	-15.35	55.87	41.17	20.32	64.51	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1 11650.00	60.11	74.00	-13.89	71.73	38.25	16.46	66.33	0.00	200	337 PEAK																																																																																																																																					
2 11650.00	49.77	54.00	-4.23	61.39	38.25	16.46	66.33	0.00	200	337 AVERAGE																																																																																																																																					
3 17475.00	62.88	68.20	-5.32	65.90	41.17	20.32	64.51	0.00	173	3 PEAK																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1 11650.00	59.44	74.00	-14.56	71.06	38.25	16.46	66.33	0.00	106	343 PEAK																																																																																																																																					
2 11650.00	47.65	54.00	-6.35	59.27	38.25	16.46	66.33	0.00	106	343 AVERAGE																																																																																																																																					
3 17475.00	52.85	68.20	-15.35	55.87	41.17	20.32	64.51	0.00	--	-- PEAK																																																																																																																																					



		47																																																																																														
Mode	Band Edge																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																															
ANT	CDD 6+7																																																																																															
Pol.	Horizontal																																																																																															
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5603.60</td><td>57.45</td><td>68.20</td><td>-10.75</td><td>47.62</td><td>34.83</td><td>11.01</td><td>36.01</td><td>0.00</td><td>183</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>55.25</td><td>68.50</td><td>-13.25</td><td>45.42</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>183</td><td>332</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>56.71</td><td>105.30</td><td>-48.59</td><td>47.55</td><td>34.92</td><td>11.14</td><td>36.90</td><td>0.00</td><td>183</td><td>332</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>55.70</td><td>110.90</td><td>-55.20</td><td>46.81</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>183</td><td>332</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5603.60	57.45	68.20	-10.75	47.62	34.83	11.01	36.01	0.00	183	332	PEAK	2	5650.40	55.25	68.50	-13.25	45.42	34.88	11.07	36.12	0.00	183	332	PEAK	3	5700.00	56.71	105.30	-48.59	47.55	34.92	11.14	36.90	0.00	183	332	PEAK	4	5720.00	55.70	110.90	-55.20	46.81	34.94	11.17	37.22	0.00	183	332	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5603.60	57.45	68.20	-10.75	47.62	34.83	11.01	36.01	0.00	183	332	PEAK																																																																																				
2	5650.40	55.25	68.50	-13.25	45.42	34.88	11.07	36.12	0.00	183	332	PEAK																																																																																				
3	5700.00	56.71	105.30	-48.59	47.55	34.92	11.14	36.90	0.00	183	332	PEAK																																																																																				
4	5720.00	55.70	110.90	-55.20	46.81	34.94	11.17	37.22	0.00	183	332	PEAK																																																																																				
Fundamental																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>111.14</td><td>-----</td><td>-----</td><td>102.58</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>183</td><td>332</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	111.14	-----	-----	102.58	34.97	11.21	37.62	0.00	183	332	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5745.00	111.14	-----	-----	102.58	34.97	11.21	37.62	0.00	183	332	PEAK																																																																																				
Avg	Blank																																																																																															
																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>100.87</td><td>-----</td><td>-----</td><td>92.31</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>183</td><td>332</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.87	-----	-----	92.31	34.97	11.21	37.62	0.00	183	332	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5745.00	100.87	-----	-----	92.31	34.97	11.21	37.62	0.00	183	332	AVERAGE																																																																																				



	47																																																																																																																																				
Mode	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																				
ANT	CDD 6+7																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5630.00</td><td>57.23</td><td>68.20</td><td>-10.97</td><td>47.29</td><td>34.86</td><td>11.05</td><td>35.97</td><td>0.00</td><td>245</td><td>0 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>56.75</td><td>68.80</td><td>-12.05</td><td>46.93</td><td>34.88</td><td>11.07</td><td>36.13</td><td>0.00</td><td>245</td><td>0 PEAK</td></tr><tr><td>3</td><td>5704.00</td><td>58.36</td><td>106.65</td><td>-48.29</td><td>49.26</td><td>34.93</td><td>11.15</td><td>36.98</td><td>0.00</td><td>245</td><td>0 PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>60.86</td><td>113.64</td><td>-52.78</td><td>51.98</td><td>34.94</td><td>11.17</td><td>37.23</td><td>0.00</td><td>245</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5630.00	57.23	68.20	-10.97	47.29	34.86	11.05	35.97	0.00	245	0 PEAK	2	5650.00	56.75	68.80	-12.05	46.93	34.88	11.07	36.13	0.00	245	0 PEAK	3	5704.00	58.36	106.65	-48.29	49.26	34.93	11.15	36.98	0.00	245	0 PEAK	4	5721.20	60.86	113.64	-52.78	51.98	34.94	11.17	37.23	0.00	245	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>114.94</td><td>-----</td><td>-----</td><td>106.31</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>245</td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	114.94	-----	-----	106.31	34.96	11.20	37.53	0.00	245
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5630.00	57.23	68.20	-10.97	47.29	34.86	11.05	35.97	0.00	245	0 PEAK																																																																																																																										
2	5650.00	56.75	68.80	-12.05	46.93	34.88	11.07	36.13	0.00	245	0 PEAK																																																																																																																										
3	5704.00	58.36	106.65	-48.29	49.26	34.93	11.15	36.98	0.00	245	0 PEAK																																																																																																																										
4	5721.20	60.86	113.64	-52.78	51.98	34.94	11.17	37.23	0.00	245	0 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5745.00	114.94	-----	-----	106.31	34.96	11.20	37.53	0.00	245	0 PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.52</td><td>-----</td><td>-----</td><td>95.96</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>245</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.52	-----	-----	95.96	34.97	11.21	37.62	0.00	245	0 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5745.00	104.52	-----	-----	95.96	34.97	11.21	37.62	0.00	245	0 AVERAGE																																																																																																																										






		47																																																																																																					
Mode		Harmonic																																																																																																					
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																					
ANT		CDD 6+7																																																																																																					
Pol.		Horizontal						Vertical																																																																																															
Peak Avg																																																																																																							
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>57.45</td><td>74.00</td><td>-16.55</td><td>69.25</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>191</td><td>334</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>44.79</td><td>54.00</td><td>-9.21</td><td>56.59</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>191</td><td>334</td><td>AVERAGE</td></tr><tr><td>3</td><td>17235.00</td><td>64.53</td><td>68.20</td><td>-3.67</td><td>67.63</td><td>41.03</td><td>20.16</td><td>64.29</td><td>0.00</td><td>122</td><td>3</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11490.00	57.45	74.00	-16.55	69.25	38.18	16.36	66.34	0.00	191	334	PEAK	2	11490.00	44.79	54.00	-9.21	56.59	38.18	16.36	66.34	0.00	191	334	AVERAGE	3	17235.00	64.53	68.20	-3.67	67.63	41.03	20.16	64.29	0.00	122	3	PEAK													
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																												
1	11490.00	57.45	74.00	-16.55	69.25	38.18	16.36	66.34	0.00	191	334	PEAK																																																																																											
2	11490.00	44.79	54.00	-9.21	56.59	38.18	16.36	66.34	0.00	191	334	AVERAGE																																																																																											
3	17235.00	64.53	68.20	-3.67	67.63	41.03	20.16	64.29	0.00	122	3	PEAK																																																																																											
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8041.33</td><td>45.06</td><td>74.00</td><td>-28.94</td><td>62.41</td><td>36.32</td><td>13.39</td><td>67.06</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11490.00</td><td>49.67</td><td>74.00</td><td>-24.33</td><td>61.47</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>11490.00</td><td>38.23</td><td>54.00</td><td>-15.77</td><td>50.04</td><td>38.18</td><td>16.35</td><td>66.34</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr><tr><td>4</td><td>17235.00</td><td>63.93</td><td>68.20</td><td>-4.27</td><td>67.03</td><td>41.03</td><td>20.16</td><td>64.29</td><td>0.00</td><td>144</td><td>2</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	8041.33	45.06	74.00	-28.94	62.41	36.32	13.39	67.06	0.00	--	--	Peak	2	11490.00	49.67	74.00	-24.33	61.47	38.18	16.36	66.34	0.00	300	0	PEAK	3	11490.00	38.23	54.00	-15.77	50.04	38.18	16.35	66.34	0.00	300	0	AVERAGE	4	17235.00	63.93	68.20	-4.27	67.03	41.03	20.16	64.29	0.00	144	2	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																												
1	8041.33	45.06	74.00	-28.94	62.41	36.32	13.39	67.06	0.00	--	--	Peak																																																																																											
2	11490.00	49.67	74.00	-24.33	61.47	38.18	16.36	66.34	0.00	300	0	PEAK																																																																																											
3	11490.00	38.23	54.00	-15.77	50.04	38.18	16.35	66.34	0.00	300	0	AVERAGE																																																																																											
4	17235.00	63.93	68.20	-4.27	67.03	41.03	20.16	64.29	0.00	144	2	PEAK																																																																																											






Mode	48																																																																																																																																																												
	Harmonic																																																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																																																																												
ANT	CDD 6+7																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																						
Peak Avg																																																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>8100.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>62.44</td><td>36.20</td><td>13.45</td><td>67.12</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11565.00</td><td>56.91</td><td>74.00</td><td>-17.09</td><td>68.64</td><td>38.20</td><td>16.40</td><td>66.33</td><td>0.00</td><td>100</td><td>316 Peak</td></tr><tr><td>3</td><td>11565.00</td><td>45.82</td><td>54.00</td><td>-8.18</td><td>57.55</td><td>38.20</td><td>16.40</td><td>66.33</td><td>0.00</td><td>100</td><td>316 Average</td></tr><tr><td>4</td><td>17355.00</td><td>63.43</td><td>68.20</td><td>-4.77</td><td>66.49</td><td>41.10</td><td>20.24</td><td>64.40</td><td>0.00</td><td>126</td><td>4 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8100.00	44.97	74.00	-29.03	62.44	36.20	13.45	67.12	0.00	--	Peak	2	11565.00	56.91	74.00	-17.09	68.64	38.20	16.40	66.33	0.00	100	316 Peak	3	11565.00	45.82	54.00	-8.18	57.55	38.20	16.40	66.33	0.00	100	316 Average	4	17355.00	63.43	68.20	-4.77	66.49	41.10	20.24	64.40	0.00	126	4 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>8107.33</td><td>44.17</td><td>74.00</td><td>-29.83</td><td>61.64</td><td>36.20</td><td>13.46</td><td>67.13</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11570.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>58.84</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>17355.00</td><td>61.70</td><td>68.20</td><td>-6.50</td><td>64.76</td><td>41.10</td><td>20.23</td><td>64.39</td><td>0.00</td><td>128</td><td>35 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8107.33	44.17	74.00	-29.83	61.64	36.20	13.46	67.13	0.00	--	Peak	2	11570.00	47.12	74.00	-26.88	58.84	38.20	16.41	66.33	0.00	--	PEAK	3	17355.00	61.70	68.20	-6.50	64.76	41.10	20.23	64.39	0.00	128
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																			
1	8100.00	44.97	74.00	-29.03	62.44	36.20	13.45	67.12	0.00	--	Peak																																																																																																																																																		
2	11565.00	56.91	74.00	-17.09	68.64	38.20	16.40	66.33	0.00	100	316 Peak																																																																																																																																																		
3	11565.00	45.82	54.00	-8.18	57.55	38.20	16.40	66.33	0.00	100	316 Average																																																																																																																																																		
4	17355.00	63.43	68.20	-4.77	66.49	41.10	20.24	64.40	0.00	126	4 PEAK																																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	8107.33	44.17	74.00	-29.83	61.64	36.20	13.46	67.13	0.00	--	Peak																																																																																																																																																		
2	11570.00	47.12	74.00	-26.88	58.84	38.20	16.41	66.33	0.00	--	PEAK																																																																																																																																																		
3	17355.00	61.70	68.20	-6.50	64.76	41.10	20.23	64.39	0.00	128	35 PEAK																																																																																																																																																		





		49																																																																																											
Mode	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																												
ANT	CDD 6+7																																																																																												
Pol.	Horizontal																																																																																												
Peak																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>60.93</td><td>112.27</td><td>-51.34</td><td>53.85</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>115</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5859.60</td><td>65.70</td><td>109.61</td><td>-43.91</td><td>58.61</td><td>35.07</td><td>11.34</td><td>39.32</td><td>0.00</td><td>115</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>55.59</td><td>69.23</td><td>-13.64</td><td>48.28</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>115</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5985.20</td><td>55.28</td><td>68.20</td><td>-12.92</td><td>47.75</td><td>35.19</td><td>11.46</td><td>39.12</td><td>0.00</td><td>115</td><td>360</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	60.93	112.27	-51.34	53.85	35.07	11.33	39.32	0.00	115	360	PEAK	2	5859.60	65.70	109.61	-43.91	58.61	35.07	11.34	39.32	0.00	115	360	PEAK	3	5923.60	55.59	69.23	-13.64	48.28	35.13	11.40	39.22	0.00	115	360	PEAK	4	5985.20	55.28	68.20	-12.92	47.75	35.19	11.46	39.12	0.00	115	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5854.40	60.93	112.27	-51.34	53.85	35.07	11.33	39.32	0.00	115	360	PEAK																																																																																	
2	5859.60	65.70	109.61	-43.91	58.61	35.07	11.34	39.32	0.00	115	360	PEAK																																																																																	
3	5923.60	55.59	69.23	-13.64	48.28	35.13	11.40	39.22	0.00	115	360	PEAK																																																																																	
4	5985.20	55.28	68.20	-12.92	47.75	35.19	11.46	39.12	0.00	115	360	PEAK																																																																																	
Fundamental																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>110.31</td><td>-----</td><td>-----</td><td>102.89</td><td>35.05</td><td>11.31</td><td>38.94</td><td>0.00</td><td>115</td><td>360</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	110.31	-----	-----	102.89	35.05	11.31	38.94	0.00	115	360	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5825.00	110.31	-----	-----	102.89	35.05	11.31	38.94	0.00	115	360	PEAK																																																																																	
Avg	Blank																																																																																												
																																																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.15</td><td>-----</td><td>-----</td><td>94.65</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>115</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.15	-----	-----	94.65	35.04	11.31	38.85	0.00	115	360	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5825.00	102.15	-----	-----	94.65	35.04	11.31	38.85	0.00	115	360	AVERAGE																																																																																	





	49																																																																																																																																		
Mode	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																		
ANT	CDD 6+7																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	68.34	111.36	-43.02	61.26	35.07	11.34	39.33	0.00	195	0 PEAK	2	5855.20	68.56	110.84	-42.28	61.48	35.07	11.34	39.33	0.00	195	0 PEAK	3	5924.40	53.18	68.64	-15.46	45.87	35.13	11.40	39.22	0.00	195	0 PEAK	4	5958.40	55.28	68.20	-12.92	47.84	35.17	11.43	39.16	0.00	195	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>115.05</td><td>-----</td><td>-----</td><td>107.55</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>195</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	115.05	-----	-----	107.55	35.04	11.31	38.85	0.00	195
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5854.00	68.34	111.36	-43.02	61.26	35.07	11.34	39.33	0.00	195	0 PEAK																																																																																																																								
2	5855.20	68.56	110.84	-42.28	61.48	35.07	11.34	39.33	0.00	195	0 PEAK																																																																																																																								
3	5924.40	53.18	68.64	-15.46	45.87	35.13	11.40	39.22	0.00	195	0 PEAK																																																																																																																								
4	5958.40	55.28	68.20	-12.92	47.84	35.17	11.43	39.16	0.00	195	0 PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	5825.00	115.05	-----	-----	107.55	35.04	11.31	38.85	0.00	195	0 PEAK																																																																																																																								
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.28</td><td>-----</td><td>-----</td><td>97.78</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>195</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.28	-----	-----	97.78	35.04	11.31	38.85	0.00	195	0 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	5825.00	105.28	-----	-----	97.78	35.04	11.31	38.85	0.00	195	0 AVERAGE																																																																																																																								




Mode	49																																																																																		
	Harmonic																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																		
ANT	CDD 6+7																																																																																		
Pol.	Horizontal																																																																																		
Peak Avg																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>59.76</td><td>74.00</td><td>-14.24</td><td>71.38</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>100</td><td>341</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>48.10</td><td>54.00</td><td>-5.90</td><td>59.72</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>100</td><td>341</td><td>AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>64.56</td><td>68.20</td><td>-3.64</td><td>67.58</td><td>41.17</td><td>20.32</td><td>64.51</td><td>0.00</td><td>137</td><td>5</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	59.76	74.00	-14.24	71.38	38.25	16.46	66.33	0.00	100	341	PEAK	2	11650.00	48.10	54.00	-5.90	59.72	38.25	16.46	66.33	0.00	100	341	AVERAGE	3	17475.00	64.56	68.20	-3.64	67.58	41.17	20.32	64.51	0.00	137	5	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	11650.00	59.76	74.00	-14.24	71.38	38.25	16.46	66.33	0.00	100	341	PEAK																																																																							
2	11650.00	48.10	54.00	-5.90	59.72	38.25	16.46	66.33	0.00	100	341	AVERAGE																																																																							
3	17475.00	64.56	68.20	-3.64	67.58	41.17	20.32	64.51	0.00	137	5	PEAK																																																																							
Vertical																																																																																			
																																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>58.38</td><td>74.00</td><td>-15.62</td><td>70.00</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>103</td><td>343</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.07</td><td>54.00</td><td>-7.93</td><td>57.69</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>103</td><td>343</td><td>AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>53.53</td><td>68.20</td><td>-14.67</td><td>56.55</td><td>41.17</td><td>20.31</td><td>64.50</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	58.38	74.00	-15.62	70.00	38.25	16.46	66.33	0.00	103	343	PEAK	2	11650.00	46.07	54.00	-7.93	57.69	38.25	16.46	66.33	0.00	103	343	AVERAGE	3	17475.00	53.53	68.20	-14.67	56.55	41.17	20.31	64.50	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	11650.00	58.38	74.00	-15.62	70.00	38.25	16.46	66.33	0.00	103	343	PEAK																																																																							
2	11650.00	46.07	54.00	-7.93	57.69	38.25	16.46	66.33	0.00	103	343	AVERAGE																																																																							
3	17475.00	53.53	68.20	-14.67	56.55	41.17	20.31	64.50	0.00	--	--	PEAK																																																																							







Mode	50																																																																																													
	Band Edge - L																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																													
ANT	CDD 6+7																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5608.37</td><td>58.88</td><td>68.20</td><td>-9.32</td><td>49.03</td><td>34.84</td><td>11.01</td><td>36.00</td><td>0.00</td><td>171</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5650.38</td><td>56.63</td><td>68.48</td><td>-11.85</td><td>46.80</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>171</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5717.49</td><td>77.52</td><td>110.20</td><td>-32.68</td><td>68.59</td><td>34.94</td><td>11.17</td><td>37.18</td><td>0.00</td><td>171</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.44</td><td>73.50</td><td>111.89</td><td>-38.39</td><td>64.61</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>171</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5608.37	58.88	68.20	-9.32	49.03	34.84	11.01	36.00	0.00	171	360	PEAK	2	5650.38	56.63	68.48	-11.85	46.80	34.88	11.07	36.12	0.00	171	360	PEAK	3	5717.49	77.52	110.20	-32.68	68.59	34.94	11.17	37.18	0.00	171	360	PEAK	4	5720.44	73.50	111.89	-38.39	64.61	34.94	11.17	37.22	0.00	171	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5608.37	58.88	68.20	-9.32	49.03	34.84	11.01	36.00	0.00	171	360	PEAK																																																																																		
2	5650.38	56.63	68.48	-11.85	46.80	34.88	11.07	36.12	0.00	171	360	PEAK																																																																																		
3	5717.49	77.52	110.20	-32.68	68.59	34.94	11.17	37.18	0.00	171	360	PEAK																																																																																		
4	5720.44	73.50	111.89	-38.39	64.61	34.94	11.17	37.22	0.00	171	360	PEAK																																																																																		
Avg	Blank																																																																																													
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>101.47</td><td>-----</td><td>-----</td><td>93.08</td><td>34.98</td><td>11.22</td><td>37.81</td><td>0.00</td><td>171</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	101.47	-----	-----	93.08	34.98	11.22	37.81	0.00	171	360	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5755.00	101.47	-----	-----	93.08	34.98	11.22	37.81	0.00	171	360	AVERAGE																																																																																		




Mode	50																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																													
ANT	CDD 6+7																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.48</td><td>58.41</td><td>114.38</td><td>-55.97</td><td>51.32</td><td>35.07</td><td>11.33</td><td>39.31</td><td>0.00</td><td>171</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5873.37</td><td>57.28</td><td>105.76</td><td>-48.48</td><td>50.14</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>171</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>54.93</td><td>68.46</td><td>-13.53</td><td>47.62</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>171</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5944.74</td><td>56.12</td><td>68.20</td><td>-12.08</td><td>48.73</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>171</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.48	58.41	114.38	-55.97	51.32	35.07	11.33	39.31	0.00	171	360	PEAK	2	5873.37	57.28	105.76	-48.48	50.14	35.09	11.35	39.30	0.00	171	360	PEAK	3	5924.65	54.93	68.46	-13.53	47.62	35.13	11.40	39.22	0.00	171	360	PEAK	4	5944.74	56.12	68.20	-12.08	48.73	35.15	11.42	39.18	0.00	171	360	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5853.48	58.41	114.38	-55.97	51.32	35.07	11.33	39.31	0.00	171	360	PEAK																																																																																		
2	5873.37	57.28	105.76	-48.48	50.14	35.09	11.35	39.30	0.00	171	360	PEAK																																																																																		
3	5924.65	54.93	68.46	-13.53	47.62	35.13	11.40	39.22	0.00	171	360	PEAK																																																																																		
4	5944.74	56.12	68.20	-12.08	48.73	35.15	11.42	39.18	0.00	171	360	PEAK																																																																																		





	50																																																																																																				
Mode	Band Edge - L																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																				
ANT	CDD 6+7																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5628.06</td><td>64.23</td><td>68.20</td><td>-3.97</td><td>54.32</td><td>34.85</td><td>11.04</td><td>35.98</td><td>0.00</td><td>200</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5650.53</td><td>63.10</td><td>68.59</td><td>-5.49</td><td>53.28</td><td>34.88</td><td>11.07</td><td>36.13</td><td>0.00</td><td>200</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5701.68</td><td>75.27</td><td>105.77</td><td>-30.50</td><td>66.14</td><td>34.92</td><td>11.14</td><td>36.93</td><td>0.00</td><td>200</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5720.75</td><td>79.53</td><td>112.60</td><td>-33.07</td><td>70.65</td><td>34.94</td><td>11.17</td><td>37.23</td><td>0.00</td><td>200</td><td>0</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5628.06	64.23	68.20	-3.97	54.32	34.85	11.04	35.98	0.00	200	0	PEAK	2	5650.53	63.10	68.59	-5.49	53.28	34.88	11.07	36.13	0.00	200	0	PEAK	3	5701.68	75.27	105.77	-30.50	66.14	34.92	11.14	36.93	0.00	200	0	PEAK	4	5720.75	79.53	112.60	-33.07	70.65	34.94	11.17	37.23	0.00	200	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5628.06	64.23	68.20	-3.97	54.32	34.85	11.04	35.98	0.00	200	0	PEAK																																																																																									
2	5650.53	63.10	68.59	-5.49	53.28	34.88	11.07	36.13	0.00	200	0	PEAK																																																																																									
3	5701.68	75.27	105.77	-30.50	66.14	34.92	11.14	36.93	0.00	200	0	PEAK																																																																																									
4	5720.75	79.53	112.60	-33.07	70.65	34.94	11.17	37.23	0.00	200	0	PEAK																																																																																									
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>113.98</td><td>-----</td><td>-----</td><td>105.52</td><td>34.97</td><td>11.21</td><td>37.72</td><td>0.00</td><td>200</td><td>0</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5755.00	113.98	-----	-----	105.52	34.97	11.21	37.72	0.00	200	0	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5755.00	113.98	-----	-----	105.52	34.97	11.21	37.72	0.00	200	0	PEAK																																																																																									
Blank																																																																																																					
																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>105.26</td><td>-----</td><td>-----</td><td>96.80</td><td>34.97</td><td>11.21</td><td>37.72</td><td>0.00</td><td>200</td><td>0</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5755.00	105.26	-----	-----	96.80	34.97	11.21	37.72	0.00	200	0	AVERAGE																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5755.00	105.26	-----	-----	96.80	34.97	11.21	37.72	0.00	200	0	AVERAGE																																																																																									







Mode	50																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																														
ANT	CDD 6+7																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.28</td><td>65.25</td><td>114.82</td><td>-49.57</td><td>58.16</td><td>35.07</td><td>11.33</td><td>39.31</td><td>0.00</td><td>200</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5872.78</td><td>62.66</td><td>105.92</td><td>-43.26</td><td>55.52</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>200</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5923.87</td><td>56.37</td><td>69.03</td><td>-12.66</td><td>49.06</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>200</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5926.99</td><td>57.02</td><td>68.20</td><td>-11.18</td><td>49.69</td><td>35.14</td><td>11.40</td><td>39.21</td><td>0.00</td><td>200</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.28	65.25	114.82	-49.57	58.16	35.07	11.33	39.31	0.00	200	0	PEAK	2	5872.78	62.66	105.92	-43.26	55.52	35.09	11.35	39.30	0.00	200	0	PEAK	3	5923.87	56.37	69.03	-12.66	49.06	35.13	11.40	39.22	0.00	200	0	PEAK	4	5926.99	57.02	68.20	-11.18	49.69	35.14	11.40	39.21	0.00	200	0	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5853.28	65.25	114.82	-49.57	58.16	35.07	11.33	39.31	0.00	200	0	PEAK																																																																																			
2	5872.78	62.66	105.92	-43.26	55.52	35.09	11.35	39.30	0.00	200	0	PEAK																																																																																			
3	5923.87	56.37	69.03	-12.66	49.06	35.13	11.40	39.22	0.00	200	0	PEAK																																																																																			
4	5926.99	57.02	68.20	-11.18	49.69	35.14	11.40	39.21	0.00	200	0	PEAK																																																																																			




Mode	50																																																																																	
	Harmonic																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																	
ANT	CDD 6+7																																																																																	
Pol.	Horizontal						Vertical																																																																											
Peak Avg																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>56.06</td><td>74.00</td><td>-17.94</td><td>67.82</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>190</td><td>333</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>45.77</td><td>54.00</td><td>-8.23</td><td>57.53</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>190</td><td>333</td><td>AVERAGE</td></tr><tr><td>3</td><td>17265.00</td><td>62.67</td><td>68.20</td><td>-5.53</td><td>65.76</td><td>41.05</td><td>20.17</td><td>64.31</td><td>0.00</td><td>175</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	56.06	74.00	-17.94	67.82	38.20	16.37	66.33	0.00	190	333	PEAK	2	11510.00	45.77	54.00	-8.23	57.53	38.20	16.37	66.33	0.00	190	333	AVERAGE	3	17265.00	62.67	68.20	-5.53	65.76	41.05	20.17	64.31	0.00	175	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	11510.00	56.06	74.00	-17.94	67.82	38.20	16.37	66.33	0.00	190	333	PEAK																																																																						
2	11510.00	45.77	54.00	-8.23	57.53	38.20	16.37	66.33	0.00	190	333	AVERAGE																																																																						
3	17265.00	62.67	68.20	-5.53	65.76	41.05	20.17	64.31	0.00	175	0	PEAK																																																																						
																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>46.98</td><td>74.00</td><td>-27.02</td><td>58.74</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17265.00</td><td>61.24</td><td>68.20</td><td>-6.96</td><td>64.32</td><td>41.05</td><td>20.17</td><td>64.30</td><td>0.00</td><td>121</td><td>28</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	46.98	74.00	-27.02	58.74	38.20	16.37	66.33	0.00	--	--	PEAK	2	17265.00	61.24	68.20	-6.96	64.32	41.05	20.17	64.30	0.00	121	28	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	11510.00	46.98	74.00	-27.02	58.74	38.20	16.37	66.33	0.00	--	--	PEAK																																																																						
2	17265.00	61.24	68.20	-6.96	64.32	41.05	20.17	64.30	0.00	121	28	PEAK																																																																						






Mode	51																																																																																														
	Band Edge - L																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																														
ANT	CDD 6+7																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5640.00</td><td>59.12</td><td>68.20</td><td>-9.08</td><td>49.15</td><td>34.87</td><td>11.06</td><td>35.96</td><td>0.00</td><td>170</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>56.15</td><td>69.69</td><td>-13.54</td><td>46.35</td><td>34.88</td><td>11.07</td><td>36.15</td><td>0.00</td><td>170</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5788.40</td><td>58.18</td><td>107.65</td><td>-49.47</td><td>49.13</td><td>34.93</td><td>11.15</td><td>37.03</td><td>0.00</td><td>170</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>58.44</td><td>110.90</td><td>-52.46</td><td>49.55</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>170</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5640.00	59.12	68.20	-9.08	49.15	34.87	11.06	35.96	0.00	170	360	PEAK	2	5652.00	56.15	69.69	-13.54	46.35	34.88	11.07	36.15	0.00	170	360	PEAK	3	5788.40	58.18	107.65	-49.47	49.13	34.93	11.15	37.03	0.00	170	360	PEAK	4	5720.00	58.44	110.90	-52.46	49.55	34.94	11.17	37.22	0.00	170	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5640.00	59.12	68.20	-9.08	49.15	34.87	11.06	35.96	0.00	170	360	PEAK																																																																																			
2	5652.00	56.15	69.69	-13.54	46.35	34.88	11.07	36.15	0.00	170	360	PEAK																																																																																			
3	5788.40	58.18	107.65	-49.47	49.13	34.93	11.15	37.03	0.00	170	360	PEAK																																																																																			
4	5720.00	58.44	110.90	-52.46	49.55	34.94	11.17	37.22	0.00	170	360	PEAK																																																																																			
Avg																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>109.75</td><td>-----</td><td>-----</td><td>101.76</td><td>35.01</td><td>11.26</td><td>38.28</td><td>0.00</td><td>170</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	109.75	-----	-----	101.76	35.01	11.26	38.28	0.00	170	360	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5795.00	109.75	-----	-----	101.76	35.01	11.26	38.28	0.00	170	360	PEAK																																																																																			
Blank																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>100.68</td><td>-----</td><td>-----</td><td>92.85</td><td>35.02</td><td>11.28</td><td>38.47</td><td>0.00</td><td>170</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	100.68	-----	-----	92.85	35.02	11.28	38.47	0.00	170	360	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5795.00	100.68	-----	-----	92.85	35.02	11.28	38.47	0.00	170	360	AVERAGE																																																																																			
Avg																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>100.68</td><td>-----</td><td>-----</td><td>92.85</td><td>35.02</td><td>11.28</td><td>38.47</td><td>0.00</td><td>170</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	100.68	-----	-----	92.85	35.02	11.28	38.47	0.00	170	360	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5795.00	100.68	-----	-----	92.85	35.02	11.28	38.47	0.00	170	360	AVERAGE																																																																																			




Mode	51																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																													
ANT	CDD 6+7																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.20</td><td>58.79</td><td>115.00</td><td>-56.21</td><td>51.69</td><td>35.07</td><td>11.33</td><td>39.30</td><td>0.00</td><td>170</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5857.60</td><td>63.20</td><td>110.17</td><td>-46.97</td><td>56.12</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>170</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>54.58</td><td>68.64</td><td>-14.06</td><td>47.27</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>170</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5932.40</td><td>56.30</td><td>68.20</td><td>-11.90</td><td>48.95</td><td>35.14</td><td>11.41</td><td>39.20</td><td>0.00</td><td>170</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.20	58.79	115.00	-56.21	51.69	35.07	11.33	39.30	0.00	170	360	PEAK	2	5857.60	63.20	110.17	-46.97	56.12	35.07	11.34	39.33	0.00	170	360	PEAK	3	5924.40	54.58	68.64	-14.06	47.27	35.13	11.40	39.22	0.00	170	360	PEAK	4	5932.40	56.30	68.20	-11.90	48.95	35.14	11.41	39.20	0.00	170	360	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5853.20	58.79	115.00	-56.21	51.69	35.07	11.33	39.30	0.00	170	360	PEAK																																																																																		
2	5857.60	63.20	110.17	-46.97	56.12	35.07	11.34	39.33	0.00	170	360	PEAK																																																																																		
3	5924.40	54.58	68.64	-14.06	47.27	35.13	11.40	39.22	0.00	170	360	PEAK																																																																																		
4	5932.40	56.30	68.20	-11.90	48.95	35.14	11.41	39.20	0.00	170	360	PEAK																																																																																		





		51																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																							
ANT		CDD 6+7																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak																																																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5634.00</td><td>56.92</td><td>68.20</td><td>-11.28</td><td>46.98</td><td>34.86</td><td>11.05</td><td>35.97</td><td>0.00</td><td>231</td><td>0 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>56.31</td><td>68.20</td><td>-11.89</td><td>46.48</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>231</td><td>0 PEAK</td></tr><tr><td>3</td><td>5703.20</td><td>60.77</td><td>106.20</td><td>-45.43</td><td>51.64</td><td>34.93</td><td>11.15</td><td>36.95</td><td>0.00</td><td>231</td><td>0 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>63.55</td><td>112.72</td><td>-49.17</td><td>54.67</td><td>34.94</td><td>11.17</td><td>37.23</td><td>0.00</td><td>231</td><td>0 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5634.00	56.92	68.20	-11.28	46.98	34.86	11.05	35.97	0.00	231	0 PEAK	2	5650.00	56.31	68.20	-11.89	46.48	34.88	11.07	36.12	0.00	231	0 PEAK	3	5703.20	60.77	106.20	-45.43	51.64	34.93	11.15	36.95	0.00	231	0 PEAK	4	5720.00	63.55	112.72	-49.17	54.67	34.94	11.17	37.23	0.00	231
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5634.00	56.92	68.20	-11.28	46.98	34.86	11.05	35.97	0.00	231	0 PEAK																																																																														
2	5650.00	56.31	68.20	-11.89	46.48	34.88	11.07	36.12	0.00	231	0 PEAK																																																																														
3	5703.20	60.77	106.20	-45.43	51.64	34.93	11.15	36.95	0.00	231	0 PEAK																																																																														
4	5720.00	63.55	112.72	-49.17	54.67	34.94	11.17	37.23	0.00	231	0 PEAK																																																																														
Avg																																																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>112.14</td><td>-----</td><td>-----</td><td>104.24</td><td>35.01</td><td>11.27</td><td>38.38</td><td>0.00</td><td>231</td><td>0 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	112.14	-----	-----	104.24	35.01	11.27	38.38	0.00	231	0 PEAK																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5795.00	112.14	-----	-----	104.24	35.01	11.27	38.38	0.00	231	0 PEAK																																																																														
Blank																																																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>103.96</td><td>-----</td><td>-----</td><td>96.06</td><td>35.01</td><td>11.27</td><td>38.38</td><td>0.00</td><td>231</td><td>0 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	103.96	-----	-----	96.06	35.01	11.27	38.38	0.00	231	0 AVERAGE																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5795.00	103.96	-----	-----	96.06	35.01	11.27	38.38	0.00	231	0 AVERAGE																																																																														






Mode	51																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																									
ANT	CDD 6+7																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>63.00</td><td>111.36</td><td>-48.36</td><td>55.92</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>231</td><td>0 PEAK</td></tr><tr><td>2</td><td>5863.60</td><td>67.67</td><td>108.49</td><td>-40.82</td><td>60.57</td><td>35.08</td><td>11.34</td><td>39.32</td><td>0.00</td><td>231</td><td>0 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>54.22</td><td>68.35</td><td>-14.13</td><td>46.91</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>231</td><td>0 PEAK</td></tr><tr><td>4</td><td>5927.60</td><td>55.54</td><td>68.20</td><td>-12.66</td><td>48.21</td><td>35.14</td><td>11.40</td><td>39.21</td><td>0.00</td><td>231</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	63.00	111.36	-48.36	55.92	35.07	11.34	39.33	0.00	231	0 PEAK	2	5863.60	67.67	108.49	-40.82	60.57	35.08	11.34	39.32	0.00	231	0 PEAK	3	5924.80	54.22	68.35	-14.13	46.91	35.13	11.40	39.22	0.00	231	0 PEAK	4	5927.60	55.54	68.20	-12.66	48.21	35.14	11.40	39.21	0.00	231	0 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5854.80	63.00	111.36	-48.36	55.92	35.07	11.34	39.33	0.00	231	0 PEAK																																																																															
2	5863.60	67.67	108.49	-40.82	60.57	35.08	11.34	39.32	0.00	231	0 PEAK																																																																															
3	5924.80	54.22	68.35	-14.13	46.91	35.13	11.40	39.22	0.00	231	0 PEAK																																																																															
4	5927.60	55.54	68.20	-12.66	48.21	35.14	11.40	39.21	0.00	231	0 PEAK																																																																															




Mode	51																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																																
ANT	CDD 6+7																																																																																																																																																
Pol.	Horizontal										Vertical																																																																																																																																						
Peak Avg																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11590.00</td><td>56.92</td><td>74.00</td><td>-17.08</td><td>68.63</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00 200 339 PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>45.28</td><td>54.00</td><td>-8.72</td><td>56.99</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00 200 339 AVERAGE</td></tr><tr><td>3</td><td>17385.00</td><td>58.27</td><td>68.20</td><td>-9.93</td><td>61.33</td><td>41.10</td><td>20.25</td><td>64.41</td><td>0.00 157 360 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11590.00	56.92	74.00	-17.08	68.63	38.20	16.42	66.33	0.00 200 339 PEAK	2	11590.00	45.28	54.00	-8.72	56.99	38.20	16.42	66.33	0.00 200 339 AVERAGE	3	17385.00	58.27	68.20	-9.93	61.33	41.10	20.25	64.41	0.00 157 360 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7116.60</td><td>43.92</td><td>68.20</td><td>-24.28</td><td>61.40</td><td>35.70</td><td>12.61</td><td>65.79</td><td>0.00 -- -- Peak</td></tr><tr><td>2</td><td>8113.93</td><td>44.12</td><td>74.00</td><td>-29.88</td><td>61.59</td><td>36.20</td><td>13.47</td><td>67.14</td><td>0.00 -- -- Peak</td></tr><tr><td>3</td><td>11590.00</td><td>46.27</td><td>74.00</td><td>-27.73</td><td>57.98</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00 -- -- PEAK</td></tr><tr><td>4</td><td>17385.00</td><td>49.30</td><td>68.20</td><td>-18.90</td><td>52.37</td><td>41.10</td><td>20.26</td><td>64.43</td><td>0.00 -- -- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7116.60	43.92	68.20	-24.28	61.40	35.70	12.61	65.79	0.00 -- -- Peak	2	8113.93	44.12	74.00	-29.88	61.59	36.20	13.47	67.14	0.00 -- -- Peak	3	11590.00	46.27	74.00	-27.73	57.98	38.20	16.42	66.33	0.00 -- -- PEAK	4	17385.00	49.30	68.20	-18.90	52.37	41.10	20.26	64.43
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																									
1	11590.00	56.92	74.00	-17.08	68.63	38.20	16.42	66.33	0.00 200 339 PEAK																																																																																																																																								
2	11590.00	45.28	54.00	-8.72	56.99	38.20	16.42	66.33	0.00 200 339 AVERAGE																																																																																																																																								
3	17385.00	58.27	68.20	-9.93	61.33	41.10	20.25	64.41	0.00 157 360 PEAK																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																									
1	7116.60	43.92	68.20	-24.28	61.40	35.70	12.61	65.79	0.00 -- -- Peak																																																																																																																																								
2	8113.93	44.12	74.00	-29.88	61.59	36.20	13.47	67.14	0.00 -- -- Peak																																																																																																																																								
3	11590.00	46.27	74.00	-27.73	57.98	38.20	16.42	66.33	0.00 -- -- PEAK																																																																																																																																								
4	17385.00	49.30	68.20	-18.90	52.37	41.10	20.26	64.43	0.00 -- -- PEAK																																																																																																																																								




Mode	52																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																									
ANT	CDD 6+7																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5634.00</td><td>59.46</td><td>68.20</td><td>-8.74</td><td>49.52</td><td>34.86</td><td>11.05</td><td>35.97</td><td>0.00</td><td>122</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>56.31</td><td>68.50</td><td>-12.19</td><td>46.48</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>122</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5707.20</td><td>68.30</td><td>107.32</td><td>-39.02</td><td>59.23</td><td>34.93</td><td>11.15</td><td>37.01</td><td>0.00</td><td>122</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>70.79</td><td>110.90</td><td>-40.11</td><td>61.90</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>122</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5634.00	59.46	68.20	-8.74	49.52	34.86	11.05	35.97	0.00	122	360	PEAK	2	5650.40	56.31	68.50	-12.19	46.48	34.88	11.07	36.12	0.00	122	360	PEAK	3	5707.20	68.30	107.32	-39.02	59.23	34.93	11.15	37.01	0.00	122	360	PEAK	4	5720.00	70.79	110.90	-40.11	61.90	34.94	11.17	37.22	0.00	122	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>106.35</td><td>-----</td><td>-----</td><td>98.20</td><td>34.99</td><td>11.25</td><td>38.09</td><td>0.00</td><td>122</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	106.35	-----	-----	98.20	34.99	11.25	38.09	0.00	122	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5634.00	59.46	68.20	-8.74	49.52	34.86	11.05	35.97	0.00	122	360	PEAK																																																																																																																														
2	5650.40	56.31	68.50	-12.19	46.48	34.88	11.07	36.12	0.00	122	360	PEAK																																																																																																																														
3	5707.20	68.30	107.32	-39.02	59.23	34.93	11.15	37.01	0.00	122	360	PEAK																																																																																																																														
4	5720.00	70.79	110.90	-40.11	61.90	34.94	11.17	37.22	0.00	122	360	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5775.00	106.35	-----	-----	98.20	34.99	11.25	38.09	0.00	122	360	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>98.05</td><td>-----</td><td>-----</td><td>89.90</td><td>34.99</td><td>11.25</td><td>38.09</td><td>0.00</td><td>122</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	98.05	-----	-----	89.90	34.99	11.25	38.09	0.00	122	360	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5775.00	98.05	-----	-----	89.90	34.99	11.25	38.09	0.00	122	360	AVERAGE																																																																																																																														





Mode	52																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																													
ANT	CDD 6+7																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>62.47</td><td>111.36</td><td>-48.89</td><td>55.39</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>122</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5857.20</td><td>68.13</td><td>110.28</td><td>-42.15</td><td>61.05</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>122</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5919.60</td><td>60.10</td><td>72.19</td><td>-12.09</td><td>52.79</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>122</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5929.60</td><td>57.96</td><td>68.20</td><td>-10.24</td><td>50.62</td><td>35.14</td><td>11.41</td><td>39.21</td><td>0.00</td><td>122</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	62.47	111.36	-48.89	55.39	35.07	11.34	39.33	0.00	122	360	PEAK	2	5857.20	68.13	110.28	-42.15	61.05	35.07	11.34	39.33	0.00	122	360	PEAK	3	5919.60	60.10	72.19	-12.09	52.79	35.13	11.40	39.22	0.00	122	360	PEAK	4	5929.60	57.96	68.20	-10.24	50.62	35.14	11.41	39.21	0.00	122	360	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.80	62.47	111.36	-48.89	55.39	35.07	11.34	39.33	0.00	122	360	PEAK																																																																																		
2	5857.20	68.13	110.28	-42.15	61.05	35.07	11.34	39.33	0.00	122	360	PEAK																																																																																		
3	5919.60	60.10	72.19	-12.09	52.79	35.13	11.40	39.22	0.00	122	360	PEAK																																																																																		
4	5929.60	57.96	68.20	-10.24	50.62	35.14	11.41	39.21	0.00	122	360	PEAK																																																																																		




		52									
Mode	Band Edge - L										
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz										
ANT	CDD 6+7										
Pol.	Vertical										
Peak	Fundamental										
	Blank										
Avg	Fundamental										


Vertical													
													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg	
1	5630.40	63.38	68.20	-4.82		53.45	34.86	11.04	35.97	0.00	213		0 Peak
2	5650.00	64.75	68.20	-3.45		54.92	34.88	11.07	36.12	0.00	213		0 PEAK
3	5702.00	71.35	106.09	-34.74		62.22	34.93	11.15	36.95	0.00	213		0 PEAK
4	5720.80	69.90	112.72	-42.82		61.02	34.94	11.17	37.23	0.00	213		0 PEAK

Fundamental													
													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg	
1	5775.00	110.07	-----	-----		101.92	34.99	11.25	38.09	0.00	213		0 PEAK


Blank													
													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg	
1	5775.00	102.00	-----	-----		93.77	34.99	11.24	38.00	0.00	213		0 AVERAGE

Fundamental													
													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg	
1	5775.00	102.00	-----	-----		93.77	34.99	11.24	38.00	0.00	213		0 AVERAGE






Mode	52																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																									
ANT	CDD 6+7																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>69.82</td><td>111.36</td><td>-41.54</td><td>62.74</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>213</td><td>0 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>64.55</td><td>105.58</td><td>-41.03</td><td>57.41</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>213</td><td>0 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>58.69</td><td>68.64</td><td>-9.95</td><td>51.38</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>213</td><td>0 PEAK</td></tr><tr><td>4</td><td>5935.60</td><td>59.36</td><td>68.20</td><td>-8.84</td><td>52.01</td><td>35.14</td><td>11.41</td><td>39.20</td><td>0.00</td><td>213</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	69.82	111.36	-41.54	62.74	35.07	11.34	39.33	0.00	213	0 PEAK	2	5874.00	64.55	105.58	-41.03	57.41	35.09	11.35	39.30	0.00	213	0 PEAK	3	5924.40	58.69	68.64	-9.95	51.38	35.13	11.40	39.22	0.00	213	0 PEAK	4	5935.60	59.36	68.20	-8.84	52.01	35.14	11.41	39.20	0.00	213	0 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5854.80	69.82	111.36	-41.54	62.74	35.07	11.34	39.33	0.00	213	0 PEAK																																																																															
2	5874.00	64.55	105.58	-41.03	57.41	35.09	11.35	39.30	0.00	213	0 PEAK																																																																															
3	5924.40	58.69	68.64	-9.95	51.38	35.13	11.40	39.22	0.00	213	0 PEAK																																																																															
4	5935.60	59.36	68.20	-8.84	52.01	35.14	11.41	39.20	0.00	213	0 PEAK																																																																															






		52																																																																																	
Mode		Harmonic																																																																																	
		U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																	
ANT		CDD 6+7																																																																																	
Pol.		Horizontal						Vertical																																																																											
Peak Avg																																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>53.91</td><td>74.00</td><td>-20.09</td><td>65.65</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>200</td><td>337</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>42.73</td><td>54.00</td><td>-11.27</td><td>54.47</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>200</td><td>337</td><td>AVERAGE</td></tr><tr><td>3</td><td>17325.00</td><td>55.27</td><td>68.20</td><td>-12.93</td><td>58.32</td><td>41.10</td><td>20.21</td><td>64.36</td><td>0.00</td><td>197</td><td>17</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	53.91	74.00	-20.09	65.65	38.20	16.39	66.33	0.00	200	337	PEAK	2	11550.00	42.73	54.00	-11.27	54.47	38.20	16.39	66.33	0.00	200	337	AVERAGE	3	17325.00	55.27	68.20	-12.93	58.32	41.10	20.21	64.36	0.00	197	17	PEAK
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	11550.00	53.91	74.00	-20.09	65.65	38.20	16.39	66.33	0.00	200	337	PEAK																																																																							
2	11550.00	42.73	54.00	-11.27	54.47	38.20	16.39	66.33	0.00	200	337	AVERAGE																																																																							
3	17325.00	55.27	68.20	-12.93	58.32	41.10	20.21	64.36	0.00	197	17	PEAK																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>45.52</td><td>74.00</td><td>-28.48</td><td>57.26</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17325.00</td><td>48.57</td><td>68.20</td><td>-19.63</td><td>51.63</td><td>41.10</td><td>20.21</td><td>64.37</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	45.52	74.00	-28.48	57.26	38.20	16.39	66.33	0.00	--	--	PEAK	2	17325.00	48.57	68.20	-19.63	51.63	41.10	20.21	64.37	0.00	--	--	PEAK															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	11550.00	45.52	74.00	-28.48	57.26	38.20	16.39	66.33	0.00	--	--	PEAK																																																																							
2	17325.00	48.57	68.20	-19.63	51.63	41.10	20.21	64.37	0.00	--	--	PEAK																																																																							



Mode	53																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																																										
ANT	CDD 6+7																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5629.20</td><td>51.71</td><td>68.20</td><td>-16.49</td><td>41.79</td><td>34.86</td><td>11.04</td><td>35.98</td><td>0.00</td><td>140</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.95</td><td>68.20</td><td>-17.25</td><td>41.12</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>140</td><td>332</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>64.41</td><td>105.30</td><td>-40.89</td><td>55.25</td><td>34.92</td><td>11.14</td><td>36.90</td><td>0.00</td><td>140</td><td>332</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.12</td><td>110.90</td><td>-57.78</td><td>44.23</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>140</td><td>332</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5629.20	51.71	68.20	-16.49	41.79	34.86	11.04	35.98	0.00	140	332	PEAK	2	5650.00	50.95	68.20	-17.25	41.12	34.88	11.07	36.12	0.00	140	332	PEAK	3	5700.00	64.41	105.30	-40.89	55.25	34.92	11.14	36.90	0.00	140	332	PEAK	4	5720.00	53.12	110.90	-57.78	44.23	34.94	11.17	37.22	0.00	140	332	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>117.25</td><td>-----</td><td>-----</td><td>108.54</td><td>34.95</td><td>11.19</td><td>37.43</td><td>0.00</td><td>140</td><td>332</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	117.25	-----	-----	108.54	34.95	11.19	37.43	0.00	140	332	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5629.20	51.71	68.20	-16.49	41.79	34.86	11.04	35.98	0.00	140	332	PEAK																																																																																																																															
2	5650.00	50.95	68.20	-17.25	41.12	34.88	11.07	36.12	0.00	140	332	PEAK																																																																																																																															
3	5700.00	64.41	105.30	-40.89	55.25	34.92	11.14	36.90	0.00	140	332	PEAK																																																																																																																															
4	5720.00	53.12	110.90	-57.78	44.23	34.94	11.17	37.22	0.00	140	332	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	117.25	-----	-----	108.54	34.95	11.19	37.43	0.00	140	332	PEAK																																																																																																																															
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>109.00</td><td>-----</td><td>-----</td><td>100.29</td><td>34.95</td><td>11.19</td><td>37.43</td><td>0.00</td><td>140</td><td>332</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	109.00	-----	-----	100.29	34.95	11.19	37.43	0.00	140	332	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	109.00	-----	-----	100.29	34.95	11.19	37.43	0.00	140	332	AVERAGE																																																																																																																															






Mode	53																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																																									
ANT	CDD 6+7																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5634.00</td><td>55.36</td><td>68.20</td><td>-12.84</td><td>45.42</td><td>34.86</td><td>11.05</td><td>35.97</td><td>0.00</td><td>371</td><td>359</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>50.61</td><td>68.50</td><td>-17.89</td><td>40.78</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>371</td><td>359</td><td>PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>70.99</td><td>106.09</td><td>-35.10</td><td>61.86</td><td>34.93</td><td>11.15</td><td>36.95</td><td>0.00</td><td>371</td><td>359</td><td>PEAK</td></tr><tr><td>4</td><td>5724.00</td><td>83.14</td><td>121.84</td><td>-38.70</td><td>74.30</td><td>34.95</td><td>11.18</td><td>37.29</td><td>0.00</td><td>371</td><td>359</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5634.00	55.36	68.20	-12.84	45.42	34.86	11.05	35.97	0.00	371	359	PEAK	2	5650.40	50.61	68.50	-17.89	40.78	34.88	11.07	36.12	0.00	371	359	PEAK	3	5702.00	70.99	106.09	-35.10	61.86	34.93	11.15	36.95	0.00	371	359	PEAK	4	5724.00	83.14	121.84	-38.70	74.30	34.95	11.18	37.29	0.00	371	359	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>118.56</td><td>-----</td><td>-----</td><td>109.85</td><td>34.95</td><td>11.19</td><td>37.43</td><td>0.00</td><td>371</td><td>359</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	118.56	-----	-----	109.85	34.95	11.19	37.43	0.00	371	359
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5634.00	55.36	68.20	-12.84	45.42	34.86	11.05	35.97	0.00	371	359	PEAK																																																																																																																														
2	5650.40	50.61	68.50	-17.89	40.78	34.88	11.07	36.12	0.00	371	359	PEAK																																																																																																																														
3	5702.00	70.99	106.09	-35.10	61.86	34.93	11.15	36.95	0.00	371	359	PEAK																																																																																																																														
4	5724.00	83.14	121.84	-38.70	74.30	34.95	11.18	37.29	0.00	371	359	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	118.56	-----	-----	109.85	34.95	11.19	37.43	0.00	371	359	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.57</td><td>-----</td><td>-----</td><td>100.86</td><td>34.95</td><td>11.19</td><td>37.43</td><td>0.00</td><td>371</td><td>359</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	109.57	-----	-----	100.86	34.95	11.19	37.43	0.00	371	359	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	109.57	-----	-----	100.86	34.95	11.19	37.43	0.00	371	359	AVERAGE																																																																																																																														






Mode	54										
	Band Edge										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz										
ANT	CDD 6+7										
Pol.	Horizontal										
Peak	Level (dBuV/m) </										







Mode	54																																																																																													
	Band Edge																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																													
ANT	CDD 6+7																																																																																													
Pol.	Vertical																																																																																													
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>52.29</td><td>112.27</td><td>-59.98</td><td>45.21</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>216</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5867.20</td><td>80.94</td><td>107.48</td><td>-26.54</td><td>73.82</td><td>35.08</td><td>11.35</td><td>39.31</td><td>0.00</td><td>216</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>48.68</td><td>68.35</td><td>-19.67</td><td>41.37</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>216</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5933.20</td><td>51.33</td><td>68.20</td><td>-16.87</td><td>43.98</td><td>35.14</td><td>11.41</td><td>39.20</td><td>0.00</td><td>216</td><td>360</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	52.29	112.27	-59.98	45.21	35.07	11.33	39.32	0.00	216	360	PEAK	2	5867.20	80.94	107.48	-26.54	73.82	35.08	11.35	39.31	0.00	216	360	PEAK	3	5924.80	48.68	68.35	-19.67	41.37	35.13	11.40	39.22	0.00	216	360	PEAK	4	5933.20	51.33	68.20	-16.87	43.98	35.14	11.41	39.20	0.00	216	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.40	52.29	112.27	-59.98	45.21	35.07	11.33	39.32	0.00	216	360	PEAK																																																																																		
2	5867.20	80.94	107.48	-26.54	73.82	35.08	11.35	39.31	0.00	216	360	PEAK																																																																																		
3	5924.80	48.68	68.35	-19.67	41.37	35.13	11.40	39.22	0.00	216	360	PEAK																																																																																		
4	5933.20	51.33	68.20	-16.87	43.98	35.14	11.41	39.20	0.00	216	360	PEAK																																																																																		
Fundamental																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>120.48</td><td>-----</td><td>-----</td><td>113.15</td><td>35.05</td><td>11.32</td><td>39.04</td><td>0.00</td><td>216</td><td>360</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	120.48	-----	-----	113.15	35.05	11.32	39.04	0.00	216	360	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5825.00	120.48	-----	-----	113.15	35.05	11.32	39.04	0.00	216	360	PEAK																																																																																		
Avg	Blank																																																																																													
																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>110.70</td><td>-----</td><td>-----</td><td>103.28</td><td>35.05</td><td>11.31</td><td>38.94</td><td>0.00</td><td>216</td><td>360</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	110.70	-----	-----	103.28	35.05	11.31	38.94	0.00	216	360	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5825.00	110.70	-----	-----	103.28	35.05	11.31	38.94	0.00	216	360	AVERAGE																																																																																		






	55																																																																																																																																									
Mode	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																									
ANT	CDD 6+7																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5607.20</td><td>57.19</td><td>68.20</td><td>-11.01</td><td>47.35</td><td>34.84</td><td>11.01</td><td>36.01</td><td>0.00</td><td>165</td><td>0 PEAK</td></tr><tr><td>2</td><td>5676.40</td><td>73.63</td><td>87.83</td><td>-14.20</td><td>64.15</td><td>34.90</td><td>11.11</td><td>36.53</td><td>0.00</td><td>165</td><td>0 PEAK</td></tr><tr><td>3</td><td>5707.60</td><td>86.82</td><td>107.43</td><td>-20.61</td><td>77.76</td><td>34.93</td><td>11.15</td><td>37.02</td><td>0.00</td><td>165</td><td>0 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>55.92</td><td>111.81</td><td>-55.89</td><td>47.03</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>165</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5607.20	57.19	68.20	-11.01	47.35	34.84	11.01	36.01	0.00	165	0 PEAK	2	5676.40	73.63	87.83	-14.20	64.15	34.90	11.11	36.53	0.00	165	0 PEAK	3	5707.60	86.82	107.43	-20.61	77.76	34.93	11.15	37.02	0.00	165	0 PEAK	4	5720.40	55.92	111.81	-55.89	47.03	34.94	11.17	37.22	0.00	165	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>115.41</td><td>-----</td><td>-----</td><td>106.78</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>165</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	115.41	-----	-----	106.78	34.96	11.20	37.53	0.00	165
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5607.20	57.19	68.20	-11.01	47.35	34.84	11.01	36.01	0.00	165	0 PEAK																																																																																																																															
2	5676.40	73.63	87.83	-14.20	64.15	34.90	11.11	36.53	0.00	165	0 PEAK																																																																																																																															
3	5707.60	86.82	107.43	-20.61	77.76	34.93	11.15	37.02	0.00	165	0 PEAK																																																																																																																															
4	5720.40	55.92	111.81	-55.89	47.03	34.94	11.17	37.22	0.00	165	0 PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	115.41	-----	-----	106.78	34.96	11.20	37.53	0.00	165	0 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.17</td><td>-----</td><td>-----</td><td>97.54</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>165</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.17	-----	-----	97.54	34.96	11.20	37.53	0.00	165	0 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	106.17	-----	-----	97.54	34.96	11.20	37.53	0.00	165	0 AVERAGE																																																																																																																															





		55																																																																																																																																							
Mode	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																								
ANT	CDD 6+7																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5618.00</td><td>57.50</td><td>68.20</td><td>-10.70</td><td>47.61</td><td>34.85</td><td>11.03</td><td>35.99</td><td>0.00</td><td>100</td><td>349</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>55.28</td><td>68.50</td><td>-13.22</td><td>45.45</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>100</td><td>349</td><td>PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>82.07</td><td>105.86</td><td>-23.79</td><td>72.94</td><td>34.92</td><td>11.14</td><td>36.93</td><td>0.00</td><td>100</td><td>349</td><td>PEAK</td></tr><tr><td>4</td><td>5721.60</td><td>63.00</td><td>114.55</td><td>-51.55</td><td>54.13</td><td>34.94</td><td>11.17</td><td>37.24</td><td>0.00</td><td>100</td><td>349</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5618.00	57.50	68.20	-10.70	47.61	34.85	11.03	35.99	0.00	100	349	PEAK	2	5650.40	55.28	68.50	-13.22	45.45	34.88	11.07	36.12	0.00	100	349	PEAK	3	5702.00	82.07	105.86	-23.79	72.94	34.92	11.14	36.93	0.00	100	349	PEAK	4	5721.60	63.00	114.55	-51.55	54.13	34.94	11.17	37.24	0.00	100	349	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>119.15</td><td>-----</td><td>-----</td><td>110.52</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>100</td><td>349</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	119.15	-----	-----	110.52	34.96	11.20	37.53	0.00	100	349
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5618.00	57.50	68.20	-10.70	47.61	34.85	11.03	35.99	0.00	100	349	PEAK																																																																																																																													
2	5650.40	55.28	68.50	-13.22	45.45	34.88	11.07	36.12	0.00	100	349	PEAK																																																																																																																													
3	5702.00	82.07	105.86	-23.79	72.94	34.92	11.14	36.93	0.00	100	349	PEAK																																																																																																																													
4	5721.60	63.00	114.55	-51.55	54.13	34.94	11.17	37.24	0.00	100	349	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	119.15	-----	-----	110.52	34.96	11.20	37.53	0.00	100	349	PEAK																																																																																																																													
Avg																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>108.62</td><td>-----</td><td>-----</td><td>99.99</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>100</td><td>349</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	108.62	-----	-----	99.99	34.96	11.20	37.53	0.00	100	349	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	108.62	-----	-----	99.99	34.96	11.20	37.53	0.00	100	349	AVERAGE																																																																																																																													





Mode	56																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																																				
ANT	CDD 6+7																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5850.00</td><td>73.31</td><td>122.30</td><td>-48.99</td><td>66.17</td><td>35.06</td><td>11.33</td><td>39.25</td><td>0.00</td><td>194</td><td>0 PEAK</td></tr><tr><td>2</td><td>5861.60</td><td>78.99</td><td>109.05</td><td>-30.06</td><td>71.89</td><td>35.08</td><td>11.34</td><td>39.32</td><td>0.00</td><td>194</td><td>0 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>55.75</td><td>69.53</td><td>-13.78</td><td>48.44</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>194</td><td>0 PEAK</td></tr><tr><td>4</td><td>5979.20</td><td>56.58</td><td>68.20</td><td>-11.62</td><td>49.07</td><td>35.19</td><td>11.45</td><td>39.13</td><td>0.00</td><td>194</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5850.00	73.31	122.30	-48.99	66.17	35.06	11.33	39.25	0.00	194	0 PEAK	2	5861.60	78.99	109.05	-30.06	71.89	35.08	11.34	39.32	0.00	194	0 PEAK	3	5923.20	55.75	69.53	-13.78	48.44	35.13	11.40	39.22	0.00	194	0 PEAK	4	5979.20	56.58	68.20	-11.62	49.07	35.19	11.45	39.13	0.00	194	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.86</td><td>-----</td><td>-----</td><td>102.44</td><td>35.05</td><td>11.31</td><td>38.94</td><td>0.00</td><td>194</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	109.86	-----	-----	102.44	35.05	11.31	38.94	0.00	194	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5850.00	73.31	122.30	-48.99	66.17	35.06	11.33	39.25	0.00	194	0 PEAK																																																																																																																										
2	5861.60	78.99	109.05	-30.06	71.89	35.08	11.34	39.32	0.00	194	0 PEAK																																																																																																																										
3	5923.20	55.75	69.53	-13.78	48.44	35.13	11.40	39.22	0.00	194	0 PEAK																																																																																																																										
4	5979.20	56.58	68.20	-11.62	49.07	35.19	11.45	39.13	0.00	194	0 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5825.00	109.86	-----	-----	102.44	35.05	11.31	38.94	0.00	194	0 PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.31</td><td>-----</td><td>-----</td><td>95.89</td><td>35.05</td><td>11.31</td><td>38.94</td><td>0.00</td><td>194</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	103.31	-----	-----	95.89	35.05	11.31	38.94	0.00	194	0 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5825.00	103.31	-----	-----	95.89	35.05	11.31	38.94	0.00	194	0 AVERAGE																																																																																																																										






Mode	56																																																																																													
	Band Edge																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																													
ANT	CDD 6+7																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>68.11</td><td>112.27</td><td>-44.16</td><td>61.03</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>205</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5862.80</td><td>80.01</td><td>108.71</td><td>-28.70</td><td>72.91</td><td>35.08</td><td>11.34</td><td>39.32</td><td>0.00</td><td>205</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>54.34</td><td>68.64</td><td>-14.30</td><td>47.03</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>205</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5956.00</td><td>56.49</td><td>68.20</td><td>-11.71</td><td>49.06</td><td>35.16</td><td>11.43</td><td>39.16</td><td>0.00</td><td>205</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	68.11	112.27	-44.16	61.03	35.07	11.33	39.32	0.00	205	360	PEAK	2	5862.80	80.01	108.71	-28.70	72.91	35.08	11.34	39.32	0.00	205	360	PEAK	3	5924.40	54.34	68.64	-14.30	47.03	35.13	11.40	39.22	0.00	205	360	PEAK	4	5956.00	56.49	68.20	-11.71	49.06	35.16	11.43	39.16	0.00	205	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.40	68.11	112.27	-44.16	61.03	35.07	11.33	39.32	0.00	205	360	PEAK																																																																																		
2	5862.80	80.01	108.71	-28.70	72.91	35.08	11.34	39.32	0.00	205	360	PEAK																																																																																		
3	5924.40	54.34	68.64	-14.30	47.03	35.13	11.40	39.22	0.00	205	360	PEAK																																																																																		
4	5956.00	56.49	68.20	-11.71	49.06	35.16	11.43	39.16	0.00	205	360	PEAK																																																																																		
Avg	Blank																																																																																													
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>116.90</td><td>-----</td><td>-----</td><td>109.57</td><td>35.05</td><td>11.32</td><td>39.04</td><td>0.00</td><td>205</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	116.90	-----	-----	109.57	35.05	11.32	39.04	0.00	205	360	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5825.00	116.90	-----	-----	109.57	35.05	11.32	39.04	0.00	205	360	PEAK																																																																																		






		57																																																																																											
Mode	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																												
ANT	CDD 6+7																																																																																												
Pol.	Horizontal																																																																																												
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5647.60</td><td>57.98</td><td>68.20</td><td>-10.22</td><td>48.12</td><td>34.87</td><td>11.07</td><td>36.08</td><td>0.00</td><td>165</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>56.33</td><td>69.39</td><td>-13.06</td><td>46.52</td><td>34.88</td><td>11.07</td><td>36.14</td><td>0.00</td><td>165</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>84.75</td><td>110.90</td><td>-26.15</td><td>75.86</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>165</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5722.00</td><td>79.53</td><td>115.46</td><td>-35.93</td><td>70.67</td><td>34.94</td><td>11.17</td><td>37.25</td><td>0.00</td><td>165</td><td>0</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5647.60	57.98	68.20	-10.22	48.12	34.87	11.07	36.08	0.00	165	0	PEAK	2	5651.60	56.33	69.39	-13.06	46.52	34.88	11.07	36.14	0.00	165	0	PEAK	3	5720.00	84.75	110.90	-26.15	75.86	34.94	11.17	37.22	0.00	165	0	PEAK	4	5722.00	79.53	115.46	-35.93	70.67	34.94	11.17	37.25	0.00	165	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5647.60	57.98	68.20	-10.22	48.12	34.87	11.07	36.08	0.00	165	0	PEAK																																																																																	
2	5651.60	56.33	69.39	-13.06	46.52	34.88	11.07	36.14	0.00	165	0	PEAK																																																																																	
3	5720.00	84.75	110.90	-26.15	75.86	34.94	11.17	37.22	0.00	165	0	PEAK																																																																																	
4	5722.00	79.53	115.46	-35.93	70.67	34.94	11.17	37.25	0.00	165	0	Peak																																																																																	
Avg	Blank																																																																																												
																																																																																													
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>114.14</td><td>-----</td><td>-----</td><td>105.51</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>165</td><td>0</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	114.14	-----	-----	105.51	34.96	11.20	37.53	0.00	165	0	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5745.00	114.14	-----	-----	105.51	34.96	11.20	37.53	0.00	165	0	PEAK																																																																																	






		57																																																																																					
Mode	Band Edge																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																						
ANT	CDD 6+7																																																																																						
Pol.	Vertical																																																																																						
Peak																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5636.00</td><td>59.33</td><td>68.20</td><td>-8.87</td><td>49.39</td><td>34.86</td><td>11.05</td><td>35.97</td><td>0.00</td><td>112</td><td>360 PEAK</td></tr><tr><td>2 5652.00</td><td>56.90</td><td>69.69</td><td>-12.79</td><td>47.10</td><td>34.88</td><td>11.07</td><td>36.15</td><td>0.00</td><td>112</td><td>360 PEAK</td></tr><tr><td>3 5714.80</td><td>88.31</td><td>-----</td><td>-----</td><td>79.34</td><td>34.94</td><td>11.16</td><td>37.13</td><td>0.00</td><td>112</td><td>360 PEAK</td></tr><tr><td>4 5720.00</td><td>88.94</td><td>110.90</td><td>-21.96</td><td>80.05</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>112</td><td>360 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5636.00	59.33	68.20	-8.87	49.39	34.86	11.05	35.97	0.00	112	360 PEAK	2 5652.00	56.90	69.69	-12.79	47.10	34.88	11.07	36.15	0.00	112	360 PEAK	3 5714.80	88.31	-----	-----	79.34	34.94	11.16	37.13	0.00	112	360 PEAK	4 5720.00	88.94	110.90	-21.96	80.05	34.94	11.17	37.22	0.00	112
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5636.00	59.33	68.20	-8.87	49.39	34.86	11.05	35.97	0.00	112	360 PEAK																																																																													
2 5652.00	56.90	69.69	-12.79	47.10	34.88	11.07	36.15	0.00	112	360 PEAK																																																																													
3 5714.80	88.31	-----	-----	79.34	34.94	11.16	37.13	0.00	112	360 PEAK																																																																													
4 5720.00	88.94	110.90	-21.96	80.05	34.94	11.17	37.22	0.00	112	360 PEAK																																																																													
Fundamental																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>114.14</td><td>-----</td><td>-----</td><td>105.51</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>165</td><td>0 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	114.14	-----	-----	105.51	34.96	11.20	37.53	0.00	165	0 PEAK																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5745.00	114.14	-----	-----	105.51	34.96	11.20	37.53	0.00	165	0 PEAK																																																																													
Avg	Blank																																																																																						
																																																																																							
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>108.11</td><td>-----</td><td>-----</td><td>99.48</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>112</td><td>360 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	108.11	-----	-----	99.48	34.96	11.20	37.53	0.00	112	360 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5745.00	108.11	-----	-----	99.48	34.96	11.20	37.53	0.00	112	360 AVERAGE																																																																													



Mode	58																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																				
ANT	CDD 6+7																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5850.00</td><td>87.61</td><td>122.30</td><td>-34.69</td><td>80.47</td><td>35.06</td><td>11.33</td><td>39.25</td><td>0.00</td><td>168</td><td>0 PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>81.01</td><td>106.14</td><td>-25.13</td><td>73.88</td><td>35.00</td><td>11.35</td><td>39.30</td><td>0.00</td><td>168</td><td>0 PEAK</td></tr><tr><td>3</td><td>5918.80</td><td>59.42</td><td>72.78</td><td>-13.36</td><td>52.12</td><td>35.13</td><td>11.40</td><td>39.23</td><td>0.00</td><td>168</td><td>0 PEAK</td></tr><tr><td>4</td><td>5941.60</td><td>58.06</td><td>68.20</td><td>-10.14</td><td>50.68</td><td>35.15</td><td>11.42</td><td>39.19</td><td>0.00</td><td>168</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5850.00	87.61	122.30	-34.69	80.47	35.06	11.33	39.25	0.00	168	0 PEAK	2	5872.00	81.01	106.14	-25.13	73.88	35.00	11.35	39.30	0.00	168	0 PEAK	3	5918.80	59.42	72.78	-13.36	52.12	35.13	11.40	39.23	0.00	168	0 PEAK	4	5941.60	58.06	68.20	-10.14	50.68	35.15	11.42	39.19	0.00	168	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>112.63</td><td>-----</td><td>-----</td><td>105.21</td><td>35.05</td><td>11.31</td><td>38.94</td><td>0.00</td><td>168</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	112.63	-----	-----	105.21	35.05	11.31	38.94	0.00	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5850.00	87.61	122.30	-34.69	80.47	35.06	11.33	39.25	0.00	168	0 PEAK																																																																																																																										
2	5872.00	81.01	106.14	-25.13	73.88	35.00	11.35	39.30	0.00	168	0 PEAK																																																																																																																										
3	5918.80	59.42	72.78	-13.36	52.12	35.13	11.40	39.23	0.00	168	0 PEAK																																																																																																																										
4	5941.60	58.06	68.20	-10.14	50.68	35.15	11.42	39.19	0.00	168	0 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	112.63	-----	-----	105.21	35.05	11.31	38.94	0.00	168	0 PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.24</td><td>-----</td><td>-----</td><td>95.82</td><td>35.05</td><td>11.31</td><td>38.94</td><td>0.00</td><td>168</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	103.24	-----	-----	95.82	35.05	11.31	38.94	0.00	168	0 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	103.24	-----	-----	95.82	35.05	11.31	38.94	0.00	168	0 AVERAGE																																																																																																																										





Mode	58																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																														
ANT	CDD 6+7																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5851.60</td><td>86.58</td><td>118.65</td><td>-32.07</td><td>79.46</td><td>35.07</td><td>11.33</td><td>39.28</td><td>0.00</td><td>130</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>72.90</td><td>105.36</td><td>-32.46</td><td>65.76</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>130</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5912.80</td><td>69.47</td><td>77.22</td><td>-7.75</td><td>62.20</td><td>35.12</td><td>11.39</td><td>39.24</td><td>0.00</td><td>130</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5934.40</td><td>64.30</td><td>68.20</td><td>-3.90</td><td>56.95</td><td>35.14</td><td>11.41</td><td>39.20</td><td>0.00</td><td>130</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5851.60	86.58	118.65	-32.07	79.46	35.07	11.33	39.28	0.00	130	360	PEAK	2	5874.80	72.90	105.36	-32.46	65.76	35.09	11.35	39.30	0.00	130	360	PEAK	3	5912.80	69.47	77.22	-7.75	62.20	35.12	11.39	39.24	0.00	130	360	PEAK	4	5934.40	64.30	68.20	-3.90	56.95	35.14	11.41	39.20	0.00	130	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>114.94</td><td>-----</td><td>-----</td><td>107.52</td><td>35.05</td><td>11.31</td><td>38.94</td><td>0.00</td><td>130</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	114.94	-----	-----	107.52	35.05	11.31	38.94	0.00	130	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5851.60	86.58	118.65	-32.07	79.46	35.07	11.33	39.28	0.00	130	360	PEAK																																																																																																																																			
2	5874.80	72.90	105.36	-32.46	65.76	35.09	11.35	39.30	0.00	130	360	PEAK																																																																																																																																			
3	5912.80	69.47	77.22	-7.75	62.20	35.12	11.39	39.24	0.00	130	360	PEAK																																																																																																																																			
4	5934.40	64.30	68.20	-3.90	56.95	35.14	11.41	39.20	0.00	130	360	PEAK																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	114.94	-----	-----	107.52	35.05	11.31	38.94	0.00	130	360	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.36</td><td>-----</td><td>-----</td><td>98.94</td><td>35.05</td><td>11.31</td><td>38.94</td><td>0.00</td><td>130</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	106.36	-----	-----	98.94	35.05	11.31	38.94	0.00	130	360	AVERAGE																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	106.36	-----	-----	98.94	35.05	11.31	38.94	0.00	130	360	AVERAGE																																																																																																																																			



Mode	52	
	18G-40G	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz	
ANT	CDD 6+7	
Pol.	Horizontal	Vertical
Peak Avg	The Horizontal polarization plot shows the Level (dBuV/m) on the y-axis (0 to 120) versus Frequency (MHz) on the x-axis (18000 to 40000). The red line represents the Peak level (U-NII-3), which is mostly flat at 75.0 dBuV/m with some small fluctuations. The blue line represents the Average level (U-NII-3(AVG)), which is mostly flat at 45.0 dBuV/m with some small fluctuations. The background is a light gray grid.	The Vertical polarization plot shows the Level (dBuV/m) on the y-axis (0 to 120) versus Frequency (MHz) on the x-axis (18000 to 40000). The red line represents the Peak level (U-NII-3), which is mostly flat at 75.0 dBuV/m with some small fluctuations. The blue line represents the Average level (U-NII-3(AVG)), which is mostly flat at 45.0 dBuV/m with some small fluctuations. The background is a light gray grid.



Mode	52																																																																																																																																																																																																											
	30-1G																																																																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																																																																																											
ANT	CDD 6+7																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																					
Peak																																																																																																																																																																																																												
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.00</td><td>21.99</td><td>40.00</td><td>-18.01</td><td>29.73</td><td>24.57</td><td>0.71</td><td>33.02</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>107.60</td><td>22.68</td><td>43.50</td><td>-20.82</td><td>37.02</td><td>16.96</td><td>1.56</td><td>32.86</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>183.26</td><td>25.84</td><td>43.50</td><td>-17.66</td><td>40.87</td><td>15.75</td><td>2.05</td><td>32.83</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>259.89</td><td>25.29</td><td>46.00</td><td>-20.71</td><td>37.01</td><td>18.60</td><td>2.46</td><td>32.78</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>434.49</td><td>23.29</td><td>46.00</td><td>-22.71</td><td>30.83</td><td>22.27</td><td>3.18</td><td>32.99</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>747.80</td><td>29.91</td><td>46.00</td><td>-16.09</td><td>32.72</td><td>25.81</td><td>4.18</td><td>32.80</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	30.00	21.99	40.00	-18.01	29.73	24.57	0.71	33.02	0.00	---	Peak	2	107.60	22.68	43.50	-20.82	37.02	16.96	1.56	32.86	0.00	---	Peak	3	183.26	25.84	43.50	-17.66	40.87	15.75	2.05	32.83	0.00	---	Peak	4	259.89	25.29	46.00	-20.71	37.01	18.60	2.46	32.78	0.00	---	Peak	5	434.49	23.29	46.00	-22.71	30.83	22.27	3.18	32.99	0.00	---	Peak	6	747.80	29.91	46.00	-16.09	32.72	25.81	4.18	32.80	0.00	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>35.82</td><td>31.04</td><td>40.00</td><td>-8.96</td><td>41.64</td><td>21.49</td><td>0.81</td><td>32.90</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>40.43</td><td>33.62</td><td>40.00</td><td>-6.38</td><td>50.48</td><td>15.04</td><td>1.03</td><td>32.93</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>60.07</td><td>32.40</td><td>40.00</td><td>-7.60</td><td>51.57</td><td>12.58</td><td>1.15</td><td>32.90</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>182.29</td><td>22.65</td><td>43.50</td><td>-20.85</td><td>37.67</td><td>15.77</td><td>2.04</td><td>32.83</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>279.29</td><td>23.98</td><td>46.00</td><td>-22.02</td><td>35.28</td><td>18.95</td><td>2.55</td><td>32.80</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>669.23</td><td>27.91</td><td>46.00</td><td>-18.09</td><td>31.73</td><td>25.22</td><td>3.95</td><td>32.99</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	35.82	31.04	40.00	-8.96	41.64	21.49	0.81	32.90	0.00	---	Peak	2	40.43	33.62	40.00	-6.38	50.48	15.04	1.03	32.93	0.00	---	Peak	3	60.07	32.40	40.00	-7.60	51.57	12.58	1.15	32.90	0.00	---	Peak	4	182.29	22.65	43.50	-20.85	37.67	15.77	2.04	32.83	0.00	---	Peak	5	279.29	23.98	46.00	-22.02	35.28	18.95	2.55	32.80	0.00	---	Peak	6	669.23	27.91	46.00	-18.09	31.73	25.22	3.95	32.99	0.00	---	Peak
		Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
	1	30.00	21.99	40.00	-18.01	29.73	24.57	0.71	33.02	0.00	---	Peak																																																																																																																																																																																																
	2	107.60	22.68	43.50	-20.82	37.02	16.96	1.56	32.86	0.00	---	Peak																																																																																																																																																																																																
	3	183.26	25.84	43.50	-17.66	40.87	15.75	2.05	32.83	0.00	---	Peak																																																																																																																																																																																																
	4	259.89	25.29	46.00	-20.71	37.01	18.60	2.46	32.78	0.00	---	Peak																																																																																																																																																																																																
	5	434.49	23.29	46.00	-22.71	30.83	22.27	3.18	32.99	0.00	---	Peak																																																																																																																																																																																																
	6	747.80	29.91	46.00	-16.09	32.72	25.81	4.18	32.80	0.00	---	Peak																																																																																																																																																																																																
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																		
1	35.82	31.04	40.00	-8.96	41.64	21.49	0.81	32.90	0.00	---	Peak																																																																																																																																																																																																	
2	40.43	33.62	40.00	-6.38	50.48	15.04	1.03	32.93	0.00	---	Peak																																																																																																																																																																																																	
3	60.07	32.40	40.00	-7.60	51.57	12.58	1.15	32.90	0.00	---	Peak																																																																																																																																																																																																	
4	182.29	22.65	43.50	-20.85	37.67	15.77	2.04	32.83	0.00	---	Peak																																																																																																																																																																																																	
5	279.29	23.98	46.00	-22.02	35.28	18.95	2.55	32.80	0.00	---	Peak																																																																																																																																																																																																	
6	669.23	27.91	46.00	-18.09	31.73	25.22	3.95	32.99	0.00	---	Peak																																																																																																																																																																																																	

59

Mode

Harmonic

U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz

ANT

CDD 6+7

Pol.

Horizontal

Vertical

Peak

Avg

Level (dBuV/m)

Frequency (MHz)

U-NII-1-U-NII-2A-U-NII-2C
U-NII-1-U-NII-2A-U-NII-2C(AVG)

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1 8008.00	43.45	68.20 -24.75	60.74	36.38	13.36	67.03	0.00	--	-- PEAK
2 11440.00	55.96	74.00 -18.04	67.92	38.08	16.32	66.36	0.00	100	326 PEAK
3 11440.00	44.00	54.00 -10.00	55.96	38.08	16.32	66.36	0.00	100	326 AVERAGE
4 17160.00	61.52	68.20 -6.68	64.59	41.04	20.11	64.22	0.00	127	0 PEAK



Level (dBuV/m)

Frequency (MHz)

U-NII-1-U-NII-2A-U-NII-2C
U-NII-1-U-NII-2A-U-NII-2C(AVG)

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1 8008.00	44.05	68.20 -24.15	61.34	36.38	13.36	67.03	0.00	--	-- PEAK
2 11440.00	46.40	74.00 -27.60	58.36	38.08	16.32	66.36	0.00	--	-- PEAK
3 17160.00	61.53	68.20 -6.67	64.61	41.04	20.11	64.23	0.00	107	30 PEAK



Mode	60																																																																																							
	Harmonic																																																																																							
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_5720MHz																																																																																							
ANT	CDD 6+7																																																																																							
Pol.	Horizontal																																																																																							
Peak Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8008.00</td><td>43.86</td><td>68.20</td><td>-24.34</td><td>61.15</td><td>36.38</td><td>13.36</td><td>67.03</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>11440.00</td><td>56.35</td><td>74.00</td><td>-17.65</td><td>68.31</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>107</td></tr><tr><td>3</td><td>11440.00</td><td>43.39</td><td>54.00</td><td>-10.61</td><td>55.35</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>107</td></tr><tr><td>4</td><td>17160.00</td><td>63.83</td><td>68.20</td><td>-4.37</td><td>66.90</td><td>41.04</td><td>20.11</td><td>64.22</td><td>0.00</td><td>120</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8008.00	43.86	68.20	-24.34	61.15	36.38	13.36	67.03	0.00	--	2	11440.00	56.35	74.00	-17.65	68.31	38.08	16.32	66.36	0.00	107	3	11440.00	43.39	54.00	-10.61	55.35	38.08	16.32	66.36	0.00	107	4	17160.00	63.83	68.20	-4.37	66.90	41.04	20.11	64.22	0.00	120
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	8008.00	43.86	68.20	-24.34	61.15	36.38	13.36	67.03	0.00	--																																																																														
2	11440.00	56.35	74.00	-17.65	68.31	38.08	16.32	66.36	0.00	107																																																																														
3	11440.00	43.39	54.00	-10.61	55.35	38.08	16.32	66.36	0.00	107																																																																														
4	17160.00	63.83	68.20	-4.37	66.90	41.04	20.11	64.22	0.00	120																																																																														
Vertical																																																																																								
																																																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8008.00</td><td>44.85</td><td>68.20</td><td>-23.35</td><td>62.14</td><td>36.38</td><td>13.36</td><td>67.03</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>11440.00</td><td>45.81</td><td>74.00</td><td>-28.19</td><td>57.77</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>--</td></tr><tr><td>3</td><td>17160.00</td><td>62.31</td><td>68.20</td><td>-5.89</td><td>65.38</td><td>41.05</td><td>20.10</td><td>64.22</td><td>0.00</td><td>127</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8008.00	44.85	68.20	-23.35	62.14	36.38	13.36	67.03	0.00	--	2	11440.00	45.81	74.00	-28.19	57.77	38.08	16.32	66.36	0.00	--	3	17160.00	62.31	68.20	-5.89	65.38	41.05	20.10	64.22	0.00	127												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	8008.00	44.85	68.20	-23.35	62.14	36.38	13.36	67.03	0.00	--																																																																														
2	11440.00	45.81	74.00	-28.19	57.77	38.08	16.32	66.36	0.00	--																																																																														
3	17160.00	62.31	68.20	-5.89	65.38	41.05	20.10	64.22	0.00	127																																																																														



Mode	61										
	Harmonic										
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_5710MHz										
ANT	CDD 6+7										
Pol.	Horizontal										
Peak Avg											



Mode	62																																																																	
	Harmonic																																																																	
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_5690MHz																																																																	
ANT	CDD 6+7																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7966.00	42.87	68.20	-25.33	60.15	36.40	13.32	67.00	0.00	--	PEAK	2	11380.00	47.01	74.00	-26.99	59.14	37.98	16.29	66.40	0.00	--	PEAK	3	17070.00	62.24	68.20	-5.96	65.23	41.11	20.06	64.16	0.00	138
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	7966.00	42.87	68.20	-25.33	60.15	36.40	13.32	67.00	0.00	--	PEAK																																																							
2	11380.00	47.01	74.00	-26.99	59.14	37.98	16.29	66.40	0.00	--	PEAK																																																							
3	17070.00	62.24	68.20	-5.96	65.23	41.11	20.06	64.16	0.00	138	360 PEAK																																																							
Peak Avg																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7966.00	45.10	68.20	-23.10	62.38	36.40	13.32	67.00	0.00	--	PEAK	2	11380.00	45.11	74.00	-28.89	57.24	37.98	16.29	66.40	0.00	--	PEAK	3	17070.00	59.24	68.20	-8.96	62.20	41.13	20.05	64.14	0.00	106
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	7966.00	45.10	68.20	-23.10	62.38	36.40	13.32	67.00	0.00	--	PEAK																																																							
2	11380.00	45.11	74.00	-28.89	57.24	37.98	16.29	66.40	0.00	--	PEAK																																																							
3	17070.00	59.24	68.20	-8.96	62.20	41.13	20.05	64.14	0.00	106	25 PEAK																																																							







Co-Location





Radiated Spurious Emission Test Data

Test Engineer :		Relative Humidity :	
		Temperature :	





Mode	63																																																																																																
	Band Edge																																																																																																
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_Full_2480MHz																																																																																																
ANT	6																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.80</td><td>51.07</td><td>74.00</td><td>-22.93</td><td>42.19</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>100</td><td>36 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.80	51.07	74.00	-22.93	42.19	32.47	7.26	36.85	6.00	100	36 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>102.67</td><td>-----</td><td>-----</td><td>93.82</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>100</td><td>36 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.67	-----	-----	93.82	32.46	7.25	36.86	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.80	51.07	74.00	-22.93	42.19	32.47	7.26	36.85	6.00	100	36 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2480.00	102.67	-----	-----	93.82	32.46	7.25	36.86	6.00	100	36 PEAK																																																																																						
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>40.41</td><td>54.00</td><td>-13.59</td><td>31.53</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>100</td><td>36 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	40.41	54.00	-13.59	31.53	32.47	7.26	36.85	6.00	100	36 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.42</td><td>-----</td><td>-----</td><td>91.57</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>100</td><td>36 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.42	-----	-----	91.57	32.46	7.25	36.86	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.68	40.41	54.00	-13.59	31.53	32.47	7.26	36.85	6.00	100	36 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2480.00	100.42	-----	-----	91.57	32.46	7.25	36.86	6.00	100	36 AVERAGE																																																																																						







Mode	63																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_Full_2480MHz																																																																																																	
ANT	6																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.74</td><td>50.67</td><td>74.00</td><td>-23.33</td><td>41.79</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>210 101 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	50.67	74.00	-23.33	41.79	32.47	7.26	36.85	6.00	210 101 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>100.91</td><td>-----</td><td>-----</td><td>92.06</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>210 101 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.91	-----	-----	92.06	32.46	7.25	36.86	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.74	50.67	74.00	-23.33	41.79	32.47	7.26	36.85	6.00	210 101 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2480.00	100.91	-----	-----	92.06	32.46	7.25	36.86	6.00	210 101 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2490.04</td><td>39.90</td><td>54.00</td><td>-14.10</td><td>30.98</td><td>32.48</td><td>7.27</td><td>36.83</td><td>6.00</td><td>210 101 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.04	39.90	54.00	-14.10	30.98	32.48	7.27	36.83	6.00	210 101 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>98.50</td><td>-----</td><td>-----</td><td>89.65</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>210 101 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.50	-----	-----	89.65	32.46	7.25	36.86	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2490.04	39.90	54.00	-14.10	30.98	32.48	7.27	36.83	6.00	210 101 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2480.00	98.50	-----	-----	89.65	32.46	7.25	36.86	6.00	210 101 AVERAGE																																																																																								





Mode	63																																																																					
	Harmonic																																																																					
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_Full_2480MHz																																																																					
ANT	6																																																																					
Pol.	Horizontal																																																																					
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>39.54</td><td>74.00</td><td>-34.46</td><td>60.51</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>5290.00</td><td>50.13</td><td>74.00</td><td>-23.87</td><td>70.39</td><td>34.54</td><td>10.71</td><td>65.51</td><td>0.00</td><td>--</td><td>-- Peak</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	39.54	74.00	-34.46	60.51	34.22	10.40	65.59	0.00	--	-- PEAK	2	5290.00	50.13	74.00	-23.87	70.39	34.54	10.71	65.51	0.00	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	4960.00	39.54	74.00	-34.46	60.51	34.22	10.40	65.59	0.00	--	-- PEAK																																																											
2	5290.00	50.13	74.00	-23.87	70.39	34.54	10.71	65.51	0.00	--	-- Peak																																																											
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>39.71</td><td>74.00</td><td>-34.29</td><td>60.68</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>5290.00</td><td>50.01</td><td>74.00</td><td>-23.99</td><td>70.27</td><td>34.54</td><td>10.71</td><td>65.51</td><td>0.00</td><td>--</td><td>-- Peak</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	39.71	74.00	-34.29	60.68	34.22	10.40	65.59	0.00	--	-- PEAK	2	5290.00	50.01	74.00	-23.99	70.27	34.54	10.71	65.51	0.00	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	4960.00	39.71	74.00	-34.29	60.68	34.22	10.40	65.59	0.00	--	-- PEAK																																																											
2	5290.00	50.01	74.00	-23.99	70.27	34.54	10.71	65.51	0.00	--	-- Peak																																																											







Mode	63																																																																																																																									
	Band Edge - L																																																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																																									
ANT	CDD 6+7																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																			
Peak																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.40</td><td>55.85</td><td>74.00</td><td>-18.15</td><td>47.51</td><td>34.40</td><td>10.60</td><td>36.66</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5142.40	55.85	74.00	-18.15	47.51	34.40	10.60	36.66	0.00	100	333	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2482.00</td><td>80.86</td><td>-----</td><td>78.00</td><td>32.46</td><td>7.25</td><td>36.85</td><td>0.00</td><td>100</td><td>333</td><td>Peak</td></tr><tr><td>2</td><td>5290.00</td><td>105.37</td><td>-----</td><td>96.58</td><td>34.54</td><td>10.71</td><td>36.46</td><td>0.00</td><td>100</td><td>333</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	80.86	-----	78.00	32.46	7.25	36.85	0.00	100	333	Peak	2	5290.00	105.37	-----	96.58	34.54	10.71	36.46	0.00	100	333
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	5142.40	55.85	74.00	-18.15	47.51	34.40	10.60	36.66	0.00	100	333	PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	2482.00	80.86	-----	78.00	32.46	7.25	36.85	0.00	100	333	Peak																																																																																																															
2	5290.00	105.37	-----	96.58	34.54	10.71	36.46	0.00	100	333	PEAK																																																																																																															
Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.28</td><td>43.91</td><td>54.00</td><td>-10.09</td><td>35.58</td><td>34.40</td><td>10.60</td><td>36.67</td><td>0.00</td><td>100</td><td>333</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5141.28	43.91	54.00	-10.09	35.58	34.40	10.60	36.67	0.00	100	333	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2482.00</td><td>76.46</td><td>-----</td><td>73.60</td><td>32.46</td><td>7.25</td><td>36.85</td><td>0.00</td><td>100</td><td>333</td><td>Average</td></tr><tr><td>2</td><td>5290.00</td><td>96.89</td><td>-----</td><td>88.10</td><td>34.54</td><td>10.71</td><td>36.46</td><td>0.00</td><td>100</td><td>333</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	76.46	-----	73.60	32.46	7.25	36.85	0.00	100	333	Average	2	5290.00	96.89	-----	88.10	34.54	10.71	36.46	0.00	100	333
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	5141.28	43.91	54.00	-10.09	35.58	34.40	10.60	36.67	0.00	100	333	AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	2482.00	76.46	-----	73.60	32.46	7.25	36.85	0.00	100	333	Average																																																																																																															
2	5290.00	96.89	-----	88.10	34.54	10.71	36.46	0.00	100	333	AVERAGE																																																																																																															





Mode	63																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																		
ANT	CDD 6+7																																																		
Pol.	Horizontal										Fundamental																																								
Peak											Blank																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5352.80</td><td>60.54</td><td>74.00</td><td>-13.46</td><td>51.56</td><td>34.60</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>333 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5352.80	60.54	74.00	-13.46	51.56	34.60	10.75	36.37	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1 5352.80	60.54	74.00	-13.46	51.56	34.60	10.75	36.37	0.00	100	333 PEAK																																									
Avg											Blank																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5351.90</td><td>48.81</td><td>54.00</td><td>-5.19</td><td>39.84</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>333 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5351.90	48.81	54.00	-5.19	39.84	34.59	10.75	36.37	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1 5351.90	48.81	54.00	-5.19	39.84	34.59	10.75	36.37	0.00	100	333 AVERAGE																																									







	63																																																																																																											
Mode	Band Edge - L																																																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																											
ANT	CDD 6+7																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5125.44</td><td>53.92</td><td>74.00</td><td>-20.08</td><td>45.65</td><td>34.38</td><td>10.58</td><td>36.69</td><td>0.00</td><td>295</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5125.44	53.92	74.00	-20.08	45.65	34.38	10.58	36.69	0.00	295	0	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>86.07</td><td>-----</td><td>83.21</td><td>32.46</td><td>7.25</td><td>36.85</td><td>0.00</td><td>295</td><td>0</td><td>Peak</td></tr><tr><td>2</td><td>5290.00</td><td>106.41</td><td>-----</td><td>97.62</td><td>34.54</td><td>10.71</td><td>36.46</td><td>0.00</td><td>295</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	86.07	-----	83.21	32.46	7.25	36.85	0.00	295	0	Peak	2	5290.00	106.41	-----	97.62	34.54	10.71	36.46	0.00	295	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5125.44	53.92	74.00	-20.08	45.65	34.38	10.58	36.69	0.00	295	0	PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2482.00	86.07	-----	83.21	32.46	7.25	36.85	0.00	295	0	Peak																																																																																																	
2	5290.00	106.41	-----	97.62	34.54	10.71	36.46	0.00	295	0	PEAK																																																																																																	
Avg																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.16</td><td>43.22</td><td>54.00</td><td>-10.78</td><td>34.87</td><td>34.40</td><td>10.61</td><td>36.66</td><td>0.00</td><td>295</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.16	43.22	54.00	-10.78	34.87	34.40	10.61	36.66	0.00	295	0	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>82.05</td><td>-----</td><td>79.19</td><td>32.46</td><td>7.25</td><td>36.85</td><td>0.00</td><td>295</td><td>0</td><td>Average</td></tr><tr><td>2</td><td>5290.00</td><td>98.47</td><td>-----</td><td>89.68</td><td>34.54</td><td>10.71</td><td>36.46</td><td>0.00</td><td>295</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	82.05	-----	79.19	32.46	7.25	36.85	0.00	295	0	Average	2	5290.00	98.47	-----	89.68	34.54	10.71	36.46	0.00	295	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5148.16	43.22	54.00	-10.78	34.87	34.40	10.61	36.66	0.00	295	0	AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2482.00	82.05	-----	79.19	32.46	7.25	36.85	0.00	295	0	Average																																																																																																	
2	5290.00	98.47	-----	89.68	34.54	10.71	36.46	0.00	295	0	AVERAGE																																																																																																	







Mode	63																																		
	Band Edge - R																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																		
ANT	CDD 6+7																																		
Pol.	Vertical	Fundamental																																	
Peak	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5359.60</td><td>60.20</td><td>74.00</td><td>-13.80</td><td>51.21</td><td>34.60</td><td>10.75</td><td>36.36</td><td>0.00</td><td>295 0 PEAK</td></tr></tbody></table>		Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5359.60	60.20	74.00	-13.80	51.21	34.60	10.75	36.36	0.00	295 0 PEAK	Blank
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																									
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																									
1	5359.60	60.20	74.00	-13.80	51.21	34.60	10.75	36.36	0.00	295 0 PEAK																									
Avg	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>47.93</td><td>54.00</td><td>-6.07</td><td>38.96</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>295 0 AVERAGE</td></tr></tbody></table>		Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5350.00	47.93	54.00	-6.07	38.96	34.59	10.75	36.37	0.00	295 0 AVERAGE	Blank
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																									
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																									
1	5350.00	47.93	54.00	-6.07	38.96	34.59	10.75	36.37	0.00	295 0 AVERAGE																									





Mode	64																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_2400-2483.5_802.11ax HE20_CH11_Full_2462MHz																																																																																																		
ANT	CDD 6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>62.47</td><td>74.00</td><td>-11.53</td><td>53.59</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	62.47	74.00	-11.53	53.59	32.47	7.26	36.85	6.00	100	118	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>116.63</td><td>-----</td><td>-----</td><td>107.89</td><td>32.42</td><td>7.22</td><td>36.90</td><td>6.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	116.63	-----	-----	107.89	32.42	7.22	36.90	6.00	100	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.62	62.47	74.00	-11.53	53.59	32.47	7.26	36.85	6.00	100	118	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	116.63	-----	-----	107.89	32.42	7.22	36.90	6.00	100	118	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>49.77</td><td>54.00</td><td>-4.23</td><td>40.89</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>100</td><td>118</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	49.77	54.00	-4.23	40.89	32.47	7.26	36.85	6.00	100	118	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>105.74</td><td>-----</td><td>-----</td><td>97.00</td><td>32.42</td><td>7.22</td><td>36.90</td><td>6.00</td><td>100</td><td>118</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	105.74	-----	-----	97.00	32.42	7.22	36.90	6.00	100	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	49.77	54.00	-4.23	40.89	32.47	7.26	36.85	6.00	100	118	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	105.74	-----	-----	97.00	32.42	7.22	36.90	6.00	100	118	AVERAGE																																																																																							



		64																																																																																							
Mode		Band Edge																																																																																							
		2400-2483.5_2400-2483.5_802.11ax HE20_CH11_Full_2462MHz																																																																																							
ANT		CDD 6+7																																																																																							
Pol.		Fundamental																																																																																							
Peak	Vertical	Fundamental																																																																																							
	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>63.75</td><td>74.00</td><td>-10.25</td><td>54.87</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>300</td><td>173</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	63.75	74.00	-10.25	54.87	32.47	7.26	36.85	6.00	300	173	PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>110.74</td><td>-----</td><td>-----</td><td>101.97</td><td>32.43</td><td>7.23</td><td>36.89</td><td>6.00</td><td>300</td><td>173</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	110.74	-----	-----	101.97	32.43	7.23	36.89	6.00	300	173
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2483.68	63.75	74.00	-10.25	54.87	32.47	7.26	36.85	6.00	300	173	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2462.00	110.74	-----	-----	101.97	32.43	7.23	36.89	6.00	300	173	PEAK																																																																													
Avg	Vertical	Fundamental																																																																																							
	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>50.87</td><td>54.00</td><td>-3.13</td><td>41.99</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>300</td><td>173</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	50.87	54.00	-3.13	41.99	32.47	7.26	36.85	6.00	300	173	AVERAGE	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>100.16</td><td>-----</td><td>-----</td><td>91.40</td><td>32.43</td><td>7.22</td><td>36.89</td><td>6.00</td><td>300</td><td>173</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.16	-----	-----	91.40	32.43	7.22	36.89	6.00	300	173
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2483.50	50.87	54.00	-3.13	41.99	32.47	7.26	36.85	6.00	300	173	AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2462.00	100.16	-----	-----	91.40	32.43	7.22	36.89	6.00	300	173	AVERAGE																																																																													



Mode	64																																																																																																																																									
	Harmonic																																																																																																																																									
	2400-2483.5_2400-2483.5_802.11ax HE20_CH11_Full_2462MHz																																																																																																																																									
ANT	CDD 6+7																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																			
Peak Avg																																																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>39.86</td><td>74.00</td><td>-34.14</td><td>60.88</td><td>34.19</td><td>10.35</td><td>65.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>5290.00</td><td>48.93</td><td>74.00</td><td>-25.07</td><td>69.19</td><td>34.54</td><td>10.71</td><td>65.51</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Factor	Loss Factor	Factor	Factor	cm	deg	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	39.86	74.00	-34.14	60.88	34.19	10.35	65.56	0.00	--	--	PEAK	2	5290.00	48.93	74.00	-25.07	69.19	34.54	10.71	65.51	0.00	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>39.41</td><td>74.00</td><td>-34.59</td><td>60.43</td><td>34.19</td><td>10.35</td><td>65.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>5290.00</td><td>49.84</td><td>74.00</td><td>-24.16</td><td>70.10</td><td>34.54</td><td>10.71</td><td>65.51</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	39.41	74.00	-34.59	60.43	34.19	10.35	65.56	0.00	--	--	PEAK	2	5290.00	49.84	74.00	-24.16	70.10	34.54	10.71	65.51	0.00	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq		Level	Line Margin	Level	Factor	Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																																															
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	4924.00	39.86	74.00	-34.14	60.88	34.19	10.35	65.56	0.00	--	--	PEAK																																																																																																																														
2	5290.00	48.93	74.00	-25.07	69.19	34.54	10.71	65.51	0.00	--	--	Peak																																																																																																																														
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																																																															
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	4924.00	39.41	74.00	-34.59	60.43	34.19	10.35	65.56	0.00	--	--	PEAK																																																																																																																														
2	5290.00	49.84	74.00	-24.16	70.10	34.54	10.71	65.51	0.00	--	--	Peak																																																																																																																														