









Mode	64																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																					
ANT	CDD 6+7																																																																																																					
Pol.	Horizontal					Fundamental																																																																																																
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5146.00</td><td>59.35</td><td>74.00</td><td>-14.65</td><td>51.01</td><td>34.40</td><td>10.60</td><td>36.66</td><td>0.00</td><td>113</td><td>330 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5146.00	59.35	74.00	-14.65	51.01	34.40	10.60	36.66	0.00	113	330 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2464.00</td><td>102.72</td><td>-----</td><td>99.96</td><td>32.43</td><td>7.22</td><td>36.89</td><td>0.00</td><td>113</td><td>330 Peak</td></tr><tr><td>2 5290.00</td><td>105.95</td><td>-----</td><td>97.16</td><td>34.54</td><td>10.71</td><td>36.46</td><td>0.00</td><td>113</td><td>330 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2464.00	102.72	-----	99.96	32.43	7.22	36.89	0.00	113	330 Peak	2 5290.00	105.95	-----	97.16	34.54	10.71	36.46	0.00	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 5146.00	59.35	74.00	-14.65	51.01	34.40	10.60	36.66	0.00	113	330 PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 2464.00	102.72	-----	99.96	32.43	7.22	36.89	0.00	113	330 Peak																																																																																													
2 5290.00	105.95	-----	97.16	34.54	10.71	36.46	0.00	113	330 PEAK																																																																																													
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5133.60</td><td>46.76</td><td>54.00</td><td>-7.24</td><td>38.46</td><td>34.39</td><td>10.59</td><td>36.68</td><td>0.00</td><td>113</td><td>330 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5133.60	46.76	54.00	-7.24	38.46	34.39	10.59	36.68	0.00	113	330 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2464.00</td><td>94.00</td><td>-----</td><td>91.32</td><td>32.43</td><td>7.22</td><td>36.89</td><td>0.00</td><td>113</td><td>330 Average</td></tr><tr><td>2 5290.00</td><td>97.67</td><td>-----</td><td>88.88</td><td>34.54</td><td>10.71</td><td>36.46</td><td>0.00</td><td>113</td><td>330 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2464.00	94.00	-----	91.32	32.43	7.22	36.89	0.00	113	330 Average	2 5290.00	97.67	-----	88.88	34.54	10.71	36.46	0.00	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 5133.60	46.76	54.00	-7.24	38.46	34.39	10.59	36.68	0.00	113	330 AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 2464.00	94.00	-----	91.32	32.43	7.22	36.89	0.00	113	330 Average																																																																																													
2 5290.00	97.67	-----	88.88	34.54	10.71	36.46	0.00	113	330 AVERAGE																																																																																													





Mode	64																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.90</td><td>60.25</td><td>74.00</td><td>-13.75</td><td>51.24</td><td>34.61</td><td>10.75</td><td>36.35</td><td>0.00</td><td>113</td><td>330</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.90	60.25	74.00	-13.75	51.24	34.61	10.75	36.35	0.00	113	330	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5363.90	60.25	74.00	-13.75	51.24	34.61	10.75	36.35	0.00	113	330	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.80</td><td>49.01</td><td>54.00</td><td>-4.99</td><td>40.03</td><td>34.60</td><td>10.75</td><td>36.37</td><td>0.00</td><td>113</td><td>330</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.80	49.01	54.00	-4.99	40.03	34.60	10.75	36.37	0.00	113	330	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5352.80	49.01	54.00	-4.99	40.03	34.60	10.75	36.37	0.00	113	330	AVERAGE																																												





		64										
Mode		Band Edge - L										
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz										
ANT		CDD 6+7										
Pol.		Fundamental										
Peak	Vertical											







Mode	64																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																					
ANT	CDD 6+7																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.50</td><td>59.90</td><td>74.00</td><td>-14.10</td><td>50.93</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>295</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.50	59.90	74.00	-14.10	50.93	34.59	10.75	36.37	0.00	295	0 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.50	59.90	74.00	-14.10	50.93	34.59	10.75	36.37	0.00	295	0 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>49.24</td><td>54.00</td><td>-4.76</td><td>40.27</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>295</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	49.24	54.00	-4.76	40.27	34.59	10.75	36.37	0.00	295	0 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.00	49.24	54.00	-4.76	40.27	34.59	10.75	36.37	0.00	295	0 AVERAGE																																											





Mode	64																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																																									
ANT	CDD 6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>45.23</td><td>68.20</td><td>-22.97</td><td>58.87</td><td>37.57</td><td>15.64</td><td>66.85</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15074.00</td><td>49.71</td><td>74.00</td><td>-24.29</td><td>54.32</td><td>40.17</td><td>19.26</td><td>64.04</td><td>0.00</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	45.23	68.20	-22.97	58.87	37.57	15.64	66.85	0.00	--	PEAK	2	15074.00	49.71	74.00	-24.29	54.32	40.17	19.26	64.04	0.00	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7053.53</td><td>48.36</td><td>68.20</td><td>-19.84</td><td>65.84</td><td>35.61</td><td>12.53</td><td>65.62</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>10580.00</td><td>45.47</td><td>68.20</td><td>-22.73</td><td>59.11</td><td>37.57</td><td>15.64</td><td>66.85</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7053.53	48.36	68.20	-19.84	65.84	35.61	12.53	65.62	0.00	--	Peak	2	10580.00	45.47	68.20	-22.73	59.11	37.57	15.64	66.85	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	10580.00	45.23	68.20	-22.97	58.87	37.57	15.64	66.85	0.00	--	PEAK																																																																																																															
2	15074.00	49.71	74.00	-24.29	54.32	40.17	19.26	64.04	0.00	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	7053.53	48.36	68.20	-19.84	65.84	35.61	12.53	65.62	0.00	--	Peak																																																																																																															
2	10580.00	45.47	68.20	-22.73	59.11	37.57	15.64	66.85	0.00	--	PEAK																																																																																																															







Mode	65																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5130.56</td><td>55.76</td><td>74.00</td><td>-18.24</td><td>43.73</td><td>34.16</td><td>9.77</td><td>31.90</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5130.56	55.76	74.00	-18.24	43.73	34.16	9.77	31.90	0.00	100	314 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2308.00</td><td>114.70</td><td>-----</td><td>108.85</td><td>31.58</td><td>6.48</td><td>32.21</td><td>0.00</td><td>100</td><td>314 Peak</td></tr><tr><td>2</td><td>5290.00</td><td>105.65</td><td>-----</td><td>93.13</td><td>34.46</td><td>9.88</td><td>31.82</td><td>0.00</td><td>100</td><td>314 Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2308.00	114.70	-----	108.85	31.58	6.48	32.21	0.00	100	314 Peak	2	5290.00	105.65	-----	93.13	34.46	9.88	31.82	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5130.56	55.76	74.00	-18.24	43.73	34.16	9.77	31.90	0.00	100	314 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	2308.00	114.70	-----	108.85	31.58	6.48	32.21	0.00	100	314 Peak																																																																																																					
2	5290.00	105.65	-----	93.13	34.46	9.88	31.82	0.00	100	314 Peak																																																																																																					
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5144.32</td><td>44.27</td><td>54.00</td><td>-9.73</td><td>32.19</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>100</td><td>314 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5144.32	44.27	54.00	-9.73	32.19	34.19	9.78	31.89	0.00	100	314 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2308.00</td><td>111.87</td><td>-----</td><td>106.02</td><td>31.58</td><td>6.48</td><td>32.21</td><td>0.00</td><td>100</td><td>314 Average</td></tr><tr><td>2</td><td>5290.00</td><td>97.10</td><td>-----</td><td>84.58</td><td>34.46</td><td>9.88</td><td>31.82</td><td>0.00</td><td>100</td><td>314 Average</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2308.00	111.87	-----	106.02	31.58	6.48	32.21	0.00	100	314 Average	2	5290.00	97.10	-----	84.58	34.46	9.88	31.82	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5144.32	44.27	54.00	-9.73	32.19	34.19	9.78	31.89	0.00	100	314 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	2308.00	111.87	-----	106.02	31.58	6.48	32.21	0.00	100	314 Average																																																																																																					
2	5290.00	97.10	-----	84.58	34.46	9.88	31.82	0.00	100	314 Average																																																																																																					





Mode	65																																																								
	Band Edge - R																																																								
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																								
ANT	CDD 6+7																																																								
Pol.	Horizontal						Fundamental																																																		
Peak							Blank																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.70</td><td>58.06</td><td>74.00</td><td>-15.94</td><td>45.33</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>314</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.70	58.06	74.00	-15.94	45.33	34.60	9.91	31.78	0.00	100	314
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5351.70	58.06	74.00	-15.94	45.33	34.60	9.91	31.78	0.00	100	314	PEAK																																													
Avg							Blank																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.30</td><td>47.60</td><td>54.00</td><td>-6.40</td><td>34.87</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>314</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.30	47.60	54.00	-6.40	34.87	34.60	9.91	31.78	0.00	100	314
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5352.30	47.60	54.00	-6.40	34.87	34.60	9.91	31.78	0.00	100	314	AVERAGE																																													





		65																																																																																																		
Mode		Band Edge - L																																																																																																		
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																		
ANT		CDD 6+7																																																																																																		
Pol.		Vertical					Fundamental																																																																																													
Peak																																																																																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5113.76	55.37	74.00	-18.63	43.40	34.13	9.75	31.91	0.00	240	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2308.00</td><td>107.61</td><td>-----</td><td>101.76</td><td>31.58</td><td>6.48</td><td>32.21</td><td>0.00</td><td>240</td><td>0 Peak</td></tr><tr><td>2</td><td>5290.00</td><td>106.90</td><td>-----</td><td>94.46</td><td>34.46</td><td>9.88</td><td>31.82</td><td>0.00</td><td>240</td><td>0 Peak</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2308.00	107.61	-----	101.76	31.58	6.48	32.21	0.00	240	0 Peak	2	5290.00	106.90	-----	94.46	34.46	9.88	31.82	0.00	240
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5113.76	55.37	74.00	-18.63	43.40	34.13	9.75	31.91	0.00	240	0 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2308.00	107.61	-----	101.76	31.58	6.48	32.21	0.00	240	0 Peak																																																																																										
2	5290.00	106.90	-----	94.46	34.46	9.88	31.82	0.00	240	0 Peak																																																																																										
Avg																																																																																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.28	43.93	54.00	-10.07	31.83	34.20	9.79	31.89	0.00	240	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2308.00</td><td>105.01</td><td>-----</td><td>99.16</td><td>31.58</td><td>6.48</td><td>32.21</td><td>0.00</td><td>240</td><td>0 Average</td></tr><tr><td>2</td><td>5290.00</td><td>98.72</td><td>-----</td><td>86.20</td><td>34.46</td><td>9.88</td><td>31.82</td><td>0.00</td><td>240</td><td>0 Average</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2308.00	105.01	-----	99.16	31.58	6.48	32.21	0.00	240	0 Average	2	5290.00	98.72	-----	86.20	34.46	9.88	31.82	0.00	240
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5149.28	43.93	54.00	-10.07	31.83	34.20	9.79	31.89	0.00	240	0 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2308.00	105.01	-----	99.16	31.58	6.48	32.21	0.00	240	0 Average																																																																																										
2	5290.00	98.72	-----	86.20	34.46	9.88	31.82	0.00	240	0 Average																																																																																										







Mode	65																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.20</td><td>59.34</td><td>74.00</td><td>-14.66</td><td>46.61</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>240</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.20	59.34	74.00	-14.66	46.61	34.60	9.91	31.78	0.00	240	0 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.20	59.34	74.00	-14.66	46.61	34.60	9.91	31.78	0.00	240	0 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>48.56</td><td>54.00</td><td>-5.44</td><td>35.83</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>240</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	48.56	54.00	-5.44	35.83	34.60	9.91	31.78	0.00	240	0 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.00	48.56	54.00	-5.44	35.83	34.60	9.91	31.78	0.00	240	0 AVERAGE																																													



		65																																																																																																																																																			
Mode		Harmonic																																																																																																																																																			
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																																																																			
ANT		CDD 6+7																																																																																																																																																			
Pol.		Horizontal											Vertical																																																																																																																																								
Peak Avg																																																																																																																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7053.90</td><td>46.44</td><td>68.20</td><td>-21.76</td><td>59.46</td><td>35.60</td><td>11.53</td><td>60.15</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10580.00</td><td>45.49</td><td>74.00</td><td>-28.51</td><td>54.56</td><td>37.89</td><td>14.30</td><td>61.26</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15077.00</td><td>40.21</td><td>74.00</td><td>-25.79</td><td>53.50</td><td>40.83</td><td>17.69</td><td>63.81</td><td>0.00</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7053.90	46.44	68.20	-21.76	59.46	35.60	11.53	60.15	0.00	---	Peak	2	10580.00	45.49	74.00	-28.51	54.56	37.89	14.30	61.26	0.00	---	PEAK	3	15077.00	40.21	74.00	-25.79	53.50	40.83	17.69	63.81	0.00	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7053.90</td><td>48.86</td><td>68.20</td><td>-19.34</td><td>61.88</td><td>35.60</td><td>11.53</td><td>60.15</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10580.00</td><td>45.62</td><td>68.20</td><td>-22.58</td><td>54.72</td><td>37.88</td><td>14.28</td><td>61.26</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7053.90	48.86	68.20	-19.34	61.88	35.60	11.53	60.15	0.00	---	Peak	2	10580.00	45.62	68.20	-22.58	54.72	37.88	14.28	61.26	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	7053.90	46.44	68.20	-21.76	59.46	35.60	11.53	60.15	0.00	---	Peak																																																																																																																																										
2	10580.00	45.49	74.00	-28.51	54.56	37.89	14.30	61.26	0.00	---	PEAK																																																																																																																																										
3	15077.00	40.21	74.00	-25.79	53.50	40.83	17.69	63.81	0.00	---	Peak																																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	7053.90	48.86	68.20	-19.34	61.88	35.60	11.53	60.15	0.00	---	Peak																																																																																																																																										
2	10580.00	45.62	68.20	-22.58	54.72	37.88	14.28	61.26	0.00	---	PEAK																																																																																																																																										





Mode	66																																																																	
	Band Edge - L																																																																	
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_Full_2480MHz																																																																	
ANT	6																																																																	
Pol.	Horizontal																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2476.68</td><td>55.78</td><td>74.00</td><td>-18.22</td><td>42.66</td><td>32.61</td><td>6.74</td><td>32.23</td><td>6.00</td><td>150</td><td>21 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2476.68	55.78	74.00	-18.22	42.66	32.61	6.74	32.23	6.00	150	21 PEAK										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2476.68	55.78	74.00	-18.22	42.66	32.61	6.74	32.23	6.00	150	21 PEAK																																																							
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2306.00</td><td>101.94</td><td>-----</td><td>90.12</td><td>31.56</td><td>6.47</td><td>32.21</td><td>6.00</td><td>150</td><td>21 Peak</td></tr><tr><td>2</td><td>2480.00</td><td>103.90</td><td>-----</td><td>90.90</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>150</td><td>21 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2306.00	101.94	-----	90.12	31.56	6.47	32.21	6.00	150	21 Peak	2	2480.00	103.90	-----	90.90	32.58	6.73	32.23	6.00	150	21 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2306.00	101.94	-----	90.12	31.56	6.47	32.21	6.00	150	21 Peak																																																								
2	2480.00	103.90	-----	90.90	32.58	6.73	32.23	6.00	150	21 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.68</td><td>45.75</td><td>54.00</td><td>-8.25</td><td>32.58</td><td>32.66</td><td>6.75</td><td>32.24</td><td>6.00</td><td>150</td><td>21 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.68	45.75	54.00	-8.25	32.58	32.66	6.75	32.24	6.00	150	21 AVERAGE										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2492.68	45.75	54.00	-8.25	32.58	32.66	6.75	32.24	6.00	150	21 AVERAGE																																																							
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2306.00</td><td>99.38</td><td>-----</td><td>87.56</td><td>31.56</td><td>6.47</td><td>32.21</td><td>6.00</td><td>150</td><td>21 Average</td></tr><tr><td>2</td><td>2480.00</td><td>101.65</td><td>-----</td><td>88.57</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>150</td><td>21 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2306.00	99.38	-----	87.56	31.56	6.47	32.21	6.00	150	21 Average	2	2480.00	101.65	-----	88.57	32.58	6.73	32.23	6.00	150	21 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2306.00	99.38	-----	87.56	31.56	6.47	32.21	6.00	150	21 Average																																																								
2	2480.00	101.65	-----	88.57	32.58	6.73	32.23	6.00	150	21 AVERAGE																																																								







Mode	66																																																																																																															
	Band Edge - L																																																																																																															
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_Full_2480MHz																																																																																																															
ANT	6																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2492.44</td><td>56.12</td><td>74.00</td><td>-17.88</td><td>42.96</td><td>32.65</td><td>6.75</td><td>32.24</td><td>6.00</td><td>274</td><td>86 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.44	56.12	74.00	-17.88	42.96	32.65	6.75	32.24	6.00	274	86 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2306.00</td><td>107.88</td><td>-----</td><td>-----</td><td>96.06</td><td>31.56</td><td>6.47</td><td>32.21</td><td>6.00</td><td>274</td><td>86 Peak</td></tr><tr><td>2</td><td>2480.00</td><td>101.39</td><td>-----</td><td>-----</td><td>88.31</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>274</td><td>86 Peak</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2306.00	107.88	-----	-----	96.06	31.56	6.47	32.21	6.00	274	86 Peak	2	2480.00	101.39	-----	-----	88.31	32.58	6.73	32.23	6.00	274
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2492.44	56.12	74.00	-17.88	42.96	32.65	6.75	32.24	6.00	274	86 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2306.00	107.88	-----	-----	96.06	31.56	6.47	32.21	6.00	274	86 Peak																																																																																																					
2	2480.00	101.39	-----	-----	88.31	32.58	6.73	32.23	6.00	274	86 Peak																																																																																																					
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2495.14</td><td>45.63</td><td>54.00</td><td>-8.37</td><td>32.45</td><td>32.67</td><td>6.75</td><td>32.24</td><td>6.00</td><td>274</td><td>86 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.14	45.63	54.00	-8.37	32.45	32.67	6.75	32.24	6.00	274	86 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2306.00</td><td>105.64</td><td>-----</td><td>-----</td><td>93.82</td><td>31.56</td><td>6.47</td><td>32.21</td><td>6.00</td><td>274</td><td>86 Average</td></tr><tr><td>2</td><td>2480.00</td><td>99.17</td><td>-----</td><td>-----</td><td>86.09</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>274</td><td>86 Average</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2306.00	105.64	-----	-----	93.82	31.56	6.47	32.21	6.00	274	86 Average	2	2480.00	99.17	-----	-----	86.09	32.58	6.73	32.23	6.00	274
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2495.14	45.63	54.00	-8.37	32.45	32.67	6.75	32.24	6.00	274	86 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2306.00	105.64	-----	-----	93.82	31.56	6.47	32.21	6.00	274	86 Average																																																																																																					
2	2480.00	99.17	-----	-----	86.09	32.58	6.73	32.23	6.00	274	86 Average																																																																																																					





		66																																																																																																																																																								
Mode		Harmonic																																																																																																																																																								
		2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_Full_2480MHz																																																																																																																																																								
ANT		6																																																																																																																																																								
Pol.		Horizontal						Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																										
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4611.20</td><td>51.60</td><td>74.00</td><td>-22.40</td><td>69.77</td><td>34.10</td><td>9.17</td><td>61.44</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>4960.00</td><td>41.68</td><td>74.00</td><td>-32.32</td><td>59.23</td><td>34.00</td><td>9.61</td><td>61.16</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>3</td><td>5290.00</td><td>57.15</td><td>74.00</td><td>-16.85</td><td>73.64</td><td>34.46</td><td>9.88</td><td>60.83</td><td>0.00</td><td>--</td><td>-- Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4611.20	51.60	74.00	-22.40	69.77	34.10	9.17	61.44	0.00	--	-- Peak	2	4960.00	41.68	74.00	-32.32	59.23	34.00	9.61	61.16	0.00	--	-- PEAK	3	5290.00	57.15	74.00	-16.85	73.64	34.46	9.88	60.83	0.00	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4611.20</td><td>51.45</td><td>74.00</td><td>-22.55</td><td>69.62</td><td>34.10</td><td>9.17</td><td>61.44</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>4960.00</td><td>42.28</td><td>74.00</td><td>-31.72</td><td>59.83</td><td>34.00</td><td>9.61</td><td>61.16</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>3</td><td>5290.00</td><td>58.59</td><td>74.00</td><td>-15.41</td><td>75.00</td><td>34.46</td><td>9.88</td><td>60.83</td><td>0.00</td><td>--</td><td>-- Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4611.20	51.45	74.00	-22.55	69.62	34.10	9.17	61.44	0.00	--	-- Peak	2	4960.00	42.28	74.00	-31.72	59.83	34.00	9.61	61.16	0.00	--	-- PEAK	3	5290.00	58.59	74.00	-15.41	75.00	34.46	9.88	60.83	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	4611.20	51.60	74.00	-22.40	69.77	34.10	9.17	61.44	0.00	--	-- Peak																																																																																																																																															
2	4960.00	41.68	74.00	-32.32	59.23	34.00	9.61	61.16	0.00	--	-- PEAK																																																																																																																																															
3	5290.00	57.15	74.00	-16.85	73.64	34.46	9.88	60.83	0.00	--	-- Peak																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	4611.20	51.45	74.00	-22.55	69.62	34.10	9.17	61.44	0.00	--	-- Peak																																																																																																																																															
2	4960.00	42.28	74.00	-31.72	59.83	34.00	9.61	61.16	0.00	--	-- PEAK																																																																																																																																															
3	5290.00	58.59	74.00	-15.41	75.00	34.46	9.88	60.83	0.00	--	-- Peak																																																																																																																																															







		66																																																																											
Mode		Band Edge - L																																																																											
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																											
ANT		CDD 6+7																																																																											
Pol.		Horizontal																																																																											
Peak																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.00</td><td>55.63</td><td>74.00</td><td>-18.37</td><td>43.55</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>140</td><td>318 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.00	55.63	74.00	-18.37	43.55	34.19	9.78	31.89	0.00	140	318 PEAK																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5144.00	55.63	74.00	-18.37	43.55	34.19	9.78	31.89	0.00	140	318 PEAK																																																																		
Fundamental																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2308.00</td><td>118.50</td><td>-----</td><td>112.65</td><td>31.58</td><td>6.48</td><td>32.21</td><td>0.00</td><td>140</td><td>318 Peak</td></tr><tr><td>2</td><td>2482.00</td><td>88.83</td><td>-----</td><td>81.74</td><td>32.59</td><td>6.73</td><td>32.23</td><td>0.00</td><td>140</td><td>318 Peak</td></tr><tr><td>3</td><td>5290.00</td><td>107.50</td><td>-----</td><td>94.98</td><td>34.46</td><td>9.88</td><td>31.82</td><td>0.00</td><td>140</td><td>318 Peak</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2308.00	118.50	-----	112.65	31.58	6.48	32.21	0.00	140	318 Peak	2	2482.00	88.83	-----	81.74	32.59	6.73	32.23	0.00	140	318 Peak	3	5290.00	107.50	-----	94.98	34.46	9.88	31.82	0.00	140
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	2308.00	118.50	-----	112.65	31.58	6.48	32.21	0.00	140	318 Peak																																																																			
2	2482.00	88.83	-----	81.74	32.59	6.73	32.23	0.00	140	318 Peak																																																																			
3	5290.00	107.50	-----	94.98	34.46	9.88	31.82	0.00	140	318 Peak																																																																			
Avg																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.20</td><td>44.17</td><td>54.00</td><td>-9.83</td><td>32.09</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>140</td><td>318 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.20	44.17	54.00	-9.83	32.09	34.19	9.78	31.89	0.00	140	318 AVERAGE																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5143.20	44.17	54.00	-9.83	32.09	34.19	9.78	31.89	0.00	140	318 AVERAGE																																																																		
Fundamental																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2308.00</td><td>115.30</td><td>-----</td><td>109.45</td><td>31.58</td><td>6.48</td><td>32.21</td><td>0.00</td><td>140</td><td>318 Average</td></tr><tr><td>2</td><td>2482.00</td><td>85.06</td><td>-----</td><td>77.97</td><td>32.59</td><td>6.73</td><td>32.23</td><td>0.00</td><td>140</td><td>318 Average</td></tr><tr><td>3</td><td>5290.00</td><td>96.51</td><td>-----</td><td>83.99</td><td>34.46</td><td>9.88</td><td>31.82</td><td>0.00</td><td>140</td><td>318 Average</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2308.00	115.30	-----	109.45	31.58	6.48	32.21	0.00	140	318 Average	2	2482.00	85.06	-----	77.97	32.59	6.73	32.23	0.00	140	318 Average	3	5290.00	96.51	-----	83.99	34.46	9.88	31.82	0.00	140
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	2308.00	115.30	-----	109.45	31.58	6.48	32.21	0.00	140	318 Average																																																																			
2	2482.00	85.06	-----	77.97	32.59	6.73	32.23	0.00	140	318 Average																																																																			
3	5290.00	96.51	-----	83.99	34.46	9.88	31.82	0.00	140	318 Average																																																																			





Mode	66																																																								
	Band Edge - R																																																								
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																								
ANT	CDD 6+7																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	 <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5353.10</td><td>60.28</td><td>74.00</td><td>-13.72</td><td>47.54</td><td>34.61</td><td>9.91</td><td>31.78</td><td>0.00</td><td>140</td><td>318 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5353.10	60.28	74.00	-13.72	47.54	34.61	9.91	31.78	0.00	140	318 PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5353.10	60.28	74.00	-13.72	47.54	34.61	9.91	31.78	0.00	140	318 PEAK																																														
Avg	 <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5352.50</td><td>47.70</td><td>54.00</td><td>-6.30</td><td>34.97</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>140</td><td>318 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5352.50	47.70	54.00	-6.30	34.97	34.60	9.91	31.78	0.00	140	318 AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5352.50	47.70	54.00	-6.30	34.97	34.60	9.91	31.78	0.00	140	318 AVERAGE																																														





Mode	66																																																																																																																								
	Band Edge - L																																																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																																								
ANT	CDD 6+7																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5107.84</td><td>55.28</td><td>74.00</td><td>-18.72</td><td>43.32</td><td>34.12</td><td>9.75</td><td>31.91</td><td>0.00</td><td>290</td><td>322 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5107.84	55.28	74.00	-18.72	43.32	34.12	9.75	31.91	0.00	290	322 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2308.00</td><td>112.50</td><td>-----</td><td>106.65</td><td>31.58</td><td>6.48</td><td>32.21</td><td>0.00</td><td>290</td><td>322 Peak</td></tr><tr><td>2</td><td>2482.00</td><td>89.92</td><td>-----</td><td>82.83</td><td>32.59</td><td>6.73</td><td>32.23</td><td>0.00</td><td>290</td><td>322 Peak</td></tr><tr><td>3</td><td>5290.00</td><td>106.45</td><td>-----</td><td>93.93</td><td>34.46</td><td>9.88</td><td>31.82</td><td>0.00</td><td>290</td><td>322 Peak</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2308.00	112.50	-----	106.65	31.58	6.48	32.21	0.00	290	322 Peak	2	2482.00	89.92	-----	82.83	32.59	6.73	32.23	0.00	290	322 Peak	3	5290.00	106.45	-----	93.93	34.46	9.88	31.82	0.00	290
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5107.84	55.28	74.00	-18.72	43.32	34.12	9.75	31.91	0.00	290	322 PEAK																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2308.00	112.50	-----	106.65	31.58	6.48	32.21	0.00	290	322 Peak																																																																																																															
2	2482.00	89.92	-----	82.83	32.59	6.73	32.23	0.00	290	322 Peak																																																																																																															
3	5290.00	106.45	-----	93.93	34.46	9.88	31.82	0.00	290	322 Peak																																																																																																															
Avg																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5138.56</td><td>43.99</td><td>54.00</td><td>-10.01</td><td>31.93</td><td>34.18</td><td>9.78</td><td>31.90</td><td>0.00</td><td>290</td><td>322 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.56	43.99	54.00	-10.01	31.93	34.18	9.78	31.90	0.00	290	322 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2308.00</td><td>109.47</td><td>-----</td><td>103.62</td><td>31.58</td><td>6.48</td><td>32.21</td><td>0.00</td><td>290</td><td>322 Average</td></tr><tr><td>2</td><td>2482.00</td><td>85.80</td><td>-----</td><td>78.71</td><td>32.59</td><td>6.73</td><td>32.23</td><td>0.00</td><td>290</td><td>322 Average</td></tr><tr><td>3</td><td>5290.00</td><td>97.92</td><td>-----</td><td>85.40</td><td>34.46</td><td>9.88</td><td>31.82</td><td>0.00</td><td>290</td><td>322 Average</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2308.00	109.47	-----	103.62	31.58	6.48	32.21	0.00	290	322 Average	2	2482.00	85.80	-----	78.71	32.59	6.73	32.23	0.00	290	322 Average	3	5290.00	97.92	-----	85.40	34.46	9.88	31.82	0.00	290
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5138.56	43.99	54.00	-10.01	31.93	34.18	9.78	31.90	0.00	290	322 AVERAGE																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2308.00	109.47	-----	103.62	31.58	6.48	32.21	0.00	290	322 Average																																																																																																															
2	2482.00	85.80	-----	78.71	32.59	6.73	32.23	0.00	290	322 Average																																																																																																															
3	5290.00	97.92	-----	85.40	34.46	9.88	31.82	0.00	290	322 Average																																																																																																															



Mode	66																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.10</td><td>58.01</td><td>74.00</td><td>-15.99</td><td>45.28</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>290</td><td>322 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.10	58.01	74.00	-15.99	45.28	34.60	9.91	31.78	0.00	290	322 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5351.10	58.01	74.00	-15.99	45.28	34.60	9.91	31.78	0.00	290	322 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>48.89</td><td>54.00</td><td>-5.11</td><td>36.16</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>290</td><td>322 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	48.89	54.00	-5.11	36.16	34.60	9.91	31.78	0.00	290	322 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.00	48.89	54.00	-5.11	36.16	34.60	9.91	31.78	0.00	290	322 AVERAGE																																													




		66																																																																																																																																																						
Mode		Harmonic																																																																																																																																																						
		U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																																																																						
ANT		CDD 6+7																																																																																																																																																						
Pol.		Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																								
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7052.00</td><td>47.13</td><td>68.20</td><td>-21.07</td><td>60.15</td><td>35.60</td><td>11.53</td><td>60.15</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10580.00</td><td>45.46</td><td>68.20</td><td>-22.74</td><td>54.69</td><td>37.78</td><td>14.25</td><td>61.26</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15077.00</td><td>49.40</td><td>74.00</td><td>-24.60</td><td>54.69</td><td>40.83</td><td>17.69</td><td>63.81</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7052.00	47.13	68.20	-21.07	60.15	35.60	11.53	60.15	0.00	---	Peak	2	10580.00	45.46	68.20	-22.74	54.69	37.78	14.25	61.26	0.00	---	PEAK	3	15077.00	49.40	74.00	-24.60	54.69	40.83	17.69	63.81	0.00	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7052.00</td><td>49.85</td><td>68.20</td><td>-18.35</td><td>62.87</td><td>35.60</td><td>11.53</td><td>60.15</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10580.00</td><td>45.53</td><td>68.20</td><td>-22.67</td><td>54.68</td><td>37.84</td><td>14.27</td><td>61.26</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7052.00	49.85	68.20	-18.35	62.87	35.60	11.53	60.15	0.00	---	Peak	2	10580.00	45.53	68.20	-22.67	54.68	37.84	14.27	61.26	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	7052.00	47.13	68.20	-21.07	60.15	35.60	11.53	60.15	0.00	---	Peak																																																																																																																																													
2	10580.00	45.46	68.20	-22.74	54.69	37.78	14.25	61.26	0.00	---	PEAK																																																																																																																																													
3	15077.00	49.40	74.00	-24.60	54.69	40.83	17.69	63.81	0.00	---	Peak																																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	7052.00	49.85	68.20	-18.35	62.87	35.60	11.53	60.15	0.00	---	Peak																																																																																																																																													
2	10580.00	45.53	68.20	-22.67	54.68	37.84	14.27	61.26	0.00	---	PEAK																																																																																																																																													


Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
6+7	802.11a	99.32	-	-	10Hz
6+7	802.11ax HE20	100	-	-	10Hz
6+7	802.11ax HE40	100	-	-	10Hz
6+7	802.11ax HE80	100	-	-	10Hz
6+7	802.11ax HE160	100	-	-	10Hz
6+7	802.11ax HE20 RU26	100	-	-	10Hz
6+7	802.11ax HE20 RU52	100	-	-	10Hz
6+7	802.11ax HE20 RU106	100	-	-	10Hz


802.11a




802.11ax HE20




802.11ax HE40



802.11ax HE80




802.11ax HE160






802.11ax HE20 RU26



802.11ax HE20 RU52





802.11ax HE20 RU106

