











N66(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CHN66(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CHN66(20M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CHN66(20M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CHN66(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHN66(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH

N66(40M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CHN66(40M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CHN66(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CHN66(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CHN66(40M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CHN66(40M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH

**ENDC_7A_n66A(Ant 0+5) for Other PA****Transmitter Conducted Output Power and EIRP, ($G_T - L_C$)=-2.1dB**

NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	Conducted Power(dBm)	EIRP(dBm)	EIRP(W)
66	15	5	342500	1712.5	DFT-s-OFDM PI/2 BPSK	1@1	24.10	22.00	0.1585
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@1	24.09	21.99	0.1581
66	15	5	342500	1712.5	DFT-s-OFDM 16 QAM	1@1	22.99	20.89	0.1227
66	15	5	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.02	21.92	0.1556
66	15	5	349000	1745	DFT-s-OFDM QPSK	1@1	23.92	21.82	0.1521
66	15	5	349000	1745	DFT-s-OFDM 16 QAM	1@1	23.06	20.96	0.1247
66	15	5	355500	1777.5	DFT-s-OFDM PI/2 BPSK	1@1	23.72	21.62	0.1452
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@1	23.69	21.59	0.1442
66	15	5	355500	1777.5	DFT-s-OFDM 16 QAM	1@1	22.89	20.79	0.1199
66	15	10	343000	1715	DFT-s-OFDM PI/2 BPSK	1@1	24.22	22.12	0.1629
66	15	10	343000	1715	DFT-s-OFDM QPSK	1@1	24.09	21.99	0.1581
66	15	10	343000	1715	DFT-s-OFDM 16 QAM	1@1	23.22	21.12	0.1294
66	15	10	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.98	21.88	0.1542
66	15	10	349000	1745	DFT-s-OFDM QPSK	1@1	23.89	21.79	0.1510
66	15	10	349000	1745	DFT-s-OFDM 16 QAM	1@1	23.12	21.02	0.1265
66	15	10	355000	1775	DFT-s-OFDM PI/2 BPSK	1@1	23.74	21.64	0.1459
66	15	10	355000	1775	DFT-s-OFDM QPSK	1@1	23.73	21.63	0.1455
66	15	10	355000	1775	DFT-s-OFDM 16 QAM	1@1	22.81	20.71	0.1178
66	15	15	343500	1717.5	DFT-s-OFDM PI/2 BPSK	1@1	24.24	22.14	0.1637
66	15	15	343500	1717.5	DFT-s-OFDM QPSK	1@1	24.18	22.08	0.1614
66	15	15	343500	1717.5	DFT-s-OFDM 16 QAM	1@1	23.03	20.93	0.1239
66	15	15	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.07	21.97	0.1574
66	15	15	349000	1745	DFT-s-OFDM QPSK	1@1	24.05	21.95	0.1567
66	15	15	349000	1745	DFT-s-OFDM 16 QAM	1@1	23.00	20.90	0.1230
66	15	15	354500	1772.5	DFT-s-OFDM PI/2 BPSK	1@1	23.83	21.73	0.1489
66	15	15	354500	1772.5	DFT-s-OFDM QPSK	1@1	23.75	21.65	0.1462
66	15	15	354500	1772.5	DFT-s-OFDM 16 QAM	1@1	22.91	20.81	0.1205
66	15	20	344000	1720	DFT-s-OFDM PI/2 BPSK	1@1	24.19	22.09	0.1618
66	15	20	344000	1720	DFT-s-OFDM QPSK	1@1	24.11	22.01	0.1589
66	15	20	344000	1720	DFT-s-OFDM 16 QAM	1@1	22.98	20.88	0.1225
66	15	20	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.05	21.95	0.1567
66	15	20	349000	1745	DFT-s-OFDM QPSK	1@1	24.02	21.92	0.1556
66	15	20	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.98	20.88	0.1225
66	15	20	354000	1770	DFT-s-OFDM PI/2 BPSK	1@1	22.43	20.33	0.1079
66	15	20	354000	1770	DFT-s-OFDM QPSK	1@1	22.63	20.53	0.1130
66	15	20	354000	1770	DFT-s-OFDM 16 QAM	1@1	22.85	20.75	0.1189
66	15	25	344500	1722.5	DFT-s-OFDM PI/2 BPSK	1@1	23.26	21.16	0.1306



66	15	25	344500	1722.5	DFT-s-OFDM QPSK	1@1	23.19	21.09	0.1285
66	15	25	344500	1722.5	DFT-s-OFDM 16 QAM	1@1	23.20	21.10	0.1288
66	15	25	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.22	21.12	0.1294
66	15	25	349000	1745	DFT-s-OFDM QPSK	1@1	23.16	21.06	0.1276
66	15	25	349000	1745	DFT-s-OFDM 16 QAM	1@1	23.23	21.13	0.1297
66	15	25	353500	1767.5	DFT-s-OFDM PI/2 BPSK	1@1	23.00	20.90	0.1230
66	15	25	353500	1767.5	DFT-s-OFDM QPSK	1@1	22.98	20.88	0.1225
66	15	25	353500	1767.5	DFT-s-OFDM 16 QAM	1@1	23.10	21.00	0.1259
66	15	30	345000	1725	DFT-s-OFDM PI/2 BPSK	1@1	23.04	20.94	0.1242
66	15	30	345000	1725	DFT-s-OFDM QPSK	1@1	23.07	20.97	0.1250
66	15	30	345000	1725	DFT-s-OFDM 16 QAM	1@1	23.13	21.03	0.1268
66	15	30	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	22.96	20.86	0.1219
66	15	30	349000	1745	DFT-s-OFDM QPSK	1@1	22.92	20.82	0.1208
66	15	30	349000	1745	DFT-s-OFDM 16 QAM	1@1	23.01	20.91	0.1233
66	15	30	353000	1765	DFT-s-OFDM PI/2 BPSK	1@1	22.88	20.78	0.1197
66	15	30	353000	1765	DFT-s-OFDM QPSK	1@1	22.87	20.77	0.1194
66	15	30	353000	1765	DFT-s-OFDM 16 QAM	1@1	22.87	20.77	0.1194
66	15	35	345500	1727.5	DFT-s-OFDM PI/2 BPSK	1@1	23.26	21.16	0.1306
66	15	35	345500	1727.5	DFT-s-OFDM QPSK	1@1	23.20	21.10	0.1288
66	15	35	345500	1727.5	DFT-s-OFDM 16 QAM	1@1	23.30	21.20	0.1318
66	15	35	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.16	21.06	0.1276
66	15	35	349000	1745	DFT-s-OFDM QPSK	1@1	23.10	21.00	0.1259
66	15	35	349000	1745	DFT-s-OFDM 16 QAM	1@1	23.25	21.15	0.1303
66	15	35	352500	1762.5	DFT-s-OFDM PI/2 BPSK	1@1	23.15	21.05	0.1274
66	15	35	352500	1762.5	DFT-s-OFDM QPSK	1@1	23.41	21.31	0.1352
66	15	35	352500	1762.5	DFT-s-OFDM 16 QAM	1@1	23.26	21.16	0.1306
66	15	40	346000	1730	DFT-s-OFDM PI/2 BPSK	108@54	24.05	21.95	0.1567
66	15	40	346000	1730	DFT-s-OFDM PI/2 BPSK	1@1	24.03	21.93	0.1560
66	15	40	346000	1730	DFT-s-OFDM PI/2 BPSK	1@214	23.85	21.75	0.1496
66	15	40	346000	1730	DFT-s-OFDM QPSK	108@54	24.15	22.05	0.1603
66	15	40	346000	1730	DFT-s-OFDM QPSK	1@1	24.01	21.91	0.1552
66	15	40	346000	1730	DFT-s-OFDM QPSK	1@214	23.80	21.70	0.1479
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	108@54	23.15	21.05	0.1274
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	1@1	22.76	20.66	0.1164
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	1@214	22.87	20.77	0.1194
66	15	40	346000	1730	DFT-s-OFDM 64 QAM	108@54	21.71	19.61	0.0914
66	15	40	346000	1730	DFT-s-OFDM 64 QAM	1@1	21.81	19.71	0.0935
66	15	40	346000	1730	DFT-s-OFDM 64 QAM	1@214	21.92	19.82	0.0959
66	15	40	346000	1730	DFT-s-OFDM 256 QAM	108@54	19.67	17.57	0.0571
66	15	40	346000	1730	DFT-s-OFDM 256 QAM	1@1	19.72	17.62	0.0578
66	15	40	346000	1730	DFT-s-OFDM 256 QAM	1@214	19.26	17.16	0.0520
66	15	40	346000	1730	CP-OFDM QPSK	108@54	22.75	20.65	0.1161
66	15	40	346000	1730	CP-OFDM QPSK	1@1	22.68	20.58	0.1143
66	15	40	346000	1730	CP-OFDM QPSK	1@214	22.61	20.51	0.1125
66	15	40	349000	1745	DFT-s-OFDM PI/2 BPSK	108@54	24.10	22.00	0.1585



66	15	40	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.10	22.00	0.1585
66	15	40	349000	1745	DFT-s-OFDM PI/2 BPSK	1@214	23.80	21.70	0.1479
66	15	40	349000	1745	DFT-s-OFDM QPSK	108@54	24.13	22.03	0.1596
66	15	40	349000	1745	DFT-s-OFDM QPSK	1@1	23.95	21.85	0.1531
66	15	40	349000	1745	DFT-s-OFDM QPSK	1@214	23.78	21.68	0.1472
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	108@54	23.20	21.10	0.1288
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	1@1	23.21	21.11	0.1291
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	1@214	22.95	20.85	0.1216
66	15	40	349000	1745	DFT-s-OFDM 64 QAM	108@54	21.74	19.64	0.0920
66	15	40	349000	1745	DFT-s-OFDM 64 QAM	1@1	21.96	19.86	0.0968
66	15	40	349000	1745	DFT-s-OFDM 64 QAM	1@214	21.58	19.48	0.0887
66	15	40	349000	1745	DFT-s-OFDM 256 QAM	108@54	19.72	17.62	0.0578
66	15	40	349000	1745	DFT-s-OFDM 256 QAM	1@1	19.70	17.60	0.0575
66	15	40	349000	1745	DFT-s-OFDM 256 QAM	1@214	19.32	17.22	0.0527
66	15	40	349000	1745	CP-OFDM QPSK	108@54	22.80	20.70	0.1175
66	15	40	349000	1745	CP-OFDM QPSK	1@1	22.71	20.61	0.1151
66	15	40	349000	1745	CP-OFDM QPSK	1@214	22.48	20.38	0.1091
66	15	40	352000	1760	DFT-s-OFDM PI/2 BPSK	108@54	24.00	21.90	0.1549
66	15	40	352000	1760	DFT-s-OFDM PI/2 BPSK	1@1	23.89	21.79	0.1510
66	15	40	352000	1760	DFT-s-OFDM PI/2 BPSK	1@214	23.72	21.62	0.1452
66	15	40	352000	1760	DFT-s-OFDM QPSK	108@54	23.95	21.85	0.1531
66	15	40	352000	1760	DFT-s-OFDM QPSK	1@1	23.85	21.75	0.1496
66	15	40	352000	1760	DFT-s-OFDM QPSK	1@214	23.66	21.56	0.1432
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	108@54	23.08	20.98	0.1253
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	1@1	22.75	20.65	0.1161
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	1@214	22.81	20.71	0.1178
66	15	40	352000	1760	DFT-s-OFDM 64 QAM	108@54	21.55	19.45	0.0881
66	15	40	352000	1760	DFT-s-OFDM 64 QAM	1@1	21.73	19.63	0.0918
66	15	40	352000	1760	DFT-s-OFDM 64 QAM	1@214	21.50	19.40	0.0871
66	15	40	352000	1760	DFT-s-OFDM 256 QAM	108@54	19.57	17.47	0.0558
66	15	40	352000	1760	DFT-s-OFDM 256 QAM	1@1	19.54	17.44	0.0555
66	15	40	352000	1760	DFT-s-OFDM 256 QAM	1@214	19.20	17.10	0.0513
66	15	40	352000	1760	CP-OFDM QPSK	108@54	22.57	20.47	0.1114
66	15	40	352000	1760	CP-OFDM QPSK	1@1	22.49	20.39	0.1094
66	15	40	352000	1760	CP-OFDM QPSK	1@214	22.34	20.24	0.1057



Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0019	PASS	NV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0044	PASS	LV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0035	PASS	HV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0043	PASS	-30℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0039	PASS	-20℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0025	PASS	-10℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0049	PASS	0℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0003	PASS	10℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0021	PASS	20℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0072	PASS	30℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0065	PASS	40℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0047	PASS	50℃




Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
66	15	20	349000	1745.0	DFT-s-OFDM PI/2 BPSK	100@0	4.23	13	PASS
66	15	20	349000	1745.0	DFT-s-OFDM PI/2 BPSK	1@0	3.87	13	PASS
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	4.82	13	PASS
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	1@0	3.72	13	PASS

B7_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




B7_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH



B7_N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH



B7_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH
















Occupied Bandwidth







NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
66	15	5	349000	1745.0	CP-OFDM QPSK	25@0	4.488	5.124
66	15	5	349000	1745.0	CP-OFDM 16 QAM	25@0	4.4659	5.093
66	15	5	349000	1745.0	CP-OFDM 64 QAM	25@0	4.4822	5.047
66	15	5	349000	1745.0	CP-OFDM 256 QAM	25@0	4.4755	5.125
66	15	10	349000	1745.0	CP-OFDM QPSK	52@0	9.2836	10.01
66	15	10	349000	1745.0	CP-OFDM 16 QAM	52@0	9.2725	9.956
66	15	10	349000	1745.0	CP-OFDM 64 QAM	52@0	9.2829	9.99
66	15	10	349000	1745.0	CP-OFDM 256 QAM	52@0	9.2931	10.09
66	15	15	349000	1745.0	CP-OFDM QPSK	79@0	13.399	14.19
66	15	15	349000	1745.0	CP-OFDM 16 QAM	79@0	14.079	14.9
66	15	15	349000	1745.0	CP-OFDM 64 QAM	79@0	14.106	14.85
66	15	15	349000	1745.0	CP-OFDM 256 QAM	79@0	14.123	14.92
66	15	20	349000	1745.0	CP-OFDM QPSK	106@0	18.919	19.91
66	15	20	349000	1745.0	CP-OFDM 16 QAM	106@0	18.941	19.96
66	15	20	349000	1745.0	CP-OFDM 64 QAM	106@0	18.921	20.42
66	15	20	349000	1745.0	CP-OFDM 256 QAM	106@0	18.921	19.99
66	15	25	349000	1745.0	CP-OFDM QPSK	133@0	23.748	24.7
66	15	25	349000	1745.0	CP-OFDM 16 QAM	133@0	23.772	24.72
66	15	25	349000	1745.0	CP-OFDM 64 QAM	133@0	23.75	24.66
66	15	25	349000	1745.0	CP-OFDM 256 QAM	133@0	23.78	24.75
66	15	30	349000	1745.0	CP-OFDM QPSK	160@0	28.582	29.71
66	15	30	349000	1745.0	CP-OFDM 16 QAM	160@0	28.491	29.75
66	15	30	349000	1745.0	CP-OFDM 64 QAM	160@0	28.554	29.71
66	15	30	349000	1745.0	CP-OFDM 256 QAM	160@0	28.571	29.71
66	15	35	349000	1745.0	CP-OFDM QPSK	188@0	33.627	34.8















66	15	35	349000	1745.0	CP-OFDM 16 QAM	188@0	33.625	34.89
66	15	35	349000	1745.0	CP-OFDM 64 QAM	188@0	33.536	34.66
66	15	35	349000	1745.0	CP-OFDM 256 QAM	188@0	33.5	34.7
66	15	40	349000	1745.0	CP-OFDM QPSK	216@0	38.566	40.01
66	15	40	349000	1745.0	CP-OFDM 16 QAM	216@0	38.543	39.91
66	15	40	349000	1745.0	CP-OFDM 64 QAM	216@0	38.538	39.85
66	15	40	349000	1745.0	CP-OFDM 256 QAM	216@0	38.563	40.03

B7_N66(5M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHB7_N66(5M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHB7_N66(5M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHB7_N66(5M)_CP-OFDM_256
QAM_Outer_Full_Mid_CHB7_N66(10M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHB7_N66(10M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH

B7_N66(10M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHB7_N66(10M)_CP-OFDM_256
QAM_Outer_Full_Mid_CHB7_N66(15M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHB7_N66(15M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHB7_N66(15M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHB7_N66(15M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH


B7_N66(20M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHB7_N66(20M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHB7_N66(20M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHB7_N66(20M)_CP-OFDM_256
QAM_Outer_Full_Mid_CHB7_N66(25M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHB7_N66(25M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH

B7_N66(25M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHB7_N66(25M)_CP-OFDM_256
QAM_Outer_Full_Mid_CHB7_N66(30M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHB7_N66(30M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHB7_N66(30M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHB7_N66(30M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH


B7_N66(35M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHB7_N66(35M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHB7_N66(35M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHB7_N66(35M)_CP-OFDM_256
QAM_Outer_Full_Mid_CHB7_N66(40M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHB7_N66(40M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



B7_N66(40M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



B7_N66(40M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH

















Conducted Spurious Emissions







NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	PASS



66	15	20	354000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	PASS







B7_N66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHB7_N66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CHB7_N66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CHB7_N66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CHB7_N66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CHB7_N66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH







B7_N66(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHB7_N66(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CHB7_N66(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CHB7_N66(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CHB7_N66(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CHB7_N66(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH







B7_N66(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHB7_N66(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CHB7_N66(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CHB7_N66(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CHB7_N66(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CHB7_N66(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH







**Conducted Band Edge**

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	216@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@215	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	1@215	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	216@0	see graph	PASS

B7_N66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHB7_N66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CHB7_N66(5M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CHB7_N66(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CHB7_N66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CHB7_N66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH

B7_N66(5M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CHB7_N66(5M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CHB7_N66(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHB7_N66(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CHB7_N66(20M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CHB7_N66(20M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH

B7_N66(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CHB7_N66(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CHB7_N66(20M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CHB7_N66(20M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CHB7_N66(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHB7_N66(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH

B7_N66(40M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CHB7_N66(40M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CHB7_N66(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CHB7_N66(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CHB7_N66(40M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CHB7_N66(40M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	Zhaohui Liang	Temperature :	22~25°C
		Relative Humidity :	48~52%

Note: Pre-scanned harmonic for the different antenna combinations, we choose the worst antenna mode to perform final test.

EN-DC_30A_n2A / LTE 10MHz + NR 20MHz / QPSK (ANT0+5)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3705	-53.84	-13	-40.84	-66.10	2.64	14.90	H
	5550	-53.77	-13	-40.77	-65.63	2.94	14.80	H
	7410	-52.78	-13	-39.78	-62.55	3.39	13.16	H
	3705	-53.62	-13	-40.62	-65.88	2.64	14.90	V
	5550	-54.07	-13	-41.07	-65.93	2.94	14.80	V
	7410	-53.52	-13	-40.52	-63.29	3.39	13.16	V
Middle	3735	-54.38	-13	-41.38	-66.64	2.64	14.90	H
	5610	-53.26	-13	-40.26	-65.12	2.94	14.80	H
	7485	-52.82	-13	-39.82	-62.59	3.39	13.16	H
	3735	-54.81	-13	-41.81	-67.07	2.64	14.90	V
	5610	-53.59	-13	-40.59	-65.45	2.94	14.80	V
	7485	-53.10	-13	-40.10	-62.87	3.39	13.16	V
Highest	3780	-54.61	-13	-41.61	-66.87	2.64	14.90	H
	5670	-53.23	-13	-40.23	-65.09	2.94	14.80	H
	7560	-52.59	-13	-39.59	-62.36	3.39	13.16	H
	3780	-54.00	-13	-41.00	-66.26	2.64	14.90	V
	5670	-53.60	-13	-40.60	-65.46	2.94	14.80	V
	7560	-52.67	-13	-39.67	-62.44	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



5G NR n25 / NR 40MHz / QPSK(ANT0)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3705	-54.69	-13	-41.69	-66.95	2.64	14.90	H
	5550	-53.99	-13	-40.99	-65.85	2.94	14.80	H
	7410	-53.55	-13	-40.55	-63.32	3.39	13.16	H
	3705	-54.17	-13	-41.17	-66.43	2.64	14.90	V
	5550	-53.93	-13	-40.93	-65.79	2.94	14.80	V
	7410	-53.38	-13	-40.38	-63.15	3.39	13.16	V
Middle	3729.18	-54.72	-13	-41.72	-66.98	2.64	14.90	H
	5595	-53.78	-13	-40.78	-65.64	2.94	14.80	H
	7455	-52.54	-13	-39.54	-62.31	3.39	13.16	H
	3735	-54.75	-13	-41.75	-67.01	2.64	14.90	V
	5593.77	-53.82	-13	-40.82	-65.68	2.94	14.80	V
	7458.36	-52.96	-13	-39.96	-62.73	3.39	13.16	V
Highest	3750	-53.90	-13	-40.90	-66.16	2.64	14.90	H
	5610	-53.68	-13	-40.68	-65.54	2.94	14.80	H
	7515	-52.81	-13	-39.81	-62.58	3.39	13.16	H
	3750	-53.99	-13	-40.99	-66.25	2.64	14.90	V
	5610	-53.89	-13	-40.89	-65.75	2.94	14.80	V
	7515	-53.03	-13	-40.03	-62.80	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_12A_n25A / LTE 10MHz + NR 40MHz / QPSK (ANT0+0)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3705	-54.20	-13	-41.20	-66.46	2.64	14.90	H
	5550	-54.08	-13	-41.08	-65.94	2.94	14.80	H
	7410	-53.34	-13	-40.34	-63.11	3.39	13.16	H
	3705	-54.38	-13	-41.38	-66.64	2.64	14.90	V
	5550	-53.82	-13	-40.82	-65.68	2.94	14.80	V
	7410	-53.24	-13	-40.24	-63.01	3.39	13.16	V
Middle	3735	-54.47	-13	-41.47	-66.73	2.64	14.90	H
	5595	-53.59	-13	-40.59	-65.45	2.94	14.80	H
	7455	-52.88	-13	-39.88	-62.65	3.39	13.16	H
	3735	-54.44	-13	-41.44	-66.70	2.64	14.90	V
	5595	-53.85	-13	-40.85	-65.71	2.94	14.80	V
	7455	-53.18	-13	-40.18	-62.95	3.39	13.16	V
Highest	3750	-54.74	-13	-41.74	-67.00	2.64	14.90	H
	5625	-52.84	-13	-39.84	-64.70	2.94	14.80	H
	7515	-52.71	-13	-39.71	-62.48	3.39	13.16	H
	3750	-54.60	-13	-41.60	-66.86	2.64	14.90	V
	5625	-53.63	-13	-40.63	-65.49	2.94	14.80	V
	7515	-52.77	-13	-39.77	-62.54	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



5G NR n26 / NR 20MHz / QPSK(ANT1)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1632	-60.70	-13	-47.70	-67.67	1.58	10.70	H
	2448	-49.80	-13	-36.80	-58.05	2.102	12.50	H
	3264	-56.29	-13	-43.29	-65.18	2.856	13.90	H
	1632	-56.89	-13	-43.89	-63.86	1.58	10.70	V
	2448	-46.45	-13	-33.45	-54.70	2.10	12.50	V
	3264	-56.56	-13	-43.56	-65.45	2.86	13.90	V
Middle	1648	-60.51	-13	-47.51	-67.48	1.58	10.70	H
	2464	-43.89	-13	-30.89	-52.14	2.102	12.50	H
	3288	-56.66	-13	-43.66	-65.55	2.856	13.90	H
	1648	-53.62	-13	-40.62	-60.59	1.58	10.70	V
	2464	-45.90	-13	-32.90	-54.15	2.10	12.50	V
	3288	-56.71	-13	-43.71	-65.60	2.86	13.90	V
Highest	1664	-61.77	-13	-48.77	-68.74	1.58	10.70	H
	2488	-46.15	-13	-33.15	-54.40	2.102	12.50	H
	3320	-57.11	-13	-44.11	-66.00	2.856	13.90	H
	1664	-60.67	-13	-47.67	-67.64	1.58	10.70	V
	2488	-47.67	-13	-34.67	-55.92	2.10	12.50	V
	3320	-57.40	-13	-44.40	-66.29	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_30A_n5A / LTE 10MHz + NR 40MHz / QPSK (ANT0+1)								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-61.38	-13	-48.38	-68.35	1.58	10.70	H
	2472	-45.27	-13	-32.27	-53.52	2.102	12.50	H
	3304	-57.71	-13	-44.71	-66.60	2.856	13.90	H
	1648	-60.60	-13	-47.60	-67.57	1.58	10.70	V
	2472	-41.98	-13	-28.98	-50.23	2.10	12.50	V
	3304	-57.42	-13	-44.42	-66.31	2.86	13.90	V
Middle	1656	-61.54	-13	-48.54	-68.51	1.58	10.70	H
	2480	-45.48	-13	-32.48	-53.73	2.102	12.50	H
	3312	-57.22	-13	-44.22	-66.11	2.856	13.90	H
	1656	-61.50	-13	-48.50	-68.47	1.58	10.70	V
	2480	-40.43	-13	-27.43	-48.68	2.10	12.50	V
	3312	-57.56	-13	-44.56	-66.45	2.86	13.90	V
Highest	1656	-61.73	-13	-48.73	-68.70	1.58	10.70	H
	2488	-47.15	-13	-34.15	-55.40	2.102	12.50	H
	3320	-58.15	-13	-45.15	-67.04	2.856	13.90	H
	1656	-61.44	-13	-48.44	-68.41	1.58	10.70	V
	1656	-42.58	-13	-29.58	-50.83	2.10	12.50	V
	1656	-58.14	-13	-45.14	-67.03	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



5G NR n66 / NR 40MHz / QPSK(ANT0)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-55.71	-13	-42.71	-66.45	2.604	13.34	H
	5130	-53.44	-13	-40.44	-63.95	3.011	13.52	H
	6855	-54.45	-13	-41.45	-64.65	3.271	13.47	H
	3420	-56.66	-13	-43.66	-67.40	2.604	13.34	V
	5130	-53.43	-13	-40.43	-63.94	3.011	13.52	V
	6855	-54.18	-13	-41.18	-64.38	3.271	13.47	V
Middle	3450	-40.01	-13	-27.01	-50.75	2.604	13.34	H
	5175	-53.34	-13	-40.34	-63.85	3.011	13.52	H
	6915	-53.97	-13	-40.97	-64.17	3.271	13.47	H
	3450	-56.58	-13	-43.58	-67.32	2.604	13.34	V
	5175	-53.66	-13	-40.66	-64.17	3.011	13.52	V
	6915	-54.25	-13	-41.25	-64.45	3.271	13.47	V
Highest	3480	-56.32	-13	-43.32	-67.06	2.604	13.34	H
	5220	-53.52	-13	-40.52	-64.03	3.011	13.52	H
	6975	-54.22	-13	-41.22	-64.42	3.271	13.47	H
	3480	-55.76	-13	-42.76	-66.50	2.604	13.34	V
	5220	-54.05	-13	-41.05	-64.56	3.011	13.52	V
	6975	-54.44	-13	-41.44	-64.64	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

EN-DC_30A_n66A / LTE 10MHz + NR 40MHz / QPSK (ANT1+0)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3420	-56.66	-13	-43.66	-67.40	2.604	13.34	H
	5130	-53.54	-13	-40.54	-64.05	3.011	13.52	H
	6855	-55.71	-13	-42.71	-65.91	3.271	13.47	H
	3420	-56.49	-13	-43.49	-67.23	2.604	13.34	V
	5130	-54.41	-13	-41.41	-64.92	3.011	13.52	V
	6855	-55.39	-13	-42.39	-65.59	3.271	13.47	V
Middle	3450	-57.52	-13	-44.52	-68.26	2.604	13.34	H
	5175	-53.18	-13	-40.18	-63.69	3.011	13.52	H
	6915	-56.49	-13	-43.49	-66.69	3.271	13.47	H
	3450	-57.40	-13	-44.40	-68.14	2.604	13.34	V
	5175	-54.22	-13	-41.22	-64.73	3.011	13.52	V
	6915	-56.25	-13	-43.25	-66.45	3.271	13.47	V
Highest	3484	-57.24	-13	-44.24	-67.98	2.604	13.34	H
	5226	-55.40	-13	-42.40	-65.91	3.011	13.52	H
	6968	-55.51	-13	-42.51	-65.71	3.271	13.47	H
	3484	-57.94	-13	-44.94	-68.68	2.604	13.34	V
	5226	-55.08	-13	-42.08	-65.59	3.011	13.52	V
	6968	-55.79	-13	-42.79	-65.99	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



EN-DC_14A_n66A / LTE 10MHz + NR 40MHz / QPSK (ANT0+5)								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3424	-56.68	-13	-43.68	-67.42	2.604	13.34	H
	5136	-53.05	-13	-40.05	-63.56	3.011	13.52	H
	6848	-54.91	-13	-41.91	-65.11	3.271	13.47	H
	3424	-56.90	-13	-43.90	-67.64	2.604	13.34	V
	5136	-47.60	-13	-34.60	-58.11	3.011	13.52	V
	6848	-54.83	-13	-41.83	-65.03	3.271	13.47	V
Middle	3454	-56.64	-13	-43.64	-67.38	2.604	13.34	H
	5181	-51.73	-13	-38.73	-62.24	3.011	13.52	H
	6908	-54.84	-13	-41.84	-65.04	3.271	13.47	H
	3454	-57.19	-13	-44.19	-67.93	2.604	13.34	V
	5181	-52.75	-13	-39.75	-63.26	3.011	13.52	V
	6908	-54.82	-13	-41.82	-65.02	3.271	13.47	V
Highest	3484	-57.06	-13	-44.06	-67.80	2.604	13.34	H
	5226	-52.37	-13	-39.37	-62.88	3.011	13.52	H
	6968	-54.54	-13	-41.54	-64.74	3.271	13.47	H
	3484	-57.20	-13	-44.20	-67.94	2.604	13.34	V
	5226	-49.05	-13	-36.05	-59.56	3.011	13.52	V
	6968	-54.23	-13	-41.23	-64.43	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.