



3MHz:

Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)		
	QPSK	16QAM	64QAM
825.5	5.28	6.18	6.12
836.5	5.32	6.08	6.10
847.5	4.90	5.76	5.77






**BUREAU
VERITAS**

Test Report No.: W7L-P21080009RF15

5MHz:

Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)		
	QPSK	16QAM	64QAM
826.5	5.34	6.05	6.05
836.5	5.37	6.08	6.07
846.5	5.00	5.79	5.80





**BUREAU
VERITAS**

Test Report No.: W7L-P21080009RF15

10MHz:

Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)		
	QPSK	16QAM	64QAM
829	4.73	5.56	5.54
836.5	4.96	5.84	5.83
844	5.16	6.00	6.03





**BUREAU
VERITAS**

Test Report No.: W7L-P21080009RF15

15MHz:

Frequency (MHz)	PEAK TO AVERAGE RATIO (dB)		
	QPSK	16QAM	64QAM
831.5	5.12	5.79	5.80
836.5	5.25	5.89	5.87
841.5	5.55	6.17	6.20





Test Report No.: W7L-P21080009RF15

4 PHOTOGRAPHS OF THE TEST CONFIGURATION

Please refer to the attached file (Test Setup Photo).



Test Report No.: W7L-P21080009RF15

5 INFORMATION ON THE TESTING LABORATORIES

We, BV 7LAYERS COMMUNICATIONS TECHNOLOGY (SHENZHEN) CO. LTD., were founded in 2015 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Shenzhen EMC/RF Lab:

Tel: +86-755-88696566

Fax: +86-755-88696577

Email: customerservice.sw@cn.bureauveritas.com

Web Site: www.adt.com.tw

The address and road map of all our labs can be found in our web site also.

6 APPENDIX A – MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No any modifications are made to the EUT by the lab during the test.

---END---