



# FCC Part 96.47 TEST REPORT

**FCC ID** : HD5-CT47X1N  
**Equipment** : Mobile computer/Smart phone  
**Brand Name** : Honeywell  
**Model Name** : CT47X1N  
**Applicant** : Honeywell International Inc  
9680 Old Bailes Rd, Fort Mill, SC 29707  
**Manufacturer** : Honeywell International Inc  
9680 Old Bailes Rd, Fort Mill, SC 29707  
**Standard** : FCC Part 96.47  
**RF Interface** : 5G NR (n48)

The product was received on Nov. 09, 2022 and testing was performed from Nov. 14, 2022 to Nov. 15, 2022. We, Sporton International (USA) Inc., would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International (USA) Inc., the test report shall not be reproduced except in full.

Approved by: Lance Tang

**Sportun International (USA) Inc.**  
1175 Montague Expressway, Milpitas, CA 95035



## Table of Contents

<b>History of this test report</b> .....	<b>3</b>
<b>Summary of Test Result</b> .....	<b>4</b>
<b>1 General Description</b> .....	<b>5</b>
1.1 Product Feature of Equipment Under Test.....	5
1.2 Modification of EUT .....	5
1.3 Testing Laboratory.....	5
1.4 Applicable Standards.....	5
<b>2 Test Configuration of Equipment Under Test</b> .....	<b>6</b>
2.1 Connection Diagram of Test System.....	6
<b>3 End User Device additional requirement</b> .....	<b>7</b>
3.1 Test Requirement .....	7
3.2 Test Procedure .....	7
3.3 Test Result.....	8
<b>4 List of Measuring Equipment</b> .....	<b>10</b>

### Appendix A. Test Setup Photo



## History of this test report



## Summary of Test Result

Report Clause	Ref Std. Clause	Test Items	Result (PASS/FAIL)	Remark
3	96.47	End User Device additional requirement	Pass	-

**Conformity Assessment Condition:**

The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacturer who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.

**Comments and Explanations:**

The product specifications of the EUT presented in the report are declared by the manufacturer who shall take full responsibility for the authenticity.



## 1 General Description

### 1.1 Product Feature of Equipment Under Test

GSM/WCDMA/LTE/5G NR, Bluetooth, Wi-Fi 2.4GHz 802.11b/g/n/ax, Wi-Fi 5GHz 802.11a/n/ac/ax, Wi-Fi 6GHz 802.11ax, NFC, and GNSS.

Product Feature	
Antenna Type	WWAN: PIFA Antenna WLAN: LDS Antenna Bluetooth: LDS Antenna GNSS : LDS Antenna NFC: FPC Antenna

**Remark:** The EUT's information above is declared by manufacturer. Please refer to Comments and Explanations in report summary.

### 1.2 Modification of EUT

No modifications are made to the EUT during the test.

### 1.3 Testing Laboratory

Test Site	Sporton International (USA) Inc.
Test Site Location	1175 Montague Expressway, Milpitas, CA 95035 TEL : 408 9043300
Test Site No.	<b>Sporton Site No.</b> TH01-CA
Test Engineer	Venkata Kondepudi
Temperature	22 °C
Relative Humidity	51.3%

FCC Designation No.: US1250


### 1.4 Applicable Standards

- FCC Part 96.47
- FCC KDB 940660 D01 Part 96 CBRS Eqpt v03
- WINNF-TS-0122-V1.0.2 CBRS CBSD Test Specification

**Remark:** All test items are verified and recorded according to the standards without deviation during the test.

## 2 Test Configuration of Equipment Under Test

### 2.1 Connection Diagram of Test System



The companion device is certified NR CBSD (FCC ID: PIDAS2900)



### 3 End User Device additional requirement

#### 3.1 Test Requirement

FCC Part 96.47

(a) End User Devices may operate only if they can positively receive and decode an authorization signal transmitted by a CBSD, including the frequencies and power limits for their operation.

(1) An End User Device must discontinue operations, change frequencies, or change its operational power level within 10 seconds of receiving instructions from its associated CBSD.

#### 3.2 Test Procedure

Following procedure can be done by applying WINNF-TS-0122-V1.0.2 CBRS CBSD Test Specification, use the certified Airspan NR CBSD (FCC ID: PIDAS2900) as companion device to show compliance with Part 96.47 requirement for End User Device (EUD):

1. Setup with frequency 3570-3590MHz and power level 34dBm/MHz
2. Enable CBSD service from Airspan ACP management
3. Check EUD Tx Frequency and power
4. Disable CBSD service from Airspan ACP management
  - a. Check EUD stops transmission within 10 seconds.
5. Setup with frequency 3670-3690MHz and power level 24dBm/MHz
6. Enable CBSD service from Airspan ACP management
7. Check EUD Tx Frequency and power
8. Disable CBSD service from Airspan ACP management
  - a. Check EUD stops transmission within 10 seconds.


### 3.3 Test Result


[Step 1] Setup at frequency 3570-3590MHz and power level 34dBm/MHz

[Step 3] Check EUD Tx Frequency and power




[Step 4.a.] EUD stops transmission within 10 seconds after receiving instructions from its associated CBSD.



**[Step 5] Setup at 3670-3690MHz & power level 24dBm/MHz****[Step 7] Check EUD Tx Frequency and power****[Step 8.a.] After changing the frequency and power level,**

The module (EUT) discontinues operation, changes frequencies, or changes its operational power level within 10 seconds after receiving instructions from its associated CBSD. Test result is PASS.





## 4 List of Measuring Equipment

Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV13	101559	10Hz~13.6GHz	Jul. 05, 2022	Nov. 14, 2022~Nov. 15, 2022	Jul. 04, 2023	TH01-CA
Power Supply	GW Instek	SPS-606	GES851982	N/A	May 11, 2022	Nov. 14, 2022~Nov. 15, 2022	May 10, 2023	TH01-CA