



99% Bandwidth – 15MHz – QPSK Full RB


Low Channel



Middle Channel




High Channel




99% Bandwidth – 20MHz – QPSK Full RB


Low Channel



Middle Channel




High Channel




99% Bandwidth – 20MHz – QPSK 1 RB


Low Channel



Middle Channel




High Channel




99% Bandwidth – 5MHz – 16QAM Full RB


Low Channel



Middle Channel




High Channel




99% Bandwidth – 10MHz – 16QAM Full RB


Low Channel



Middle Channel




High Channel




99% Bandwidth – 15MHz – 16QAM Full RB


Low Channel



Middle Channel




High Channel




99% Bandwidth – 20MHz – 16QAM Full RB


Low Channel



Middle Channel




High Channel




99% Bandwidth – 5MHz – 64QAM Full RB


Low Channel



Middle Channel




High Channel




99% Bandwidth – 10MHz – 64QAM Full RB


Low Channel



Middle Channel




High Channel




99% Bandwidth – 15MHz – 64QAM Full RB


Low Channel



Middle Channel




High Channel




99% Bandwidth – 20MHz – 64QAM Full RB


Low Channel



Middle Channel



High Channel



A.2 Frequency Stability Test Result

Test Site	WZ-TR3	Test Engineer	Jone Zhang
Test Date	2025-04-23	Test Band	Band 2/25

Voltage	Temp (°C)	Frequency Range (MHz)		Delta (Hz)	Frequency stability (ppm)	Within Authorized Frequency Block
		1850	1915			
		f _L	f _H			
Normal	+ 20 (Ref)	1850.134	1914.870	0.00	0.0000	Pass
	+ 50	1850.134	1914.870	-7.08	-0.0038	Pass
	+ 40	1850.134	1914.870	-2.26	-0.0012	Pass
	+ 30	1850.134	1914.870	-7.23	-0.0038	Pass
	+ 10	1850.134	1914.870	4.58	0.0024	Pass
	0	1850.134	1914.870	-1.96	-0.0010	Pass
	- 10	1850.134	1914.870	0.31	0.0002	Pass
	- 20	1850.134	1914.870	-8.18	-0.0043	Pass
	- 30	1850.134	1914.870	-7.01	-0.0037	Pass
4.4Vdc	+ 20	1850.134	1914.870	-5.57	-0.0030	Pass
3.45Vdc	+ 20	1850.134	1914.870	-11.05	-0.0059	Pass

Note: The operating voltage is provided by the manufacturer.

Test Site	WZ-TR3	Test Engineer	Jone Zhang
Test Date	2025-04-23	Test Band	Band 4/66

Voltage	Temp (°C)	Frequency Range (MHz)		Delta (Hz)	Frequency stability (ppm)	Within Authorized Frequency Block
		1710	1780			
		f _L	f _H			
Normal	+ 20 (Ref)	1710.135	1779.865	0.00	0.0000	Pass
	+ 50	1710.135	1779.865	-3.68	-0.0021	Pass
	+ 40	1710.135	1779.865	-10.46	-0.0060	Pass
	+ 30	1710.135	1779.865	-12.21	-0.0070	Pass
	+ 10	1710.135	1779.865	-13.05	-0.0075	Pass
	0	1710.135	1779.865	-15.15	-0.0087	Pass
	- 10	1710.135	1779.865	-13.62	-0.0078	Pass
	- 20	1710.135	1779.865	-11.16	-0.0064	Pass
	- 30	1710.135	1779.865	-17.10	-0.0098	Pass
4.4Vdc	+ 20	1710.135	1779.865	1.26	0.0007	Pass
3.45Vdc	+ 20	1710.135	1779.865	-6.67	-0.0038	Pass

Note: The operating voltage is provided by the manufacturer.

Test Site	WZ-TR3	Test Engineer	Jone Zhang
Test Date	2025-04-23	Test Band	Band 5/26

Voltage	Temp (°C)	Frequency Range (MHz)		Delta (Hz)	Frequency stability (ppm)	Within Authorized Frequency Block
		824	849			
		f _L	f _H			
Normal	+ 20 (Ref)	824.135	848.868	0.00	0.0000	Pass
	+ 50	824.135	848.868	12.99	0.0155	Pass
	+ 40	824.135	848.868	9.11	0.0109	Pass
	+ 30	824.135	848.868	13.01	0.0156	Pass
	+ 10	824.135	848.868	-1.60	-0.0019	Pass
	0	824.135	848.868	0.24	0.0003	Pass
	- 10	824.135	848.868	-3.33	-0.0040	Pass
	- 20	824.135	848.868	11.84	0.0142	Pass
	- 30	824.135	848.868	15.21	0.0182	Pass
4.4Vdc	+ 20	824.135	848.868	1.49	0.0018	Pass
3.45Vdc	+ 20	824.135	848.868	5.65	0.0068	Pass

Note: The operating voltage is provided by the manufacturer.

Test Site	WZ-TR3	Test Engineer	Jone Zhang
Test Date	2025-04-23	Test Band	Band 7

Voltage	Temp (°C)	Frequency Range (MHz)		Delta (Hz)	Frequency stability (ppm)	Within Authorized Frequency Block
		2500	2570			
		f _L	f _H			
Normal	+ 20 (Ref)	2500.165	2569.845	0.00	0.0000	Pass
	+ 50	2500.165	2569.845	-1.39	-0.0005	Pass
	+ 40	2500.165	2569.845	0.20	0.0001	Pass
	+ 30	2500.165	2569.845	-4.59	-0.0018	Pass
	+ 10	2500.165	2569.845	0.32	0.0001	Pass
	0	2500.165	2569.845	3.66	0.0014	Pass
	- 10	2500.165	2569.845	-6.41	-0.0025	Pass
	- 20	2500.165	2569.845	0.84	0.0003	Pass
	- 30	2500.165	2569.845	1.07	0.0004	Pass
4.4Vdc	+ 20	2500.165	2569.845	-0.43	-0.0002	Pass
3.45Vdc	+ 20	2500.165	2569.845	1.74	0.0007	Pass

Note: The operating voltage is provided by the manufacturer.

Test Site	WZ-TR3	Test Engineer	Jone Zhang
Test Date	2025-04-23	Test Band	Band 12/17

Voltage	Temp (°C)	Frequency Range (MHz)		Delta (Hz)	Frequency stability (ppm)	Within Authorized Frequency Block
		699	716			
		f _L	f _H			
Normal	+ 20 (Ref)	699.116	715.883	0.00	0.0000	Pass
	+ 50	699.116	715.883	6.95	0.0098	Pass
	+ 40	699.116	715.883	3.18	0.0045	Pass
	+ 30	699.116	715.883	-3.86	-0.0055	Pass
	+ 10	699.116	715.883	0.12	0.0002	Pass
	0	699.116	715.883	6.58	0.0093	Pass
	- 10	699.116	715.883	-0.16	-0.0002	Pass
	- 20	699.116	715.883	5.38	0.0076	Pass
	- 30	699.116	715.883	6.02	0.0085	Pass
4.4Vdc	+ 20	699.116	715.883	-5.92	-0.0084	Pass
3.45Vdc	+ 20	699.116	715.883	7.39	0.0104	Pass

Note: The operating voltage is provided by the manufacturer.

Test Site	WZ-TR3	Test Engineer	Jone Zhang
Test Date	2025-04-23	Test Band	Band 13

Voltage	Temp (°C)	Frequency Range (MHz)		Delta (Hz)	Frequency stability (ppm)	Within Authorized Frequency Block
		777	787			
		f _L	f _H			
Normal	+ 20 (Ref)	777.225	786.775	0.00	0.0000	Pass
	+ 50	777.225	786.775	-1.57	-0.0020	Pass
	+ 40	777.225	786.775	-5.93	-0.0076	Pass
	+ 30	777.225	786.775	-1.71	-0.0022	Pass
	+ 10	777.225	786.775	-2.43	-0.0031	Pass
	0	777.225	786.775	-2.20	-0.0028	Pass
	- 10	777.225	786.775	-2.64	-0.0034	Pass
	- 20	777.225	786.775	-3.00	-0.0038	Pass
	- 30	777.225	786.775	-1.12	-0.0014	Pass
4.4Vdc	+ 20	777.225	786.775	-0.70	-0.0009	Pass
3.45Vdc	+ 20	777.225	786.775	-0.56	-0.0007	Pass

Note: The operating voltage is provided by the manufacturer.

Test Site	WZ-TR3	Test Engineer	Jone Zhang
Test Date	2025-04-23	Test Band	Band 38/41

Voltage	Temp (°C)	Frequency Range (MHz)		Delta (Hz)	Frequency stability (ppm)	Within Authorized Frequency Block
		2496	2690			
		f _L	f _H			
Normal	+ 20 (Ref)	2496.155	2689.855	0.00	0.0000	Pass
	+ 50	2496.155	2689.855	-6.11	-0.0024	Pass
	+ 40	2496.155	2689.855	4.63	0.0018	Pass
	+ 30	2496.155	2689.855	-0.10	0.0000	Pass
	+ 10	2496.155	2689.855	-0.63	-0.0002	Pass
	0	2496.155	2689.855	-4.44	-0.0017	Pass
	- 10	2496.155	2689.855	-0.16	-0.0001	Pass
	- 20	2496.155	2689.855	1.45	0.0006	Pass
	- 30	2496.155	2689.855	0.31	0.0001	Pass
4.4Vdc	+ 20	2496.155	2689.855	1.93	0.0007	Pass
3.45Vdc	+ 20	2496.155	2689.855	-0.45	-0.0002	Pass

Note: The operating voltage is provided by the manufacturer.

Test Site	WZ-TR3	Test Engineer	Jone Zhang
Test Date	2025-04-23	Test Band	Band 42

Voltage	Temp (°C)	Frequency Range (MHz)		Delta (Hz)	Frequency stability (ppm)	Within Authorized Frequency Block
		3450	3550			
		f _L	f _H			
Normal	+ 20 (Ref)	3450.125	3549.795	0.00	0.0000	Pass
	+ 50	3450.125	3549.795	-8.20	-0.0023	Pass
	+ 40	3450.125	3549.795	-2.26	-0.0006	Pass
	+ 30	3450.125	3549.795	-0.76	-0.0002	Pass
	+ 10	3450.125	3549.795	-7.34	-0.0021	Pass
	0	3450.125	3549.795	-5.78	-0.0017	Pass
	- 10	3450.125	3549.795	-9.00	-0.0026	Pass
	- 20	3450.125	3549.795	1.67	0.0005	Pass
	- 30	3450.125	3549.795	-1.27	-0.0004	Pass
4.4Vdc	+ 20	3450.125	3549.795	0.73	0.0002	Pass
3.45Vdc	+ 20	3450.125	3549.795	-3.02	-0.0009	Pass

Note: The operating voltage is provided by the manufacturer.

Test Site	WZ-TR3	Test Engineer	Jone Zhang
Test Date	2025-04-23	Test Band	Band 43

Voltage	Temp (°C)	Frequency Range (MHz)		Delta (Hz)	Frequency stability (ppm)	Within Authorized Frequency Block
		3700	3800			
		f _L	f _H			
Normal	+ 20 (Ref)	3700.155	3799.830	0.00	0.0000	Pass
	+ 50	3700.155	3799.830	0.69	0.0002	Pass
	+ 40	3700.155	3799.830	2.37	0.0006	Pass
	+ 30	3700.155	3799.830	-1.22	-0.0003	Pass
	+ 10	3700.155	3799.830	3.35	0.0009	Pass
	0	3700.155	3799.830	3.30	0.0009	Pass
	- 10	3700.155	3799.830	4.26	0.0011	Pass
	- 20	3700.155	3799.830	2.06	0.0005	Pass
	- 30	3700.155	3799.830	2.30	0.0006	Pass
4.4Vdc	+ 20	3700.155	3799.830	-6.28	-0.0017	Pass
3.45Vdc	+ 20	3700.155	3799.830	-1.49	-0.0004	Pass

Note: The operating voltage is provided by the manufacturer.

A.3 Equivalent Isotropically Radited Power Test Result

Test Site	WJ-SR11	Test Engineer	Lucas Wang
Test Date	2025-05-21	Test Band	Band 2/25

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
1.4	1850.7	1	0	23.02	21.72	< 33.01
	1882.5			23.16	21.86	< 33.01
	1914.3			22.95	21.65	< 33.01
1.4	1850.7	1	2	23.17	21.87	< 33.01
	1882.5			23.11	21.81	< 33.01
	1914.3			23.11	21.81	< 33.01
1.4	1850.7	1	6	23.02	21.72	< 33.01
	1882.5			23.01	21.71	< 33.01
	1914.3			22.97	21.67	< 33.01
1.4	1850.7	6	0	22.15	20.85	< 33.01
	1882.5			22.13	20.83	< 33.01
	1914.3			22.10	20.80	< 33.01
3	1851.5	1	0	23.36	22.06	< 33.01
	1882.5			23.19	21.89	< 33.01
	1913.5			22.93	21.63	< 33.01
3	1851.5	1	7	23.15	21.85	< 33.01
	1882.5			23.14	21.84	< 33.01
	1913.5			22.99	21.69	< 33.01
3	1851.5	1	14	23.26	21.96	< 33.01
	1882.5			23.17	21.87	< 33.01
	1913.5			23.26	21.96	< 33.01
3	1851.5	15	0	22.25	20.95	< 33.01
	1882.5			22.26	20.96	< 33.01
	1913.5			22.17	20.87	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
5	1852.5	1	0	23.26	21.96	< 33.01
	1882.5			23.25	21.95	< 33.01
	1912.5			23.11	21.81	< 33.01
5	1852.5	1	12	23.20	21.90	< 33.01
	1882.5			23.24	21.94	< 33.01
	1912.5			23.29	21.99	< 33.01
5	1852.5	1	24	23.26	21.96	< 33.01
	1882.5			23.28	21.98	< 33.01
	1912.5			23.17	21.87	< 33.01
5	1852.5	25	0	22.33	21.03	< 33.01
	1882.5			22.29	20.99	< 33.01
	1912.5			22.15	20.85	< 33.01
10	1855.0	1	0	23.18	21.88	< 33.01
	1882.5			23.03	21.73	< 33.01
	1910.0			23.02	21.72	< 33.01
10	1855.0	1	24	23.18	21.88	< 33.01
	1882.5			23.06	21.76	< 33.01
	1910.0			23.14	21.84	< 33.01
10	1855.0	1	49	23.16	21.86	< 33.01
	1882.5			22.99	21.69	< 33.01
	1910.0			22.95	21.65	< 33.01
10	1855.0	50	0	22.27	20.97	< 33.01
	1882.5			22.35	21.05	< 33.01
	1910.0			22.24	20.94	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
15	1857.5	1	0	23.16	21.86	< 33.01
	1882.5			23.09	21.79	< 33.01
	1907.5			22.90	21.60	< 33.01
15	1857.5	1	37	22.95	21.65	< 33.01
	1882.5			23.04	21.74	< 33.01
	1907.5			22.87	21.57	< 33.01
15	1857.5	1	74	23.13	21.83	< 33.01
	1882.5			22.99	21.69	< 33.01
	1907.5			22.94	21.64	< 33.01
15	1857.5	75	0	22.18	20.88	< 33.01
	1882.5			22.17	20.87	< 33.01
	1907.5			22.11	20.81	< 33.01
20	1860.0	1	0	23.02	21.72	< 33.01
	1882.5			22.99	21.69	< 33.01
	1905.0			22.98	21.68	< 33.01
20	1860.0	1	49	23.11	21.81	< 33.01
	1882.5			23.03	21.73	< 33.01
	1905.0			23.02	21.72	< 33.01
20	1860.0	1	99	23.06	21.76	< 33.01
	1882.5			23.10	21.80	< 33.01
	1905.0			22.99	21.69	< 33.01
20	1860.0	100	0	22.17	20.87	< 33.01
	1882.5			22.19	20.89	< 33.01
	1905.0			21.99	20.69	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
1.4	1850.7	1	0	22.63	21.33	< 33.01
	1882.5			22.40	21.10	< 33.01
	1914.3			22.17	20.87	< 33.01
1.4	1850.7	1	2	22.27	20.97	< 33.01
	1882.5			22.28	20.98	< 33.01
	1914.3			22.18	20.88	< 33.01
1.4	1850.7	1	6	22.21	20.91	< 33.01
	1882.5			22.17	20.87	< 33.01
	1914.3			22.10	20.80	< 33.01
1.4	1850.7	6	0	21.45	20.15	< 33.01
	1882.5			21.11	19.81	< 33.01
	1914.3			21.04	19.74	< 33.01
3	1851.5	1	0	22.55	21.25	< 33.01
	1882.5			22.58	21.28	< 33.01
	1913.5			22.28	20.98	< 33.01
3	1851.5	1	7	22.52	21.22	< 33.01
	1882.5			22.37	21.07	< 33.01
	1913.5			22.40	21.10	< 33.01
3	1851.5	1	14	22.57	21.27	< 33.01
	1882.5			22.52	21.22	< 33.01
	1913.5			22.39	21.09	< 33.01
3	1851.5	15	0	21.21	19.91	< 33.01
	1882.5			21.31	20.01	< 33.01
	1913.5			21.23	19.93	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
5	1852.5	1	0	22.61	21.31	< 33.01
	1882.5			22.61	21.31	< 33.01
	1912.5			22.38	21.08	< 33.01
5	1852.5	1	12	22.62	21.32	< 33.01
	1882.5			22.56	21.26	< 33.01
	1912.5			22.27	20.97	< 33.01
5	1852.5	1	24	22.57	21.27	< 33.01
	1882.5			22.55	21.25	< 33.01
	1912.5			22.41	21.11	< 33.01
5	1852.5	25	0	21.26	19.96	< 33.01
	1882.5			21.30	20.00	< 33.01
	1912.5			21.18	19.88	< 33.01
10	1855.0	1	0	22.44	21.14	< 33.01
	1882.5			22.36	21.06	< 33.01
	1910.0			22.24	20.94	< 33.01
10	1855.0	1	24	22.36	21.06	< 33.01
	1882.5			22.28	20.98	< 33.01
	1910.0			22.17	20.87	< 33.01
10	1855.0	1	49	22.37	21.07	< 33.01
	1882.5			22.47	21.17	< 33.01
	1910.0			22.24	20.94	< 33.01
10	1855.0	50	0	21.28	19.98	< 33.01
	1882.5			21.26	19.96	< 33.01
	1910.0			21.18	19.88	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
15	1857.5	1	0	22.35	21.05	< 33.01
	1882.5			22.39	21.09	< 33.01
	1907.5			22.35	21.05	< 33.01
15	1857.5	1	37	22.35	21.05	< 33.01
	1882.5			22.44	21.14	< 33.01
	1907.5			22.38	21.08	< 33.01
15	1857.5	1	74	22.41	21.11	< 33.01
	1882.5			22.43	21.13	< 33.01
	1907.5			22.41	21.11	< 33.01
15	1857.5	75	0	21.16	19.86	< 33.01
	1882.5			21.13	19.83	< 33.01
	1907.5			21.15	19.85	< 33.01
20	1860.0	1	0	22.33	21.03	< 33.01
	1882.5			22.39	21.09	< 33.01
	1905.0			22.33	21.03	< 33.01
20	1860.0	1	49	22.40	21.10	< 33.01
	1882.5			22.45	21.15	< 33.01
	1905.0			22.38	21.08	< 33.01
20	1860.0	1	99	22.34	21.04	< 33.01
	1882.5			22.39	21.09	< 33.01
	1905.0			22.41	21.11	< 33.01
20	1860.0	100	0	21.13	19.83	< 33.01
	1882.5			21.20	19.90	< 33.01
	1905.0			21.01	19.71	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
1.4	1850.7	1	0	21.21	19.91	< 33.01
	1882.5			21.39	20.09	< 33.01
	1914.3			21.31	20.01	< 33.01
1.4	1850.7	1	2	20.19	18.89	< 33.01
	1882.5			21.27	19.97	< 33.01
	1914.3			21.37	20.07	< 33.01
1.4	1850.7	1	6	21.39	20.09	< 33.01
	1882.5			20.19	18.89	< 33.01
	1914.3			21.23	19.93	< 33.01
1.4	1850.7	6	0	21.21	19.91	< 33.01
	1882.5			21.25	19.95	< 33.01
	1914.3			20.05	18.75	< 33.01
3	1851.5	1	0	21.16	19.86	< 33.01
	1882.5			21.10	19.80	< 33.01
	1913.5			21.40	20.10	< 33.01
3	1851.5	1	7	20.28	18.98	< 33.01
	1882.5			21.62	20.32	< 33.01
	1913.5			21.25	19.95	< 33.01
3	1851.5	1	14	21.49	20.19	< 33.01
	1882.5			20.30	19.00	< 33.01
	1913.5			21.29	19.99	< 33.01
3	1851.5	15	0	21.28	19.98	< 33.01
	1882.5			21.00	19.70	< 33.01
	1913.5			20.15	18.85	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
5	1852.5	1	0	21.42	20.12	< 33.01
	1882.5			21.19	19.89	< 33.01
	1912.5			21.50	20.20	< 33.01
5	1852.5	1	12	20.28	18.98	< 33.01
	1882.5			21.44	20.14	< 33.01
	1912.5			21.22	19.92	< 33.01
5	1852.5	1	24	21.43	20.13	< 33.01
	1882.5			20.22	18.92	< 33.01
	1912.5			21.28	19.98	< 33.01
5	1852.5	25	0	21.12	19.82	< 33.01
	1882.5			21.35	20.05	< 33.01
	1912.5			20.14	18.84	< 33.01
10	1855.0	1	0	21.58	20.28	< 33.01
	1882.5			21.43	20.13	< 33.01
	1910.0			21.36	20.06	< 33.01
10	1855.0	1	24	20.34	19.04	< 33.01
	1882.5			21.28	19.98	< 33.01
	1910.0			21.42	20.12	< 33.01
10	1855.0	1	49	21.44	20.14	< 33.01
	1882.5			20.36	19.06	< 33.01
	1910.0			21.51	20.21	< 33.01
10	1855.0	50	0	21.13	19.83	< 33.01
	1882.5			21.59	20.29	< 33.01
	1910.0			20.24	18.94	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
15	1857.5	1	0	21.44	20.14	< 33.01
	1882.5			21.10	19.80	< 33.01
	1907.5			21.29	19.99	< 33.01
15	1857.5	1	37	20.22	18.92	< 33.01
	1882.5			21.12	19.82	< 33.01
	1907.5			21.21	19.91	< 33.01
15	1857.5	1	74	21.42	20.12	< 33.01
	1882.5			20.18	18.88	< 33.01
	1907.5			21.29	19.99	< 33.01
15	1857.5	75	0	21.21	19.91	< 33.01
	1882.5			21.16	19.86	< 33.01
	1907.5			20.20	18.90	< 33.01
20	1860.0	1	0	21.14	19.84	< 33.01
	1882.5			21.37	20.07	< 33.01
	1905.0			21.26	19.96	< 33.01
20	1860.0	1	49	20.25	18.95	< 33.01
	1882.5			21.21	19.91	< 33.01
	1905.0			21.25	19.95	< 33.01
20	1860.0	1	99	21.32	20.02	< 33.01
	1882.5			20.30	19.00	< 33.01
	1905.0			21.13	19.83	< 33.01
20	1860.0	100	0	21.20	19.90	< 33.01
	1882.5			21.19	19.89	< 33.01
	1905.0			20.14	18.84	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WJ-SR11	Test Engineer	Lucas Wang
Test Date	2025-05-21	Test Band	Band 4/66

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
1.4	1710.7	1	0	22.48	19.78	< 30.00
	1745.0			22.82	20.12	< 30.00
	1779.3			22.71	20.01	< 30.00
1.4	1710.7	1	2	22.63	19.93	< 30.00
	1745.0			22.64	19.94	< 30.00
	1779.3			22.76	20.06	< 30.00
1.4	1710.7	1	6	22.74	20.04	< 30.00
	1745.0			22.66	19.96	< 30.00
	1779.3			22.73	20.03	< 30.00
1.4	1710.7	6	0	21.54	18.84	< 30.00
	1745.0			21.64	18.94	< 30.00
	1779.3			21.69	18.99	< 30.00
3	1711.5	1	0	22.63	19.93	< 30.00
	1745.0			22.73	20.03	< 30.00
	1778.5			22.68	19.98	< 30.00
3	1711.5	1	7	22.63	19.93	< 30.00
	1745.0			22.58	19.88	< 30.00
	1778.5			22.57	19.87	< 30.00
3	1711.5	1	14	22.67	19.97	< 30.00
	1745.0			22.75	20.05	< 30.00
	1778.5			22.70	20.00	< 30.00
3	1711.5	15	0	21.76	19.06	< 30.00
	1745.0			21.73	19.03	< 30.00
	1778.5			21.81	19.11	< 30.00

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
5	1712.5	1	0	22.56	19.86	< 30.00
	1745.0			22.71	20.01	< 30.00
	1777.5			22.62	19.92	< 30.00
5	1712.5	1	12	22.93	20.23	< 30.00
	1745.0			22.55	19.85	< 30.00
	1777.5			22.59	19.89	< 30.00
5	1712.5	1	24	22.76	20.06	< 30.00
	1745.0			22.80	20.10	< 30.00
	1777.5			22.78	20.08	< 30.00
5	1712.5	25	0	21.72	19.02	< 30.00
	1745.0			21.82	19.12	< 30.00
	1777.5			21.79	19.09	< 30.00
10	1715.0	1	0	22.54	19.84	< 30.00
	1745.0			22.75	20.05	< 30.00
	1775.0			22.82	20.12	< 30.00
10	1715.0	1	24	22.66	19.96	< 30.00
	1745.0			22.85	20.15	< 30.00
	1775.0			22.69	19.99	< 30.00
10	1715.0	1	49	22.53	19.83	< 30.00
	1745.0			22.77	20.07	< 30.00
	1775.0			22.76	20.06	< 30.00
10	1715.0	50	0	21.73	19.03	< 30.00
	1745.0			21.83	19.13	< 30.00
	1775.0			21.91	19.21	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
15	1717.5	1	0	22.55	19.85	< 30.00
	1745.0			22.57	19.87	< 30.00
	1772.5			22.51	19.81	< 30.00
15	1717.5	1	37	22.56	19.86	< 30.00
	1745.0			22.70	20.00	< 30.00
	1772.5			22.58	19.88	< 30.00
15	1717.5	1	74	22.61	19.91	< 30.00
	1745.0			22.70	20.00	< 30.00
	1772.5			22.76	20.06	< 30.00
15	1717.5	75	0	21.60	18.90	< 30.00
	1745.0			21.68	18.98	< 30.00
	1772.5			21.65	18.95	< 30.00
20	1720.0	1	0	22.48	19.78	< 30.00
	1745.0			22.49	19.79	< 30.00
	1770.0			22.64	19.94	< 30.00
20	1720.0	1	49	22.57	19.87	< 30.00
	1745.0			22.65	19.95	< 30.00
	1770.0			22.60	19.90	< 30.00
20	1720.0	1	99	22.57	19.87	< 30.00
	1745.0			22.66	19.96	< 30.00
	1770.0			22.69	19.99	< 30.00
20	1720.0	100	0	21.73	19.03	< 30.00
	1745.0			21.73	19.03	< 30.00
	1770.0			21.69	18.99	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
1.4	1710.7	1	0	22.05	19.35	< 30.00
	1745.0			21.75	19.05	< 30.00
	1779.3			21.65	18.95	< 30.00
1.4	1710.7	1	2	22.01	19.31	< 30.00
	1745.0			21.91	19.21	< 30.00
	1779.3			22.02	19.32	< 30.00
1.4	1710.7	1	6	21.71	19.01	< 30.00
	1745.0			22.23	19.53	< 30.00
	1779.3			21.69	18.99	< 30.00
1.4	1710.7	6	0	20.57	17.87	< 30.00
	1745.0			20.77	18.07	< 30.00
	1779.3			20.92	18.22	< 30.00
3	1711.5	1	0	21.73	19.03	< 30.00
	1745.0			22.12	19.42	< 30.00
	1778.5			22.08	19.38	< 30.00
3	1711.5	1	7	22.00	19.30	< 30.00
	1745.0			22.30	19.60	< 30.00
	1778.5			21.72	19.02	< 30.00
3	1711.5	1	14	22.05	19.35	< 30.00
	1745.0			22.08	19.38	< 30.00
	1778.5			22.02	19.32	< 30.00
3	1711.5	15	0	20.73	18.03	< 30.00
	1745.0			20.70	18.00	< 30.00
	1778.5			20.74	18.04	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
5	1712.5	1	0	22.01	19.31	< 30.00
	1745.0			22.07	19.37	< 30.00
	1777.5			22.10	19.40	< 30.00
5	1712.5	1	12	22.22	19.52	< 30.00
	1745.0			22.16	19.46	< 30.00
	1777.5			22.13	19.43	< 30.00
5	1712.5	1	24	21.88	19.18	< 30.00
	1745.0			22.00	19.30	< 30.00
	1777.5			22.15	19.45	< 30.00
5	1712.5	25	0	20.85	18.15	< 30.00
	1745.0			20.84	18.14	< 30.00
	1777.5			20.66	17.96	< 30.00
10	1715.0	1	0	21.71	19.01	< 30.00
	1745.0			21.91	19.21	< 30.00
	1775.0			21.84	19.14	< 30.00
10	1715.0	1	24	21.77	19.07	< 30.00
	1745.0			21.99	19.29	< 30.00
	1775.0			22.06	19.36	< 30.00
10	1715.0	1	49	21.86	19.16	< 30.00
	1745.0			21.72	19.02	< 30.00
	1775.0			22.09	19.39	< 30.00
10	1715.0	50	0	20.75	18.05	< 30.00
	1745.0			20.79	18.09	< 30.00
	1775.0			20.85	18.15	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
15	1717.5	1	0	21.78	19.08	< 30.00
	1745.0			21.93	19.23	< 30.00
	1772.5			21.91	19.21	< 30.00
15	1717.5	1	37	21.94	19.24	< 30.00
	1745.0			22.01	19.31	< 30.00
	1772.5			21.98	19.28	< 30.00
15	1717.5	1	74	21.82	19.12	< 30.00
	1745.0			22.08	19.38	< 30.00
	1772.5			21.90	19.20	< 30.00
15	1717.5	75	0	20.63	17.93	< 30.00
	1745.0			20.67	17.97	< 30.00
	1772.5			20.50	17.80	< 30.00
20	1720.0	1	0	21.96	19.26	< 30.00
	1745.0			22.00	19.30	< 30.00
	1770.0			22.08	19.38	< 30.00
20	1720.0	1	49	21.82	19.12	< 30.00
	1745.0			21.92	19.22	< 30.00
	1770.0			22.03	19.33	< 30.00
20	1720.0	1	99	21.82	19.12	< 30.00
	1745.0			21.94	19.24	< 30.00
	1770.0			21.89	19.19	< 30.00
20	1720.0	100	0	20.57	17.87	< 30.00
	1745.0			20.56	17.86	< 30.00
	1770.0			20.59	17.89	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
1.4	1710.7	1	0	20.87	18.17	< 30.00
	1745.0			20.92	18.22	< 30.00
	1779.3			20.95	18.25	< 30.00
1.4	1710.7	1	2	20.85	18.15	< 30.00
	1745.0			21.08	18.38	< 30.00
	1779.3			21.08	18.38	< 30.00
1.4	1710.7	1	6	20.72	18.02	< 30.00
	1745.0			20.95	18.25	< 30.00
	1779.3			20.90	18.20	< 30.00
1.4	1710.7	6	0	19.66	16.96	< 30.00
	1745.0			19.80	17.10	< 30.00
	1779.3			19.78	17.08	< 30.00
3	1711.5	1	0	20.83	18.13	< 30.00
	1745.0			20.87	18.17	< 30.00
	1778.5			20.84	18.14	< 30.00
3	1711.5	1	7	20.83	18.13	< 30.00
	1745.0			20.82	18.12	< 30.00
	1778.5			21.05	18.35	< 30.00
3	1711.5	1	14	20.81	18.11	< 30.00
	1745.0			21.10	18.40	< 30.00
	1778.5			21.05	18.35	< 30.00
3	1711.5	15	0	19.79	17.09	< 30.00
	1745.0			19.75	17.05	< 30.00
	1778.5			19.88	17.18	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
5	1712.5	1	0	21.03	18.33	< 30.00
	1745.0			21.12	18.42	< 30.00
	1777.5			21.07	18.37	< 30.00
5	1712.5	1	12	20.96	18.26	< 30.00
	1745.0			21.01	18.31	< 30.00
	1777.5			21.15	18.45	< 30.00
5	1712.5	1	24	21.00	18.30	< 30.00
	1745.0			21.24	18.54	< 30.00
	1777.5			20.66	17.96	< 30.00
5	1712.5	25	0	19.70	17.00	< 30.00
	1745.0			19.76	17.06	< 30.00
	1777.5			19.64	16.94	< 30.00
10	1715.0	1	0	20.97	18.27	< 30.00
	1745.0			20.88	18.18	< 30.00
	1775.0			20.88	18.18	< 30.00
10	1715.0	1	24	21.08	18.38	< 30.00
	1745.0			21.15	18.45	< 30.00
	1775.0			21.10	18.40	< 30.00
10	1715.0	1	49	21.04	18.34	< 30.00
	1745.0			21.16	18.46	< 30.00
	1775.0			21.01	18.31	< 30.00
10	1715.0	50	0	19.86	17.16	< 30.00
	1745.0			19.90	17.20	< 30.00
	1775.0			19.88	17.18	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
15	1717.5	1	0	20.86	18.16	< 30.00
	1745.0			21.01	18.31	< 30.00
	1772.5			20.62	17.92	< 30.00
15	1717.5	1	37	21.07	18.37	< 30.00
	1745.0			21.15	18.45	< 30.00
	1772.5			21.01	18.31	< 30.00
15	1717.5	1	74	20.97	18.27	< 30.00
	1745.0			21.12	18.42	< 30.00
	1772.5			21.13	18.43	< 30.00
15	1717.5	75	0	19.68	16.98	< 30.00
	1745.0			19.66	16.96	< 30.00
	1772.5			19.59	16.89	< 30.00
20	1720.0	1	0	20.81	18.11	< 30.00
	1745.0			20.97	18.27	< 30.00
	1770.0			20.60	17.90	< 30.00
20	1720.0	1	49	21.03	18.33	< 30.00
	1745.0			21.09	18.39	< 30.00
	1770.0			20.90	18.20	< 30.00
20	1720.0	1	99	20.87	18.17	< 30.00
	1745.0			21.18	18.48	< 30.00
	1770.0			21.01	18.31	< 30.00
20	1720.0	100	0	19.70	17.00	< 30.00
	1745.0			19.75	17.05	< 30.00
	1770.0			19.70	17.00	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WJ-SR11	Test Engineer	Lucas Wang
Test Date	2025-05-21	Test Band	Band 5/26

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
1.4	824.7	1	0	22.81	19.16	< 38.45
	836.5			22.81	19.16	< 38.45
	848.3			22.69	19.04	< 38.45
1.4	824.7	1	2	22.92	19.27	< 38.45
	836.5			23.15	19.50	< 38.45
	848.3			22.91	19.26	< 38.45
1.4	824.7	1	6	22.89	19.24	< 38.45
	836.5			22.83	19.18	< 38.45
	848.3			22.79	19.14	< 38.45
1.4	824.7	6	0	21.95	18.30	< 38.45
	836.5			21.95	18.30	< 38.45
	848.3			21.82	18.17	< 38.45
3	825.5	1	0	23.13	19.48	< 38.45
	836.5			22.85	19.20	< 38.45
	847.5			22.90	19.25	< 38.45
3	825.5	1	7	22.99	19.34	< 38.45
	836.5			22.85	19.20	< 38.45
	847.5			22.84	19.19	< 38.45
3	825.5	1	14	22.99	19.34	< 38.45
	836.5			22.94	19.29	< 38.45
	847.5			22.99	19.34	< 38.45
3	825.5	15	0	21.90	18.25	< 38.45
	836.5			22.02	18.37	< 38.45
	847.5			21.88	18.23	< 38.45

Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
5	826.5	1	0	22.89	19.24	< 38.45
	836.5			22.97	19.32	< 38.45
	846.5			22.95	19.30	< 38.45
5	826.5	1	12	22.91	19.26	< 38.45
	836.5			23.12	19.47	< 38.45
	846.5			22.70	19.05	< 38.45
5	826.5	1	24	23.00	19.35	< 38.45
	836.5			22.86	19.21	< 38.45
	846.5			22.77	19.12	< 38.45
5	826.5	25	0	22.05	18.40	< 38.45
	836.5			21.93	18.28	< 38.45
	846.5			21.95	18.30	< 38.45
10	829.0	1	0	22.97	19.32	< 38.45
	836.5			22.99	19.34	< 38.45
	844.0			22.89	19.24	< 38.45
10	829.0	1	24	22.82	19.17	< 38.45
	836.5			22.76	19.11	< 38.45
	844.0			22.80	19.15	< 38.45
10	829.0	1	49	22.62	18.97	< 38.45
	836.5			22.94	19.29	< 38.45
	844.0			22.80	19.15	< 38.45
10	829.0	50	0	22.08	18.43	< 38.45
	836.5			22.02	18.37	< 38.45
	844.0			21.93	18.28	< 38.45
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
15	831.5	1	0	22.80	19.15	< 38.45
	836.5			22.75	19.10	< 38.45
	841.5			22.81	19.16	< 38.45
15	831.5	1	37	22.88	19.23	< 38.45
	836.5			22.66	19.01	< 38.45
	841.5			22.73	19.08	< 38.45
15	831.5	1	74	22.73	19.08	< 38.45
	836.5			22.72	19.07	< 38.45
	841.5			22.71	19.06	< 38.45
15	831.5	75	0	21.84	18.19	< 38.45
	836.5			21.85	18.20	< 38.45
	841.5			21.85	18.20	< 38.45
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
1.4	824.7	1	0	21.85	18.20	< 38.45
	836.5			22.13	18.48	< 38.45
	848.3			21.84	18.19	< 38.45
1.4	824.7	1	2	22.30	18.65	< 38.45
	836.5			22.17	18.52	< 38.45
	848.3			22.21	18.56	< 38.45
1.4	824.7	1	6	21.99	18.34	< 38.45
	836.5			22.35	18.70	< 38.45
	848.3			21.93	18.28	< 38.45
1.4	824.7	6	0	20.84	17.19	< 38.45
	836.5			21.01	17.36	< 38.45
	848.3			20.94	17.29	< 38.45
3	825.5	1	0	22.18	18.53	< 38.45
	836.5			22.17	18.52	< 38.45
	847.5			22.36	18.71	< 38.45
3	825.5	1	7	22.23	18.58	< 38.45
	836.5			22.21	18.56	< 38.45
	847.5			21.93	18.28	< 38.45
3	825.5	1	14	22.15	18.50	< 38.45
	836.5			22.20	18.55	< 38.45
	847.5			22.17	18.52	< 38.45
3	825.5	15	0	21.08	17.43	< 38.45
	836.5			21.04	17.39	< 38.45
	847.5			21.01	17.36	< 38.45
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
5	826.5	1	0	22.14	18.49	< 38.45
	836.5			22.42	18.77	< 38.45
	846.5			22.29	18.64	< 38.45
5	826.5	1	12	22.42	18.77	< 38.45
	836.5			21.91	18.26	< 38.45
	846.5			22.35	18.70	< 38.45
5	826.5	1	24	22.46	18.81	< 38.45
	836.5			22.34	18.69	< 38.45
	846.5			22.47	18.82	< 38.45
5	826.5	25	0	21.04	17.39	< 38.45
	836.5			21.05	17.40	< 38.45
	846.5			21.02	17.37	< 38.45
10	829.0	1	0	22.13	18.48	< 38.45
	836.5			22.25	18.60	< 38.45
	844.0			22.20	18.55	< 38.45
10	829.0	1	24	22.22	18.57	< 38.45
	836.5			22.22	18.57	< 38.45
	844.0			21.80	18.15	< 38.45
10	829.0	1	49	22.40	18.75	< 38.45
	836.5			22.14	18.49	< 38.45
	844.0			22.17	18.52	< 38.45
10	829.0	50	0	21.06	17.41	< 38.45
	836.5			20.95	17.30	< 38.45
	844.0			20.98	17.33	< 38.45
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
15	831.5	1	0	22.08	18.43	< 38.45
	836.5			22.06	18.41	< 38.45
	841.5			22.17	18.52	< 38.45
15	831.5	1	37	22.22	18.57	< 38.45
	836.5			21.99	18.34	< 38.45
	841.5			22.27	18.62	< 38.45
15	831.5	1	74	21.90	18.25	< 38.45
	836.5			21.87	18.22	< 38.45
	841.5			21.79	18.14	< 38.45
15	831.5	75	0	20.84	17.19	< 38.45
	836.5			20.81	17.16	< 38.45
	841.5			20.62	16.97	< 38.45
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
1.4	824.7	1	0	21.16	17.51	< 38.45
	836.5			21.18	17.53	< 38.45
	848.3			20.98	17.33	< 38.45
1.4	824.7	1	2	21.15	17.50	< 38.45
	836.5			21.20	17.55	< 38.45
	848.3			21.16	17.51	< 38.45
1.4	824.7	1	6	21.07	17.42	< 38.45
	836.5			21.09	17.44	< 38.45
	848.3			20.96	17.31	< 38.45
1.4	824.7	6	0	19.95	16.30	< 38.45
	836.5			19.82	16.17	< 38.45
	848.3			20.02	16.37	< 38.45
3	825.5	1	0	21.12	17.47	< 38.45
	836.5			20.99	17.34	< 38.45
	847.5			21.15	17.50	< 38.45
3	825.5	1	7	21.00	17.35	< 38.45
	836.5			21.01	17.36	< 38.45
	847.5			20.99	17.34	< 38.45
3	825.5	1	14	21.32	17.67	< 38.45
	836.5			21.05	17.40	< 38.45
	847.5			21.24	17.59	< 38.45
3	825.5	15	0	20.05	16.40	< 38.45
	836.5			20.04	16.39	< 38.45
	847.5			19.98	16.33	< 38.45
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
5	826.5	1	0	21.18	17.53	< 38.45
	836.5			21.11	17.46	< 38.45
	846.5			21.23	17.58	< 38.45
5	826.5	1	12	21.16	17.51	< 38.45
	836.5			21.05	17.40	< 38.45
	846.5			21.12	17.47	< 38.45
5	826.5	1	24	20.96	17.31	< 38.45
	836.5			21.37	17.72	< 38.45
	846.5			21.11	17.46	< 38.45
5	826.5	25	0	20.09	16.44	< 38.45
	836.5			19.90	16.25	< 38.45
	846.5			19.95	16.30	< 38.45
10	829.0	1	0	21.22	17.57	< 38.45
	836.5			21.20	17.55	< 38.45
	844.0			21.37	17.72	< 38.45
10	829.0	1	24	21.36	17.71	< 38.45
	836.5			21.33	17.68	< 38.45
	844.0			21.32	17.67	< 38.45
10	829.0	1	49	21.33	17.68	< 38.45
	836.5			21.43	17.78	< 38.45
	844.0			21.22	17.57	< 38.45
10	829.0	50	0	20.06	16.41	< 38.45
	836.5			20.10	16.45	< 38.45
	844.0			19.93	16.28	< 38.45
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
15	831.5	1	0	21.14	17.49	< 38.45
	836.5			21.20	17.55	< 38.45
	841.5			21.18	17.53	< 38.45
15	831.5	1	37	21.19	17.54	< 38.45
	836.5			21.15	17.50	< 38.45
	841.5			21.18	17.53	< 38.45
15	831.5	1	74	21.12	17.47	< 38.45
	836.5			21.14	17.49	< 38.45
	841.5			21.08	17.43	< 38.45
15	831.5	75	0	19.90	16.25	< 38.45
	836.5			19.85	16.20	< 38.45
	841.5			19.68	16.03	< 38.45
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WJ-SR11	Test Engineer	Lucas Wang
Test Date	2025-05-21	Test Band	Band 7

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
5	2502.5	1	0	23.29	28.09	< 33.01
	2535.0			23.70	28.50	< 33.01
	2567.5			23.69	28.49	< 33.01
5	2502.5	1	12	23.48	28.28	< 33.01
	2535.0			23.56	28.36	< 33.01
	2567.5			23.88	28.68	< 33.01
5	2502.5	1	24	23.44	28.24	< 33.01
	2535.0			23.54	28.34	< 33.01
	2567.5			23.86	28.66	< 33.01
5	2502.5	25	0	22.43	27.23	< 33.01
	2535.0			22.63	27.43	< 33.01
	2567.5			22.86	27.66	< 33.01
10	2505.0	1	0	23.60	28.40	< 33.01
	2535.0			23.77	28.57	< 33.01
	2565.0			23.86	28.66	< 33.01
10	2505.0	1	24	23.55	28.35	< 33.01
	2535.0			23.78	28.58	< 33.01
	2565.0			23.88	28.68	< 33.01
10	2505.0	1	49	23.70	28.50	< 33.01
	2535.0			23.88	28.68	< 33.01
	2565.0			23.78	28.58	< 33.01
10	2505.0	50	0	22.45	27.25	< 33.01
	2535.0			22.70	27.50	< 33.01
	2565.0			22.84	27.64	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
15	2507.5	1	0	23.17	27.97	< 33.01
	2535.0			23.52	28.32	< 33.01
	2562.5			23.43	28.23	< 33.01
15	2507.5	1	37	23.21	28.01	< 33.01
	2535.0			23.26	28.06	< 33.01
	2562.5			23.39	28.19	< 33.01
15	2507.5	1	74	23.24	28.04	< 33.01
	2535.0			23.37	28.17	< 33.01
	2562.5			23.68	28.48	< 33.01
15	2507.5	75	0	22.40	27.20	< 33.01
	2535.0			22.64	27.44	< 33.01
	2562.5			22.65	27.45	< 33.01
20	2510.0	1	0	23.37	28.17	< 33.01
	2535.0			23.63	28.43	< 33.01
	2560.0			23.53	28.33	< 33.01
20	2510.0	1	49	23.30	28.10	< 33.01
	2535.0			23.28	28.08	< 33.01
	2560.0			23.37	28.17	< 33.01
20	2510.0	1	99	23.46	28.26	< 33.01
	2535.0			23.46	28.26	< 33.01
	2560.0			23.62	28.42	< 33.01
20	2510.0	100	0	22.47	27.27	< 33.01
	2535.0			22.55	27.35	< 33.01
	2560.0			22.72	27.52	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
5	2502.5	1	0	22.64	27.44	< 33.01
	2535.0			23.05	27.85	< 33.01
	2567.5			23.03	27.83	< 33.01
5	2502.5	1	12	22.46	27.26	< 33.01
	2535.0			23.08	27.88	< 33.01
	2567.5			22.81	27.61	< 33.01
5	2502.5	1	24	22.66	27.46	< 33.01
	2535.0			22.93	27.73	< 33.01
	2567.5			23.23	28.03	< 33.01
5	2502.5	25	0	21.48	26.28	< 33.01
	2535.0			21.77	26.57	< 33.01
	2567.5			21.89	26.69	< 33.01
10	2505.0	1	0	22.74	27.54	< 33.01
	2535.0			22.98	27.78	< 33.01
	2565.0			23.12	27.92	< 33.01
10	2505.0	1	24	22.80	27.60	< 33.01
	2535.0			23.05	27.85	< 33.01
	2565.0			22.93	27.73	< 33.01
10	2505.0	1	49	22.78	27.58	< 33.01
	2535.0			22.86	27.66	< 33.01
	2565.0			23.12	27.92	< 33.01
10	2505.0	50	0	21.46	26.26	< 33.01
	2535.0			21.63	26.43	< 33.01
	2565.0			21.83	26.63	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
15	2507.5	1	0	22.66	27.46	< 33.01
	2535.0			22.89	27.69	< 33.01
	2562.5			23.09	27.89	< 33.01
15	2507.5	1	37	22.58	27.38	< 33.01
	2535.0			22.85	27.65	< 33.01
	2562.5			22.69	27.49	< 33.01
15	2507.5	1	74	22.63	27.43	< 33.01
	2535.0			22.78	27.58	< 33.01
	2562.5			22.95	27.75	< 33.01
15	2507.5	75	0	21.41	26.21	< 33.01
	2535.0			21.53	26.33	< 33.01
	2562.5			21.71	26.51	< 33.01
20	2510.0	1	0	22.70	27.50	< 33.01
	2535.0			23.13	27.93	< 33.01
	2560.0			23.56	28.36	< 33.01
20	2510.0	1	49	22.72	27.52	< 33.01
	2535.0			22.85	27.65	< 33.01
	2560.0			22.98	27.78	< 33.01
20	2510.0	1	99	22.84	27.64	< 33.01
	2535.0			22.88	27.68	< 33.01
	2560.0			23.03	27.83	< 33.01
20	2510.0	100	0	21.47	26.27	< 33.01
	2535.0			21.53	26.33	< 33.01
	2560.0			21.65	26.45	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
5	2502.5	1	0	21.62	26.42	< 33.01
	2535.0			21.66	26.46	< 33.01
	2567.5			21.70	26.50	< 33.01
5	2502.5	1	12	21.52	26.32	< 33.01
	2535.0			21.86	26.66	< 33.01
	2567.5			21.90	26.70	< 33.01
5	2502.5	1	24	21.65	26.45	< 33.01
	2535.0			21.55	26.35	< 33.01
	2567.5			21.86	26.66	< 33.01
5	2502.5	25	0	20.51	25.31	< 33.01
	2535.0			20.76	25.56	< 33.01
	2567.5			20.75	25.55	< 33.01
10	2505.0	1	0	21.70	26.50	< 33.01
	2535.0			21.81	26.61	< 33.01
	2565.0			21.95	26.75	< 33.01
10	2505.0	1	24	21.71	26.51	< 33.01
	2535.0			21.89	26.69	< 33.01
	2565.0			22.03	26.83	< 33.01
10	2505.0	1	49	21.68	26.48	< 33.01
	2535.0			21.86	26.66	< 33.01
	2565.0			22.09	26.89	< 33.01
10	2505.0	50	0	20.45	25.25	< 33.01
	2535.0			20.84	25.64	< 33.01
	2565.0			20.86	25.66	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
15	2507.5	1	0	21.62	26.42	< 33.01
	2535.0			21.76	26.56	< 33.01
	2562.5			21.81	26.61	< 33.01
15	2507.5	1	37	21.51	26.31	< 33.01
	2535.0			21.72	26.52	< 33.01
	2562.5			21.71	26.51	< 33.01
15	2507.5	1	74	21.62	26.42	< 33.01
	2535.0			21.57	26.37	< 33.01
	2562.5			21.78	26.58	< 33.01
15	2507.5	75	0	20.48	25.28	< 33.01
	2535.0			20.65	25.45	< 33.01
	2562.5			20.79	25.59	< 33.01
20	2510.0	1	0	21.37	26.17	< 33.01
	2535.0			21.70	26.50	< 33.01
	2560.0			21.77	26.57	< 33.01
20	2510.0	1	49	21.52	26.32	< 33.01
	2535.0			21.82	26.62	< 33.01
	2560.0			21.67	26.47	< 33.01
20	2510.0	1	99	21.47	26.27	< 33.01
	2535.0			21.63	26.43	< 33.01
	2560.0			21.66	26.46	< 33.01
20	2510.0	100	0	20.56	25.36	< 33.01
	2535.0			20.61	25.41	< 33.01
	2560.0			20.74	25.54	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WJ-SR11	Test Engineer	Lucas Wang
Test Date	2025-05-21	Test Band	Band 12/17

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK						
1.4	699.7	1	0	22.74	19.59	< 34.77
	707.5			22.92	19.77	< 34.77
	715.3			22.72	19.57	< 34.77
1.4	699.7	1	2	22.89	19.74	< 34.77
	707.5			22.81	19.66	< 34.77
	715.3			22.96	19.81	< 34.77
1.4	699.7	1	6	22.72	19.57	< 34.77
	707.5			22.70	19.55	< 34.77
	715.3			22.73	19.58	< 34.77
1.4	699.7	6	0	21.90	18.75	< 34.77
	707.5			21.88	18.73	< 34.77
	715.3			21.79	18.64	< 34.77
3	700.5	1	0	22.89	19.74	< 34.77
	707.5			22.77	19.62	< 34.77
	714.5			22.74	19.59	< 34.77
3	700.5	1	7	22.70	19.55	< 34.77
	707.5			22.76	19.61	< 34.77
	714.5			22.69	19.54	< 34.77
3	700.5	1	14	22.84	19.69	< 34.77
	707.5			22.90	19.75	< 34.77
	714.5			22.86	19.71	< 34.77
3	700.5	15	0	21.93	18.78	< 34.77
	707.5			22.06	18.91	< 34.77
	714.5			21.95	18.80	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) – 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK						
5	701.5	1	0	22.82	19.67	< 34.77
	707.5			22.98	19.83	< 34.77
	713.5			22.87	19.72	< 34.77
5	701.5	1	12	23.49	20.34	< 34.77
	707.5			22.75	19.60	< 34.77
	713.5			22.78	19.63	< 34.77
5	701.5	1	24	22.93	19.78	< 34.77
	707.5			22.83	19.68	< 34.77
	713.5			22.79	19.64	< 34.77
5	701.5	25	0	22.08	18.93	< 34.77
	707.5			22.06	18.91	< 34.77
	713.5			21.89	18.74	< 34.77
10	704.0	1	0	23.09	19.94	< 34.77
	707.5			22.91	19.76	< 34.77
	711.0			22.89	19.74	< 34.77
10	704.0	1	24	22.69	19.54	< 34.77
	707.5			22.96	19.81	< 34.77
	711.0			22.77	19.62	< 34.77
10	704.0	1	49	22.73	19.58	< 34.77
	707.5			22.63	19.48	< 34.77
	711.0			22.78	19.63	< 34.77
10	704.0	50	0	22.02	18.87	< 34.77
	707.5			21.99	18.84	< 34.77
	711.0			22.00	18.85	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) – 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM						
1.4	699.7	1	0	22.13	18.98	< 34.77
	707.5			22.17	19.02	< 34.77
	715.3			22.05	18.90	< 34.77
1.4	699.7	1	2	22.10	18.95	< 34.77
	707.5			22.22	19.07	< 34.77
	715.3			21.70	18.55	< 34.77
1.4	699.7	1	6	22.39	19.24	< 34.77
	707.5			22.25	19.10	< 34.77
	715.3			21.91	18.76	< 34.77
1.4	699.7	6	0	20.82	17.67	< 34.77
	707.5			20.79	17.64	< 34.77
	715.3			20.87	17.72	< 34.77
3	700.5	1	0	22.33	19.18	< 34.77
	707.5			22.29	19.14	< 34.77
	714.5			21.98	18.83	< 34.77
3	700.5	1	7	21.70	18.55	< 34.77
	707.5			22.24	19.09	< 34.77
	714.5			22.25	19.10	< 34.77
3	700.5	1	14	22.36	19.21	< 34.77
	707.5			22.09	18.94	< 34.77
	714.5			22.07	18.92	< 34.77
3	700.5	15	0	20.90	17.75	< 34.77
	707.5			20.93	17.78	< 34.77
	714.5			20.98	17.83	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) – 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM						
5	701.5	1	0	22.25	19.10	< 34.77
	707.5			22.38	19.23	< 34.77
	713.5			22.37	19.22	< 34.77
5	701.5	1	12	22.30	19.15	< 34.77
	707.5			22.38	19.23	< 34.77
	713.5			22.36	19.21	< 34.77
5	701.5	1	24	22.21	19.06	< 34.77
	707.5			22.13	18.98	< 34.77
	713.5			22.13	18.98	< 34.77
5	701.5	25	0	21.02	17.87	< 34.77
	707.5			21.01	17.86	< 34.77
	713.5			20.94	17.79	< 34.77
10	704.0	1	0	22.45	19.30	< 34.77
	707.5			22.27	19.12	< 34.77
	711.0			22.24	19.09	< 34.77
10	704.0	1	24	22.12	18.97	< 34.77
	707.5			22.20	19.05	< 34.77
	711.0			22.08	18.93	< 34.77
10	704.0	1	49	22.29	19.14	< 34.77
	707.5			21.82	18.67	< 34.77
	711.0			22.12	18.97	< 34.77
10	704.0	50	0	21.12	17.97	< 34.77
	707.5			21.04	17.89	< 34.77
	711.0			20.93	17.78	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) – 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM						
1.4	699.7	1	0	21.31	18.16	< 34.77
	707.5			21.11	17.96	< 34.77
	715.3			21.17	18.02	< 34.77
1.4	699.7	1	2	21.33	18.18	< 34.77
	707.5			21.31	18.16	< 34.77
	715.3			21.05	17.90	< 34.77
1.4	699.7	1	6	21.18	18.03	< 34.77
	707.5			21.10	17.95	< 34.77
	715.3			21.01	17.86	< 34.77
1.4	699.7	6	0	19.82	16.67	< 34.77
	707.5			20.27	17.12	< 34.77
	715.3			19.86	16.71	< 34.77
3	700.5	1	0	21.13	17.98	< 34.77
	707.5			21.16	18.01	< 34.77
	714.5			20.99	17.84	< 34.77
3	700.5	1	7	21.08	17.93	< 34.77
	707.5			21.14	17.99	< 34.77
	714.5			21.00	17.85	< 34.77
3	700.5	1	14	21.35	18.20	< 34.77
	707.5			21.29	18.14	< 34.77
	714.5			20.80	17.65	< 34.77
3	700.5	15	0	20.24	17.09	< 34.77
	707.5			20.04	16.89	< 34.77
	714.5			19.97	16.82	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) – 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM						
5	701.5	1	0	21.17	18.02	< 34.77
	707.5			21.40	18.25	< 34.77
	713.5			21.19	18.04	< 34.77
5	701.5	1	12	21.65	18.50	< 34.77
	707.5			21.32	18.17	< 34.77
	713.5			21.20	18.05	< 34.77
5	701.5	1	24	20.87	17.72	< 34.77
	707.5			21.01	17.86	< 34.77
	713.5			21.29	18.14	< 34.77
5	701.5	25	0	19.93	16.78	< 34.77
	707.5			19.95	16.80	< 34.77
	713.5			19.90	16.75	< 34.77
10	704.0	1	0	21.18	18.03	< 34.77
	707.5			21.35	18.20	< 34.77
	711.0			21.38	18.23	< 34.77
10	704.0	1	24	21.18	18.03	< 34.77
	707.5			21.36	18.21	< 34.77
	711.0			21.45	18.30	< 34.77
10	704.0	1	49	21.35	18.20	< 34.77
	707.5			21.30	18.15	< 34.77
	711.0			21.24	18.09	< 34.77
10	704.0	50	0	20.11	16.96	< 34.77
	707.5			20.12	16.97	< 34.77
	711.0			20.00	16.85	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) – 2.15						

Test Site	WJ-SR11	Test Engineer	Lucas Wang
Test Date	2025-05-21	Test Band	Band 13

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
QPSK						
5	779.5	1	0	22.62	21.47	< 34.77
	782.0			22.84	21.69	< 34.77
	784.5			23.08	21.93	< 34.77
5	779.5	1	12	23.33	22.18	< 34.77
	782.0			22.78	21.63	< 34.77
	784.5			22.72	21.57	< 34.77
5	779.5	1	24	22.99	21.84	< 34.77
	782.0			22.87	21.72	< 34.77
	784.5			22.55	21.40	< 34.77
5	779.5	25	0	22.03	20.88	< 34.77
	782.0			21.83	20.68	< 34.77
	784.5			22.01	20.86	< 34.77
10	782.0	1	0	22.69	21.54	< 34.77
	782.0	1	24	22.71	21.56	< 34.77
	782.0	1	49	22.57	21.42	< 34.77
	782.0	50	0	21.88	20.73	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) – 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
16QAM						
5	779.5	1	0	22.71	21.56	< 34.77
	782.0			22.33	21.18	< 34.77
	784.5			22.30	21.15	< 34.77
5	779.5	1	12	22.30	21.15	< 34.77
	782.0			22.27	21.12	< 34.77
	784.5			22.65	21.50	< 34.77
5	779.5	1	24	22.12	20.97	< 34.77
	782.0			22.11	20.96	< 34.77
	784.5			22.17	21.02	< 34.77
5	779.5	25	0	20.92	19.77	< 34.77
	782.0			20.89	19.74	< 34.77
	784.5			20.96	19.81	< 34.77
10	782.0	1	0	21.95	20.80	< 34.77
	782.0	1	24	22.23	21.08	< 34.77
	782.0	1	49	22.01	20.86	< 34.77
	782.0	50	0	20.92	19.77	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) – 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
64QAM						
5	779.5	1	0	20.53	19.38	< 34.77
	782.0			20.99	19.84	< 34.77
	784.5			20.94	19.79	< 34.77
5	779.5	1	12	20.98	19.83	< 34.77
	782.0			21.29	20.14	< 34.77
	784.5			20.78	19.63	< 34.77
5	779.5	1	24	20.94	19.79	< 34.77
	782.0			21.12	19.97	< 34.77
	784.5			20.94	19.79	< 34.77
5	779.5	25	0	19.66	18.51	< 34.77
	782.0			19.98	18.83	< 34.77
	784.5			19.96	18.81	< 34.77
10	782.0	1	0	20.49	19.34	< 34.77
	782.0	1	24	21.31	20.16	< 34.77
	782.0	1	49	20.90	19.75	< 34.77
	782.0	50	0	19.84	18.69	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) – 2.15						

Test Site	WJ-SR11	Test Engineer	Lucas Wang
Test Date	2025-05-21	Test Band	Band 38/41

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
5	2498.5	1	0	23.32	28.12	< 33.01
	2593.0			23.67	28.47	< 33.01
	2687.5			23.47	28.27	< 33.01
5	2498.5	1	12	23.28	28.08	< 33.01
	2593.0			23.55	28.35	< 33.01
	2687.5			23.56	28.36	< 33.01
5	2498.5	1	24	23.38	28.18	< 33.01
	2593.0			23.63	28.43	< 33.01
	2687.5			23.54	28.34	< 33.01
5	2498.5	25	0	20.40	25.20	< 33.01
	2593.0			22.53	27.33	< 33.01
	2687.5			22.63	27.43	< 33.01
10	2501.0	1	0	23.29	28.09	< 33.01
	2593.0			23.62	28.42	< 33.01
	2685.0			23.45	28.25	< 33.01
10	2501.0	1	24	23.19	27.99	< 33.01
	2593.0			23.53	28.33	< 33.01
	2685.0			23.39	28.19	< 33.01
10	2501.0	1	49	23.38	28.18	< 33.01
	2593.0			23.38	28.18	< 33.01
	2685.0			23.45	28.25	< 33.01
10	2501.0	50	0	20.40	25.20	< 33.01
	2593.0			22.64	27.44	< 33.01
	2685.0			22.66	27.46	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
15	2503.5	1	0	23.21	28.01	< 33.01
	2593.0			23.53	28.33	< 33.01
	2682.5			23.38	28.18	< 33.01
15	2503.5	1	37	23.13	27.93	< 33.01
	2593.0			23.35	28.15	< 33.01
	2682.5			23.27	28.07	< 33.01
15	2503.5	1	74	23.19	27.99	< 33.01
	2593.0			23.44	28.24	< 33.01
	2682.5			23.43	28.23	< 33.01
15	2503.5	75	0	20.34	25.14	< 33.01
	2593.0			22.45	27.25	< 33.01
	2682.5			22.49	27.29	< 33.01
20	2506.0	1	0	23.15	27.95	< 33.01
	2593.0			23.49	28.29	< 33.01
	2680.0			23.27	28.07	< 33.01
20	2506.0	1	49	23.14	27.94	< 33.01
	2593.0			23.20	28.00	< 33.01
	2680.0			23.21	28.01	< 33.01
20	2506.0	1	99	22.27	27.07	< 33.01
	2593.0			23.23	28.03	< 33.01
	2680.0			23.25	28.05	< 33.01
20	2506.0	100	0	20.30	25.10	< 33.01
	2593.0			22.49	27.29	< 33.01
	2680.0			22.42	27.22	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
5	2498.5	1	0	22.67	27.47	< 33.01
	2593.0			22.93	27.73	< 33.01
	2687.5			22.91	27.71	< 33.01
5	2498.5	1	12	22.77	27.57	< 33.01
	2593.0			22.91	27.71	< 33.01
	2687.5			23.04	27.84	< 33.01
5	2498.5	1	24	22.67	27.47	< 33.01
	2593.0			22.83	27.63	< 33.01
	2687.5			22.95	27.75	< 33.01
5	2498.5	25	0	19.54	24.34	< 33.01
	2593.0			21.73	26.53	< 33.01
	2687.5			21.72	26.52	< 33.01
10	2501.0	1	0	22.68	27.48	< 33.01
	2593.0			22.94	27.74	< 33.01
	2685.0			22.72	27.52	< 33.01
10	2501.0	1	24	22.54	27.34	< 33.01
	2593.0			22.77	27.57	< 33.01
	2685.0			22.74	27.54	< 33.01
10	2501.0	1	49	22.63	27.43	< 33.01
	2593.0			22.81	27.61	< 33.01
	2685.0			22.76	27.56	< 33.01
10	2501.0	50	0	19.31	24.11	< 33.01
	2593.0			21.59	26.39	< 33.01
	2685.0			21.53	26.33	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
15	2503.5	1	0	22.53	27.33	< 33.01
	2593.0			22.93	27.73	< 33.01
	2682.5			22.67	27.47	< 33.01
15	2503.5	1	37	22.51	27.31	< 33.01
	2593.0			22.74	27.54	< 33.01
	2682.5			22.63	27.43	< 33.01
15	2503.5	1	74	22.11	26.91	< 33.01
	2593.0			22.78	27.58	< 33.01
	2682.5			22.65	27.45	< 33.01
15	2503.5	75	0	19.25	24.05	< 33.01
	2593.0			21.35	26.15	< 33.01
	2682.5			21.36	26.16	< 33.01
20	2506.0	1	0	22.48	27.28	< 33.01
	2593.0			22.98	27.78	< 33.01
	2680.0			22.70	27.50	< 33.01
20	2506.0	1	49	22.45	27.25	< 33.01
	2593.0			22.81	27.61	< 33.01
	2680.0			22.58	27.38	< 33.01
20	2506.0	1	99	22.35	27.15	< 33.01
	2593.0			22.76	27.56	< 33.01
	2680.0			22.65	27.45	< 33.01
20	2506.0	100	0	19.21	24.01	< 33.01
	2593.0			21.34	26.14	< 33.01
	2680.0			21.36	26.16	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
5	2498.5	1	0	21.59	26.39	< 33.01
	2593.0			21.70	26.50	< 33.01
	2687.5			21.53	26.33	< 33.01
5	2498.5	1	12	18.42	23.22	< 33.01
	2593.0			21.87	26.67	< 33.01
	2687.5			21.76	26.56	< 33.01
5	2498.5	1	24	21.84	26.64	< 33.01
	2593.0			20.70	25.50	< 33.01
	2687.5			21.69	26.49	< 33.01
5	2498.5	25	0	21.84	26.64	< 33.01
	2593.0			21.77	26.57	< 33.01
	2687.5			20.69	25.49	< 33.01
10	2501.0	1	0	21.66	26.46	< 33.01
	2593.0			21.80	26.60	< 33.01
	2685.0			21.67	26.47	< 33.01
10	2501.0	1	24	18.48	23.28	< 33.01
	2593.0			22.02	26.82	< 33.01
	2685.0			21.87	26.67	< 33.01
10	2501.0	1	49	21.71	26.51	< 33.01
	2593.0			20.67	25.47	< 33.01
	2685.0			21.82	26.62	< 33.01
10	2501.0	50	0	21.94	26.74	< 33.01
	2593.0			21.84	26.64	< 33.01
	2685.0			20.62	25.42	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
15	2503.5	1	0	21.45	26.25	< 33.01
	2593.0			21.44	26.24	< 33.01
	2682.5			21.37	26.17	< 33.01
15	2503.5	1	37	18.37	23.17	< 33.01
	2593.0			21.80	26.60	< 33.01
	2682.5			21.63	26.43	< 33.01
15	2503.5	1	74	21.58	26.38	< 33.01
	2593.0			20.54	25.34	< 33.01
	2682.5			21.60	26.40	< 33.01
15	2503.5	75	0	21.63	26.43	< 33.01
	2593.0			21.63	26.43	< 33.01
	2682.5			20.51	25.31	< 33.01
20	2506.0	1	0	21.44	26.24	< 33.01
	2593.0			21.43	26.23	< 33.01
	2680.0			21.36	26.16	< 33.01
20	2506.0	1	49	18.32	23.12	< 33.01
	2593.0			21.85	26.65	< 33.01
	2680.0			21.62	26.42	< 33.01
20	2506.0	1	99	21.60	26.40	< 33.01
	2593.0			20.47	25.27	< 33.01
	2680.0			21.62	26.42	< 33.01
20	2506.0	100	0	21.52	26.32	< 33.01
	2593.0			21.52	26.32	< 33.01
	2680.0			20.51	25.31	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WJ-SR11	Test Engineer	Lucas Wang
Test Date	2025-05-21	Test Band	Band 42

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
5	3452.5	1	0	23.06	27.36	< 30.00
	3500			23.00	27.30	< 30.00
	3547.5			22.88	27.18	< 30.00
5	3452.5	1	12	22.94	27.24	< 30.00
	3500			22.89	27.19	< 30.00
	3547.5			23.24	27.54	< 30.00
5	3452.5	1	24	22.96	27.26	< 30.00
	3500			22.85	27.15	< 30.00
	3547.5			22.90	27.20	< 30.00
5	3452.5	25	0	22.10	26.40	< 30.00
	3500			21.98	26.28	< 30.00
	3547.5			21.89	26.19	< 30.00
10	3455	1	0	22.95	27.25	< 30.00
	3500			23.00	27.30	< 30.00
	3545			22.89	27.19	< 30.00
10	3455	1	24	22.87	27.17	< 30.00
	3500			22.84	27.14	< 30.00
	3545			22.77	27.07	< 30.00
10	3455	1	49	22.83	27.13	< 30.00
	3500			22.71	27.01	< 30.00
	3545			22.86	27.16	< 30.00
10	3455	50	0	22.08	26.38	< 30.00
	3500			22.03	26.33	< 30.00
	3545			22.02	26.32	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
15	3457.5	1	0	22.88	27.18	< 30.00
	3500			22.88	27.18	< 30.00
	3542.5			22.65	26.95	< 30.00
15	3457.5	1	37	22.77	27.07	< 30.00
	3500			22.68	26.98	< 30.00
	3542.5			22.70	27.00	< 30.00
15	3457.5	1	74	22.67	26.97	< 30.00
	3500			22.56	26.86	< 30.00
	3542.5			22.67	26.97	< 30.00
15	3457.5	75	0	21.89	26.19	< 30.00
	3500			21.83	26.13	< 30.00
	3542.5			21.87	26.17	< 30.00
20	3460	1	0	22.78	27.08	< 30.00
	3500			22.78	27.08	< 30.00
	3540			22.45	26.75	< 30.00
20	3460	1	49	22.58	26.88	< 30.00
	3500			22.53	26.83	< 30.00
	3540			22.52	26.82	< 30.00
20	3460	1	99	22.54	26.84	< 30.00
	3500			22.40	26.70	< 30.00
	3540			22.51	26.81	< 30.00
20	3460	100	0	21.90	26.20	< 30.00
	3500			21.85	26.15	< 30.00
	3540			21.87	26.17	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
5	3452.5	1	0	22.33	26.63	< 30.00
	3500			22.33	26.63	< 30.00
	3547.5			22.22	26.52	< 30.00
5	3452.5	1	12	22.14	26.44	< 30.00
	3500			22.31	26.61	< 30.00
	3547.5			22.01	26.31	< 30.00
5	3452.5	1	24	22.24	26.54	< 30.00
	3500			22.16	26.46	< 30.00
	3547.5			22.19	26.49	< 30.00
5	3452.5	25	0	21.18	25.48	< 30.00
	3500			21.10	25.40	< 30.00
	3547.5			20.98	25.28	< 30.00
10	3455	1	0	22.24	26.54	< 30.00
	3500			22.20	26.50	< 30.00
	3545			22.15	26.45	< 30.00
10	3455	1	24	22.14	26.44	< 30.00
	3500			22.15	26.45	< 30.00
	3545			22.11	26.41	< 30.00
10	3455	1	49	22.13	26.43	< 30.00
	3500			22.05	26.35	< 30.00
	3545			22.04	26.34	< 30.00
10	3455	50	0	21.04	25.34	< 30.00
	3500			20.95	25.25	< 30.00
	3545			20.92	25.22	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
15	3457.5	1	0	22.31	26.61	< 30.00
	3500			22.25	26.55	< 30.00
	3542.5			22.07	26.37	< 30.00
15	3457.5	1	37	22.12	26.42	< 30.00
	3500			21.97	26.27	< 30.00
	3542.5			22.05	26.35	< 30.00
15	3457.5	1	74	21.96	26.26	< 30.00
	3500			21.90	26.20	< 30.00
	3542.5			22.01	26.31	< 30.00
15	3457.5	75	0	20.91	25.21	< 30.00
	3500			20.86	25.16	< 30.00
	3542.5			20.88	25.18	< 30.00
20	3460	1	0	22.22	26.52	< 30.00
	3500			22.25	26.55	< 30.00
	3540			21.89	26.19	< 30.00
20	3460	1	49	21.86	26.16	< 30.00
	3500			22.03	26.33	< 30.00
	3540			22.00	26.30	< 30.00
20	3460	1	99	22.06	26.36	< 30.00
	3500			21.74	26.04	< 30.00
	3540			21.86	26.16	< 30.00
20	3460	100	0	20.91	25.21	< 30.00
	3500			20.90	25.20	< 30.00
	3540			20.87	25.17	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
5	3452.5	1	0	21.20	25.50	< 30.00
	3500			21.19	25.49	< 30.00
	3547.5			21.06	25.36	< 30.00
5	3452.5	1	12	21.31	25.61	< 30.00
	3500			21.10	25.40	< 30.00
	3547.5			21.16	25.46	< 30.00
5	3452.5	1	24	21.26	25.56	< 30.00
	3500			21.11	25.41	< 30.00
	3547.5			21.10	25.40	< 30.00
5	3452.5	25	0	20.11	24.41	< 30.00
	3500			20.07	24.37	< 30.00
	3547.5			19.99	24.29	< 30.00
10	3455	1	0	21.41	25.71	< 30.00
	3500			21.33	25.63	< 30.00
	3545			21.31	25.61	< 30.00
10	3455	1	24	21.26	25.56	< 30.00
	3500			21.36	25.66	< 30.00
	3545			21.33	25.63	< 30.00
10	3455	1	49	21.23	25.53	< 30.00
	3500			21.23	25.53	< 30.00
	3545			21.13	25.43	< 30.00
10	3455	50	0	20.10	24.40	< 30.00
	3500			20.07	24.37	< 30.00
	3545			20.04	24.34	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
15	3457.5	1	0	21.12	25.42	< 30.00
	3500			21.03	25.33	< 30.00
	3542.5			20.89	25.19	< 30.00
15	3457.5	1	37	21.02	25.32	< 30.00
	3500			20.92	25.22	< 30.00
	3542.5			20.89	25.19	< 30.00
15	3457.5	1	74	20.92	25.22	< 30.00
	3500			20.80	25.10	< 30.00
	3542.5			20.89	25.19	< 30.00
15	3457.5	75	0	19.97	24.27	< 30.00
	3500			19.86	24.16	< 30.00
	3542.5			19.90	24.20	< 30.00
20	3460	1	0	21.10	25.40	< 30.00
	3500			21.16	25.46	< 30.00
	3540			20.73	25.03	< 30.00
20	3460	1	49	20.97	25.27	< 30.00
	3500			20.91	25.21	< 30.00
	3540			20.91	25.21	< 30.00
20	3460	1	99	20.85	25.15	< 30.00
	3500			20.66	24.96	< 30.00
	3540			20.88	25.18	< 30.00
20	3460	100	0	19.88	24.18	< 30.00
	3500			19.89	24.19	< 30.00
	3540			19.83	24.13	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WJ-SR11	Test Engineer	Lucas Wang
Test Date	2025-05-21	Test Band	Band 43

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
5	3702.5	1	0	23.36	29.46	< 30.00
	3750			23.54	29.64	< 30.00
	3797.5			23.62	29.72	< 30.00
5	3702.5	1	12	23.40	29.50	< 30.00
	3750			23.54	29.64	< 30.00
	3797.5			23.72	29.82	< 30.00
5	3702.5	1	24	23.43	29.53	< 30.00
	3750			23.60	29.70	< 30.00
	3797.5			23.68	29.78	< 30.00
5	3702.5	25	0	22.42	28.52	< 30.00
	3750			22.56	28.66	< 30.00
	3797.5			22.64	28.74	< 30.00
10	3705	1	0	23.25	29.35	< 30.00
	3750			23.32	29.42	< 30.00
	3795			23.52	29.62	< 30.00
10	3705	1	24	23.25	29.35	< 30.00
	3750			23.44	29.54	< 30.00
	3795			23.42	29.52	< 30.00
10	3705	1	49	23.36	29.46	< 30.00
	3750			23.56	29.66	< 30.00
	3795			23.53	29.63	< 30.00
10	3705	50	0	22.52	28.62	< 30.00
	3750			22.62	28.72	< 30.00
	3795			22.64	28.74	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
QPSK						
15	3707.5	1	0	23.33	29.43	< 30.00
	3750			23.49	29.59	< 30.00
	3792.5			23.51	29.61	< 30.00
15	3707.5	1	37	23.29	29.39	< 30.00
	3750			23.45	29.55	< 30.00
	3792.5			23.48	29.58	< 30.00
15	3707.5	1	74	23.33	29.43	< 30.00
	3750			23.50	29.60	< 30.00
	3792.5			23.53	29.63	< 30.00
15	3707.5	75	0	22.40	28.50	< 30.00
	3750			22.46	28.56	< 30.00
	3792.5			22.54	28.64	< 30.00
20	3710	1	0	23.17	29.27	< 30.00
	3750			23.36	29.46	< 30.00
	3790			23.35	29.45	< 30.00
20	3710	1	49	23.13	29.23	< 30.00
	3750			23.32	29.42	< 30.00
	3790			23.33	29.43	< 30.00
20	3710	1	99	23.14	29.24	< 30.00
	3750			23.34	29.44	< 30.00
	3790			23.35	29.45	< 30.00
20	3710	100	0	22.38	28.48	< 30.00
	3750			22.48	28.58	< 30.00
	3790			22.50	28.60	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
5	3702.5	1	0	22.72	28.82	< 30.00
	3750			22.87	28.97	< 30.00
	3797.5			22.84	28.94	< 30.00
5	3702.5	1	12	22.79	28.89	< 30.00
	3750			22.91	29.01	< 30.00
	3797.5			22.65	28.75	< 30.00
5	3702.5	1	24	22.77	28.87	< 30.00
	3750			22.83	28.93	< 30.00
	3797.5			22.81	28.91	< 30.00
5	3702.5	25	0	21.58	27.68	< 30.00
	3750			21.65	27.75	< 30.00
	3797.5			21.69	27.79	< 30.00
10	3705	1	0	22.63	28.73	< 30.00
	3750			22.82	28.92	< 30.00
	3795			22.78	28.88	< 30.00
10	3705	1	24	22.51	28.61	< 30.00
	3750			22.67	28.77	< 30.00
	3795			22.70	28.80	< 30.00
10	3705	1	49	22.57	28.67	< 30.00
	3750			22.78	28.88	< 30.00
	3795			22.72	28.82	< 30.00
10	3705	50	0	21.46	27.56	< 30.00
	3750			21.58	27.68	< 30.00
	3795			21.69	27.79	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
16QAM						
15	3707.5	1	0	22.74	28.84	< 30.00
	3750			22.87	28.97	< 30.00
	3792.5			22.91	29.01	< 30.00
15	3707.5	1	37	22.63	28.73	< 30.00
	3750			22.80	28.90	< 30.00
	3792.5			22.85	28.95	< 30.00
15	3707.5	1	74	22.67	28.77	< 30.00
	3750			22.85	28.95	< 30.00
	3792.5			22.86	28.96	< 30.00
15	3707.5	75	0	21.40	27.50	< 30.00
	3750			21.50	27.60	< 30.00
	3792.5			21.61	27.71	< 30.00
20	3710	1	0	22.68	28.78	< 30.00
	3750			22.76	28.86	< 30.00
	3790			22.90	29.00	< 30.00
20	3710	1	49	22.55	28.65	< 30.00
	3750			22.85	28.95	< 30.00
	3790			22.78	28.88	< 30.00
20	3710	1	99	22.73	28.83	< 30.00
	3750			22.77	28.87	< 30.00
	3790			22.81	28.91	< 30.00
20	3710	100	0	21.36	27.46	< 30.00
	3750			21.50	27.60	< 30.00
	3790			21.53	27.63	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
5	3702.5	1	0	21.71	27.81	< 30.00
	3750			21.78	27.88	< 30.00
	3797.5			21.83	27.93	< 30.00
5	3702.5	1	12	21.60	27.70	< 30.00
	3750			21.72	27.82	< 30.00
	3797.5			21.82	27.92	< 30.00
5	3702.5	1	24	21.63	27.73	< 30.00
	3750			21.78	27.88	< 30.00
	3797.5			21.72	27.82	< 30.00
5	3702.5	25	0	20.60	26.70	< 30.00
	3750			20.60	26.70	< 30.00
	3797.5			20.76	26.86	< 30.00
10	3705	1	0	21.78	27.88	< 30.00
	3750			21.88	27.98	< 30.00
	3795			21.93	28.03	< 30.00
10	3705	1	24	21.63	27.73	< 30.00
	3750			21.79	27.89	< 30.00
	3795			21.91	28.01	< 30.00
10	3705	1	49	21.63	27.73	< 30.00
	3750			21.89	27.99	< 30.00
	3795			21.79	27.89	< 30.00
10	3705	50	0	20.53	26.63	< 30.00
	3750			20.66	26.76	< 30.00
	3795			20.75	26.85	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
64QAM						
15	3707.5	1	0	21.63	27.73	< 30.00
	3750			21.64	27.74	< 30.00
	3792.5			21.75	27.85	< 30.00
15	3707.5	1	37	21.52	27.62	< 30.00
	3750			21.69	27.79	< 30.00
	3792.5			21.71	27.81	< 30.00
15	3707.5	1	74	21.56	27.66	< 30.00
	3750			21.75	27.85	< 30.00
	3792.5			21.78	27.88	< 30.00
15	3707.5	75	0	20.44	26.54	< 30.00
	3750			20.47	26.57	< 30.00
	3792.5			20.57	26.67	< 30.00
20	3710	1	0	21.59	27.69	< 30.00
	3750			21.62	27.72	< 30.00
	3790			21.64	27.74	< 30.00
20	3710	1	49	21.53	27.63	< 30.00
	3750			21.69	27.79	< 30.00
	3790			21.73	27.83	< 30.00
20	3710	1	99	21.50	27.60	< 30.00
	3750			21.72	27.82	< 30.00
	3790			21.76	27.86	< 30.00
20	3710	100	0	20.39	26.49	< 30.00
	3750			20.45	26.55	< 30.00
	3790			20.49	26.59	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

A.4 Peak-to-Average Power Ratio Test Result


Test Site	WJ-SR11 & SIP-SR1	Test Engineer	Lucas Wang & Yoniter Yang
Test Date	2025-04-18	Test Band	Band 2/25

Channel Bandwidth (MHz)	Frequency (MHz)	Peak to Average Ratio (dB)	Limit (dB)	Result
QPSK				
1.4	1850.7	4.64	≤ 13.00	Pass
	1882.5	4.68	≤ 13.00	Pass
	1914.3	4.54	≤ 13.00	Pass
3	1851.5	4.59	≤ 13.00	Pass
	1882.5	4.67	≤ 13.00	Pass
	1913.5	4.52	≤ 13.00	Pass
5	1852.5	4.81	≤ 13.00	Pass
	1882.5	4.70	≤ 13.00	Pass
	1912.5	4.62	≤ 13.00	Pass
10	1855.0	5.00	≤ 13.00	Pass
	1882.5	4.75	≤ 13.00	Pass
	1910.0	4.70	≤ 13.00	Pass
15	1857.5	5.16	≤ 13.00	Pass
	1882.5	5.08	≤ 13.00	Pass
	1907.5	5.02	≤ 13.00	Pass
20	1860.0	4.86	≤ 13.00	Pass
	1882.5	4.96	≤ 13.00	Pass
	1905.0	5.16	≤ 13.00	Pass
16QAM				
1.4	1850.7	5.47	≤ 13.00	Pass
	1882.5	5.52	≤ 13.00	Pass
	1914.3	5.40	≤ 13.00	Pass
3	1851.5	5.51	≤ 13.00	Pass
	1882.5	5.51	≤ 13.00	Pass
	1913.5	5.40	≤ 13.00	Pass
5	1852.5	5.68	≤ 13.00	Pass
	1882.5	5.54	≤ 13.00	Pass
	1912.5	5.48	≤ 13.00	Pass
10	1855.0	5.82	≤ 13.00	Pass
	1882.5	5.59	≤ 13.00	Pass


Channel Bandwidth (MHz)	Frequency (MHz)	Peak to Average Ratio (dB)	Limit (dB)	Result
	1910.0	5.56	≤ 13.00	Pass
15	1857.5	5.88	≤ 13.00	Pass
	1882.5	5.84	≤ 13.00	Pass
	1907.5	5.77	≤ 13.00	Pass
20	1860.0	5.68	≤ 13.00	Pass
	1882.5	5.77	≤ 13.00	Pass
	1905.0	5.95	≤ 13.00	Pass
64QAM				
1.4	1850.7	6.17	≤ 13.00	Pass
	1882.5	6.38	≤ 13.00	Pass
	1914.3	6.27	≤ 13.00	Pass
3	1851.5	6.21	≤ 13.00	Pass
	1882.5	6.34	≤ 13.00	Pass
	1913.5	6.26	≤ 13.00	Pass
5	1852.5	6.47	≤ 13.00	Pass
	1882.5	6.31	≤ 13.00	Pass
	1912.5	6.31	≤ 13.00	Pass
10	1855.0	6.55	≤ 13.00	Pass
	1882.5	6.36	≤ 13.00	Pass
	1910.0	6.36	≤ 13.00	Pass
15	1857.5	6.55	≤ 13.00	Pass
	1882.5	6.46	≤ 13.00	Pass
	1907.5	6.47	≤ 13.00	Pass
20	1860.0	6.43	≤ 13.00	Pass
	1882.5	6.50	≤ 13.00	Pass
	1905.0	6.52	≤ 13.00	Pass

1.4MHz – QPSK


Low Channel



Middle Channel




High Channel



3MHz – QPSK


Low Channel



Middle Channel




High Channel




5MHz – QPSK

Low Channel



Middle Channel




High Channel




10MHz – QPSK


Low Channel



Middle Channel




High Channel




15MHz – QPSK


Low Channel



Middle Channel




High Channel




20MHz – QPSK


Low Channel



Middle Channel




High Channel




1.4MHz – 16QAM


Low Channel



Middle Channel




High Channel




3MHz – 16QAM

Low Channel



Middle Channel



High Channel

