



5MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge




10MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge




15MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge




20MHz Channel Bandwidth - Full RB

Lower Band Edge



Upper Band Edge



A.6 Conducted Spurious Emissions Test Result


Test Site	WJ-SR11 & SIP-SR1	Test Engineer	Lucas Wang & Yoniter Yang
Test Date	2025-04-28 ~ 2025-05-27	Test Band	Band 2/25

Channel Bandwidth (MHz)	Frequency (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
1.4	1850.7	30 ~ 20000	-33.83	≤ -13.00	Pass
1.4	1882.5	30 ~ 20000	-33.73	≤ -13.00	Pass
1.4	1914.3	30 ~ 20000	-33.90	≤ -13.00	Pass
3	1851.5	30 ~ 20000	-33.72	≤ -13.00	Pass
3	1882.5	30 ~ 20000	-32.72	≤ -13.00	Pass
3	1913.5	30 ~ 20000	-33.03	≤ -13.00	Pass
5	1852.5	30 ~ 20000	-33.57	≤ -13.00	Pass
5	1882.5	30 ~ 20000	-32.88	≤ -13.00	Pass
5	1912.5	30 ~ 20000	-33.52	≤ -13.00	Pass
10	1855.0	30 ~ 20000	-33.90	≤ -13.00	Pass
10	1882.5	30 ~ 20000	-33.78	≤ -13.00	Pass
10	1910.0	30 ~ 20000	-33.37	≤ -13.00	Pass
15	1857.5	30 ~ 20000	-31.93	≤ -13.00	Pass
15	1882.5	30 ~ 20000	-33.44	≤ -13.00	Pass
15	1907.5	30 ~ 20000	-33.81	≤ -13.00	Pass
20	1860.0	30 ~ 20000	-33.38	≤ -13.00	Pass
20	1882.5	30 ~ 20000	-38.26	≤ -13.00	Pass
20	1905.0	30 ~ 20000	-33.80	≤ -13.00	Pass


Note: The amplitude of Conducted Spurious emissions (frequency range from 9 kHz to 30 MHz) is that proximity to ambient noise, which is also attenuated more than 20 dB below the permissible value. Therefore, the data is not presented in the report.

1.4MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel




3MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel




5MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel




10MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel




15MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel




20MHz Channel Bandwidth


Low Channel



Middle Channel



High Channel




Test Site	WJ-SR11 & SIP-SR1	Test Engineer	Lucas Wang & Yoniter Yang
Test Date	2025-04-28 ~ 2025-05-27	Test Band	Band 4/66

Channel Bandwidth (MHz)	Frequency (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
1.4	1710.7	30 ~ 18000	-37.10	≤ -13.00	Pass
1.4	1745.0	30 ~ 18000	-36.15	≤ -13.00	Pass
1.4	1779.3	30 ~ 18000	-37.23	≤ -13.00	Pass
3	1711.5	30 ~ 18000	-36.14	≤ -13.00	Pass
3	1745.0	30 ~ 18000	-37.17	≤ -13.00	Pass
3	1778.5	30 ~ 18000	-38.11	≤ -13.00	Pass
5	1712.5	30 ~ 18000	-37.58	≤ -13.00	Pass
5	1745.0	30 ~ 18000	-37.15	≤ -13.00	Pass
5	1777.5	30 ~ 18000	-36.97	≤ -13.00	Pass
10	1715.0	30 ~ 18000	-36.70	≤ -13.00	Pass
10	1745.0	30 ~ 18000	-36.97	≤ -13.00	Pass
10	1775.0	30 ~ 18000	-37.59	≤ -13.00	Pass
15	1717.5	30 ~ 18000	-36.37	≤ -13.00	Pass
15	1745.0	30 ~ 18000	-36.95	≤ -13.00	Pass
15	1772.5	30 ~ 18000	-37.08	≤ -13.00	Pass
20	1720.0	30 ~ 18000	-37.39	≤ -13.00	Pass
20	1745.0	30 ~ 18000	-37.89	≤ -13.00	Pass
20	1770.0	30 ~ 18000	-36.64	≤ -13.00	Pass


Note: The amplitude of Conducted Spurious emissions (frequency range from 9 kHz to 30 MHz) is that proximity to ambient noise, which is also attenuated more than 20 dB below the permissible value. Therefore, the data is not presented in the report.

1.4MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel




3MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel




5MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel




10MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel




15MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel




20MHz Channel Bandwidth


Low Channel



Middle Channel



High Channel




Test Site	WJ-SR11 & SIP-SR1	Test Engineer	Lucas Wang & Yoniter Yang
Test Date	2025-04-29	Test Band	Band 5/26

Channel Bandwidth (MHz)	Frequency (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
1.4	824.7	30 ~ 9000	-42.09	≤ -13.00	Pass
1.4	836.5	30 ~ 9000	-42.07	≤ -13.00	Pass
1.4	848.3	30 ~ 9000	-41.00	≤ -13.00	Pass
3	825.5	30 ~ 9000	-41.84	≤ -13.00	Pass
3	836.5	30 ~ 9000	-42.04	≤ -13.00	Pass
3	847.5	30 ~ 9000	-42.23	≤ -13.00	Pass
5	826.5	30 ~ 9000	-42.05	≤ -13.00	Pass
5	836.5	30 ~ 9000	-41.64	≤ -13.00	Pass
5	846.5	30 ~ 9000	-41.60	≤ -13.00	Pass
10	829.0	30 ~ 9000	-42.16	≤ -13.00	Pass
10	836.5	30 ~ 9000	-41.60	≤ -13.00	Pass
10	844.0	30 ~ 9000	-42.39	≤ -13.00	Pass
15	831.5	30 ~ 9000	-42.60	≤ -13.00	Pass
15	836.5	30 ~ 9000	-41.90	≤ -13.00	Pass
15	841.5	30 ~ 9000	-41.90	≤ -13.00	Pass


Note: The amplitude of Conducted Spurious emissions (frequency range from 9 kHz to 30 MHz) is that proximity to ambient noise, which is also attenuated more than 20 dB below the permissible value. Therefore, the data is not presented in the report.

1.4MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel




3MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel




5MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel




10MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel




15MHz Channel Bandwidth


Low Channel



Middle Channel



High Channel



Test Site	WJ-SR11 & SIP-SR1	Test Engineer	Lucas Wang & Yoniter Yang
Test Date	2025-04-28	Test Band	Band 7

Channel Bandwidth (MHz)	Frequency (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
5	2502.5	30 ~ 27000	-36.16	≤ -25.00	Pass
5	2535.0	30 ~ 27000	-36.35	≤ -25.00	Pass
5	2567.5	30 ~ 27000	-35.49	≤ -25.00	Pass
10	2505.0	30 ~ 27000	-35.78	≤ -25.00	Pass
10	2535.0	30 ~ 27000	-36.31	≤ -25.00	Pass
10	2565.0	30 ~ 27000	-35.73	≤ -25.00	Pass
15	2507.5	30 ~ 27000	-36.09	≤ -25.00	Pass
15	2535.0	30 ~ 27000	-36.22	≤ -25.00	Pass
15	2562.5	30 ~ 27000	-35.56	≤ -25.00	Pass
20	2510.0	30 ~ 27000	-35.19	≤ -25.00	Pass
20	2535.0	30 ~ 27000	-35.06	≤ -25.00	Pass
20	2560.0	30 ~ 27000	-36.56	≤ -25.00	Pass
Note: The amplitude of Conducted Spurious emissions (frequency range from 9 kHz to 30 MHz) is that proximity to ambient noise, which is also attenuated more than 20 dB below the permissible value. Therefore, the data is not presented in the report.					