



99% Bandwidth – 80MHz – 16QAM Full RB


Low Channel



Middle Channel




High Channel




99% Bandwidth – 100MHz – 16QAM Full RB


Low Channel



Middle Channel




High Channel




99% Bandwidth – 20MHz – 64QAM Full RB


Low Channel



Middle Channel




High Channel




99% Bandwidth – 30MHz – 64QAM Full RB


Low Channel



Middle Channel




High Channel




99% Bandwidth – 40MHz – 64QAM Full RB

Low Channel



Middle Channel




High Channel




99% Bandwidth – 60MHz – 64QAM Full RB


Low Channel



Middle Channel




High Channel




99% Bandwidth – 80MHz – 64QAM Full RB


Low Channel



Middle Channel




High Channel




99% Bandwidth – 100MHz – 64QAM Full RB


Low Channel



Middle Channel




High Channel




99% Bandwidth – 20MHz – 256QAM Full RB


Low Channel



Middle Channel




High Channel




99% Bandwidth – 30MHz – 256QAM Full RB


Low Channel



Middle Channel




High Channel




99% Bandwidth – 40MHz – 256QAM Full RB


Low Channel



Middle Channel




High Channel




99% Bandwidth – 60MHz – 256QAM Full RB


Low Channel



Middle Channel




High Channel




99% Bandwidth – 80MHz – 256QAM Full RB

Low Channel



Middle Channel




High Channel




99% Bandwidth – 100MHz – 256QAM Full RB


Low Channel



Middle Channel



High Channel



A.2 Frequency Stability Test Result

Test Site	WZ-TR3	Test Engineer	Jone Zhang
Test Date	2025-04-17	Test Band	n2/25

Voltage	Temp (°C)	Frequency Range (MHz)		Delta (Hz)	Frequency stability (ppm)	Within Authorized Frequency Block
		1850	1915			
		f _L	f _H			
Normal	+ 20 (Ref)	1850.195	1914.805	0.00	0.0000	Pass
	+ 50	1850.195	1914.805	-0.38	-0.0002	Pass
	+ 40	1850.195	1914.805	-0.23	-0.0001	Pass
	+ 30	1850.195	1914.805	-0.15	-0.0001	Pass
	+ 10	1850.195	1914.805	-0.60	-0.0003	Pass
	0	1850.195	1914.805	0.46	0.0002	Pass
	- 10	1850.195	1914.805	0.18	0.0001	Pass
	- 20	1850.195	1914.805	-0.10	-0.0001	Pass
	- 30	1850.195	1914.805	0.04	0.0000	Pass
4.4Vdc	+ 20	1850.195	1914.805	-5.05	-0.0027	Pass
3.45Vdc	+ 20	1850.195	1914.805	1.01	0.0005	Pass

Note: The operating voltage is provided by the manufacturer.

Test Site	WZ-TR3	Test Engineer	Jone Zhang
Test Date	2025-04-17	Test Band	n66

Voltage	Temp (°C)	Frequency Range (MHz)		Delta (Hz)	Frequency stability (ppm)	Within Authorized Frequency Block
		1710	1780			
		f _L	f _H			
Normal	+ 20 (Ref)	1710.190	1779.795	0.00	0.0000	Pass
	+ 50	1710.190	1779.795	0.74	0.0004	Pass
	+ 40	1710.190	1779.795	3.88	0.0022	Pass
	+ 30	1710.190	1779.795	-0.35	-0.0002	Pass
	+ 10	1710.190	1779.795	-0.45	-0.0003	Pass
	0	1710.190	1779.795	-2.35	-0.0013	Pass
	- 10	1710.190	1779.795	1.19	0.0007	Pass
	- 20	1710.190	1779.795	1.11	0.0006	Pass
	- 30	1710.190	1779.795	1.30	0.0007	Pass
4.4Vdc	+ 20	1710.190	1779.795	0.70	0.0004	Pass
3.45Vdc	+ 20	1710.190	1779.795	-5.08	-0.0029	Pass

Note: The operating voltage is provided by the manufacturer.

Test Site	WZ-TR3	Test Engineer	Jone Zhang
Test Date	2025-04-17	Test Band	n5/26

Voltage	Temp (°C)	Frequency Range (MHz)		Delta (Hz)	Frequency stability (ppm)	Within Authorized Frequency Block
		824	849			
		f _L	f _H			
Normal	+ 20 (Ref)	824.190	848.790	0.00	0.0000	Pass
	+ 50	824.190	848.790	3.24	0.0039	Pass
	+ 40	824.190	848.790	3.20	0.0038	Pass
	+ 30	824.190	848.790	3.81	0.0046	Pass
	+ 10	824.190	848.790	2.83	0.0034	Pass
	0	824.190	848.790	3.50	0.0042	Pass
	- 10	824.190	848.790	2.79	0.0033	Pass
	- 20	824.190	848.790	3.54	0.0042	Pass
	- 30	824.190	848.790	2.80	0.0033	Pass
4.4Vdc	+ 20	824.190	848.790	2.99	0.0036	Pass
3.45Vdc	+ 20	824.190	848.790	-3.89	-0.0047	Pass

Note: The operating voltage is provided by the manufacturer.

Test Site	WZ-TR3	Test Engineer	Jone Zhang
Test Date	2025-04-17	Test Band	n7

Voltage	Temp (°C)	Frequency Range (MHz)		Delta (Hz)	Frequency stability (ppm)	Within Authorized Frequency Block
		2500	2570			
		f _L	f _H			
Normal	+ 20 (Ref)	2500.155	2569.840	0.00	0.0000	Pass
	+ 50	2500.155	2569.840	5.87	0.0023	Pass
	+ 40	2500.155	2569.840	5.26	0.0021	Pass
	+ 30	2500.155	2569.840	-0.49	-0.0002	Pass
	+ 10	2500.155	2569.840	-1.58	-0.0006	Pass
	0	2500.155	2569.840	4.73	0.0019	Pass
	- 10	2500.155	2569.840	4.28	0.0017	Pass
	- 20	2500.155	2569.840	0.47	0.0002	Pass
	- 30	2500.155	2569.840	3.74	0.0015	Pass
4.4Vdc	+ 20	2500.155	2569.840	4.78	0.0019	Pass
3.45Vdc	+ 20	2500.155	2569.840	-3.88	-0.0015	Pass

Note: The operating voltage is provided by the manufacturer.

Test Site	WZ-TR3	Test Engineer	Jone Zhang
Test Date	2025-04-17	Test Band	n38/41

Voltage	Temp (°C)	Frequency Range (MHz)		Delta (Hz)	Frequency stability (ppm)	Within Authorized Frequency Block
		2496	2690			
		f _L	f _H			
Normal	+ 20 (Ref)	2496.640	2689.520	0.00	0.0000	Pass
	+ 50	2496.640	2689.520	-1.78	-0.0007	Pass
	+ 40	2496.640	2689.520	0.20	0.0001	Pass
	+ 30	2496.640	2689.520	1.83	0.0007	Pass
	+ 10	2496.640	2689.520	-0.12	0.0000	Pass
	0	2496.640	2689.520	-0.67	-0.0003	Pass
	- 10	2496.640	2689.520	2.74	0.0011	Pass
	- 20	2496.640	2689.520	1.96	0.0008	Pass
	- 30	2496.640	2689.520	0.76	0.0003	Pass
4.4Vdc	+ 20	2496.640	2689.520	-0.03	0.0000	Pass
3.45Vdc	+ 20	2496.640	2689.520	16.40	0.0063	Pass

Note: The operating voltage is provided by the manufacturer.

Test Site	WZ-TR3	Test Engineer	Jone Zhang
Test Date	2025-04-17	Test Band	n77/78 (3450 ~ 3550)

Voltage	Temp (°C)	Frequency Range (MHz)		Delta (Hz)	Frequency stability (ppm)	Within Authorized Frequency Block
		3450	3550			
		f _L	f _H			
Normal	+ 20 (Ref)	3450.620	3549.360	0.00	0.0000	Pass
	+ 50	3450.620	3549.360	-8.24	-0.0024	Pass
	+ 40	3450.620	3549.360	-2.64	-0.0008	Pass
	+ 30	3450.620	3549.360	-10.71	-0.0031	Pass
	+ 10	3450.620	3549.360	-2.03	-0.0006	Pass
	0	3450.620	3549.360	-9.60	-0.0027	Pass
	- 10	3450.620	3549.360	0.12	0.0000	Pass
	- 20	3450.620	3549.360	-8.09	-0.0023	Pass
	- 30	3450.620	3549.360	-10.26	-0.0029	Pass
4.4Vdc	+ 20	3450.620	3549.360	-12.49	-0.0036	Pass
3.45Vdc	+ 20	3450.620	3549.360	-17.47	-0.0050	Pass

Note: The operating voltage is provided by the manufacturer.

Test Site	WZ-TR3	Test Engineer	Jone Zhang
Test Date	2025-04-17	Test Band	n77/78 (3700 ~ 3800)

Voltage	Temp (°C)	Frequency Range (MHz)		Delta (Hz)	Frequency stability (ppm)	Within Authorized Frequency Block
		3700	3800			
		f _L	f _H			
Normal	+ 20 (Ref)	3700.620	3799.340	0.00	0.0000	Pass
	+ 50	3700.620	3799.340	7.03	0.0019	Pass
	+ 40	3700.620	3799.340	-2.65	-0.0007	Pass
	+ 30	3700.620	3799.340	-3.72	-0.0010	Pass
	+ 10	3700.620	3799.340	7.75	0.0021	Pass
	0	3700.620	3799.340	5.49	0.0015	Pass
	- 10	3700.620	3799.340	8.48	0.0023	Pass
	- 20	3700.620	3799.340	5.91	0.0016	Pass
	- 30	3700.620	3799.340	-1.57	-0.0004	Pass
4.4Vdc	+ 20	3700.620	3799.340	7.19	0.0019	Pass
3.45Vdc	+ 20	3700.620	3799.340	-7.77	-0.0021	Pass

Note: The operating voltage is provided by the manufacturer.

Test Site	WZ-TR3	Test Engineer	Jone Zhang
Test Date	2025-04-17	Test Band	n77 (3800 ~ 3980)

Voltage	Temp (°C)	Frequency Range (MHz)		Delta (Hz)	Frequency stability (ppm)	Within Authorized Frequency Block
		3800	3980			
		f _L	f _H			
Normal	+ 20 (Ref)	3800.640	3979.340	0.00	0.0000	Pass
	+ 50	3800.640	3979.340	-8.56	-0.0022	Pass
	+ 40	3800.640	3979.340	-0.12	0.0000	Pass
	+ 30	3800.640	3979.340	-3.18	-0.0008	Pass
	+ 10	3800.640	3979.340	-1.19	-0.0003	Pass
	0	3800.640	3979.340	0.63	0.0002	Pass
	- 10	3800.640	3979.340	-0.13	0.0000	Pass
	- 20	3800.640	3979.340	-10.50	-0.0027	Pass
	- 30	3800.640	3979.340	-7.40	-0.0019	Pass
4.4Vdc	+ 20	3800.640	3979.340	0.54	0.0001	Pass
3.45Vdc	+ 20	3800.640	3979.340	-13.73	-0.0035	Pass

Note: The operating voltage is provided by the manufacturer.

A.3 Equivalent Isotropically Radited Power Test Result

Test Site	WJ-SR11	Test Engineer	Lucas Wang
Test Date	2025-05-21	Test Band	n2/25_SA

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
5	1852.5	12	6	23.86	22.56	< 33.01
		1	1	23.91	22.61	< 33.01
		1	23	23.99	22.69	< 33.01
		25	0	23.41	22.11	< 33.01
		1	24	23.50	22.20	< 33.01
		1	0	23.42	22.12	< 33.01
5	1882.5	12	6	23.92	22.62	< 33.01
		1	1	23.98	22.68	< 33.01
		1	23	24.01	22.71	< 33.01
		25	0	23.45	22.15	< 33.01
		1	24	23.46	22.16	< 33.01
		1	0	23.54	22.24	< 33.01
5	1912.5	12	6	23.79	22.49	< 33.01
		1	1	23.90	22.60	< 33.01
		1	23	23.85	22.55	< 33.01
		25	0	23.35	22.05	< 33.01
		1	24	23.33	22.03	< 33.01
		1	0	23.31	22.01	< 33.01
10	1855.0	25	12	24.08	22.78	< 33.01
		1	1	23.88	22.58	< 33.01
		1	50	23.89	22.59	< 33.01
		50	0	23.41	22.11	< 33.01
		1	51	23.42	22.12	< 33.01
		1	0	23.37	22.07	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
10	1882.5	25	12	23.98	22.68	< 33.01
		1	1	24.00	22.70	< 33.01
		1	50	23.99	22.69	< 33.01
		50	0	23.48	22.18	< 33.01
		1	51	23.47	22.17	< 33.01
		1	0	23.40	22.10	< 33.01
10	1910.0	25	12	23.89	22.59	< 33.01
		1	1	23.88	22.58	< 33.01
		1	50	23.85	22.55	< 33.01
		50	0	23.39	22.09	< 33.01
		1	51	23.35	22.05	< 33.01
		1	0	23.37	22.07	< 33.01
15	1857.5	36	18	23.95	22.65	< 33.01
		1	1	23.94	22.64	< 33.01
		1	77	23.88	22.58	< 33.01
		75	0	23.51	22.21	< 33.01
		1	78	23.48	22.18	< 33.01
		1	0	23.44	22.14	< 33.01
15	1882.5	36	18	23.90	22.60	< 33.01
		1	1	23.91	22.61	< 33.01
		1	77	23.88	22.58	< 33.01
		75	0	23.44	22.14	< 33.01
		1	78	23.41	22.11	< 33.01
		1	0	23.38	22.08	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
15	1907.5	36	18	23.90	22.60	< 33.01
		1	1	23.91	22.61	< 33.01
		1	77	23.79	22.49	< 33.01
		75	0	23.43	22.13	< 33.01
		1	78	23.35	22.05	< 33.01
		1	0	23.32	22.02	< 33.01
20	1860.0	50	25	23.88	22.58	< 33.01
		1	1	23.82	22.52	< 33.01
		1	104	23.82	22.52	< 33.01
		100	0	23.46	22.16	< 33.01
		1	105	23.37	22.07	< 33.01
		1	0	23.35	22.05	< 33.01
20	1882.5	50	25	23.90	22.60	< 33.01
		1	1	23.84	22.54	< 33.01
		1	104	23.89	22.59	< 33.01
		100	0	23.47	22.17	< 33.01
		1	105	23.39	22.09	< 33.01
		1	0	23.38	22.08	< 33.01
20	1905.0	50	25	23.88	22.58	< 33.01
		1	1	23.81	22.51	< 33.01
		1	104	23.79	22.49	< 33.01
		100	0	23.43	22.13	< 33.01
		1	105	23.39	22.09	< 33.01
		1	0	23.30	22.00	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
5	1852.5	12	6	23.86	22.56	< 33.01
		1	1	23.98	22.68	< 33.01
		1	23	23.86	22.56	< 33.01
		25	0	22.94	21.64	< 33.01
		1	24	22.95	21.65	< 33.01
		1	0	22.96	21.66	< 33.01
5	1882.5	12	6	23.98	22.68	< 33.01
		1	1	24.05	22.75	< 33.01
		1	23	24.02	22.72	< 33.01
		25	0	22.96	21.66	< 33.01
		1	24	23.00	21.70	< 33.01
		1	0	23.02	21.72	< 33.01
5	1912.5	12	6	23.80	22.50	< 33.01
		1	1	23.82	22.52	< 33.01
		1	23	23.78	22.48	< 33.01
		25	0	22.85	21.55	< 33.01
		1	24	22.83	21.53	< 33.01
		1	0	22.83	21.53	< 33.01
10	1855.0	25	12	23.96	22.66	< 33.01
		1	1	23.93	22.63	< 33.01
		1	50	23.89	22.59	< 33.01
		50	0	23.00	21.70	< 33.01
		1	51	22.93	21.63	< 33.01
		1	0	22.90	21.60	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
10	1882.5	25	12	23.95	22.65	< 33.01
		1	1	23.76	22.46	< 33.01
		1	50	23.83	22.53	< 33.01
		50	0	22.90	21.60	< 33.01
		1	51	22.82	21.52	< 33.01
		1	0	22.90	21.60	< 33.01
10	1910.0	25	12	23.92	22.62	< 33.01
		1	1	23.93	22.63	< 33.01
		1	50	23.85	22.55	< 33.01
		50	0	22.93	21.63	< 33.01
		1	51	22.86	21.56	< 33.01
		1	0	22.83	21.53	< 33.01
15	1857.5	36	18	23.98	22.68	< 33.01
		1	1	23.96	22.66	< 33.01
		1	77	23.91	22.61	< 33.01
		75	0	22.92	21.62	< 33.01
		1	78	23.01	21.71	< 33.01
		1	0	22.88	21.58	< 33.01
15	1882.5	36	18	23.90	22.60	< 33.01
		1	1	23.87	22.57	< 33.01
		1	77	23.91	22.61	< 33.01
		75	0	22.96	21.66	< 33.01
		1	78	22.86	21.56	< 33.01
		1	0	22.89	21.59	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
15	1907.5	36	18	23.90	22.60	< 33.01
		1	1	23.61	22.31	< 33.01
		1	77	23.85	22.55	< 33.01
		75	0	22.92	21.62	< 33.01
		1	78	22.72	21.42	< 33.01
		1	0	22.89	21.59	< 33.01
20	1860.0	50	25	23.98	22.68	< 33.01
		1	1	23.86	22.56	< 33.01
		1	104	23.78	22.48	< 33.01
		100	0	22.97	21.67	< 33.01
		1	105	22.88	21.58	< 33.01
		1	0	22.82	21.52	< 33.01
20	1882.5	50	25	23.98	22.68	< 33.01
		1	1	23.83	22.53	< 33.01
		1	104	23.86	22.56	< 33.01
		100	0	22.94	21.64	< 33.01
		1	105	22.88	21.58	< 33.01
		1	0	22.92	21.62	< 33.01
20	1905.0	50	25	23.94	22.64	< 33.01
		1	1	23.92	22.62	< 33.01
		1	104	23.84	22.54	< 33.01
		100	0	22.92	21.62	< 33.01
		1	105	22.88	21.58	< 33.01
		1	0	22.83	21.53	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
5	1852.5	12	6	23.03	21.73	< 33.01
		1	1	22.92	21.62	< 33.01
		1	23	22.92	21.62	< 33.01
		25	0	22.00	20.70	< 33.01
		1	24	21.97	20.67	< 33.01
		1	0	21.98	20.68	< 33.01
5	1882.5	12	6	23.07	21.77	< 33.01
		1	1	23.00	21.70	< 33.01
		1	23	22.98	21.68	< 33.01
		25	0	22.01	20.71	< 33.01
		1	24	22.01	20.71	< 33.01
		1	0	22.10	20.80	< 33.01
5	1912.5	12	6	22.96	21.66	< 33.01
		1	1	22.86	21.56	< 33.01
		1	23	22.77	21.47	< 33.01
		25	0	21.89	20.59	< 33.01
		1	24	21.87	20.57	< 33.01
		1	0	21.86	20.56	< 33.01
10	1855.0	25	12	23.01	21.71	< 33.01
		1	1	22.87	21.57	< 33.01
		1	50	22.82	21.52	< 33.01
		50	0	22.01	20.71	< 33.01
		1	51	21.94	20.64	< 33.01
		1	0	21.91	20.61	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
10	1882.5	25	12	23.00	21.70	< 33.01
		1	1	22.88	21.58	< 33.01
		1	50	22.88	21.58	< 33.01
		50	0	21.92	20.62	< 33.01
		1	51	21.83	20.53	< 33.01
		1	0	21.91	20.61	< 33.01
10	1910.0	25	12	22.98	21.68	< 33.01
		1	1	22.83	21.53	< 33.01
		1	50	22.75	21.45	< 33.01
		50	0	21.86	20.56	< 33.01
		1	51	21.91	20.61	< 33.01
		1	0	21.88	20.58	< 33.01
15	1857.5	36	18	23.00	21.70	< 33.01
		1	1	22.91	21.61	< 33.01
		1	77	22.86	21.56	< 33.01
		75	0	22.04	20.74	< 33.01
		1	78	22.05	20.75	< 33.01
		1	0	21.90	20.60	< 33.01
15	1882.5	36	18	22.96	21.66	< 33.01
		1	1	22.85	21.55	< 33.01
		1	77	22.88	21.58	< 33.01
		75	0	21.96	20.66	< 33.01
		1	78	21.91	20.61	< 33.01
		1	0	21.92	20.62	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
15	1907.5	36	18	22.98	21.68	< 33.01
		1	1	22.67	21.37	< 33.01
		1	77	22.80	21.50	< 33.01
		75	0	21.99	20.69	< 33.01
		1	78	21.75	20.45	< 33.01
		1	0	21.82	20.52	< 33.01
20	1860.0	50	25	22.99	21.69	< 33.01
		1	1	22.82	21.52	< 33.01
		1	104	22.84	21.54	< 33.01
		100	0	21.97	20.67	< 33.01
		1	105	21.83	20.53	< 33.01
		1	0	21.77	20.47	< 33.01
20	1882.5	50	25	22.97	21.67	< 33.01
		1	1	22.82	21.52	< 33.01
		1	104	22.84	21.54	< 33.01
		100	0	21.94	20.64	< 33.01
		1	105	21.84	20.54	< 33.01
		1	0	21.78	20.48	< 33.01
20	1905.0	50	25	22.98	21.68	< 33.01
		1	1	22.87	21.57	< 33.01
		1	104	22.73	21.43	< 33.01
		100	0	21.90	20.60	< 33.01
		1	105	21.81	20.51	< 33.01
		1	0	21.87	20.57	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
5	1852.5	12	6	21.50	20.20	< 33.01
		1	1	21.66	20.36	< 33.01
		1	23	21.70	20.40	< 33.01
		25	0	21.46	20.16	< 33.01
		1	24	21.67	20.37	< 33.01
		1	0	21.55	20.25	< 33.01
5	1882.5	12	6	21.49	20.19	< 33.01
		1	1	21.55	20.25	< 33.01
		1	23	21.59	20.29	< 33.01
		25	0	21.47	20.17	< 33.01
		1	24	21.69	20.39	< 33.01
		1	0	21.69	20.39	< 33.01
5	1912.5	12	6	21.37	20.07	< 33.01
		1	1	21.60	20.30	< 33.01
		1	23	21.53	20.23	< 33.01
		25	0	21.38	20.08	< 33.01
		1	24	21.63	20.33	< 33.01
		1	0	21.52	20.22	< 33.01
10	1855.0	25	12	21.47	20.17	< 33.01
		1	1	21.60	20.30	< 33.01
		1	50	21.64	20.34	< 33.01
		50	0	21.52	20.22	< 33.01
		1	51	21.57	20.27	< 33.01
		1	0	21.55	20.25	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
10	1882.5	25	12	21.48	20.18	< 33.01
		1	1	21.52	20.22	< 33.01
		1	50	21.63	20.33	< 33.01
		50	0	21.46	20.16	< 33.01
		1	51	21.48	20.18	< 33.01
		1	0	21.56	20.26	< 33.01
10	1910.0	25	12	21.42	20.12	< 33.01
		1	1	21.47	20.17	< 33.01
		1	50	21.50	20.20	< 33.01
		50	0	21.42	20.12	< 33.01
		1	51	21.52	20.22	< 33.01
		1	0	21.49	20.19	< 33.01
15	1857.5	36	18	21.48	20.18	< 33.01
		1	1	21.65	20.35	< 33.01
		1	77	21.59	20.29	< 33.01
		75	0	21.48	20.18	< 33.01
		1	78	21.71	20.41	< 33.01
		1	0	21.52	20.22	< 33.01
15	1882.5	36	18	21.43	20.13	< 33.01
		1	1	21.60	20.30	< 33.01
		1	77	21.60	20.30	< 33.01
		75	0	21.48	20.18	< 33.01
		1	78	21.60	20.30	< 33.01
		1	0	21.60	20.30	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
15	1907.5	36	18	21.39	20.09	< 33.01
		1	1	21.41	20.11	< 33.01
		1	77	21.51	20.21	< 33.01
		75	0	21.54	20.24	< 33.01
		1	78	21.45	20.15	< 33.01
		1	0	21.52	20.22	< 33.01
20	1860.0	50	25	21.46	20.16	< 33.01
		1	1	21.54	20.24	< 33.01
		1	104	21.49	20.19	< 33.01
		100	0	21.54	20.24	< 33.01
		1	105	21.61	20.31	< 33.01
		1	0	21.46	20.16	< 33.01
20	1882.5	50	25	21.46	20.16	< 33.01
		1	1	21.47	20.17	< 33.01
		1	104	21.48	20.18	< 33.01
		100	0	21.52	20.22	< 33.01
		1	105	21.55	20.25	< 33.01
		1	0	21.49	20.19	< 33.01
20	1905.0	50	25	21.47	20.17	< 33.01
		1	1	21.54	20.24	< 33.01
		1	104	21.45	20.15	< 33.01
		100	0	21.48	20.18	< 33.01
		1	105	21.59	20.29	< 33.01
		1	0	21.47	20.17	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
5	1852.5	12	6	19.35	18.05	< 33.01
		1	1	18.86	17.56	< 33.01
		1	23	18.93	17.63	< 33.01
		25	0	19.32	18.02	< 33.01
		1	24	18.94	17.64	< 33.01
		1	0	18.96	17.66	< 33.01
5	1882.5	12	6	19.38	18.08	< 33.01
		1	1	18.92	17.62	< 33.01
		1	23	18.85	17.55	< 33.01
		25	0	19.47	18.17	< 33.01
		1	24	19.00	17.70	< 33.01
		1	0	18.98	17.68	< 33.01
5	1912.5	12	6	19.33	18.03	< 33.01
		1	1	18.84	17.54	< 33.01
		1	23	18.82	17.52	< 33.01
		25	0	19.38	18.08	< 33.01
		1	24	18.88	17.58	< 33.01
		1	0	18.87	17.57	< 33.01
10	1855.0	25	12	19.36	18.06	< 33.01
		1	1	18.87	17.57	< 33.01
		1	50	18.85	17.55	< 33.01
		50	0	19.38	18.08	< 33.01
		1	51	18.93	17.63	< 33.01
		1	0	18.84	17.54	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
10	1882.5	25	12	19.39	18.09	< 33.01
		1	1	18.86	17.56	< 33.01
		1	50	18.83	17.53	< 33.01
		50	0	19.42	18.12	< 33.01
		1	51	18.84	17.54	< 33.01
		1	0	18.85	17.55	< 33.01
10	1910.0	25	12	19.33	18.03	< 33.01
		1	1	18.87	17.57	< 33.01
		1	50	18.84	17.54	< 33.01
		50	0	19.39	18.09	< 33.01
		1	51	18.84	17.54	< 33.01
		1	0	18.76	17.46	< 33.01
15	1857.5	36	18	19.38	18.08	< 33.01
		1	1	18.90	17.60	< 33.01
		1	77	18.83	17.53	< 33.01
		75	0	19.46	18.16	< 33.01
		1	78	18.93	17.63	< 33.01
		1	0	18.81	17.51	< 33.01
15	1882.5	36	18	19.30	18.00	< 33.01
		1	1	18.84	17.54	< 33.01
		1	77	18.87	17.57	< 33.01
		75	0	19.36	18.06	< 33.01
		1	78	18.83	17.53	< 33.01
		1	0	18.88	17.58	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
15	1907.5	36	18	19.36	18.06	< 33.01
		1	1	18.89	17.59	< 33.01
		1	77	18.79	17.49	< 33.01
		75	0	19.50	18.20	< 33.01
		1	78	18.91	17.61	< 33.01
		1	0	18.77	17.47	< 33.01
20	1860.0	50	25	19.48	18.18	< 33.01
		1	1	18.97	17.67	< 33.01
		1	104	18.91	17.61	< 33.01
		100	0	19.51	18.21	< 33.01
		1	105	18.96	17.66	< 33.01
		1	0	18.90	17.60	< 33.01
20	1882.5	50	25	19.43	18.13	< 33.01
		1	1	18.89	17.59	< 33.01
		1	104	18.90	17.60	< 33.01
		100	0	19.46	18.16	< 33.01
		1	105	18.86	17.56	< 33.01
		1	0	18.91	17.61	< 33.01
20	1905.0	50	25	19.36	18.06	< 33.01
		1	1	18.94	17.64	< 33.01
		1	104	18.82	17.52	< 33.01
		100	0	19.49	18.19	< 33.01
		1	105	18.88	17.58	< 33.01
		1	0	18.86	17.56	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WJ-SR11	Test Engineer	Lucas Wang
Test Date	2025-05-21	Test Band	n66_SA

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
5	1712.5	12	6	23.73	21.03	< 30.00
		1	1	23.74	21.04	< 30.00
		1	23	23.87	21.17	< 30.00
		25	0	23.32	20.62	< 30.00
		1	24	23.13	20.43	< 30.00
		1	0	23.25	20.55	< 30.00
5	1745.0	12	6	23.93	21.23	< 30.00
		1	1	23.87	21.17	< 30.00
		1	23	23.92	21.22	< 30.00
		25	0	23.35	20.65	< 30.00
		1	24	23.24	20.54	< 30.00
		1	0	23.31	20.61	< 30.00
5	1777.5	12	6	23.76	21.06	< 30.00
		1	1	23.64	20.94	< 30.00
		1	23	23.68	20.98	< 30.00
		25	0	23.18	20.48	< 30.00
		1	24	23.20	20.50	< 30.00
		1	0	23.21	20.51	< 30.00
10	1715.0	25	12	23.89	21.19	< 30.00
		1	1	23.72	21.02	< 30.00
		1	50	23.87	21.17	< 30.00
		50	0	23.26	20.56	< 30.00
		1	51	23.26	20.56	< 30.00
		1	0	23.32	20.62	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
10	1745.0	25	12	23.91	21.21	< 30.00
		1	1	23.76	21.06	< 30.00
		1	50	23.92	21.22	< 30.00
		50	0	23.29	20.59	< 30.00
		1	51	23.22	20.52	< 30.00
		1	0	23.29	20.59	< 30.00
10	1775.0	25	12	23.58	20.88	< 30.00
		1	1	23.61	20.91	< 30.00
		1	50	23.66	20.96	< 30.00
		50	0	23.13	20.43	< 30.00
		1	51	23.11	20.41	< 30.00
		1	0	23.18	20.48	< 30.00
15	1717.5	36	18	23.65	20.95	< 30.00
		1	1	23.73	21.03	< 30.00
		1	77	23.69	20.99	< 30.00
		75	0	23.16	20.46	< 30.00
		1	78	23.22	20.52	< 30.00
		1	0	23.18	20.48	< 30.00
15	1745.0	36	18	23.81	21.11	< 30.00
		1	1	23.79	21.09	< 30.00
		1	77	23.69	20.99	< 30.00
		75	0	23.21	20.51	< 30.00
		1	78	23.25	20.55	< 30.00
		1	0	23.25	20.55	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
15	1772.5	36	18	23.66	20.96	< 30.00
		1	1	23.68	20.98	< 30.00
		1	77	23.57	20.87	< 30.00
		75	0	23.19	20.49	< 30.00
		1	78	23.20	20.50	< 30.00
		1	0	23.09	20.39	< 30.00
20	1720.0	50	25	23.71	21.01	< 30.00
		1	1	23.64	20.94	< 30.00
		1	104	23.72	21.02	< 30.00
		100	0	23.24	20.54	< 30.00
		1	105	23.14	20.44	< 30.00
		1	0	23.23	20.53	< 30.00
20	1745.0	50	25	23.95	21.25	< 30.00
		1	1	23.71	21.01	< 30.00
		1	104	23.76	21.06	< 30.00
		100	0	23.31	20.61	< 30.00
		1	105	23.15	20.45	< 30.00
		1	0	23.31	20.61	< 30.00
20	1770.0	50	25	23.66	20.96	< 30.00
		1	1	23.64	20.94	< 30.00
		1	104	23.54	20.84	< 30.00
		100	0	23.15	20.45	< 30.00
		1	105	23.10	20.40	< 30.00
		1	0	23.05	20.35	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
5	1712.5	12	6	23.71	21.01	< 30.00
		1	1	23.61	20.91	< 30.00
		1	23	23.74	21.04	< 30.00
		25	0	22.72	20.02	< 30.00
		1	24	22.65	19.95	< 30.00
		1	0	22.78	20.08	< 30.00
5	1745.0	12	6	23.78	21.08	< 30.00
		1	1	23.69	20.99	< 30.00
		1	23	23.84	21.14	< 30.00
		25	0	22.79	20.09	< 30.00
		1	24	22.76	20.06	< 30.00
		1	0	22.88	20.18	< 30.00
5	1777.5	12	6	23.62	20.92	< 30.00
		1	1	23.59	20.89	< 30.00
		1	23	23.64	20.94	< 30.00
		25	0	22.65	19.95	< 30.00
		1	24	22.60	19.90	< 30.00
		1	0	22.64	19.94	< 30.00
10	1715.0	25	12	23.77	21.07	< 30.00
		1	1	23.66	20.96	< 30.00
		1	50	23.85	21.15	< 30.00
		50	0	22.82	20.12	< 30.00
		1	51	22.73	20.03	< 30.00
		1	0	22.73	20.03	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
10	1745.0	25	12	23.82	21.12	< 30.00
		1	1	23.58	20.88	< 30.00
		1	50	23.85	21.15	< 30.00
		50	0	22.76	20.06	< 30.00
		1	51	22.70	20.00	< 30.00
		1	0	22.77	20.07	< 30.00
10	1775.0	25	12	23.66	20.96	< 30.00
		1	1	23.57	20.87	< 30.00
		1	50	23.64	20.94	< 30.00
		50	0	22.63	19.93	< 30.00
		1	51	22.49	19.79	< 30.00
		1	0	22.56	19.86	< 30.00
15	1717.5	36	18	23.73	21.03	< 30.00
		1	1	23.72	21.02	< 30.00
		1	77	23.68	20.98	< 30.00
		75	0	22.78	20.08	< 30.00
		1	78	22.74	20.04	< 30.00
		1	0	22.71	20.01	< 30.00
15	1745.0	36	18	23.78	21.08	< 30.00
		1	1	23.76	21.06	< 30.00
		1	77	23.78	21.08	< 30.00
		75	0	22.77	20.07	< 30.00
		1	78	22.75	20.05	< 30.00
		1	0	22.75	20.05	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
15	1772.5	36	18	23.57	20.87	< 30.00
		1	1	23.59	20.89	< 30.00
		1	77	23.50	20.80	< 30.00
		75	0	22.58	19.88	< 30.00
		1	78	22.72	20.02	< 30.00
		1	0	22.63	19.93	< 30.00
20	1720.0	50	25	23.72	21.02	< 30.00
		1	1	23.66	20.96	< 30.00
		1	104	23.75	21.05	< 30.00
		100	0	22.66	19.96	< 30.00
		1	105	22.67	19.97	< 30.00
		1	0	22.67	19.97	< 30.00
20	1745.0	50	25	23.78	21.08	< 30.00
		1	1	23.65	20.95	< 30.00
		1	104	23.68	20.98	< 30.00
		100	0	22.69	19.99	< 30.00
		1	105	22.75	20.05	< 30.00
		1	0	22.71	20.01	< 30.00
20	1770.0	50	25	23.61	20.91	< 30.00
		1	1	23.62	20.92	< 30.00
		1	104	23.52	20.82	< 30.00
		100	0	22.61	19.91	< 30.00
		1	105	22.61	19.91	< 30.00
		1	0	22.57	19.87	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
5	1712.5	12	6	22.84	20.14	< 30.00
		1	1	22.73	20.03	< 30.00
		1	23	22.77	20.07	< 30.00
		25	0	21.78	19.08	< 30.00
		1	24	21.77	19.07	< 30.00
		1	0	21.80	19.10	< 30.00
5	1745.0	12	6	22.90	20.20	< 30.00
		1	1	22.80	20.10	< 30.00
		1	23	22.95	20.25	< 30.00
		25	0	21.85	19.15	< 30.00
		1	24	21.84	19.14	< 30.00
		1	0	21.99	19.29	< 30.00
5	1777.5	12	6	22.64	19.94	< 30.00
		1	1	22.60	19.90	< 30.00
		1	23	22.68	19.98	< 30.00
		25	0	21.71	19.01	< 30.00
		1	24	21.63	18.93	< 30.00
		1	0	21.75	19.05	< 30.00
10	1715.0	25	12	22.86	20.16	< 30.00
		1	1	22.59	19.89	< 30.00
		1	50	22.53	19.83	< 30.00
		50	0	21.75	19.05	< 30.00
		1	51	21.53	18.83	< 30.00
		1	0	21.65	18.95	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
10	1745.0	25	12	22.84	20.14	< 30.00
		1	1	22.69	19.99	< 30.00
		1	50	22.77	20.07	< 30.00
		50	0	21.74	19.04	< 30.00
		1	51	21.71	19.01	< 30.00
		1	0	21.89	19.19	< 30.00
10	1775.0	25	12	22.56	19.86	< 30.00
		1	1	22.54	19.84	< 30.00
		1	50	22.63	19.93	< 30.00
		50	0	21.63	18.93	< 30.00
		1	51	21.43	18.73	< 30.00
		1	0	21.50	18.80	< 30.00
15	1717.5	36	18	22.66	19.96	< 30.00
		1	1	22.75	20.05	< 30.00
		1	77	22.71	20.01	< 30.00
		75	0	21.82	19.12	< 30.00
		1	78	21.88	19.18	< 30.00
		1	0	21.75	19.05	< 30.00
15	1745.0	36	18	22.73	20.03	< 30.00
		1	1	22.70	20.00	< 30.00
		1	77	22.75	20.05	< 30.00
		75	0	21.81	19.11	< 30.00
		1	78	21.77	19.07	< 30.00
		1	0	21.76	19.06	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
15	1772.5	36	18	22.60	19.90	< 30.00
		1	1	22.56	19.86	< 30.00
		1	77	22.48	19.78	< 30.00
		75	0	21.55	18.85	< 30.00
		1	78	21.62	18.92	< 30.00
		1	0	21.56	18.86	< 30.00
20	1720.0	50	25	22.74	20.04	< 30.00
		1	1	22.51	19.81	< 30.00
		1	104	22.70	20.00	< 30.00
		100	0	21.73	19.03	< 30.00
		1	105	21.61	18.91	< 30.00
		1	0	21.70	19.00	< 30.00
20	1745.0	50	25	22.69	19.99	< 30.00
		1	1	22.68	19.98	< 30.00
		1	104	22.64	19.94	< 30.00
		100	0	21.68	18.98	< 30.00
		1	105	21.67	18.97	< 30.00
		1	0	21.69	18.99	< 30.00
20	1770.0	50	25	22.60	19.90	< 30.00
		1	1	22.57	19.87	< 30.00
		1	104	22.58	19.88	< 30.00
		100	0	21.52	18.82	< 30.00
		1	105	21.43	18.73	< 30.00
		1	0	21.41	18.71	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
5	1712.5	12	6	21.30	18.60	< 30.00
		1	1	21.34	18.64	< 30.00
		1	23	21.40	18.70	< 30.00
		25	0	21.22	18.52	< 30.00
		1	24	21.25	18.55	< 30.00
		1	0	21.40	18.70	< 30.00
5	1745.0	12	6	21.44	18.74	< 30.00
		1	1	21.31	18.61	< 30.00
		1	23	21.49	18.79	< 30.00
		25	0	21.38	18.68	< 30.00
		1	24	21.41	18.71	< 30.00
		1	0	21.49	18.79	< 30.00
5	1777.5	12	6	21.25	18.55	< 30.00
		1	1	21.21	18.51	< 30.00
		1	23	21.32	18.62	< 30.00
		25	0	21.16	18.46	< 30.00
		1	24	21.21	18.51	< 30.00
		1	0	21.26	18.56	< 30.00
10	1715.0	25	12	21.22	18.52	< 30.00
		1	1	21.10	18.40	< 30.00
		1	50	21.36	18.66	< 30.00
		50	0	21.31	18.61	< 30.00
		1	51	21.20	18.50	< 30.00
		1	0	21.29	18.59	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
10	1745.0	25	12	21.26	18.56	< 30.00
		1	1	21.36	18.66	< 30.00
		1	50	21.53	18.83	< 30.00
		50	0	21.31	18.61	< 30.00
		1	51	21.36	18.66	< 30.00
		1	0	21.44	18.74	< 30.00
10	1775.0	25	12	21.19	18.49	< 30.00
		1	1	21.08	18.38	< 30.00
		1	50	21.19	18.49	< 30.00
		50	0	21.17	18.47	< 30.00
		1	51	21.19	18.49	< 30.00
		1	0	21.14	18.44	< 30.00
15	1717.5	36	18	21.21	18.51	< 30.00
		1	1	21.36	18.66	< 30.00
		1	77	21.41	18.71	< 30.00
		75	0	21.23	18.53	< 30.00
		1	78	21.39	18.69	< 30.00
		1	0	21.31	18.61	< 30.00
15	1745.0	36	18	21.30	18.60	< 30.00
		1	1	21.31	18.61	< 30.00
		1	77	21.44	18.74	< 30.00
		75	0	21.32	18.62	< 30.00
		1	78	21.33	18.63	< 30.00
		1	0	21.32	18.62	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
15	1772.5	36	18	21.24	18.54	< 30.00
		1	1	21.31	18.61	< 30.00
		1	77	21.23	18.53	< 30.00
		75	0	21.06	18.36	< 30.00
		1	78	21.16	18.46	< 30.00
		1	0	21.16	18.46	< 30.00
20	1720.0	50	25	21.26	18.56	< 30.00
		1	1	21.29	18.59	< 30.00
		1	104	21.37	18.67	< 30.00
		100	0	21.20	18.50	< 30.00
		1	105	21.31	18.61	< 30.00
		1	0	21.31	18.61	< 30.00
20	1745.0	50	25	21.32	18.62	< 30.00
		1	1	21.35	18.65	< 30.00
		1	104	21.39	18.69	< 30.00
		100	0	21.22	18.52	< 30.00
		1	105	21.35	18.65	< 30.00
		1	0	21.34	18.64	< 30.00
20	1770.0	50	25	21.14	18.44	< 30.00
		1	1	21.15	18.45	< 30.00
		1	104	21.09	18.39	< 30.00
		100	0	21.05	18.35	< 30.00
		1	105	21.24	18.54	< 30.00
		1	0	21.21	18.51	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
5	1712.5	12	6	19.20	16.50	< 30.00
		1	1	18.66	15.96	< 30.00
		1	23	18.70	16.00	< 30.00
		25	0	19.16	16.46	< 30.00
		1	24	18.68	15.98	< 30.00
		1	0	18.71	16.01	< 30.00
5	1745.0	12	6	19.32	16.62	< 30.00
		1	1	18.73	16.03	< 30.00
		1	23	18.87	16.17	< 30.00
		25	0	19.31	16.61	< 30.00
		1	24	18.74	16.04	< 30.00
		1	0	18.80	16.10	< 30.00
5	1777.5	12	6	19.16	16.46	< 30.00
		1	1	18.56	15.86	< 30.00
		1	23	18.65	15.95	< 30.00
		25	0	19.11	16.41	< 30.00
		1	24	18.54	15.84	< 30.00
		1	0	18.62	15.92	< 30.00
10	1715.0	25	12	19.19	16.49	< 30.00
		1	1	19.11	16.41	< 30.00
		1	50	19.34	16.64	< 30.00
		50	0	19.24	16.54	< 30.00
		1	51	19.16	16.46	< 30.00
		1	0	19.20	16.50	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
10	1745.0	25	12	19.29	16.59	< 30.00
		1	1	18.61	15.91	< 30.00
		1	50	18.89	16.19	< 30.00
		50	0	19.20	16.50	< 30.00
		1	51	18.62	15.92	< 30.00
		1	0	18.68	15.98	< 30.00
10	1775.0	25	12	19.11	16.41	< 30.00
		1	1	18.57	15.87	< 30.00
		1	50	18.62	15.92	< 30.00
		50	0	19.12	16.42	< 30.00
		1	51	18.50	15.80	< 30.00
		1	0	18.67	15.97	< 30.00
15	1717.5	36	18	19.19	16.49	< 30.00
		1	1	18.69	15.99	< 30.00
		1	77	18.63	15.93	< 30.00
		75	0	19.13	16.43	< 30.00
		1	78	18.71	16.01	< 30.00
		1	0	18.65	15.95	< 30.00
15	1745.0	36	18	19.18	16.48	< 30.00
		1	1	18.61	15.91	< 30.00
		1	77	18.69	15.99	< 30.00
		75	0	19.21	16.51	< 30.00
		1	78	18.68	15.98	< 30.00
		1	0	18.69	15.99	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
15	1772.5	36	18	19.13	16.43	< 30.00
		1	1	18.49	15.79	< 30.00
		1	77	18.44	15.74	< 30.00
		75	0	18.96	16.26	< 30.00
		1	78	18.48	15.78	< 30.00
		1	0	18.46	15.76	< 30.00
20	1720.0	50	25	19.17	16.47	< 30.00
		1	1	18.61	15.91	< 30.00
		1	104	18.66	15.96	< 30.00
		100	0	19.26	16.56	< 30.00
		1	105	18.61	15.91	< 30.00
		1	0	18.67	15.97	< 30.00
20	1745.0	50	25	19.18	16.48	< 30.00
		1	1	18.62	15.92	< 30.00
		1	104	18.70	16.00	< 30.00
		100	0	19.26	16.56	< 30.00
		1	105	18.64	15.94	< 30.00
		1	0	18.63	15.93	< 30.00
20	1770.0	50	25	19.12	16.42	< 30.00
		1	1	18.54	15.84	< 30.00
		1	104	18.49	15.79	< 30.00
		100	0	19.12	16.42	< 30.00
		1	105	18.53	15.83	< 30.00
		1	0	18.46	15.76	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WJ-SR11	Test Engineer	Lucas Wang
Test Date	2025-05-21	Test Band	n5/26_SA

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
5	826.5	12	6	23.53	19.88	< 38.45
		1	1	23.58	19.93	< 38.45
		1	23	23.59	19.94	< 38.45
		25	0	23.12	19.47	< 38.45
		1	24	23.10	19.45	< 38.45
		1	0	23.09	19.44	< 38.45
5	836.5	12	6	23.68	20.03	< 38.45
		1	1	23.65	20.00	< 38.45
		1	23	23.71	20.06	< 38.45
		25	0	23.24	19.59	< 38.45
		1	24	23.23	19.58	< 38.45
		1	0	23.22	19.57	< 38.45
5	846.5	12	6	23.68	20.03	< 38.45
		1	1	23.63	19.98	< 38.45
		1	23	23.64	19.99	< 38.45
		25	0	23.09	19.44	< 38.45
		1	24	23.12	19.47	< 38.45
		1	0	23.16	19.51	< 38.45
10	829.0	25	12	23.73	20.08	< 38.45
		1	1	23.68	20.03	< 38.45
		1	50	23.69	20.04	< 38.45
		50	0	23.20	19.55	< 38.45
		1	51	23.17	19.52	< 38.45
		1	0	23.11	19.46	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
10	836.5	25	12	23.75	20.10	< 38.45
		1	1	23.68	20.03	< 38.45
		1	50	23.62	19.97	< 38.45
		50	0	23.26	19.61	< 38.45
		1	51	23.22	19.57	< 38.45
		1	0	23.12	19.47	< 38.45
10	844.0	25	12	23.62	19.97	< 38.45
		1	1	23.64	19.99	< 38.45
		1	50	23.63	19.98	< 38.45
		50	0	23.13	19.48	< 38.45
		1	51	23.13	19.48	< 38.45
		1	0	23.08	19.43	< 38.45
15	831.5	36	18	23.69	20.04	< 38.45
		1	1	23.67	20.02	< 38.45
		1	77	23.51	19.86	< 38.45
		75	0	23.19	19.54	< 38.45
		1	78	23.18	19.53	< 38.45
		1	0	23.01	19.36	< 38.45
15	836.5	36	18	23.59	19.94	< 38.45
		1	1	23.74	20.09	< 38.45
		1	77	23.49	19.84	< 38.45
		75	0	23.14	19.49	< 38.45
		1	78	23.23	19.58	< 38.45
		1	0	23.03	19.38	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
15	841.5	36	18	23.51	19.86	< 38.45
		1	1	23.59	19.94	< 38.45
		1	77	23.50	19.85	< 38.45
		75	0	23.05	19.40	< 38.45
		1	78	23.09	19.44	< 38.45
		1	0	22.94	19.29	< 38.45
20	834.0	50	25	23.58	19.93	< 38.45
		1	1	23.68	20.03	< 38.45
		1	104	23.43	19.78	< 38.45
		100	0	23.15	19.50	< 38.45
		1	105	23.20	19.55	< 38.45
		1	0	23.00	19.35	< 38.45
20	836.5	50	25	23.58	19.93	< 38.45
		1	1	23.71	20.06	< 38.45
		1	104	23.46	19.81	< 38.45
		100	0	23.17	19.52	< 38.45
		1	105	23.22	19.57	< 38.45
		1	0	22.96	19.31	< 38.45
20	839.0	50	25	23.52	19.87	< 38.45
		1	1	23.76	20.11	< 38.45
		1	104	23.38	19.73	< 38.45
		100	0	23.16	19.51	< 38.45
		1	105	23.26	19.61	< 38.45
		1	0	22.91	19.26	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
5	826.5	12	6	23.55	19.90	< 38.45
		1	1	23.64	19.99	< 38.45
		1	23	23.55	19.90	< 38.45
		25	0	22.70	19.05	< 38.45
		1	24	22.59	18.94	< 38.45
		1	0	22.58	18.93	< 38.45
5	836.5	12	6	23.72	20.07	< 38.45
		1	1	23.57	19.92	< 38.45
		1	23	23.65	20.00	< 38.45
		25	0	22.71	19.06	< 38.45
		1	24	22.61	18.96	< 38.45
		1	0	22.71	19.06	< 38.45
5	846.5	12	6	23.53	19.88	< 38.45
		1	1	23.57	19.92	< 38.45
		1	23	23.65	20.00	< 38.45
		25	0	22.60	18.95	< 38.45
		1	24	22.61	18.96	< 38.45
		1	0	22.68	19.03	< 38.45
10	829.0	25	12	23.65	20.00	< 38.45
		1	1	23.73	20.08	< 38.45
		1	50	23.67	20.02	< 38.45
		50	0	22.66	19.01	< 38.45
		1	51	22.66	19.01	< 38.45
		1	0	22.59	18.94	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
10	836.5	25	12	23.74	20.09	< 38.45
		1	1	23.67	20.02	< 38.45
		1	50	23.59	19.94	< 38.45
		50	0	22.67	19.02	< 38.45
		1	51	22.64	18.99	< 38.45
		1	0	22.66	19.01	< 38.45
10	844.0	25	12	23.61	19.96	< 38.45
		1	1	23.61	19.96	< 38.45
		1	50	23.64	19.99	< 38.45
		50	0	22.59	18.94	< 38.45
		1	51	22.63	18.98	< 38.45
		1	0	22.62	18.97	< 38.45
15	831.5	36	18	23.72	20.07	< 38.45
		1	1	23.73	20.08	< 38.45
		1	77	23.52	19.87	< 38.45
		75	0	22.75	19.10	< 38.45
		1	78	22.67	19.02	< 38.45
		1	0	22.52	18.87	< 38.45
15	836.5	36	18	23.58	19.93	< 38.45
		1	1	23.67	20.02	< 38.45
		1	77	23.52	19.87	< 38.45
		75	0	22.61	18.96	< 38.45
		1	78	22.76	19.11	< 38.45
		1	0	22.49	18.84	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
15	841.5	36	18	23.49	19.84	< 38.45
		1	1	23.58	19.93	< 38.45
		1	77	23.48	19.83	< 38.45
		75	0	22.56	18.91	< 38.45
		1	78	22.64	18.99	< 38.45
		1	0	22.39	18.74	< 38.45
20	834.0	50	25	23.61	19.96	< 38.45
		1	1	23.63	19.98	< 38.45
		1	104	23.48	19.83	< 38.45
		100	0	22.72	19.07	< 38.45
		1	105	22.68	19.03	< 38.45
		1	0	22.49	18.84	< 38.45
20	836.5	50	25	23.63	19.98	< 38.45
		1	1	23.71	20.06	< 38.45
		1	104	23.40	19.75	< 38.45
		100	0	22.64	18.99	< 38.45
		1	105	22.70	19.05	< 38.45
		1	0	22.48	18.83	< 38.45
20	839.0	50	25	23.54	19.89	< 38.45
		1	1	23.62	19.97	< 38.45
		1	104	23.39	19.74	< 38.45
		100	0	22.60	18.95	< 38.45
		1	105	22.65	19.00	< 38.45
		1	0	22.43	18.78	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
5	826.5	12	6	22.66	19.01	< 38.45
		1	1	22.54	18.89	< 38.45
		1	23	22.56	18.91	< 38.45
		25	0	21.66	18.01	< 38.45
		1	24	21.63	17.98	< 38.45
		1	0	21.53	17.88	< 38.45
5	836.5	12	6	22.79	19.14	< 38.45
		1	1	22.63	18.98	< 38.45
		1	23	22.71	19.06	< 38.45
		25	0	21.73	18.08	< 38.45
		1	24	21.64	17.99	< 38.45
		1	0	21.74	18.09	< 38.45
5	846.5	12	6	22.66	19.01	< 38.45
		1	1	22.59	18.94	< 38.45
		1	23	22.64	18.99	< 38.45
		25	0	21.67	18.02	< 38.45
		1	24	21.64	17.99	< 38.45
		1	0	21.65	18.00	< 38.45
10	829.0	25	12	22.71	19.06	< 38.45
		1	1	22.62	18.97	< 38.45
		1	50	22.64	18.99	< 38.45
		50	0	21.62	17.97	< 38.45
		1	51	21.70	18.05	< 38.45
		1	0	21.63	17.98	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
10	836.5	25	12	22.75	19.10	< 38.45
		1	1	22.62	18.97	< 38.45
		1	50	22.55	18.90	< 38.45
		50	0	21.77	18.12	< 38.45
		1	51	21.58	17.93	< 38.45
		1	0	21.58	17.93	< 38.45
10	844.0	25	12	22.61	18.96	< 38.45
		1	1	22.67	19.02	< 38.45
		1	50	22.53	18.88	< 38.45
		50	0	21.62	17.97	< 38.45
		1	51	21.65	18.00	< 38.45
		1	0	21.68	18.03	< 38.45
15	831.5	36	18	22.75	19.10	< 38.45
		1	1	22.62	18.97	< 38.45
		1	77	22.51	18.86	< 38.45
		75	0	21.72	18.07	< 38.45
		1	78	21.71	18.06	< 38.45
		1	0	21.56	17.91	< 38.45
15	836.5	36	18	22.61	18.96	< 38.45
		1	1	22.55	18.90	< 38.45
		1	77	22.51	18.86	< 38.45
		75	0	21.67	18.02	< 38.45
		1	78	21.73	18.08	< 38.45
		1	0	21.52	17.87	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
15	841.5	36	18	22.50	18.85	< 38.45
		1	1	22.64	18.99	< 38.45
		1	77	22.43	18.78	< 38.45
		75	0	21.52	17.87	< 38.45
		1	78	21.67	18.02	< 38.45
		1	0	21.42	17.77	< 38.45
20	834.0	50	25	22.63	18.98	< 38.45
		1	1	22.62	18.97	< 38.45
		1	104	22.38	18.73	< 38.45
		100	0	21.62	17.97	< 38.45
		1	105	21.62	17.97	< 38.45
		1	0	21.51	17.86	< 38.45
20	836.5	50	25	22.64	18.99	< 38.45
		1	1	22.67	19.02	< 38.45
		1	104	22.45	18.80	< 38.45
		100	0	21.65	18.00	< 38.45
		1	105	21.64	17.99	< 38.45
		1	0	21.49	17.84	< 38.45
20	839.0	50	25	22.57	18.92	< 38.45
		1	1	22.61	18.96	< 38.45
		1	104	22.36	18.71	< 38.45
		100	0	21.63	17.98	< 38.45
		1	105	21.70	18.05	< 38.45
		1	0	21.48	17.83	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
5	826.5	12	6	21.20	17.55	< 38.45
		1	1	21.21	17.56	< 38.45
		1	23	21.15	17.50	< 38.45
		25	0	21.16	17.51	< 38.45
		1	24	21.16	17.51	< 38.45
		1	0	21.16	17.51	< 38.45
5	836.5	12	6	21.23	17.58	< 38.45
		1	1	21.33	17.68	< 38.45
		1	23	21.33	17.68	< 38.45
		25	0	21.14	17.49	< 38.45
		1	24	21.30	17.65	< 38.45
		1	0	21.30	17.65	< 38.45
5	846.5	12	6	21.12	17.47	< 38.45
		1	1	21.22	17.57	< 38.45
		1	23	21.21	17.56	< 38.45
		25	0	21.03	17.38	< 38.45
		1	24	21.17	17.52	< 38.45
		1	0	21.27	17.62	< 38.45
10	829.0	25	12	21.14	17.49	< 38.45
		1	1	21.31	17.66	< 38.45
		1	50	21.24	17.59	< 38.45
		50	0	21.24	17.59	< 38.45
		1	51	21.33	17.68	< 38.45
		1	0	21.25	17.60	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
10	836.5	25	12	21.23	17.58	< 38.45
		1	1	21.27	17.62	< 38.45
		1	50	21.25	17.60	< 38.45
		50	0	21.22	17.57	< 38.45
		1	51	21.27	17.62	< 38.45
		1	0	21.20	17.55	< 38.45
10	844.0	25	12	21.08	17.43	< 38.45
		1	1	21.28	17.63	< 38.45
		1	50	21.25	17.60	< 38.45
		50	0	21.09	17.44	< 38.45
		1	51	21.30	17.65	< 38.45
		1	0	21.32	17.67	< 38.45
15	831.5	36	18	21.23	17.58	< 38.45
		1	1	21.20	17.55	< 38.45
		1	77	21.19	17.54	< 38.45
		75	0	21.24	17.59	< 38.45
		1	78	21.22	17.57	< 38.45
		1	0	21.05	17.40	< 38.45
15	836.5	36	18	21.15	17.50	< 38.45
		1	1	21.33	17.68	< 38.45
		1	77	21.14	17.49	< 38.45
		75	0	21.19	17.54	< 38.45
		1	78	21.38	17.73	< 38.45
		1	0	21.05	17.40	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
15	841.5	36	18	21.08	17.43	< 38.45
		1	1	21.21	17.56	< 38.45
		1	77	20.98	17.33	< 38.45
		75	0	21.04	17.39	< 38.45
		1	78	21.23	17.58	< 38.45
		1	0	21.03	17.38	< 38.45
20	834.0	50	25	21.19	17.54	< 38.45
		1	1	21.18	17.53	< 38.45
		1	104	21.06	17.41	< 38.45
		100	0	21.22	17.57	< 38.45
		1	105	21.22	17.57	< 38.45
		1	0	21.03	17.38	< 38.45
20	836.5	50	25	21.11	17.46	< 38.45
		1	1	21.41	17.76	< 38.45
		1	104	21.13	17.48	< 38.45
		100	0	21.22	17.57	< 38.45
		1	105	21.42	17.77	< 38.45
		1	0	21.14	17.49	< 38.45
20	839.0	50	25	21.05	17.40	< 38.45
		1	1	21.18	17.53	< 38.45
		1	104	20.94	17.29	< 38.45
		100	0	21.14	17.49	< 38.45
		1	105	21.18	17.53	< 38.45
		1	0	20.99	17.34	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
5	826.5	12	6	19.15	15.50	< 38.45
		1	1	18.55	14.90	< 38.45
		1	23	18.59	14.94	< 38.45
		25	0	19.12	15.47	< 38.45
		1	24	18.55	14.90	< 38.45
		1	0	18.57	14.92	< 38.45
5	836.5	12	6	19.23	15.58	< 38.45
		1	1	18.63	14.98	< 38.45
		1	23	18.65	15.00	< 38.45
		25	0	19.18	15.53	< 38.45
		1	24	18.63	14.98	< 38.45
		1	0	18.64	14.99	< 38.45
5	846.5	12	6	19.04	15.39	< 38.45
		1	1	18.58	14.93	< 38.45
		1	23	18.65	15.00	< 38.45
		25	0	19.01	15.36	< 38.45
		1	24	18.54	14.89	< 38.45
		1	0	18.61	14.96	< 38.45
10	829.0	25	12	19.09	15.44	< 38.45
		1	1	18.67	15.02	< 38.45
		1	50	18.59	14.94	< 38.45
		50	0	19.15	15.50	< 38.45
		1	51	18.66	15.01	< 38.45
		1	0	18.58	14.93	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
10	836.5	25	12	19.12	15.47	< 38.45
		1	1	18.67	15.02	< 38.45
		1	50	18.62	14.97	< 38.45
		50	0	19.23	15.58	< 38.45
		1	51	18.64	14.99	< 38.45
		1	0	18.55	14.90	< 38.45
10	844.0	25	12	19.01	15.36	< 38.45
		1	1	18.61	14.96	< 38.45
		1	50	18.60	14.95	< 38.45
		50	0	19.05	15.40	< 38.45
		1	51	18.58	14.93	< 38.45
		1	0	18.56	14.91	< 38.45
15	831.5	36	18	19.13	15.48	< 38.45
		1	1	18.74	15.09	< 38.45
		1	77	18.54	14.89	< 38.45
		75	0	19.15	15.50	< 38.45
		1	78	18.73	15.08	< 38.45
		1	0	18.53	14.88	< 38.45
15	836.5	36	18	19.04	15.39	< 38.45
		1	1	18.71	15.06	< 38.45
		1	77	18.46	14.81	< 38.45
		75	0	19.08	15.43	< 38.45
		1	78	18.71	15.06	< 38.45
		1	0	18.50	14.85	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
15	841.5	36	18	18.97	15.32	< 38.45
		1	1	18.61	14.96	< 38.45
		1	77	18.41	14.76	< 38.45
		75	0	18.94	15.29	< 38.45
		1	78	18.67	15.02	< 38.45
		1	0	18.45	14.80	< 38.45
20	834.0	50	25	19.11	15.46	< 38.45
		1	1	18.61	14.96	< 38.45
		1	104	18.54	14.89	< 38.45
		100	0	19.17	15.52	< 38.45
		1	105	18.60	14.95	< 38.45
		1	0	18.48	14.83	< 38.45
20	836.5	50	25	19.11	15.46	< 38.45
		1	1	18.63	14.98	< 38.45
		1	104	18.41	14.76	< 38.45
		100	0	19.14	15.49	< 38.45
		1	105	18.64	14.99	< 38.45
		1	0	18.48	14.83	< 38.45
20	839.0	50	25	19.05	15.40	< 38.45
		1	1	18.67	15.02	< 38.45
		1	104	18.38	14.73	< 38.45
		100	0	19.13	15.48	< 38.45
		1	105	18.68	15.03	< 38.45
		1	0	18.43	14.78	< 38.45
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Test Site	WJ-SR11	Test Engineer	Lucas Wang
Test Date	2025-05-21	Test Band	n7_SA

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
5	2502.5	12	6	23.87	28.67	< 33.01
		1	1	23.86	28.66	< 33.01
		1	23	23.88	28.68	< 33.01
		25	0	23.34	28.14	< 33.01
		1	24	23.28	28.08	< 33.01
		1	0	23.44	28.24	< 33.01
5	2535.0	12	6	24.04	28.84	< 33.01
		1	1	23.97	28.77	< 33.01
		1	23	24.07	28.87	< 33.01
		25	0	23.58	28.38	< 33.01
		1	24	23.47	28.27	< 33.01
		1	0	23.62	28.42	< 33.01
5	2567.5	12	6	24.17	28.97	< 33.01
		1	1	24.17	28.97	< 33.01
		1	23	24.21	29.01	< 33.01
		25	0	23.69	28.49	< 33.01
		1	24	23.66	28.46	< 33.01
		1	0	23.70	28.50	< 33.01
10	2505.0	25	12	23.92	28.72	< 33.01
		1	1	23.84	28.64	< 33.01
		1	50	24.01	28.81	< 33.01
		50	0	23.38	28.18	< 33.01
		1	51	23.36	28.16	< 33.01
		1	0	23.47	28.27	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
10	2535.0	25	12	24.12	28.92	< 33.01
		1	1	24.05	28.85	< 33.01
		1	50	24.19	28.99	< 33.01
		50	0	23.58	28.38	< 33.01
		1	51	23.55	28.35	< 33.01
		1	0	23.61	28.41	< 33.01
10	2565.0	25	12	24.14	28.94	< 33.01
		1	1	24.15	28.95	< 33.01
		1	50	24.24	29.04	< 33.01
		50	0	23.66	28.46	< 33.01
		1	51	23.61	28.41	< 33.01
		1	0	23.74	28.54	< 33.01
15	2507.5	36	18	23.74	28.54	< 33.01
		1	1	23.76	28.56	< 33.01
		1	77	23.85	28.65	< 33.01
		75	0	23.30	28.10	< 33.01
		1	78	23.27	28.07	< 33.01
		1	0	23.38	28.18	< 33.01
15	2535.0	36	18	24.10	28.90	< 33.01
		1	1	24.05	28.85	< 33.01
		1	77	24.06	28.86	< 33.01
		75	0	23.57	28.37	< 33.01
		1	78	23.46	28.26	< 33.01
		1	0	23.56	28.36	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
15	2562.5	36	18	24.11	28.91	< 33.01
		1	1	24.11	28.91	< 33.01
		1	77	24.10	28.90	< 33.01
		75	0	23.61	28.41	< 33.01
		1	78	23.51	28.31	< 33.01
		1	0	23.56	28.36	< 33.01
20	2510.0	50	25	23.86	28.66	< 33.01
		1	1	23.76	28.56	< 33.01
		1	104	23.93	28.73	< 33.01
		100	0	23.40	28.20	< 33.01
		1	105	23.32	28.12	< 33.01
		1	0	23.43	28.23	< 33.01
20	2535.0	50	25	24.18	28.98	< 33.01
		1	1	24.05	28.85	< 33.01
		1	104	24.04	28.84	< 33.01
		100	0	23.51	28.31	< 33.01
		1	105	23.47	28.27	< 33.01
		1	0	23.54	28.34	< 33.01
20	2560.0	50	25	24.20	29.00	< 33.01
		1	1	24.04	28.84	< 33.01
		1	104	24.09	28.89	< 33.01
		100	0	23.63	28.43	< 33.01
		1	105	23.55	28.35	< 33.01
		1	0	23.58	28.38	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
5	2502.5	12	6	23.85	28.65	< 33.01
		1	1	23.87	28.67	< 33.01
		1	23	23.89	28.69	< 33.01
		25	0	22.87	27.67	< 33.01
		1	24	22.85	27.65	< 33.01
		1	0	22.89	27.69	< 33.01
5	2535.0	12	6	24.00	28.80	< 33.01
		1	1	23.98	28.78	< 33.01
		1	23	24.07	28.87	< 33.01
		25	0	23.02	27.82	< 33.01
		1	24	23.04	27.84	< 33.01
		1	0	23.06	27.86	< 33.01
5	2567.5	12	6	24.17	28.97	< 33.01
		1	1	24.08	28.88	< 33.01
		1	23	24.21	29.01	< 33.01
		25	0	23.13	27.93	< 33.01
		1	24	23.10	27.90	< 33.01
		1	0	23.15	27.95	< 33.01
10	2505.0	25	12	23.95	28.75	< 33.01
		1	1	23.88	28.68	< 33.01
		1	50	23.88	28.68	< 33.01
		50	0	22.86	27.66	< 33.01
		1	51	22.85	27.65	< 33.01
		1	0	22.90	27.70	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
10	2535.0	25	12	24.11	28.91	< 33.01
		1	1	24.03	28.83	< 33.01
		1	50	24.15	28.95	< 33.01
		50	0	23.13	27.93	< 33.01
		1	51	23.01	27.81	< 33.01
		1	0	23.13	27.93	< 33.01
10	2565.0	25	12	24.15	28.95	< 33.01
		1	1	24.11	28.91	< 33.01
		1	50	24.24	29.04	< 33.01
		50	0	23.18	27.98	< 33.01
		1	51	23.11	27.91	< 33.01
		1	0	23.21	28.01	< 33.01
15	2507.5	36	18	23.81	28.61	< 33.01
		1	1	23.76	28.56	< 33.01
		1	77	23.89	28.69	< 33.01
		75	0	22.86	27.66	< 33.01
		1	78	22.74	27.54	< 33.01
		1	0	22.85	27.65	< 33.01
15	2535.0	36	18	24.12	28.92	< 33.01
		1	1	23.99	28.79	< 33.01
		1	77	24.10	28.90	< 33.01
		75	0	23.19	27.99	< 33.01
		1	78	22.95	27.75	< 33.01
		1	0	23.06	27.86	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
15	2562.5	36	18	24.17	28.97	< 33.01
		1	1	24.08	28.88	< 33.01
		1	77	24.13	28.93	< 33.01
		75	0	23.15	27.95	< 33.01
		1	78	23.06	27.86	< 33.01
		1	0	23.04	27.84	< 33.01
20	2510.0	50	25	23.91	28.71	< 33.01
		1	1	23.83	28.63	< 33.01
		1	104	24.01	28.81	< 33.01
		100	0	22.90	27.70	< 33.01
		1	105	22.85	27.65	< 33.01
		1	0	22.95	27.75	< 33.01
20	2535.0	50	25	24.11	28.91	< 33.01
		1	1	23.99	28.79	< 33.01
		1	104	24.10	28.90	< 33.01
		100	0	23.04	27.84	< 33.01
		1	105	22.99	27.79	< 33.01
		1	0	23.06	27.86	< 33.01
20	2560.0	50	25	24.16	28.96	< 33.01
		1	1	24.10	28.90	< 33.01
		1	104	24.10	28.90	< 33.01
		100	0	23.15	27.95	< 33.01
		1	105	23.06	27.86	< 33.01
		1	0	23.03	27.83	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
5	2502.5	12	6	22.91	27.71	< 33.01
		1	1	22.84	27.64	< 33.01
		1	23	22.86	27.66	< 33.01
		25	0	21.87	26.67	< 33.01
		1	24	21.81	26.61	< 33.01
		1	0	21.87	26.67	< 33.01
5	2535.0	12	6	23.17	27.97	< 33.01
		1	1	22.99	27.79	< 33.01
		1	23	23.09	27.89	< 33.01
		25	0	22.04	26.84	< 33.01
		1	24	21.94	26.74	< 33.01
		1	0	22.05	26.85	< 33.01
5	2567.5	12	6	23.25	28.05	< 33.01
		1	1	23.09	27.89	< 33.01
		1	23	23.23	28.03	< 33.01
		25	0	22.15	26.95	< 33.01
		1	24	22.09	26.89	< 33.01
		1	0	22.15	26.95	< 33.01
10	2505.0	25	12	22.85	27.65	< 33.01
		1	1	22.83	27.63	< 33.01
		1	50	22.83	27.63	< 33.01
		50	0	21.82	26.62	< 33.01
		1	51	21.82	26.62	< 33.01
		1	0	21.86	26.66	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
10	2535.0	25	12	23.17	27.97	< 33.01
		1	1	23.06	27.86	< 33.01
		1	50	23.09	27.89	< 33.01
		50	0	22.12	26.92	< 33.01
		1	51	22.12	26.92	< 33.01
		1	0	22.19	26.99	< 33.01
10	2565.0	25	12	23.19	27.99	< 33.01
		1	1	22.96	27.76	< 33.01
		1	50	23.17	27.97	< 33.01
		50	0	22.20	27.00	< 33.01
		1	51	22.10	26.90	< 33.01
		1	0	22.24	27.04	< 33.01
15	2507.5	36	18	22.87	27.67	< 33.01
		1	1	22.73	27.53	< 33.01
		1	77	22.88	27.68	< 33.01
		75	0	21.95	26.75	< 33.01
		1	78	21.80	26.60	< 33.01
		1	0	21.89	26.69	< 33.01
15	2535.0	36	18	23.18	27.98	< 33.01
		1	1	22.93	27.73	< 33.01
		1	77	23.05	27.85	< 33.01
		75	0	22.05	26.85	< 33.01
		1	78	21.91	26.71	< 33.01
		1	0	21.96	26.76	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
15	2562.5	36	18	23.19	27.99	< 33.01
		1	1	23.03	27.83	< 33.01
		1	77	23.05	27.85	< 33.01
		75	0	22.20	27.00	< 33.01
		1	78	22.07	26.87	< 33.01
		1	0	22.08	26.88	< 33.01
20	2510.0	50	25	22.88	27.68	< 33.01
		1	1	22.82	27.62	< 33.01
		1	104	22.93	27.73	< 33.01
		100	0	21.95	26.75	< 33.01
		1	105	21.85	26.65	< 33.01
		1	0	22.07	26.87	< 33.01
20	2535.0	50	25	23.05	27.85	< 33.01
		1	1	22.94	27.74	< 33.01
		1	104	23.03	27.83	< 33.01
		100	0	22.02	26.82	< 33.01
		1	105	22.01	26.81	< 33.01
		1	0	22.07	26.87	< 33.01
20	2560.0	50	25	23.18	27.98	< 33.01
		1	1	23.04	27.84	< 33.01
		1	104	23.01	27.81	< 33.01
		100	0	22.22	27.02	< 33.01
		1	105	21.99	26.79	< 33.01
		1	0	22.02	26.82	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
5	2502.5	12	6	21.48	26.28	< 33.01
		1	1	21.52	26.32	< 33.01
		1	23	21.55	26.35	< 33.01
		25	0	21.38	26.18	< 33.01
		1	24	21.48	26.28	< 33.01
		1	0	21.53	26.33	< 33.01
5	2535.0	12	6	21.66	26.46	< 33.01
		1	1	21.66	26.46	< 33.01
		1	23	21.77	26.57	< 33.01
		25	0	21.61	26.41	< 33.01
		1	24	21.75	26.55	< 33.01
		1	0	21.76	26.56	< 33.01
5	2567.5	12	6	21.68	26.48	< 33.01
		1	1	21.82	26.62	< 33.01
		1	23	21.87	26.67	< 33.01
		25	0	21.61	26.41	< 33.01
		1	24	21.71	26.51	< 33.01
		1	0	21.87	26.67	< 33.01
10	2505.0	25	12	21.27	26.07	< 33.01
		1	1	21.57	26.37	< 33.01
		1	50	21.57	26.37	< 33.01
		50	0	21.34	26.14	< 33.01
		1	51	21.54	26.34	< 33.01
		1	0	21.57	26.37	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
10	2535.0	25	12	21.57	26.37	< 33.01
		1	1	21.74	26.54	< 33.01
		1	50	21.86	26.66	< 33.01
		50	0	21.67	26.47	< 33.01
		1	51	21.73	26.53	< 33.01
		1	0	21.86	26.66	< 33.01
10	2565.0	25	12	21.63	26.43	< 33.01
		1	1	21.84	26.64	< 33.01
		1	50	21.99	26.79	< 33.01
		50	0	21.74	26.54	< 33.01
		1	51	21.86	26.66	< 33.01
		1	0	21.98	26.78	< 33.01
15	2507.5	36	18	21.39	26.19	< 33.01
		1	1	21.42	26.22	< 33.01
		1	77	21.48	26.28	< 33.01
		75	0	21.43	26.23	< 33.01
		1	78	21.37	26.17	< 33.01
		1	0	21.47	26.27	< 33.01
15	2535.0	36	18	21.66	26.46	< 33.01
		1	1	21.69	26.49	< 33.01
		1	77	21.67	26.47	< 33.01
		75	0	21.56	26.36	< 33.01
		1	78	21.68	26.48	< 33.01
		1	0	21.68	26.48	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
15	2562.5	36	18	21.65	26.45	< 33.01
		1	1	21.67	26.47	< 33.01
		1	77	21.73	26.53	< 33.01
		75	0	21.72	26.52	< 33.01
		1	78	21.69	26.49	< 33.01
		1	0	21.66	26.46	< 33.01
20	2510.0	50	25	21.41	26.21	< 33.01
		1	1	21.44	26.24	< 33.01
		1	104	21.58	26.38	< 33.01
		100	0	21.50	26.30	< 33.01
		1	105	21.41	26.21	< 33.01
		1	0	21.61	26.41	< 33.01
20	2535.0	50	25	21.54	26.34	< 33.01
		1	1	21.62	26.42	< 33.01
		1	104	21.68	26.48	< 33.01
		100	0	21.59	26.39	< 33.01
		1	105	21.64	26.44	< 33.01
		1	0	21.70	26.50	< 33.01
20	2560.0	50	25	21.65	26.45	< 33.01
		1	1	21.74	26.54	< 33.01
		1	104	21.68	26.48	< 33.01
		100	0	21.70	26.50	< 33.01
		1	105	21.76	26.56	< 33.01
		1	0	21.77	26.57	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
5	2502.5	12	6	19.30	24.10	< 33.01
		1	1	18.76	23.56	< 33.01
		1	23	18.81	23.61	< 33.01
		25	0	19.25	24.05	< 33.01
		1	24	18.81	23.61	< 33.01
		1	0	18.80	23.60	< 33.01
5	2535.0	12	6	19.58	24.38	< 33.01
		1	1	18.99	23.79	< 33.01
		1	23	19.05	23.85	< 33.01
		25	0	19.53	24.33	< 33.01
		1	24	19.00	23.80	< 33.01
		1	0	19.05	23.85	< 33.01
5	2567.5	12	6	19.67	24.47	< 33.01
		1	1	19.04	23.84	< 33.01
		1	23	19.16	23.96	< 33.01
		25	0	19.53	24.33	< 33.01
		1	24	19.05	23.85	< 33.01
		1	0	19.20	24.00	< 33.01
10	2505.0	25	12	19.33	24.13	< 33.01
		1	1	18.77	23.57	< 33.01
		1	50	18.90	23.70	< 33.01
		50	0	19.35	24.15	< 33.01
		1	51	18.80	23.60	< 33.01
		1	0	18.88	23.68	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
10	2535.0	25	12	19.58	24.38	< 33.01
		1	1	19.04	23.84	< 33.01
		1	50	19.14	23.94	< 33.01
		50	0	19.55	24.35	< 33.01
		1	51	18.92	23.72	< 33.01
		1	0	19.15	23.95	< 33.01
10	2565.0	25	12	19.57	24.37	< 33.01
		1	1	19.11	23.91	< 33.01
		1	50	19.20	24.00	< 33.01
		50	0	19.62	24.42	< 33.01
		1	51	19.01	23.81	< 33.01
		1	0	19.16	23.96	< 33.01
15	2507.5	36	18	19.27	24.07	< 33.01
		1	1	18.71	23.51	< 33.01
		1	77	18.86	23.66	< 33.01
		75	0	19.27	24.07	< 33.01
		1	78	18.65	23.45	< 33.01
		1	0	18.94	23.74	< 33.01
15	2535.0	36	18	19.46	24.26	< 33.01
		1	1	18.99	23.79	< 33.01
		1	77	19.08	23.88	< 33.01
		75	0	19.45	24.25	< 33.01
		1	78	18.98	23.78	< 33.01
		1	0	19.09	23.89	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
15	2562.5	36	18	19.52	24.32	< 33.01
		1	1	19.05	23.85	< 33.01
		1	77	19.09	23.89	< 33.01
		75	0	19.61	24.41	< 33.01
		1	78	18.95	23.75	< 33.01
		1	0	19.10	23.90	< 33.01
20	2510.0	50	25	19.37	24.17	< 33.01
		1	1	18.81	23.61	< 33.01
		1	104	19.01	23.81	< 33.01
		100	0	19.43	24.23	< 33.01
		1	105	18.80	23.60	< 33.01
		1	0	18.93	23.73	< 33.01
20	2535.0	50	25	19.46	24.26	< 33.01
		1	1	18.94	23.74	< 33.01
		1	104	19.06	23.86	< 33.01
		100	0	19.47	24.27	< 33.01
		1	105	18.97	23.77	< 33.01
		1	0	19.08	23.88	< 33.01
20	2560.0	50	25	19.65	24.45	< 33.01
		1	1	19.05	23.85	< 33.01
		1	104	19.14	23.94	< 33.01
		100	0	19.65	24.45	< 33.01
		1	105	19.06	23.86	< 33.01
		1	0	19.04	23.84	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WJ-SR11	Test Engineer	Lucas Wang
Test Date	2025-05-21	Test Band	n38_SA

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
20	2580.0	25	12	23.42	28.92	< 33.01
		1	1	23.42	28.92	< 33.01
		1	49	23.49	28.99	< 33.01
		50	0	22.91	28.41	< 33.01
		1	50	22.93	28.43	< 33.01
		1	0	22.95	28.45	< 33.01
20	2595.0	25	12	23.50	29.00	< 33.01
		1	1	23.45	28.95	< 33.01
		1	49	23.63	29.13	< 33.01
		50	0	23.00	28.50	< 33.01
		1	50	22.92	28.42	< 33.01
		1	0	23.12	28.62	< 33.01
20	2610.0	25	12	23.48	28.98	< 33.01
		1	1	23.43	28.93	< 33.01
		1	49	23.45	28.95	< 33.01
		50	0	22.97	28.47	< 33.01
		1	50	22.96	28.46	< 33.01
		1	0	22.98	28.48	< 33.01
30	2585.0	36	78	23.59	29.09	< 33.01
		1	1	23.65	29.15	< 33.01
		1	76	23.68	29.18	< 33.01
		75	0	23.16	28.66	< 33.01
		1	77	23.13	28.63	< 33.01
		1	0	23.26	28.76	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
30	2595.0	36	78	23.69	29.19	< 33.01
		1	1	23.65	29.15	< 33.01
		1	76	23.68	29.18	< 33.01
		75	0	23.20	28.70	< 33.01
		1	77	23.12	28.62	< 33.01
		1	0	23.16	28.66	< 33.01
30	2605.0	36	78	23.64	29.14	< 33.01
		1	1	23.62	29.12	< 33.01
		1	76	23.59	29.09	< 33.01
		75	0	23.03	28.53	< 33.01
		1	77	23.08	28.58	< 33.01
		1	0	23.04	28.54	< 33.01
40	2590.0	50	25	23.69	29.19	< 33.01
		1	1	23.70	29.20	< 33.01
		1	104	23.65	29.15	< 33.01
		100	0	23.17	28.67	< 33.01
		1	105	23.18	28.68	< 33.01
		1	0	23.12	28.62	< 33.01
40	2595.0	50	25	23.65	29.15	< 33.01
		1	1	23.67	29.17	< 33.01
		1	104	23.66	29.16	< 33.01
		100	0	23.20	28.70	< 33.01
		1	105	23.16	28.66	< 33.01
		1	0	23.12	28.62	< 33.01
40	2600.0	50	25	23.65	29.15	< 33.01
		1	1	23.60	29.10	< 33.01
		1	104	23.59	29.09	< 33.01
		100	0	23.16	28.66	< 33.01
		1	105	23.11	28.61	< 33.01
		1	0	23.06	28.56	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
20	2580.0	25	12	23.42	28.92	< 33.01
		1	1	23.38	28.88	< 33.01
		1	49	23.42	28.92	< 33.01
		50	0	22.42	27.92	< 33.01
		1	50	22.38	27.88	< 33.01
		1	0	22.41	27.91	< 33.01
20	2595.0	25	12	23.49	28.99	< 33.01
		1	1	23.42	28.92	< 33.01
		1	49	23.54	29.04	< 33.01
		50	0	22.52	28.02	< 33.01
		1	50	22.42	27.92	< 33.01
		1	0	22.56	28.06	< 33.01
20	2610.0	25	12	23.46	28.96	< 33.01
		1	1	23.36	28.86	< 33.01
		1	49	23.45	28.95	< 33.01
		50	0	22.47	27.97	< 33.01
		1	50	22.44	27.94	< 33.01
		1	0	22.44	27.94	< 33.01
30	2585.0	36	78	23.59	29.09	< 33.01
		1	1	23.65	29.15	< 33.01
		1	76	23.58	29.08	< 33.01
		75	0	22.68	28.18	< 33.01
		1	77	22.64	28.14	< 33.01
		1	0	22.65	28.15	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
30	2595.0	36	78	23.62	29.12	< 33.01
		1	1	23.60	29.10	< 33.01
		1	76	23.60	29.10	< 33.01
		75	0	22.67	28.17	< 33.01
		1	77	22.59	28.09	< 33.01
		1	0	22.68	28.18	< 33.01
30	2605.0	36	78	23.66	29.16	< 33.01
		1	1	23.59	29.09	< 33.01
		1	76	23.58	29.08	< 33.01
		75	0	22.58	28.08	< 33.01
		1	77	22.59	28.09	< 33.01
		1	0	22.54	28.04	< 33.01
40	2590.0	50	25	23.65	29.15	< 33.01
		1	1	23.61	29.11	< 33.01
		1	104	23.65	29.15	< 33.01
		100	0	22.72	28.22	< 33.01
		1	105	22.69	28.19	< 33.01
		1	0	22.62	28.12	< 33.01
40	2595.0	50	25	23.66	29.16	< 33.01
		1	1	23.64	29.14	< 33.01
		1	104	23.62	29.12	< 33.01
		100	0	22.68	28.18	< 33.01
		1	105	22.63	28.13	< 33.01
		1	0	22.61	28.11	< 33.01
40	2600.0	50	25	23.55	29.05	< 33.01
		1	1	23.55	29.05	< 33.01
		1	104	23.58	29.08	< 33.01
		100	0	22.61	28.11	< 33.01
		1	105	22.54	28.04	< 33.01
		1	0	22.58	28.08	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
20	2580.0	25	12	22.55	28.05	< 33.01
		1	1	22.43	27.93	< 33.01
		1	49	22.45	27.95	< 33.01
		50	0	21.45	26.95	< 33.01
		1	50	21.51	27.01	< 33.01
		1	0	21.54	27.04	< 33.01
20	2595.0	25	12	22.62	28.12	< 33.01
		1	1	22.42	27.92	< 33.01
		1	49	22.57	28.07	< 33.01
		50	0	21.56	27.06	< 33.01
		1	50	21.46	26.96	< 33.01
		1	0	21.63	27.13	< 33.01
20	2610.0	25	12	22.51	28.01	< 33.01
		1	1	22.42	27.92	< 33.01
		1	49	22.43	27.93	< 33.01
		50	0	21.46	26.96	< 33.01
		1	50	21.49	26.99	< 33.01
		1	0	21.49	26.99	< 33.01
30	2585.0	36	78	22.56	28.06	< 33.01
		1	1	22.70	28.20	< 33.01
		1	76	22.72	28.22	< 33.01
		75	0	21.64	27.14	< 33.01
		1	77	21.71	27.21	< 33.01
		1	0	21.75	27.25	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
30	2595.0	36	78	22.62	28.12	< 33.01
		1	1	22.63	28.13	< 33.01
		1	76	22.79	28.29	< 33.01
		75	0	21.71	27.21	< 33.01
		1	77	21.65	27.15	< 33.01
		1	0	21.72	27.22	< 33.01
30	2605.0	36	78	22.51	28.01	< 33.01
		1	1	22.66	28.16	< 33.01
		1	76	22.63	28.13	< 33.01
		75	0	21.54	27.04	< 33.01
		1	77	21.58	27.08	< 33.01
		1	0	21.56	27.06	< 33.01
40	2590.0	50	25	22.68	28.18	< 33.01
		1	1	22.65	28.15	< 33.01
		1	104	22.64	28.14	< 33.01
		100	0	21.70	27.20	< 33.01
		1	105	21.73	27.23	< 33.01
		1	0	21.72	27.22	< 33.01
40	2595.0	50	25	22.68	28.18	< 33.01
		1	1	22.65	28.15	< 33.01
		1	104	22.62	28.12	< 33.01
		100	0	21.75	27.25	< 33.01
		1	105	21.68	27.18	< 33.01
		1	0	21.68	27.18	< 33.01
40	2600.0	50	25	22.57	28.07	< 33.01
		1	1	22.56	28.06	< 33.01
		1	104	22.60	28.10	< 33.01
		100	0	21.58	27.08	< 33.01
		1	105	21.63	27.13	< 33.01
		1	0	21.67	27.17	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
20	2580.0	25	12	20.96	26.46	< 33.01
		1	1	20.95	26.45	< 33.01
		1	49	20.97	26.47	< 33.01
		50	0	20.96	26.46	< 33.01
		1	50	20.94	26.44	< 33.01
		1	0	20.97	26.47	< 33.01
20	2595.0	25	12	21.03	26.53	< 33.01
		1	1	20.96	26.46	< 33.01
		1	49	21.09	26.59	< 33.01
		50	0	21.02	26.52	< 33.01
		1	50	20.97	26.47	< 33.01
		1	0	21.09	26.59	< 33.01
20	2610.0	25	12	21.02	26.52	< 33.01
		1	1	20.95	26.45	< 33.01
		1	49	20.96	26.46	< 33.01
		50	0	20.95	26.45	< 33.01
		1	50	20.97	26.47	< 33.01
		1	0	20.96	26.46	< 33.01
30	2585.0	36	78	21.10	26.60	< 33.01
		1	1	21.14	26.64	< 33.01
		1	76	21.25	26.75	< 33.01
		75	0	21.12	26.62	< 33.01
		1	77	21.19	26.69	< 33.01
		1	0	21.24	26.74	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
30	2595.0	36	78	21.11	26.61	< 33.01
		1	1	21.07	26.57	< 33.01
		1	76	21.11	26.61	< 33.01
		75	0	21.18	26.68	< 33.01
		1	77	21.14	26.64	< 33.01
		1	0	21.18	26.68	< 33.01
30	2605.0	36	78	21.05	26.55	< 33.01
		1	1	21.09	26.59	< 33.01
		1	76	21.04	26.54	< 33.01
		75	0	21.07	26.57	< 33.01
		1	77	21.07	26.57	< 33.01
		1	0	21.06	26.56	< 33.01
40	2590.0	50	25	21.10	26.60	< 33.01
		1	1	21.22	26.72	< 33.01
		1	104	21.16	26.66	< 33.01
		100	0	21.21	26.71	< 33.01
		1	105	21.18	26.68	< 33.01
		1	0	21.22	26.72	< 33.01
40	2595.0	50	25	21.15	26.65	< 33.01
		1	1	21.19	26.69	< 33.01
		1	104	21.16	26.66	< 33.01
		100	0	21.25	26.75	< 33.01
		1	105	21.22	26.72	< 33.01
		1	0	21.15	26.65	< 33.01
40	2600.0	50	25	21.06	26.56	< 33.01
		1	1	21.09	26.59	< 33.01
		1	104	21.09	26.59	< 33.01
		100	0	21.08	26.58	< 33.01
		1	105	21.10	26.60	< 33.01
		1	0	21.10	26.60	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
20	2580.0	25	12	18.92	24.42	< 33.01
		1	1	18.94	24.44	< 33.01
		1	49	18.97	24.47	< 33.01
		50	0	18.97	24.47	< 33.01
		1	50	18.93	24.43	< 33.01
		1	0	18.95	24.45	< 33.01
20	2595.0	25	12	18.96	24.46	< 33.01
		1	1	18.95	24.45	< 33.01
		1	49	19.05	24.55	< 33.01
		50	0	19.06	24.56	< 33.01
		1	50	18.93	24.43	< 33.01
		1	0	19.05	24.55	< 33.01
20	2610.0	25	12	18.93	24.43	< 33.01
		1	1	18.90	24.40	< 33.01
		1	49	18.91	24.41	< 33.01
		50	0	19.00	24.50	< 33.01
		1	50	18.92	24.42	< 33.01
		1	0	18.92	24.42	< 33.01
30	2585.0	36	78	19.13	24.63	< 33.01
		1	1	19.18	24.68	< 33.01
		1	76	19.18	24.68	< 33.01
		75	0	19.11	24.61	< 33.01
		1	77	19.16	24.66	< 33.01
		1	0	19.24	24.74	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
30	2595.0	36	78	19.10	24.60	< 33.01
		1	1	19.10	24.60	< 33.01
		1	76	19.12	24.62	< 33.01
		75	0	19.12	24.62	< 33.01
		1	77	19.09	24.59	< 33.01
		1	0	19.08	24.58	< 33.01
30	2605.0	36	78	19.00	24.50	< 33.01
		1	1	19.11	24.61	< 33.01
		1	76	19.06	24.56	< 33.01
		75	0	18.97	24.47	< 33.01
		1	77	19.11	24.61	< 33.01
		1	0	19.05	24.55	< 33.01
40	2590.0	50	25	19.17	24.67	< 33.01
		1	1	19.19	24.69	< 33.01
		1	104	19.20	24.70	< 33.01
		100	0	19.14	24.64	< 33.01
		1	105	19.19	24.69	< 33.01
		1	0	19.20	24.70	< 33.01
40	2595.0	50	25	19.21	24.71	< 33.01
		1	1	19.18	24.68	< 33.01
		1	104	19.13	24.63	< 33.01
		100	0	19.19	24.69	< 33.01
		1	105	19.18	24.68	< 33.01
		1	0	19.18	24.68	< 33.01
40	2600.0	50	25	19.20	24.70	< 33.01
		1	1	19.08	24.58	< 33.01
		1	104	19.03	24.53	< 33.01
		100	0	19.03	24.53	< 33.01
		1	105	19.06	24.56	< 33.01
		1	0	19.09	24.59	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WJ-SR11	Test Engineer	Lucas Wang
Test Date	2025-05-21	Test Band	n41_PC2_SA

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
20	2506.02	25	12	25.79	31.79	< 33.01
		1	1	24.97	30.97	< 33.01
		1	49	26.28	32.28	< 33.01
		50	0	25.23	31.23	< 33.01
		1	50	23.31	29.31	< 33.01
		1	0	23.07	29.07	< 33.01
20	2592.99	25	12	25.85	31.85	< 33.01
		1	1	26.29	32.29	< 33.01
		1	49	26.43	32.43	< 33.01
		50	0	25.44	31.44	< 33.01
		1	50	22.81	28.81	< 33.01
		1	0	22.90	28.90	< 33.01
20	2679.99	25	12	25.72	31.72	< 33.01
		1	1	25.66	31.66	< 33.01
		1	49	25.62	31.62	< 33.01
		50	0	25.26	31.26	< 33.01
		1	50	22.74	28.74	< 33.01
		1	0	22.82	28.82	< 33.01
30	2511.00	36	78	25.68	31.68	< 33.01
		1	1	24.68	30.68	< 33.01
		1	76	26.30	32.30	< 33.01
		75	0	25.17	31.17	< 33.01
		1	77	22.83	28.83	< 33.01
		1	0	22.74	28.74	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
30	2592.99	36	78	25.92	31.92	< 33.01
		1	1	25.93	31.93	< 33.01
		1	76	26.13	32.13	< 33.01
		75	0	25.45	31.45	< 33.01
		1	77	22.40	28.40	< 33.01
		1	0	22.64	28.64	< 33.01
30	2674.98	36	78	25.73	31.73	< 33.01
		1	1	25.64	31.64	< 33.01
		1	76	25.59	31.59	< 33.01
		75	0	25.18	31.18	< 33.01
		1	77	22.12	28.12	< 33.01
		1	0	22.38	28.38	< 33.01
40	2516.01	50	25	25.92	31.92	< 33.01
		1	1	24.58	30.58	< 33.01
		1	104	26.23	32.23	< 33.01
		100	0	25.34	31.34	< 33.01
		1	105	22.86	28.86	< 33.01
		1	0	22.74	28.74	< 33.01
40	2592.99	50	25	25.93	31.93	< 33.01
		1	1	25.91	31.91	< 33.01
		1	104	26.13	32.13	< 33.01
		100	0	25.46	31.46	< 33.01
		1	105	22.38	28.38	< 33.01
		1	0	22.58	28.58	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
40	2670.00	50	25	25.80	31.80	< 33.01
		1	1	25.54	31.54	< 33.01
		1	104	25.67	31.67	< 33.01
		100	0	25.25	31.25	< 33.01
		1	105	22.04	28.04	< 33.01
		1	0	22.43	28.43	< 33.01
50	2521.02	64	32	26.13	32.13	< 33.01
		1	1	24.91	30.91	< 33.01
		1	131	26.07	32.07	< 33.01
		128	0	25.50	31.50	< 33.01
		1	132	22.76	28.76	< 33.01
		1	0	22.55	28.55	< 33.01
50	2592.99	64	32	25.90	31.90	< 33.01
		1	1	25.90	31.90	< 33.01
		1	131	26.03	32.03	< 33.01
		128	0	25.38	31.38	< 33.01
		1	132	22.37	28.37	< 33.01
		1	0	22.47	28.47	< 33.01
50	2664.99	64	32	25.62	31.62	< 33.01
		1	1	25.42	31.42	< 33.01
		1	131	25.72	31.72	< 33.01
		128	0	25.10	31.10	< 33.01
		1	132	21.95	27.95	< 33.01
		1	0	22.33	28.33	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
60	2526.00	81	40	26.12	32.12	< 33.01
		1	1	24.85	30.85	< 33.01
		1	160	25.99	31.99	< 33.01
		162	0	25.57	31.57	< 33.01
		1	161	22.70	28.70	< 33.01
		1	0	22.47	28.47	< 33.01
60	2592.99	81	40	25.89	31.89	< 33.01
		1	1	25.89	31.89	< 33.01
		1	160	25.90	31.90	< 33.01
		162	0	25.42	31.42	< 33.01
		1	161	22.37	28.37	< 33.01
		1	0	22.40	28.40	< 33.01
60	2659.98	81	40	25.64	31.64	< 33.01
		1	1	25.44	31.44	< 33.01
		1	160	25.77	31.77	< 33.01
		162	0	25.15	31.15	< 33.01
		1	161	21.93	27.93	< 33.01
		1	0	22.33	28.33	< 33.01
80	2536.02	108	54	25.93	31.93	< 33.01
		1	1	24.78	30.78	< 33.01
		1	215	25.67	31.67	< 33.01
		216	0	25.38	31.38	< 33.01
		1	216	22.61	28.61	< 33.01
		1	0	22.18	28.18	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
80	2592.99	108	54	25.74	31.74	< 33.01
		1	1	25.79	31.79	< 33.01
		1	215	25.61	31.61	< 33.01
		216	0	25.23	31.23	< 33.01
		1	216	22.25	28.25	< 33.01
		1	0	22.13	28.13	< 33.01
80	2649.99	108	54	25.42	31.42	< 33.01
		1	1	25.51	31.51	< 33.01
		1	215	25.49	31.49	< 33.01
		216	0	24.96	30.96	< 33.01
		1	216	21.95	27.95	< 33.01
		1	0	22.14	28.14	< 33.01
90	2541.00	120	60	25.95	31.95	< 33.01
		1	1	24.77	30.77	< 33.01
		1	243	25.71	31.71	< 33.01
		243	0	25.45	31.45	< 33.01
		1	244	22.62	28.62	< 33.01
		1	0	22.20	28.20	< 33.01
90	2592.99	120	60	25.77	31.77	< 33.01
		1	1	25.87	31.87	< 33.01
		1	243	25.64	31.64	< 33.01
		243	0	25.27	31.27	< 33.01
		1	244	22.30	28.30	< 33.01
		1	0	22.13	28.13	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
90	2644.98	120	60	25.44	31.44	< 33.01
		1	1	25.46	31.46	< 33.01
		1	243	25.67	31.67	< 33.01
		243	0	25.06	31.06	< 33.01
		1	244	22.00	28.00	< 33.01
		1	0	22.21	28.21	< 33.01
100	2546.01	135	67	25.94	31.94	< 33.01
		1	1	24.49	30.49	< 33.01
		1	271	25.84	31.84	< 33.01
		270	0	25.45	31.45	< 33.01
		1	272	22.70	28.70	< 33.01
		1	0	22.27	28.27	< 33.01
100	2592.99	135	67	25.78	31.78	< 33.01
		1	1	25.92	31.92	< 33.01
		1	271	25.68	31.68	< 33.01
		270	0	25.24	31.24	< 33.01
		1	272	22.38	28.38	< 33.01
		1	0	22.16	28.16	< 33.01
100	2640.00	135	67	25.55	31.55	< 33.01
		1	1	25.54	31.54	< 33.01
		1	271	25.38	31.38	< 33.01
		270	0	25.09	31.09	< 33.01
		1	272	21.99	27.99	< 33.01
		1	0	22.32	28.32	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
20	2506.02	25	12	24.69	30.69	< 33.01
		1	1	23.89	29.89	< 33.01
		1	49	25.22	31.22	< 33.01
		50	0	23.67	29.67	< 33.01
		1	50	22.82	28.82	< 33.01
		1	0	23.06	29.06	< 33.01
20	2592.99	25	12	25.82	31.82	< 33.01
		1	1	25.86	31.86	< 33.01
		1	49	26.05	32.05	< 33.01
		50	0	24.93	30.93	< 33.01
		1	50	22.76	28.76	< 33.01
		1	0	22.87	28.87	< 33.01
20	2679.99	25	12	24.75	30.75	< 33.01
		1	1	24.72	30.72	< 33.01
		1	49	24.62	30.62	< 33.01
		50	0	23.80	29.80	< 33.01
		1	50	22.73	28.73	< 33.01
		1	0	22.79	28.79	< 33.01
30	2511.00	36	78	24.66	30.66	< 33.01
		1	1	23.65	29.65	< 33.01
		1	76	25.28	31.28	< 33.01
		75	0	23.65	29.65	< 33.01
		1	77	22.59	28.59	< 33.01
		1	0	22.73	28.73	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
30	2592.99	36	78	25.86	31.86	< 33.01
		1	1	25.67	31.67	< 33.01
		1	76	25.91	31.91	< 33.01
		75	0	24.89	30.89	< 33.01
		1	77	22.32	28.32	< 33.01
		1	0	22.63	28.63	< 33.01
30	2674.98	36	78	24.71	30.71	< 33.01
		1	1	24.80	30.80	< 33.01
		1	76	24.58	30.58	< 33.01
		75	0	23.78	29.78	< 33.01
		1	77	22.12	28.12	< 33.01
		1	0	22.35	28.35	< 33.01
40	2516.01	50	25	24.89	30.89	< 33.01
		1	1	23.57	29.57	< 33.01
		1	104	25.48	31.48	< 33.01
		100	0	23.82	29.82	< 33.01
		1	105	22.48	28.48	< 33.01
		1	0	22.70	28.70	< 33.01
40	2592.99	50	25	25.91	31.91	< 33.01
		1	1	25.57	31.57	< 33.01
		1	104	25.85	31.85	< 33.01
		100	0	24.90	30.90	< 33.01
		1	105	22.29	28.29	< 33.01
		1	0	22.55	28.55	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
40	2670.00	50	25	24.87	30.87	< 33.01
		1	1	24.97	30.97	< 33.01
		1	104	24.65	30.65	< 33.01
		100	0	23.94	29.94	< 33.01
		1	105	22.04	28.04	< 33.01
		1	0	22.42	28.42	< 33.01
50	2521.02	64	32	25.05	31.05	< 33.01
		1	1	23.84	29.84	< 33.01
		1	131	25.75	31.75	< 33.01
		128	0	24.02	30.02	< 33.01
		1	132	22.69	28.69	< 33.01
		1	0	22.56	28.56	< 33.01
50	2592.99	64	32	25.83	31.83	< 33.01
		1	1	25.66	31.66	< 33.01
		1	131	25.95	31.95	< 33.01
		128	0	24.85	30.85	< 33.01
		1	132	22.32	28.32	< 33.01
		1	0	22.47	28.47	< 33.01
50	2664.99	64	32	24.81	30.81	< 33.01
		1	1	25.19	31.19	< 33.01
		1	131	24.77	30.77	< 33.01
		128	0	23.91	29.91	< 33.01
		1	132	21.88	27.88	< 33.01
		1	0	22.24	28.24	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
60	2526.00	81	40	25.26	31.26	< 33.01
		1	1	23.79	29.79	< 33.01
		1	160	25.80	31.80	< 33.01
		162	0	24.22	30.22	< 33.01
		1	161	22.72	28.72	< 33.01
		1	0	22.46	28.46	< 33.01
60	2592.99	81	40	25.91	31.91	< 33.01
		1	1	25.50	31.50	< 33.01
		1	160	25.90	31.90	< 33.01
		162	0	24.91	30.91	< 33.01
		1	161	22.31	28.31	< 33.01
		1	0	22.40	28.40	< 33.01
60	2659.98	81	40	25.11	31.11	< 33.01
		1	1	25.45	31.45	< 33.01
		1	160	24.89	30.89	< 33.01
		162	0	24.21	30.21	< 33.01
		1	161	21.93	27.93	< 33.01
		1	0	22.28	28.28	< 33.01
80	2536.02	108	54	25.50	31.50	< 33.01
		1	1	23.70	29.70	< 33.01
		1	215	25.62	31.62	< 33.01
		216	0	24.33	30.33	< 33.01
		1	216	22.54	28.54	< 33.01
		1	0	22.11	28.11	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
80	2592.99	108	54	25.78	31.78	< 33.01
		1	1	25.42	31.42	< 33.01
		1	215	25.54	31.54	< 33.01
		216	0	24.80	30.80	< 33.01
		1	216	22.26	28.26	< 33.01
		1	0	22.12	28.12	< 33.01
80	2649.99	108	54	25.07	31.07	< 33.01
		1	1	25.46	31.46	< 33.01
		1	215	24.50	30.50	< 33.01
		216	0	24.14	30.14	< 33.01
		1	216	21.95	27.95	< 33.01
		1	0	22.15	28.15	< 33.01
90	2541.00	120	60	25.45	31.45	< 33.01
		1	1	23.74	29.74	< 33.01
		1	243	25.73	31.73	< 33.01
		243	0	24.34	30.34	< 33.01
		1	244	22.58	28.58	< 33.01
		1	0	22.22	28.22	< 33.01
90	2592.99	120	60	25.78	31.78	< 33.01
		1	1	25.50	31.50	< 33.01
		1	243	25.52	31.52	< 33.01
		243	0	24.73	30.73	< 33.01
		1	244	22.31	28.31	< 33.01
		1	0	22.10	28.10	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
90	2644.98	120	60	25.28	31.28	< 33.01
		1	1	25.52	31.52	< 33.01
		1	243	24.66	30.66	< 33.01
		243	0	24.32	30.32	< 33.01
		1	244	21.93	27.93	< 33.01
		1	0	22.21	28.21	< 33.01
100	2546.01	135	67	25.05	31.05	< 33.01
		1	1	23.45	29.45	< 33.01
		1	271	25.52	31.52	< 33.01
		270	0	23.99	29.99	< 33.01
		1	272	22.38	28.38	< 33.01
		1	0	22.30	28.30	< 33.01
100	2592.99	135	67	25.46	31.46	< 33.01
		1	1	25.18	31.18	< 33.01
		1	271	25.16	31.16	< 33.01
		270	0	24.40	30.40	< 33.01
		1	272	22.33	28.33	< 33.01
		1	0	22.16	28.16	< 33.01
100	2640.00	135	67	24.91	30.91	< 33.01
		1	1	25.29	31.29	< 33.01
		1	271	24.39	30.39	< 33.01
		270	0	23.97	29.97	< 33.01
		1	272	22.03	28.03	< 33.01
		1	0	22.36	28.36	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
20	2506.02	25	12	23.71	29.71	< 33.01
		1	1	22.99	28.99	< 33.01
		1	49	24.33	30.33	< 33.01
		50	0	22.64	28.64	< 33.01
		1	50	21.83	27.83	< 33.01
		1	0	23.16	29.16	< 33.01
20	2592.99	25	12	24.86	30.86	< 33.01
		1	1	24.89	30.89	< 33.01
		1	49	25.10	31.10	< 33.01
		50	0	23.96	29.96	< 33.01
		1	50	22.76	28.76	< 33.01
		1	0	22.85	28.85	< 33.01
20	2679.99	25	12	23.83	29.83	< 33.01
		1	1	23.81	29.81	< 33.01
		1	49	23.71	29.71	< 33.01
		50	0	22.82	28.82	< 33.01
		1	50	22.71	28.71	< 33.01
		1	0	22.65	28.65	< 33.01
30	2511.00	36	78	23.64	29.64	< 33.01
		1	1	22.73	28.73	< 33.01
		1	76	24.39	30.39	< 33.01
		75	0	22.62	28.62	< 33.01
		1	77	21.63	27.63	< 33.01
		1	0	22.76	28.76	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
30	2592.99	36	78	24.84	30.84	< 33.01
		1	1	24.74	30.74	< 33.01
		1	76	25.04	31.04	< 33.01
		75	0	23.87	29.87	< 33.01
		1	77	22.40	28.40	< 33.01
		1	0	22.62	28.62	< 33.01
30	2674.98	36	78	23.70	29.70	< 33.01
		1	1	23.90	29.90	< 33.01
		1	76	23.65	29.65	< 33.01
		75	0	22.74	28.74	< 33.01
		1	77	22.11	28.11	< 33.01
		1	0	22.35	28.35	< 33.01
40	2516.01	50	25	23.89	29.89	< 33.01
		1	1	22.60	28.60	< 33.01
		1	104	24.52	30.52	< 33.01
		100	0	22.81	28.81	< 33.01
		1	105	21.56	27.56	< 33.01
		1	0	22.80	28.80	< 33.01
40	2592.99	50	25	24.90	30.90	< 33.01
		1	1	24.59	30.59	< 33.01
		1	104	24.92	30.92	< 33.01
		100	0	23.89	29.89	< 33.01
		1	105	22.44	28.44	< 33.01
		1	0	22.57	28.57	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
40	2670.00	50	25	23.89	29.89	< 33.01
		1	1	24.09	30.09	< 33.01
		1	104	23.77	29.77	< 33.01
		100	0	22.93	28.93	< 33.01
		1	105	22.03	28.03	< 33.01
		1	0	22.38	28.38	< 33.01
50	2521.02	64	32	24.05	30.05	< 33.01
		1	1	22.95	28.95	< 33.01
		1	131	24.89	30.89	< 33.01
		128	0	23.03	29.03	< 33.01
		1	132	21.75	27.75	< 33.01
		1	0	22.49	28.49	< 33.01
50	2592.99	64	32	24.85	30.85	< 33.01
		1	1	24.74	30.74	< 33.01
		1	131	25.01	31.01	< 33.01
		128	0	23.88	29.88	< 33.01
		1	132	22.39	28.39	< 33.01
		1	0	22.55	28.55	< 33.01
50	2664.99	64	32	23.85	29.85	< 33.01
		1	1	24.11	30.11	< 33.01
		1	131	23.65	29.65	< 33.01
		128	0	22.91	28.91	< 33.01
		1	132	21.83	27.83	< 33.01
		1	0	22.22	28.22	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
60	2526.00	81	40	24.26	30.26	< 33.01
		1	1	22.89	28.89	< 33.01
		1	160	24.91	30.91	< 33.01
		162	0	23.18	29.18	< 33.01
		1	161	21.73	27.73	< 33.01
		1	0	22.48	28.48	< 33.01
60	2592.99	81	40	24.85	30.85	< 33.01
		1	1	24.63	30.63	< 33.01
		1	160	25.03	31.03	< 33.01
		162	0	23.92	29.92	< 33.01
		1	161	22.36	28.36	< 33.01
		1	0	22.43	28.43	< 33.01
60	2659.98	81	40	24.11	30.11	< 33.01
		1	1	24.54	30.54	< 33.01
		1	160	24.01	30.01	< 33.01
		162	0	23.18	29.18	< 33.01
		1	161	21.91	27.91	< 33.01
		1	0	22.22	28.22	< 33.01
80	2536.02	108	54	24.46	30.46	< 33.01
		1	1	22.81	28.81	< 33.01
		1	215	24.75	30.75	< 33.01
		216	0	23.32	29.32	< 33.01
		1	216	21.61	27.61	< 33.01
		1	0	22.10	28.10	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
80	2592.99	108	54	24.73	30.73	< 33.01
		1	1	24.53	30.53	< 33.01
		1	215	24.68	30.68	< 33.01
		216	0	23.77	29.77	< 33.01
		1	216	22.24	28.24	< 33.01
		1	0	22.10	28.10	< 33.01
80	2649.99	108	54	24.08	30.08	< 33.01
		1	1	24.50	30.50	< 33.01
		1	215	23.58	29.58	< 33.01
		216	0	23.13	29.13	< 33.01
		1	216	22.06	28.06	< 33.01
		1	0	22.17	28.17	< 33.01
90	2541.00	120	60	24.46	30.46	< 33.01
		1	1	22.80	28.80	< 33.01
		1	243	24.82	30.82	< 33.01
		243	0	23.33	29.33	< 33.01
		1	244	21.70	27.70	< 33.01
		1	0	22.22	28.22	< 33.01
90	2592.99	120	60	24.80	30.80	< 33.01
		1	1	24.56	30.56	< 33.01
		1	243	24.60	30.60	< 33.01
		243	0	23.83	29.83	< 33.01
		1	244	22.42	28.42	< 33.01
		1	0	22.18	28.18	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
90	2644.98	120	60	24.28	30.28	< 33.01
		1	1	24.53	30.53	< 33.01
		1	243	23.72	29.72	< 33.01
		243	0	23.32	29.32	< 33.01
		1	244	22.02	28.02	< 33.01
		1	0	22.23	28.23	< 33.01
100	2546.01	135	67	24.06	30.06	< 33.01
		1	1	22.48	28.48	< 33.01
		1	271	24.58	30.58	< 33.01
		270	0	23.00	29.00	< 33.01
		1	272	21.46	27.46	< 33.01
		1	0	22.37	28.37	< 33.01
100	2592.99	135	67	24.46	30.46	< 33.01
		1	1	24.20	30.20	< 33.01
		1	271	24.19	30.19	< 33.01
		270	0	23.41	29.41	< 33.01
		1	272	22.34	28.34	< 33.01
		1	0	22.17	28.17	< 33.01
100	2640.00	135	67	23.93	29.93	< 33.01
		1	1	24.37	30.37	< 33.01
		1	271	23.46	29.46	< 33.01
		270	0	22.99	28.99	< 33.01
		1	272	22.05	28.05	< 33.01
		1	0	22.36	28.36	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
20	2506.02	25	12	22.10	28.10	< 33.01
		1	1	21.29	27.29	< 33.01
		1	49	22.68	28.68	< 33.01
		50	0	22.09	28.09	< 33.01
		1	50	21.36	27.36	< 33.01
		1	0	22.75	28.75	< 33.01
20	2592.99	25	12	23.32	29.32	< 33.01
		1	1	23.41	29.41	< 33.01
		1	49	23.66	29.66	< 33.01
		50	0	23.43	29.43	< 33.01
		1	50	22.75	28.75	< 33.01
		1	0	22.88	28.88	< 33.01
20	2679.99	25	12	22.29	28.29	< 33.01
		1	1	22.40	28.40	< 33.01
		1	49	22.25	28.25	< 33.01
		50	0	22.29	28.29	< 33.01
		1	50	22.31	28.31	< 33.01
		1	0	22.16	28.16	< 33.01
30	2511.00	36	78	22.11	28.11	< 33.01
		1	1	21.17	27.17	< 33.01
		1	76	22.87	28.87	< 33.01
		75	0	22.11	28.11	< 33.01
		1	77	21.14	27.14	< 33.01
		1	0	22.79	28.79	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
30	2592.99	36	78	23.35	29.35	< 33.01
		1	1	23.18	29.18	< 33.01
		1	76	23.48	29.48	< 33.01
		75	0	23.36	29.36	< 33.01
		1	77	22.45	28.45	< 33.01
		1	0	22.69	28.69	< 33.01
30	2674.98	36	78	22.23	28.23	< 33.01
		1	1	22.41	28.41	< 33.01
		1	76	22.14	28.14	< 33.01
		75	0	22.22	28.22	< 33.01
		1	77	22.16	28.16	< 33.01
		1	0	22.17	28.17	< 33.01
40	2516.01	50	25	22.36	28.36	< 33.01
		1	1	21.06	27.06	< 33.01
		1	104	23.03	29.03	< 33.01
		100	0	22.33	28.33	< 33.01
		1	105	20.97	26.97	< 33.01
		1	0	22.68	28.68	< 33.01
40	2592.99	50	25	23.39	29.39	< 33.01
		1	1	23.08	29.08	< 33.01
		1	104	23.41	29.41	< 33.01
		100	0	23.39	29.39	< 33.01
		1	105	22.31	28.31	< 33.01
		1	0	22.56	28.56	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
40	2670.00	50	25	22.41	28.41	< 33.01
		1	1	22.60	28.60	< 33.01
		1	104	22.20	28.20	< 33.01
		100	0	22.45	28.45	< 33.01
		1	105	22.03	28.03	< 33.01
		1	0	22.16	28.16	< 33.01
50	2521.02	64	32	22.59	28.59	< 33.01
		1	1	21.36	27.36	< 33.01
		1	131	23.33	29.33	< 33.01
		128	0	22.47	28.47	< 33.01
		1	132	21.25	27.25	< 33.01
		1	0	22.50	28.50	< 33.01
50	2592.99	64	32	23.41	29.41	< 33.01
		1	1	23.14	29.14	< 33.01
		1	131	23.38	29.38	< 33.01
		128	0	23.34	29.34	< 33.01
		1	132	22.39	28.39	< 33.01
		1	0	22.54	28.54	< 33.01
50	2664.99	64	32	22.41	28.41	< 33.01
		1	1	22.81	28.81	< 33.01
		1	131	22.36	28.36	< 33.01
		128	0	22.45	28.45	< 33.01
		1	132	21.87	27.87	< 33.01
		1	0	22.26	28.26	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
60	2526.00	81	40	22.77	28.77	< 33.01
		1	1	21.22	27.22	< 33.01
		1	160	23.30	29.30	< 33.01
		162	0	22.67	28.67	< 33.01
		1	161	21.25	27.25	< 33.01
		1	0	22.48	28.48	< 33.01
60	2592.99	81	40	23.38	29.38	< 33.01
		1	1	23.10	29.10	< 33.01
		1	160	23.45	29.45	< 33.01
		162	0	23.43	29.43	< 33.01
		1	161	22.35	28.35	< 33.01
		1	0	22.32	28.32	< 33.01
60	2659.98	81	40	22.66	28.66	< 33.01
		1	1	22.96	28.96	< 33.01
		1	160	22.49	28.49	< 33.01
		162	0	22.69	28.69	< 33.01
		1	161	21.87	27.87	< 33.01
		1	0	22.22	28.22	< 33.01
80	2536.02	108	54	22.98	28.98	< 33.01
		1	1	21.22	27.22	< 33.01
		1	215	23.20	29.20	< 33.01
		216	0	22.81	28.81	< 33.01
		1	216	21.11	27.11	< 33.01
		1	0	22.14	28.14	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
80	2592.99	108	54	23.29	29.29	< 33.01
		1	1	22.88	28.88	< 33.01
		1	215	23.05	29.05	< 33.01
		216	0	23.29	29.29	< 33.01
		1	216	22.28	28.28	< 33.01
		1	0	22.15	28.15	< 33.01
80	2649.99	108	54	22.62	28.62	< 33.01
		1	1	22.98	28.98	< 33.01
		1	215	22.06	28.06	< 33.01
		216	0	22.64	28.64	< 33.01
		1	216	21.99	27.99	< 33.01
		1	0	22.08	28.08	< 33.01
90	2541.00	120	60	22.96	28.96	< 33.01
		1	1	21.25	27.25	< 33.01
		1	243	23.21	29.21	< 33.01
		243	0	22.82	28.82	< 33.01
		1	244	21.24	27.24	< 33.01
		1	0	22.30	28.30	< 33.01
90	2592.99	120	60	23.24	29.24	< 33.01
		1	1	23.01	29.01	< 33.01
		1	243	23.09	29.09	< 33.01
		243	0	23.28	29.28	< 33.01
		1	244	22.41	28.41	< 33.01
		1	0	22.19	28.19	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
90	2644.98	120	60	22.82	28.82	< 33.01
		1	1	23.02	29.02	< 33.01
		1	243	22.18	28.18	< 33.01
		243	0	22.80	28.80	< 33.01
		1	244	22.04	28.04	< 33.01
		1	0	22.21	28.21	< 33.01
100	2546.01	135	67	22.55	28.55	< 33.01
		1	1	20.91	26.91	< 33.01
		1	271	23.06	29.06	< 33.01
		270	0	22.51	28.51	< 33.01
		1	272	20.85	26.85	< 33.01
		1	0	22.32	28.32	< 33.01
100	2592.99	135	67	22.97	28.97	< 33.01
		1	1	22.69	28.69	< 33.01
		1	271	22.72	28.72	< 33.01
		270	0	22.90	28.90	< 33.01
		1	272	22.39	28.39	< 33.01
		1	0	22.13	28.13	< 33.01
100	2640.00	135	67	22.47	28.47	< 33.01
		1	1	22.88	28.88	< 33.01
		1	271	21.93	27.93	< 33.01
		270	0	22.49	28.49	< 33.01
		1	272	22.07	28.07	< 33.01
		1	0	21.95	27.95	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
20	2506.02	25	12	20.52	26.52	< 33.01
		1	1	19.84	25.84	< 33.01
		1	49	21.23	27.23	< 33.01
		50	0	20.62	26.62	< 33.01
		1	50	19.80	25.80	< 33.01
		1	0	21.24	27.24	< 33.01
20	2592.99	25	12	21.27	27.27	< 33.01
		1	1	21.76	27.76	< 33.01
		1	49	21.95	27.95	< 33.01
		50	0	21.53	27.53	< 33.01
		1	50	21.84	27.84	< 33.01
		1	0	21.94	27.94	< 33.01
20	2679.99	25	12	20.76	26.76	< 33.01
		1	1	20.90	26.90	< 33.01
		1	49	20.73	26.73	< 33.01
		50	0	20.83	26.83	< 33.01
		1	50	20.91	26.91	< 33.01
		1	0	20.72	26.72	< 33.01
30	2511.00	36	78	20.61	26.61	< 33.01
		1	1	19.65	25.65	< 33.01
		1	76	21.34	27.34	< 33.01
		75	0	20.56	26.56	< 33.01
		1	77	19.59	25.59	< 33.01
		1	0	21.38	27.38	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
30	2592.99	36	78	21.44	27.44	< 33.01
		1	1	21.40	27.40	< 33.01
		1	76	21.70	27.70	< 33.01
		75	0	21.42	27.42	< 33.01
		1	77	21.39	27.39	< 33.01
		1	0	21.62	27.62	< 33.01
30	2674.98	36	78	20.72	26.72	< 33.01
		1	1	20.95	26.95	< 33.01
		1	76	20.64	26.64	< 33.01
		75	0	20.70	26.70	< 33.01
		1	77	20.95	26.95	< 33.01
		1	0	20.65	26.65	< 33.01
40	2516.01	50	25	20.88	26.88	< 33.01
		1	1	19.51	25.51	< 33.01
		1	104	21.48	27.48	< 33.01
		100	0	20.77	26.77	< 33.01
		1	105	19.47	25.47	< 33.01
		1	0	21.49	27.49	< 33.01
40	2592.99	50	25	21.50	27.50	< 33.01
		1	1	21.40	27.40	< 33.01
		1	104	21.66	27.66	< 33.01
		100	0	21.45	27.45	< 33.01
		1	105	21.38	27.38	< 33.01
		1	0	21.62	27.62	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
40	2670.00	50	25	20.94	26.94	< 33.01
		1	1	21.10	27.10	< 33.01
		1	104	20.66	26.66	< 33.01
		100	0	20.90	26.90	< 33.01
		1	105	21.09	27.09	< 33.01
		1	0	20.65	26.65	< 33.01
50	2521.02	64	32	21.00	27.00	< 33.01
		1	1	19.79	25.79	< 33.01
		1	131	21.57	27.57	< 33.01
		128	0	20.97	26.97	< 33.01
		1	132	19.76	25.76	< 33.01
		1	0	21.54	27.54	< 33.01
50	2592.99	64	32	21.41	27.41	< 33.01
		1	1	21.38	27.38	< 33.01
		1	131	21.56	27.56	< 33.01
		128	0	21.36	27.36	< 33.01
		1	132	21.37	27.37	< 33.01
		1	0	21.55	27.55	< 33.01
50	2664.99	64	32	20.90	26.90	< 33.01
		1	1	20.95	26.95	< 33.01
		1	131	20.92	26.92	< 33.01
		128	0	20.93	26.93	< 33.01
		1	132	20.86	26.86	< 33.01
		1	0	20.94	26.94	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
60	2526.00	81	40	21.23	27.23	< 33.01
		1	1	19.76	25.76	< 33.01
		1	160	21.48	27.48	< 33.01
		162	0	21.20	27.20	< 33.01
		1	161	19.74	25.74	< 33.01
		1	0	21.50	27.50	< 33.01
60	2592.99	81	40	21.42	27.42	< 33.01
		1	1	21.40	27.40	< 33.01
		1	160	21.45	27.45	< 33.01
		162	0	21.42	27.42	< 33.01
		1	161	21.42	27.42	< 33.01
		1	0	21.46	27.46	< 33.01
60	2659.98	81	40	21.14	27.14	< 33.01
		1	1	20.95	26.95	< 33.01
		1	160	20.96	26.96	< 33.01
		162	0	21.19	27.19	< 33.01
		1	161	21.02	27.02	< 33.01
		1	0	20.96	26.96	< 33.01
80	2536.02	108	54	21.44	27.44	< 33.01
		1	1	19.69	25.69	< 33.01
		1	215	21.23	27.23	< 33.01
		216	0	21.29	27.29	< 33.01
		1	216	19.61	25.61	< 33.01
		1	0	21.23	27.23	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
80	2592.99	108	54	21.28	27.28	< 33.01
		1	1	21.21	27.21	< 33.01
		1	215	21.12	27.12	< 33.01
		216	0	21.28	27.28	< 33.01
		1	216	21.28	27.28	< 33.01
		1	0	21.13	27.13	< 33.01
80	2649.99	108	54	21.01	27.01	< 33.01
		1	1	21.01	27.01	< 33.01
		1	215	20.54	26.54	< 33.01
		216	0	21.04	27.04	< 33.01
		1	216	21.05	27.05	< 33.01
		1	0	20.54	26.54	< 33.01
90	2541.00	120	60	21.45	27.45	< 33.01
		1	1	19.72	25.72	< 33.01
		1	243	21.20	27.20	< 33.01
		243	0	21.30	27.30	< 33.01
		1	244	19.68	25.68	< 33.01
		1	0	21.28	27.28	< 33.01
90	2592.99	120	60	21.28	27.28	< 33.01
		1	1	21.34	27.34	< 33.01
		1	243	21.10	27.10	< 33.01
		243	0	21.30	27.30	< 33.01
		1	244	21.36	27.36	< 33.01
		1	0	21.15	27.15	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
90	2644.98	120	60	20.96	26.96	< 33.01
		1	1	20.96	26.96	< 33.01
		1	243	20.64	26.64	< 33.01
		243	0	21.07	27.07	< 33.01
		1	244	21.00	27.00	< 33.01
		1	0	20.64	26.64	< 33.01
100	2546.01	135	67	21.03	27.03	< 33.01
		1	1	19.43	25.43	< 33.01
		1	271	21.38	27.38	< 33.01
		270	0	20.95	26.95	< 33.01
		1	272	19.38	25.38	< 33.01
		1	0	21.33	27.33	< 33.01
100	2592.99	135	67	21.34	27.34	< 33.01
		1	1	21.16	27.16	< 33.01
		1	271	21.18	27.18	< 33.01
		270	0	21.36	27.36	< 33.01
		1	272	21.16	27.16	< 33.01
		1	0	21.14	27.14	< 33.01
100	2640.00	135	67	20.92	26.92	< 33.01
		1	1	21.05	27.05	< 33.01
		1	271	20.40	26.40	< 33.01
		270	0	20.95	26.95	< 33.01
		1	272	21.04	27.04	< 33.01
		1	0	20.41	26.41	< 33.01
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WJ-SR11	Test Engineer	Lucas Wang
Test Date	2025-05-21	Test Band	n78_PC2_SA (3450 ~ 3550)

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
20	3460.02	25	12	22.48	26.78	< 30.00
		1	1	22.52	26.82	< 30.00
		1	49	22.40	26.70	< 30.00
		50	0	22.02	26.32	< 30.00
		1	50	19.04	23.34	< 30.00
		1	0	18.87	23.17	< 30.00
20	3500.01	25	12	22.30	26.60	< 30.00
		1	1	22.38	26.68	< 30.00
		1	49	22.48	26.78	< 30.00
		50	0	21.83	26.13	< 30.00
		1	50	18.88	23.18	< 30.00
		1	0	18.91	23.21	< 30.00
20	3540.00	25	12	22.41	26.71	< 30.00
		1	1	22.62	26.92	< 30.00
		1	49	22.36	26.66	< 30.00
		50	0	21.92	26.22	< 30.00
		1	50	19.06	23.36	< 30.00
		1	0	18.83	23.13	< 30.00
30	3465.00	36	78	22.65	26.95	< 30.00
		1	1	22.68	26.98	< 30.00
		1	76	22.49	26.79	< 30.00
		75	0	22.19	26.49	< 30.00
		1	77	19.21	23.51	< 30.00
		1	0	18.96	23.26	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
30	3500.01	36	78	22.42	26.72	< 30.00
		1	1	22.50	26.80	< 30.00
		1	76	22.52	26.82	< 30.00
		75	0	22.01	26.31	< 30.00
		1	77	18.96	23.26	< 30.00
		1	0	19.01	23.31	< 30.00
30	3534.99	36	78	22.49	26.79	< 30.00
		1	1	22.60	26.90	< 30.00
		1	76	22.38	26.68	< 30.00
		75	0	22.06	26.36	< 30.00
		1	77	19.07	23.37	< 30.00
		1	0	18.81	23.11	< 30.00
40	3470.01	50	25	22.51	26.81	< 30.00
		1	1	22.72	27.02	< 30.00
		1	104	22.30	26.60	< 30.00
		100	0	22.00	26.30	< 30.00
		1	105	19.20	23.50	< 30.00
		1	0	18.77	23.07	< 30.00
40	3500.01	50	25	22.43	26.73	< 30.00
		1	1	22.59	26.89	< 30.00
		1	104	22.56	26.86	< 30.00
		100	0	22.05	26.35	< 30.00
		1	105	19.08	23.38	< 30.00
		1	0	19.05	23.35	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
40	3529.98	50	25	22.51	26.81	< 30.00
		1	1	22.66	26.96	< 30.00
		1	104	22.30	26.60	< 30.00
		100	0	22.08	26.38	< 30.00
		1	105	19.14	23.44	< 30.00
		1	0	18.79	23.09	< 30.00
50	3475.02	64	32	22.26	26.56	< 30.00
		1	1	22.40	26.70	< 30.00
		1	131	21.88	26.18	< 30.00
		128	0	21.71	26.01	< 30.00
		1	132	18.93	23.23	< 30.00
		1	0	18.38	22.68	< 30.00
50	3500.01	64	32	22.27	26.57	< 30.00
		1	1	22.26	26.56	< 30.00
		1	131	22.24	26.54	< 30.00
		128	0	21.68	25.98	< 30.00
		1	132	18.83	23.13	< 30.00
		1	0	18.71	23.01	< 30.00
50	3525.00	64	32	22.28	26.58	< 30.00
		1	1	22.24	26.54	< 30.00
		1	131	22.08	26.38	< 30.00
		128	0	21.72	26.02	< 30.00
		1	132	18.63	22.93	< 30.00
		1	0	18.55	22.85	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
60	3480.00	81	40	22.16	26.46	< 30.00
		1	1	22.52	26.82	< 30.00
		1	160	22.01	26.31	< 30.00
		162	0	21.68	25.98	< 30.00
		1	161	18.97	23.27	< 30.00
		1	0	18.55	22.85	< 30.00
60	3500.01	81	40	22.29	26.59	< 30.00
		1	1	22.43	26.73	< 30.00
		1	160	22.21	26.51	< 30.00
		162	0	21.77	26.07	< 30.00
		1	161	18.97	23.27	< 30.00
		1	0	18.69	22.99	< 30.00
60	3519.99	81	40	22.35	26.65	< 30.00
		1	1	22.26	26.56	< 30.00
		1	160	22.05	26.35	< 30.00
		162	0	21.79	26.09	< 30.00
		1	161	18.74	23.04	< 30.00
		1	0	18.61	22.91	< 30.00
70	3485.01	90	45	22.16	26.46	< 30.00
		1	1	22.53	26.83	< 30.00
		1	187	21.92	26.22	< 30.00
		180	0	21.63	25.93	< 30.00
		1	188	19.00	23.30	< 30.00
		1	0	18.44	22.74	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
70	3500.01	90	45	22.25	26.55	< 30.00
		1	1	22.55	26.85	< 30.00
		1	187	21.94	26.24	< 30.00
		180	0	21.77	26.07	< 30.00
		1	188	19.01	23.31	< 30.00
		1	0	18.47	22.77	< 30.00
70	3514.98	90	45	22.22	26.52	< 30.00
		1	1	22.29	26.59	< 30.00
		1	187	21.91	26.21	< 30.00
		180	0	21.74	26.04	< 30.00
		1	188	18.83	23.13	< 30.00
		1	0	18.40	22.70	< 30.00
80	3490.02	108	54	22.15	26.45	< 30.00
		1	1	22.42	26.72	< 30.00
		1	215	21.94	26.24	< 30.00
		216	0	21.73	26.03	< 30.00
		1	216	19.02	23.32	< 30.00
		1	0	18.41	22.71	< 30.00
80	3500.01	108	54	22.30	26.60	< 30.00
		1	1	22.48	26.78	< 30.00
		1	215	21.91	26.21	< 30.00
		216	0	21.70	26.00	< 30.00
		1	216	18.96	23.26	< 30.00
		1	0	18.44	22.74	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
80	3510.00	108	54	22.20	26.50	< 30.00
		1	1	22.44	26.74	< 30.00
		1	215	21.87	26.17	< 30.00
		216	0	21.71	26.01	< 30.00
		1	216	18.91	23.21	< 30.00
		1	0	18.35	22.65	< 30.00
90	3495.00	120	60	22.17	26.47	< 30.00
		1	1	22.47	26.77	< 30.00
		1	243	21.95	26.25	< 30.00
		243	0	21.68	25.98	< 30.00
		1	244	19.02	23.32	< 30.00
		1	0	18.40	22.70	< 30.00
90	3500.01	120	60	22.16	26.46	< 30.00
		1	1	22.50	26.80	< 30.00
		1	243	21.97	26.27	< 30.00
		243	0	21.73	26.03	< 30.00
		1	244	19.04	23.34	< 30.00
		1	0	18.44	22.74	< 30.00
90	3504.99	120	60	22.17	26.47	< 30.00
		1	1	22.54	26.84	< 30.00
		1	243	21.90	26.20	< 30.00
		243	0	21.66	25.96	< 30.00
		1	244	19.07	23.37	< 30.00
		1	0	18.40	22.70	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
100	3500.01	135	67	22.21	26.51	< 30.00
		1	1	22.57	26.87	< 30.00
		1	271	21.92	26.22	< 30.00
		270	0	21.70	26.00	< 30.00
		1	272	19.03	23.33	< 30.00
		1	0	18.36	22.66	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
20	3460.02	25	12	22.49	26.79	< 30.00
		1	1	22.51	26.81	< 30.00
		1	49	22.39	26.69	< 30.00
		50	0	21.53	25.83	< 30.00
		1	50	18.99	23.29	< 30.00
		1	0	18.88	23.18	< 30.00
20	3500.01	25	12	22.32	26.62	< 30.00
		1	1	22.34	26.64	< 30.00
		1	49	22.42	26.72	< 30.00
		50	0	21.35	25.65	< 30.00
		1	50	18.84	23.14	< 30.00
		1	0	18.90	23.20	< 30.00
20	3540.00	25	12	22.45	26.75	< 30.00
		1	1	22.57	26.87	< 30.00
		1	49	22.37	26.67	< 30.00
		50	0	21.47	25.77	< 30.00
		1	50	19.04	23.34	< 30.00
		1	0	18.83	23.13	< 30.00
30	3465.00	36	78	22.65	26.95	< 30.00
		1	1	22.71	27.01	< 30.00
		1	76	22.49	26.79	< 30.00
		75	0	21.67	25.97	< 30.00
		1	77	19.18	23.48	< 30.00
		1	0	18.88	23.18	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
30	3500.01	36	78	22.45	26.75	< 30.00
		1	1	22.42	26.72	< 30.00
		1	76	22.53	26.83	< 30.00
		75	0	21.55	25.85	< 30.00
		1	77	18.90	23.20	< 30.00
		1	0	18.94	23.24	< 30.00
30	3534.99	36	78	22.47	26.77	< 30.00
		1	1	22.57	26.87	< 30.00
		1	76	22.34	26.64	< 30.00
		75	0	21.58	25.88	< 30.00
		1	77	19.11	23.41	< 30.00
		1	0	18.84	23.14	< 30.00
40	3470.01	50	25	22.45	26.75	< 30.00
		1	1	22.66	26.96	< 30.00
		1	104	22.24	26.54	< 30.00
		100	0	21.48	25.78	< 30.00
		1	105	19.19	23.49	< 30.00
		1	0	18.72	23.02	< 30.00
40	3500.01	50	25	22.46	26.76	< 30.00
		1	1	22.58	26.88	< 30.00
		1	104	22.47	26.77	< 30.00
		100	0	21.50	25.80	< 30.00
		1	105	19.07	23.37	< 30.00
		1	0	18.99	23.29	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
40	3529.98	50	25	22.48	26.78	< 30.00
		1	1	22.62	26.92	< 30.00
		1	104	22.29	26.59	< 30.00
		100	0	21.48	25.78	< 30.00
		1	105	19.13	23.43	< 30.00
		1	0	18.75	23.05	< 30.00
50	3475.02	64	32	22.27	26.57	< 30.00
		1	1	22.44	26.74	< 30.00
		1	131	21.91	26.21	< 30.00
		128	0	21.16	25.46	< 30.00
		1	132	18.93	23.23	< 30.00
		1	0	18.41	22.71	< 30.00
50	3500.01	64	32	22.19	26.49	< 30.00
		1	1	22.27	26.57	< 30.00
		1	131	22.21	26.51	< 30.00
		128	0	21.20	25.50	< 30.00
		1	132	18.76	23.06	< 30.00
		1	0	18.76	23.06	< 30.00
50	3525.00	64	32	22.30	26.60	< 30.00
		1	1	22.24	26.54	< 30.00
		1	131	21.98	26.28	< 30.00
		128	0	21.29	25.59	< 30.00
		1	132	18.62	22.92	< 30.00
		1	0	18.56	22.86	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
60	3480.00	81	40	22.14	26.44	< 30.00
		1	1	22.49	26.79	< 30.00
		1	160	21.96	26.26	< 30.00
		162	0	21.22	25.52	< 30.00
		1	161	18.84	23.14	< 30.00
		1	0	18.51	22.81	< 30.00
60	3500.01	81	40	22.16	26.46	< 30.00
		1	1	22.45	26.75	< 30.00
		1	160	22.17	26.47	< 30.00
		162	0	21.26	25.56	< 30.00
		1	161	18.92	23.22	< 30.00
		1	0	18.63	22.93	< 30.00
60	3519.99	81	40	22.34	26.64	< 30.00
		1	1	22.25	26.55	< 30.00
		1	160	22.00	26.30	< 30.00
		162	0	21.30	25.60	< 30.00
		1	161	18.72	23.02	< 30.00
		1	0	18.49	22.79	< 30.00
70	3485.01	90	45	22.05	26.35	< 30.00
		1	1	22.53	26.83	< 30.00
		1	187	21.86	26.16	< 30.00
		180	0	21.17	25.47	< 30.00
		1	188	18.90	23.20	< 30.00
		1	0	18.44	22.74	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
70	3500.01	90	45	22.13	26.43	< 30.00
		1	1	22.45	26.75	< 30.00
		1	187	21.91	26.21	< 30.00
		180	0	21.25	25.55	< 30.00
		1	188	18.95	23.25	< 30.00
		1	0	18.41	22.71	< 30.00
70	3514.98	90	45	22.22	26.52	< 30.00
		1	1	22.32	26.62	< 30.00
		1	187	21.82	26.12	< 30.00
		180	0	21.25	25.55	< 30.00
		1	188	18.76	23.06	< 30.00
		1	0	18.33	22.63	< 30.00
80	3490.02	108	54	22.18	26.48	< 30.00
		1	1	22.47	26.77	< 30.00
		1	215	21.95	26.25	< 30.00
		216	0	21.26	25.56	< 30.00
		1	216	18.86	23.16	< 30.00
		1	0	18.41	22.71	< 30.00
80	3500.01	108	54	22.13	26.43	< 30.00
		1	1	22.47	26.77	< 30.00
		1	215	21.87	26.17	< 30.00
		216	0	21.23	25.53	< 30.00
		1	216	18.98	23.28	< 30.00
		1	0	18.28	22.58	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
80	3510.00	108	54	22.24	26.54	< 30.00
		1	1	22.44	26.74	< 30.00
		1	215	21.85	26.15	< 30.00
		216	0	21.24	25.54	< 30.00
		1	216	18.88	23.18	< 30.00
		1	0	18.35	22.65	< 30.00
90	3495.00	120	60	22.13	26.43	< 30.00
		1	1	22.55	26.85	< 30.00
		1	243	21.89	26.19	< 30.00
		243	0	21.21	25.51	< 30.00
		1	244	18.88	23.18	< 30.00
		1	0	18.29	22.59	< 30.00
90	3500.01	120	60	22.18	26.48	< 30.00
		1	1	22.51	26.81	< 30.00
		1	243	21.88	26.18	< 30.00
		243	0	21.25	25.55	< 30.00
		1	244	18.96	23.26	< 30.00
		1	0	18.40	22.70	< 30.00
90	3504.99	120	60	22.18	26.48	< 30.00
		1	1	22.43	26.73	< 30.00
		1	243	21.92	26.22	< 30.00
		243	0	21.21	25.51	< 30.00
		1	244	18.98	23.28	< 30.00
		1	0	18.37	22.67	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
100	3500.01	135	67	22.17	26.47	< 30.00
		1	1	22.46	26.76	< 30.00
		1	271	21.90	26.20	< 30.00
		270	0	21.21	25.51	< 30.00
		1	272	18.89	23.19	< 30.00
		1	0	18.37	22.67	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
20	3460.02	25	12	21.71	26.01	< 30.00
		1	1	21.73	26.03	< 30.00
		1	49	21.59	25.89	< 30.00
		50	0	20.65	24.95	< 30.00
		1	50	19.18	23.48	< 30.00
		1	0	19.04	23.34	< 30.00
20	3500.01	25	12	21.49	25.79	< 30.00
		1	1	21.50	25.80	< 30.00
		1	49	21.55	25.85	< 30.00
		50	0	20.48	24.78	< 30.00
		1	50	18.92	23.22	< 30.00
		1	0	19.00	23.30	< 30.00
20	3540.00	25	12	21.57	25.87	< 30.00
		1	1	21.66	25.96	< 30.00
		1	49	21.41	25.71	< 30.00
		50	0	20.54	24.84	< 30.00
		1	50	19.23	23.53	< 30.00
		1	0	18.98	23.28	< 30.00
30	3465.00	36	78	21.75	26.05	< 30.00
		1	1	21.88	26.18	< 30.00
		1	76	21.56	25.86	< 30.00
		75	0	20.78	25.08	< 30.00
		1	77	19.26	23.56	< 30.00
		1	0	18.86	23.16	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
30	3500.01	36	78	21.52	25.82	< 30.00
		1	1	21.64	25.94	< 30.00
		1	76	21.75	26.05	< 30.00
		75	0	20.56	24.86	< 30.00
		1	77	19.01	23.31	< 30.00
		1	0	19.07	23.37	< 30.00
30	3534.99	36	78	21.60	25.90	< 30.00
		1	1	21.72	26.02	< 30.00
		1	76	21.54	25.84	< 30.00
		75	0	20.64	24.94	< 30.00
		1	77	19.22	23.52	< 30.00
		1	0	18.96	23.26	< 30.00
40	3470.01	50	25	21.56	25.86	< 30.00
		1	1	21.85	26.15	< 30.00
		1	104	21.36	25.66	< 30.00
		100	0	20.60	24.90	< 30.00
		1	105	19.26	23.56	< 30.00
		1	0	18.87	23.17	< 30.00
40	3500.01	50	25	21.54	25.84	< 30.00
		1	1	21.72	26.02	< 30.00
		1	104	21.73	26.03	< 30.00
		100	0	20.59	24.89	< 30.00
		1	105	19.22	23.52	< 30.00
		1	0	19.11	23.41	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
40	3529.98	50	25	21.64	25.94	< 30.00
		1	1	21.82	26.12	< 30.00
		1	104	21.52	25.82	< 30.00
		100	0	20.60	24.90	< 30.00
		1	105	19.17	23.47	< 30.00
		1	0	18.81	23.11	< 30.00
50	3475.02	64	32	21.30	25.60	< 30.00
		1	1	21.50	25.80	< 30.00
		1	131	21.08	25.38	< 30.00
		128	0	20.31	24.61	< 30.00
		1	132	19.05	23.35	< 30.00
		1	0	18.56	22.86	< 30.00
50	3500.01	64	32	21.23	25.53	< 30.00
		1	1	21.50	25.80	< 30.00
		1	131	21.40	25.70	< 30.00
		128	0	20.33	24.63	< 30.00
		1	132	18.96	23.26	< 30.00
		1	0	18.84	23.14	< 30.00
50	3525.00	64	32	21.31	25.61	< 30.00
		1	1	21.37	25.67	< 30.00
		1	131	21.23	25.53	< 30.00
		128	0	20.32	24.62	< 30.00
		1	132	18.66	22.96	< 30.00
		1	0	18.55	22.85	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
60	3480.00	81	40	21.22	25.52	< 30.00
		1	1	21.73	26.03	< 30.00
		1	160	21.23	25.53	< 30.00
		162	0	20.27	24.57	< 30.00
		1	161	19.19	23.49	< 30.00
		1	0	18.63	22.93	< 30.00
60	3500.01	81	40	21.28	25.58	< 30.00
		1	1	21.57	25.87	< 30.00
		1	160	21.36	25.66	< 30.00
		162	0	20.35	24.65	< 30.00
		1	161	18.96	23.26	< 30.00
		1	0	18.80	23.10	< 30.00
60	3519.99	81	40	21.45	25.75	< 30.00
		1	1	21.47	25.77	< 30.00
		1	160	21.22	25.52	< 30.00
		162	0	20.32	24.62	< 30.00
		1	161	18.91	23.21	< 30.00
		1	0	18.51	22.81	< 30.00
70	3485.01	90	45	21.14	25.44	< 30.00
		1	1	21.64	25.94	< 30.00
		1	187	21.12	25.42	< 30.00
		180	0	20.22	24.52	< 30.00
		1	188	18.98	23.28	< 30.00
		1	0	18.50	22.80	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
70	3500.01	90	45	21.22	25.52	< 30.00
		1	1	21.55	25.85	< 30.00
		1	187	21.06	25.36	< 30.00
		180	0	20.39	24.69	< 30.00
		1	188	19.02	23.32	< 30.00
		1	0	18.57	22.87	< 30.00
70	3514.98	90	45	21.29	25.59	< 30.00
		1	1	21.40	25.70	< 30.00
		1	187	20.96	25.26	< 30.00
		180	0	20.39	24.69	< 30.00
		1	188	18.90	23.20	< 30.00
		1	0	18.47	22.77	< 30.00
80	3490.02	108	54	21.22	25.52	< 30.00
		1	1	21.73	26.03	< 30.00
		1	215	21.10	25.40	< 30.00
		216	0	20.33	24.63	< 30.00
		1	216	19.15	23.45	< 30.00
		1	0	18.60	22.90	< 30.00
80	3500.01	108	54	21.24	25.54	< 30.00
		1	1	21.59	25.89	< 30.00
		1	215	21.01	25.31	< 30.00
		216	0	20.35	24.65	< 30.00
		1	216	19.00	23.30	< 30.00
		1	0	18.39	22.69	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
80	3510.00	108	54	21.26	25.56	< 30.00
		1	1	21.57	25.87	< 30.00
		1	215	21.07	25.37	< 30.00
		216	0	20.31	24.61	< 30.00
		1	216	18.96	23.26	< 30.00
		1	0	18.32	22.62	< 30.00
90	3495.00	120	60	21.28	25.58	< 30.00
		1	1	21.65	25.95	< 30.00
		1	243	21.03	25.33	< 30.00
		243	0	20.32	24.62	< 30.00
		1	244	19.15	23.45	< 30.00
		1	0	18.52	22.82	< 30.00
90	3500.01	120	60	21.28	25.58	< 30.00
		1	1	21.72	26.02	< 30.00
		1	243	21.06	25.36	< 30.00
		243	0	20.30	24.60	< 30.00
		1	244	19.03	23.33	< 30.00
		1	0	18.45	22.75	< 30.00
90	3504.99	120	60	21.37	25.67	< 30.00
		1	1	21.67	25.97	< 30.00
		1	243	21.08	25.38	< 30.00
		243	0	20.27	24.57	< 30.00
		1	244	19.08	23.38	< 30.00
		1	0	18.41	22.71	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
100	3500.01	135	67	21.23	25.53	< 30.00
		1	1	21.73	26.03	< 30.00
		1	271	21.03	25.33	< 30.00
		270	0	20.34	24.64	< 30.00
		1	272	19.21	23.51	< 30.00
		1	0	18.46	22.76	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
20	3460.02	25	12	20.10	24.40	< 30.00
		1	1	20.10	24.40	< 30.00
		1	49	20.00	24.30	< 30.00
		50	0	20.17	24.47	< 30.00
		1	50	19.18	23.48	< 30.00
		1	0	19.02	23.32	< 30.00
20	3500.01	25	12	19.95	24.25	< 30.00
		1	1	19.84	24.14	< 30.00
		1	49	19.90	24.20	< 30.00
		50	0	19.89	24.19	< 30.00
		1	50	18.91	23.21	< 30.00
		1	0	18.96	23.26	< 30.00
20	3540.00	25	12	19.95	24.25	< 30.00
		1	1	20.21	24.51	< 30.00
		1	49	19.95	24.25	< 30.00
		50	0	19.98	24.28	< 30.00
		1	50	19.20	23.50	< 30.00
		1	0	18.94	23.24	< 30.00
30	3465.00	36	78	20.25	24.55	< 30.00
		1	1	20.27	24.57	< 30.00
		1	76	19.95	24.25	< 30.00
		75	0	20.18	24.48	< 30.00
		1	77	19.28	23.58	< 30.00
		1	0	18.90	23.20	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
30	3500.01	36	78	19.98	24.28	< 30.00
		1	1	20.07	24.37	< 30.00
		1	76	20.07	24.37	< 30.00
		75	0	20.05	24.35	< 30.00
		1	77	19.07	23.37	< 30.00
		1	0	19.05	23.35	< 30.00
30	3534.99	36	78	20.12	24.42	< 30.00
		1	1	20.18	24.48	< 30.00
		1	76	19.91	24.21	< 30.00
		75	0	20.10	24.40	< 30.00
		1	77	19.13	23.43	< 30.00
		1	0	18.90	23.20	< 30.00
40	3470.01	50	25	20.04	24.34	< 30.00
		1	1	20.28	24.58	< 30.00
		1	104	19.83	24.13	< 30.00
		100	0	20.12	24.42	< 30.00
		1	105	19.35	23.65	< 30.00
		1	0	18.89	23.19	< 30.00
40	3500.01	50	25	20.01	24.31	< 30.00
		1	1	20.15	24.45	< 30.00
		1	104	20.11	24.41	< 30.00
		100	0	20.12	24.42	< 30.00
		1	105	19.24	23.54	< 30.00
		1	0	19.09	23.39	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
40	3529.98	50	25	20.06	24.36	< 30.00
		1	1	20.24	24.54	< 30.00
		1	104	19.92	24.22	< 30.00
		100	0	20.01	24.31	< 30.00
		1	105	19.25	23.55	< 30.00
		1	0	18.89	23.19	< 30.00
50	3475.02	64	32	19.83	24.13	< 30.00
		1	1	19.86	24.16	< 30.00
		1	131	19.49	23.79	< 30.00
		128	0	19.76	24.06	< 30.00
		1	132	18.92	23.22	< 30.00
		1	0	18.48	22.78	< 30.00
50	3500.01	64	32	19.84	24.14	< 30.00
		1	1	19.93	24.23	< 30.00
		1	131	19.78	24.08	< 30.00
		128	0	19.78	24.08	< 30.00
		1	132	18.91	23.21	< 30.00
		1	0	18.84	23.14	< 30.00
50	3525.00	64	32	19.92	24.22	< 30.00
		1	1	19.71	24.01	< 30.00
		1	131	19.63	23.93	< 30.00
		128	0	19.82	24.12	< 30.00
		1	132	18.73	23.03	< 30.00
		1	0	18.61	22.91	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
60	3480.00	81	40	19.80	24.10	< 30.00
		1	1	20.16	24.46	< 30.00
		1	160	19.66	23.96	< 30.00
		162	0	19.81	24.11	< 30.00
		1	161	19.12	23.42	< 30.00
		1	0	18.61	22.91	< 30.00
60	3500.01	81	40	19.80	24.10	< 30.00
		1	1	20.04	24.34	< 30.00
		1	160	19.76	24.06	< 30.00
		162	0	19.81	24.11	< 30.00
		1	161	19.06	23.36	< 30.00
		1	0	18.77	23.07	< 30.00
60	3519.99	81	40	19.90	24.20	< 30.00
		1	1	19.92	24.22	< 30.00
		1	160	19.77	24.07	< 30.00
		162	0	19.78	24.08	< 30.00
		1	161	18.91	23.21	< 30.00
		1	0	18.63	22.93	< 30.00
70	3485.01	90	45	19.66	23.96	< 30.00
		1	1	20.06	24.36	< 30.00
		1	187	19.46	23.76	< 30.00
		180	0	19.76	24.06	< 30.00
		1	188	19.02	23.32	< 30.00
		1	0	18.51	22.81	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
70	3500.01	90	45	19.74	24.04	< 30.00
		1	1	20.04	24.34	< 30.00
		1	187	19.63	23.93	< 30.00
		180	0	19.85	24.15	< 30.00
		1	188	19.01	23.31	< 30.00
		1	0	18.56	22.86	< 30.00
70	3514.98	90	45	19.87	24.17	< 30.00
		1	1	19.95	24.25	< 30.00
		1	187	19.56	23.86	< 30.00
		180	0	19.84	24.14	< 30.00
		1	188	18.84	23.14	< 30.00
		1	0	18.47	22.77	< 30.00
80	3490.02	108	54	19.74	24.04	< 30.00
		1	1	20.09	24.39	< 30.00
		1	215	19.58	23.88	< 30.00
		216	0	19.81	24.11	< 30.00
		1	216	19.00	23.30	< 30.00
		1	0	18.57	22.87	< 30.00
80	3500.01	108	54	19.73	24.03	< 30.00
		1	1	20.04	24.34	< 30.00
		1	215	19.45	23.75	< 30.00
		216	0	19.82	24.12	< 30.00
		1	216	19.09	23.39	< 30.00
		1	0	18.42	22.72	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
80	3510.00	108	54	19.81	24.11	< 30.00
		1	1	19.98	24.28	< 30.00
		1	215	19.45	23.75	< 30.00
		216	0	19.81	24.11	< 30.00
		1	216	19.04	23.34	< 30.00
		1	0	18.46	22.76	< 30.00
90	3495.00	120	60	19.71	24.01	< 30.00
		1	1	20.02	24.32	< 30.00
		1	243	19.49	23.79	< 30.00
		243	0	19.74	24.04	< 30.00
		1	244	19.07	23.37	< 30.00
		1	0	18.41	22.71	< 30.00
90	3500.01	120	60	19.73	24.03	< 30.00
		1	1	20.08	24.38	< 30.00
		1	243	19.47	23.77	< 30.00
		243	0	19.81	24.11	< 30.00
		1	244	19.10	23.40	< 30.00
		1	0	18.51	22.81	< 30.00
90	3504.99	120	60	19.73	24.03	< 30.00
		1	1	20.03	24.33	< 30.00
		1	243	19.39	23.69	< 30.00
		243	0	19.76	24.06	< 30.00
		1	244	19.04	23.34	< 30.00
		1	0	18.51	22.81	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
100	3500.01	135	67	19.75	24.05	< 30.00
		1	1	20.05	24.35	< 30.00
		1	271	19.54	23.84	< 30.00
		270	0	19.79	24.09	< 30.00
		1	272	19.13	23.43	< 30.00
		1	0	18.57	22.87	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
20	3460.02	25	12	18.08	22.38	< 30.00
		1	1	18.07	22.37	< 30.00
		1	49	18.01	22.31	< 30.00
		50	0	18.23	22.53	< 30.00
		1	50	18.14	22.44	< 30.00
		1	0	17.95	22.25	< 30.00
20	3500.01	25	12	17.89	22.19	< 30.00
		1	1	17.82	22.12	< 30.00
		1	49	17.89	22.19	< 30.00
		50	0	18.02	22.32	< 30.00
		1	50	17.91	22.21	< 30.00
		1	0	17.99	22.29	< 30.00
20	3540.00	25	12	17.93	22.23	< 30.00
		1	1	18.17	22.47	< 30.00
		1	49	17.95	22.25	< 30.00
		50	0	18.03	22.33	< 30.00
		1	50	18.16	22.46	< 30.00
		1	0	17.90	22.20	< 30.00
30	3465.00	36	78	18.22	22.52	< 30.00
		1	1	18.26	22.56	< 30.00
		1	76	17.95	22.25	< 30.00
		75	0	18.26	22.56	< 30.00
		1	77	18.26	22.56	< 30.00
		1	0	17.98	22.28	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
30	3500.01	36	78	18.06	22.36	< 30.00
		1	1	17.99	22.29	< 30.00
		1	76	18.08	22.38	< 30.00
		75	0	18.02	22.32	< 30.00
		1	77	17.98	22.28	< 30.00
		1	0	18.06	22.36	< 30.00
30	3534.99	36	78	18.10	22.40	< 30.00
		1	1	18.26	22.56	< 30.00
		1	76	17.94	22.24	< 30.00
		75	0	18.14	22.44	< 30.00
		1	77	18.22	22.52	< 30.00
		1	0	17.91	22.21	< 30.00
40	3470.01	50	25	18.08	22.38	< 30.00
		1	1	18.33	22.63	< 30.00
		1	104	17.84	22.14	< 30.00
		100	0	18.04	22.34	< 30.00
		1	105	18.29	22.59	< 30.00
		1	0	17.81	22.11	< 30.00
40	3500.01	50	25	18.09	22.39	< 30.00
		1	1	18.24	22.54	< 30.00
		1	104	18.24	22.54	< 30.00
		100	0	18.09	22.39	< 30.00
		1	105	18.21	22.51	< 30.00
		1	0	18.15	22.45	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
40	3529.98	50	25	18.10	22.40	< 30.00
		1	1	18.27	22.57	< 30.00
		1	104	17.89	22.19	< 30.00
		100	0	17.95	22.25	< 30.00
		1	105	18.24	22.54	< 30.00
		1	0	17.88	22.18	< 30.00
50	3475.02	64	32	17.75	22.05	< 30.00
		1	1	17.86	22.16	< 30.00
		1	131	17.41	21.71	< 30.00
		128	0	17.79	22.09	< 30.00
		1	132	17.97	22.27	< 30.00
		1	0	17.47	21.77	< 30.00
50	3500.01	64	32	17.77	22.07	< 30.00
		1	1	17.89	22.19	< 30.00
		1	131	17.87	22.17	< 30.00
		128	0	17.81	22.11	< 30.00
		1	132	17.92	22.22	< 30.00
		1	0	17.85	22.15	< 30.00
50	3525.00	64	32	17.88	22.18	< 30.00
		1	1	17.67	21.97	< 30.00
		1	131	17.62	21.92	< 30.00
		128	0	17.84	22.14	< 30.00
		1	132	17.77	22.07	< 30.00
		1	0	17.63	21.93	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
60	3480.00	81	40	17.77	22.07	< 30.00
		1	1	18.12	22.42	< 30.00
		1	160	17.64	21.94	< 30.00
		162	0	17.77	22.07	< 30.00
		1	161	18.09	22.39	< 30.00
		1	0	17.61	21.91	< 30.00
60	3500.01	81	40	17.77	22.07	< 30.00
		1	1	18.06	22.36	< 30.00
		1	160	17.80	22.10	< 30.00
		162	0	17.81	22.11	< 30.00
		1	161	18.06	22.36	< 30.00
		1	0	17.76	22.06	< 30.00
60	3519.99	81	40	17.85	22.15	< 30.00
		1	1	17.87	22.17	< 30.00
		1	160	17.66	21.96	< 30.00
		162	0	17.86	22.16	< 30.00
		1	161	17.86	22.16	< 30.00
		1	0	17.63	21.93	< 30.00
70	3485.01	90	45	17.72	22.02	< 30.00
		1	1	17.99	22.29	< 30.00
		1	187	17.55	21.85	< 30.00
		180	0	17.69	21.99	< 30.00
		1	188	18.03	22.33	< 30.00
		1	0	17.57	21.87	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
70	3500.01	90	45	17.79	22.09	< 30.00
		1	1	18.07	22.37	< 30.00
		1	187	17.53	21.83	< 30.00
		180	0	17.82	22.12	< 30.00
		1	188	18.09	22.39	< 30.00
		1	0	17.53	21.83	< 30.00
70	3514.98	90	45	17.87	22.17	< 30.00
		1	1	17.87	22.17	< 30.00
		1	187	17.47	21.77	< 30.00
		180	0	17.86	22.16	< 30.00
		1	188	17.86	22.16	< 30.00
		1	0	17.42	21.72	< 30.00
80	3490.02	108	54	17.75	22.05	< 30.00
		1	1	18.01	22.31	< 30.00
		1	215	17.55	21.85	< 30.00
		216	0	17.77	22.07	< 30.00
		1	216	18.00	22.30	< 30.00
		1	0	17.51	21.81	< 30.00
80	3500.01	108	54	17.80	22.10	< 30.00
		1	1	18.06	22.36	< 30.00
		1	215	17.43	21.73	< 30.00
		216	0	17.81	22.11	< 30.00
		1	216	18.07	22.37	< 30.00
		1	0	17.44	21.74	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
80	3510.00	108	54	17.79	22.09	< 30.00
		1	1	18.02	22.32	< 30.00
		1	215	17.40	21.70	< 30.00
		216	0	17.80	22.10	< 30.00
		1	216	18.00	22.30	< 30.00
		1	0	17.46	21.76	< 30.00
90	3495.00	120	60	17.69	21.99	< 30.00
		1	1	17.97	22.27	< 30.00
		1	243	17.41	21.71	< 30.00
		243	0	17.82	22.12	< 30.00
		1	244	17.98	22.28	< 30.00
		1	0	17.35	21.65	< 30.00
90	3500.01	120	60	17.81	22.11	< 30.00
		1	1	18.10	22.40	< 30.00
		1	243	17.55	21.85	< 30.00
		243	0	17.80	22.10	< 30.00
		1	244	18.08	22.38	< 30.00
		1	0	17.40	21.70	< 30.00
90	3504.99	120	60	17.75	22.05	< 30.00
		1	1	18.07	22.37	< 30.00
		1	243	17.49	21.79	< 30.00
		243	0	17.80	22.10	< 30.00
		1	244	18.05	22.35	< 30.00
		1	0	17.48	21.78	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
100	3500.01	135	67	17.79	22.09	< 30.00
		1	1	18.04	22.34	< 30.00
		1	271	17.52	21.82	< 30.00
		270	0	17.82	22.12	< 30.00
		1	272	18.20	22.50	< 30.00
		1	0	17.51	21.81	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WJ-SR11	Test Engineer	Lucas Wang
Test Date	2025-05-21	Test Band	n78_PC2_SA (3700-3800)

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
20	3710.01	25	12	23.35	29.45	< 30.00
		1	1	23.36	29.46	< 30.00
		1	49	23.40	29.50	< 30.00
		50	0	22.92	29.02	< 30.00
		1	50	19.83	25.93	< 30.00
		1	0	19.90	26.00	< 30.00
20	3750	25	12	23.49	29.59	< 30.00
		1	1	23.54	29.64	< 30.00
		1	49	23.50	29.60	< 30.00
		50	0	22.98	29.08	< 30.00
		1	50	19.99	26.09	< 30.00
		1	0	19.95	26.05	< 30.00
20	3789.99	25	12	23.48	29.58	< 30.00
		1	1	23.50	29.60	< 30.00
		1	49	23.52	29.62	< 30.00
		50	0	23.02	29.12	< 30.00
		1	50	20.05	26.15	< 30.00
		1	0	19.94	26.04	< 30.00
30	3715.02	36	78	23.47	29.57	< 30.00
		1	1	23.44	29.54	< 30.00
		1	76	23.46	29.56	< 30.00
		75	0	23.05	29.15	< 30.00
		1	77	19.96	26.06	< 30.00
		1	0	19.96	26.06	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
30	3750	36	78	23.40	29.50	< 30.00
		1	1	23.41	29.51	< 30.00
		1	76	23.52	29.62	< 30.00
		75	0	22.99	29.09	< 30.00
		1	77	19.97	26.07	< 30.00
		1	0	20.07	26.17	< 30.00
30	3784.98	36	78	23.47	29.57	< 30.00
		1	1	23.46	29.56	< 30.00
		1	76	23.43	29.53	< 30.00
		75	0	23.00	29.10	< 30.00
		1	77	19.99	26.09	< 30.00
		1	0	19.94	26.04	< 30.00
40	3720	50	25	23.55	29.65	< 30.00
		1	1	23.56	29.66	< 30.00
		1	104	23.57	29.67	< 30.00
		100	0	23.08	29.18	< 30.00
		1	105	20.08	26.18	< 30.00
		1	0	20.07	26.17	< 30.00
40	3750	50	25	23.47	29.57	< 30.00
		1	1	23.51	29.61	< 30.00
		1	104	23.61	29.71	< 30.00
		100	0	23.03	29.13	< 30.00
		1	105	20.08	26.18	< 30.00
		1	0	20.17	26.27	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
40	3780	50	25	23.49	29.59	< 30.00
		1	1	23.55	29.65	< 30.00
		1	104	23.58	29.68	< 30.00
		100	0	23.08	29.18	< 30.00
		1	105	20.04	26.14	< 30.00
		1	0	20.16	26.26	< 30.00
50	3725.01	64	32	23.36	29.46	< 30.00
		1	1	23.24	29.34	< 30.00
		1	131	23.22	29.32	< 30.00
		128	0	22.83	28.93	< 30.00
		1	132	19.76	25.86	< 30.00
		1	0	19.74	25.84	< 30.00
50	3750	64	32	23.34	29.44	< 30.00
		1	1	23.28	29.38	< 30.00
		1	131	23.28	29.38	< 30.00
		128	0	22.85	28.95	< 30.00
		1	132	19.85	25.95	< 30.00
		1	0	19.88	25.98	< 30.00
50	3774.99	64	32	23.28	29.38	< 30.00
		1	1	23.18	29.28	< 30.00
		1	131	23.26	29.36	< 30.00
		128	0	22.78	28.88	< 30.00
		1	132	19.71	25.81	< 30.00
		1	0	19.82	25.92	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
60	3730.02	81	40	23.30	29.40	< 30.00
		1	1	23.10	29.20	< 30.00
		1	160	23.30	29.40	< 30.00
		162	0	22.83	28.93	< 30.00
		1	161	19.61	25.71	< 30.00
		1	0	19.81	25.91	< 30.00
60	3750	81	40	23.40	29.50	< 30.00
		1	1	23.21	29.31	< 30.00
		1	160	23.39	29.49	< 30.00
		162	0	22.91	29.01	< 30.00
		1	161	19.69	25.79	< 30.00
		1	0	19.94	26.04	< 30.00
60	3769.98	81	40	23.34	29.44	< 30.00
		1	1	23.10	29.20	< 30.00
		1	160	23.37	29.47	< 30.00
		162	0	22.82	28.92	< 30.00
		1	161	19.63	25.73	< 30.00
		1	0	19.90	26.00	< 30.00
70	3735	90	45	23.19	29.29	< 30.00
		1	1	23.05	29.15	< 30.00
		1	187	23.15	29.25	< 30.00
		180	0	22.69	28.79	< 30.00
		1	188	19.54	25.64	< 30.00
		1	0	19.61	25.71	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
70	3750	90	45	23.28	29.38	< 30.00
		1	1	23.10	29.20	< 30.00
		1	187	23.17	29.27	< 30.00
		180	0	22.77	28.87	< 30.00
		1	188	19.61	25.71	< 30.00
		1	0	19.75	25.85	< 30.00
70	3765	90	45	23.26	29.36	< 30.00
		1	1	23.19	29.29	< 30.00
		1	187	23.21	29.31	< 30.00
		180	0	22.72	28.82	< 30.00
		1	188	19.64	25.74	< 30.00
		1	0	19.75	25.85	< 30.00
80	3740.01	108	54	23.21	29.31	< 30.00
		1	1	23.02	29.12	< 30.00
		1	215	23.20	29.30	< 30.00
		216	0	22.72	28.82	< 30.00
		1	216	19.52	25.62	< 30.00
		1	0	19.69	25.79	< 30.00
80	3750	108	54	23.25	29.35	< 30.00
		1	1	23.04	29.14	< 30.00
		1	215	23.24	29.34	< 30.00
		216	0	22.74	28.84	< 30.00
		1	216	19.59	25.69	< 30.00
		1	0	19.70	25.80	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
80	3759.99	108	54	23.20	29.30	< 30.00
		1	1	23.07	29.17	< 30.00
		1	215	23.27	29.37	< 30.00
		216	0	22.66	28.76	< 30.00
		1	216	19.60	25.70	< 30.00
		1	0	19.77	25.87	< 30.00
90	3745.02	120	60	23.24	29.34	< 30.00
		1	1	23.02	29.12	< 30.00
		1	243	23.29	29.39	< 30.00
		243	0	22.80	28.90	< 30.00
		1	244	19.55	25.65	< 30.00
		1	0	19.81	25.91	< 30.00
90	3750	120	60	23.25	29.35	< 30.00
		1	1	22.97	29.07	< 30.00
		1	243	23.24	29.34	< 30.00
		243	0	22.70	28.80	< 30.00
		1	244	19.56	25.66	< 30.00
		1	0	19.80	25.90	< 30.00
90	3754.98	120	60	23.21	29.31	< 30.00
		1	1	23.04	29.14	< 30.00
		1	243	23.29	29.39	< 30.00
		243	0	22.60	28.70	< 30.00
		1	244	19.52	25.62	< 30.00
		1	0	19.75	25.85	< 30.00
100	3750	135	67	23.26	29.36	< 30.00
		1	1	22.93	29.03	< 30.00
		1	271	23.33	29.43	< 30.00
		270	0	22.74	28.84	< 30.00
		1	272	19.46	25.56	< 30.00
		1	0	19.82	25.92	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
20	3710.01	25	12	23.33	29.43	< 30.00
		1	1	23.40	29.50	< 30.00
		1	49	23.34	29.44	< 30.00
		50	0	22.44	28.54	< 30.00
		1	50	19.87	25.97	< 30.00
		1	0	19.80	25.90	< 30.00
20	3750	25	12	23.45	29.55	< 30.00
		1	1	23.44	29.54	< 30.00
		1	49	23.43	29.53	< 30.00
		50	0	22.46	28.56	< 30.00
		1	50	19.98	26.08	< 30.00
		1	0	19.93	26.03	< 30.00
20	3789.99	25	12	23.44	29.54	< 30.00
		1	1	23.54	29.64	< 30.00
		1	49	23.46	29.56	< 30.00
		50	0	22.47	28.57	< 30.00
		1	50	20.00	26.10	< 30.00
		1	0	19.96	26.06	< 30.00
30	3715.02	36	78	23.45	29.55	< 30.00
		1	1	23.40	29.50	< 30.00
		1	76	23.48	29.58	< 30.00
		75	0	22.57	28.67	< 30.00
		1	77	19.91	26.01	< 30.00
		1	0	19.93	26.03	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
30	3750	36	78	23.45	29.55	< 30.00
		1	1	23.42	29.52	< 30.00
		1	76	23.50	29.60	< 30.00
		75	0	22.48	28.58	< 30.00
		1	77	19.93	26.03	< 30.00
		1	0	20.01	26.11	< 30.00
30	3784.98	36	78	23.48	29.58	< 30.00
		1	1	23.47	29.57	< 30.00
		1	76	23.43	29.53	< 30.00
		75	0	22.46	28.56	< 30.00
		1	77	19.98	26.08	< 30.00
		1	0	19.98	26.08	< 30.00
40	3720	50	25	23.49	29.59	< 30.00
		1	1	23.57	29.67	< 30.00
		1	104	23.57	29.67	< 30.00
		100	0	22.55	28.65	< 30.00
		1	105	20.04	26.14	< 30.00
		1	0	20.02	26.12	< 30.00
40	3750	50	25	23.43	29.53	< 30.00
		1	1	23.57	29.67	< 30.00
		1	104	23.68	29.78	< 30.00
		100	0	22.56	28.66	< 30.00
		1	105	20.01	26.11	< 30.00
		1	0	20.10	26.20	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
40	3780	50	25	23.47	29.57	< 30.00
		1	1	23.55	29.65	< 30.00
		1	104	23.64	29.74	< 30.00
		100	0	22.54	28.64	< 30.00
		1	105	20.08	26.18	< 30.00
		1	0	20.11	26.21	< 30.00
50	3725.01	64	32	23.37	29.47	< 30.00
		1	1	23.23	29.33	< 30.00
		1	131	23.33	29.43	< 30.00
		128	0	22.35	28.45	< 30.00
		1	132	19.71	25.81	< 30.00
		1	0	19.69	25.79	< 30.00
50	3750	64	32	23.42	29.52	< 30.00
		1	1	23.30	29.40	< 30.00
		1	131	23.34	29.44	< 30.00
		128	0	22.41	28.51	< 30.00
		1	132	19.79	25.89	< 30.00
		1	0	19.86	25.96	< 30.00
50	3774.99	64	32	23.25	29.35	< 30.00
		1	1	23.18	29.28	< 30.00
		1	131	23.21	29.31	< 30.00
		128	0	22.28	28.38	< 30.00
		1	132	19.68	25.78	< 30.00
		1	0	19.74	25.84	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
60	3730.02	81	40	23.36	29.46	< 30.00
		1	1	23.15	29.25	< 30.00
		1	160	23.28	29.38	< 30.00
		162	0	22.34	28.44	< 30.00
		1	161	19.59	25.69	< 30.00
		1	0	19.82	25.92	< 30.00
60	3750	81	40	23.38	29.48	< 30.00
		1	1	23.21	29.31	< 30.00
		1	160	23.39	29.49	< 30.00
		162	0	22.36	28.46	< 30.00
		1	161	19.72	25.82	< 30.00
		1	0	19.89	25.99	< 30.00
60	3769.98	81	40	23.33	29.43	< 30.00
		1	1	23.07	29.17	< 30.00
		1	160	23.38	29.48	< 30.00
		162	0	22.33	28.43	< 30.00
		1	161	19.59	25.69	< 30.00
		1	0	19.83	25.93	< 30.00
70	3735	90	45	23.28	29.38	< 30.00
		1	1	23.10	29.20	< 30.00
		1	187	23.09	29.19	< 30.00
		180	0	22.29	28.39	< 30.00
		1	188	19.54	25.64	< 30.00
		1	0	19.64	25.74	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
70	3750	90	45	23.35	29.45	< 30.00
		1	1	23.10	29.20	< 30.00
		1	187	23.18	29.28	< 30.00
		180	0	22.27	28.37	< 30.00
		1	188	19.67	25.77	< 30.00
		1	0	19.67	25.77	< 30.00
70	3765	90	45	23.26	29.36	< 30.00
		1	1	23.20	29.30	< 30.00
		1	187	23.21	29.31	< 30.00
		180	0	22.23	28.33	< 30.00
		1	188	19.68	25.78	< 30.00
		1	0	19.71	25.81	< 30.00
80	3740.01	108	54	23.21	29.31	< 30.00
		1	1	22.97	29.07	< 30.00
		1	215	23.17	29.27	< 30.00
		216	0	22.18	28.28	< 30.00
		1	216	19.53	25.63	< 30.00
		1	0	19.71	25.81	< 30.00
80	3750	108	54	23.27	29.37	< 30.00
		1	1	23.09	29.19	< 30.00
		1	215	23.17	29.27	< 30.00
		216	0	22.22	28.32	< 30.00
		1	216	19.58	25.68	< 30.00
		1	0	19.69	25.79	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
80	3759.99	108	54	23.20	29.30	< 30.00
		1	1	23.05	29.15	< 30.00
		1	215	23.19	29.29	< 30.00
		216	0	22.17	28.27	< 30.00
		1	216	19.59	25.69	< 30.00
		1	0	19.75	25.85	< 30.00
90	3745.02	120	60	23.21	29.31	< 30.00
		1	1	22.96	29.06	< 30.00
		1	243	23.29	29.39	< 30.00
		243	0	22.22	28.32	< 30.00
		1	244	19.51	25.61	< 30.00
		1	0	19.77	25.87	< 30.00
90	3750	120	60	23.27	29.37	< 30.00
		1	1	22.98	29.08	< 30.00
		1	243	23.24	29.34	< 30.00
		243	0	22.21	28.31	< 30.00
		1	244	19.54	25.64	< 30.00
		1	0	19.75	25.85	< 30.00
90	3754.98	120	60	23.10	29.20	< 30.00
		1	1	23.07	29.17	< 30.00
		1	243	23.18	29.28	< 30.00
		243	0	22.11	28.21	< 30.00
		1	244	19.52	25.62	< 30.00
		1	0	19.68	25.78	< 30.00
100	3750	135	67	23.23	29.33	< 30.00
		1	1	22.94	29.04	< 30.00
		1	271	23.34	29.44	< 30.00
		270	0	22.24	28.34	< 30.00
		1	272	19.48	25.58	< 30.00
		1	0	19.81	25.91	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
20	3710.01	25	12	22.53	28.63	< 30.00
		1	1	22.47	28.57	< 30.00
		1	49	22.56	28.66	< 30.00
		50	0	21.52	27.62	< 30.00
		1	50	20.00	26.10	< 30.00
		1	0	20.00	26.10	< 30.00
20	3750	25	12	22.56	28.66	< 30.00
		1	1	22.61	28.71	< 30.00
		1	49	22.64	28.74	< 30.00
		50	0	21.54	27.64	< 30.00
		1	50	20.20	26.30	< 30.00
		1	0	20.14	26.24	< 30.00
20	3789.99	25	12	22.60	28.70	< 30.00
		1	1	22.63	28.73	< 30.00
		1	49	22.61	28.71	< 30.00
		50	0	21.58	27.68	< 30.00
		1	50	20.19	26.29	< 30.00
		1	0	20.07	26.17	< 30.00
30	3715.02	36	78	22.56	28.66	< 30.00
		1	1	22.63	28.73	< 30.00
		1	76	22.59	28.69	< 30.00
		75	0	21.50	27.60	< 30.00
		1	77	20.18	26.28	< 30.00
		1	0	20.10	26.20	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
30	3750	36	78	22.54	28.64	< 30.00
		1	1	22.54	28.64	< 30.00
		1	76	22.67	28.77	< 30.00
		75	0	21.61	27.71	< 30.00
		1	77	20.08	26.18	< 30.00
		1	0	20.14	26.24	< 30.00
30	3784.98	36	78	22.47	28.57	< 30.00
		1	1	22.56	28.66	< 30.00
		1	76	22.58	28.68	< 30.00
		75	0	21.60	27.70	< 30.00
		1	77	20.03	26.13	< 30.00
		1	0	20.03	26.13	< 30.00
40	3720	50	25	22.52	28.62	< 30.00
		1	1	22.63	28.73	< 30.00
		1	104	22.62	28.72	< 30.00
		100	0	21.50	27.60	< 30.00
		1	105	20.10	26.20	< 30.00
		1	0	20.07	26.17	< 30.00
40	3750	50	25	22.51	28.61	< 30.00
		1	1	22.65	28.75	< 30.00
		1	104	22.73	28.83	< 30.00
		100	0	21.61	27.71	< 30.00
		1	105	20.19	26.29	< 30.00
		1	0	20.26	26.36	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
40	3780	50	25	22.51	28.61	< 30.00
		1	1	22.64	28.74	< 30.00
		1	104	22.78	28.88	< 30.00
		100	0	21.61	27.71	< 30.00
		1	105	20.31	26.41	< 30.00
		1	0	20.34	26.44	< 30.00
50	3725.01	64	32	22.42	28.52	< 30.00
		1	1	22.36	28.46	< 30.00
		1	131	22.28	28.38	< 30.00
		128	0	21.45	27.55	< 30.00
		1	132	19.84	25.94	< 30.00
		1	0	19.76	25.86	< 30.00
50	3750	64	32	22.38	28.48	< 30.00
		1	1	22.39	28.49	< 30.00
		1	131	22.29	28.39	< 30.00
		128	0	21.36	27.46	< 30.00
		1	132	20.00	26.10	< 30.00
		1	0	19.93	26.03	< 30.00
50	3774.99	64	32	22.33	28.43	< 30.00
		1	1	22.30	28.40	< 30.00
		1	131	22.44	28.54	< 30.00
		128	0	21.38	27.48	< 30.00
		1	132	19.76	25.86	< 30.00
		1	0	19.77	25.87	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
60	3730.02	81	40	22.40	28.50	< 30.00
		1	1	22.22	28.32	< 30.00
		1	160	22.33	28.43	< 30.00
		162	0	21.42	27.52	< 30.00
		1	161	19.71	25.81	< 30.00
		1	0	19.93	26.03	< 30.00
60	3750	81	40	22.43	28.53	< 30.00
		1	1	22.29	28.39	< 30.00
		1	160	22.45	28.55	< 30.00
		162	0	21.46	27.56	< 30.00
		1	161	19.75	25.85	< 30.00
		1	0	19.94	26.04	< 30.00
60	3769.98	81	40	22.38	28.48	< 30.00
		1	1	22.24	28.34	< 30.00
		1	160	22.48	28.58	< 30.00
		162	0	21.38	27.48	< 30.00
		1	161	19.80	25.90	< 30.00
		1	0	20.03	26.13	< 30.00
70	3735	90	45	22.27	28.37	< 30.00
		1	1	22.23	28.33	< 30.00
		1	187	22.31	28.41	< 30.00
		180	0	21.27	27.37	< 30.00
		1	188	19.66	25.76	< 30.00
		1	0	19.78	25.88	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
70	3750	90	45	22.24	28.34	< 30.00
		1	1	22.17	28.27	< 30.00
		1	187	22.20	28.30	< 30.00
		180	0	21.36	27.46	< 30.00
		1	188	19.58	25.68	< 30.00
		1	0	19.71	25.81	< 30.00
70	3765	90	45	22.32	28.42	< 30.00
		1	1	22.29	28.39	< 30.00
		1	187	22.34	28.44	< 30.00
		180	0	21.29	27.39	< 30.00
		1	188	19.77	25.87	< 30.00
		1	0	19.81	25.91	< 30.00
80	3740.01	108	54	22.29	28.39	< 30.00
		1	1	22.17	28.27	< 30.00
		1	215	22.35	28.45	< 30.00
		216	0	21.31	27.41	< 30.00
		1	216	19.58	25.68	< 30.00
		1	0	19.92	26.02	< 30.00
80	3750	108	54	22.36	28.46	< 30.00
		1	1	22.22	28.32	< 30.00
		1	215	22.36	28.46	< 30.00
		216	0	21.29	27.39	< 30.00
		1	216	19.66	25.76	< 30.00
		1	0	19.76	25.86	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
80	3759.99	108	54	22.34	28.44	< 30.00
		1	1	22.25	28.35	< 30.00
		1	215	22.45	28.55	< 30.00
		216	0	21.22	27.32	< 30.00
		1	216	19.72	25.82	< 30.00
		1	0	19.88	25.98	< 30.00
90	3745.02	120	60	22.33	28.43	< 30.00
		1	1	22.18	28.28	< 30.00
		1	243	22.51	28.61	< 30.00
		243	0	21.32	27.42	< 30.00
		1	244	19.65	25.75	< 30.00
		1	0	19.93	26.03	< 30.00
90	3750	120	60	22.27	28.37	< 30.00
		1	1	22.08	28.18	< 30.00
		1	243	22.35	28.45	< 30.00
		243	0	21.33	27.43	< 30.00
		1	244	19.50	25.60	< 30.00
		1	0	19.87	25.97	< 30.00
90	3754.98	120	60	22.23	28.33	< 30.00
		1	1	22.16	28.26	< 30.00
		1	243	22.38	28.48	< 30.00
		243	0	21.25	27.35	< 30.00
		1	244	19.58	25.68	< 30.00
		1	0	19.83	25.93	< 30.00
100	3750	135	67	22.35	28.45	< 30.00
		1	1	22.05	28.15	< 30.00
		1	271	22.54	28.64	< 30.00
		270	0	21.31	27.41	< 30.00
		1	272	19.66	25.76	< 30.00
		1	0	19.99	26.09	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
20	3710.01	25	12	20.96	27.06	< 30.00
		1	1	20.96	27.06	< 30.00
		1	49	20.98	27.08	< 30.00
		50	0	20.97	27.07	< 30.00
		1	50	19.98	26.08	< 30.00
		1	0	20.01	26.11	< 30.00
20	3750	25	12	21.07	27.17	< 30.00
		1	1	21.12	27.22	< 30.00
		1	49	21.17	27.27	< 30.00
		50	0	21.06	27.16	< 30.00
		1	50	20.16	26.26	< 30.00
		1	0	20.14	26.24	< 30.00
20	3789.99	25	12	21.08	27.18	< 30.00
		1	1	21.10	27.20	< 30.00
		1	49	20.99	27.09	< 30.00
		50	0	21.10	27.20	< 30.00
		1	50	20.13	26.23	< 30.00
		1	0	20.00	26.10	< 30.00
30	3715.02	36	78	20.98	27.08	< 30.00
		1	1	21.10	27.20	< 30.00
		1	76	21.11	27.21	< 30.00
		75	0	21.00	27.10	< 30.00
		1	77	20.04	26.14	< 30.00
		1	0	20.05	26.15	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
30	3750	36	78	21.06	27.16	< 30.00
		1	1	21.01	27.11	< 30.00
		1	76	21.10	27.20	< 30.00
		75	0	21.10	27.20	< 30.00
		1	77	20.09	26.19	< 30.00
		1	0	20.17	26.27	< 30.00
30	3784.98	36	78	20.99	27.09	< 30.00
		1	1	21.03	27.13	< 30.00
		1	76	21.08	27.18	< 30.00
		75	0	21.02	27.12	< 30.00
		1	77	20.08	26.18	< 30.00
		1	0	20.10	26.20	< 30.00
40	3720	50	25	21.01	27.11	< 30.00
		1	1	21.09	27.19	< 30.00
		1	104	21.10	27.20	< 30.00
		100	0	21.07	27.17	< 30.00
		1	105	20.11	26.21	< 30.00
		1	0	20.09	26.19	< 30.00
40	3750	50	25	21.01	27.11	< 30.00
		1	1	21.05	27.15	< 30.00
		1	104	21.22	27.32	< 30.00
		100	0	21.11	27.21	< 30.00
		1	105	20.10	26.20	< 30.00
		1	0	20.25	26.35	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
40	3780	50	25	21.07	27.17	< 30.00
		1	1	21.21	27.31	< 30.00
		1	104	21.33	27.43	< 30.00
		100	0	21.17	27.27	< 30.00
		1	105	20.20	26.30	< 30.00
		1	0	20.30	26.40	< 30.00
50	3725.01	64	32	20.98	27.08	< 30.00
		1	1	20.79	26.89	< 30.00
		1	131	20.76	26.86	< 30.00
		128	0	20.87	26.97	< 30.00
		1	132	19.79	25.89	< 30.00
		1	0	19.80	25.90	< 30.00
50	3750	64	32	20.93	27.03	< 30.00
		1	1	20.88	26.98	< 30.00
		1	131	20.84	26.94	< 30.00
		128	0	20.87	26.97	< 30.00
		1	132	19.85	25.95	< 30.00
		1	0	19.88	25.98	< 30.00
50	3774.99	64	32	20.93	27.03	< 30.00
		1	1	20.75	26.85	< 30.00
		1	131	20.82	26.92	< 30.00
		128	0	20.81	26.91	< 30.00
		1	132	19.77	25.87	< 30.00
		1	0	19.77	25.87	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
60	3730.02	81	40	20.92	27.02	< 30.00
		1	1	20.62	26.72	< 30.00
		1	160	20.79	26.89	< 30.00
		162	0	20.88	26.98	< 30.00
		1	161	19.59	25.69	< 30.00
		1	0	19.81	25.91	< 30.00
60	3750	81	40	20.89	26.99	< 30.00
		1	1	20.79	26.89	< 30.00
		1	160	20.98	27.08	< 30.00
		162	0	20.89	26.99	< 30.00
		1	161	19.76	25.86	< 30.00
		1	0	19.98	26.08	< 30.00
60	3769.98	81	40	20.92	27.02	< 30.00
		1	1	20.80	26.90	< 30.00
		1	160	21.03	27.13	< 30.00
		162	0	20.86	26.96	< 30.00
		1	161	19.74	25.84	< 30.00
		1	0	20.00	26.10	< 30.00
70	3735	90	45	20.81	26.91	< 30.00
		1	1	20.63	26.73	< 30.00
		1	187	20.69	26.79	< 30.00
		180	0	20.80	26.90	< 30.00
		1	188	19.70	25.80	< 30.00
		1	0	19.70	25.80	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
70	3750	90	45	20.80	26.90	< 30.00
		1	1	20.67	26.77	< 30.00
		1	187	20.75	26.85	< 30.00
		180	0	20.81	26.91	< 30.00
		1	188	19.60	25.70	< 30.00
		1	0	19.74	25.84	< 30.00
70	3765	90	45	20.81	26.91	< 30.00
		1	1	20.72	26.82	< 30.00
		1	187	20.72	26.82	< 30.00
		180	0	20.83	26.93	< 30.00
		1	188	19.75	25.85	< 30.00
		1	0	19.75	25.85	< 30.00
80	3740.01	108	54	20.78	26.88	< 30.00
		1	1	20.60	26.70	< 30.00
		1	215	20.83	26.93	< 30.00
		216	0	20.78	26.88	< 30.00
		1	216	19.60	25.70	< 30.00
		1	0	19.78	25.88	< 30.00
80	3750	108	54	20.86	26.96	< 30.00
		1	1	20.63	26.73	< 30.00
		1	215	20.77	26.87	< 30.00
		216	0	20.81	26.91	< 30.00
		1	216	19.62	25.72	< 30.00
		1	0	19.75	25.85	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
80	3759.99	108	54	20.76	26.86	< 30.00
		1	1	20.72	26.82	< 30.00
		1	215	20.85	26.95	< 30.00
		216	0	20.77	26.87	< 30.00
		1	216	19.63	25.73	< 30.00
		1	0	19.85	25.95	< 30.00
90	3745.02	120	60	20.84	26.94	< 30.00
		1	1	20.66	26.76	< 30.00
		1	243	20.87	26.97	< 30.00
		243	0	20.83	26.93	< 30.00
		1	244	19.57	25.67	< 30.00
		1	0	19.88	25.98	< 30.00
90	3750	120	60	20.84	26.94	< 30.00
		1	1	20.59	26.69	< 30.00
		1	243	20.81	26.91	< 30.00
		243	0	20.78	26.88	< 30.00
		1	244	19.53	25.63	< 30.00
		1	0	19.94	26.04	< 30.00
90	3754.98	120	60	20.71	26.81	< 30.00
		1	1	20.65	26.75	< 30.00
		1	243	20.79	26.89	< 30.00
		243	0	20.70	26.80	< 30.00
		1	244	19.64	25.74	< 30.00
		1	0	19.87	25.97	< 30.00
100	3750	135	67	20.86	26.96	< 30.00
		1	1	20.59	26.69	< 30.00
		1	271	20.96	27.06	< 30.00
		270	0	20.84	26.94	< 30.00
		1	272	19.61	25.71	< 30.00
		1	0	19.96	26.06	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
20	3710.01	25	12	18.90	25.00	< 30.00
		1	1	18.95	25.05	< 30.00
		1	49	18.96	25.06	< 30.00
		50	0	18.99	25.09	< 30.00
		1	50	18.94	25.04	< 30.00
		1	0	18.96	25.06	< 30.00
20	3750	25	12	19.00	25.10	< 30.00
		1	1	19.10	25.20	< 30.00
		1	49	19.10	25.20	< 30.00
		50	0	19.09	25.19	< 30.00
		1	50	19.03	25.13	< 30.00
		1	0	19.05	25.15	< 30.00
20	3789.99	25	12	19.01	25.11	< 30.00
		1	1	19.12	25.22	< 30.00
		1	49	19.04	25.14	< 30.00
		50	0	19.12	25.22	< 30.00
		1	50	19.14	25.24	< 30.00
		1	0	19.06	25.16	< 30.00
30	3715.02	36	78	18.94	25.04	< 30.00
		1	1	19.04	25.14	< 30.00
		1	76	18.97	25.07	< 30.00
		75	0	18.97	25.07	< 30.00
		1	77	18.99	25.09	< 30.00
		1	0	18.99	25.09	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
30	3750	36	78	18.99	25.09	< 30.00
		1	1	18.96	25.06	< 30.00
		1	76	19.06	25.16	< 30.00
		75	0	18.98	25.08	< 30.00
		1	77	19.00	25.10	< 30.00
		1	0	19.04	25.14	< 30.00
30	3784.98	36	78	18.98	25.08	< 30.00
		1	1	19.04	25.14	< 30.00
		1	76	19.03	25.13	< 30.00
		75	0	18.98	25.08	< 30.00
		1	77	18.95	25.05	< 30.00
		1	0	19.05	25.15	< 30.00
40	3720	50	25	19.01	25.11	< 30.00
		1	1	19.11	25.21	< 30.00
		1	104	19.11	25.21	< 30.00
		100	0	18.99	25.09	< 30.00
		1	105	19.16	25.26	< 30.00
		1	0	19.08	25.18	< 30.00
40	3750	50	25	19.07	25.17	< 30.00
		1	1	19.13	25.23	< 30.00
		1	104	19.24	25.34	< 30.00
		100	0	19.06	25.16	< 30.00
		1	105	19.17	25.27	< 30.00
		1	0	19.21	25.31	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
40	3780	50	25	19.11	25.21	< 30.00
		1	1	19.18	25.28	< 30.00
		1	104	19.22	25.32	< 30.00
		100	0	19.07	25.17	< 30.00
		1	105	19.16	25.26	< 30.00
		1	0	19.18	25.28	< 30.00
50	3725.01	64	32	18.93	25.03	< 30.00
		1	1	18.76	24.86	< 30.00
		1	131	18.77	24.87	< 30.00
		128	0	18.88	24.98	< 30.00
		1	132	18.77	24.87	< 30.00
		1	0	18.73	24.83	< 30.00
50	3750	64	32	18.88	24.98	< 30.00
		1	1	18.83	24.93	< 30.00
		1	131	18.82	24.92	< 30.00
		128	0	18.93	25.03	< 30.00
		1	132	18.83	24.93	< 30.00
		1	0	18.84	24.94	< 30.00
50	3774.99	64	32	18.89	24.99	< 30.00
		1	1	18.70	24.80	< 30.00
		1	131	18.72	24.82	< 30.00
		128	0	18.81	24.91	< 30.00
		1	132	18.72	24.82	< 30.00
		1	0	18.80	24.90	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
60	3730.02	81	40	18.88	24.98	< 30.00
		1	1	18.60	24.70	< 30.00
		1	160	18.85	24.95	< 30.00
		162	0	18.90	25.00	< 30.00
		1	161	18.59	24.69	< 30.00
		1	0	18.83	24.93	< 30.00
60	3750	81	40	18.97	25.07	< 30.00
		1	1	18.71	24.81	< 30.00
		1	160	18.91	25.01	< 30.00
		162	0	18.90	25.00	< 30.00
		1	161	18.67	24.77	< 30.00
		1	0	18.91	25.01	< 30.00
60	3769.98	81	40	18.91	25.01	< 30.00
		1	1	18.64	24.74	< 30.00
		1	160	18.89	24.99	< 30.00
		162	0	18.93	25.03	< 30.00
		1	161	18.63	24.73	< 30.00
		1	0	18.86	24.96	< 30.00
70	3735	90	45	18.84	24.94	< 30.00
		1	1	18.58	24.68	< 30.00
		1	187	18.68	24.78	< 30.00
		180	0	18.79	24.89	< 30.00
		1	188	18.58	24.68	< 30.00
		1	0	18.74	24.84	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
70	3750	90	45	18.79	24.89	< 30.00
		1	1	18.66	24.76	< 30.00
		1	187	18.72	24.82	< 30.00
		180	0	18.75	24.85	< 30.00
		1	188	18.67	24.77	< 30.00
		1	0	18.73	24.83	< 30.00
70	3765	90	45	18.81	24.91	< 30.00
		1	1	18.70	24.80	< 30.00
		1	187	18.69	24.79	< 30.00
		180	0	18.80	24.90	< 30.00
		1	188	18.70	24.80	< 30.00
		1	0	18.70	24.80	< 30.00
80	3740.01	108	54	18.79	24.89	< 30.00
		1	1	18.52	24.62	< 30.00
		1	215	18.81	24.91	< 30.00
		216	0	18.80	24.90	< 30.00
		1	216	18.53	24.63	< 30.00
		1	0	18.73	24.83	< 30.00
80	3750	108	54	18.85	24.95	< 30.00
		1	1	18.66	24.76	< 30.00
		1	215	18.77	24.87	< 30.00
		216	0	18.77	24.87	< 30.00
		1	216	18.61	24.71	< 30.00
		1	0	18.79	24.89	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
80	3759.99	108	54	18.76	24.86	< 30.00
		1	1	18.72	24.82	< 30.00
		1	215	18.93	25.03	< 30.00
		216	0	18.73	24.83	< 30.00
		1	216	18.81	24.91	< 30.00
		1	0	18.74	24.84	< 30.00
90	3745.02	120	60	18.82	24.92	< 30.00
		1	1	18.55	24.65	< 30.00
		1	243	18.87	24.97	< 30.00
		243	0	18.81	24.91	< 30.00
		1	244	18.56	24.66	< 30.00
		1	0	18.85	24.95	< 30.00
90	3750	120	60	18.83	24.93	< 30.00
		1	1	18.53	24.63	< 30.00
		1	243	18.82	24.92	< 30.00
		243	0	18.81	24.91	< 30.00
		1	244	18.58	24.68	< 30.00
		1	0	18.85	24.95	< 30.00
90	3754.98	120	60	18.70	24.80	< 30.00
		1	1	18.63	24.73	< 30.00
		1	243	18.85	24.95	< 30.00
		243	0	18.70	24.80	< 30.00
		1	244	18.65	24.75	< 30.00
		1	0	18.87	24.97	< 30.00
100	3750	135	67	18.85	24.95	< 30.00
		1	1	18.59	24.69	< 30.00
		1	271	18.92	25.02	< 30.00
		270	0	18.78	24.88	< 30.00
		1	272	18.49	24.59	< 30.00
		1	0	18.91	25.01	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WJ-SR11	Test Engineer	Lucas Wang
Test Date	2025-06-04	Test Band	n77_PC2_SA (3450 ~ 3550)

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
20	3460.02	25	12	21.67	25.97	< 30.00
		1	1	21.92	26.22	< 30.00
		1	49	21.57	25.87	< 30.00
		50	0	21.20	25.50	< 30.00
		1	50	21.39	25.69	< 30.00
		1	0	21.08	25.38	< 30.00
20	3500.01	25	12	21.54	25.84	< 30.00
		1	1	21.70	26.00	< 30.00
		1	49	21.63	25.93	< 30.00
		50	0	21.03	25.33	< 30.00
		1	50	21.14	25.44	< 30.00
		1	0	21.16	25.46	< 30.00
20	3540.00	25	12	21.56	25.86	< 30.00
		1	1	21.88	26.18	< 30.00
		1	49	21.63	25.93	< 30.00
		50	0	21.16	25.46	< 30.00
		1	50	21.32	25.62	< 30.00
		1	0	21.10	25.40	< 30.00
30	3465.00	36	78	21.76	26.06	< 30.00
		1	1	22.01	26.31	< 30.00
		1	76	21.51	25.81	< 30.00
		75	0	21.27	25.57	< 30.00
		1	77	21.52	25.82	< 30.00
		1	0	21.04	25.34	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
30	3500.01	36	78	21.77	26.07	< 30.00
		1	1	21.72	26.02	< 30.00
		1	76	21.84	26.14	< 30.00
		75	0	21.30	25.60	< 30.00
		1	77	21.27	25.57	< 30.00
		1	0	21.30	25.60	< 30.00
30	3534.99	36	78	21.70	26.00	< 30.00
		1	1	21.94	26.24	< 30.00
		1	76	21.74	26.04	< 30.00
		75	0	21.32	25.62	< 30.00
		1	77	21.46	25.76	< 30.00
		1	0	21.14	25.44	< 30.00
40	3470.01	50	25	21.76	26.06	< 30.00
		1	1	21.99	26.29	< 30.00
		1	104	21.50	25.80	< 30.00
		100	0	21.23	25.53	< 30.00
		1	105	21.58	25.88	< 30.00
		1	0	21.05	25.35	< 30.00
40	3500.01	50	25	21.74	26.04	< 30.00
		1	1	21.83	26.13	< 30.00
		1	104	21.88	26.18	< 30.00
		100	0	21.31	25.61	< 30.00
		1	105	21.39	25.69	< 30.00
		1	0	21.41	25.71	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
40	3529.98	50	25	21.71	26.01	< 30.00
		1	1	21.91	26.21	< 30.00
		1	104	21.64	25.94	< 30.00
		100	0	21.26	25.56	< 30.00
		1	105	21.47	25.77	< 30.00
		1	0	21.17	25.47	< 30.00
60	3480.00	81	40	21.62	25.92	< 30.00
		1	1	21.92	26.22	< 30.00
		1	160	21.35	25.65	< 30.00
		162	0	21.02	25.32	< 30.00
		1	161	21.39	25.69	< 30.00
		1	0	20.79	25.09	< 30.00
60	3500.01	81	40	21.56	25.86	< 30.00
		1	1	21.77	26.07	< 30.00
		1	160	21.41	25.71	< 30.00
		162	0	21.05	25.35	< 30.00
		1	161	21.31	25.61	< 30.00
		1	0	20.99	25.29	< 30.00
60	3519.99	81	40	21.59	25.89	< 30.00
		1	1	21.52	25.82	< 30.00
		1	160	21.27	25.57	< 30.00
		162	0	21.09	25.39	< 30.00
		1	161	21.08	25.38	< 30.00
		1	0	20.84	25.14	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
80	3490.02	108	54	21.50	25.80	< 30.00
		1	1	21.76	26.06	< 30.00
		1	215	21.26	25.56	< 30.00
		216	0	20.91	25.21	< 30.00
		1	216	21.36	25.66	< 30.00
		1	0	20.70	25.00	< 30.00
80	3500.01	108	54	21.61	25.91	< 30.00
		1	1	21.89	26.19	< 30.00
		1	215	21.13	25.43	< 30.00
		216	0	21.07	25.37	< 30.00
		1	216	21.37	25.67	< 30.00
		1	0	20.65	24.95	< 30.00
80	3510.00	108	54	21.49	25.79	< 30.00
		1	1	21.61	25.91	< 30.00
		1	215	21.20	25.50	< 30.00
		216	0	20.93	25.23	< 30.00
		1	0	21.17	25.47	< 30.00
		1	216	20.66	24.96	< 30.00
100	3500.01	135	67	21.59	25.89	< 30.00
		1	1	21.95	26.25	< 30.00
		1	271	21.29	25.59	< 30.00
		270	0	21.05	25.35	< 30.00
		1	272	21.51	25.81	< 30.00
		1	0	20.64	24.94	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
20	3460.02	25	12	21.70	26.00	< 30.00
		1	1	21.93	26.23	< 30.00
		1	49	21.54	25.84	< 30.00
		50	0	20.76	25.06	< 30.00
		1	50	20.93	25.23	< 30.00
		1	0	20.52	24.82	< 30.00
20	3500.01	25	12	21.60	25.90	< 30.00
		1	1	21.60	25.90	< 30.00
		1	49	21.66	25.96	< 30.00
		50	0	20.62	24.92	< 30.00
		1	50	20.62	24.92	< 30.00
		1	0	20.58	24.88	< 30.00
20	3540.00	25	12	21.59	25.89	< 30.00
		1	1	21.80	26.10	< 30.00
		1	49	21.53	25.83	< 30.00
		50	0	20.62	24.92	< 30.00
		1	50	20.82	25.12	< 30.00
		1	0	20.53	24.83	< 30.00
30	3465.00	36	78	21.73	26.03	< 30.00
		1	1	21.93	26.23	< 30.00
		1	76	21.49	25.79	< 30.00
		75	0	20.82	25.12	< 30.00
		1	77	20.93	25.23	< 30.00
		1	0	20.50	24.80	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
30	3500.01	36	78	21.71	26.01	< 30.00
		1	1	21.66	25.96	< 30.00
		1	76	21.78	26.08	< 30.00
		75	0	20.75	25.05	< 30.00
		1	77	20.70	25.00	< 30.00
		1	0	20.77	25.07	< 30.00
30	3534.99	36	78	21.78	26.08	< 30.00
		1	1	21.90	26.20	< 30.00
		1	76	21.66	25.96	< 30.00
		75	0	20.77	25.07	< 30.00
		1	77	20.81	25.11	< 30.00
		1	0	20.63	24.93	< 30.00
40	3470.01	50	25	21.73	26.03	< 30.00
		1	1	22.07	26.37	< 30.00
		1	104	21.55	25.85	< 30.00
		100	0	20.77	25.07	< 30.00
		1	105	20.97	25.27	< 30.00
		1	0	20.50	24.80	< 30.00
40	3500.01	50	25	21.81	26.11	< 30.00
		1	1	21.90	26.20	< 30.00
		1	104	21.78	26.08	< 30.00
		100	0	20.82	25.12	< 30.00
		1	105	20.79	25.09	< 30.00
		1	0	20.83	25.13	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
40	3529.98	50	25	21.69	25.99	< 30.00
		1	1	21.89	26.19	< 30.00
		1	104	21.70	26.00	< 30.00
		100	0	20.71	25.01	< 30.00
		1	105	20.94	25.24	< 30.00
		1	0	20.68	24.98	< 30.00
60	3480.00	81	40	21.43	25.73	< 30.00
		1	1	21.88	26.18	< 30.00
		1	160	21.34	25.64	< 30.00
		162	0	20.52	24.82	< 30.00
		1	161	20.90	25.20	< 30.00
		1	0	20.34	24.64	< 30.00
60	3500.01	81	40	21.56	25.86	< 30.00
		1	1	21.68	25.98	< 30.00
		1	160	21.43	25.73	< 30.00
		162	0	20.59	24.89	< 30.00
		1	161	20.75	25.05	< 30.00
		1	0	20.45	24.75	< 30.00
60	3519.99	81	40	21.66	25.96	< 30.00
		1	1	21.46	25.76	< 30.00
		1	160	21.35	25.65	< 30.00
		162	0	20.56	24.86	< 30.00
		1	161	20.59	24.89	< 30.00
		1	0	20.32	24.62	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
80	3490.02	108	54	21.29	25.59	< 30.00
		1	1	21.73	26.03	< 30.00
		1	215	21.16	25.46	< 30.00
		216	0	20.47	24.77	< 30.00
		1	216	20.80	25.10	< 30.00
		1	0	20.22	24.52	< 30.00
80	3500.01	108	54	21.51	25.81	< 30.00
		1	1	21.87	26.17	< 30.00
		1	215	21.07	25.37	< 30.00
		216	0	20.54	24.84	< 30.00
		1	216	20.86	25.16	< 30.00
		1	0	20.10	24.40	< 30.00
80	3510.00	108	54	21.44	25.74	< 30.00
		1	1	21.58	25.88	< 30.00
		1	215	21.19	25.49	< 30.00
		216	0	20.45	24.75	< 30.00
		1	216	20.62	24.92	< 30.00
		1	0	20.16	24.46	< 30.00
100	3500.01	135	67	21.53	25.83	< 30.00
		1	1	21.85	26.15	< 30.00
		1	271	21.12	25.42	< 30.00
		270	0	20.54	24.84	< 30.00
		1	272	20.93	25.23	< 30.00
		1	0	20.16	24.46	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
20	3460.02	25	12	20.71	25.01	< 30.00
		1	1	21.05	25.35	< 30.00
		1	49	20.71	25.01	< 30.00
		50	0	19.69	23.99	< 30.00
		1	50	20.01	24.31	< 30.00
		1	0	19.66	23.96	< 30.00
20	3500.01	25	12	20.58	24.88	< 30.00
		1	1	20.69	24.99	< 30.00
		1	49	20.75	25.05	< 30.00
		50	0	19.61	23.91	< 30.00
		1	50	19.75	24.05	< 30.00
		1	0	19.72	24.02	< 30.00
20	3540.00	25	12	20.61	24.91	< 30.00
		1	1	20.89	25.19	< 30.00
		1	49	20.71	25.01	< 30.00
		50	0	19.66	23.96	< 30.00
		1	50	19.93	24.23	< 30.00
		1	0	19.67	23.97	< 30.00
30	3465.00	36	78	20.71	25.01	< 30.00
		1	1	21.12	25.42	< 30.00
		1	76	20.67	24.97	< 30.00
		75	0	19.75	24.05	< 30.00
		1	77	20.06	24.36	< 30.00
		1	0	19.63	23.93	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
30	3500.01	36	78	20.70	25.00	< 30.00
		1	1	20.85	25.15	< 30.00
		1	76	20.90	25.20	< 30.00
		75	0	19.78	24.08	< 30.00
		1	77	19.85	24.15	< 30.00
		1	0	19.87	24.17	< 30.00
30	3534.99	36	78	20.71	25.01	< 30.00
		1	1	20.99	25.29	< 30.00
		1	76	20.71	25.01	< 30.00
		75	0	19.81	24.11	< 30.00
		1	77	19.99	24.29	< 30.00
		1	0	19.71	24.01	< 30.00
40	3470.01	50	25	20.71	25.01	< 30.00
		1	1	21.01	25.31	< 30.00
		1	104	20.49	24.79	< 30.00
		100	0	19.72	24.02	< 30.00
		1	105	20.08	24.38	< 30.00
		1	0	19.55	23.85	< 30.00
40	3500.01	50	25	20.78	25.08	< 30.00
		1	1	20.84	25.14	< 30.00
		1	104	20.83	25.13	< 30.00
		100	0	19.74	24.04	< 30.00
		1	105	19.87	24.17	< 30.00
		1	0	19.85	24.15	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
40	3529.98	50	25	20.68	24.98	< 30.00
		1	1	20.97	25.27	< 30.00
		1	104	20.70	25.00	< 30.00
		100	0	19.74	24.04	< 30.00
		1	105	19.95	24.25	< 30.00
		1	0	19.72	24.02	< 30.00
60	3480.00	81	40	20.46	24.76	< 30.00
		1	1	20.83	25.13	< 30.00
		1	160	20.33	24.63	< 30.00
		162	0	19.45	23.75	< 30.00
		1	161	19.97	24.27	< 30.00
		1	0	19.27	23.57	< 30.00
60	3500.01	81	40	20.54	24.84	< 30.00
		1	1	20.54	24.84	< 30.00
		1	160	20.48	24.78	< 30.00
		162	0	19.51	23.81	< 30.00
		1	161	19.70	24.00	< 30.00
		1	0	19.50	23.80	< 30.00
60	3519.99	81	40	20.61	24.91	< 30.00
		1	1	20.52	24.82	< 30.00
		1	160	20.25	24.55	< 30.00
		162	0	19.54	23.84	< 30.00
		1	161	19.56	23.86	< 30.00
		1	0	19.35	23.65	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
80	3490.02	108	54	20.30	24.60	< 30.00
		1	1	20.82	25.12	< 30.00
		1	215	20.24	24.54	< 30.00
		216	0	19.37	23.67	< 30.00
		1	216	19.79	24.09	< 30.00
		1	0	19.09	23.39	< 30.00
80	3500.01	108	54	20.49	24.79	< 30.00
		1	1	20.87	25.17	< 30.00
		1	215	20.21	24.51	< 30.00
		216	0	19.47	23.77	< 30.00
		1	216	19.78	24.08	< 30.00
		1	0	19.02	23.32	< 30.00
80	3510.00	108	54	20.50	24.80	< 30.00
		1	1	20.67	24.97	< 30.00
		1	215	20.16	24.46	< 30.00
		216	0	19.40	23.70	< 30.00
		1	216	19.54	23.84	< 30.00
		1	0	19.12	23.42	< 30.00
100	3500.01	135	67	20.43	24.73	< 30.00
		1	1	20.93	25.23	< 30.00
		1	271	20.20	24.50	< 30.00
		270	0	19.58	23.88	< 30.00
		1	272	19.91	24.21	< 30.00
		1	0	19.12	23.42	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
20	3460.02	25	12	19.21	23.51	< 30.00
		1	1	19.39	23.69	< 30.00
		1	49	19.09	23.39	< 30.00
		50	0	19.17	23.47	< 30.00
		1	50	19.40	23.70	< 30.00
		1	0	19.09	23.39	< 30.00
20	3500.01	25	12	19.05	23.35	< 30.00
		1	1	19.11	23.41	< 30.00
		1	49	19.10	23.40	< 30.00
		50	0	19.07	23.37	< 30.00
		1	50	19.07	23.37	< 30.00
		1	0	19.17	23.47	< 30.00
20	3540.00	25	12	19.08	23.38	< 30.00
		1	1	19.27	23.57	< 30.00
		1	49	19.06	23.36	< 30.00
		50	0	19.20	23.50	< 30.00
		1	50	19.31	23.61	< 30.00
		1	0	18.99	23.29	< 30.00
30	3465.00	36	78	19.23	23.53	< 30.00
		1	1	19.45	23.75	< 30.00
		1	76	18.97	23.27	< 30.00
		75	0	19.25	23.55	< 30.00
		1	77	19.45	23.75	< 30.00
		1	0	18.95	23.25	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
30	3500.01	36	78	19.20	23.50	< 30.00
		1	1	19.19	23.49	< 30.00
		1	76	19.27	23.57	< 30.00
		75	0	19.22	23.52	< 30.00
		1	77	19.18	23.48	< 30.00
		1	0	19.17	23.47	< 30.00
30	3534.99	36	78	19.23	23.53	< 30.00
		1	1	19.42	23.72	< 30.00
		1	76	19.21	23.51	< 30.00
		75	0	19.27	23.57	< 30.00
		1	77	19.43	23.73	< 30.00
		1	0	19.22	23.52	< 30.00
40	3470.01	50	25	19.16	23.46	< 30.00
		1	1	19.51	23.81	< 30.00
		1	104	19.04	23.34	< 30.00
		100	0	19.25	23.55	< 30.00
		1	105	19.52	23.82	< 30.00
		1	0	18.96	23.26	< 30.00
40	3500.01	50	25	19.24	23.54	< 30.00
		1	1	19.30	23.60	< 30.00
		1	104	19.35	23.65	< 30.00
		100	0	19.34	23.64	< 30.00
		1	105	19.34	23.64	< 30.00
		1	0	19.33	23.63	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
40	3529.98	50	25	19.17	23.47	< 30.00
		1	1	19.34	23.64	< 30.00
		1	104	19.15	23.45	< 30.00
		100	0	19.30	23.60	< 30.00
		1	105	19.46	23.76	< 30.00
		1	0	19.19	23.49	< 30.00
60	3480.00	81	40	18.91	23.21	< 30.00
		1	1	19.49	23.79	< 30.00
		1	160	19.04	23.34	< 30.00
		162	0	18.99	23.29	< 30.00
		1	161	19.29	23.59	< 30.00
		1	0	18.82	23.12	< 30.00
60	3500.01	81	40	19.04	23.34	< 30.00
		1	1	19.10	23.40	< 30.00
		1	160	18.86	23.16	< 30.00
		162	0	19.00	23.30	< 30.00
		1	161	19.22	23.52	< 30.00
		1	0	18.96	23.26	< 30.00
60	3519.99	81	40	19.05	23.35	< 30.00
		1	1	19.13	23.43	< 30.00
		1	160	18.82	23.12	< 30.00
		162	0	19.05	23.35	< 30.00
		1	161	19.12	23.42	< 30.00
		1	0	18.83	23.13	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
80	3490.02	108	54	18.83	23.13	< 30.00
		1	1	19.30	23.60	< 30.00
		1	215	18.71	23.01	< 30.00
		216	0	18.92	23.22	< 30.00
		1	216	19.30	23.60	< 30.00
		1	0	18.71	23.01	< 30.00
80	3500.01	108	54	18.95	23.25	< 30.00
		1	1	19.27	23.57	< 30.00
		1	215	18.58	22.88	< 30.00
		216	0	19.05	23.35	< 30.00
		1	216	19.36	23.66	< 30.00
		1	0	18.56	22.86	< 30.00
80	3510.00	108	54	18.93	23.23	< 30.00
		1	1	19.13	23.43	< 30.00
		1	215	18.53	22.83	< 30.00
		216	0	18.90	23.20	< 30.00
		1	216	19.11	23.41	< 30.00
		1	0	18.65	22.95	< 30.00
100	3500.01	135	67	18.93	23.23	< 30.00
		1	1	19.42	23.72	< 30.00
		1	271	18.64	22.94	< 30.00
		270	0	19.09	23.39	< 30.00
		1	272	19.37	23.67	< 30.00
		1	0	18.61	22.91	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
20	3460.02	25	12	17.15	21.45	< 30.00
		1	1	17.50	21.80	< 30.00
		1	49	17.17	21.47	< 30.00
		50	0	17.27	21.57	< 30.00
		1	50	17.49	21.79	< 30.00
		1	0	17.16	21.46	< 30.00
20	3500.01	25	12	17.03	21.33	< 30.00
		1	1	17.15	21.45	< 30.00
		1	49	17.22	21.52	< 30.00
		50	0	17.15	21.45	< 30.00
		1	50	17.23	21.53	< 30.00
		1	0	17.18	21.48	< 30.00
20	3540.00	25	12	17.03	21.33	< 30.00
		1	1	17.35	21.65	< 30.00
		1	49	17.16	21.46	< 30.00
		50	0	17.17	21.47	< 30.00
		1	50	17.38	21.68	< 30.00
		1	0	17.12	21.42	< 30.00
30	3465.00	36	78	17.27	21.57	< 30.00
		1	1	17.50	21.80	< 30.00
		1	76	17.06	21.36	< 30.00
		75	0	17.26	21.56	< 30.00
		1	77	17.50	21.80	< 30.00
		1	0	17.07	21.37	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
30	3500.01	36	78	17.19	21.49	< 30.00
		1	1	17.32	21.62	< 30.00
		1	76	17.37	21.67	< 30.00
		75	0	17.23	21.53	< 30.00
		1	77	17.26	21.56	< 30.00
		1	0	17.36	21.66	< 30.00
30	3534.99	36	78	17.26	21.56	< 30.00
		1	1	17.45	21.75	< 30.00
		1	76	17.16	21.46	< 30.00
		75	0	17.28	21.58	< 30.00
		1	77	17.43	21.73	< 30.00
		1	0	17.21	21.51	< 30.00
40	3470.01	50	25	17.25	21.55	< 30.00
		1	1	17.56	21.86	< 30.00
		1	104	17.07	21.37	< 30.00
		100	0	17.22	21.52	< 30.00
		1	105	17.57	21.87	< 30.00
		1	0	17.06	21.36	< 30.00
40	3500.01	50	25	17.31	21.61	< 30.00
		1	1	17.39	21.69	< 30.00
		1	104	17.38	21.68	< 30.00
		100	0	17.30	21.60	< 30.00
		1	105	17.40	21.70	< 30.00
		1	0	17.43	21.73	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
40	3529.98	50	25	17.28	21.58	< 30.00
		1	1	17.37	21.67	< 30.00
		1	104	17.08	21.38	< 30.00
		100	0	17.15	21.45	< 30.00
		1	105	17.44	21.74	< 30.00
		1	0	17.16	21.46	< 30.00
60	3480.00	81	40	16.94	21.24	< 30.00
		1	1	17.45	21.75	< 30.00
		1	160	16.88	21.18	< 30.00
		162	0	16.94	21.24	< 30.00
		1	161	17.37	21.67	< 30.00
		1	0	16.83	21.13	< 30.00
60	3500.01	81	40	17.06	21.36	< 30.00
		1	1	17.17	21.47	< 30.00
		1	160	17.00	21.30	< 30.00
		162	0	17.04	21.34	< 30.00
		1	161	17.16	21.46	< 30.00
		1	0	16.99	21.29	< 30.00
60	3519.99	81	40	17.11	21.41	< 30.00
		1	1	17.18	21.48	< 30.00
		1	160	16.82	21.12	< 30.00
		162	0	17.05	21.35	< 30.00
		1	161	17.20	21.50	< 30.00
		1	0	16.94	21.24	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
80	3490.02	108	54	16.87	21.17	< 30.00
		1	1	17.29	21.59	< 30.00
		1	215	16.79	21.09	< 30.00
		216	0	16.95	21.25	< 30.00
		1	216	17.38	21.68	< 30.00
		1	0	16.76	21.06	< 30.00
80	3500.01	108	54	16.95	21.25	< 30.00
		1	1	17.35	21.65	< 30.00
		1	215	16.69	20.99	< 30.00
		216	0	17.03	21.33	< 30.00
		1	216	17.33	21.63	< 30.00
		1	0	16.66	20.96	< 30.00
80	3510.00	108	54	16.97	21.27	< 30.00
		1	1	17.17	21.47	< 30.00
		1	215	16.70	21.00	< 30.00
		216	0	16.97	21.27	< 30.00
		1	216	17.15	21.45	< 30.00
		1	0	16.69	20.99	< 30.00
100	3500.01	135	67	17.06	21.36	< 30.00
		1	1	17.47	21.77	< 30.00
		1	271	16.67	20.97	< 30.00
		270	0	17.08	21.38	< 30.00
		1	272	17.45	21.75	< 30.00
		1	0	16.76	21.06	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	WJ-SR11	Test Engineer	Lucas Wang
Test Date	2025-05-21 ~ 2025-06-03	Test Band	n77 (3700 ~ 3980)

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
20	3710.01	25	12	22.55	28.65	< 30.00
		1	1	22.49	28.59	< 30.00
		1	49	22.54	28.64	< 30.00
		50	0	22.11	28.21	< 30.00
		1	50	21.99	28.09	< 30.00
		1	0	22.05	28.15	< 30.00
20	3840	25	12	22.96	29.06	< 30.00
		1	1	22.96	29.06	< 30.00
		1	49	22.89	28.99	< 30.00
		50	0	22.49	28.59	< 30.00
		1	50	22.46	28.56	< 30.00
		1	0	22.44	28.54	< 30.00
20	3969.99	25	12	23.47	29.57	< 30.00
		1	1	23.52	29.62	< 30.00
		1	49	23.55	29.65	< 30.00
		50	0	23.06	29.16	< 30.00
		1	50	23.03	29.13	< 30.00
		1	0	22.99	29.09	< 30.00
30	3715.02	36	78	22.59	28.69	< 30.00
		1	1	22.57	28.67	< 30.00
		1	76	22.51	28.61	< 30.00
		75	0	21.99	28.09	< 30.00
		1	77	22.11	28.21	< 30.00
		1	0	21.95	28.05	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
30	3840	36	78	22.99	29.09	< 30.00
		1	1	22.92	29.02	< 30.00
		1	76	22.99	29.09	< 30.00
		75	0	22.49	28.59	< 30.00
		1	77	22.53	28.63	< 30.00
		1	0	22.47	28.57	< 30.00
30	3964.98	36	78	23.62	29.72	< 30.00
		1	1	23.75	29.85	< 30.00
		1	76	23.52	29.62	< 30.00
		75	0	23.20	29.30	< 30.00
		1	77	23.23	29.33	< 30.00
		1	0	23.03	29.13	< 30.00
40	3720	50	25	22.62	28.72	< 30.00
		1	1	22.75	28.85	< 30.00
		1	104	22.53	28.63	< 30.00
		100	0	22.13	28.23	< 30.00
		1	105	22.19	28.29	< 30.00
		1	0	22.06	28.16	< 30.00
40	3840	50	25	22.98	29.08	< 30.00
		1	1	22.95	29.05	< 30.00
		1	104	22.91	29.01	< 30.00
		100	0	22.50	28.60	< 30.00
		1	105	22.47	28.57	< 30.00
		1	0	22.42	28.52	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
40	3960	50	25	23.68	29.78	< 30.00
		1	1	23.82	29.92	< 30.00
		1	104	23.64	29.74	< 30.00
		100	0	23.30	29.40	< 30.00
		1	105	23.32	29.42	< 30.00
		1	0	23.15	29.25	< 30.00
60	3730.02	81	40	22.37	28.47	< 30.00
		1	1	22.34	28.44	< 30.00
		1	160	22.40	28.50	< 30.00
		162	0	21.87	27.97	< 30.00
		1	161	21.91	28.01	< 30.00
		1	0	21.90	28.00	< 30.00
60	3840	81	40	22.83	28.93	< 30.00
		1	1	22.55	28.65	< 30.00
		1	160	22.70	28.80	< 30.00
		162	0	22.27	28.37	< 30.00
		1	161	22.04	28.14	< 30.00
		1	0	22.13	28.23	< 30.00
60	3949.98	81	40	22.52	28.62	< 30.00
		1	1	22.75	28.85	< 30.00
		1	160	22.39	28.49	< 30.00
		162	0	22.01	28.11	< 30.00
		1	161	22.18	28.28	< 30.00
		1	0	21.82	27.92	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
80	3740.01	108	54	22.43	28.53	< 30.00
		1	1	22.22	28.32	< 30.00
		1	215	22.27	28.37	< 30.00
		216	0	21.73	27.83	< 30.00
		1	216	21.72	27.82	< 30.00
		1	0	21.83	27.93	< 30.00
80	3840	108	54	22.67	28.77	< 30.00
		1	1	22.38	28.48	< 30.00
		1	215	22.39	28.49	< 30.00
		216	0	22.11	28.21	< 30.00
		1	216	21.92	28.02	< 30.00
		1	0	21.99	28.09	< 30.00
80	3939.99	108	54	22.61	28.71	< 30.00
		1	1	22.71	28.81	< 30.00
		1	215	22.15	28.25	< 30.00
		216	0	21.99	28.09	< 30.00
		1	216	22.19	28.29	< 30.00
		1	0	21.70	27.80	< 30.00
100	3750	135	67	22.41	28.51	< 30.00
		1	1	22.22	28.32	< 30.00
		1	271	22.41	28.51	< 30.00
		270	0	21.74	27.84	< 30.00
		1	272	21.78	27.88	< 30.00
		1	0	21.83	27.93	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
100	3840	135	67	22.77	28.87	< 30.00
		1	1	22.31	28.41	< 30.00
		1	271	22.48	28.58	< 30.00
		270	0	22.08	28.18	< 30.00
		1	272	21.88	27.98	< 30.00
		1	0	21.96	28.06	< 30.00
100	3930	135	67	22.53	28.63	< 30.00
		1	1	22.71	28.81	< 30.00
		1	271	22.21	28.31	< 30.00
		270	0	22.02	28.12	< 30.00
		1	272	22.20	28.30	< 30.00
		1	0	21.72	27.82	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
20	3710.01	25	12	22.50	28.60	< 30.00
		1	1	22.44	28.54	< 30.00
		1	49	22.58	28.68	< 30.00
		50	0	21.55	27.65	< 30.00
		1	50	21.56	27.66	< 30.00
		1	0	21.40	27.50	< 30.00
20	3840	25	12	22.98	29.08	< 30.00
		1	1	22.92	29.02	< 30.00
		1	49	22.95	29.05	< 30.00
		50	0	21.98	28.08	< 30.00
		1	50	21.90	28.00	< 30.00
		1	0	21.94	28.04	< 30.00
20	3969.99	25	12	23.57	29.67	< 30.00
		1	1	23.52	29.62	< 30.00
		1	49	23.51	29.61	< 30.00
		50	0	22.60	28.70	< 30.00
		1	50	22.52	28.62	< 30.00
		1	0	22.42	28.52	< 30.00
30	3715.02	36	78	22.60	28.70	< 30.00
		1	1	22.52	28.62	< 30.00
		1	76	22.48	28.58	< 30.00
		75	0	21.63	27.73	< 30.00
		1	77	21.57	27.67	< 30.00
		1	0	21.46	27.56	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
30	3840	36	78	22.98	29.08	< 30.00
		1	1	22.97	29.07	< 30.00
		1	76	22.96	29.06	< 30.00
		75	0	21.99	28.09	< 30.00
		1	77	21.96	28.06	< 30.00
		1	0	21.99	28.09	< 30.00
30	3964.98	36	78	23.65	29.75	< 30.00
		1	1	23.76	29.86	< 30.00
		1	76	23.51	29.61	< 30.00
		75	0	22.59	28.69	< 30.00
		1	77	22.76	28.86	< 30.00
		1	0	22.46	28.56	< 30.00
40	3720	50	25	22.49	28.59	< 30.00
		1	1	22.76	28.86	< 30.00
		1	104	22.58	28.68	< 30.00
		100	0	21.54	27.64	< 30.00
		1	105	21.70	27.80	< 30.00
		1	0	21.56	27.66	< 30.00
40	3840	50	25	23.00	29.10	< 30.00
		1	1	22.96	29.06	< 30.00
		1	104	22.92	29.02	< 30.00
		100	0	21.99	28.09	< 30.00
		1	105	21.97	28.07	< 30.00
		1	0	21.90	28.00	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
40	3960	50	25	23.73	29.83	< 30.00
		1	1	23.80	29.90	< 30.00
		1	104	23.60	29.70	< 30.00
		100	0	22.81	28.91	< 30.00
		1	105	22.83	28.93	< 30.00
		1	0	22.64	28.74	< 30.00
60	3730.02	81	40	22.29	28.39	< 30.00
		1	1	22.31	28.41	< 30.00
		1	160	22.36	28.46	< 30.00
		162	0	21.35	27.45	< 30.00
		1	161	21.27	27.37	< 30.00
		1	0	21.30	27.40	< 30.00
60	3840	81	40	22.83	28.93	< 30.00
		1	1	22.52	28.62	< 30.00
		1	160	22.69	28.79	< 30.00
		162	0	21.79	27.89	< 30.00
		1	161	21.58	27.68	< 30.00
		1	0	21.65	27.75	< 30.00
60	3949.98	81	40	22.44	28.54	< 30.00
		1	1	22.68	28.78	< 30.00
		1	160	22.30	28.40	< 30.00
		162	0	21.51	27.61	< 30.00
		1	161	21.72	27.82	< 30.00
		1	0	21.31	27.41	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
80	3740.01	108	54	22.26	28.36	< 30.00
		1	1	22.26	28.36	< 30.00
		1	215	22.32	28.42	< 30.00
		216	0	21.27	27.37	< 30.00
		1	216	21.22	27.32	< 30.00
		1	0	21.25	27.35	< 30.00
80	3840	108	54	22.69	28.79	< 30.00
		1	1	22.35	28.45	< 30.00
		1	215	22.41	28.51	< 30.00
		216	0	21.62	27.72	< 30.00
		1	216	21.35	27.45	< 30.00
		1	0	21.43	27.53	< 30.00
80	3939.99	108	54	22.38	28.48	< 30.00
		1	1	22.56	28.66	< 30.00
		1	215	22.16	28.26	< 30.00
		216	0	21.50	27.60	< 30.00
		1	216	21.56	27.66	< 30.00
		1	0	21.14	27.24	< 30.00
100	3750	135	67	22.35	28.45	< 30.00
		1	1	22.19	28.29	< 30.00
		1	271	22.34	28.44	< 30.00
		270	0	21.30	27.40	< 30.00
		1	272	21.25	27.35	< 30.00
		1	0	21.38	27.48	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
100	3840	135	67	22.63	28.73	< 30.00
		1	1	22.30	28.40	< 30.00
		1	271	22.44	28.54	< 30.00
		270	0	21.62	27.72	< 30.00
		1	272	21.31	27.41	< 30.00
		1	0	21.46	27.56	< 30.00
100	3930	135	67	22.50	28.60	< 30.00
		1	1	22.60	28.70	< 30.00
		1	271	22.16	28.26	< 30.00
		270	0	21.52	27.62	< 30.00
		1	272	21.69	27.79	< 30.00
		1	0	21.22	27.32	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
20	3710.01	25	12	21.58	27.68	< 30.00
		1	1	21.48	27.58	< 30.00
		1	49	21.49	27.59	< 30.00
		50	0	20.54	26.64	< 30.00
		1	50	20.45	26.55	< 30.00
		1	0	20.49	26.59	< 30.00
20	3840	25	12	21.99	28.09	< 30.00
		1	1	21.94	28.04	< 30.00
		1	49	21.94	28.04	< 30.00
		50	0	21.06	27.16	< 30.00
		1	50	20.99	27.09	< 30.00
		1	0	21.02	27.12	< 30.00
20	3969.99	25	12	22.56	28.66	< 30.00
		1	1	22.67	28.77	< 30.00
		1	49	22.52	28.62	< 30.00
		50	0	21.51	27.61	< 30.00
		1	50	21.76	27.86	< 30.00
		1	0	21.57	27.67	< 30.00
30	3715.02	36	78	21.53	27.63	< 30.00
		1	1	21.73	27.83	< 30.00
		1	76	21.57	27.67	< 30.00
		75	0	20.62	26.72	< 30.00
		1	77	20.72	26.82	< 30.00
		1	0	20.57	26.67	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
30	3840	36	78	21.92	28.02	< 30.00
		1	1	21.88	27.98	< 30.00
		1	76	22.00	28.10	< 30.00
		75	0	20.97	27.07	< 30.00
		1	77	20.97	27.07	< 30.00
		1	0	20.99	27.09	< 30.00
30	3964.98	36	78	22.62	28.72	< 30.00
		1	1	22.87	28.97	< 30.00
		1	76	22.63	28.73	< 30.00
		75	0	21.62	27.72	< 30.00
		1	77	21.97	28.07	< 30.00
		1	0	21.63	27.73	< 30.00
40	3720	50	25	21.50	27.60	< 30.00
		1	1	21.65	27.75	< 30.00
		1	104	21.50	27.60	< 30.00
		100	0	20.52	26.62	< 30.00
		1	105	20.83	26.93	< 30.00
		1	0	20.65	26.75	< 30.00
40	3840	50	25	22.09	28.19	< 30.00
		1	1	22.01	28.11	< 30.00
		1	104	21.96	28.06	< 30.00
		100	0	21.01	27.11	< 30.00
		1	105	21.03	27.13	< 30.00
		1	0	21.03	27.13	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
40	3960	50	25	22.73	28.83	< 30.00
		1	1	22.95	29.05	< 30.00
		1	104	22.68	28.78	< 30.00
		100	0	21.74	27.84	< 30.00
		1	105	21.85	27.95	< 30.00
		1	0	21.76	27.86	< 30.00
60	3730.02	81	40	21.32	27.42	< 30.00
		1	1	21.39	27.49	< 30.00
		1	160	21.40	27.50	< 30.00
		162	0	20.34	26.44	< 30.00
		1	161	20.42	26.52	< 30.00
		1	0	20.41	26.51	< 30.00
60	3840	81	40	21.77	27.87	< 30.00
		1	1	21.54	27.64	< 30.00
		1	160	21.72	27.82	< 30.00
		162	0	20.76	26.86	< 30.00
		1	161	20.57	26.67	< 30.00
		1	0	20.70	26.80	< 30.00
60	3949.98	81	40	21.57	27.67	< 30.00
		1	1	21.69	27.79	< 30.00
		1	160	21.29	27.39	< 30.00
		162	0	20.58	26.68	< 30.00
		1	161	20.73	26.83	< 30.00
		1	0	20.42	26.52	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
80	3740.01	108	54	21.22	27.32	< 30.00
		1	1	21.34	27.44	< 30.00
		1	215	21.37	27.47	< 30.00
		216	0	20.28	26.38	< 30.00
		1	216	20.38	26.48	< 30.00
		1	0	20.41	26.51	< 30.00
80	3840	108	54	21.70	27.80	< 30.00
		1	1	21.47	27.57	< 30.00
		1	215	21.48	27.58	< 30.00
		216	0	20.63	26.73	< 30.00
		1	216	20.47	26.57	< 30.00
		1	0	20.54	26.64	< 30.00
80	3939.99	108	54	21.52	27.62	< 30.00
		1	1	21.50	27.60	< 30.00
		1	215	21.07	27.17	< 30.00
		216	0	20.48	26.58	< 30.00
		1	216	20.63	26.73	< 30.00
		1	0	20.08	26.18	< 30.00
100	3750	135	67	21.36	27.46	< 30.00
		1	1	21.28	27.38	< 30.00
		1	271	21.41	27.51	< 30.00
		270	0	20.30	26.40	< 30.00
		1	272	20.17	26.27	< 30.00
		1	0	20.32	26.42	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
100	3840	135	67	21.62	27.72	< 30.00
		1	1	21.34	27.44	< 30.00
		1	271	21.51	27.61	< 30.00
		270	0	20.60	26.70	< 30.00
		1	272	20.33	26.43	< 30.00
		1	0	20.51	26.61	< 30.00
100	3930	135	67	21.59	27.69	< 30.00
		1	1	21.59	27.69	< 30.00
		1	271	21.29	27.39	< 30.00
		270	0	20.49	26.59	< 30.00
		1	272	20.70	26.80	< 30.00
		1	0	20.10	26.20	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
20	3710.01	25	12	20.05	26.15	< 30.00
		1	1	20.20	26.30	< 30.00
		1	49	19.99	26.09	< 30.00
		50	0	20.00	26.10	< 30.00
		1	50	20.03	26.13	< 30.00
		1	0	19.94	26.04	< 30.00
20	3840	25	12	20.43	26.53	< 30.00
		1	1	20.48	26.58	< 30.00
		1	49	20.43	26.53	< 30.00
		50	0	20.50	26.60	< 30.00
		1	50	20.42	26.52	< 30.00
		1	0	20.43	26.53	< 30.00
20	3969.99	25	12	20.99	27.09	< 30.00
		1	1	21.22	27.32	< 30.00
		1	49	21.05	27.15	< 30.00
		50	0	21.00	27.10	< 30.00
		1	50	21.14	27.24	< 30.00
		1	0	21.06	27.16	< 30.00
30	3715.02	36	78	19.99	26.09	< 30.00
		1	1	20.02	26.12	< 30.00
		1	76	19.96	26.06	< 30.00
		75	0	20.02	26.12	< 30.00
		1	77	20.04	26.14	< 30.00
		1	0	20.02	26.12	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
30	3840	36	78	20.49	26.59	< 30.00
		1	1	20.50	26.60	< 30.00
		1	76	20.45	26.55	< 30.00
		75	0	20.50	26.60	< 30.00
		1	77	20.39	26.49	< 30.00
		1	0	20.45	26.55	< 30.00
30	3964.98	36	78	21.07	27.17	< 30.00
		1	1	21.22	27.32	< 30.00
		1	76	21.09	27.19	< 30.00
		75	0	21.08	27.18	< 30.00
		1	77	21.31	27.41	< 30.00
		1	0	21.13	27.23	< 30.00
40	3720	50	25	19.97	26.07	< 30.00
		1	1	20.13	26.23	< 30.00
		1	104	20.10	26.20	< 30.00
		100	0	20.06	26.16	< 30.00
		1	105	20.15	26.25	< 30.00
		1	0	20.07	26.17	< 30.00
40	3840	50	25	20.54	26.64	< 30.00
		1	1	20.52	26.62	< 30.00
		1	104	20.46	26.56	< 30.00
		100	0	20.58	26.68	< 30.00
		1	105	20.50	26.60	< 30.00
		1	0	20.44	26.54	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
40	3960	50	25	21.10	27.20	< 30.00
		1	1	21.35	27.45	< 30.00
		1	104	21.31	27.41	< 30.00
		100	0	21.29	27.39	< 30.00
		1	105	21.34	27.44	< 30.00
		1	0	21.31	27.41	< 30.00
60	3730.02	81	40	19.88	25.98	< 30.00
		1	1	19.79	25.89	< 30.00
		1	160	19.89	25.99	< 30.00
		162	0	19.85	25.95	< 30.00
		1	161	19.82	25.92	< 30.00
		1	0	19.93	26.03	< 30.00
60	3840	81	40	20.31	26.41	< 30.00
		1	1	20.06	26.16	< 30.00
		1	160	20.18	26.28	< 30.00
		162	0	20.28	26.38	< 30.00
		1	161	20.04	26.14	< 30.00
		1	0	20.20	26.30	< 30.00
60	3949.98	81	40	20.10	26.20	< 30.00
		1	1	20.29	26.39	< 30.00
		1	160	19.68	25.78	< 30.00
		162	0	20.10	26.20	< 30.00
		1	161	20.25	26.35	< 30.00
		1	0	19.74	25.84	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
80	3740.01	108	54	19.78	25.88	< 30.00
		1	1	19.80	25.90	< 30.00
		1	215	19.81	25.91	< 30.00
		216	0	19.79	25.89	< 30.00
		1	216	19.77	25.87	< 30.00
		1	0	19.88	25.98	< 30.00
80	3840	108	54	20.16	26.26	< 30.00
		1	1	19.84	25.94	< 30.00
		1	215	19.89	25.99	< 30.00
		216	0	20.10	26.20	< 30.00
		1	216	19.85	25.95	< 30.00
		1	0	19.87	25.97	< 30.00
80	3939.99	108	54	19.98	26.08	< 30.00
		1	1	20.26	26.36	< 30.00
		1	215	19.93	26.03	< 30.00
		216	0	19.96	26.06	< 30.00
		1	216	20.30	26.40	< 30.00
		1	0	19.71	25.81	< 30.00
100	3750	135	67	19.90	26.00	< 30.00
		1	1	19.73	25.83	< 30.00
		1	271	19.87	25.97	< 30.00
		270	0	19.81	25.91	< 30.00
		1	272	19.64	25.74	< 30.00
		1	0	19.90	26.00	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
100	3840	135	67	20.16	26.26	< 30.00
		1	1	19.84	25.94	< 30.00
		1	271	19.99	26.09	< 30.00
		270	0	20.12	26.22	< 30.00
		1	272	19.83	25.93	< 30.00
		1	0	19.93	26.03	< 30.00
100	3930	135	67	19.99	26.09	< 30.00
		1	1	20.05	26.15	< 30.00
		1	271	19.90	26.00	< 30.00
		270	0	20.02	26.12	< 30.00
		1	272	20.17	26.27	< 30.00
		1	0	19.90	26.00	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
20	3710.01	25	12	18.10	24.20	< 30.00
		1	1	17.98	24.08	< 30.00
		1	49	17.88	23.98	< 30.00
		50	0	18.02	24.12	< 30.00
		1	50	18.09	24.19	< 30.00
		1	0	18.07	24.17	< 30.00
20	3840	25	12	18.46	24.56	< 30.00
		1	1	18.43	24.53	< 30.00
		1	49	18.44	24.54	< 30.00
		50	0	18.55	24.65	< 30.00
		1	50	18.41	24.51	< 30.00
		1	0	18.46	24.56	< 30.00
20	3969.99	25	12	19.02	25.12	< 30.00
		1	1	19.11	25.21	< 30.00
		1	49	19.03	25.13	< 30.00
		50	0	19.00	25.10	< 30.00
		1	50	19.10	25.20	< 30.00
		1	0	18.98	25.08	< 30.00
30	3715.02	36	78	17.98	24.08	< 30.00
		1	1	18.02	24.12	< 30.00
		1	76	17.95	24.05	< 30.00
		75	0	17.98	24.08	< 30.00
		1	77	18.04	24.14	< 30.00
		1	0	18.05	24.15	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
30	3840	36	78	18.45	24.55	< 30.00
		1	1	18.48	24.58	< 30.00
		1	76	18.50	24.60	< 30.00
		75	0	18.45	24.55	< 30.00
		1	77	18.36	24.46	< 30.00
		1	0	18.49	24.59	< 30.00
30	3964.98	36	78	19.11	25.21	< 30.00
		1	1	19.15	25.25	< 30.00
		1	76	19.02	25.12	< 30.00
		75	0	19.06	25.16	< 30.00
		1	77	19.18	25.28	< 30.00
		1	0	19.03	25.13	< 30.00
40	3720	50	25	18.06	24.16	< 30.00
		1	1	18.27	24.37	< 30.00
		1	104	18.09	24.19	< 30.00
		100	0	18.00	24.10	< 30.00
		1	105	18.24	24.34	< 30.00
		1	0	18.05	24.15	< 30.00
40	3840	50	25	18.54	24.64	< 30.00
		1	1	18.45	24.55	< 30.00
		1	104	18.47	24.57	< 30.00
		100	0	18.47	24.57	< 30.00
		1	105	18.55	24.65	< 30.00
		1	0	18.44	24.54	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
40	3960	50	25	19.17	25.27	< 30.00
		1	1	19.30	25.40	< 30.00
		1	104	19.14	25.24	< 30.00
		100	0	19.16	25.26	< 30.00
		1	105	19.27	25.37	< 30.00
		1	0	19.16	25.26	< 30.00
60	3730.02	81	40	17.86	23.96	< 30.00
		1	1	17.98	24.08	< 30.00
		1	160	17.95	24.05	< 30.00
		162	0	17.86	23.96	< 30.00
		1	161	17.88	23.98	< 30.00
		1	0	17.92	24.02	< 30.00
60	3840	81	40	18.34	24.44	< 30.00
		1	1	18.12	24.22	< 30.00
		1	160	18.23	24.33	< 30.00
		162	0	18.35	24.45	< 30.00
		1	161	18.11	24.21	< 30.00
		1	0	18.22	24.32	< 30.00
60	3949.98	81	40	18.07	24.17	< 30.00
		1	1	18.14	24.24	< 30.00
		1	160	17.90	24.00	< 30.00
		162	0	18.07	24.17	< 30.00
		1	161	18.21	24.31	< 30.00
		1	0	17.89	23.99	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
80	3740.01	108	54	17.77	23.87	< 30.00
		1	1	17.80	23.90	< 30.00
		1	215	17.87	23.97	< 30.00
		216	0	17.77	23.87	< 30.00
		1	216	17.85	23.95	< 30.00
		1	0	17.84	23.94	< 30.00
80	3840	108	54	18.14	24.24	< 30.00
		1	1	17.94	24.04	< 30.00
		1	215	17.97	24.07	< 30.00
		216	0	18.12	24.22	< 30.00
		1	216	17.92	24.02	< 30.00
		1	0	17.98	24.08	< 30.00
80	3939.99	108	54	17.90	24.00	< 30.00
		1	1	18.18	24.28	< 30.00
		1	215	17.73	23.83	< 30.00
		216	0	17.94	24.04	< 30.00
		1	216	18.32	24.42	< 30.00
		1	0	17.63	23.73	< 30.00
100	3750	135	67	17.81	23.91	< 30.00
		1	1	17.81	23.91	< 30.00
		1	271	17.93	24.03	< 30.00
		270	0	17.78	23.88	< 30.00
		1	272	17.81	23.91	< 30.00
		1	0	17.90	24.00	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Channel Bandwidth (MHz)	Frequency (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
100	3840	135	67	18.18	24.28	< 30.00
		1	1	17.82	23.92	< 30.00
		1	271	18.01	24.11	< 30.00
		270	0	18.10	24.20	< 30.00
		1	272	17.87	23.97	< 30.00
		1	0	17.95	24.05	< 30.00
100	3930	135	67	17.98	24.08	< 30.00
		1	1	18.10	24.20	< 30.00
		1	271	17.71	23.81	< 30.00
		270	0	17.97	24.07	< 30.00
		1	272	18.17	24.27	< 30.00
		1	0	17.93	24.03	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

A.4 Peak-to-Average Radio Test Result


Test Site	WJ-SR11 & SIP-SR1	Test Engineer	Lucas Wang & Yoniter Yang
Test Date	2025-04-18	Test Band	n2/25_SA

Channel Bandwidth (MHz)	Frequency (MHz)	Peak to Average Ratio (dB)	Limit (dB)	Result
QPSK				
5	1852.5	6.97	≤ 13.00	Pass
	1882.5	7.03	≤ 13.00	Pass
	1912.5	7.41	≤ 13.00	Pass
10	1855	6.97	≤ 13.00	Pass
	1882.5	7.06	≤ 13.00	Pass
	1910	7.17	≤ 13.00	Pass
15	1857.5	7.65	≤ 13.00	Pass
	1882.5	7.63	≤ 13.00	Pass
	1907.5	7.67	≤ 13.00	Pass
20	1860	7.45	≤ 13.00	Pass
	1882.5	7.60	≤ 13.00	Pass
	1905	7.60	≤ 13.00	Pass
16QAM				
5	1852.5	7.09	≤ 13.00	Pass
	1882.5	7.16	≤ 13.00	Pass
	1912.5	7.47	≤ 13.00	Pass
10	1855	7.17	≤ 13.00	Pass
	1882.5	7.20	≤ 13.00	Pass
	1910	7.28	≤ 13.00	Pass
15	1857.5	7.54	≤ 13.00	Pass
	1882.5	7.55	≤ 13.00	Pass
	1907.5	7.64	≤ 13.00	Pass
20	1860	7.44	≤ 13.00	Pass
	1882.5	7.59	≤ 13.00	Pass
	1905	7.61	≤ 13.00	Pass
64QAM				
5	1852.5	7.56	≤ 13.00	Pass
	1882.5	7.51	≤ 13.00	Pass
	1912.5	7.22	≤ 13.00	Pass


10	1855	7.49	≤ 13.00	Pass
	1882.5	7.52	≤ 13.00	Pass
	1910	7.61	≤ 13.00	Pass
15	1857.5	7.49	≤ 13.00	Pass
	1882.5	7.49	≤ 13.00	Pass
	1907.5	7.48	≤ 13.00	Pass
20	1860	7.35	≤ 13.00	Pass
	1882.5	7.61	≤ 13.00	Pass
	1905	7.53	≤ 13.00	Pass
256QAM				
5	1852.5	8.77	≤ 13.00	Pass
	1882.5	8.69	≤ 13.00	Pass
	1912.5	8.70	≤ 13.00	Pass
10	1855	8.36	≤ 13.00	Pass
	1882.5	8.40	≤ 13.00	Pass
	1910	8.40	≤ 13.00	Pass
15	1857.5	8.71	≤ 13.00	Pass
	1882.5	8.72	≤ 13.00	Pass
	1907.5	8.71	≤ 13.00	Pass
20	1860	8.60	≤ 13.00	Pass
	1882.5	8.61	≤ 13.00	Pass
	1905	8.51	≤ 13.00	Pass

5MHz – QPSK


Low Channel



Middle Channel




High Channel




10MHz – QPSK


Low Channel



Middle Channel




High Channel




15MHz – QPSK


Low Channel



Middle Channel




High Channel




20MHz – QPSK

Low Channel



Middle Channel



High Channel

