



Test Site	WJ-SR11 & SIP-SR1	Test Engineer	Lucas Wang & Yoniter Yang
Test Date	2025-05-08 ~ 2025-05-28	Test Band	n77 (3800 ~ 3980)

20MHz Channel Bandwidth - 1RB

Lower Band Edge




Upper Band Edge




30MHz Channel Bandwidth - 1RB

Lower Band Edge




Upper Band Edge




40MHz Channel Bandwidth - 1RB

Lower Band Edge




Upper Band Edge




20MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge




30MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge




40MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge



60MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge




80MHz Channel Bandwidth - Full RB

Lower Band Edge




Upper Band Edge




100MHz Channel Bandwidth - Full RB

Lower Band Edge



Upper Band Edge



A.6 Conducted Spurious Emissions Test Result


Test Site	WJ-SR11 & SIP-SR1	Test Engineer	Lucas Wang & Yoniter Yang
Test Date	2025-05-16 ~ 2025-05-20	Test Band	n2/25

Channel Bandwidth (MHz)	Frequency (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
5	1852.5	30 ~ 20000	-39.40	≤ -13.00	Pass
	1882.5	30 ~ 20000	-39.86	≤ -13.00	Pass
	1912.5	30 ~ 20000	-39.22	≤ -13.00	Pass
10	1855	30 ~ 20000	-39.92	≤ -13.00	Pass
	1882.5	30 ~ 20000	-39.88	≤ -13.00	Pass
	1910	30 ~ 20000	-40.62	≤ -13.00	Pass
15	1857.5	30 ~ 20000	-39.93	≤ -13.00	Pass
	1882.5	30 ~ 20000	-39.67	≤ -13.00	Pass
	1907.5	30 ~ 20000	-40.38	≤ -13.00	Pass
20	1860	30 ~ 20000	-40.18	≤ -13.00	Pass
	1882.5	30 ~ 20000	-39.27	≤ -13.00	Pass
	1905	30 ~ 20000	-40.58	≤ -13.00	Pass


Note: The amplitude of Conducted Spurious emissions (frequency range from 9kHz to 30MHz) is that proximity to ambient noise, which is also attenuated more than 20 dB below the permissible value. Therefore, the data are not presented in the report.

5MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel




10MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel




15MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel




20MHz Channel Bandwidth


Low Channel



Middle Channel



High Channel




Test Site	WJ-SR11 & SIP-SR1	Test Engineer	Lucas Wang & Yoniter Yang
Test Date	2025-05-09	Test Band	n66

Channel Bandwidth (MHz)	Frequency (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
5	1712.5	30 ~ 18000	-43.65	≤ -13.00	Pass
	1745	30 ~ 18000	-44.97	≤ -13.00	Pass
	1777.5	30 ~ 18000	-43.19	≤ -13.00	Pass
10	1715	30 ~ 18000	-44.05	≤ -13.00	Pass
	1745	30 ~ 18000	-43.98	≤ -13.00	Pass
	1775	30 ~ 18000	-44.23	≤ -13.00	Pass
15	1717.5	30 ~ 18000	-42.67	≤ -13.00	Pass
	1745	30 ~ 18000	-42.65	≤ -13.00	Pass
	1772.5	30 ~ 18000	-43.12	≤ -13.00	Pass
20	1720	30 ~ 18000	-45.55	≤ -13.00	Pass
	1745	30 ~ 18000	-41.55	≤ -13.00	Pass
	1770	30 ~ 18000	-43.74	≤ -13.00	Pass


Note: The amplitude of Conducted Spurious emissions (frequency range from 9kHz to 30MHz) is that proximity to ambient noise, which is also attenuated more than 20 dB below the permissible value. Therefore, the data are not presented in the report.

5MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel




10MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel




15MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel




20MHz Channel Bandwidth


Low Channel



Middle Channel



High Channel




Test Site	WJ-SR11 & SIP-SR1	Test Engineer	Lucas Wang & Yoniter Yang
Test Date	2025-05-20	Test Band	n5/26

Channel Bandwidth (MHz)	Frequency (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
5	826.5	30 ~ 9000	-44.10	≤ -13.00	Pass
	836.5	30 ~ 9000	-44.93	≤ -13.00	Pass
	846.5	30 ~ 9000	-44.40	≤ -13.00	Pass
10	829	30 ~ 9000	-44.35	≤ -13.00	Pass
	836.5	30 ~ 9000	-43.71	≤ -13.00	Pass
	844	30 ~ 9000	-44.33	≤ -13.00	Pass
15	831.5	30 ~ 9000	-44.76	≤ -13.00	Pass
	836.5	30 ~ 9000	-44.30	≤ -13.00	Pass
	841.5	30 ~ 9000	-43.76	≤ -13.00	Pass
20	834	30 ~ 9000	-43.42	≤ -13.00	Pass
	836.5	30 ~ 9000	-44.26	≤ -13.00	Pass
	839	30 ~ 9000	-44.19	≤ -13.00	Pass


Note: The amplitude of Conducted Spurious emissions (frequency range from 9kHz to 30MHz) is that proximity to ambient noise, which is also attenuated more than 20 dB below the permissible value. Therefore, the data are not presented in the report.

5MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel




10MHz Channel Bandwidth


Low Channel



Middle Channel




High Channel




15MHz Channel Bandwidth


Low Channel



Middle Channel



High Channel




20MHz Channel Bandwidth


Low Channel



Middle Channel



High Channel



Test Site	WJ-SR11 & SIP-SR1	Test Engineer	Lucas Wang & Yoniter Yang
Test Date	2025-05-21	Test Band	n7

Channel Bandwidth (MHz)	Frequency (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
5	2502.5	30 ~ 26000	-34.31	≤ -25.00	Pass
	2535	30 ~ 26000	-35.70	≤ -25.00	Pass
	2567.5	30 ~ 26000	-34.73	≤ -25.00	Pass
10	2505	30 ~ 26000	-35.49	≤ -25.00	Pass
	2535	30 ~ 26000	-34.48	≤ -25.00	Pass
	2565	30 ~ 26000	-34.50	≤ -25.00	Pass
15	2507.5	30 ~ 26000	-32.67	≤ -25.00	Pass
	2535	30 ~ 26000	-35.43	≤ -25.00	Pass
	2562.5	30 ~ 26000	-34.67	≤ -25.00	Pass
20	2510	30 ~ 26000	-34.89	≤ -25.00	Pass
	2535	30 ~ 26000	-34.49	≤ -25.00	Pass
	2560	30 ~ 26000	-34.37	≤ -25.00	Pass

Note: The amplitude of Conducted Spurious emissions (frequency range from 9kHz to 30MHz) is that proximity to ambient noise, which is also attenuated more than 20 dB below the permissible value. Therefore, the data are not presented in the report.