

Test Mode	Data Rate MCS	Channel No.	Freq. (MHz)	Average Power (dBm)		Average Power Limit (dBm)
				Ant 1	Ant 2	
11ac-VHT40	MCS0	38	5190	14.96	12.64	≤ 30.00
11ac-VHT40	MCS0	46	5230	14.99	12.84	≤ 30.00
11ac-VHT40	MCS0	54	5270	14.72	13.06	≤ 23.98
11ac-VHT40	MCS0	62	5310	14.71	11.64	≤ 23.98
11ac-VHT40	MCS0	102	5510	13.33	11.86	≤ 23.98
11ac-VHT40	MCS0	110	5550	14.72	12.67	≤ 23.98
11ac-VHT40	MCS0	134	5670	14.43	12.75	≤ 23.98
11ac-VHT40	MCS0	142	5710	14.71	12.79	≤ 23.98
11ac-VHT40	MCS0	151	5755	15.32	12.99	≤ 30.00
11ac-VHT40	MCS0	159	5795	14.56	13.07	≤ 30.00
11ac-VHT80	MCS0	42	5210	12.98	11.80	≤ 30.00
11ac-VHT80	MCS0	58	5290	12.94	11.60	≤ 23.98
11ac-VHT80	MCS0	106	5530	12.76	12.15	≤ 23.98
11ac-VHT80	MCS0	122	5610	13.05	12.04	≤ 23.98
11ac-VHT80	MCS0	138	5690	12.88	12.40	≤ 23.98
11ac-VHT80	MCS0	155	5775	12.58	11.45	≤ 30.00
11ax-HE20	MCS0	36	5180	11.51	11.75	≤ 30.00
11ax-HE20	MCS0	44	5220	11.99	11.90	≤ 30.00
11ax-HE20	MCS0	48	5240	11.98	11.97	≤ 30.00
11ax-HE20	MCS0	52	5260	11.62	12.05	≤ 23.98
11ax-HE20	MCS0	60	5300	11.60	12.01	≤ 23.98
11ax-HE20	MCS0	64	5320	11.58	11.94	≤ 23.98
11ax-HE20	MCS0	100	5500	11.95	11.58	≤ 23.98
11ax-HE20	MCS0	116	5580	12.04	11.51	≤ 23.98
11ax-HE20	MCS0	140	5700	11.93	12.08	≤ 23.98
11ax-HE20	MCS0	144	5720	11.98	12.01	≤ 22.93
11ax-HE20	MCS0	149	5745	11.98	11.43	≤ 30.00
11ax-HE20	MCS0	157	5785	12.09	11.98	≤ 30.00
11ax-HE20	MCS0	165	5825	11.81	11.92	≤ 30.00

Test Mode	Data Rate MCS	Channel No.	Freq. (MHz)	Average Power (dBm)		Average Power Limit (dBm)
				Ant 1	Ant 2	
11ax-HE40	MCS0	38	5190	12.05	11.83	≤ 30.00
11ax-HE40	MCS0	46	5230	12.03	11.82	≤ 30.00
11ax-HE40	MCS0	54	5270	11.42	11.92	≤ 23.98
11ax-HE40	MCS0	62	5310	12.09	12.03	≤ 23.98
11ax-HE40	MCS0	102	5510	11.55	11.45	≤ 23.98
11ax-HE40	MCS0	110	5550	12.07	11.62	≤ 23.98
11ax-HE40	MCS0	134	5670	11.57	11.52	≤ 23.98
11ax-HE40	MCS0	142	5710	11.66	11.41	≤ 23.98
11ax-HE40	MCS0	151	5755	11.78	11.53	≤ 30.00
11ax-HE40	MCS0	159	5795	11.64	11.48	≤ 30.00
11ax-HE80	MCS0	42	5210	10.74	10.53	≤ 30.00
11ax-HE80	MCS0	58	5290	10.61	10.50	≤ 23.98
11ax-HE80	MCS0	106	5530	10.92	10.87	≤ 23.98
11ax-HE80	MCS0	122	5610	11.02	10.98	≤ 23.98
11ax-HE80	MCS0	138	5690	11.11	10.85	≤ 23.98
11ax-HE80	MCS0	155	5775	11.05	10.68	≤ 30.00

Note: For 5720MHz, Average Power Limit = $11 + 10 \cdot \log(5 + 26 \text{ dBc}/2)$.

Test Site	WZ-SR5	Test Engineer	Liz Yuan
Test Date	2022/05/13	Test Mode	MIMO Mode

Test Mode	Data Rate MCS	Channel No.	Freq. (MHz)	Average Power (dBm)		Total Average Power (dBm)	Average Power Limit (dBm)
				Ant 1	Ant 2		
11a	6Mbps	36	5180	12.56	12.51	15.55	≤ 30.00
11a	6Mbps	44	5220	14.46	13.91	17.20	≤ 30.00
11a	6Mbps	48	5240	15.05	14.69	17.88	≤ 30.00
11a	6Mbps	52	5260	14.65	13.96	17.33	≤ 23.98
11a	6Mbps	60	5300	14.62	14.25	17.45	≤ 23.98
11a	6Mbps	64	5320	13.68	13.71	16.71	≤ 23.98
11a	6Mbps	100	5500	12.23	11.45	14.87	≤ 23.98
11a	6Mbps	116	5580	14.98	14.88	17.94	≤ 23.98
11a	6Mbps	140	5700	14.58	14.69	17.65	≤ 23.98
11a	6Mbps	144	5720	15.02	14.77	17.91	≤ 22.93
11a	6Mbps	149	5745	13.86	13.58	16.73	≤ 30.00
11a	6Mbps	157	5785	14.83	14.63	17.74	≤ 30.00
11a	6Mbps	165	5825	14.58	14.62	17.61	≤ 30.00
11ac-VHT20	MCS0	36	5180	14.08	13.07	16.61	≤ 30.00
11ac-VHT20	MCS0	44	5220	13.98	12.98	16.52	≤ 30.00
11ac-VHT20	MCS0	48	5240	13.92	13.09	16.54	≤ 30.00
11ac-VHT20	MCS0	52	5260	13.55	12.72	16.17	≤ 23.98
11ac-VHT20	MCS0	60	5300	13.35	12.74	16.07	≤ 23.98
11ac-VHT20	MCS0	64	5320	12.94	12.73	15.85	≤ 23.98
11ac-VHT20	MCS0	100	5500	12.01	11.58	14.81	≤ 23.98
11ac-VHT20	MCS0	116	5580	12.94	13.07	16.02	≤ 23.98
11ac-VHT20	MCS0	140	5700	12.80	12.38	15.61	≤ 23.98
11ac-VHT20	MCS0	144	5720	13.10	13.81	16.48	≤ 23.70
11ac-VHT20	MCS0	149	5745	12.90	12.85	15.89	≤ 30.00
11ac-VHT20	MCS0	157	5785	13.05	12.73	15.90	≤ 30.00
11ac-VHT20	MCS0	165	5825	12.54	12.62	15.59	≤ 30.00

Test Mode	Data Rate MCS0	Channel No.	Freq. (MHz)	Average Power (dBm)		Total Average Power (dBm)	Average Power Limit (dBm)
				Ant 1	Ant 2		
11ac-VHT40	MCS0	38	5190	13.49	13.05	16.29	≤ 30.00
11ac-VHT40	MCS0	46	5230	13.45	13.01	16.25	≤ 30.00
11ac-VHT40	MCS0	54	5270	13.53	12.94	16.26	≤ 23.98
11ac-VHT40	MCS0	62	5310	13.51	12.25	15.94	≤ 23.98
11ac-VHT40	MCS0	102	5510	13.23	12.16	15.74	≤ 23.98
11ac-VHT40	MCS0	110	5550	12.45	12.61	15.54	≤ 23.98
11ac-VHT40	MCS0	134	5670	11.65	12.63	15.18	≤ 23.98
11ac-VHT40	MCS0	142	5710	12.29	13.22	15.79	≤ 23.98
11ac-VHT40	MCS0	151	5755	12.06	12.76	15.43	≤ 30.00
11ac-VHT40	MCS0	159	5795	12.19	12.61	15.42	≤ 30.00
11ac-VHT80	MCS0	42	5210	12.17	12.05	15.12	≤ 30.00
11ac-VHT80	MCS0	58	5290	12.09	12.07	15.09	≤ 23.98
11ac-VHT80	MCS0	106	5530	11.83	11.91	14.88	≤ 23.98
11ac-VHT80	MCS0	122	5610	11.28	11.81	14.56	≤ 23.98
11ac-VHT80	MCS0	138	5690	11.38	12.69	15.09	≤ 23.98
11ac-VHT80	MCS0	155	5775	10.61	12.06	14.41	≤ 30.00
11ax-HE20	MCS0	36	5180	12.06	11.97	15.03	≤ 30.00
11ax-HE20	MCS0	44	5220	12.04	11.73	14.90	≤ 30.00
11ax-HE20	MCS0	48	5240	12.02	11.91	14.98	≤ 30.00
11ax-HE20	MCS0	52	5260	12.08	12.04	15.07	≤ 23.98
11ax-HE20	MCS0	60	5300	12.09	11.97	15.04	≤ 23.98
11ax-HE20	MCS0	64	5320	12.01	11.98	15.01	≤ 23.98
11ax-HE20	MCS0	100	5500	11.89	11.25	14.59	≤ 23.98
11ax-HE20	MCS0	116	5580	12.07	12.09	15.09	≤ 23.98
11ax-HE20	MCS0	140	5700	12.05	11.74	14.91	≤ 23.98
11ax-HE20	MCS0	144	5720	12.47	12.22	15.36	≤ 22.93
11ax-HE20	MCS0	149	5745	11.88	11.97	14.94	≤ 30.00
11ax-HE20	MCS0	157	5785	11.91	12.05	14.99	≤ 30.00
11ax-HE20	MCS0	165	5825	11.77	11.97	14.88	≤ 30.00

Test Mode	Data Rate MCS	Channel No.	Freq. (MHz)	Average Power (dBm)		Total Average Power (dBm)	Average Power Limit (dBm)
				Ant 1	Ant 2		
11ax-HE40	MCS0	38	5190	12.10	11.87	15.00	≤ 30.00
11ax-HE40	MCS0	46	5230	12.06	11.96	15.02	≤ 30.00
11ax-HE40	MCS0	54	5270	12.09	11.96	15.04	≤ 23.98
11ax-HE40	MCS0	62	5310	12.10	12.04	15.08	≤ 23.98
11ax-HE40	MCS0	102	5510	11.50	11.72	14.62	≤ 23.98
11ax-HE40	MCS0	110	5550	11.14	11.63	14.40	≤ 23.98
11ax-HE40	MCS0	134	5670	10.53	11.40	14.00	≤ 23.98
11ax-HE40	MCS0	142	5710	11.45	12.05	14.77	≤ 23.98
11ax-HE40	MCS0	151	5755	11.01	11.54	14.29	≤ 30.00
11ax-HE40	MCS0	159	5795	10.78	11.49	14.16	≤ 30.00
11ax-HE80	MCS0	42	5210	11.10	10.78	13.95	≤ 30.00
11ax-HE80	MCS0	58	5290	11.03	11.02	14.04	≤ 23.98
11ax-HE80	MCS0	106	5530	10.48	10.53	13.52	≤ 23.98
11ax-HE80	MCS0	122	5610	10.98	11.08	14.04	≤ 23.98
11ax-HE80	MCS0	138	5690	10.27	10.51	13.40	≤ 23.98
11ax-HE80	MCS0	155	5775	9.98	10.59	13.31	≤ 30.00

Note 1: Total Average Power (dBm) = $10 \cdot \log \{10^{(\text{Ant 1 Average Power} / 10)} + 10^{(\text{Ant 2 Average Power} / 10)}\}$.

Note 2: For 5720MHz, Average Power Limit = $11 + 10 \cdot \log(5 + 26 \text{dBc} / 2)$.

Test Site	WZ-SR5	Test Engineer	Liz Yuan
Test Date	2022/05/16	Test Mode	SISO Mode - RU

Test Mode	Tone	RU	Channel No.	Freq. (MHz)	Average Power (dBm)		Average Power Limit (dBm)
					Ant 1	Ant 2	
11ax-HE20	26 Tone	RU 0	36	5180	11.03	11.74	≤ 30.00
			44	5220	11.99	11.65	≤ 30.00
			48	5240	10.80	11.52	≤ 30.00
			52	5260	11.75	11.54	≤ 23.98
			60	5300	11.26	11.83	≤ 23.98
			64	5320	11.19	11.64	≤ 23.98
			100	5500	11.93	11.02	≤ 23.98
			116	5580	11.67	11.36	≤ 23.98
			140	5700	11.60	11.90	≤ 23.98
			144	5720	11.51	10.97	≤ 22.81
			149	5745	11.50	11.85	≤ 30.00
			157	5785	11.52	11.45	≤ 30.00
			165	5825	11.33	11.49	≤ 30.00
		RU 4	36	5180	11.21	11.73	≤ 30.00
			44	5220	11.22	11.77	≤ 30.00
			48	5240	11.31	11.53	≤ 30.00
			52	5260	11.66	11.62	≤ 23.98
			60	5300	11.93	11.75	≤ 23.98
			64	5320	11.63	11.83	≤ 23.98
			100	5500	11.30	11.63	≤ 23.98
			116	5580	11.35	11.66	≤ 23.98
			140	5700	11.09	11.71	≤ 23.98
			144	5720	11.81	11.67	≤ 22.63
			149	5745	11.57	11.45	≤ 30.00
			157	5785	11.23	11.58	≤ 30.00
			165	5825	11.35	11.61	≤ 30.00

Test Mode	Tone	RU	Channel No.	Freq. (MHz)	Average Power (dBm)		Average Power Limit (dBm)
					Ant 1	Ant 2	
11ax-HE20	26 Tone	RU 8	36	5180	11.85	11.50	≤ 30.00
			44	5220	11.82	11.64	≤ 30.00
			48	5240	11.78	11.46	≤ 30.00
			52	5260	11.30	11.58	≤ 23.98
			60	5300	11.39	11.71	≤ 23.98
			64	5320	11.33	11.52	≤ 23.98
			100	5500	11.99	11.62	≤ 23.98
			116	5580	11.85	11.63	≤ 23.98
			140	5700	11.68	11.44	≤ 23.98
			144	5720	11.75	11.45	≤ 22.87
			149	5745	11.32	11.52	≤ 30.00
			157	5785	11.05	11.34	≤ 30.00
			165	5825	11.05	11.23	≤ 30.00
11ax-HE20	262 Tone	RU61	36	5180	11.16	11.58	≤ 30.00
			44	5220	11.02	11.92	≤ 30.00
			48	5240	11.10	11.94	≤ 30.00
			52	5260	11.78	11.96	≤ 23.98
			60	5300	11.63	11.81	≤ 23.98
			64	5320	11.62	11.91	≤ 23.98
			100	5500	11.17	11.11	≤ 23.98
			116	5580	11.10	11.23	≤ 23.98
			140	5700	11.93	11.25	≤ 23.98
			144	5720	11.97	11.34	≤ 23.02
			149	5745	11.83	11.32	≤ 30.00
			157	5785	11.69	11.21	≤ 30.00
			165	5825	11.58	11.82	≤ 30.00

Test Mode	Tone	RU	Channel No.	Freq. (MHz)	Average Power (dBm)		Average Power Limit (dBm)
					Ant 1	Ant 2	
11ax-HE40	26 Tone	RU 0	38	5190	11.55	10.96	≤ 30.00
			46	5230	11.42	11.36	≤ 30.00
			54	5270	10.86	10.99	≤23.98
			62	5310	10.82	11.16	≤ 23.98
			102	5510	11.39	11.03	≤ 23.98
			110	5550	11.23	11.35	≤ 23.98
			134	5670	11.40	11.26	≤ 23.98
			142	5710	11.12	11.47	≤ 22.76
			151	5755	11.81	11.41	≤ 30.00
			159	5795	11.05	10.87	≤ 30.00
		RU 8	38	5190	11.43	11.73	≤ 30.00
			46	5230	11.23	11.42	≤ 30.00
			54	5270	11.95	11.85	≤23.98
			62	5310	11.92	11.22	≤ 23.98
			102	5510	11.15	11.08	≤ 23.98
			110	5550	11.26	11.38	≤ 23.98
			134	5670	11.17	11.45	≤ 23.98
			142	5710	11.16	11.42	≤ 23.30
			151	5755	11.90	11.44	≤ 30.00
			159	5795	11.90	11.45	≤ 30.00

Test Mode	Tone	RU	Channel No.	Freq. (MHz)	Average Power (dBm)		Average Power Limit (dBm)
					Ant 1	Ant 2	
11ax-HE40	26 Tone	RU 17	38	5190	11.77	11.35	≤ 30.00
			46	5230	11.65	11.22	≤ 30.00
			54	5270	11.28	11.42	≤23.98
			62	5310	11.23	11.29	≤ 23.98
			102	5510	11.78	11.38	≤ 23.98
			110	5550	11.72	11.84	≤ 23.98
			134	5670	11.46	11.64	≤ 23.98
			142	5710	11.65	11.69	≤ 22.81
			151	5755	11.37	11.71	≤ 30.00
			159	5795	11.76	11.21	≤ 30.00
11ax-HE40	484 Tone	RU 65	38	5190	11.80	11.38	≤ 30.00
			46	5230	11.98	11.56	≤ 30.00
			54	5270	11.46	11.35	≤23.98
			62	5310	11.35	11.29	≤ 23.98
			102	5510	11.59	11.27	≤ 23.98
			110	5550	11.62	11.45	≤ 23.98
			134	5670	11.46	11.33	≤ 23.98
			142	5710	11.46	11.28	≤ 23.98
			151	5755	11.24	11.65	≤ 30.00
			159	5795	10.96	11.24	≤ 30.00

Test Mode	Tone	RU	Channel No.	Freq. (MHz)	Average Power (dBm)		Average Power Limit (dBm)
					Ant 1	Ant 2	
11ax-HE80	26 Tone	RU 0	42	5210	10.83	10.22	≤ 30.00
			58	5290	10.28	10.39	≤ 23.98
			106	5530	10.38	10.25	≤ 23.98
			122	5610	10.29	10.41	≤ 23.98
			138	5690	10.22	10.43	≤ 22.94
			155	5775	10.03	10.43	≤ 30.00
		RU 18	42	5210	10.39	10.24	≤ 30.00
			58	5290	10.01	10.32	≤ 23.98
			106	5530	9.69	10.12	≤ 23.98
			122	5610	9.75	10.36	≤ 23.98
			138	5690	9.63	10.44	≤ 23.98
			155	5775	10.63	10.31	≤ 30.00
		RU 36	42	5210	10.36	10.32	≤ 30.00
			58	5290	10.11	10.11	≤ 23.98
			106	5530	10.15	10.22	≤ 23.98
			122	5610	10.46	10.46	≤ 23.98
			138	5690	10.41	10.30	≤ 23.03
			155	5775	10.11	10.31	≤ 30.00
11ax-HE80	996 Tone	RU 67	42	5210	10.89	10.72	≤ 30.00
			58	5290	10.01	10.69	≤ 23.98
			106	5530	10.80	10.52	≤ 23.98
			122	5610	10.66	10.87	≤ 23.98
			138	5690	10.78	10.8	≤ 23.98
			155	5775	9.93	10.91	≤ 30.00

Note: For 5720MHz, Average Power Limit = $11 + 10 \cdot \log(5 + 26 \text{ dBc}/2)$.

Test Site	WZ-SR5	Test Engineer	Liz Yuan
Test Date	2022/05/16	Test Mode	MIMO Mode – RU

Test Mode	Tone	RU	Channel No.	Freq. (MHz)	Average Power (dBm)		Total Average Power (dBm)	Average Power Limit (dBm)
					Ant 1	Ant 2		
11ax-HE20	26 Tone	RU 0	36	5180	11.20	11.20	14.21	≤ 30.00
			44	5220	11.11	11.21	14.17	≤ 30.00
			48	5240	11.16	11.13	14.16	≤ 30.00
			52	5260	11.83	11.15	14.51	≤ 23.98
			60	5300	11.63	11.13	14.40	≤ 23.98
			64	5320	11.52	11.12	14.33	≤ 23.98
			100	5500	11.06	11.02	14.05	≤ 23.98
			116	5580	11.02	11.12	14.08	≤ 23.98
			140	5700	10.56	11.18	13.89	≤ 23.98
			144	5720	11.13	11.23	14.19	≤ 22.81
			149	5745	10.53	11.25	13.92	≤ 30.00
			157	5785	11.35	11.82	14.60	≤ 30.00
			165	5825	11.23	11.25	14.25	≤ 30.00
		RU 4	36	5180	11.39	11.31	14.36	≤ 30.00
			44	5220	11.30	11.35	14.34	≤ 30.00
			48	5240	11.23	11.22	14.24	≤ 30.00
			52	5260	11.09	10.39	13.76	≤ 23.98
			60	5300	11.89	11.26	14.60	≤ 23.98
			64	5320	11.86	11.31	14.60	≤ 23.98
			100	5500	11.35	11.29	14.33	≤ 23.98
			116	5580	11.52	11.30	14.42	≤ 23.98
			140	5700	10.96	11.42	14.21	≤ 23.98
			144	5720	11.08	11.35	14.23	≤ 22.63
			149	5745	10.93	11.56	14.27	≤ 30.00
			157	5785	10.62	11.28	13.97	≤ 30.00
			165	5825	10.66	11.22	13.96	≤ 30.00

Test Mode	Tone	RU	Channel No.	Freq. (MHz)	Average Power (dBm)		Total Average Power (dBm)	Average Power Limit (dBm)
					Ant 1	Ant 2		
11ax-HE20	26 Tone	RU 8	36	5180	11.22	11.38	14.31	≤ 30.00
			44	5220	11.18	11.22	14.21	≤ 30.00
			48	5240	11.32	11.23	14.29	≤ 30.00
			52	5260	10.63	9.81	13.25	≤ 23.98
			60	5300	10.53	10.02	13.29	≤ 23.98
			64	5320	11.98	11.33	14.68	≤ 23.98
			100	5500	11.35	11.18	14.28	≤ 23.98
			116	5580	11.42	11.42	14.43	≤ 23.98
			140	5700	10.93	11.23	14.09	≤ 23.98
			144	5720	10.89	11.10	14.01	≤ 22.87
			149	5745	10.71	11.32	14.04	≤ 30.00
			157	5785	10.61	11.03	13.84	≤ 30.00
			165	5825	11.35	11.88	14.63	≤ 30.00
11ax-HE20	262 Tone	RU61	36	5180	11.52	11.39	14.47	≤ 30.00
			44	5220	11.15	11.32	14.25	≤ 30.00
			48	5240	11.18	11.36	14.28	≤ 30.00
			52	5260	11.82	11.21	14.54	≤ 23.98
			60	5300	11.83	11.27	14.57	≤ 23.98
			64	5320	11.90	11.21	14.58	≤ 23.98
			100	5500	11.28	11.08	14.19	≤ 23.98
			116	5580	11.15	11.43	14.30	≤ 23.98
			140	5700	10.95	11.26	14.12	≤ 23.98
			144	5720	11.05	11.41	14.24	≤ 23.02
			149	5745	10.83	11.43	14.15	≤ 30.00
			157	5785	10.56	11.29	13.95	≤ 30.00
			165	5825	10.36	11.02	13.71	≤ 30.00

Test Mode	Tone	RU	Channel No.	Freq. (MHz)	Average Power (dBm)		Total Average Power (dBm)	Average Power Limit (dBm)
					Ant 1	Ant 2		
11ax-HE40	26 Tone	RU 0	38	5190	10.78	10.01	13.42	≤ 30.00
			46	5230	11.79	11.43	14.62	≤ 30.00
			54	5270	8.91	8.36	11.65	≤23.98
			62	5310	10.52	9.61	13.10	≤ 23.98
			102	5510	9.64	9.53	12.60	≤ 23.98
			110	5550	9.93	9.54	12.75	≤ 23.98
			134	5670	9.72	9.58	12.66	≤ 23.98
			142	5710	9.65	9.56	12.62	≤ 23.98
			151	5755	11.44	11.33	14.40	≤ 30.00
			159	5795	10.70	10.80	13.76	≤ 30.00
		RU 8	38	5190	10.92	9.82	13.42	≤ 30.00
			46	5230	11.15	11.34	14.26	≤ 30.00
			54	5270	10.16	9.34	12.78	≤23.98
			62	5310	10.12	9.75	12.95	≤ 23.98
			102	5510	10.61	10.41	13.52	≤ 23.98
			110	5550	10.56	10.54	13.56	≤ 23.98
			134	5670	10.45	10.43	13.45	≤ 23.98
			142	5710	10.39	10.46	13.44	≤ 23.98
			151	5755	11.25	11.39	14.33	≤ 30.00
			159	5795	11.43	11.54	14.50	≤ 30.00

Test Mode	Tone	RU	Channel No.	Freq. (MHz)	Average Power (dBm)		Total Average Power (dBm)	Average Power Limit (dBm)
					Ant 1	Ant 2		
11ax-HE40	26 Tone	RU 17	38	5190	11.24	10.16	13.74	≤ 30.00
			46	5230	11.51	10.33	13.97	≤ 30.00
			54	5270	9.88	8.78	12.38	≤23.98
			62	5310	9.80	8.81	12.34	≤ 23.98
			102	5510	10.08	9.74	12.92	≤ 23.98
			110	5550	10.01	9.79	12.91	≤ 23.98
			134	5670	9.98	9.77	12.89	≤ 23.98
			142	5710	9.78	9.80	12.80	≤ 23.98
			151	5755	11.34	11.37	14.37	≤ 30.00
			159	5795	11.32	11.05	14.20	≤ 30.00
11ax-HE40	484 Tone	RU 65	38	5190	11.96	11.08	14.55	≤ 30.00
			46	5230	10.96	11.35	14.17	≤ 30.00
			54	5270	11.65	11.02	14.36	≤23.98
			62	5310	11.43	11.15	14.30	≤ 23.98
			102	5510	10.69	11.18	13.95	≤ 23.98
			110	5550	10.59	11.29	13.96	≤ 23.98
			134	5670	10.48	11.25	13.89	≤ 23.98
			142	5710	10.55	11.11	13.85	≤ 23.98
			151	5755	10.57	11.18	13.90	≤ 30.00
			159	5795	10.51	11.15	13.85	≤ 30.00

Test Mode	Tone	RU	Channel No.	Freq. (MHz)	Average Power (dBm)		Total Average Power (dBm)	Average Power Limit (dBm)
					Ant 1	Ant 2		
11ax-HE80	26 Tone	RU 0	42	5210	10.29	9.35	12.86	≤ 30.00
			58	5290	10.88	9.22	13.14	≤ 23.98
			106	5530	8.39	8.20	11.31	≤ 23.98
			122	5610	8.13	8.22	11.19	≤ 23.98
			138	5690	9.81	9.78	12.81	≤ 23.98
			155	5775	10.26	10.43	13.36	≤ 30.00
		RU 18	42	5210	9.59	8.75	12.20	≤ 30.00
			58	5290	10.09	9.06	12.62	≤ 23.98
			106	5530	9.94	10.04	13.00	≤ 23.98
			122	5610	10.04	10.18	13.12	≤ 23.98
			138	5690	9.77	10.23	13.02	≤ 23.98
			155	5775	9.85	10.48	13.19	≤ 30.00
		RU 36	42	5210	10.35	9.23	12.84	≤ 30.00
			58	5290	8.24	7.18	10.75	≤ 23.98
			106	5530	8.58	8.61	11.61	≤ 23.98
			122	5610	8.26	8.29	11.29	≤ 23.98
			138	5690	10.48	10.22	13.36	≤ 23.98
			155	5775	10.69	10.40	13.56	≤ 30.00
11ax-HE80	996 Tone	RU 67	42	5210	10.06	9.19	12.66	≤ 30.00
			58	5290	10.26	9.18	12.76	≤ 23.98
			106	5530	10.39	10.32	13.37	≤ 23.98
			122	5610	10.15	10.48	13.33	≤ 23.98
			138	5690	9.96	10.54	13.27	≤ 23.98
			155	5775	10.03	10.55	13.31	≤ 30.00

A.5 Power Spectral Density Test Result

Test Site	WZ-SR5	Test Engineer	Liz Yuan
Test Date	2022/05/13	Test Mode	SISO Mode
Test Item	Power Spectral Density (UNII-Band 1 & UNII-2A & UNII-2C)		

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	AVPSD (dBm/ MHz)		Total PSD (dBm/ MHz)		PSD Limit (dBm/MHz)
				Ant 1	Ant 2	Ant 1	Ant 2	
11a	6Mbps	36	5180	4.456	2.796	4.885	3.225	17.00
11a	6Mbps	44	5220	5.595	4.121	6.024	4.550	17.00
11a	6Mbps	48	5240	5.556	4.575	5.985	5.004	17.00
11a	6Mbps	52	5260	6.036	3.784	6.465	4.213	11.00
11a	6Mbps	60	5300	5.715	4.394	6.144	4.823	11.00
11a	6Mbps	64	5320	6.317	2.452	6.746	2.881	11.00
11a	6Mbps	100	5500	2.590	1.976	3.019	2.405	11.00
11a	6Mbps	116	5580	6.219	5.532	6.648	5.961	11.00
11a	6Mbps	140	5700	2.159	5.106	2.588	5.535	11.00
11a	6Mbps	144	5720	5.532	5.707	5.961	6.136	11.00
11ac-VHT20	MCS0	36	5180	5.349	2.856	5.807	3.314	17.00
11ac-VHT20	MCS0	44	5220	4.604	2.829	5.062	3.287	17.00
11ac-VHT20	MCS0	48	5240	5.323	2.739	5.781	3.197	17.00
11ac-VHT20	MCS0	52	5260	5.795	2.885	6.253	3.343	11.00
11ac-VHT20	MCS0	60	5300	5.950	3.354	6.408	3.812	11.00
11ac-VHT20	MCS0	64	5320	5.873	3.417	6.331	3.875	11.00
11ac-VHT20	MCS0	100	5500	3.140	-1.353	3.598	-0.895	11.00
11ac-VHT20	MCS0	116	5580	5.858	3.250	6.316	3.708	11.00
11ac-VHT20	MCS0	140	5700	3.026	3.126	3.484	3.584	11.00
11ac-VHT20	MCS0	144	5720	6.317	3.553	6.775	4.011	11.00
11ac-VHT40	MCS0	38	5190	1.128	0.048	1.720	0.640	17.00
11ac-VHT40	MCS0	46	5230	1.438	0.035	2.030	0.627	17.00
11ac-VHT40	MCS0	54	5270	1.861	0.242	2.453	0.834	11.00
11ac-VHT40	MCS0	62	5310	2.084	-3.296	2.676	-2.704	11.00
11ac-VHT40	MCS0	102	5510	-1.838	-3.561	-1.246	-2.969	11.00
11ac-VHT40	MCS0	110	5550	2.335	0.184	2.927	0.776	11.00
11ac-VHT40	MCS0	134	5670	0.001	0.311	0.593	0.903	11.00
11ac-VHT40	MCS0	142	5710	3.078	0.102	3.670	0.694	11.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	AVPSD (dBm/ MHz)		Total PSD (dBm/ MHz)		PSD Limit (dBm/MHz)
				Ant 1	Ant 2	Ant 1	Ant 2	
11ac-VHT80	MCS0	42	5210	-4.583	-4.592	-2.940	-2.949	17.00
11ac-VHT80	MCS0	58	5290	-4.394	-4.470	-2.751	-2.827	11.00
11ac-VHT80	MCS0	106	5530	-3.455	-6.791	-1.812	-5.148	11.00
11ac-VHT80	MCS0	122	5610	-2.552	-4.240	-0.909	-2.597	11.00
11ac-VHT80	MCS0	138	5690	-3.140	-4.412	-1.497	-2.769	11.00
11ax-HE20	MCS0	36	5180	1.452	-1.359	2.031	-0.780	17.00
11ax-HE20	MCS0	44	5220	1.925	-1.625	2.504	-1.046	17.00
11ax-HE20	MCS0	48	5240	2.305	-1.796	2.884	-1.217	17.00
11ax-HE20	MCS0	52	5260	1.793	-1.449	2.372	-0.870	11.00
11ax-HE20	MCS0	60	5300	1.813	-1.430	2.392	-0.851	11.00
11ax-HE20	MCS0	64	5320	1.898	-1.084	2.477	-0.505	11.00
11ax-HE20	MCS0	100	5500	2.221	-1.009	2.800	-0.430	11.00
11ax-HE20	MCS0	116	5580	3.491	-1.051	4.070	-0.472	11.00
11ax-HE20	MCS0	140	5700	2.839	-0.447	3.418	0.132	11.00
11ax-HE20	MCS0	144	5720	2.647	3.065	3.226	3.644	11.00
11ax-HE40	MCS0	38	5190	-2.669	-3.240	-1.618	-2.189	17.00
11ax-HE40	MCS0	46	5230	-2.792	-2.976	-1.741	-1.925	17.00
11ax-HE40	MCS0	54	5270	-3.201	-2.823	-2.150	-1.772	11.00
11ax-HE40	MCS0	62	5310	-2.082	-3.072	-1.031	-2.021	11.00
11ax-HE40	MCS0	102	5510	-2.942	-2.694	-1.891	-1.643	11.00
11ax-HE40	MCS0	110	5550	-2.073	-2.823	-1.022	-1.772	11.00
11ax-HE40	MCS0	134	5670	-2.394	-3.034	-1.343	-1.983	11.00
11ax-HE40	MCS0	142	5710	-2.412	-3.065	-1.361	-2.014	11.00
11ax-HE80	MCS0	42	5210	-7.427	-7.472	-5.647	-5.692	17.00
11ax-HE80	MCS0	58	5290	-7.263	-7.471	-5.483	-5.691	11.00
11ax-HE80	MCS0	106	5530	-6.411	-6.446	-4.631	-4.666	11.00
11ax-HE80	MCS0	122	5610	-5.448	-6.027	-3.668	-4.247	11.00
11ax-HE80	MCS0	138	5690	-5.780	-6.440	-4.000	-4.660	11.00

Note: When EUT duty cycle < 98%, the total PSD (dBm/MHz) = AVGPSD + 10*log (1/Duty cycle).

Test Site	WZ-SR5	Test Engineer	Liz Yuan
Test Date	2022/05/13	Test Mode	SISO Mode
Test Item	Power Spectral Density (UNII-Band 3)		

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	AVPSD (dBm/ 510KHz)		Total PSD (dBm/ 510KHz)		PSD Limit (dBm/ 500KHz)
				Ant 1	Ant 2	Ant 1	Ant 2	
11a	6Mbps	149	5745	1.387	2.680	1.816	3.109	30.00
11a	6Mbps	157	5785	3.180	2.511	3.609	2.940	30.00
11a	6Mbps	165	5825	3.781	2.249	4.210	2.678	30.00
11ac-VHT20	MCS0	149	5745	3.632	0.627	4.090	1.085	30.00
11ac-VHT20	MCS0	157	5785	3.581	0.505	4.039	0.963	30.00
11ac-VHT20	MCS0	165	5825	3.345	0.293	3.803	0.751	30.00
11ac-VHT40	MCS0	151	5755	-1.863	-1.753	-1.271	-1.161	30.00
11ac-VHT40	MCS0	159	5795	-0.696	-2.039	-0.104	-1.447	30.00
11ac-VHT80	MCS0	155	5775	-7.162	-7.900	-5.519	-6.257	30.00
11ax-HE20	MCS0	149	5745	0.415	-1.119	0.994	-0.540	30.00
11ax-HE20	MCS0	157	5785	-0.038	-0.259	0.541	0.320	30.00
11ax-HE20	MCS0	165	5825	0.001	-0.389	0.580	0.190	30.00
11ax-HE40	MCS0	151	5755	-5.075	-5.224	-4.024	-4.173	30.00
11ax-HE40	MCS0	159	5795	-4.722	-5.230	-3.671	-4.179	30.00
11ax-HE80	MCS0	155	5775	-8.792	-8.981	-7.012	-7.201	30.00

Note 1:

When EUT duty cycle < 98%, the total PSD (dBm/510kHz) = $10 \cdot \log \{10^{(\text{Ant 1 AVGPSD}/10)} + 10^{(\text{Ant 2 AVGPSD}/10)}\} + 10 \cdot \log (1/\text{Duty cycle})$.

When EUT duty cycle $\geq$ 98%, the total PSD (dBm/510kHz) = $10 \cdot \log \{10^{(\text{Ant 1 AVGPSD}/10)} + 10^{(\text{Ant 2 AVGPSD}/10)}\}$.

Note 2: PSD Limit (dBm/500KHz) = 30dBm/MHz.

Test Site	WZ-SR5	Test Engineer	Liz Yuan
Test Date	2022/05/13	Test Mode	MIMO Mode
Test Item	Power Spectral Density (UNII-Band 1 & UNII-2A & UNII-2C)		

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	AVPSD (dBm/ MHz)		Total PSD (dBm/ MHz)	PSD Limit (dBm/MHz)
				Ant 1	Ant 2		
11a	6Mbps	36	5180	1.974	1.027	4.966	17.00
11a	6Mbps	44	5220	5.080	4.269	8.133	17.00
11a	6Mbps	48	5240	5.433	5.027	8.674	17.00
11a	6Mbps	52	5260	4.737	4.047	7.845	10.57
11a	6Mbps	60	5300	4.440	4.197	7.760	10.57
11a	6Mbps	64	5320	2.907	1.668	5.771	10.57
11a	6Mbps	100	5500	0.472	-0.072	3.648	11.00
11a	6Mbps	116	5580	6.468	5.644	9.515	11.00
11a	6Mbps	140	5700	0.351	-0.310	3.473	11.00
11a	6Mbps	144	5720	5.970	5.505	9.183	11.00
11ac-VHT20	MCS0	36	5180	4.420	3.624	7.508	17.00
11ac-VHT20	MCS0	44	5220	3.082	3.135	6.576	17.00
11ac-VHT20	MCS0	48	5240	4.041	3.322	7.164	17.00
11ac-VHT20	MCS0	52	5260	3.010	2.446	6.205	10.57
11ac-VHT20	MCS0	60	5300	2.808	2.258	6.010	10.57
11ac-VHT20	MCS0	64	5320	3.011	2.262	6.121	10.57
11ac-VHT20	MCS0	100	5500	-0.037	-0.302	3.300	11.00
11ac-VHT20	MCS0	116	5580	3.274	2.769	6.497	11.00
11ac-VHT20	MCS0	140	5700	0.577	0.118	3.821	11.00
11ac-VHT20	MCS0	144	5720	2.844	3.255	6.522	11.00
11ac-VHT40	MCS0	38	5190	0.273	-0.053	3.715	17.00
11ac-VHT40	MCS0	46	5230	-0.018	-0.132	3.528	17.00
11ac-VHT40	MCS0	54	5270	0.240	-0.385	3.541	10.57
11ac-VHT40	MCS0	62	5310	-1.792	-3.162	1.179	10.57
11ac-VHT40	MCS0	102	5510	-2.294	-3.646	0.685	11.00
11ac-VHT40	MCS0	110	5550	-1.051	-1.362	2.398	11.00
11ac-VHT40	MCS0	134	5670	-1.334	-0.736	2.577	11.00
11ac-VHT40	MCS0	142	5710	-1.119	-0.320	2.901	11.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	AVPSD (dBm/ MHz)		Total PSD (dBm/ MHz)	PSD Limit (dBm/MHz)
				Ant 1	Ant 2		
11ac-VHT80	MCS0	42	5210	-5.006	-4.947	-0.323	17.00
11ac-VHT80	MCS0	58	5290	-5.416	-5.343	-0.726	10.57
11ac-VHT80	MCS0	106	5530	-6.167	-5.983	-1.421	11.00
11ac-VHT80	MCS0	122	5610	-5.744	-5.372	-0.901	11.00
11ac-VHT80	MCS0	138	5690	-5.706	-4.902	-0.632	11.00
11ax-HE20	MCS0	36	5180	2.391	0.887	5.294	17.00
11ax-HE20	MCS0	44	5220	1.882	1.026	5.065	17.00
11ax-HE20	MCS0	48	5240	1.881	0.729	4.933	17.00
11ax-HE20	MCS0	52	5260	2.675	0.896	5.466	10.57
11ax-HE20	MCS0	60	5300	2.510	1.038	5.426	10.57
11ax-HE20	MCS0	64	5320	2.316	1.065	5.325	10.57
11ax-HE20	MCS0	100	5500	-0.099	-0.430	3.328	11.00
11ax-HE20	MCS0	116	5580	2.631	2.098	5.962	11.00
11ax-HE20	MCS0	140	5700	0.554	0.138	3.941	11.00
11ax-HE20	MCS0	144	5720	2.340	2.103	5.813	11.00
11ax-HE40	MCS0	38	5190	-2.747	-4.066	0.705	17.00
11ax-HE40	MCS0	46	5230	-3.454	-4.037	0.326	17.00
11ax-HE40	MCS0	54	5270	-2.847	-4.036	0.661	10.57
11ax-HE40	MCS0	62	5310	-2.555	-3.826	0.917	10.57
11ax-HE40	MCS0	102	5510	-3.449	-3.853	0.415	11.00
11ax-HE40	MCS0	110	5550	-3.588	-4.017	0.264	11.00
11ax-HE40	MCS0	134	5670	-3.872	-4.116	0.069	11.00
11ax-HE40	MCS0	142	5710	-3.867	-3.608	0.326	11.00
11ax-HE80	MCS0	42	5210	-8.008	-8.931	-3.654	17.00
11ax-HE80	MCS0	58	5290	-7.491	-8.659	-3.245	10.57
11ax-HE80	MCS0	106	5530	-8.089	-8.512	-3.505	11.00
11ax-HE80	MCS0	122	5610	-6.798	-7.659	-2.417	11.00
11ax-HE80	MCS0	138	5690	-8.272	-8.139	-3.414	11.00

Note: When EUT duty cycle < 98%, the total PSD (dBm/MHz) = $10 \cdot \log \{10^{(\text{Ant 1 AVGPSD}/10)} + 10^{(\text{Ant 2 AVGPSD}/10)}\}$
+10*log (1/Duty cycle).

Test Site	WZ-SR5	Test Engineer	Liz Yuan
Test Date	2022/05/13	Test Mode	MIMO Mode
Test Item	Power Spectral Density (UNII-Band 3)		

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	AVPSD (dBm/ 510KHz)		Total PSD (dBm/ 510KHz)	PSD Limit (dBm/ 500KHz)
				Ant 1	Ant 2		
11a	6Mbps	149	5745	-0.254	-0.946	2.853	30.00
11a	6Mbps	157	5785	2.426	3.171	6.254	30.00
11a	6Mbps	165	5825	2.613	2.648	6.070	30.00
11ac-VHT20	MCS0	149	5745	0.330	0.839	4.060	30.00
11ac-VHT20	MCS0	157	5785	0.268	0.213	3.708	30.00
11ac-VHT20	MCS0	165	5825	0.200	0.186	3.661	30.00
11ac-VHT40	MCS0	151	5755	-3.621	-2.817	0.402	30.00
11ac-VHT40	MCS0	159	5795	-3.542	-2.607	0.553	30.00
11ac-VHT80	MCS0	155	5775	-8.727	-7.462	-3.395	30.00
11ax-HE20	MCS0	149	5745	-0.431	-0.580	3.085	30.00
11ax-HE20	MCS0	157	5785	-0.358	-0.791	3.021	30.00
11ax-HE20	MCS0	165	5825	-0.337	-0.827	3.015	30.00
11ax-HE40	MCS0	151	5755	-6.618	-6.481	-2.487	30.00
11ax-HE40	MCS0	159	5795	-6.450	-5.976	-2.145	30.00
11ax-HE80	MCS0	155	5775	-11.379	-10.980	-6.384	30.00

Note 1:


When EUT duty cycle < 98%, the total PSD (dBm/510kHz) = $10 \cdot \log \{10^{(\text{Ant 1 AVGPSD}/10)} + 10^{(\text{Ant 2 AVGPSD}/10)}\} + 10 \cdot \log (1/\text{Duty cycle})$.

When EUT duty cycle $\geq$ 98%, the total PSD (dBm/510kHz) = $10 \cdot \log \{10^{(\text{Ant 1 AVGPSD}/10)} + 10^{(\text{Ant 2 AVGPSD}/10)}\}$.


Note 2: PSD Limit (dBm/500KHz) = 30 dBm/MHz.

802.11a Power Spectral Density - SISO Mode Ant 1


Channel 36 (5180MHz)




Channel 44 (5220MHz)



Channel 48 (5240MHz)




Channel 52 (5260MHz)



Channel 60 (5300MHz)



Channel 64 (5320MHz)



Channel 100 (5500MHz)



Channel 116 (5580MHz)



Channel 140 (5700MHz)



Channel 144(5720MHz)



Channel 149 (5745MHz)



Channel 157(5785MHz)




Channel 165 (5825MHz)




802.11ac-VHT20 Power Spectral Density - SISO Mode Ant 1


Channel 36 (5180MHz)




Channel 44 (5220MHz)




Channel 48 (5240MHz)




Channel 52 (5260MHz)



Channel 60 (5300MHz)



Channel 64 (5320MHz)




802.11ac-VHT20 Power Spectral Density - SISO Mode Ant 1


Channel 100 (5500MHz)




Channel 116 (5580MHz)



Channel 140 (5700MHz)



Channel 144(5720MHz)




Channel 149 (5745MHz)



Channel 157(5785MHz)




Channel 165 (5825MHz)



802.11ac-VHT40 Power Spectral Density - SISO Mode Ant 1


Channel 38 (5190MHz)




Channel 46 (5230MHz)



Channel 54 (5270MHz)




Channel 62 (5310MHz)



Channel 102 (5510MHz)




Channel 110 (5550MHz)



802.11ac-VHT40 Power Spectral Density - SISO Mode Ant 1


Channel 134 (5670MHz)




Channel 142(5710MHz)



Channel 151 (5755MHz)




Channel 159(5795MHz)




802.11ac-VHT80 Power Spectral Density - SISO Mode Ant 1


Channel 42 (5210MHz)




Channel 58 (5290MHz)




Channel 106 (5530MHz)




Channel 122 (5610MHz)



Channel 138 (5690MHz)




Channel 155 (5775MHz)




802.11ax-HE20 Power Spectral Density - SISO Mode Ant 1


Channel 36 (5180MHz)



Channel 44 (5220MHz)



Channel 48 (5240MHz)




Channel 52 (5260MHz)



Channel 60 (5300MHz)




Channel 64 (5320MHz)




802.11ax-HE20 Power Spectral Density - SISO Mode Ant 1

Channel 100 (5500MHz)



Channel 116 (5580MHz)




Channel 140 (5700MHz)




Channel 144(5720MHz)




Channel 149 (5745MHz)



Channel 157(5785MHz)




Channel 165 (5825MHz)




802.11ax-HE40 Power Spectral Density - SISO Mode Ant 1


Channel 38 (5190MHz)




Channel 46 (5230MHz)



Channel 54 (5270MHz)



Channel 62 (5310MHz)



Channel 102 (5510MHz)




Channel 110 (5550MHz)




802.11ax-HE40 Power Spectral Density - SISO Mode Ant 1

Channel 134 (5670MHz)




Channel 142(5710MHz)



Channel 151 (5755MHz)




Channel 159(5795MHz)




802.11ax-HE80 Power Spectral Density - SISO Mode Ant 1


Channel 42 (5210MHz)




Channel 58 (5290MHz)




Channel 106 (5530MHz)



Channel 122 (5610MHz)



Channel 138 (5690MHz)



Channel 155 (5775MHz)

