


802.11ax HE40

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2386.70	53.19	15.62	37.57	54.00	-0.81	100	360	Average	Horizontal		
2	2422.00	100.49	62.83	37.66	54.00	46.49	100	360	Average	Horizontal		
3	2485.23	43.03	5.23	37.80	54.00	-10.97	100	360	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2387.53	51.02	13.45	37.57	54.00	-2.98	100	185	Average	Vertical		
2	2422.00	98.27	60.61	37.66	54.00	44.27	100	185	Average	Vertical		
3	2499.86	42.37	4.52	37.85	54.00	-11.63	100	185	Average	Vertical		

802.11ax HE40

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2317.55	58.14	20.87	37.27	74.00	-15.86	325	52	Peak	Horizontal		
2 *	2437.00	111.13	73.45	37.68	74.00	37.13	325	52	Peak	Horizontal		
3	2557.68	64.48	26.56	37.92	74.00	-9.52	325	52	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2383.87	57.85	20.30	37.55	74.00	-16.15	100	310	Peak	Vertical		
2 *	2437.00	107.84	70.16	37.68	74.00	33.84	100	310	Peak	Vertical		
3	2483.93	64.56	26.76	37.80	74.00	-9.44	100	310	Peak	Vertical		

802.11ax HE40


Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2331.95	57.18	19.87	37.31	74.00	-16.82	198	39	Peak	Horizontal		
2 *	2452.00	111.09	73.40	37.69	74.00	37.09	198	39	Peak	Horizontal		
3 !	2484.64	73.18	35.38	37.80	74.00	-0.82	198	39	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2358.00	52.43	15.06	37.37	74.00	-21.57	100	321	Peak	Vertical		
2 *	2452.00	108.38	70.69	37.69	74.00	34.38	100	321	Peak	Vertical		
3 !	2484.64	68.13	30.33	37.80	74.00	-5.87	100	321	Peak	Vertical		

802.11ax HE40

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2379.74	41.17	3.64	37.53	54.00	-12.83	198	39	Average	Horizontal	
2 *	2452.00	98.86	61.17	37.69	54.00	44.86	198	39	Average	Horizontal	
3 !	2483.46	53.63	15.83	37.80	54.00	-0.37	198	39	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.53	40.38	2.80	37.58	54.00	-13.62	180	321	Average	Vertical	
2 *	2452.00	96.95	59.26	37.69	54.00	42.95	180	321	Average	Vertical	
3 !	2483.58	50.49	12.69	37.80	54.00	-3.51	180	321	Average	Vertical	


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

802.11ax HE20

Middle Channel 9kHz~150kHz(Open)




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.03	59.03	39.84	19.19	119.14	-69.11	100	256 QP	Open	
2	0.04	56.44	37.05	19.39	115.13	-58.69	100	262 QP	Open	
3	0.05	52.39	33.11	19.28	113.40	-61.01	100	248 QP	Open	
4	0.06	42.48	23.46	19.02	111.59	-69.11	100	250 QP	Open	
5	0.08	41.59	23.04	18.55	109.03	-67.44	100	242 QP	Open	
6	0.11	36.06	17.80	18.26	106.76	-70.70	100	240 QP	Open	



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.53	58.28	39.31	18.97	73.18	-14.90	100	141 QP	Open	
2	1.05	51.83	32.55	19.28	67.14	-15.31	100	141 QP	Open	
3	1.58	46.90	27.55	19.35	63.63	-16.73	100	148 QP	Open	
4	2.11	42.23	22.81	19.42	69.50	-27.27	100	154 QP	Open	
5	14.81	35.28	13.44	21.84	69.50	-34.22	100	176 QP	Open	
6	22.73	36.55	14.23	22.32	69.50	-32.95	100	176 QP	Open	

802.11ax HE20

Middle Channel 9kHz~150kHz(Close)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.03	58.72	39.53	19.19	119.14	-69.42	100	265 QP	Close	
2	0.04	51.38	31.99	19.39	115.11	-63.73	100	194 QP	Close	
3	0.05	48.71	29.44	19.27	113.33	-64.62	100	203 QP	Close	
4	0.08	37.90	19.23	18.67	109.62	-71.72	100	205 QP	Close	
5	0.10	32.45	14.22	18.23	107.42	-74.97	100	205 QP	Close	
6	0.12	31.36	13.05	18.31	105.70	-74.34	100	197 QP	Close	

Middle Channel 150kHz~30MHz(Close)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.53	54.06	35.09	18.97	73.18	-19.12	100	108 QP	Close	
2	1.05	47.45	28.17	19.28	67.14	-19.69	100	98 QP	Close	
3	1.58	42.21	22.86	19.35	63.62	-21.41	100	100 QP	Close	
4	2.11	38.10	18.68	19.42	69.50	-31.40	100	96 QP	Close	
5	15.31	36.18	14.31	21.87	69.50	-33.32	100	360 QP	Close	
6	23.79	36.98	14.61	22.37	69.50	-32.52	100	6 QP	Close	


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

802.11ax HE20

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	72.39	36.02	45.01	-8.99	40.00	-3.98	200	317 QP	Horizontal	
2	112.06	39.63	48.97	-9.34	43.50	-3.87	200	171 QP	Horizontal	
3	172.49	41.54	47.95	-6.41	43.50	-1.96	200	89 QP	Horizontal	
4	220.80	35.03	43.01	-7.98	46.00	-10.97	100	65 QP	Horizontal	
5	399.96	33.37	36.33	-2.96	46.00	-12.63	100	294 QP	Horizontal	
6	760.02	36.37	33.70	2.67	46.00	-9.63	100	15 QP	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	72.39	35.56	44.55	-8.99	40.00	-4.44	100	277 QP	Vertical	
2	112.06	34.80	44.14	-9.34	43.50	-8.70	100	105 QP	Vertical	
3	172.49	34.88	41.29	-6.41	43.50	-8.62	200	184 QP	Vertical	
4	399.96	31.64	34.60	-2.96	46.00	-14.36	100	212 QP	Vertical	
5	599.97	38.00	37.80	0.20	46.00	-8.00	200	18 QP	Vertical	
6	840.05	34.83	31.21	3.62	46.00	-11.17	100	162 QP	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)

Low Channel (Vertical)



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	41.18	50.99	-9.81	74.00	-32.82	115	231	Peak	Horizontal	



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	40.60	50.41	-9.81	74.00	-33.40	300	28	Peak	Vertical	


802.11b

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	40.90	50.67	-9.77	74.00	-33.10	100	71	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	40.06	49.83	-9.77	74.00	-33.94	286	1	Peak	Vertical	


802.11b

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	43.56	53.24	-9.68	74.00	-30.44	100	8	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	41.78	51.46	-9.68	74.00	-32.22	194	360	Peak	Vertical	


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	38.02	47.83	-9.81	74.00	-35.98	100	53	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	38.80	48.61	-9.81	74.00	-35.20	226	2	Peak	Vertical	


802.11g

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	38.54	48.31	-9.77	74.00	-35.46	200	164	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	37.74	47.51	-9.77	74.00	-36.26	300	22	Peak	Vertical	


802.11g

High Channel (Horizontal)


High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11 HT20

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	38.57	48.38	-9.81	74.00	-35.43	300	288	Peak	Horizontal	

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	37.67	47.48	-9.81	74.00	-36.33	200	211	Peak	Vertical	

802.11 HT20

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	36.68	46.45	-9.77	74.00	-37.32	166	360	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	36.98	46.75	-9.77	74.00	-37.02	100	2	Peak	Vertical	

802.11 HT20

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	37.71	47.39	-9.68	74.00	-36.29	100	358	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	37.62	47.30	-9.68	74.00	-36.38	100	120	Peak	Vertical	


802.11 HT40

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11 HT40

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	36.87	46.64	-9.77	74.00	-37.13	100	11	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	37.29	47.06	-9.77	74.00	-36.71	100	145	Peak	Vertical	

802.11 HT40

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 4984.00	38.14	47.92	-9.78	74.00	-35.86	300	207	Peak	Horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 4984.00	37.20	46.98	-9.78	74.00	-36.80	300	273	Peak	Vertical		

802.11 HE20


Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11 HE20

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	38.16	47.93	-9.77	74.00	-35.84	100	33	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	37.83	47.60	-9.77	74.00	-36.17	100	51	Peak	Vertical	

802.11 HE20

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	38.29	47.97	-9.68	74.00	-35.71	200	27	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	38.33	48.01	-9.68	74.00	-35.67	200	118	Peak	Vertical	


802.11 HE40

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11 HE40

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	38.94	48.71	-9.77	74.00	-35.06	104	360	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	37.89	47.66	-9.77	74.00	-36.11	200	202	Peak	Vertical	

802.11 HE40

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4984.00	37.68	47.46	-9.78	74.00	-36.32	100	124	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4984.00	37.63	47.41	-9.78	74.00	-36.37	200	347	Peak	Vertical	

<POE Mode>


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

802.11ax HE20

Low Channel (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.03	63.33	44.14	19.19	119.14	-55.81	100	316 QP	Open	
2	0.05	41.54	22.29	19.25	113.13	-71.59	100	35 QP	Open	
3	0.06	32.47	13.39	19.08	111.99	-79.52	100	48 QP	Open	
4	0.09	29.85	11.42	18.43	108.53	-78.68	100	22 QP	Open	
5	0.09	32.91	14.56	18.35	108.15	-75.24	100	11 QP	Open	
6	0.13	29.34	11.03	18.31	105.66	-76.32	100	289 QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4.99	31.92	12.56	19.36	69.50	-37.58	100	1 QP	Open	
2	9.06	33.47	12.43	21.04	69.50	-36.03	100	1 QP	Open	
3	11.65	35.12	13.50	21.62	69.50	-34.38	100	272 QP	Open	
4	14.99	34.73	12.88	21.85	69.50	-34.77	100	289 QP	Open	
5	23.85	35.80	13.42	22.38	69.50	-33.70	100	12 QP	Open	
6	27.77	35.84	13.29	22.55	69.50	-33.66	100	266 QP	Open	

802.11ax HE20

Low Channel (Close) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.03	63.27	44.08	19.19	119.15	-55.88	100	311 QP	Close		
2	0.05	41.93	22.68	19.25	113.13	-71.20	100	298 QP	Close		
3	0.06	39.92	20.86	19.06	111.83	-71.91	100	1 QP	Close		
4	0.08	34.26	15.57	18.69	109.74	-75.48	100	50 QP	Close		
5	0.09	31.85	13.50	18.35	108.16	-76.31	100	71 QP	Close		
6	0.11	30.67	12.42	18.25	106.62	-76.15	100	224 QP	Close		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4.39	33.27	13.06	19.41	69.50	-36.23	100	26 QP	Close		
2	8.48	33.80	13.01	20.79	69.50	-35.70	100	328 QP	Close		
3	14.36	37.65	15.85	21.80	69.50	-31.85	100	205 QP	Close		
4	21.94	36.28	13.99	22.29	69.50	-33.22	100	1 QP	Close		
5	24.19	36.16	13.77	22.39	69.50	-33.34	100	30 QP	Close		
6	24.75	35.50	13.09	22.41	69.50	-34.00	100	56 QP	Close		


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

802.11ax HE20

Low Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	75.11	31.52	41.05	-9.53	40.00	-8.48	300	127	QP		Horizontal	
2	132.43	39.59	46.64	-7.05	43.50	-3.91	200	261	QP		Horizontal	
3	224.00	37.60	45.37	-7.77	46.00	-8.40	200	360	QP		Horizontal	
4	316.73	36.15	40.69	-4.54	46.00	-9.85	300	138	QP		Horizontal	
5	359.99	38.65	42.40	-3.75	46.00	-7.35	100	235	QP		Horizontal	
6	840.05	40.26	36.64	3.62	46.00	-5.74	100	324	QP		Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322






	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	37.47	38.36	45.03	-6.67	40.00	-1.64	100	126	QP		Vertical	
2	52.02	34.96	41.14	-6.18	40.00	-5.04	100	360	QP		Vertical	
3	74.33	33.36	42.83	-9.47	40.00	-6.64	100	360	QP		Vertical	
4	125.74	35.49	43.38	-7.89	43.50	-8.01	100	231	QP		Vertical	
5	159.79	35.38	41.34	-5.96	43.50	-8.12	100	294	QP		Vertical	
6	318.77	36.49	40.96	-4.47	46.00	-9.51	100	360	QP		Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz

Worst Band (Adapter)


(Line)

(Neutral)



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.15	39.05	29.44	9.61	56.00	-16.95	Average	line1	
2	0.15	58.54	48.93	9.61	66.00	-7.46	QP	line1	
3	0.16	34.06	24.45	9.61	55.38	-21.32	Average	line1	
4	0.16	54.10	44.49	9.61	65.38	-11.28	QP	line1	
5	0.17	34.34	24.73	9.61	55.09	-20.75	Average	line1	
6	0.17	54.24	44.63	9.61	65.09	-10.85	QP	line1	
7	0.19	27.94	18.33	9.61	54.22	-26.28	Average	line1	
8	0.19	48.21	38.60	9.61	64.22	-16.01	QP	line1	
9	0.38	32.59	22.97	9.62	48.26	-15.67	Average	line1	
10	0.38	41.88	32.26	9.62	58.26	-16.38	QP	line1	
11	1.98	11.24	1.59	9.65	46.00	-34.76	Average	line1	
12	1.98	17.74	8.09	9.65	56.00	-38.26	QP	line1	






Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.15	38.48	28.89	9.59	55.96	-17.48	Average	neutral	
2	0.15	57.43	47.84	9.59	65.96	-8.53	QP	neutral	
3	0.16	33.01	23.42	9.59	55.63	-22.62	Average	neutral	
4	0.16	53.06	43.47	9.59	65.63	-12.57	QP	neutral	
5	0.16	34.87	25.28	9.59	55.25	-20.38	Average	neutral	
6	0.16	54.86	45.27	9.59	65.25	-10.39	QP	neutral	
7	0.17	34.22	24.63	9.59	55.09	-20.87	Average	neutral	
8	0.17	54.01	44.42	9.59	65.09	-11.08	QP	neutral	
9	0.38	27.84	18.24	9.60	48.26	-20.42	Average	neutral	
10	0.38	37.64	28.04	9.60	58.26	-20.62	QP	neutral	
11	2.14	13.13	3.50	9.63	46.00	-32.87	Average	neutral	
12	2.14	19.42	9.79	9.63	56.00	-36.58	QP	neutral	

Worst Band (POE)


(Line)

(Neutral)



Trace: 1

	Freq	Level	Read	Limit	Over		Pol/Phase	Note
	MHz	dBuV	Level	Line	Limit	Remark		
		dBuV	Factor	dB	dB			
1	0.15	33.86	24.25	9.61	55.88	-22.02 Average	line1	
2	0.15	52.90	43.29	9.61	65.88	-12.98 QP	line1	
3	0.18	29.41	19.80	9.61	54.72	-25.31 Average	line1	
4	0.18	47.99	38.38	9.61	64.72	-16.73 QP	line1	
5	0.53	32.58	22.96	9.62	46.00	-13.42 Average	line1	
6	0.53	37.76	28.14	9.62	56.00	-18.24 QP	line1	
7	1.48	19.61	9.97	9.64	46.00	-26.39 Average	line1	
8	1.48	23.15	13.51	9.64	56.00	-32.85 QP	line1	
9	8.33	20.09	10.38	9.71	50.00	-29.91 Average	line1	
10	8.33	25.48	15.77	9.71	60.00	-34.52 QP	line1	
11	12.73	23.69	13.96	9.73	50.00	-26.01 Average	line1	
12	12.73	28.46	18.73	9.73	60.00	-31.54 QP	line1	



Trace: 1

	Freq	Level	Read	Limit	Over		Pol/Phase	Note
	MHz	dBuV	Level	Line	Limit	Remark		
		dBuV	Factor	dB	dB			
1	0.15	34.67	25.08	9.59	55.83	-21.16 Average	neutral	
2	0.15	52.50	42.91	9.59	65.83	-13.33 QP	neutral	
3	0.23	24.42	14.83	9.59	52.36	-27.94 Average	neutral	
4	0.23	38.59	29.00	9.59	62.36	-23.77 QP	neutral	
5	0.53	32.48	22.88	9.60	46.00	-13.52 Average	neutral	
6	0.53	37.89	28.29	9.60	56.00	-18.11 QP	neutral	
7	1.08	24.85	15.25	9.60	46.00	-21.15 Average	neutral	
8	1.08	28.31	18.71	9.60	56.00	-27.69 QP	neutral	
9	9.73	27.07	17.33	9.74	50.00	-22.93 Average	neutral	
10	9.73	31.59	21.85	9.74	60.00	-28.41 QP	neutral	
11	25.83	9.58	-0.24	9.82	50.00	-40.42 Average	neutral	
12	25.83	14.12	4.30	9.82	60.00	-45.88 QP	neutral	