


802.11ac VHT20

CH 40 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6968.00	47.99	55.32	-7.33	74.00	-26.01	100	119	Peak	Horizontal	
2	10400.00	42.26	45.68	-3.42	68.20	-25.94	100	285	Peak	Horizontal	

CH 40 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6968.00	48.66	55.99	-7.33	74.00	-25.34	100	190	Peak	Vertical	
2	10400.00	41.91	45.33	-3.42	68.20	-26.29	200	216	Peak	Vertical	

802.11ac VHT20

CH 48 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	47.53	54.86	-7.33	74.00	-26.47	200	102	Peak	Horizontal	
2	10480.00	43.05	46.29	-3.24	68.20	-25.15	100	360	Peak	Horizontal	

CH 48 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	50.14	57.47	-7.33	74.00	-23.86	200	165	Peak	Vertical	
2	10480.00	42.50	45.74	-3.24	68.20	-25.70	100	86	Peak	Vertical	


802.11ac VHT2040

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	48.65	55.98	-7.33	74.00	-25.35	300	113	Peak	Horizontal	
2	10380.00	42.14	45.61	-3.47	68.20	-26.06	300	274	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	50.01	57.34	-7.33	74.00	-23.99	300	192	Peak	Vertical	
2	10380.00	42.04	45.51	-3.47	68.20	-26.16	300	142	Peak	Vertical	

802.11ac VHT40

CH 46 (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 46 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT40

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	48.97	56.30	-7.33	74.00	-25.03	100	106	Peak	Horizontal	
2	10420.00	43.50	46.68	-3.38	68.20	-24.70	100	348	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	50.30	57.71	-7.33	74.00	-23.62	200	126	Peak	Vertical	
2	10420.00	43.22	46.60	-3.38	68.20	-24.98	100	360	Peak	Vertical	


802.11ac VHT80

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6968.00	48.21	55.54	-7.33	74.00	-25.79	100	107	Peak	Horizontal	
2	10360.00	42.88	45.59	-3.51	68.20	-26.12	300	99	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6968.00	51.09	58.42	-7.33	74.00	-22.91	200	127	Peak	Vertical	
2	10360.00	42.79	46.30	-3.51	68.20	-25.41	300	12	Peak	Vertical	


802.11ac VHT80

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	6960.00	47.60	54.93	-7.33	74.00	-26.40	100	106	Peak	Horizontal	
2	10400.00	42.43	45.85	-3.42	68.20	-25.77	300	105	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	6960.00	50.48	57.81	-7.33	74.00	-23.52	200	136	Peak	Vertical	
2	10400.00	42.55	45.97	-3.42	68.20	-25.65	100	159	Peak	Vertical	


802.11ac VHT80

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	6960.00	47.40	54.73	-7.33	74.00	-26.60	300	176 Peak	Horizontal	
2	10480.00	43.96	47.20	-3.24	68.20	-24.24	200	119 Peak	Horizontal	
3	15720.00	49.01	44.99	4.02	74.00	-24.99	200	191 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	6960.00	50.93	58.26	-7.33	74.00	-23.07	200	166 Peak	Vertical	
2	10480.00	42.37	45.61	-3.24	68.20	-25.83	200	301 Peak	Vertical	
3	15720.00	46.42	42.40	4.02	74.00	-27.58	100	262 Peak	Vertical	


802.11ac VHT80

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	48.10	55.43	-7.33	74.00	-25.90	300	121	Peak	Horizontal	
2	10300.00	41.61	45.08	-3.47	68.20	-26.59	300	152	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	50.08	57.41	-7.33	74.00	-23.92	300	106	Peak	Vertical	
2	10300.00	42.14	45.61	-3.47	68.20	-26.06	300	297	Peak	Vertical	


802.11ac VHT80

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	47.78	55.11	-7.33	74.00	-26.22	100	105	Peak	Horizontal	
2	10460.00	44.58	47.06	-3.20	68.20	-23.62	200	129	Peak	Horizontal	
3	15690.00	49.51	45.58	3.93	74.00	-24.49	200	181	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	51.21	58.54	-7.33	74.00	-22.79	200	129	Peak	Vertical	
2	10460.00	42.17	45.45	-3.20	68.20	-26.03	200	281	Peak	Vertical	
3	15690.00	49.01	45.08	3.93	74.00	-24.99	300	187	Peak	Vertical	


802.11ac VHT80

CH 42 (Horizontal)


CH 42 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	49.26	56.59	-7.33	68.20	-18.94	100	109	Peak	Horizontal	
2	11480.00	44.09	45.33	-1.24	74.00	-29.91	200	123	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	51.44	58.77	-7.33	68.20	-16.76	200	128	Peak	Vertical	
2	11480.00	44.19	45.43	-1.24	74.00	-29.81	300	195	Peak	Vertical	


802.11a

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6968.00	49.71	57.04	-7.33	68.20	-18.49	100	106	Peak	Horizontal	
2	11570.00	45.84	46.68	-1.04	74.00	-28.16	300	107	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6968.00	50.58	57.91	-7.33	68.20	-17.62	100	124	Peak	Vertical	
2	11570.00	45.56	46.60	-1.04	74.00	-28.44	300	191	Peak	Vertical	

802.11a

CH 165 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	48.96	56.29	-7.33	68.20	-19.24	300	122	Peak	Horizontal	
2	11650.00	47.45	48.39	-0.94	74.00	-26.55	100	96	Peak	Horizontal	

CH 165 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	51.39	58.72	-7.33	68.20	-16.81	200	165	Peak	Vertical	
2	11650.00	47.38	48.32	-0.94	74.00	-26.62	200	219	Peak	Vertical	

802.11ac VHT80

CH 149 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6968.00	48.63	55.96	-7.33	68.20	-19.57	300	126	Peak	Horizontal	
2	11498.00	42.47	43.68	-1.21	74.00	-31.53	300	36	Peak	Horizontal	

CH 149 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6968.00	51.27	58.60	-7.33	68.20	-16.93	200	133	Peak	Vertical	
2	11498.00	41.55	42.76	-1.21	74.00	-32.45	300	254	Peak	Vertical	


802.11ac VHT80

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	48.01	55.34	-7.33	68.20	-20.19	100	114	Peak	Horizontal	
2	11570.00	48.55	49.59	-1.04	74.00	-25.45	300	246	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	51.26	58.59	-7.33	68.20	-16.94	100	121	Peak	Vertical	
2	11570.00	48.83	49.87	-1.04	74.00	-25.17	300	195	Peak	Vertical	


802.11ac VHT80

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	48.59	55.92	-7.33	68.20	-19.61	100	252	Peak	Horizontal	
2	11650.00	51.24	52.18	-0.94	74.00	-22.76	200	126	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	51.37	58.70	-7.33	68.20	-16.83	200	128	Peak	Vertical	
2	11650.00	48.87	49.81	-0.94	74.00	-25.13	300	219	Peak	Vertical	


802.11ac VHT80

CH 151 (Horizontal)

CH 151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	49.55	56.88	-7.33	68.20	-18.65	100	107	Peak	Horizontal	
2	11510.00	42.31	43.45	-1.14	74.00	-31.69	200	324	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	51.53	58.86	-7.33	68.20	-16.67	200	120	Peak	Vertical	
2	11510.00	42.12	43.26	-1.14	74.00	-31.88	100	360	Peak	Vertical	


802.11ac VHT80

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	48.92	56.25	-7.33	68.20	-19.28	100	107	Peak	Horizontal	
2	11590.00	46.98	47.98	-1.00	74.00	-27.02	200	248	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	51.70	59.03	-7.33	68.20	-16.50	200	128	Peak	Vertical	
2	11590.00	46.32	47.32	-1.00	74.00	-27.68	200	206	Peak	Vertical	


802.11ac VHT80

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	48.89	56.22	-7.33	68.20	-19.31	100	107	Peak	Horizontal	
2	11550.00	43.80	44.87	-1.07	74.00	-30.20	100	172	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	48.89	56.22	-7.33	68.20	-19.31	100	107	Peak	Horizontal	
2	11550.00	43.80	44.87	-1.07	74.00	-30.20	100	172	Peak	Horizontal	


802.11ac VHT80

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	6960.00	47.15	54.48	-7.33	68.20	-21.05		100	102	Peak	Horizontal	
2	11490.00	49.27	58.48	-1.21	74.00	-24.73		100	122	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	6960.00	50.87	58.20	-7.33	68.20	-17.33		100	360	Peak	Vertical	
2	11490.00	46.42	47.63	-1.21	74.00	-27.58		100	171	Peak	Vertical	


802.11ac VHT80

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	49.51	56.84	-7.33	68.20	-18.69	200	302	Peak	Horizontal	
2	11750.00	42.65	43.51	-0.86	74.00	-31.35	300	319	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	51.76	59.09	-7.33	68.20	-16.44	100	119	Peak	Vertical	
2	11750.00	42.63	43.49	-0.86	74.00	-31.37	200	285	Peak	Vertical	


802.11ac VHT80

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	48.14	55.47	-7.33	68.20	-20.06	100	112	Peak	Horizontal	
2	11650.00	49.33	58.27	-0.94	74.00	-24.67	300	130	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	51.38	58.71	-7.33	68.20	-16.82	200	131	Peak	Vertical	
2	11650.00	49.17	58.11	-0.94	74.00	-24.83	300	165	Peak	Vertical	


802.11ac VHT80

CH 151 (Horizontal)

CH 151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	48.22	55.55	-7.33	68.20	-19.98	100	102	Peak	Horizontal	
2	11510.00	46.00	47.14	-1.14	74.00	-28.00	300	111	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	50.83	58.16	-7.33	68.20	-17.37	100	190	Peak	Vertical	
2	11510.00	41.02	42.16	-1.14	74.00	-32.98	200	176	Peak	Vertical	


802.11ac VHT80

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	48.34	55.67	-7.33	68.20	-19.86	200	101	Peak	Horizontal	
2	11590.00	46.11	47.11	-1.00	74.00	-27.89	300	87	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	51.06	58.39	-7.33	68.20	-17.14	100	120	Peak	Vertical	
2	11590.00	44.01	45.01	-1.00	74.00	-29.99	300	212	Peak	Vertical	


802.11ac VHT80

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	48.06	55.39	-7.33	68.20	-20.14	100	204	Peak	Horizontal	
2	11550.00	43.02	44.09	-1.07	74.00	-30.98	100	103	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	51.98	59.31	-7.33	68.20	-16.22	200	128	Peak	Vertical	
2	11550.00	43.27	44.34	-1.07	74.00	-30.73	300	214	Peak	Vertical	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11ax HE40

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	72.49	36.58	45.58	-9.00	40.00	-3.42	200	285	QP	Horizontal		
2	112.94	40.26	49.42	-9.16	43.50	-3.24	200	197	QP	Horizontal		
3	172.78	40.22	46.66	-6.44	43.50	-3.28	200	95	QP	Horizontal		
4	220.80	33.62	41.60	-7.98	46.00	-12.38	100	20	QP	Horizontal		
5	399.96	32.29	35.25	-2.96	46.00	-13.71	194	360	QP	Horizontal		
6	760.02	35.86	33.19	2.67	46.00	-10.14	107	360	QP	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	72.39	34.68	43.67	-8.99	40.00	-5.32	100	270	QP	Vertical		
2	112.06	34.68	44.02	-9.34	43.50	-8.82	100	108	QP	Vertical		
3	172.49	35.80	42.21	-6.41	43.50	-7.70	200	184	QP	Vertical		
4	399.96	31.14	34.10	-2.96	46.00	-14.86	100	210	QP	Vertical		
5	599.97	37.35	37.15	0.20	46.00	-8.65	188	360	QP	Vertical		
6	840.05	34.70	31.08	3.62	46.00	-11.30	100	170	QP	Vertical		

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11ax HE40

CH 46 (9kHz ~ 150kHz) Open

CH 46 (150kHz ~ 30MHz)Open




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.03	58.44	39.25	19.19	119.14	-60.70	100	188	QP	Open	
2	0.03	47.72	28.21	19.51	117.93	-70.21	100	142	QP	Open	
3	0.04	55.97	36.58	19.39	115.04	-59.07	100	252	QP	Open	
4	0.05	52.06	32.80	19.26	113.24	-61.18	100	239	QP	Open	
5	0.10	37.12	18.89	18.23	107.33	-70.21	100	237	QP	Open	
6	0.13	35.50	17.18	18.32	105.50	-70.00	100	252	QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.53	57.79	38.82	18.97	73.17	-15.38	100	149	QP	Open	
2	1.05	51.34	32.06	19.28	66.98	-15.64	100	153	QP	Open	
3	1.58	46.70	27.35	19.35	63.36	-16.66	100	136	QP	Open	
4	2.11	42.05	22.63	19.42	69.50	-27.45	100	151	QP	Open	
5	16.27	35.79	13.85	21.94	69.50	-33.71	100	292	QP	Open	
6	23.33	36.11	13.76	22.35	69.50	-33.39	100	343	QP	Open	

802.11ax HE40

CH 46 (9kHz ~ 150kHz) Close



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.03	58.85	39.66	19.19	119.15	-60.30	100	111	QP	Close	
2	0.04	51.86	32.45	19.41	115.51	-63.65	100	195	QP	Close	
3	0.05	46.34	27.13	19.21	112.86	-66.52	100	214	QP	Close	
4	0.09	37.55	19.03	18.52	108.90	-71.35	100	203	QP	Close	
5	0.11	32.79	14.55	18.24	107.13	-74.34	100	214	QP	Close	
6	0.13	31.13	12.81	18.32	105.47	-74.34	100	207	QP	Close	

CH 46 (150kHz ~ 30MHz) Close



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.53	53.96	34.99	18.97	73.17	-19.21	100	102	QP	Close	
2	1.05	47.83	28.55	19.28	66.98	-19.15	100	104	QP	Close	
3	1.58	42.22	22.87	19.35	63.36	-21.14	100	106	QP	Close	
4	2.11	39.01	19.59	19.42	69.50	-30.49	100	106	QP	Close	
5	16.86	35.86	13.88	21.98	69.50	-33.64	100	11	QP	Close	
6	27.84	36.14	13.58	22.56	69.50	-33.36	100	122	QP	Close	

<POE Mode>

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11ax HE20

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 !	79.96	35.19	45.56	-10.37	40.00	-4.81	200	62	QP	Horizontal	
2 !	108.06	37.52	47.21	-9.69	43.50	-5.98	300	102	QP	Horizontal	
3 !	136.22	40.27	46.90	-6.63	43.50	-3.23	200	96	QP	Horizontal	
4 !	225.65	40.76	48.40	-7.64	46.00	-5.24	100	166	QP	Horizontal	
5 !	317.31	40.35	44.88	-4.53	46.00	-5.65	100	142	QP	Horizontal	
6	359.99	38.00	41.75	-3.75	46.00	-8.00	100	21	QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 !	38.73	38.60	44.95	-6.35	40.00	-1.40	100	5	QP	Vertical	
2 !	80.44	36.74	47.21	-10.47	40.00	-3.26	100	279	QP	Vertical	
3 !	138.25	37.97	44.41	-6.44	43.50	-5.53	100	235	QP	Vertical	
4	192.09	34.58	43.09	-8.51	43.50	-8.92	100	307	QP	Vertical	
5	237.48	37.39	44.18	-6.79	46.00	-8.61	200	213	QP	Vertical	
6	392.49	36.41	39.53	-3.12	46.00	-9.59	100	360	QP	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11ax HE40

CH 46 (9kHz ~ 150kHz) Open

CH 46 (150kHz ~ 30MHz) Open




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.03	63.26	44.07	19.19	119.15	-55.89	100	133	QP	Open	
2	0.05	41.57	22.32	19.25	113.13	-71.56	100	158	QP	Open	
3	0.06	40.10	21.04	19.06	111.83	-71.73	100	360	QP	Open	
4	0.08	36.67	17.98	18.69	109.74	-73.07	100	176	QP	Open	
5	0.09	32.81	14.46	18.35	108.16	-75.35	100	91	QP	Open	
6	0.11	31.32	13.07	18.25	106.82	-75.50	100	173	QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2.77	33.59	14.09	19.50	69.50	-35.91	100	104	QP	Open	
2	5.47	31.24	11.68	19.56	69.50	-38.26	100	299	QP	Open	
3	18.30	34.69	13.17	21.52	69.50	-34.81	100	161	QP	Open	
4	16.87	35.71	13.73	21.98	69.50	-33.79	100	314	QP	Open	
5	24.59	36.01	13.60	22.41	69.50	-33.49	100	360	QP	Open	
6	27.22	34.77	12.24	22.53	69.50	-34.73	100	50	QP	Open	


802.11ax HE40

CH 46 (9kHz ~ 150kHz) Close

CH 46 (150kHz ~ 30MHz) Close




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.03	63.21	44.02	19.19	119.14	-55.93	100	201	QP	Close		
2	0.05	41.21	21.96	19.25	113.13	-71.92	100	146	QP	Close		
3	0.06	40.42	21.36	19.06	111.83	-71.41	100	95	QP	Close		
4	0.09	32.31	13.96	18.35	108.16	-75.85	100	324	QP	Close		
5	0.11	30.45	12.20	18.25	106.82	-76.37	100	207	QP	Close		
6	0.13	28.89	10.58	18.31	105.66	-76.77	100	360	QP	Close		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4.61	33.01	13.61	19.40	69.50	-36.49	100	199	QP	Close		
2	7.38	32.94	12.60	20.34	69.50	-36.56	100	127	QP	Close		
3	11.08	34.99	13.42	21.57	69.50	-34.51	100	186	QP	Close		
4	14.60	37.42	15.59	21.83	69.50	-32.08	100	75	QP	Close		
5	16.74	34.55	12.58	21.97	69.50	-34.95	100	315	QP	Close		
6	24.55	35.72	13.31	22.41	69.50	-33.78	100	256	QP	Close		


Mains Conducted Emission, (150kHz ~ 30MHz)

Worst Band (Adapter)

(Line)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2112-1000 Fax: +886-2112-1322




Trace: 1

Line	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.15	39.05	29.44	9.61	56.00	-16.95	Average	line1	
2	0.15	58.54	48.93	9.61	66.00	-7.46	QP	line1	
3	0.16	34.06	24.45	9.61	55.38	-21.32	Average	line1	
4	0.16	54.10	44.49	9.61	65.38	-11.28	QP	line1	
5	0.17	34.34	24.73	9.61	55.09	-20.75	Average	line1	
6	0.17	54.24	44.63	9.61	65.09	-10.85	QP	line1	
7	0.19	27.94	18.33	9.61	54.22	-26.28	Average	line1	
8	0.19	48.21	38.60	9.61	64.22	-16.01	QP	line1	
9	0.38	32.59	22.97	9.62	48.26	-15.67	Average	line1	
10	0.38	41.88	32.26	9.62	58.26	-16.38	QP	line1	
11	1.98	11.24	1.59	9.65	46.00	-34.76	Average	line1	
12	1.98	17.74	8.09	9.65	56.00	-38.26	QP	line1	

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2112-1000 Fax: +886-2112-1322



Trace: 1


Line	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.15	38.48	28.89	9.59	55.96	-17.48	Average	neutral	
2	0.15	57.43	47.84	9.59	65.96	-8.53	QP	neutral	
3	0.16	33.01	23.42	9.59	55.63	-22.62	Average	neutral	
4	0.16	53.06	43.47	9.59	65.63	-12.57	QP	neutral	
5	0.16	34.87	25.28	9.59	55.25	-20.38	Average	neutral	
6	0.16	54.86	45.27	9.59	65.25	-10.39	QP	neutral	
7	0.17	34.22	24.63	9.59	55.09	-20.87	Average	neutral	
8	0.17	54.01	44.42	9.59	65.09	-11.08	QP	neutral	
9	0.38	27.84	18.24	9.60	48.26	-20.42	Average	neutral	
10	0.38	37.64	28.04	9.60	58.26	-20.62	QP	neutral	
11	2.14	13.13	3.50	9.63	46.00	-32.87	Average	neutral	
12	2.14	19.42	9.79	9.63	56.00	-36.58	QP	neutral	

Worst Band (POE)

(Line)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	dBuV	dB	dBuV	dB	Remark	Pol/Phase Note
1	0.15	33.86	24.25	9.61	55.88	-22.02	Average	line1
2	0.15	52.90	43.29	9.61	65.88	-12.98	QP	line1
3	0.18	29.41	19.80	9.61	54.72	-25.31	Average	line1
4	0.18	47.99	38.38	9.61	64.72	-16.73	QP	line1
5	0.53	32.58	22.96	9.62	46.00	-13.42	Average	line1
6	0.53	37.76	28.14	9.62	56.00	-18.24	QP	line1
7	1.48	19.61	9.97	9.64	46.00	-26.39	Average	line1
8	1.48	23.15	13.51	9.64	56.00	-32.85	QP	line1
9	8.33	20.09	10.38	9.71	50.00	-29.91	Average	line1
10	8.33	25.48	15.77	9.71	60.00	-34.52	QP	line1
11	12.73	23.69	13.96	9.73	50.00	-26.31	Average	line1
12	12.73	28.46	18.73	9.73	60.00	-31.54	QP	line1

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	dBuV	dB	dBuV	dB	Remark	Pol/Phase Note
1	0.15	34.67	25.06	9.59	55.83	-21.16	Average	neutral
2	0.15	52.50	42.91	9.59	65.83	-13.33	QP	neutral
3	0.23	24.42	14.83	9.59	52.36	-27.94	Average	neutral
4	0.23	38.59	29.00	9.59	62.36	-23.77	QP	neutral
5	0.53	32.48	22.88	9.60	46.00	-13.52	Average	neutral
6	0.53	37.89	28.29	9.60	56.00	-18.11	QP	neutral
7	1.08	24.85	15.25	9.60	46.00	-21.15	Average	neutral
8	1.08	28.31	18.71	9.60	56.00	-27.69	QP	neutral
9	9.73	27.07	17.33	9.74	50.00	-22.93	Average	neutral
10	9.73	31.59	21.85	9.74	60.00	-28.41	QP	neutral
11	25.83	9.58	-0.24	9.82	50.00	-40.42	Average	neutral
12	25.83	14.12	4.30	9.82	60.00	-45.88	QP	neutral