

Cushcraft S2406P Panel Antenna

The following pages contain specific information on the Cushcraft, Model: 2406P antenna. Included are photographs and plots of the radiated spurs within the restricted band 2483.5-2500MHz for each antenna orientation.

A

Setup photograph for radiated spurious emissions testing using the Cushcraft 2406P antenna.



A


Plan B

TX Antenna: 6dBi antenna(S2406P)

0dB external attenuation; Bandpass filter installed at spectrum analyzer

Receive antenna Vertical Polarization

Receive Cable :C9



ADTRAN, Inc.

M/N: 4280TRACERT1L9-A and 4280TRACERT1L9-B

FCC ID: HDCTRACERL9

A


Plan B

TX Antenna: 6dBi antenna(S2406P)

0dB external attenuation; Bandpass filter installed at spectrum analyzer

Receive antenna Horizontal Polarization

Receive Cable :C9



ADTRAN, Inc.

M/N: 4280TRACERT1L9-A and 4280TRACERT1L9-B

FCC ID: HDCTRACERL9

A


Plan A

TX Antenna: 6dBi antenna(S2406P)

0dB external attenuation; Bandpass filter installed at spectrum analyzer

Receive antenna Horizontal Polarization

Receive Cable :C9



ADTRAN, Inc.

M/N: 4280TRACERT1L9-A and 4280TRACERT1L9-B

FCC ID: HDCTRACERL9

A


Plan A

TX Antenna: 6dBi antenna(S2406P)

0dB external attenuation; Bandpass filter installed at spectrum analyzer

Receive antenna Vertical Polarization

Receive Cable :C9



ADTRAN, Inc.

M/N: 4280TRACERT1L9-A and 4280TRACERT1L9-B

FCC ID: HDCTRACERL9

