





Label location

2. 製造國家(MFG Country):

1. MADE IN TAIWAN
2. MADE IN CHINA


Decide by Vendor

視代工廠而定(Decide by MFG Factory)

1. 昊陽 / Joytech (深圳 / ShenZhen)-----> None
2. Accton -----> AC

A diagram showing a rectangular area. A horizontal line segment is labeled '100' and a vertical line segment is labeled '45.0'. The lines are black, and the labels are in red. The diagram is positioned in the upper right quadrant of the page.

粘胶剂:永久性丙烯酸乳胶



Vender ID
(Arial Narrow, Point 5)

[illegible]

Safety Label Note:

1. Printing color: Black
2. 製造國家(MFG Country):

Decide by import and export country
for example:
1. MADE IN TAIWAN
2. MADE IN CHINA

印刷廠商代號(Vender ID): (CSA 要求標示)

Decide by Vendor

製造工廠代號(MFG Factory): (UL要求標示)

視代工廠而定(Decide by MFG Factory)

1. 昊陽 / Joytech (深圳 / ShenZhen)-----> None
2. Accton -----> AC



材質與背膠請用下列規格或相同等級之材料:

Fasson® 50micron Matte Silver PET TC/S333/BG50#WH

法森牌 50 微米亚银聚酯薄膜 TC/S333/80 克白格拉辛底纸

粘胶剂:永久性丙烯酸乳胶

此圖僅供一次生產, 若有新需求請詢問申請者



Modification		Card Paper / Top lineboard				Corrugate list				Cardboard Die Cut Legend				Unspecialized Die Cut Tolerance = +/- 0.3mm				PE Bag (A Degree)		Clear	Pink	Label list		(Total Thickness = mm±10%)		Comply with RoHs		Accton TECHNOLOGY CORP.																																																																																																																																																																																											
1	Add BSMI Mark	Paper GSM (g/m²) CCNB SBS Double SBS	Flute (A Degree) Single wall / Double wall GSM (g/m²) (Top lineboard / Medium / Bottom lineboard) Bursting Strength (kg/cm²) End Crush Test (kg)	(C) Cutting Line (CI) Crease Line (PBL) Partial Blunt Line (SO) Slit-Score Line (SL) Slit Line	GRADE 0 1 2 3 4 5	Normal (None Anti-Static) Thickness/mm Bubble Bag (Bubble Ø=10mm)	ESD Value/Ω_{g/m} = 9-11 ESD Value/Ω_{g/m} < 5 Put-in material >= 8 kg (By 1.5M / Width x 100M / Length) Put-in material >= 16 kg (By 1.5M / Width x 100M / Length)	Material & Thickness Art paper 0.025mm / 25# / 1mil Acrylic T=0.022mm	Adhesive (Except all leds in FP label) Acrylic UL approved T=0.022mm	Others Material Spec:	Part No. 246000001593A REV. C0	Description: UL LABEL OAP920920PML-0415-ACN US(ML-60-35-1-US)	UNIT SCALE 1 / 1 SIZE A3	MM (IN) Outside View Sheet 1 of 1	Approve Check Design	Melody Carry	APR21'16 APR21'16	White Other	27 ≥ 0 Non - laminated	PP Film LF (T = 0.025mm) DF (T = 0.025mm)	3M 467 3M 468 3M 7945	T=0.05mm / 2mil T=0.127mm / 5mil T=0.127mm / 5mil	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR21'16	APR

Safety Label Note:

1. Printing color: Black
2. 製造國家(MFG Country):

Decide by import and export country
for example:
1. MADE IN TAIWAN
2. MADE IN CHINA

印刷廠商代號(Vender ID): (CSA 要求標示)

Decide by Vendor

製造工廠代號(MFG Factory): (UL要求標示)

視代工廠而定(Decide by MFG Factory)

1. 昊陽 / Joytech (深圳 / ShenZhen)-----> None
2. Accton -----> AC



材質與背膠請用下列規格或相同等級之材料:

Fasson® 50micron Matte Silver PET TC/S333/BG50#WH

法森牌 50 微米亚银聚酯薄膜 TC/S333/80 克白格拉辛底纸

粘胶剂:永久性丙烯酸乳胶

此圖僅供一次生產, 若有新需求請詢問申請者



Modification				Card Paper / Top lineboard				Corrugate list				Cardboard Die Cut Legend				Unspecialized Die Cut Tolerance = +/- 0.3mm				PE Bag (A Degree)				Clear		Pink		Label list				(Total Thickness = mm±10%)				Comply with RoHs				Accton TECHNOLOGY CORP.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

Safety Label Note:

1. Printing color: Black
2. 製造國家(MFG Country):

Decide by import and export country
for example:

1. MADE IN TAIWAN
2. MADE IN CHINA

印刷廠商代號(Vender ID): (CSA 要求標示)


Decide by Vendor

製造工廠代號(MFG Factory): (UL要求標示)

視代工廠而定(Decide by MFG Factory)

1. 昊陽 / Joytech (深圳 / ShenZhen)-----> None
2. Accton -----> AC

此圖僅供一次生產, 若有新需求請詢問申請者




材質與背膠請用下列規格或相同等級之材料:

Fasson® 50micron Matte Silver PET TC/S333/BG50#WH

法森牌 50 微米亚银聚酯薄膜 TC/S333/80 克白格拉辛底纸

粘胶剂:永久性丙烯酸乳胶



Modification		Card Paper / Top lineboard				Corrugate list				Cardboard Die Cut Legend				Unspecialized Die Cut Tolerance = +/- 0.3mm				PE Bag (A Degree)				Clear		Pink		Label list		(Total Thickness = mm±10%)				Comply with RoHs		Accton TECHNOLOGY CORP.			
		Paper GSM (g/m²)	CCNB	SBS	Double SBS	Flute (A Degree)	Single wall Double wall GSM (g/m²) (Top lineboard/Medium/Bottom lineboard)	Bursting Strength (kg/cm²)	End Crush Test (kg/cm²)	(C) Cutting Line	(C1) Crease Line	(PBL) Partial Blunt Line	(SO) Slit-Score Line	(SL) Slit Line	Flute Direction	Manufacture Stamp	Glue Joint	Normal (None) Anti-Static	Anti-Static	ESD Value/Ω _{g/m} = 9-11	Electronic	ESD Value/Ω _{g/m} < 5	Material	Thickness	Adhesive (Except all leds in FP label)	Others		Material Spec:		Part No. 246000001661A REV. A0							
1							Taiwan 230 X 180 X 230	16	33.6														Art paper	0.025mm / 25# / 1mil	Acrylic	T=0.022mm	IQC Inspect Color		Description:		UL LABEL (ML-60-19-1) OAP920920PML-0415-ACN						
2		250					China 250 X 150 X 250	14	26.2														✓ Metalized	0.050mm / 50# / 2mil	✓ Acrylic UL approved	T=0.022mm	Please refer to		UNIT		SCALE 1 / 1						
3		280					Taiwan 230 X 100 X 230	14	22.5														White Polyester	0.076mm / 75# / 3mil	"R" Adhesive	T=0.022mm	Approve		Melody		APR21'16						
4		300					China 230 X 100 X 230	18	37.1														(PP)Pepa paper	0.178mm / 7mil	Water Adhesive	T=0.022mm	Check				SIZE A3						
5		310					Taiwan 230X100X100X100X230	16	26														PC 8B35	0.254mm / 10mil	3M 467	T=0.05mm / 2mil	Design		Carry		APR21'16						
6		340					China 250X100X100X100X250	16	26														PP Film	0.381mm / 15mil	3M 468	T=0.127mm / 5mil											
7		350					China 230 X 100 X 230	14	28.5														Other	0.500mm / 20mil	3M 7945	T=0.127mm / 5mil											
This document and the technical data disclosed are proprietary to Accton Tech. Corp. and shall not be duplicated, used, released, or disclosed without expressed written permission.																	Pulp Tray Recycle Kraft 80% + Newspaper 20%				EPE Foam				White		Pink		PP Film		LF (T = 0.025mm)		DF (T = 0.025mm)				
																	Weight/gS= +/-5%				Density (kg / m³)				27±0		Other										
																	Thickness/mm 1.5 2.0				Laminated				Non - laminated												
																	Draft Angle 3° Hydrus % 7-14%																				