


6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_Z_2TX
Setting 15
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8631G	56.57	88.20	-31.63	35.24	3	Horizontal	94	1.19	-	41.23	11.80	31.70			
RMS	13.8509G	46.24	68.20	-21.96	24.93	3	Horizontal	94	1.19	-	41.20	11.80	31.69			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_Z_2TX
Setting 15
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.79735G	41.70	83.54	-41.84	36.68	1	Vertical	315	2.69	-	37.90	15.82	48.70			
AV	20.7927G	31.39	63.54	-32.15	26.37	1	Vertical	315	2.69	-	37.90	15.82	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 15
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7815G	41.24	83.54	-42.30	36.23	1	Horizontal	66	2.24	-	37.90	15.81	48.70			
AV	20.7875G	31.48	63.54	-32.06	26.47	1	Horizontal	66	2.24	-	37.90	15.81	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_Z_2TX
Setting 15
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0011G	55.86	88.20	-32.34	34.36	3	Vertical	204	2.46	-	41.50	11.78	31.78			
RMS	14.02965G	45.98	68.20	-22.22	24.36	3	Vertical	204	2.46	-	41.62	11.78	31.78			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_Z_2TX
Setting 15
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.99085G	58.12	88.20	-30.08	36.63	3	Horizontal	219	2.66	-	41.48	11.78	31.77			
RMS	13.99145G	46.02	68.20	-22.18	24.53	3	Horizontal	219	2.66	-	41.48	11.78	31.77			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_Z_2TX
Setting 15
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.02205G	42.77	83.54	-40.77	37.47	1	Vertical	248	1.76	-	38.00	16.00	48.70			
AV	21.00145G	32.28	63.54	-31.26	26.99	1	Vertical	248	1.76	-	38.00	15.99	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_Z_2TX
Setting 15
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.03335G	41.80	83.54	-41.74	36.48	1	Horizontal	143	1.58	-	38.00	16.01	48.69			
AV	21.00045G	32.47	63.54	-31.07	27.18	1	Horizontal	143	1.58	-	38.00	15.99	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7085MHz_TX

EUT_Z_2TX
Setting 15
02-V-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0692G	110.95	Inf	-Inf	97.98	3	Vertical	229	2.35	-	35.34	9.05	31.42			
RMS	7.0678G	99.68	Inf	-Inf	86.71	3	Vertical	229	2.35	-	35.34	9.05	31.42			
PK	7.1746G	67.06	88.20	-21.14	53.32	3	Vertical	229	2.35	-	35.85	9.31	31.42			
RMS	7.1814G	55.71	68.20	-12.49	41.92	3	Vertical	229	2.35	-	35.89	9.32	31.42			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7085MHz_TX

EUT_Z_2TX
Setting 15
02-V-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0668G	104.31	Inf	-Inf	91.36	3	Horizontal	30.7	2.09	-	35.33	9.04	31.42			
RMS	7.0668G	92.98	Inf	-Inf	80.03	3	Horizontal	30.7	2.09	-	35.33	9.04	31.42			
PK	7.1708G	66.70	88.20	-21.50	53.00	3	Horizontal	30.7	2.09	-	35.82	9.30	31.42			
RMS	7.183G	55.69	68.20	-12.51	41.88	3	Horizontal	30.7	2.09	-	35.90	9.33	31.42			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 15
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.17925G	57.25	88.20	-30.95	34.99	3	Vertical	15	2.68	-	42.22	11.79	31.75			
RMS	14.18915G	47.22	68.20	-20.98	24.92	3	Vertical	15	2.68	-	42.26	11.79	31.75			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7085MHz_TX

EUT_Z_2TX
Setting 15
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.1868G	57.09	88.20	-31.11	34.80	3	Horizontal	340	2.87	-	42.25	11.79	31.75			
RMS	14.1906G	47.25	68.20	-20.95	24.95	3	Horizontal	340	2.87	-	42.26	11.79	31.75			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 15
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.27085G	41.70	83.54	-41.84	36.10	1	Vertical	355	1.16	-	38.04	16.21	48.65			
AV	21.23495G	32.09	63.54	-31.45	26.53	1	Vertical	355	1.16	-	38.03	16.18	48.65			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7085MHz_TX

EUT_Z_2TX
Setting 15
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.2342G	42.32	83.54	-41.22	36.76	1	Horizontal	312	2.78	-	38.03	16.18	48.65			
AV	21.23155G	31.99	63.54	-31.55	26.43	1	Horizontal	312	2.78	-	38.04	16.17	48.65			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Z_2TX
Setting 20
02-V-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	67.50	88.20	-20.70	56.05	3	Vertical	312	2.86	-	34.20	7.88	30.63			
RMS	5.925G	53.49	68.20	-14.71	42.04	3	Vertical	312	2.86	-	34.20	7.88	30.63			
PK	6.0225G	109.55	Inf	-Inf	97.92	3	Vertical	312	2.86	-	34.30	7.96	30.63			
RMS	6.0225G	99.74	Inf	-Inf	88.11	3	Vertical	312	2.86	-	34.30	7.96	30.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 20
02-V-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.846G	62.91	88.20	-25.29	51.72	3	Horizontal	229	2.52	-	34.01	7.83	30.65			
RMS	5.924G	51.84	68.20	-16.36	40.39	3	Horizontal	229	2.52	-	34.20	7.88	30.63			
PK	6.0115G	101.24	Inf	-Inf	89.61	3	Horizontal	229	2.52	-	34.30	7.95	30.62			
RMS	6.023G	90.94	Inf	-Inf	79.30	3	Horizontal	229	2.52	-	34.30	7.97	30.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Z_2TX
Setting 20
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.95715G	56.76	74.00	-17.24	36.50	3	Vertical	173	2.37	-	39.30	12.05	31.09			
AV	11.98765G	44.91	54.00	-9.09	24.66	3	Vertical	173	2.37	-	39.30	12.07	31.12			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Z_2TX
Setting 20
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9912G	56.02	74.00	-17.98	35.77	3	Horizontal	312	1.51	-	39.30	12.07	31.12			
AV	11.9881G	44.83	54.00	-9.17	24.58	3	Horizontal	312	1.51	-	39.30	12.07	31.12			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Z_2TX
Setting 20
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.94885G	40.37	83.54	-43.17	35.58	1	Vertical	74	2.93	-	37.59	15.26	48.06			
AV	17.9528G	29.96	63.54	-33.58	25.17	1	Vertical	74	2.93	-	37.60	15.26	48.07			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Z_2TX
Setting 20
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.95935G	40.52	83.54	-43.02	35.74	1	Horizontal	231	2.41	-	37.61	15.26	48.09			
AV	17.97335G	29.99	63.54	-33.55	25.21	1	Horizontal	231	2.41	-	37.64	15.27	48.13			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Z_2TX
Setting 18
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.46635G	55.26	74.00	-18.74	35.58	3	Vertical	203	2.71	-	38.77	12.01	31.10			
AV	12.447G	43.79	54.00	-10.21	24.08	3	Vertical	203	2.71	-	38.80	12.01	31.10			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Z_2TX
Setting 18
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.438G	55.75	74.00	-18.25	36.04	3	Horizontal	267	1.23	-	38.80	12.01	31.10			
AV	12.4299G	43.87	54.00	-10.13	24.15	3	Horizontal	267	1.23	-	38.80	12.02	31.10			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Z_2TX
Setting 18
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6788G	41.17	83.54	-42.37	36.50	1	Vertical	74	2.17	-	37.90	15.25	48.48			
AV	18.6779G	30.56	63.54	-32.98	25.89	1	Vertical	74	2.17	-	37.90	15.25	48.48			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Z_2TX
Setting 18
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.65215G	45.05	83.54	-38.49	40.35	1	Horizontal	257	2.06	-	37.90	15.25	48.45			
AV	18.6738G	32.62	63.54	-30.92	27.94	1	Horizontal	257	2.06	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Z_2TX
Setting 18
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.78525G	55.32	88.20	-32.88	35.67	3	Vertical	61	1.61	-	38.87	11.96	31.18			
RMS	12.79205G	44.34	68.20	-23.86	24.68	3	Vertical	61	1.61	-	38.88	11.96	31.18			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Z_2TX
Setting 18
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.7679G	55.47	88.20	-32.73	35.85	3	Horizontal	8	2.71	-	38.84	11.96	31.18			
RMS	12.79255G	44.33	68.20	-23.87	24.66	3	Horizontal	8	2.71	-	38.89	11.96	31.18			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Z_2TX
Setting 18
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15755G	41.11	83.54	-42.43	36.72	1	Vertical	148	1.26	-	37.97	15.22	48.80			
AV	19.1377G	29.76	63.54	-33.78	25.34	1	Vertical	148	1.26	-	38.00	15.22	48.80			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Z_2TX
Setting 18
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.13345G	40.56	83.54	-42.98	36.14	1	Horizontal	255	2.01	-	38.00	15.22	48.80			
AV	19.14925G	29.80	63.54	-33.74	25.38	1	Horizontal	255	2.01	-	38.00	15.22	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_Z_2TX
Setting 16
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.91145G	55.09	88.20	-33.11	35.22	3	Vertical	242	2.53	-	39.15	11.94	31.22			
RMS	12.92765G	44.56	68.20	-23.64	24.63	3	Vertical	242	2.53	-	39.21	11.94	31.22			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_Z_2TX
Setting 16
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9482G	55.77	88.20	-32.43	35.77	3	Horizontal	189	1.61	-	39.29	11.94	31.23			
RMS	12.9351G	44.55	68.20	-23.65	24.59	3	Horizontal	189	1.61	-	39.24	11.94	31.22			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_Z_2TX
Setting 16
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3917G	41.34	83.54	-42.20	37.05	1	Vertical	354	2.23	-	37.88	15.21	48.80			
AV	19.3933G	30.43	63.54	-33.11	26.13	1	Vertical	354	2.23	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_Z_2TX
Setting 16
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3984G	41.37	83.54	-42.17	37.06	1	Horizontal	155	2.04	-	37.90	15.21	48.80			
AV	19.393G	30.48	63.54	-33.06	26.18	1	Horizontal	155	2.04	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6545MHz_TX

EUT_Z_2TX
Setting 19
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08015G	55.70	88.20	-32.50	35.54	3	Vertical	298	1.95	-	39.52	11.92	31.28			
RMS	13.1139G	44.32	68.20	-23.88	24.07	3	Vertical	298	1.95	-	39.63	11.91	31.29			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6545MHz_TX

EUT_Z_2TX
Setting 19
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07595G	54.61	88.20	-33.59	34.47	3	Horizontal	37	2.77	-	39.50	11.92	31.28			
RMS	13.11495G	44.33	68.20	-23.87	24.09	3	Horizontal	37	2.77	-	39.63	11.91	31.30			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6545MHz_TX

EUT_Z_2TX
Setting 19
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.62395G	39.93	83.54	-43.61	35.84	1	Vertical	162	2.56	-	37.70	15.19	48.80			
AV	19.61G	30.00	63.54	-33.54	25.91	1	Vertical	162	2.56	-	37.70	15.19	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6545MHz_TX

EUT_Z_2TX
Setting 19
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61615G	40.55	83.54	-42.99	36.46	1	Horizontal	163	2.25	-	37.70	15.19	48.80			
AV	19.6117G	30.03	63.54	-33.51	25.94	1	Horizontal	163	2.25	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_Z_2TX
Setting 19
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.26835G	55.60	74.00	-18.40	35.04	3	Vertical	175	2.16	-	40.04	11.89	31.37			
AV	13.2736G	45.12	54.00	-8.88	24.55	3	Vertical	175	2.16	-	40.05	11.89	31.37			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_Z_2TX
Setting 19
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.26265G	56.27	74.00	-17.73	35.72	3	Horizontal	69	2.46	-	40.03	11.89	31.37			
AV	13.2746G	45.09	54.00	-8.91	24.52	3	Horizontal	69	2.46	-	40.05	11.89	31.37			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_Z_2TX
Setting 19
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.88615G	39.64	83.54	-43.90	35.56	1	Vertical	307	1.20	-	37.70	15.18	48.80			
AV	19.89855G	29.54	63.54	-34.00	25.46	1	Vertical	307	1.20	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_Z_2TX
Setting 19
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8988G	41.56	83.54	-41.98	37.48	1	Horizontal	231	2.66	-	37.70	15.18	48.80			
AV	19.89115G	29.52	63.54	-34.02	25.44	1	Horizontal	231	2.66	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_Z_2TX
Setting 19
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41335G	56.34	88.20	-31.86	35.56	3	Vertical	229	2.53	-	40.35	11.87	31.44			
RMS	13.4323G	45.24	68.20	-22.96	24.39	3	Vertical	229	2.53	-	40.43	11.87	31.45			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_Z_2TX
Setting 19
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41345G	56.18	88.20	-32.02	35.40	3	Horizontal	242	2.98	-	40.35	11.87	31.44			
RMS	13.4229G	45.24	68.20	-22.96	24.42	3	Horizontal	242	2.98	-	40.39	11.87	31.44			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_Z_2TX
Setting 19
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.13575G	40.71	83.54	-42.83	36.40	1	Vertical	189	2.28	-	37.80	15.28	48.77			
AV	20.1353G	30.12	63.54	-33.42	25.81	1	Vertical	189	2.28	-	37.80	15.28	48.77			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_Z_2TX
Setting 19
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.10515G	40.81	83.54	-42.73	36.53	1	Horizontal	232	2.31	-	37.80	15.26	48.78			
AV	20.1374G	30.06	63.54	-33.48	25.75	1	Horizontal	232	2.31	-	37.80	15.28	48.77			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_Z_2TX
Setting 18
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5845G	56.81	88.20	-31.39	35.90	3	Vertical	142	1.54	-	40.60	11.84	31.53			
RMS	13.5452G	45.48	68.20	-22.72	24.55	3	Vertical	142	1.54	-	40.59	11.85	31.51			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_Z_2TX
Setting 18
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.59415G	56.63	88.20	-31.57	35.73	3	Horizontal	336	2.68	-	40.60	11.84	31.54			
RMS	13.5558G	45.48	68.20	-22.72	24.54	3	Horizontal	336	2.68	-	40.60	11.85	31.51			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_Z_2TX
Setting 18
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.33255G	41.31	83.54	-42.23	36.73	1	Vertical	321	2.50	-	37.87	15.44	48.73			
AV	20.3514G	30.27	63.54	-33.27	25.64	1	Vertical	321	2.50	-	37.90	15.46	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_Z_2TX
Setting 18
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.3701G	41.61	83.54	-41.93	37.01	1	Horizontal	140	2.65	-	37.86	15.47	48.73			
AV	20.35205G	30.32	63.54	-33.22	25.69	1	Horizontal	140	2.65	-	37.90	15.46	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Z_2TX
Setting 18
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72005G	56.46	88.20	-31.74	35.27	3	Vertical	313	2.45	-	40.98	11.82	31.61			
RMS	13.7538G	45.38	68.20	-22.82	24.10	3	Vertical	313	2.45	-	41.09	11.82	31.63			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_Z_2TX
Setting 18
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.74755G	57.18	88.20	-31.02	35.90	3	Horizontal	229	1.14	-	41.09	11.82	31.63			
RMS	13.74615G	45.37	68.20	-22.83	24.10	3	Horizontal	229	1.14	-	41.08	11.82	31.63			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_Z_2TX
Setting 18
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59525G	42.55	83.54	-40.99	37.69	1	Vertical	132	1.86	-	37.90	15.66	48.70			
AV	20.60285G	31.14	63.54	-32.40	26.28	1	Vertical	132	1.86	-	37.90	15.66	48.70			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_Z_2TX
Setting 18
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5985G	41.75	83.54	-41.79	36.89	1	Horizontal	88	1.26	-	37.90	15.66	48.70			
AV	20.6047G	31.11	63.54	-32.43	26.25	1	Horizontal	88	1.26	-	37.90	15.66	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Z_2TX
Setting 16
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.90605G	56.78	88.20	-31.42	35.40	3	Vertical	37	1.62	-	41.31	11.79	31.72			
RMS	13.9126G	46.10	68.20	-22.10	24.71	3	Vertical	37	1.62	-	41.33	11.79	31.73			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 16
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.894G	56.65	88.20	-31.55	35.28	3	Horizontal	66	2.09	-	41.29	11.80	31.72			
RMS	13.9057G	46.23	68.20	-21.97	24.85	3	Horizontal	66	2.09	-	41.31	11.79	31.72			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 16
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.837G	41.57	83.54	-41.97	36.52	1	Vertical	31	1.88	-	37.90	15.85	48.70			
AV	20.85445G	31.26	63.54	-32.28	26.19	1	Vertical	31	1.88	-	37.90	15.87	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Z_2TX
Setting 16
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.84535G	42.15	83.54	-41.39	37.09	1	Horizontal	26	2.90	-	37.90	15.86	48.70			
AV	20.8551G	31.21	63.54	-32.33	26.14	1	Horizontal	26	2.90	-	37.90	15.87	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Z_2TX
Setting 18
02-V-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0242G	109.33	Inf	-Inf	96.51	3	Vertical	202	2.00	-	35.30	8.94	31.42			
RMS	7.0222G	99.15	Inf	-Inf	86.34	3	Vertical	202	2.00	-	35.30	8.93	31.42			
PK	7.219G	66.49	88.20	-21.71	52.46	3	Vertical	202	2.00	-	36.08	9.37	31.42			
RMS	7.2206G	56.12	68.20	-12.08	42.09	3	Vertical	202	2.00	-	36.08	9.37	31.42			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Z_2TX
Setting 18
02-V-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0298G	99.94	Inf	-Inf	87.11	3	Horizontal	129	2.28	-	35.30	8.95	31.42			
RMS	7.023G	89.32	Inf	-Inf	76.50	3	Horizontal	129	2.28	-	35.30	8.94	31.42			
PK	7.2086G	66.79	88.20	-21.41	52.81	3	Horizontal	129	2.28	-	36.03	9.37	31.42			
RMS	7.2226G	56.08	68.20	-12.12	42.04	3	Horizontal	129	2.28	-	36.09	9.37	31.42			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 18
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0633G	57.06	88.20	-31.14	35.30	3	Vertical	56	2.62	-	41.75	11.78	31.77			
RMS	14.06275G	45.85	68.20	-22.35	24.09	3	Vertical	56	2.62	-	41.75	11.78	31.77			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Z_2TX
Setting 18
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04925G	56.42	88.20	-31.78	34.71	3	Horizontal	74	1.39	-	41.70	11.78	31.77			
RMS	14.0697G	45.92	68.20	-22.28	24.13	3	Horizontal	74	1.39	-	41.78	11.78	31.77			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 18
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0815G	43.69	83.54	-39.85	38.32	1	Vertical	199	1.87	-	38.00	16.05	48.68			
AV	21.09635G	32.42	63.54	-31.12	27.04	1	Vertical	199	1.87	-	38.00	16.06	48.68			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Z_2TX
Setting 18
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0648G	43.07	83.54	-40.47	37.72	1	Horizontal	173	2.82	-	38.00	16.04	48.69			
AV	21.09085G	32.41	63.54	-31.13	27.03	1	Horizontal	173	2.82	-	38.00	16.06	48.68			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
Setting 24
02-V-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9025G	81.32	88.20	-6.88	69.88	3	Vertical	250	2.95	-	34.20	7.87	30.63			
RMS	5.925G	59.50	68.20	-8.70	48.05	3	Vertical	250	2.95	-	34.20	7.88	30.63			
PK	6.0885G	109.40	Inf	-Inf	97.58	3	Vertical	250	2.95	-	34.45	8.07	30.70			
RMS	6.0865G	98.87	Inf	-Inf	87.06	3	Vertical	250	2.95	-	34.45	8.06	30.70			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
Setting 24
02-V-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8965G	73.54	88.20	-14.66	62.12	3	Horizontal	21	2.87	-	34.19	7.86	30.63			
RMS	5.9105G	53.83	68.20	-14.37	42.39	3	Horizontal	21	2.87	-	34.20	7.87	30.63			
PK	6.0895G	106.07	Inf	-Inf	94.24	3	Horizontal	21	2.87	-	34.46	8.07	30.70			
RMS	6.088G	94.69	Inf	-Inf	82.87	3	Horizontal	21	2.87	-	34.45	8.07	30.70			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
Setting 24
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05585G	55.66	74.00	-18.34	35.63	3	Vertical	330	2.97	-	39.09	12.07	31.13			
AV	12.0484G	45.03	54.00	-8.97	24.98	3	Vertical	330	2.97	-	39.11	12.07	31.13			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
Setting 24
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04125G	55.69	74.00	-18.31	35.61	3	Horizontal	167	1.88	-	39.14	12.07	31.13			
AV	12.05145G	45.04	54.00	-8.96	25.00	3	Horizontal	167	1.88	-	39.10	12.07	31.13			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
Setting 24
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07525G	40.71	83.54	-42.83	36.09	1	Vertical	243	2.44	-	37.55	15.29	48.22			
AV	18.0996G	30.03	63.54	-33.51	25.27	1	Vertical	243	2.44	-	37.70	15.28	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
Setting 24
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06455G	41.81	83.54	-41.73	37.24	1	Horizontal	296	1.05	-	37.49	15.29	48.21			
AV	18.09955G	30.15	63.54	-33.39	25.39	1	Horizontal	296	1.05	-	37.70	15.28	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Z_2TX
Setting 22
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3529G	54.72	74.00	-19.28	35.00	3	Vertical	135	1.29	-	38.80	12.03	31.11			
AV	12.3479G	44.13	54.00	-9.87	24.41	3	Vertical	135	1.29	-	38.80	12.03	31.11			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Z_2TX
Setting 22
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39025G	54.26	74.00	-19.74	34.55	3	Horizontal	327	1.66	-	38.80	12.02	31.11			
AV	12.3761G	44.19	54.00	-9.81	24.48	3	Horizontal	327	1.66	-	38.80	12.02	31.11			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Z_2TX
Setting 22
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5774G	40.62	83.54	-42.92	35.94	1	Vertical	39	2.75	-	37.80	15.26	48.38			
AV	18.57315G	29.96	63.54	-33.58	25.27	1	Vertical	39	2.75	-	37.80	15.26	48.37			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Z_2TX
Setting 22
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57435G	40.26	83.54	-43.28	35.57	1	Horizontal	301	1.90	-	37.80	15.26	48.37			
AV	18.5744G	29.88	63.54	-33.66	25.19	1	Horizontal	301	1.90	-	37.80	15.26	48.37			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Z_2TX
Setting 21
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.6743G	55.38	74.00	-18.62	35.85	3	Vertical	286	1.90	-	38.70	11.98	31.15			
AV	12.67565G	44.18	54.00	-9.82	24.65	3	Vertical	286	1.90	-	38.70	11.98	31.15			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Z_2TX
Setting 21
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68305G	55.05	74.00	-18.95	35.52	3	Horizontal	269	2.76	-	38.70	11.98	31.15			
AV	12.66585G	44.20	54.00	-9.80	24.67	3	Horizontal	269	2.76	-	38.70	11.98	31.15			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Z_2TX
Setting 21
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0152G	40.76	83.54	-42.78	36.36	1	Vertical	341	2.94	-	37.97	15.23	48.80			
AV	19.055G	30.09	63.54	-33.45	25.75	1	Vertical	341	2.94	-	37.91	15.23	48.80			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Z_2TX
Setting 21
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0381G	40.64	83.54	-42.90	36.29	1	Horizontal	196	2.56	-	37.92	15.23	48.80			
AV	19.0533G	30.23	63.54	-33.31	25.89	1	Horizontal	196	2.56	-	37.91	15.23	48.80			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6505MHz_TX

EUT_Z_2TX
Setting 22
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.9987G	55.41	88.20	-32.79	35.32	3	Vertical	285	1.74	-	39.40	11.93	31.24			
RMS	12.99485G	44.56	68.20	-23.64	24.48	3	Vertical	285	1.74	-	39.39	11.93	31.24			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6505MHz_TX

EUT_Z_2TX
Setting 22
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0078G	55.76	88.20	-32.44	35.67	3	Horizontal	2	1.89	-	39.40	11.93	31.24			
RMS	12.9939G	44.44	68.20	-23.76	24.36	3	Horizontal	2	1.89	-	39.39	11.93	31.24			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6505MHz_TX

EUT_Z_2TX
Setting 22
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.5361G	40.61	83.54	-42.93	36.48	1	Vertical	162	1.17	-	37.73	15.20	48.80			
AV	19.50215G	30.49	63.54	-33.05	26.29	1	Vertical	162	1.17	-	37.80	15.20	48.80			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6505MHz_TX

EUT_Z_2TX
Setting 22
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5183G	40.49	83.54	-43.05	36.33	1	Horizontal	168	2.94	-	37.76	15.20	48.80			
AV	19.4966G	30.42	63.54	-33.12	26.23	1	Horizontal	168	2.94	-	37.79	15.20	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 22
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3145G	57.48	74.00	-16.52	36.86	3	Vertical	121	1.19	-	40.13	11.88	31.39			
AV	13.35385G	45.19	54.00	-8.81	24.51	3	Vertical	121	1.19	-	40.21	11.88	31.41			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 22
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3508G	56.73	74.00	-17.27	36.06	3	Horizontal	210	2.10	-	40.20	11.88	31.41			
AV	13.35485G	45.20	54.00	-8.80	24.52	3	Horizontal	210	2.10	-	40.21	11.88	31.41			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Z_2TX
Setting 22
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99105G	41.72	83.54	-41.82	37.63	1	Vertical	155	2.46	-	37.72	15.17	48.80			
AV	19.9942G	30.30	63.54	-33.24	26.22	1	Vertical	155	2.46	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Z_2TX
Setting 22
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.00745G	41.74	83.54	-41.80	37.65	1	Horizontal	127	1.73	-	37.71	15.18	48.80			
AV	19.98955G	30.30	63.54	-33.24	26.21	1	Horizontal	127	1.73	-	37.72	15.17	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Z_2TX
Setting 21
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6442G	56.54	88.20	-31.66	35.59	3	Vertical	68	2.20	-	40.69	11.83	31.57			
RMS	13.6676G	45.31	68.20	-22.89	24.29	3	Vertical	68	2.20	-	40.77	11.83	31.58			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Z_2TX
Setting 21
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65355G	57.32	88.20	-30.88	36.35	3	Horizontal	240	1.92	-	40.71	11.83	31.57			
RMS	13.6644G	45.29	68.20	-22.91	24.28	3	Horizontal	240	1.92	-	40.76	11.83	31.58			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6825MHz_TX

EUT_Z_2TX
Setting 21
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.4577G	41.08	83.54	-42.46	36.35	1	Vertical	120	2.31	-	37.90	15.54	48.71			
AV	20.45955G	30.86	63.54	-32.68	26.13	1	Vertical	120	2.31	-	37.90	15.54	48.71			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6825MHz_TX

EUT_Z_2TX
Setting 21
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.45225G	41.47	83.54	-42.07	36.74	1	Horizontal	330	1.43	-	37.90	15.54	48.71			
AV	20.4645G	30.78	63.54	-32.76	26.04	1	Horizontal	330	1.43	-	37.90	15.55	48.71			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 23
02-V-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9375G	113.71	Inf	-Inf	100.89	3	Vertical	327	2.29	-	35.30	8.91	31.39			
RMS	6.9365G	103.24	Inf	-Inf	90.41	3	Vertical	327	2.29	-	35.30	8.91	31.38			
PK	7.134G	83.51	88.20	-4.69	70.12	3	Vertical	327	2.29	-	35.60	9.21	31.42			
RMS	7.129G	62.18	68.20	-6.02	48.83	3	Vertical	327	2.29	-	35.57	9.20	31.42			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Z_2TX
Setting 23
02-V-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0055G	102.53	Inf	-Inf	89.76	3	Horizontal	40.7	2.12	-	35.30	8.89	31.42			
RMS	6.965G	91.42	Inf	-Inf	78.62	3	Horizontal	40.7	2.12	-	35.30	8.90	31.40			
PK	7.134G	67.80	88.20	-20.40	54.41	3	Horizontal	40.7	2.12	-	35.60	9.21	31.42			
RMS	7.223G	56.10	68.20	-12.10	42.06	3	Horizontal	40.7	2.12	-	36.09	9.37	31.42			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Z_2TX
Setting 23
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9725G	56.32	88.20	-31.88	34.85	3	Vertical	272	2.47	-	41.45	11.78	31.76			
RMS	13.95315G	45.69	68.20	-22.51	24.24	3	Vertical	272	2.47	-	41.41	11.79	31.75			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Z_2TX
Setting 23
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97105G	56.94	88.20	-31.26	35.48	3	Horizontal	13	2.39	-	41.44	11.78	31.76			
RMS	13.95035G	45.60	68.20	-22.60	24.16	3	Horizontal	13	2.39	-	41.40	11.79	31.75			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Z_2TX
Setting 23
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.96265G	43.38	83.54	-40.16	38.20	1	Vertical	107	1.24	-	37.93	15.95	48.70			
AV	20.97915G	31.84	63.54	-31.70	26.61	1	Vertical	107	1.24	-	37.96	15.97	48.70			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 23
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.93035G	43.13	83.54	-40.41	38.00	1	Horizontal	107	2.30	-	37.90	15.93	48.70			
AV	20.93405G	31.81	63.54	-31.73	26.68	1	Horizontal	107	2.30	-	37.90	15.93	48.70			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Z_2TX
Setting 25
02-V-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9202G	79.08	88.20	-9.12	67.63	3	Vertical	311.8	2.31	-	34.20	7.88	30.63			
RMS	5.925G	63.96	68.20	-4.24	52.51	3	Vertical	311.8	2.31	-	34.20	7.88	30.63			
PK	6.2378G	110.94	Inf	-Inf	98.92	3	Vertical	311.8	2.31	-	34.60	8.28	30.86			
RMS	6.261G	100.71	Inf	-Inf	88.72	3	Vertical	311.8	2.31	-	34.58	8.30	30.89			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Z_2TX
Setting 25
02-V-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9186G	72.91	88.20	-15.29	61.46	3	Horizontal	44	2.97	-	34.20	7.88	30.63			
RMS	5.9178G	60.33	68.20	-7.87	48.88	3	Horizontal	44	2.97	-	34.20	7.88	30.63			
PK	6.1306G	103.60	Inf	-Inf	91.66	3	Horizontal	44	2.97	-	34.56	8.13	30.75			
RMS	6.1242G	93.34	Inf	-Inf	81.41	3	Horizontal	44	2.97	-	34.55	8.12	30.74			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Z_2TX
Setting 25
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.23128G	56.90	74.00	-17.10	37.13	3	Vertical	278	2.34	-	38.84	12.05	31.12			
AV	12.20792G	45.22	54.00	-8.78	25.41	3	Vertical	278	2.34	-	38.88	12.05	31.12			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Z_2TX
Setting 25
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.23864G	56.66	74.00	-17.34	36.92	3	Horizontal	204	1.66	-	38.82	12.04	31.12			
AV	12.21096G	45.19	54.00	-8.81	25.38	3	Horizontal	204	1.66	-	38.88	12.05	31.12			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Z_2TX
Setting 25
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.33772G	42.04	83.54	-41.50	37.36	1	Vertical	324	1.56	-	37.68	15.27	48.27			
AV	18.347G	30.41	63.54	-33.13	25.72	1	Vertical	324	1.56	-	37.69	15.27	48.27			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Z_2TX
Setting 25
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.35404G	42.27	83.54	-41.27	37.57	1	Horizontal	39	2.77	-	37.70	15.27	48.27				
AV	18.3486G	30.44	63.54	-33.10	25.74	1	Horizontal	39	2.77	-	37.70	15.27	48.27				

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Z_2TX
Setting 25
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.55912G	56.21	74.00	-17.79	36.65	3	Vertical	346	2.47	-	38.68	12.00	31.12			
AV	12.56616G	43.97	54.00	-10.03	24.42	3	Vertical	346	2.47	-	38.67	12.00	31.12			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Z_2TX
Setting 25
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5268G	55.15	74.00	-18.85	35.56	3	Horizontal	118	2.77	-	38.70	12.00	31.11			
AV	12.56656G	43.92	54.00	-10.08	24.37	3	Horizontal	118	2.77	-	38.67	12.00	31.12			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Z_2TX
Setting 25
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.78292G	40.99	83.54	-42.55	36.43	1	Vertical	5	1.04	-	37.90	15.24	48.58			
AV	18.83452G	30.45	63.54	-33.09	25.87	1	Vertical	5	1.04	-	37.97	15.24	48.63			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Z_2TX
Setting 25
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.82356G	40.55	83.54	-42.99	35.98	1	Horizontal	341	1.68	-	37.95	15.24	48.62			
AV	18.82988G	30.44	63.54	-33.10	25.87	1	Horizontal	341	1.68	-	37.96	15.24	48.63			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Z_2TX
Setting 25
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81608G	55.78	88.20	-32.42	36.08	3	Vertical	219	1.39	-	38.93	11.96	31.19			
RMS	12.86912G	44.59	68.20	-23.61	24.80	3	Vertical	219	1.39	-	39.04	11.95	31.20			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Z_2TX
Setting 25
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84216G	55.60	88.20	-32.60	35.87	3	Horizontal	131	2.30	-	38.98	11.95	31.20			
RMS	12.86808G	44.60	68.20	-23.60	24.81	3	Horizontal	131	2.30	-	39.04	11.95	31.20			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Z_2TX
Setting 25
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27092G	40.97	83.54	-42.57	36.64	1	Vertical	92	1.54	-	37.92	15.21	48.80			
AV	19.28476G	30.15	63.54	-33.39	25.88	1	Vertical	92	1.54	-	37.86	15.21	48.80			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Z_2TX
Setting 25
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.23844G	40.61	83.54	-42.93	36.24	1	Horizontal	217	2.09	-	37.95	15.22	48.80			
AV	19.2986G	30.24	63.54	-33.30	26.02	1	Horizontal	217	2.09	-	37.81	15.21	48.80			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_Z_2TX
Setting 23
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1756G	55.75	88.20	-32.45	35.37	3	Vertical	293	1.53	-	39.80	11.90	31.32			
RMS	13.20408G	45.08	68.20	-23.12	24.61	3	Vertical	293	1.53	-	39.91	11.90	31.34			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_Z_2TX
Setting 23
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.19848G	56.09	88.20	-32.11	35.64	3	Horizontal	252	1.28	-	39.89	11.90	31.34			
RMS	13.20648G	45.17	68.20	-23.03	24.70	3	Horizontal	252	1.28	-	39.91	11.90	31.34			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_Z_2TX
Setting 23
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.73788G	40.41	83.54	-43.13	36.32	1	Vertical	24	1.21	-	37.70	15.19	48.80			
AV	19.74756G	29.76	63.54	-33.78	25.67	1	Vertical	24	1.21	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_Z_2TX
Setting 23
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.73876G	41.34	83.54	-42.20	37.25	1	Horizontal	43	1.99	-	37.70	15.19	48.80			
AV	19.71884G	29.87	63.54	-33.67	25.78	1	Horizontal	43	1.99	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6745MHz_TX

EUT_Z_2TX
Setting 23
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.5239G	57.16	88.20	-31.04	36.25	3	Vertical	129	1.97	-	40.55	11.85	31.49			
RMS	13.516G	45.87	68.20	-22.33	24.98	3	Vertical	129	1.97	-	40.53	11.85	31.49			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6745MHz_TX

EUT_Z_2TX
Setting 23
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.535G	56.82	88.20	-31.38	35.90	3	Horizontal	165	2.44	-	40.57	11.85	31.50			
RMS	13.5269G	45.92	68.20	-22.28	25.02	3	Horizontal	165	2.44	-	40.55	11.85	31.50			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6745MHz_TX

EUT_Z_2TX
Setting 23
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.2714G	40.58	83.54	-42.96	36.14	1	Vertical	273	2.66	-	37.80	15.39	48.75			
AV	20.2797G	28.39	63.54	-35.15	23.93	1	Vertical	273	2.66	-	37.80	15.40	48.74			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6745MHz_TX

EUT_Z_2TX
Setting 23
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.2062G	41.14	83.54	-42.40	36.76	1	Horizontal	276	2.10	-	37.80	15.34	48.76			
AV	20.22724G	30.26	63.54	-33.28	25.85	1	Horizontal	276	2.10	-	37.80	15.36	48.75			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Z_2TX
Setting 22
02-V-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.913G	107.49	Inf	-Inf	94.64	3	Vertical	-0	2.69	-	35.30	8.92	31.37			
AV	6.909G	97.12	Inf	-Inf	84.26	3	Vertical	-0	2.69	-	35.30	8.93	31.37			
PK	7.331G	66.20	74.00	-7.80	51.74	3	Vertical	-0	2.69	-	36.52	9.37	31.43			
AV	7.254G	50.85	54.00	-3.15	36.69	3	Vertical	-0	2.69	-	36.22	9.37	31.43			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_Z_2TX
Setting 22
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.799G	104.11	Inf	-Inf	91.14	3	Horizontal	135	2.81	-	35.30	8.98	31.31			
AV	6.754G	93.92	Inf	-Inf	81.12	3	Horizontal	135	2.81	-	35.21	8.87	31.28			
PK	7.25G	65.97	74.00	-8.03	51.83	3	Horizontal	135	2.81	-	36.20	9.37	31.43			
AV	7.25G	50.60	54.00	-3.40	36.46	3	Horizontal	135	2.81	-	36.20	9.37	31.43			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_Z_2TX
Setting 22
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8335G	56.78	88.20	-31.42	35.53	3	Vertical	22	1.76	-	41.13	11.80	31.68			
RMS	13.8463G	46.29	68.20	-21.91	24.99	3	Vertical	22	1.76	-	41.19	11.80	31.69			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_Z_2TX
Setting 22
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8497G	56.58	88.20	-31.62	35.27	3	Horizontal	124	2.57	-	41.20	11.80	31.69			
RMS	13.8437G	46.22	68.20	-21.98	24.94	3	Horizontal	124	2.57	-	41.17	11.80	31.69			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_Z_2TX
Setting 22
02-V-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7635G	42.70	83.54	-40.84	37.71	1	Vertical	277	2.61	-	37.90	15.79	48.70			
AV	20.7545G	30.98	63.54	-32.56	26.00	1	Vertical	277	2.61	-	37.90	15.78	48.70			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX

EUT_Z_2TX
Setting 22
02-V-B-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6914G	41.52	83.54	-42.02	36.59	1	Horizontal	196	2.48	-	37.90	15.73	48.70			
AV	20.7649G	31.12	63.54	-32.42	26.13	1	Horizontal	196	2.48	-	37.90	15.79	48.70			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

22/10/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

22/10/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

22/10/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

22/10/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

22/10/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

22/10/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

22/10/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

22/10/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

22/10/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

22/10/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

22/10/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

22/10/2024



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

22/10/2024

CF (Hz)
7.115G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.123623G	-13.93	7.156325G	-63.13	-53.93	-9.20	1
7.107427G	-14.26	7.1587G	-63.44	-54.26	-9.18	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

22/10/2024

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.982246G	-2.99	5.98775G	-34.87	-22.39	-12.48	1
5.979146G	-2.97	6.05975G	-57.09	-42.97	-14.12	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

22/10/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.188404G	-4.37	6.1827G	-35.10	-24.49	-10.61	1
6.191153G	-4.24	6.28825G	-56.90	-44.24	-12.66	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

22/10/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.411848G	-4.98	6.47045G	-56.42	-44.98	-11.44	1
6.400701G	-5.07	6.42735G	-35.37	-24.17	-11.20	2

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

22/10/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

22/10/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

22/10/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

22/10/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

22/10/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

22/10/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

22/10/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

22/10/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

22/10/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.066505G	-5.33	6.99795G	-56.07	-45.33	-10.74	1
7.075652G	-6.15	6.99695G	-56.32	-46.15	-10.17	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

22/10/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01519G	0.02	6.0284G	-26.94	-19.99	-6.95	1
5.987G	-0.37	6.0296G	-29.25	-20.46	-8.79	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

22/10/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

22/10/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

22/10/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43661G	-0.83	6.5089G	-28.60	-20.89	-7.71	1
6.4535G	-1.26	6.419G	-32.51	-21.40	-11.11	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

22/10/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5286G	-1.36	6.5005G	-30.82	-21.37	-9.45	1
6.5326G	-1.75	6.5898G	-31.18	-21.86	-9.32	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

22/10/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

22/10/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

22/10/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75711G	-2.10	6.7408G	-30.74	-22.16	-8.58	1
6.76231G	-2.25	6.7402G	-31.55	-22.36	-9.19	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

22/10/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8551G	-2.36	6.8186G	-32.22	-22.62	-9.60	1
6.83721G	-2.09	6.8212G	-30.71	-22.09	-8.62	2

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

22/10/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

22/10/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

22/10/2024

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08359G	1.70	6.384G	-48.58	-38.30	-10.28	1
6.08978G	1.59	6.2874G	-48.43	-38.41	-10.02	2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

22/10/2024

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1654G	1.87	6.452G	-48.39	-38.13	-10.26	1
6.177G	1.77	6.445G	-48.11	-38.23	-9.88	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

22/10/2024

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.27022G	1.77	6.0326G	-47.12	-38.23	-8.89	1
6.29281G	1.29	6.0128G	-47.01	-38.71	-8.30	2

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

22/10/2024

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46241G	1.49	6.154G	-47.15	-38.51	-8.64	1
6.4936G	1.36	6.1884G	-47.31	-38.64	-8.67	2


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

22/10/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59222G	0.85	6.3008G	-47.43	-39.15	-8.28	1
6.59062G	0.46	6.3236G	-47.71	-39.54	-8.17	2

Port 1
Port 2


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

22/10/2024

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75342G	1.02	6.4628G	-47.02	-38.98	-8.04	1
6.75882G	0.86	6.465G	-46.73	-39.14	-7.59	2


Port 1
Port 2

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

22/10/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

22/10/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

22/10/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

28/11/2024




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

28/11/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

28/11/2024



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

28/11/2024

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75944G	-1.05	6.3666G	-45.41	-41.05	-4.36	1
6.74904G	-0.34	6.3954G	-44.54	-40.34	-4.20	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

28/12/2024

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.959874G	-4.65	5.966575G	-37.15	-24.76	-12.39	1
5.950001G	-5.77	5.923975G	-58.43	-45.77	-12.66	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

28/12/2024

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.189676G	-6.01	6.2426G	-58.14	-46.01	-12.13	1
6.186052G	-6.39	6.1621G	-58.38	-46.36	-12.02	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

28/12/2024

CF (Hz)
6.415G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.422798G	-7.36	6.449975G	-58.02	-47.36	-10.66	1
6.406477G	-7.82	6.45715G	-57.76	-47.82	-9.94	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

28/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.442298G	-9.68	6.47165G	-58.00	-49.68	-8.32	1
6.437799G	-10.43	6.391875G	-58.15	-50.43	-7.72	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

28/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.483523G	-8.45	6.438325G	-57.89	-48.45	-9.44	1
6.482423G	-8.23	6.507525G	-57.52	-48.23	-9.29	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

28/12/2024

CF (Hz)
6.515G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.522598G	-6.96	6.477875G	-57.31	-46.96	-10.35	1
6.512076G	-7.30	6.4741G	-57.71	-47.30	-10.41	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

28/12/2024

CF (Hz)
6.535G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.541973G	-8.53	6.5031G	-57.67	-48.32	-9.35	1
6.526852G	-8.57	6.499975G	-57.70	-48.57	-9.13	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

28/12/2024

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.701723G	-9.18	6.732225G	-58.92	-49.18	-9.74	1
6.701273G	-9.67	6.64775G	-58.65	-49.67	-8.98	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

28/12/2024

CF (Hz)
6.875G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.865677G	-10.18	6.923275G	-57.64	-50.18	-7.46	1
6.868727G	-10.88	6.913675G	-57.43	-50.88	-6.55	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

28/12/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

28/12/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

28/12/2024




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

28/12/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

28/12/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

28/12/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

28/12/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

28/12/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

28/12/2024




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

28/12/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

28/12/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

28/12/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

28/12/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

28/12/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

28/12/2024




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

28/12/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

28/12/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

28/12/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

28/12/2024




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

28/12/2024




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

28/12/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

28/12/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

28/12/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

28/12/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

28/12/2024




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

28/12/2024




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

28/12/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

28/12/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

28/12/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

28/12/2024




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

28/12/2024

CF (Hz)
6.505G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42862G	1.43	6.1432G	-45.81	-38.57	-7.24	1
6.46221G	0.93	6.1828G	-46.28	-39.07	-7.21	2


6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

28/12/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58902G	0.98	6.9034G	-44.08	-37.06	-7.02	1
6.60102G	1.02	6.3112G	-46.11	-38.98	-7.13	2


6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

28/12/2024

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77741G	0.04	6.4804G	-43.07	-39.96	-3.11	1
6.75302G	-0.12	6.5084G	-46.04	-40.12	-5.92	2


6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

28/12/2024

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92442G	1.49	7.2212G	-41.24	-35.29	-5.95	1
6.9716G	1.25	6.6742G	-44.30	-38.75	-5.55	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

28/12/2024




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

28/12/2024




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

28/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4286G	3.69	6.937G	-37.70	-36.11	-1.59	1
6.40261G	2.39	5.933G	-40.74	-37.61	-3.13	2

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

28/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.50062G	0.85	6.0946G	-43.12	-39.01	-4.11	1
6.53501G	0.77	6.0898G	-42.86	-39.23	-3.63	2


6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

28/12/2024

CF (Hz)
6.745G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58904G	1.12	6.2498G	-42.32	-38.88	-3.44	1
6.61103G	0.84	6.2146G	-43.70	-39.16	-4.54	2


6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

28/12/2024

CF (Hz)
6.905G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75464G	0.05	6.4118G	-42.36	-39.95	-2.41	1
6.76024G	0.16	6.4066G	-43.70	-39.84	-3.86	2

Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-64.17	6.83	-71.06	≤ -62
						Minimal	-65.17	6.83	-72.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-68.17	6.83	-75.01	≤ -62
						Minimal	-69.17	6.83	-76.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-69.17	6.83	-76.04	≤ -62
						Minimal	-70.17	6.83	-77.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-65.17	6.83	-72.01	≤ -62
						Minimal	-66.17	6.83	-73.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11 be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-69.17	6.83	-76.08	≤ -62
						Minimal	-70.17	6.83	-77.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
				Center	6105	OFF	-62.17	6.83	-69.04	≤ -62
						Minimal	-63.17	6.83	-70.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
				High edge	6260	OFF	-61.17	6.83	-68.07	≤ -62
						Minimal	-62.17	6.83	-69.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-60.17	6.83	-67.04	≤ -62
						Minimal	-61.17	6.83	-68.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
				Center	6425	OFF	-63.17	6.83	-70.07	≤ -62
						Minimal	-64.17	6.83	-71.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
				High edge	6580	OFF	-64.17	6.83	-71.03	≤ -62
						Minimal	-65.17	6.83	-72.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
7/8	159	320	6745	Low edge	6590	OFF	-72.17	6.83	-79.08	≤ -62
						Minimal	-73.17	6.83	-80.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
				Center	6745	OFF	-62.17	6.83	-69.05	≤ -62
						Minimal	-63.17	6.83	-70.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
				High edge	6900	OFF	-59.17	6.83	-66.03	≤ -62
						Minimal	-60.17	6.83	-67.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62


7/8	191	320	6905	Low edge	6750	OFF	-70.17	6.83	-77.09	≤ -62
						Minimal	-71.17	6.83	-78.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
				Center	6905	OFF	-60.17	6.83	-67.07	≤ -62
						Minimal	-61.17	6.83	-68.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
				High edge	7060	OFF	-62.17	6.83	-69.05	≤ -62
						Minimal	-63.17	6.83	-70.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62

Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-71.06	OFF	10	100	90	PASS
6	101	20	6455	Center	6455	-75.01	OFF	9	90	90	PASS
7	149	20	6695	Center	6695	-76.04	OFF	10	100	90	PASS
8	213	20	7015	Center	7015	-72.01	OFF	10	100	90	PASS

Contention Based protocol 802.11be EHT320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-76.08	OFF	10	100	90	PASS
				Center	6105	-69.04	OFF	9	90	90	PASS
				High edge	6260	-68.07	OFF	9	90	90	PASS
5/6/7	95	320	6425	Low edge	6270	-67.04	OFF	9	90	90	PASS
				Center	6425	-70.07	OFF	10	100	90	PASS
				High edge	6580	-71.03	OFF	9	90	90	PASS
6/7	159	320	6745	Low edge	6590	-79.08	OFF	10	100	90	PASS
				Center	6745	-69.05	OFF	10	100	90	PASS
				High edge	6900	-66.03	OFF	9	90	90	PASS
7/8	191	320	6905	Low edge	6750	-77.09	OFF	10	100	90	PASS
				Center	6905	-67.07	OFF	9	90	90	PASS
				High edge	7060	-69.05	OFF	10	100	90	PASS


Bandwidth: 20MHz

Traffic Loading Plot




Date: 16.DEC.2024 23:40:13

Traffic Loading Calculation




Bandwidth: 160MHz

Traffic Loading Plot




Traffic Loading Calculation



Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 20.DEC.2024 01:13:57

Frequency (MHz): 6455 MHz




Date: 20.DEC.2024 01:12:55

Frequency (MHz): 6695 MHz



Date: 20.DEC.2024 01:14:46


Frequency (MHz): 7015 MHz



Date: 20.DEC.2024 01:15:28


Bandwidth: 320MHz

Frequency (MHz): 5950 MHz




Date: 20.DEC.2024 01:17:18

Frequency (MHz): 6105 MHz




Date: 20.DEC.2024 01:17:57

Frequency (MHz): 6260 MHz




Date: 20.DEC.2024 01:18:50

Frequency (MHz): 6270 MHz




Date: 20.DEC.2024 01:19:22

Frequency (MHz): 6425 MHz




Date: 20.DEC.2024 01:20:33

Frequency (MHz): 6580 MHz




Date: 20.DEC.2024 01:21:24

Frequency (MHz): 6590 MHz




Date: 20.DEC.2024 01:22:39

Frequency (MHz): 6745 MHz




Date: 20.DEC.2024 01:23:39

Frequency (MHz): 6900 MHz




Date: 20.DEC.2024 01:24:54

Frequency (MHz): 6750 MHz




Date: 20.DEC.2024 01:25:31

Frequency (MHz): 6905 MHz



Date: 20.DEC.2024 01:26:12

Frequency (MHz): 7060 MHz




Date: 20.DEC.2024 01:26:45

Contention-Based Protocol Plot


Bandwidth: 20MHz

Test CH 53 ; Incumbent signal 6215 MHz




Note : M1 : Inject AWGN signal

Test CH 101 ; Incumbent signal 6455 MHz




Note : M1 : Inject AWGN signal

Test CH 149 ; Incumbent signal 6695 MHz



Note : M1 : Inject AWGN signal


Test CH 213 ; Incumbent signal 7015 MHz



Note : M1 : Inject AWGN signal


Bandwidth: 160MHz

Test CH 31 ; Incumbent signal 5950 MHz




Note : M1 : Inject AWGN signal

Test CH 31 ; Incumbent signal 6105 MHz




Note : M1 : Inject AWGN signal

Test CH 31 ; Incumbent signal 6260 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6270 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6425 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6580 MHz




Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6590 MHz




Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6745 MHz




Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6900 MHz




Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 6750 MHz




Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 6905 MHz



Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 7060 MHz



Note : M1 : Inject AWGN signal