




EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6545MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6865MHz;TX




EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6945MHz;TX




EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:7025MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




EIRP PSD;Band:6.4G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6505MHz;TX




EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6825MHz;TX




EIRP PSD;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6985MHz;TX




EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX




EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX




EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6425MHz;TX




EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6585MHz;TX



EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6745MHz;TX



EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6905MHz;TX






## ***Radiated Emissions below 1GHz***

## ***Appendix E.1***

### **Summary**


| Mode   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Condition |
|--------|--------|------|--------------|-------------------|-------------------|----------------|-----------|
| Mode 5 | Pass   | PK   | 41.64M       | 36.15             | 40.00             | -3.85          | Vertical  |

### Mode 5



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------|---------------|--------------|------------|------------|--|--|
| PK   | 41.64M       | 36.15             | 40.00             | -3.85          | -25.15           | 3           | Vertical  | 271            | 1.50          | "Worst" | 61.30         | 17.99        | 1.22       | 44.36      |  |  |
| PK   | 439.34M      | 38.37             | 46.00             | -7.63          | -16.79           | 3           | Vertical  | 115            | 1.25          | -       | 55.16         | 22.52        | 4.55       | 43.86      |  |  |
| PK   | 444.19M      | 37.70             | 46.00             | -8.30          | -16.70           | 3           | Vertical  | 92             | 1.50          | -       | 54.40         | 22.60        | 4.55       | 43.85      |  |  |
| PK   | 904.94M      | 36.33             | 46.00             | -9.67          | -10.44           | 3           | Vertical  | 117            | 2.00          | -       | 46.77         | 26.48        | 6.48       | 43.40      |  |  |
| PK   | 928.22M      | 36.77             | 46.00             | -9.23          | -10.40           | 3           | Vertical  | 80             | 2.00          | -       | 47.17         | 26.48        | 6.54       | 43.42      |  |  |
| PK   | 948.59M      | 36.80             | 46.00             | -9.20          | -10.10           | 3           | Vertical  | 47             | 1.25          | -       | 46.90         | 26.76        | 6.59       | 43.45      |  |  |

### Mode 5



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------|---------------|--------------|------------|------------|--|--|
| PK   | 51.34M       | 26.74             | 40.00             | -13.26         | -29.21           | 3           | Horizontal | 153            | 1.50          | -       | 55.95         | 13.77        | 1.49       | 44.47      |  |  |
| PK   | 119.24M      | 28.02             | 43.50             | -15.48         | -24.02           | 3           | Horizontal | 202            | 1.50          | -       | 52.04         | 18.17        | 2.28       | 44.47      |  |  |
| PK   | 435.46M      | 34.66             | 46.00             | -11.34         | -16.84           | 3           | Horizontal | 0              | 1.25          | -       | 51.50         | 22.48        | 4.55       | 43.87      |  |  |
| PK   | 657.59M      | 35.33             | 46.00             | -10.67         | -13.39           | 3           | Horizontal | 59             | 2.00          | -       | 48.72         | 24.94        | 5.29       | 43.62      |  |  |
| PK   | 784.66M      | 36.21             | 46.00             | -9.79          | -11.64           | 3           | Horizontal | 135            | 2.00          | -       | 47.85         | 25.80        | 5.94       | 43.38      |  |  |
| PK   | 866.14M      | 36.38             | 46.00             | -9.62          | -10.63           | 3           | Horizontal | 160            | 1.50          | -       | 47.01         | 26.44        | 6.31       | 43.38      |  |  |
| PK   | 907.85M      | 36.48             | 46.00             | -9.52          | -10.35           | 3           | Horizontal | 286            | 2.00          | "Worst" | 46.83         | 26.56        | 6.49       | 43.40      |  |  |
| PK   | 941.8M       | 36.35             | 46.00             | -9.65          | -10.31           | 3           | Horizontal | 4              | 3.00          | -       | 46.66         | 26.56        | 6.57       | 43.44      |  |  |




**Summary**

| Mode                           | Result | Type | Freq    | Level    | Limit    | Margin | Dist | Condition | Azimuth | Height | Comments    |
|--------------------------------|--------|------|---------|----------|----------|--------|------|-----------|---------|--------|-------------|
|                                |        |      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (m)  |           | (°)     | (m)    |             |
| 6.875-7.125GHz                 | -      | -    | -       | -        | -        | -      | -    | -         | -       | -      | -           |
| 802.11be EHT20_Nss1,(MCS0)_2TX | Pass   | RMS  | 7.1255G | 68.08    | 68.20    | -0.12  | 3    | Vertical  | 332     | 2.66   | 5.5_BP 1MHz |

## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

## 5955MHz\_TX




EUT\_Z\_2TX  
SET 11.5  
06-W-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9138G      | 58.05             | 88.20             | -30.15         | 52.98         | 3           | Vertical  | 315            | 2.88          | 11.5    | 32.40      | 7.26       | 34.59      |  |  |  |
| RMS  | 5.9248G      | 45.50             | 68.20             | -22.70         | 40.43         | 3           | Vertical  | 315            | 2.88          | 11.5    | 32.40      | 7.27       | 34.60      |  |  |  |
| PK   | 5.9486G      | 109.44            | Inf               | -Inf           | 104.39        | 3           | Vertical  | 315            | 2.88          | 11.5    | 32.40      | 7.28       | 34.63      |  |  |  |
| RMS  | 5.9472G      | 98.08             | Inf               | -Inf           | 93.02         | 3           | Vertical  | 315            | 2.88          | 11.5    | 32.40      | 7.28       | 34.62      |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_Z\_2TX  
SET 11.5  
06-W-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9076G      | 57.60             | 88.20             | -30.60         | 52.52         | 3           | Horizontal | 40             | 2.55          | 11.5    | 32.40      | 7.26       | 34.58      |  |  |  |
| RMS  | 5.9224G      | 45.19             | 68.20             | -23.01         | 40.12         | 3           | Horizontal | 40             | 2.55          | 11.5    | 32.40      | 7.27       | 34.60      |  |  |  |
| PK   | 5.9632G      | 101.74            | Inf               | -Inf           | 96.66         | 3           | Horizontal | 40             | 2.55          | 11.5    | 32.43      | 7.29       | 34.64      |  |  |  |
| RMS  | 5.9634G      | 90.68             | Inf               | -Inf           | 85.60         | 3           | Horizontal | 40             | 2.55          | 11.5    | 32.43      | 7.29       | 34.64      |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_Z\_2TX  
SET 11.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.90958G | 46.33    | 74.00    | -27.67 | 61.29  | 3    | Vertical  | 8       | 2.12   | 11.5    | 38.82 | 12.02 | 65.80 |  |  |  |
| AV   | 11.90996G | 36.79    | 54.00    | -17.21 | 51.75  | 3    | Vertical  | 8       | 2.12   | 11.5    | 38.82 | 12.02 | 65.80 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_Z\_2TX  
SET 11.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.90932G | 47.36    | 74.00    | -26.64 | 62.32  | 3    | Horizontal | 47      | 2.10   | 11.5    | 38.82 | 12.02 | 65.80 |  |  |  |
| AV   | 11.90992G | 35.11    | 54.00    | -18.89 | 50.07  | 3    | Horizontal | 47      | 2.10   | 11.5    | 38.82 | 12.02 | 65.80 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


5955MHz\_TX

EUT\_Z\_2TX  
SET 11.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.81968G | 49.69    | 83.54    | -33.85 | 40.49  | 1    | Vertical  | 280     | 1.80   | 11.5    | 39.10 | 17.28 | 47.18 |  |  |  |
| AV   | 23.81982G | 42.27    | 63.54    | -21.27 | 33.07  | 1    | Vertical  | 280     | 1.80   | 11.5    | 39.10 | 17.28 | 47.18 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


5955MHz\_TX

EUT\_Z\_2TX  
SET 11.5  
06-W-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.8198G | 50.19    | 83.54    | -33.35 | 40.99  | 1    | Horizontal | 255     | 2.00   | 11.5    | 39.10 | 17.28 | 47.18 |  |  |  |
| AV   | 23.8198G | 40.37    | 63.54    | -23.17 | 31.17  | 1    | Horizontal | 255     | 2.00   | 11.5    | 39.10 | 17.28 | 47.18 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6195MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.38808G    | 54.52             | 74.00             | -19.48         | 69.04         | 3           | Vertical  | 338            | 2.95          | 28      | 38.80      | 12.07      | 65.39      |  |  |  |
| AV   | 12.38916G    | 42.47             | 54.00             | -11.53         | 56.99         | 3           | Vertical  | 338            | 2.95          | 28      | 38.80      | 12.07      | 65.39      |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6195MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.38642G | 52.61    | 74.00    | -21.39 | 67.13  | 3    | Horizontal | 21      | 2.12   | 28      | 38.80 | 12.07 | 65.39 |  |  |  |
| AV   | 12.38988G | 40.31    | 54.00    | -13.69 | 54.83  | 3    | Horizontal | 21      | 2.12   | 28      | 38.80 | 12.07 | 65.39 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6195MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.58228G | 74.67    | 83.54    | -8.87  | 71.23  | 1    | Vertical  | 49      | 1.80   | 28      | 37.80 | 15.26 | 49.62 |  |  |  |
| AV   | 18.5827G  | 61.53    | 63.54    | -2.01  | 58.09  | 1    | Vertical  | 49      | 1.80   | 28      | 37.80 | 15.26 | 49.62 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6195MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.58578G    | 66.46             | 83.54             | -17.08         | 63.03         | 1           | Horizontal | 35             | 2.00          | 28      | 37.80      | 15.25      | 49.62      |  |  |  |
| AV   | 18.5845G     | 53.03             | 63.54             | -10.51         | 49.60         | 1           | Horizontal | 35             | 2.00          | 28      | 37.80      | 15.25      | 49.62      |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6415MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.83166G | 54.46    | 88.20    | -33.74 | 68.45  | 3    | Vertical  | 3       | 2.07   | 28      | 39.20 | 12.06 | 65.25 |  |  |  |
| RMS  | 12.8298G  | 42.15    | 68.20    | -26.05 | 56.14  | 3    | Vertical  | 3       | 2.07   | 28      | 39.20 | 12.06 | 65.25 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6415MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.83082G    | 53.44             | 88.20             | -34.76         | 67.43         | 3           | Horizontal | 321            | 2.14          | 28      | 39.20      | 12.06      | 65.25      |  |  |  |
| RMS  | 12.82964G    | 40.90             | 68.20             | -27.30         | 54.89         | 3           | Horizontal | 321            | 2.14          | 28      | 39.20      | 12.06      | 65.25      |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6415MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.24636G | 67.81    | 83.54    | -15.73 | 64.11  | 1    | Vertical  | 220     | 2.00   | 28      | 37.99 | 15.22 | 49.51 |  |  |  |
| AV   | 19.24584G | 54.62    | 63.54    | -8.92  | 50.93  | 1    | Vertical  | 220     | 2.00   | 28      | 37.98 | 15.22 | 49.51 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6415MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 19.25459G | 64.12    | 83.54    | -19.42 | 60.44  | 1    | Horizontal | 269     | 2.00   | 28      | 37.98 | 15.21 | 49.51 |  |  |  |  |
| AV   | 19.24924G | 50.84    | 63.54    | -12.70 | 47.13  | 1    | Horizontal | 269     | 2.00   | 28      | 38.00 | 15.22 | 49.51 |  |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6435MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.8698G  | 55.22    | 88.20    | -32.98 | 69.18  | 3    | Vertical  | 1       | 2.10   | 28      | 39.24 | 12.05 | 65.25 |  |  |  |
| RMS  | 12.86976G | 42.73    | 68.20    | -25.47 | 56.69  | 3    | Vertical  | 1       | 2.10   | 28      | 39.24 | 12.05 | 65.25 |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6435MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.86768G    | 53.18             | 88.20             | -35.02         | 67.14         | 3           | Horizontal | 321            | 2.11          | 28      | 39.24      | 12.05      | 65.25      |  |  |  |
| RMS  | 12.86986G    | 40.98             | 68.20             | -27.22         | 54.94         | 3           | Horizontal | 321            | 2.11          | 28      | 39.24      | 12.05      | 65.25      |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6435MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.29859G    | 69.58             | 83.54             | -13.96         | 66.10         | 1           | Vertical  | 123            | 1.59          | 28      | 37.81      | 15.21      | 49.54      |  |  |  |
| AV   | 19.31004G    | 55.29             | 63.54             | -8.25          | 51.83         | 1           | Vertical  | 123            | 1.59          | 28      | 37.80      | 15.21      | 49.55      |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6435MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.31055G    | 66.21             | 83.54             | -17.33         | 62.75         | 1           | Horizontal | 265            | 1.93          | 28      | 37.80      | 15.21      | 49.55      |  |  |  |
| AV   | 19.30898G    | 51.51             | 63.54             | -12.03         | 48.05         | 1           | Horizontal | 265            | 1.93          | 28      | 37.80      | 15.21      | 49.55      |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6475MHz\_TX




EUT\_Z\_2TX  
SET 10.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.94952G | 56.27    | 88.20    | -31.93 | 69.96  | 3    | Vertical  | 1       | 2.09   | 28      | 39.50 | 12.05 | 65.24 |  |  |  |
| RMS  | 12.9499G  | 44.32    | 68.20    | -23.88 | 58.01  | 3    | Vertical  | 1       | 2.09   | 28      | 39.50 | 12.05 | 65.24 |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6475MHz\_TX

EUT\_Z\_2TX  
SET 10.5  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.94507G    | 53.74             | 88.20             | -34.46         | 67.45         | 3           | Horizontal | 82             | 2.02          | 28      | 39.48      | 12.05      | 65.24      |  |  |  |
| RMS  | 12.94754G    | 41.18             | 68.20             | -27.02         | 54.88         | 3           | Horizontal | 82             | 2.02          | 28      | 39.49      | 12.05      | 65.24      |  |  |  |

## 6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

## 6475MHz\_TX




EUT\_Z\_2TX  
SET 10.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 19.42662G | 44.79    | 83.54    | -38.75 | 41.43  | 1    | Vertical  | 236     | 1.61   | 11.5    | 37.79 | 15.20 | 49.63 |  |  |  |  |
| AV   | 19.42162G | 31.91    | 63.54    | -31.63 | 28.53  | 1    | Vertical  | 236     | 1.61   | 11.5    | 37.81 | 15.20 | 49.63 |  |  |  |  |

## 6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

## 6475MHz\_TX




EUT\_Z\_2TX  
SET 10.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.43373G | 44.45    | 83.54    | -39.09 | 41.11  | 1    | Horizontal | 166     | 1.80   | 11.5    | 37.77 | 15.20 | 49.63 |  |  |  |
| AV   | 19.43283G | 31.46    | 63.54    | -32.08 | 28.12  | 1    | Horizontal | 166     | 1.80   | 11.5    | 37.77 | 15.20 | 49.63 |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6515MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.02966G | 58.05    | 88.20    | -30.15 | 71.89  | 3    | Vertical  | 23      | 2.93   | 28      | 39.28 | 12.05 | 65.17 |  |  |  |
| RMS  | 13.02976G | 45.54    | 68.20    | -22.66 | 59.38  | 3    | Vertical  | 23      | 2.93   | 28      | 39.28 | 12.05 | 65.17 |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6515MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.03136G | 55.04    | 88.20    | -33.16 | 68.89  | 3    | Horizontal | 28      | 2.10   | 28      | 39.27 | 12.05 | 65.17 |  |  |  |
| RMS  | 13.02984G | 42.36    | 68.20    | -25.84 | 56.20  | 3    | Horizontal | 28      | 2.10   | 28      | 39.28 | 12.05 | 65.17 |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6515MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.54762G | 73.87    | 83.54    | -9.67  | 70.61  | 1    | Vertical  | 121     | 1.85   | 28      | 37.70 | 15.20 | 49.64 |  |  |  |
| AV   | 19.54788G | 59.35    | 63.54    | -4.19  | 56.09  | 1    | Vertical  | 121     | 1.85   | 28      | 37.70 | 15.20 | 49.64 |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6515MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.55167G    | 64.82             | 83.54             | -18.72         | 61.56         | 1           | Horizontal | 308            | 1.59          | 28      | 37.70      | 15.20      | 49.64      |  |  |  |
| AV   | 19.55085G    | 50.42             | 63.54             | -13.12         | 47.16         | 1           | Horizontal | 308            | 1.59          | 28      | 37.70      | 15.20      | 49.64      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6535MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.0683G     | 58.45             | 88.20             | -29.75         | 72.30         | 3           | Vertical  | 23             | 2.95          | 28      | 39.20      | 12.05      | 65.10      |  |  |  |
| RMS  | 13.06994G    | 46.26             | 68.20             | -21.94         | 60.10         | 3           | Vertical  | 23             | 2.95          | 28      | 39.20      | 12.05      | 65.09      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6535MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.06634G    | 57.98             | 88.20             | -30.22         | 71.83         | 3           | Horizontal | 101            | 2.09          | 28      | 39.20      | 12.05      | 65.10      |  |  |  |
| RMS  | 13.06872G    | 44.84             | 68.20             | -23.36         | 58.69         | 3           | Horizontal | 101            | 2.09          | 28      | 39.20      | 12.05      | 65.10      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6535MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.60568G    | 72.67             | 83.54             | -10.87         | 69.37         | 1           | Vertical  | 120            | 1.92          | 28      | 37.70      | 15.19      | 49.59      |  |  |  |
| AV   | 19.60878G    | 58.46             | 63.54             | -5.08          | 55.16         | 1           | Vertical  | 120            | 1.92          | 28      | 37.70      | 15.19      | 49.59      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6535MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.60934G    | 64.70             | 83.54             | -18.84         | 61.40         | 1           | Horizontal | 308            | 1.58          | 28      | 37.70      | 15.19      | 49.59      |  |  |  |
| AV   | 19.61071G    | 50.75             | 63.54             | -12.79         | 47.45         | 1           | Horizontal | 308            | 1.58          | 28      | 37.70      | 15.19      | 49.59      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6695MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.38429G | 63.53    | 74.00    | -10.47 | 75.97  | 3    | Vertical  | 68      | 2.09   | 28      | 40.00 | 12.04 | 64.48 |  |  |  |
| AV   | 13.38461G | 50.53    | 54.00    | -3.47  | 62.97  | 3    | Vertical  | 68      | 2.09   | 28      | 40.00 | 12.04 | 64.48 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6695MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.38672G    | 61.45             | 74.00             | -12.55         | 73.89         | 3           | Horizontal | 73             | 2.02          | 28      | 40.00      | 12.04      | 64.48      |  |  |  |
| AV   | 13.38602G    | 48.17             | 54.00             | -5.83          | 60.61         | 3           | Horizontal | 73             | 2.02          | 28      | 40.00      | 12.04      | 64.48      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6695MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.09044G    | 74.48             | 83.54             | -9.06          | 70.69         | 1           | Vertical  | 328            | 1.80          | 28      | 37.80      | 15.24      | 49.25      |  |  |  |
| AV   | 20.08968G    | 60.06             | 63.54             | -3.48          | 56.27         | 1           | Vertical  | 328            | 1.80          | 28      | 37.80      | 15.24      | 49.25      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6695MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.09018G    | 69.60             | 83.54             | -13.94         | 65.81         | 1           | Horizontal | 252            | 1.80          | 28      | 37.80      | 15.24      | 49.25      |  |  |  |
| AV   | 20.08994G    | 55.70             | 63.54             | -7.84          | 51.91         | 1           | Horizontal | 252            | 1.80          | 28      | 37.80      | 15.24      | 49.25      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6875MHz\_TX




EUT\_Z\_2TX  
SET9.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.74984G | 49.57    | 88.20    | -38.63 | 61.50  | 3    | Vertical  | 300     | 2.00   | 9.5     | 40.40 | 12.03 | 64.36 |  |  |  |
| RMS  | 13.74994G | 41.14    | 68.20    | -27.06 | 53.07  | 3    | Vertical  | 300     | 2.00   | 9.5     | 40.40 | 12.03 | 64.36 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6875MHz\_TX




EUT Z\_2TX  
SET 9.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.75669G | 48.69    | 88.20    | -39.51 | 60.59  | 3    | Horizontal | 43      | 2.06   | 9.5     | 40.43 | 12.03 | 64.36 |  |  |  |
| RMS  | 13.74986G | 35.91    | 68.20    | -32.29 | 47.84  | 3    | Horizontal | 43      | 2.06   | 9.5     | 40.40 | 12.03 | 64.36 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6875MHz\_TX




EUT\_Z\_2TX  
SET9.5  
06-W-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.6252G | 57.94    | 83.54    | -25.60 | 53.43  | 1    | Vertical  | 237     | 1.80   | 9.5     | 37.90 | 15.68 | 49.07 |  |  |  |
| AV   | 20.6252G | 55.87    | 63.54    | -7.67  | 51.36  | 1    | Vertical  | 237     | 1.80   | 9.5     | 37.90 | 15.68 | 49.07 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6875MHz\_TX

EUT\_Z\_2TX  
SET9.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.62516G | 49.60    | 83.54    | -33.94 | 45.09  | 1    | Horizontal | 237     | 1.80   | 9.5     | 37.90 | 15.68 | 49.07 |  |  |  |
| AV   | 20.62516G | 44.49    | 63.54    | -19.05 | 39.98  | 1    | Horizontal | 237     | 1.80   | 9.5     | 37.90 | 15.68 | 49.07 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6895MHz\_TX




EUT\_Z\_2TX  
SET 24.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.79945G | 68.34    | 88.20    | -19.86 | 80.09  | 3    | Vertical  | 69      | 2.48   | 28      | 40.60 | 12.03 | 64.38 |  |  |  |
| RMS  | 13.79759G | 55.65    | 68.20    | -12.55 | 67.41  | 3    | Vertical  | 69      | 2.48   | 28      | 40.59 | 12.03 | 64.38 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6895MHz\_TX

EUT\_Z\_2TX  
SET 24.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.79653G | 60.78    | 88.20    | -27.42 | 72.54  | 3    | Horizontal | 300     | 1.80   | 28      | 40.59 | 12.03 | 64.38 |  |  |  |
| RMS  | 13.79783G | 47.13    | 68.20    | -21.07 | 58.89  | 3    | Horizontal | 300     | 1.80   | 28      | 40.59 | 12.03 | 64.38 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6895MHz\_TX




EUT\_Z\_2TX  
SET 24.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.69163G | 76.43    | 83.54    | -7.11  | 71.84  | 1    | Vertical  | 69      | 1.80   | 24.5    | 37.90 | 15.73 | 49.04 |  |  |  |
| AV   | 20.68984G | 63.29    | 63.54    | -0.25  | 58.70  | 1    | Vertical  | 69      | 1.80   | 24.5    | 37.90 | 15.73 | 49.04 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6895MHz\_TX




EUT\_Z\_2TX  
SET 24.5  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.69077G    | 60.75             | 83.54             | -22.79         | 56.16         | 1           | Horizontal | 303.1          | 1.80          | 24.5    | 37.90      | 15.73      | 49.04      |  |  |  |
| AV   | 20.68946G    | 47.36             | 63.54             | -16.18         | 42.77         | 1           | Horizontal | 303.1          | 1.80          | 24.5    | 37.90      | 15.73      | 49.04      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6995MHz\_TX




EUT\_Z\_2TX  
SET 23.5  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.98011G    | 67.55             | 88.20             | -20.65         | 79.06         | 3           | Vertical  | 66             | 2.09          | 28      | 40.92      | 12.02      | 64.45      |  |  |  |
| RMS  | 13.98515G    | 54.25             | 68.20             | -13.95         | 65.74         | 3           | Vertical  | 66             | 2.09          | 28      | 40.94      | 12.02      | 64.45      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6995MHz\_TX




EUT\_Z\_2TX  
SET 23.5  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.99016G    | 64.93             | 88.20             | -23.27         | 76.41         | 3           | Horizontal | 311            | 2.05          | 28      | 40.96      | 12.02      | 64.46      |  |  |  |
| RMS  | 13.98966G    | 52.51             | 68.20             | -15.69         | 63.99         | 3           | Horizontal | 311            | 2.05          | 28      | 40.96      | 12.02      | 64.46      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6995MHz\_TX




EUT\_Z\_2TX  
SET 23.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.99295G | 77.75    | 83.54    | -5.79  | 72.66  | 1    | Vertical  | 218     | 1.80   | 23.5    | 37.99 | 15.98 | 48.88 |  |  |  |
| AV   | 20.98982G | 62.33    | 63.54    | -1.21  | 57.26  | 1    | Vertical  | 218     | 1.80   | 23.5    | 37.98 | 15.98 | 48.89 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6995MHz\_TX

EUT\_Z\_2TX  
SET 23.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.99379G | 67.22    | 83.54    | -16.32 | 62.13  | 1    | Horizontal | 64      | 1.89   | 23.5    | 37.99 | 15.98 | 48.88 |  |  |  |
| AV   | 20.99173G | 52.78    | 63.54    | -10.76 | 47.70  | 1    | Horizontal | 64      | 1.89   | 23.5    | 37.98 | 15.98 | 48.88 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


7095MHz\_TX

EUT\_Z\_2TX  
SET9  
06-W-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0898G      | 109.13            | Inf               | -Inf           | 99.02         | 3           | Vertical  | 326            | 2.83          | 9       | 35.92      | 8.37       | 34.18      |  |  |  |
| RMS  | 7.0894G      | 97.79             | Inf               | -Inf           | 87.68         | 3           | Vertical  | 326            | 2.83          | 9       | 35.92      | 8.37       | 34.18      |  |  |  |
| PK   | 7.1368G      | 63.67             | 88.20             | -24.53         | 53.36         | 3           | Vertical  | 326            | 2.83          | 9       | 36.07      | 8.42       | 34.18      |  |  |  |
| RMS  | 7.1808G      | 51.18             | 68.20             | -17.02         | 40.74         | 3           | Vertical  | 326            | 2.83          | 9       | 36.16      | 8.46       | 34.18      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


7095MHz\_TX

EUT\_Z\_2TX  
SET9  
06-W-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.089G       | 102.56            | Inf               | -Inf           | 92.46         | 3           | Horizontal | 134            | 2.78          | 9       | 35.91      | 8.37       | 34.18      |  |  |  |
| RMS  | 7.0892G      | 90.51             | Inf               | -Inf           | 80.41         | 3           | Horizontal | 134            | 2.78          | 9       | 35.91      | 8.37       | 34.18      |  |  |  |
| PK   | 7.1372G      | 63.89             | 88.20             | -24.31         | 53.58         | 3           | Horizontal | 134            | 2.78          | 9       | 36.07      | 8.42       | 34.18      |  |  |  |
| RMS  | 7.1946G      | 51.17             | 68.20             | -17.03         | 40.69         | 3           | Horizontal | 134            | 2.78          | 9       | 36.19      | 8.47       | 34.18      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


7095MHz\_TX

EUT\_Z\_2TX  
SET9  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.18103G    | 72.34             | 88.20             | -15.86         | 82.96         | 3           | Vertical  | 328            | 2.34          | 28      | 41.30      | 12.15      | 64.07      |  |  |  |
| RMS  | 14.18357G    | 57.93             | 68.20             | -10.27         | 68.54         | 3           | Vertical  | 328            | 2.34          | 28      | 41.30      | 12.15      | 64.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


7095MHz\_TX

EUT\_Z\_2TX  
SET9  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.18341G    | 60.24             | 88.20             | -27.96         | 70.85         | 3           | Horizontal | 137            | 2.82          | 28      | 41.30      | 12.15      | 64.06      |  |  |  |
| RMS  | 14.18397G    | 51.08             | 68.20             | -17.12         | 61.69         | 3           | Horizontal | 137            | 2.82          | 28      | 41.30      | 12.15      | 64.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


7095MHz\_TX

EUT\_Z\_2TX  
SET9  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.28916G    | 52.66             | 83.54             | -30.88         | 47.21         | 1           | Vertical  | 210            | 1.88          | 9       | 38.08      | 16.22      | 48.85      |  |  |  |
| AV   | 21.28898G    | 38.21             | 63.54             | -25.33         | 32.76         | 1           | Vertical  | 210            | 1.88          | 9       | 38.08      | 16.22      | 48.85      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

7095MHz\_TX




EUT\_Z\_2TX  
SET9  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.27863G    | 45.34             | 83.54             | -38.20         | 39.92         | 1           | Horizontal | 50             | 1.80          | 9       | 38.06      | 16.21      | 48.85      |  |  |  |
| AV   | 21.28938G    | 32.79             | 63.54             | -30.75         | 27.34         | 1           | Horizontal | 50             | 1.80          | 9       | 38.08      | 16.22      | 48.85      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

7115MHz\_TX




EUT\_Z\_2TX  
SET 5.5  
0\6.5\3.5\5\5.5  
6.84\0.84\3.28\1.18\0.12

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment   | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|-----------|------------|------------|------------|--|--|--|
| PK   | 7.1095G      | 102.14            | Inf               | -Inf           | 91.91         | 3           | Vertical  | 332            | 2.66          | 5.5_BP 1M | 36.02      | 8.39       | 34.18      |  |  |  |
| RMS  | 7.1095G      | 95.99             | Inf               | -Inf           | 85.76         | 3           | Vertical  | 332            | 2.66          | 5.5_BP 1M | 36.02      | 8.39       | 34.18      |  |  |  |
| PK   | 7.1255G      | 77.19             | 88.20             | -11.01         | 66.91         | 3           | Vertical  | 332            | 2.66          | 5.5_BP 1M | 36.05      | 8.41       | 34.18      |  |  |  |
| RMS  | 7.1255G      | 68.08             | 68.20             | -0.12          | 57.80         | 3           | Vertical  | 332            | 2.66          | 5.5_BP 1M | 36.05      | 8.41       | 34.18      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

7115MHz\_TX




EUT\_Z\_2TX  
SET 5.5  
5.5  
3.14

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment   | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|-----------|------------|------------|------------|--|--|--|
| PK   | 7.1225G      | 96.10             | Inf               | -Inf           | 85.83         | 3           | Horizontal | 30             | 2.84          | 5.5_BP 1M | 36.05      | 8.40       | 34.18      |  |  |  |
| RMS  | 7.1225G      | 88.62             | Inf               | -Inf           | 78.35         | 3           | Horizontal | 30             | 2.84          | 5.5_BP 1M | 36.05      | 8.40       | 34.18      |  |  |  |
| PK   | 7.1255G      | 73.97             | 88.20             | -14.23         | 63.69         | 3           | Horizontal | 30             | 2.84          | 5.5_BP 1M | 36.05      | 8.41       | 34.18      |  |  |  |
| RMS  | 7.1255G      | 65.06             | 68.20             | -3.14          | 54.78         | 3           | Horizontal | 30             | 2.84          | 5.5_BP 1M | 36.05      | 8.41       | 34.18      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

7115MHz\_TX




EUT\_Z\_2TX  
SET 5.5  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.23006G    | 50.25             | 88.20             | -37.95         | 60.79         | 3           | Vertical  | 1              | 1.94          | 5.5     | 41.24      | 12.18      | 63.96      |  |  |  |
| RMS  | 14.22996G    | 39.62             | 68.20             | -28.58         | 50.16         | 3           | Vertical  | 1              | 1.94          | 5.5     | 41.24      | 12.18      | 63.96      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

7115MHz\_TX




EUT\_Z\_2TX  
SET 5.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.23619G | 49.74    | 88.20    | -38.46 | 60.27  | 3    | Horizontal | 353     | 1.80   | 5.5     | 41.23 | 12.19 | 63.95 |  |  |  |
| RMS  | 14.23002G | 37.05    | 68.20    | -31.15 | 47.59  | 3    | Horizontal | 353     | 1.80   | 5.5     | 41.24 | 12.18 | 63.96 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


7115MHz\_TX

EUT\_Z\_2TX  
SET 5.5  
06-W-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.3477G | 45.63    | 83.54    | -37.91 | 40.10  | 1    | Vertical  | 230     | 1.80   | 5.5     | 38.10 | 16.27 | 48.84 |  |  |  |
| AV   | 21.3446G | 32.90    | 63.54    | -30.64 | 27.37  | 1    | Vertical  | 230     | 1.80   | 5.5     | 38.10 | 16.27 | 48.84 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

7115MHz\_TX




EUT\_Z\_2TX  
SET 5.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 21.35147G | 46.13    | 83.54    | -37.41 | 40.60  | 1    | Horizontal | 319     | 1.81   | 5.5     | 38.10 | 16.27 | 48.84 |  |  |  |  |
| AV   | 21.35289G | 32.61    | 63.54    | -30.93 | 27.08  | 1    | Horizontal | 319     | 1.81   | 5.5     | 38.10 | 16.27 | 48.84 |  |  |  |  |

## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

## 5965MHz\_TX




EUT\_Z\_2TX  
SET 15  
06-W-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.921G       | 59.13             | 88.20             | -29.07         | 54.07         | 3           | Vertical  | 318            | 2.69          | 15      | 32.40      | 7.26       | 34.60      |  |  |  |
| RMS  | 5.9204G      | 46.99             | 68.20             | -21.21         | 41.93         | 3           | Vertical  | 318            | 2.69          | 15      | 32.40      | 7.26       | 34.60      |  |  |  |
| PK   | 5.9578G      | 109.90            | Inf               | -Inf           | 104.83        | 3           | Vertical  | 318            | 2.69          | 15      | 32.42      | 7.29       | 34.64      |  |  |  |
| RMS  | 5.9782G      | 97.98             | Inf               | -Inf           | 92.88         | 3           | Vertical  | 318            | 2.69          | 15      | 32.46      | 7.30       | 34.66      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

## 5965MHz\_TX




EUT\_Z\_2TX  
SET 15  
06-W-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.871G       | 58.28             | 88.20             | -29.92         | 53.31         | 3           | Horizontal | 44             | 2.95          | 15      | 32.28      | 7.23       | 34.54      |  |  |  |
| RMS  | 5.9188G      | 45.46             | 68.20             | -22.74         | 40.39         | 3           | Horizontal | 44             | 2.95          | 15      | 32.40      | 7.26       | 34.59      |  |  |  |
| PK   | 5.9764G      | 102.88            | Inf               | -Inf           | 97.78         | 3           | Horizontal | 44             | 2.95          | 15      | 32.45      | 7.30       | 34.65      |  |  |  |
| RMS  | 5.9738G      | 90.81             | Inf               | -Inf           | 85.71         | 3           | Horizontal | 44             | 2.95          | 15      | 32.45      | 7.30       | 34.65      |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_Z\_2TX  
SET 15  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.93008G | 46.93    | 74.00    | -27.07 | 61.83  | 3    | Vertical  | 6       | 2.14   | 28      | 38.86 | 12.03 | 65.79 |  |  |  |
| AV   | 11.92996G | 37.73    | 54.00    | -16.27 | 52.63  | 3    | Vertical  | 6       | 2.14   | 28      | 38.86 | 12.03 | 65.79 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


5965MHz\_TX

EUT\_Z\_2TX  
SET 15  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.93204G | 45.83    | 74.00    | -28.17 | 60.71  | 3    | Horizontal | 49      | 2.95   | 28      | 38.86 | 12.04 | 65.78 |  |  |  |
| AV   | 11.92984G | 33.79    | 54.00    | -20.21 | 48.69  | 3    | Horizontal | 49      | 2.95   | 28      | 38.86 | 12.03 | 65.79 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


5965MHz\_TX

EUT\_Z\_2TX  
SET 15  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 23.85992G    | 51.40             | 83.54             | -32.14         | 42.19         | 1           | Vertical  | 276            | 1.99          | 15      | 39.08      | 17.29      | 47.16      |  |  |  |
| AV   | 23.85984G    | 45.57             | 63.54             | -17.97         | 36.36         | 1           | Vertical  | 276            | 1.99          | 15      | 39.08      | 17.29      | 47.16      |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




EUT\_Z\_2TX  
SET 15  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.87758G | 46.82    | 83.54    | -36.72 | 37.63  | 1    | Horizontal | 302     | 1.80   | 15      | 39.04 | 17.30 | 47.15 |  |  |  |
| AV   | 23.8598G  | 36.15    | 63.54    | -27.39 | 26.94  | 1    | Horizontal | 302     | 1.80   | 15      | 39.08 | 17.29 | 47.16 |  |  |  |

## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

## 6205MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.39118G | 49.85    | 74.00    | -24.15 | 64.37  | 3    | Vertical  | 305     | 2.19   | 28      | 38.80 | 12.07 | 65.39 |  |  |  |
| AV   | 12.40996G | 37.77    | 54.00    | -16.23 | 52.29  | 3    | Vertical  | 305     | 2.19   | 28      | 38.78 | 12.07 | 65.37 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6205MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.40521G    | 50.15             | 74.00             | -23.85         | 64.67         | 3           | Horizontal | 20             | 2.15          | 28      | 38.79      | 12.07      | 65.38      |  |  |  |
| AV   | 12.41G       | 38.09             | 54.00             | -15.91         | 52.61         | 3           | Horizontal | 20             | 2.15          | 28      | 38.78      | 12.07      | 65.37      |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


6205MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.62907G | 72.99    | 83.54    | -10.55 | 69.47  | 1    | Vertical  | 36      | 1.80   | 28      | 37.86 | 15.25 | 49.59 |  |  |  |
| AV   | 18.61025G | 59.94    | 63.54    | -3.60  | 56.48  | 1    | Vertical  | 36      | 1.80   | 28      | 37.82 | 15.25 | 49.61 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


6205MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.61013G    | 64.93             | 83.54             | -18.61         | 61.47         | 1           | Horizontal | 285            | 1.95          | 28      | 37.82      | 15.25      | 49.61      |  |  |  |
| AV   | 18.62855G    | 51.83             | 63.54             | -11.71         | 48.31         | 1           | Horizontal | 285            | 1.95          | 28      | 37.86      | 15.25      | 49.59      |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


6405MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.81284G    | 50.64             | 88.20             | -37.56         | 64.63         | 3           | Vertical  | 2              | 2.15          | 28      | 39.20      | 12.06      | 65.25      |  |  |  |
| RMS  | 12.81012G    | 38.23             | 68.20             | -29.97         | 52.22         | 3           | Vertical  | 2              | 2.15          | 28      | 39.20      | 12.06      | 65.25      |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6405MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.81212G    | 49.06             | 88.20             | -39.14         | 63.05         | 3           | Horizontal | 233            | 2.00          | 28      | 39.20      | 12.06      | 65.25      |  |  |  |
| RMS  | 12.80996G    | 36.48             | 68.20             | -31.72         | 50.47         | 3           | Horizontal | 233            | 2.00          | 28      | 39.20      | 12.06      | 65.25      |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


6405MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.19858G    | 63.06             | 83.54             | -20.48         | 59.51         | 1           | Vertical  | 216            | 1.82          | 28      | 37.81      | 15.22      | 49.48      |  |  |  |
| AV   | 19.21736G    | 50.33             | 63.54             | -13.21         | 46.73         | 1           | Vertical  | 216            | 1.82          | 28      | 37.87      | 15.22      | 49.49      |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


6405MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.22431G    | 61.32             | 83.54             | -22.22         | 57.69         | 1           | Horizontal | 269            | 1.94          | 28      | 37.90      | 15.22      | 49.49      |  |  |  |
| AV   | 19.22143G    | 48.33             | 63.54             | -15.21         | 44.71         | 1           | Horizontal | 269            | 1.94          | 28      | 37.89      | 15.22      | 49.49      |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


6445MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.88896G | 52.45    | 88.20    | -35.75 | 66.36  | 3    | Vertical  | 1       | 2.05   | 28      | 39.28 | 12.05 | 65.24 |  |  |  |
| RMS  | 12.89064G | 40.41    | 68.20    | -27.79 | 54.32  | 3    | Vertical  | 1       | 2.05   | 28      | 39.28 | 12.05 | 65.24 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6445MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.89312G    | 50.36             | 88.20             | -37.84         | 64.26         | 3           | Horizontal | 323            | 2.10          | 28      | 39.29      | 12.05      | 65.24      |  |  |  |
| RMS  | 12.8972G     | 38.46             | 68.20             | -29.74         | 52.37         | 3           | Horizontal | 323            | 2.10          | 28      | 39.28      | 12.05      | 65.24      |  |  |  |

## 6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

## 6445MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.33924G    | 65.51             | 83.54             | -18.03         | 62.07         | 1           | Vertical  | 122            | 1.80          | 28      | 37.80      | 15.21      | 49.57      |  |  |  |
| AV   | 19.33796G    | 51.63             | 63.54             | -11.91         | 48.19         | 1           | Vertical  | 122            | 1.80          | 28      | 37.80      | 15.21      | 49.57      |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


6445MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.32245G    | 60.71             | 83.54             | -22.83         | 57.26         | 1           | Horizontal | 264            | 1.80          | 28      | 37.80      | 15.21      | 49.56      |  |  |  |
| AV   | 19.32161G    | 46.51             | 63.54             | -17.03         | 43.06         | 1           | Horizontal | 264            | 1.80          | 28      | 37.80      | 15.21      | 49.56      |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6485MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.97192G | 55.31    | 88.20    | -32.89 | 69.03  | 3    | Vertical  | 26      | 2.02   | 28      | 39.46 | 12.05 | 65.23 |  |  |  |
| RMS  | 12.9704G  | 42.64    | 68.20    | -25.56 | 56.36  | 3    | Vertical  | 26      | 2.02   | 28      | 39.46 | 12.05 | 65.23 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


6485MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.96712G | 52.47    | 88.20    | -35.73 | 66.18  | 3    | Horizontal | 81      | 2.10   | 28      | 39.47 | 12.05 | 65.23 |  |  |  |
| RMS  | 12.96564G | 39.92    | 68.20    | -28.28 | 53.63  | 3    | Horizontal | 81      | 2.10   | 28      | 39.47 | 12.05 | 65.23 |  |  |  |

## 6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

## 6485MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.45704G    | 66.78             | 83.54             | -16.76         | 63.52         | 1           | Vertical  | 121            | 1.86          | 28      | 37.71      | 15.20      | 49.65      |  |  |  |
| AV   | 19.4576G     | 54.28             | 63.54             | -9.26          | 51.01         | 1           | Vertical  | 121            | 1.86          | 28      | 37.72      | 15.20      | 49.65      |  |  |  |

## 6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

## 6485MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.45832G    | 63.06             | 83.54             | -20.48         | 59.79         | 1           | Horizontal | 268            | 1.92          | 28      | 37.72      | 15.20      | 49.65      |  |  |  |
| AV   | 19.45948G    | 48.17             | 63.54             | -15.37         | 44.90         | 1           | Horizontal | 268            | 1.92          | 28      | 37.72      | 15.20      | 49.65      |  |  |  |

## 6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

## 6525MHz\_TX




EUT\_Z\_2TX  
SET 13.5  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.04988G    | 47.72             | 88.20             | -40.48         | 61.60         | 3           | Vertical  | 258            | 2.06          | 13.5    | 39.20      | 12.05      | 65.13      |  |  |  |
| RMS  | 13.04988G    | 38.87             | 68.20             | -29.33         | 52.75         | 3           | Vertical  | 258            | 2.06          | 13.5    | 39.20      | 12.05      | 65.13      |  |  |  |

## 6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

## 6525MHz\_TX




EUT Z\_2TX  
SET 13.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.06503G | 46.98    | 88.20    | -41.22 | 60.83  | 3    | Horizontal | 360     | 2.05   | 13.5    | 39.20 | 12.05 | 65.10 |  |  |  |  |
| RMS  | 13.04996G | 37.32    | 68.20    | -30.88 | 51.20  | 3    | Horizontal | 360     | 2.05   | 13.5    | 39.20 | 12.05 | 65.13 |  |  |  |  |

## 6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

## 6525MHz\_TX




EUT\_Z\_2TX  
SET 13.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.56713G | 44.67    | 83.54    | -38.87 | 41.39  | 1    | Vertical  | 188     | 1.80   | 13.5    | 37.70 | 15.20 | 49.62 |  |  |  |
| AV   | 19.56617G | 32.07    | 63.54    | -31.47 | 28.80  | 1    | Vertical  | 188     | 1.80   | 13.5    | 37.70 | 15.20 | 49.63 |  |  |  |

## 6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

## 6525MHz\_TX




EUT\_Z\_2TX  
SET 13.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.5774G  | 44.05    | 83.54    | -39.49 | 40.77  | 1    | Horizontal | 330     | 1.98   | 13.5    | 37.70 | 15.20 | 49.62 |  |  |  |
| AV   | 19.56853G | 31.42    | 63.54    | -32.12 | 28.14  | 1    | Horizontal | 330     | 1.98   | 13.5    | 37.70 | 15.20 | 49.62 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


6925MHz\_TX

EUT\_Z\_2TX  
SET 24.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.85919G | 68.36    | 88.20    | -19.84 | 80.20  | 3    | Vertical  | 69      | 2.04   | 28      | 40.54 | 12.02 | 64.40 |  |  |  |
| RMS  | 13.84105G | 54.76    | 68.20    | -13.44 | 66.62  | 3    | Vertical  | 69      | 2.04   | 28      | 40.52 | 12.02 | 64.40 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6925MHz\_TX




EUT\_Z\_2TX  
SET 24.5  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.85975G    | 66.10             | 88.20             | -22.10         | 77.94         | 3           | Horizontal | 298            | 2.05          | 28      | 40.54      | 12.02      | 64.40      |  |  |  |
| RMS  | 13.84101G    | 52.92             | 68.20             | -15.28         | 64.78         | 3           | Horizontal | 298            | 2.05          | 28      | 40.52      | 12.02      | 64.40      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


6925MHz\_TX

EUT\_Z\_2TX  
SET 24.5  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.77932G    | 77.24             | 83.54             | -6.30          | 72.52         | 1           | Vertical  | 71             | 1.80          | 24.5    | 37.90      | 15.81      | 48.99      |  |  |  |
| AV   | 20.77892G    | 62.15             | 63.54             | -1.39          | 57.44         | 1           | Vertical  | 71             | 1.80          | 24.5    | 37.90      | 15.80      | 48.99      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6925MHz\_TX




EUT\_Z\_2TX  
SET 24.5  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.75902G    | 58.10             | 83.54             | -25.44         | 53.42         | 1           | Horizontal | 303.1          | 1.80          | 24.5    | 37.90      | 15.79      | 49.01      |  |  |  |
| AV   | 20.77848G    | 45.29             | 63.54             | -18.25         | 40.59         | 1           | Horizontal | 303.1          | 1.80          | 24.5    | 37.90      | 15.80      | 49.00      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7005MHz\_TX




EUT\_Z\_2TX  
SET 24  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.01731G    | 66.36             | 88.20             | -21.84         | 77.72         | 3           | Vertical  | 323            | 2.40          | 28      | 41.03      | 12.03      | 64.42      |  |  |  |
| RMS  | 14.01979G    | 53.39             | 68.20             | -14.81         | 64.74         | 3           | Vertical  | 323            | 2.40          | 28      | 41.04      | 12.03      | 64.42      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7005MHz\_TX



EUT\_Z\_2TX  
SET 24  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.00944G    | 53.86             | 88.20             | -34.34         | 65.25         | 3           | Horizontal | 314            | 2.05          | 28      | 41.02      | 12.03      | 64.44      |  |  |  |
| RMS  | 14.00988G    | 41.64             | 68.20             | -26.56         | 53.03         | 3           | Horizontal | 314            | 2.05          | 28      | 41.02      | 12.03      | 64.44      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7005MHz\_TX




EUT\_Z\_2TX  
SET 24  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.02267G | 75.47    | 83.54    | -8.07  | 70.35  | 1    | Vertical  | 218     | 1.80   | 24      | 38.00 | 16.00 | 48.88 |  |  |  |
| AV   | 21.02095G | 62.57    | 63.54    | -0.97  | 57.45  | 1    | Vertical  | 218     | 1.80   | 24      | 38.00 | 16.00 | 48.88 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


7005MHz\_TX

EUT\_Z\_2TX  
SET 24  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.02111G    | 65.98             | 83.54             | -17.56         | 60.86         | 1           | Horizontal | 61             | 1.80          | 24      | 38.00      | 16.00      | 48.88      |  |  |  |
| AV   | 21.02095G    | 51.90             | 63.54             | -11.64         | 46.78         | 1           | Horizontal | 61             | 1.80          | 24      | 38.00      | 16.00      | 48.88      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_Z\_2TX  
SET 12.5  
06-W-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 7.098G       | 110.13            | Inf               | -Inf           | 99.95         | 3           | Vertical  | 328            | 2.84          | 12.5    | 35.98      | 8.38       | 34.18      |  |  |  |  |
| RMS  | 7.0796G      | 97.85             | Inf               | -Inf           | 87.83         | 3           | Vertical  | 328            | 2.84          | 12.5    | 35.84      | 8.36       | 34.18      |  |  |  |  |
| PK   | 7.1298G      | 63.60             | 88.20             | -24.60         | 53.31         | 3           | Vertical  | 328            | 2.84          | 12.5    | 36.06      | 8.41       | 34.18      |  |  |  |  |
| RMS  | 7.1786G      | 51.17             | 68.20             | -17.03         | 40.73         | 3           | Vertical  | 328            | 2.84          | 12.5    | 36.16      | 8.46       | 34.18      |  |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_Z\_2TX  
SET 12.5  
06-W-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0992G      | 102.46            | Inf               | -Inf           | 92.27         | 3           | Horizontal | 133            | 2.74          | 12.5    | 35.99      | 8.38       | 34.18      |  |  |  |
| RMS  | 7.1002G      | 90.76             | Inf               | -Inf           | 80.56         | 3           | Horizontal | 133            | 2.74          | 12.5    | 36.00      | 8.38       | 34.18      |  |  |  |
| PK   | 7.1522G      | 63.35             | 88.20             | -24.85         | 53.00         | 3           | Horizontal | 133            | 2.74          | 12.5    | 36.10      | 8.43       | 34.18      |  |  |  |
| RMS  | 7.1842G      | 51.08             | 68.20             | -17.12         | 40.63         | 3           | Horizontal | 133            | 2.74          | 12.5    | 36.17      | 8.46       | 34.18      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_Z\_2TX  
SET 12.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.17504G | 76.35    | 88.20    | -11.85 | 86.99  | 3    | Vertical  | 330     | 2.91   | 28      | 41.30 | 12.14 | 64.08 |  |  |  |
| RMS  | 14.17991G | 63.06    | 68.20    | -5.14  | 73.68  | 3    | Vertical  | 330     | 2.91   | 28      | 41.30 | 12.15 | 64.07 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_Z\_2TX  
SET 12.5  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.18287G    | 68.14             | 88.20             | -20.06         | 78.75         | 3           | Horizontal | 135            | 2.81          | 28      | 41.30      | 12.15      | 64.06      |  |  |  |
| RMS  | 14.18347G    | 54.48             | 68.20             | -13.72         | 65.09         | 3           | Horizontal | 135            | 2.81          | 28      | 41.30      | 12.15      | 64.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_Z\_2TX  
SET 12.5  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.26087G    | 54.57             | 83.54             | -28.97         | 49.20         | 1           | Vertical  | 211            | 1.97          | 12.5    | 38.02      | 16.20      | 48.85      |  |  |  |
| AV   | 21.25912G    | 41.77             | 63.54             | -21.77         | 36.40         | 1           | Vertical  | 211            | 1.97          | 12.5    | 38.02      | 16.20      | 48.85      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_Z\_2TX  
SET 12.5  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.26199G    | 45.31             | 83.54             | -38.23         | 39.94         | 1           | Horizontal | 1              | 1.80          | 12.5    | 38.02      | 16.20      | 48.85      |  |  |  |
| AV   | 21.26016G    | 33.00             | 63.54             | -30.54         | 27.63         | 1           | Horizontal | 1              | 1.80          | 12.5    | 38.02      | 16.20      | 48.85      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_Z\_2TX  
SET 18  
06-W-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9202G      | 63.94             | 88.20             | -24.26         | 58.88         | 3           | Vertical  | 316.9          | 2.57          | 18      | 32.40      | 7.26       | 34.60      |  |  |  |
| RMS  | 5.9186G      | 52.08             | 68.20             | -16.12         | 47.01         | 3           | Vertical  | 316.9          | 2.57          | 18      | 32.40      | 7.26       | 34.59      |  |  |  |
| PK   | 5.9978G      | 110.73            | Inf               | -Inf           | 105.59        | 3           | Vertical  | 316.9          | 2.57          | 18      | 32.50      | 7.32       | 34.68      |  |  |  |
| RMS  | 6.0178G      | 98.40             | Inf               | -Inf           | 93.23         | 3           | Vertical  | 316.9          | 2.57          | 18      | 32.50      | 7.33       | 34.66      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_Z\_2TX  
SET 18  
06-W-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9162G      | 59.13             | 88.20             | -29.07         | 54.06         | 3           | Horizontal | 39             | 2.87          | 18      | 32.40      | 7.26       | 34.59      |  |  |  |
| RMS  | 5.9166G      | 47.25             | 68.20             | -20.95         | 42.18         | 3           | Horizontal | 39             | 2.87          | 18      | 32.40      | 7.26       | 34.59      |  |  |  |
| PK   | 6.0142G      | 103.19            | Inf               | -Inf           | 98.03         | 3           | Horizontal | 39             | 2.87          | 18      | 32.50      | 7.33       | 34.67      |  |  |  |
| RMS  | 6.0154G      | 91.32             | Inf               | -Inf           | 86.15         | 3           | Horizontal | 39             | 2.87          | 18      | 32.50      | 7.33       | 34.66      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




EUT\_Z\_2TX  
SET 18  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.97016G | 46.47    | 74.00    | -27.53 | 61.23  | 3    | Vertical  | 6       | 2.14   | 28      | 38.94 | 12.06 | 65.76 |  |  |  |
| AV   | 11.97G    | 37.39    | 54.00    | -16.61 | 52.15  | 3    | Vertical  | 6       | 2.14   | 28      | 38.94 | 12.06 | 65.76 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


5985MHz\_TX

EUT\_Z\_2TX  
SET 18  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.94123G    | 45.77             | 74.00             | -28.23         | 60.63         | 3           | Horizontal | 19             | 1.87          | 28      | 38.88      | 12.04      | 65.78      |  |  |  |
| AV   | 11.96984G    | 33.88             | 54.00             | -20.12         | 48.64         | 3           | Horizontal | 19             | 1.87          | 28      | 38.94      | 12.06      | 65.76      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


5985MHz\_TX

EUT\_Z\_2TX  
SET 18  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 23.93992G    | 49.42             | 83.54             | -34.12         | 40.23         | 1           | Vertical  | 279            | 1.80          | 18      | 39.00      | 17.31      | 47.12      |  |  |  |
| AV   | 23.93984G    | 43.86             | 63.54             | -19.68         | 34.67         | 1           | Vertical  | 279            | 1.80          | 18      | 39.00      | 17.31      | 47.12      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


5985MHz\_TX

EUT\_Z\_2TX  
SET 18  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 23.94G       | 46.46             | 83.54             | -37.08         | 37.27         | 1           | Horizontal | 300            | 1.61          | 18      | 39.00      | 17.31      | 47.12      |  |  |  |
| AV   | 23.93992G    | 37.20             | 63.54             | -26.34         | 28.01         | 1           | Horizontal | 300            | 1.61          | 18      | 39.00      | 17.31      | 47.12      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6225MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.44996G    | 47.07             | 74.00             | -26.93         | 61.64         | 3           | Vertical  | 303.1          | 1.80          | 28      | 38.70      | 12.07      | 65.34      |  |  |  |
| AV   | 12.44992G    | 36.98             | 54.00             | -17.02         | 51.55         | 3           | Vertical  | 303.1          | 1.80          | 28      | 38.70      | 12.07      | 65.34      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6225MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.46566G | 46.58    | 74.00    | -27.42 | 61.16  | 3    | Horizontal | 232     | 2.12   | 28      | 38.67 | 12.07 | 65.32 |  |  |  |
| AV   | 12.45G    | 36.49    | 54.00    | -17.51 | 51.06  | 3    | Horizontal | 232     | 2.12   | 28      | 38.70 | 12.07 | 65.34 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6225MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.65118G    | 69.46             | 83.54             | -14.08         | 65.89         | 1           | Vertical  | 36             | 1.80          | 28      | 37.90      | 15.25      | 49.58      |  |  |  |
| AV   | 18.66989G    | 56.73             | 63.54             | -6.81          | 53.14         | 1           | Vertical  | 36             | 1.80          | 28      | 37.90      | 15.25      | 49.56      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6225MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.68451G    | 61.67             | 83.54             | -21.87         | 58.07         | 1           | Horizontal | 85             | 1.80          | 28      | 37.90      | 15.25      | 49.55      |  |  |  |
| AV   | 18.68475G    | 49.37             | 63.54             | -14.17         | 45.77         | 1           | Horizontal | 85             | 1.80          | 28      | 37.90      | 15.25      | 49.55      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6385MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.77024G | 46.71    | 88.20    | -41.49 | 60.89  | 3    | Vertical  | 59      | 2.95   | 28      | 39.02 | 12.06 | 65.26 |  |  |  |
| RMS  | 12.77G    | 36.79    | 68.20    | -31.41 | 50.97  | 3    | Vertical  | 59      | 2.95   | 28      | 39.02 | 12.06 | 65.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6385MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.77032G | 46.84    | 88.20    | -41.36 | 61.02  | 3    | Horizontal | 59      | 2.10   | 28      | 39.02 | 12.06 | 65.26 |  |  |  |
| RMS  | 12.76992G | 36.60    | 68.20    | -31.60 | 50.78  | 3    | Horizontal | 59      | 2.10   | 28      | 39.02 | 12.06 | 65.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6385MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.1403G  | 61.39    | 83.54    | -22.15 | 57.61  | 1    | Vertical  | 301     | 1.96   | 28      | 38.00 | 15.22 | 49.44 |  |  |  |
| AV   | 19.17874G | 48.21    | 63.54    | -15.33 | 44.56  | 1    | Vertical  | 301     | 1.96   | 28      | 37.89 | 15.22 | 49.46 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6385MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.1797G     | 57.11             | 83.54             | -26.43         | 53.47         | 1           | Horizontal | 269            | 1.89          | 28      | 37.88      | 15.22      | 49.46      |  |  |  |
| AV   | 19.17986G    | 43.71             | 63.54             | -19.83         | 40.07         | 1           | Horizontal | 269            | 1.89          | 28      | 37.88      | 15.22      | 49.46      |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6465MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.96021G    | 51.71             | 88.20             | -36.49         | 65.41         | 3           | Vertical  | 3              | 2.01          | 28      | 39.48      | 12.05      | 65.23      |  |  |  |
| RMS  | 12.93008G    | 39.16             | 68.20             | -29.04         | 52.93         | 3           | Vertical  | 3              | 2.01          | 28      | 39.42      | 12.05      | 65.24      |  |  |  |

## 6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

## 6465MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.9495G     | 47.59             | 88.20             | -40.61         | 61.28         | 3           | Horizontal | 93.1           | 1.80          | 28      | 39.50      | 12.05      | 65.24      |  |  |  |
| RMS  | 12.94726G    | 35.17             | 68.20             | -33.03         | 48.87         | 3           | Horizontal | 93.1           | 1.80          | 28      | 39.49      | 12.05      | 65.24      |  |  |  |

## 6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

## 6465MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.42753G | 63.30    | 83.54    | -20.24 | 59.94  | 1    | Vertical  | 243     | 1.98   | 28      | 37.79 | 15.20 | 49.63 |  |  |  |
| AV   | 19.40819G | 50.54    | 63.54    | -13.00 | 47.08  | 1    | Vertical  | 243     | 1.98   | 28      | 37.87 | 15.21 | 49.62 |  |  |  |

## 6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

## 6465MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.40307G    | 55.99             | 83.54             | -27.55         | 52.50         | 1           | Horizontal | 259            | 1.81          | 28      | 37.89      | 15.21      | 49.61      |  |  |  |
| AV   | 19.40219G    | 43.37             | 63.54             | -20.17         | 39.88         | 1           | Horizontal | 259            | 1.81          | 28      | 37.89      | 15.21      | 49.61      |  |  |  |

## 6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

## 6545MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.08992G    | 47.69             | 88.20             | -40.51         | 61.50         | 3           | Vertical  | 258            | 1.99          | 16.5    | 39.20      | 12.05      | 65.06      |  |  |  |
| RMS  | 13.08984G    | 38.91             | 68.20             | -29.29         | 52.72         | 3           | Vertical  | 258            | 1.99          | 16.5    | 39.20      | 12.05      | 65.06      |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6545MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.12788G    | 47.86             | 88.20             | -40.34         | 61.37         | 3           | Horizontal | 79.9           | 2.08          | 16.5    | 39.42      | 12.05      | 64.98      |  |  |  |
| RMS  | 13.08992G    | 36.38             | 68.20             | -31.82         | 50.19         | 3           | Horizontal | 79.9           | 2.08          | 16.5    | 39.20      | 12.05      | 65.06      |  |  |  |

## 6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

## 6545MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.6167G  | 45.39    | 83.54    | -38.15 | 42.08  | 1    | Vertical  | 120     | 1.88   | 16.5    | 37.70 | 15.19 | 49.58 |  |  |  |
| AV   | 19.62053G | 33.17    | 63.54    | -30.37 | 29.86  | 1    | Vertical  | 120     | 1.88   | 16.5    | 37.70 | 15.19 | 49.58 |  |  |  |

## 6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

## 6545MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.60703G    | 44.08             | 83.54             | -39.46         | 40.78         | 1           | Horizontal | 61             | 2.00          | 16.5    | 37.70      | 15.19      | 49.59      |  |  |  |
| AV   | 19.61758G    | 31.78             | 63.54             | -31.76         | 28.47         | 1           | Horizontal | 61             | 2.00          | 16.5    | 37.70      | 15.19      | 49.58      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6625MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.24742G | 54.13    | 88.20    | -34.07 | 67.25  | 3    | Vertical  | 30      | 2.94   | 28      | 39.59 | 12.04 | 64.75 |  |  |  |
| RMS  | 13.24576G | 41.07    | 68.20    | -27.13 | 54.19  | 3    | Vertical  | 30      | 2.94   | 28      | 39.59 | 12.04 | 64.75 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6625MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.2456G  | 55.26    | 88.20    | -32.94 | 68.38  | 3    | Horizontal | 100     | 2.02   | 28      | 39.59 | 12.04 | 64.75 |  |  |  |
| RMS  | 13.24576G | 43.16    | 68.20    | -25.04 | 56.28  | 3    | Horizontal | 100     | 2.02   | 28      | 39.59 | 12.04 | 64.75 |  |  |  |

## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

## 6625MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.85966G | 64.89    | 83.54    | -18.65 | 61.40  | 1    | Vertical  | 324     | 1.80   | 28      | 37.70 | 15.18 | 49.39 |  |  |  |
| AV   | 19.8794G  | 52.46    | 63.54    | -11.08 | 48.95  | 1    | Vertical  | 324     | 1.80   | 28      | 37.70 | 15.18 | 49.37 |  |  |  |

## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

## 6625MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.90433G    | 58.85             | 83.54             | -24.69         | 55.31         | 1           | Horizontal | 32             | 1.80          | 28      | 37.71      | 15.18      | 49.35      |  |  |  |
| AV   | 19.88563G    | 46.20             | 63.54             | -17.34         | 42.68         | 1           | Horizontal | 32             | 1.80          | 28      | 37.70      | 15.18      | 49.36      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6705MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.42071G | 58.74    | 88.20    | -29.46 | 71.03  | 3    | Vertical  | 69      | 2.10   | 28      | 40.08 | 12.04 | 64.41 |  |  |  |
| RMS  | 13.42375G | 46.64    | 68.20    | -21.56 | 58.91  | 3    | Vertical  | 69      | 2.10   | 28      | 40.10 | 12.04 | 64.41 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6705MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.4287G  | 56.13    | 88.20    | -32.07 | 68.38  | 3    | Horizontal | 73      | 2.01   | 28      | 40.11 | 12.04 | 64.40 |  |  |  |
| RMS  | 13.42439G | 44.02    | 68.20    | -24.18 | 56.29  | 3    | Horizontal | 73      | 2.01   | 28      | 40.10 | 12.04 | 64.41 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6705MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.10701G    | 63.96             | 83.54             | -19.58         | 60.14         | 1           | Vertical  | 330            | 1.80          | 28      | 37.80      | 15.26      | 49.24      |  |  |  |
| AV   | 20.10677G    | 49.41             | 63.54             | -14.13         | 45.59         | 1           | Vertical  | 330            | 1.80          | 28      | 37.80      | 15.26      | 49.24      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6705MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.12059G    | 61.57             | 83.54             | -21.97         | 57.74         | 1           | Horizontal | 246            | 1.80          | 28      | 37.80      | 15.27      | 49.24      |  |  |  |
| AV   | 20.12451G    | 49.22             | 63.54             | -14.32         | 45.39         | 1           | Horizontal | 246            | 1.80          | 28      | 37.80      | 15.27      | 49.24      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6785MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.55897G    | 60.68             | 88.20             | -27.52         | 72.28         | 3           | Vertical  | 65             | 2.00          | 28      | 40.65      | 12.03      | 64.28      |  |  |  |
| RMS  | 13.55889G    | 47.72             | 68.20             | -20.48         | 59.32         | 3           | Vertical  | 65             | 2.00          | 28      | 40.65      | 12.03      | 64.28      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6785MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.57943G    | 58.66             | 88.20             | -29.54         | 70.40         | 3           | Horizontal | 72             | 2.02          | 28      | 40.52      | 12.03      | 64.29      |  |  |  |
| RMS  | 13.55929G    | 45.40             | 68.20             | -22.80         | 57.01         | 3           | Horizontal | 72             | 2.02          | 28      | 40.64      | 12.03      | 64.28      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6785MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.3518G     | 70.77             | 83.54             | -12.77         | 66.59         | 1           | Vertical  | 248            | 2.00          | 28      | 37.90      | 15.46      | 49.18      |  |  |  |
| AV   | 20.34885G    | 58.50             | 63.54             | -5.04          | 54.33         | 1           | Vertical  | 248            | 2.00          | 28      | 37.90      | 15.45      | 49.18      |  |  |  |

## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

## 6785MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.34581G    | 65.01             | 83.54             | -18.53         | 60.85         | 1           | Horizontal | 248            | 1.80          | 28      | 37.89      | 15.45      | 49.18      |  |  |  |
| AV   | 20.34461G    | 52.38             | 63.54             | -11.16         | 48.22         | 1           | Horizontal | 248            | 1.80          | 28      | 37.89      | 15.45      | 49.18      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6865MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.74047G    | 51.94             | 88.20             | -36.26         | 63.89         | 3           | Vertical  | 70             | 2.12          | 16      | 40.38      | 12.03      | 64.36      |  |  |  |
| RMS  | 13.73903G    | 39.92             | 68.20             | -28.28         | 51.87         | 3           | Vertical  | 70             | 2.12          | 16      | 40.38      | 12.03      | 64.36      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6865MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.75757G    | 49.30             | 88.20             | -38.90         | 61.20         | 3           | Horizontal | 291.1          | 1.80          | 16      | 40.43      | 12.03      | 64.36      |  |  |  |
| RMS  | 13.73935G    | 36.39             | 68.20             | -31.81         | 48.34         | 3           | Horizontal | 291.1          | 1.80          | 16      | 40.38      | 12.03      | 64.36      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6865MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.62513G    | 55.66             | 83.54             | -27.88         | 51.15         | 1           | Vertical  | 236            | 1.80          | 16      | 37.90      | 15.68      | 49.07      |  |  |  |
| AV   | 20.62521G    | 53.25             | 63.54             | -10.29         | 48.74         | 1           | Vertical  | 236            | 1.80          | 16      | 37.90      | 15.68      | 49.07      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6865MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.62529G    | 50.75             | 83.54             | -32.79         | 46.24         | 1           | Horizontal | 238            | 1.80          | 16      | 37.90      | 15.68      | 49.07      |  |  |  |
| AV   | 20.62521G    | 45.66             | 63.54             | -17.88         | 41.15         | 1           | Horizontal | 238            | 1.80          | 16      | 37.90      | 15.68      | 49.07      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6945MHz\_TX




EUT\_Z\_2TX  
SET 25.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.85915G | 64.96    | 88.20    | -23.24 | 76.80  | 3    | Vertical  | 68      | 2.03   | 28      | 40.54 | 12.02 | 64.40 |  |  |  |
| RMS  | 13.86051G | 52.39    | 68.20    | -15.81 | 64.23  | 3    | Vertical  | 68      | 2.03   | 28      | 40.54 | 12.02 | 64.40 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6945MHz\_TX




EUT\_Z\_2TX  
SET 25.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.85939G | 61.39    | 88.20    | -26.81 | 73.23  | 3    | Horizontal | 300     | 2.14   | 28      | 40.54 | 12.02 | 64.40 |  |  |  |
| RMS  | 13.88105G | 48.77    | 68.20    | -19.43 | 60.54  | 3    | Horizontal | 300     | 2.14   | 28      | 40.62 | 12.02 | 64.41 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6945MHz\_TX




EUT\_Z\_2TX  
SET 25.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.82022G | 76.05    | 83.54    | -7.49  | 71.28  | 1    | Vertical  | 70      | 1.80   | 25.5    | 37.90 | 15.84 | 48.97 |  |  |  |
| AV   | 20.82022G | 63.20    | 63.54    | -0.34  | 58.43  | 1    | Vertical  | 70      | 1.80   | 25.5    | 37.90 | 15.84 | 48.97 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6945MHz\_TX




EUT\_Z\_2TX  
SET 25.5  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.86209G    | 61.02             | 83.54             | -22.52         | 56.20         | 1           | Horizontal | 326            | 1.80          | 25.5    | 37.90      | 15.87      | 48.95      |  |  |  |
| AV   | 20.86065G    | 47.96             | 63.54             | -15.58         | 43.14         | 1           | Horizontal | 326            | 1.80          | 25.5    | 37.90      | 15.87      | 48.95      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_Z\_2TX  
SET 16.5  
06-W-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0222G      | 109.62            | Inf               | -Inf           | 100.01        | 3           | Vertical  | 328            | 2.95          | 16.5    | 35.49      | 8.30       | 34.18      |  |  |  |
| RMS  | 7.0002G      | 98.08             | Inf               | -Inf           | 88.58         | 3           | Vertical  | 328            | 2.95          | 16.5    | 35.40      | 8.28       | 34.18      |  |  |  |
| PK   | 7.1686G      | 63.86             | 88.20             | -24.34         | 53.45         | 3           | Vertical  | 328            | 2.95          | 16.5    | 36.14      | 8.45       | 34.18      |  |  |  |
| RMS  | 7.2194G      | 51.50             | 68.20             | -16.70         | 40.90         | 3           | Vertical  | 328            | 2.95          | 16.5    | 36.28      | 8.50       | 34.18      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_Z\_2TX  
SET 16.5  
06-W-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.021G       | 103.78            | Inf               | -Inf           | 94.18         | 3           | Horizontal | 132            | 2.86          | 16.5    | 35.48      | 8.30       | 34.18      |  |  |  |
| RMS  | 7.0202G      | 91.42             | Inf               | -Inf           | 81.82         | 3           | Horizontal | 132            | 2.86          | 16.5    | 35.48      | 8.30       | 34.18      |  |  |  |
| PK   | 7.1486G      | 64.03             | 88.20             | -24.17         | 53.68         | 3           | Horizontal | 132            | 2.86          | 16.5    | 36.10      | 8.43       | 34.18      |  |  |  |
| RMS  | 7.2234G      | 51.47             | 68.20             | -16.73         | 40.86         | 3           | Horizontal | 132            | 2.86          | 16.5    | 36.29      | 8.50       | 34.18      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_Z\_2TX  
SET 16.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.07717G | 67.08    | 88.20    | -21.12 | 78.09  | 3    | Vertical  | 324     | 2.30   | 28      | 41.21 | 12.07 | 64.29 |  |  |  |
| RMS  | 14.07901G | 52.64    | 68.20    | -15.56 | 63.63  | 3    | Vertical  | 324     | 2.30   | 28      | 41.22 | 12.08 | 64.29 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_Z\_2TX  
SET 16.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.02818G | 57.59    | 88.20    | -30.61 | 68.89  | 3    | Horizontal | 312.7   | 2.08   | 28      | 41.06 | 12.04 | 64.40 |  |  |  |
| RMS  | 14.05008G | 44.90    | 68.20    | -23.30 | 56.09  | 3    | Horizontal | 312.7   | 2.08   | 28      | 41.10 | 12.06 | 64.35 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_Z\_2TX  
SET 16.5  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.10329G    | 64.88             | 83.54             | -18.66         | 59.68         | 1           | Vertical  | 120            | 1.80          | 26      | 38.00      | 16.07      | 48.87      |  |  |  |
| AV   | 21.06165G    | 51.94             | 63.54             | -11.60         | 46.77         | 1           | Vertical  | 120            | 1.80          | 26      | 38.00      | 16.04      | 48.87      |  |  |  |

## 6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

## 7025MHz\_TX




EUT\_Z\_2TX  
SET 16.5  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.06485G    | 57.06             | 83.54             | -26.48         | 51.89         | 1           | Horizontal | 64             | 1.80          | 26      | 38.00      | 16.04      | 48.87      |  |  |  |
| AV   | 21.06397G    | 43.87             | 63.54             | -19.67         | 38.70         | 1           | Horizontal | 64             | 1.80          | 26      | 38.00      | 16.04      | 48.87      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6025MHz\_TX

EUT\_Z\_2TX  
SET 20  
06-W-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.916G       | 64.14             | 88.20             | -24.06         | 59.07         | 3           | Vertical  | 305            | 2.55          | 20      | 32.40      | 7.26       | 34.59      |  |  |  |
| RMS  | 5.916G       | 51.63             | 68.20             | -16.57         | 46.56         | 3           | Vertical  | 305            | 2.55          | 20      | 32.40      | 7.26       | 34.59      |  |  |  |
| PK   | 6.0325G      | 109.45            | Inf               | -Inf           | 104.26        | 3           | Vertical  | 305            | 2.55          | 20      | 32.50      | 7.34       | 34.65      |  |  |  |
| RMS  | 6.095G       | 97.65             | Inf               | -Inf           | 92.37         | 3           | Vertical  | 305            | 2.55          | 20      | 32.50      | 7.37       | 34.59      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

## 6025MHz\_TX




EUT\_Z\_2TX  
SET 20  
06-W-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.916G       | 59.61             | 88.20             | -28.59         | 54.54         | 3           | Horizontal | 41             | 2.95          | 20      | 32.40      | 7.26       | 34.59      |  |  |  |
| RMS  | 5.917G       | 47.86             | 68.20             | -20.34         | 42.79         | 3           | Horizontal | 41             | 2.95          | 20      | 32.40      | 7.26       | 34.59      |  |  |  |
| PK   | 6.034G       | 102.62            | Inf               | -Inf           | 97.43         | 3           | Horizontal | 41             | 2.95          | 20      | 32.50      | 7.34       | 34.65      |  |  |  |
| RMS  | 6.035G       | 90.80             | Inf               | -Inf           | 85.61         | 3           | Horizontal | 41             | 2.95          | 20      | 32.50      | 7.34       | 34.65      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6025MHz\_TX

EUT\_Z\_2TX  
SET 20  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.07222G    | 46.30             | 74.00             | -27.70         | 60.61         | 3           | Vertical  | 6              | 2.16          | 20      | 39.29      | 12.08      | 65.68      |  |  |  |
| AV   | 12.05G       | 37.84             | 54.00             | -16.16         | 52.25         | 3           | Vertical  | 6              | 2.16          | 20      | 39.20      | 12.08      | 65.69      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6025MHz\_TX

EUT\_Z\_2TX  
SET 20  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.00572G    | 46.00             | 74.00             | -28.00         | 60.63         | 3           | Horizontal | 340.1          | 1.80          | 20      | 39.02      | 12.08      | 65.73      |  |  |  |
| AV   | 12.04968G    | 33.70             | 54.00             | -20.30         | 48.12         | 3           | Horizontal | 340.1          | 1.80          | 20      | 39.20      | 12.08      | 65.70      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6025MHz\_TX

EUT\_Z\_2TX  
SET 20  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.13654G    | 47.11             | 83.54             | -36.43         | 43.79         | 1           | Vertical  | 321            | 2.00          | 20      | 37.55      | 15.28      | 49.51      |  |  |  |
| AV   | 18.13542G    | 35.01             | 63.54             | -28.53         | 31.68         | 1           | Vertical  | 321            | 2.00          | 20      | 37.56      | 15.28      | 49.51      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6025MHz\_TX

EUT\_Z\_2TX  
SET 20  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.02993G    | 44.00             | 83.54             | -39.54         | 40.64         | 1           | Horizontal | 199            | 1.80          | 20      | 37.52      | 15.29      | 49.45      |  |  |  |
| AV   | 18.1351G     | 31.55             | 63.54             | -31.99         | 28.21         | 1           | Horizontal | 199            | 1.80          | 20      | 37.56      | 15.28      | 49.50      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6185MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.36984G | 47.87    | 74.00    | -26.13 | 62.41  | 3    | Vertical  | 300     | 2.14   | 28      | 38.80 | 12.07 | 65.41 |  |  |  |
| AV   | 12.36984G | 37.33    | 54.00    | -16.67 | 51.87  | 3    | Vertical  | 300     | 2.14   | 28      | 38.80 | 12.07 | 65.41 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6185MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.41412G | 46.79    | 74.00    | -27.21 | 61.32  | 3    | Horizontal | 141     | 2.05   | 28      | 38.77 | 12.07 | 65.37 |  |  |  |
| AV   | 12.33931G | 34.19    | 54.00    | -19.81 | 48.73  | 3    | Horizontal | 141     | 2.05   | 28      | 38.82 | 12.07 | 65.43 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6185MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.50561G    | 63.82             | 83.54             | -19.72         | 60.44         | 1           | Vertical  | 284            | 1.80          | 28      | 37.80      | 15.26      | 49.68      |  |  |  |
| AV   | 18.50769G    | 51.36             | 63.54             | -12.18         | 47.97         | 1           | Vertical  | 284            | 1.80          | 28      | 37.80      | 15.26      | 49.67      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6185MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.61046G    | 56.61             | 83.54             | -26.93         | 53.14         | 1           | Horizontal | 285            | 1.80          | 28      | 37.82      | 15.25      | 49.60      |  |  |  |
| AV   | 18.60807G    | 43.16             | 63.54             | -20.38         | 39.70         | 1           | Horizontal | 285            | 1.80          | 28      | 37.82      | 15.25      | 49.61      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6345MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.63629G | 46.15    | 74.00    | -27.85 | 60.51  | 3    | Vertical  | 298     | 2.09   | 28      | 38.85 | 12.06 | 65.27 |  |  |  |
| AV   | 12.68984G | 36.54    | 54.00    | -17.46 | 50.77  | 3    | Vertical  | 298     | 2.09   | 28      | 38.98 | 12.06 | 65.27 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6345MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.6494G  | 45.58    | 74.00    | -28.42 | 59.89  | 3    | Horizontal | 313     | 1.80   | 28      | 38.90 | 12.06 | 65.27 |  |  |  |
| AV   | 12.65164G | 33.51    | 54.00    | -20.49 | 47.82  | 3    | Horizontal | 313     | 1.80   | 28      | 38.90 | 12.06 | 65.27 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6345MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.95892G    | 60.32             | 83.54             | -23.22         | 56.46         | 1           | Vertical  | 36             | 1.84          | 28      | 38.00      | 15.23      | 49.37      |  |  |  |
| AV   | 18.9554G     | 47.35             | 63.54             | -16.19         | 43.49         | 1           | Vertical  | 36             | 1.84          | 28      | 38.00      | 15.23      | 49.37      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6345MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.06089G    | 49.55             | 83.54             | -33.99         | 45.78         | 1           | Horizontal | 274            | 1.80          | 28      | 37.92      | 15.23      | 49.38      |  |  |  |
| AV   | 19.08215G    | 37.05             | 63.54             | -26.49         | 33.26         | 1           | Horizontal | 274            | 1.80          | 28      | 37.96      | 15.23      | 49.40      |  |  |  |

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6505MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.00968G    | 46.38             | 88.20             | -41.82         | 60.18         | 3           | Vertical  | 68             | 2.91          | 19.5    | 39.36      | 12.05      | 65.21      |  |  |  |
| RMS  | 13.01G       | 36.65             | 68.20             | -31.55         | 50.45         | 3           | Vertical  | 68             | 2.91          | 19.5    | 39.36      | 12.05      | 65.21      |  |  |  |

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6505MHz\_TX




EUT\_Z\_2TX  
SET 19.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.95454G | 46.80    | 88.20    | -41.40 | 60.50  | 3    | Horizontal | 168     | 1.80   | 19.5    | 39.49 | 12.05 | 65.24 |  |  |  |
| RMS  | 13.01195G | 34.09    | 68.20    | -34.11 | 47.90  | 3    | Horizontal | 168     | 1.80   | 19.5    | 39.35 | 12.05 | 65.21 |  |  |  |

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6505MHz\_TX

EUT\_Z\_2TX  
SET 19.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.51004G | 46.85    | 83.54    | -36.69 | 43.54  | 1    | Vertical  | 235     | 1.81   | 19.5    | 37.78 | 15.20 | 49.67 |  |  |  |
| AV   | 19.50845G | 34.21    | 63.54    | -29.33 | 30.90  | 1    | Vertical  | 235     | 1.81   | 19.5    | 37.78 | 15.20 | 49.67 |  |  |  |

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6505MHz\_TX




EUT\_Z\_2TX  
SET 19.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.49118G | 44.02    | 83.54    | -39.52 | 40.71  | 1    | Horizontal | 7       | 1.80   | 19.5    | 37.78 | 15.20 | 49.67 |  |  |  |
| AV   | 19.49806G | 31.64    | 63.54    | -31.90 | 28.32  | 1    | Horizontal | 7       | 1.80   | 19.5    | 37.80 | 15.20 | 49.68 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6665MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.34854G    | 57.73             | 74.00             | -16.27         | 70.25         | 3           | Vertical  | 66             | 2.13          | 28      | 39.99      | 12.04      | 64.55      |  |  |  |
| AV   | 13.3455G     | 43.90             | 54.00             | -10.10         | 56.45         | 3           | Vertical  | 66             | 2.13          | 28      | 39.97      | 12.04      | 64.56      |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6665MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.35877G | 54.03    | 74.00    | -19.97 | 66.52  | 3    | Horizontal | 74      | 2.11   | 28      | 40.00 | 12.04 | 64.53 |  |  |  |
| AV   | 13.3268G  | 40.83    | 54.00    | -13.17 | 53.53  | 3    | Horizontal | 74      | 2.11   | 28      | 39.86 | 12.04 | 64.60 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6665MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.00107G    | 66.36             | 83.54             | -17.18         | 62.76         | 1           | Vertical  | 120            | 1.82          | 28      | 37.70      | 15.17      | 49.27      |  |  |  |
| AV   | 20.00091G    | 52.62             | 63.54             | -10.92         | 49.02         | 1           | Vertical  | 120            | 1.82          | 28      | 37.70      | 15.17      | 49.27      |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6665MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 20.00107G | 57.53    | 83.54    | -26.01 | 53.93  | 1    | Horizontal | 247     | 1.74   | 28      | 37.70 | 15.17 | 49.27 |  |  |  |  |
| AV   | 20.04279G | 44.55    | 63.54    | -18.99 | 40.82  | 1    | Horizontal | 247     | 1.74   | 28      | 37.79 | 15.20 | 49.26 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6825MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.67717G | 54.50    | 88.20    | -33.70 | 66.50  | 3    | Vertical  | 70      | 2.19   | 19      | 40.30 | 12.03 | 64.33 |  |  |  |
| RMS  | 13.65927G | 39.95    | 68.20    | -28.25 | 51.94  | 3    | Vertical  | 70      | 2.19   | 19      | 40.30 | 12.03 | 64.32 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6825MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.6663G     | 51.19             | 88.20             | -37.01         | 63.19         | 3           | Horizontal | 69             | 1.95          | 19      | 40.30      | 12.03      | 64.33      |  |  |  |
| RMS  | 13.65863G    | 37.58             | 68.20             | -30.62         | 49.57         | 3           | Horizontal | 69             | 1.95          | 19      | 40.30      | 12.03      | 64.32      |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6825MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.48107G    | 54.08             | 83.54             | -29.46         | 49.76         | 1           | Vertical  | 68             | 1.80          | 19      | 37.90      | 15.56      | 49.14      |  |  |  |
| AV   | 20.53974G    | 41.03             | 63.54             | -22.51         | 36.64         | 1           | Vertical  | 68             | 1.80          | 19      | 37.90      | 15.61      | 49.12      |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6825MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.50121G    | 48.32             | 83.54             | -35.22         | 43.98         | 1           | Horizontal | 250            | 1.81          | 19      | 37.90      | 15.58      | 49.14      |  |  |  |
| AV   | 20.46365G    | 36.14             | 63.54             | -27.40         | 31.84         | 1           | Horizontal | 250            | 1.81          | 19      | 37.90      | 15.55      | 49.15      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_Z\_2TX  
SET 19.5  
06-W-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 6.9205G      | 110.78            | Inf               | -Inf           | 101.79        | 3           | Vertical  | 329            | 2.33          | 19.5    | 35.02      | 8.15       | 34.18      |  |  |  |  |
| RMS  | 6.9215G      | 98.80             | Inf               | -Inf           | 89.80         | 3           | Vertical  | 329            | 2.33          | 19.5    | 35.03      | 8.15       | 34.18      |  |  |  |  |
| PK   | 7.129G       | 69.19             | 88.20             | -19.01         | 58.90         | 3           | Vertical  | 329            | 2.33          | 19.5    | 36.06      | 8.41       | 34.18      |  |  |  |  |
| RMS  | 7.1405G      | 55.81             | 68.20             | -12.39         | 45.49         | 3           | Vertical  | 329            | 2.33          | 19.5    | 36.08      | 8.42       | 34.18      |  |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_Z\_2TX  
SET 19.5  
06-W-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 6.9225G      | 103.97            | Inf               | -Inf           | 94.97         | 3           | Horizontal | 134            | 2.69          | 19.5    | 35.03      | 8.15       | 34.18      |  |  |  |  |
| RMS  | 6.9215G      | 91.81             | Inf               | -Inf           | 82.81         | 3           | Horizontal | 134            | 2.69          | 19.5    | 35.03      | 8.15       | 34.18      |  |  |  |  |
| PK   | 7.1375G      | 65.19             | 88.20             | -23.01         | 54.87         | 3           | Horizontal | 134            | 2.69          | 19.5    | 36.08      | 8.42       | 34.18      |  |  |  |  |
| RMS  | 7.139G       | 52.23             | 68.20             | -15.97         | 41.91         | 3           | Horizontal | 134            | 2.69          | 19.5    | 36.08      | 8.42       | 34.18      |  |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_Z\_2TX  
SET 19.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.91869G | 61.30    | 88.20    | -26.90 | 72.97  | 3    | Vertical  | 68      | 2.06   | 28      | 40.74 | 12.02 | 64.43 |  |  |  |
| RMS  | 13.92189G | 47.99    | 68.20    | -20.21 | 59.66  | 3    | Vertical  | 68      | 2.06   | 28      | 40.74 | 12.02 | 64.43 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_Z\_2TX  
SET 19.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.94107G | 57.53    | 88.20    | -30.67 | 69.17  | 3    | Horizontal | 68      | 2.11   | 28      | 40.78 | 12.02 | 64.44 |  |  |  |
| RMS  | 13.94155G | 43.94    | 68.20    | -24.26 | 55.58  | 3    | Horizontal | 68      | 2.11   | 28      | 40.78 | 12.02 | 64.44 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6985MHz\_TX

EUT\_Z\_2TX  
SET 19.5  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.90193G    | 58.05             | 83.54             | -25.49         | 53.17         | 1           | Vertical  | 221            | 1.80          | 19.5    | 37.90      | 15.91      | 48.93      |  |  |  |
| AV   | 20.92143G    | 44.74             | 63.54             | -18.80         | 39.84         | 1           | Vertical  | 221            | 1.80          | 19.5    | 37.90      | 15.92      | 48.92      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6985MHz\_TX

EUT\_Z\_2TX  
SET 19.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.88579G | 46.23    | 83.54    | -37.31 | 41.38  | 1    | Horizontal | 323     | 1.80   | 19.5    | 37.90 | 15.89 | 48.94 |  |  |  |
| AV   | 20.90241G | 33.96    | 63.54    | -29.58 | 29.08  | 1    | Horizontal | 323     | 1.80   | 19.5    | 37.90 | 15.91 | 48.93 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_Z\_2TX  
SET 23  
06-W-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9215G      | 77.60             | 88.20             | -10.60         | 72.53         | 3           | Vertical  | 307            | 2.71          | 23      | 32.40      | 7.27       | 34.60      |  |  |  |
| RMS  | 5.915G       | 63.23             | 68.20             | -4.97          | 58.16         | 3           | Vertical  | 307            | 2.71          | 23      | 32.40      | 7.26       | 34.59      |  |  |  |
| PK   | 6.1345G      | 110.22            | Inf               | -Inf           | 104.74        | 3           | Vertical  | 307            | 2.71          | 23      | 32.64      | 7.39       | 34.55      |  |  |  |
| RMS  | 6.1345G      | 98.26             | Inf               | -Inf           | 92.78         | 3           | Vertical  | 307            | 2.71          | 23      | 32.64      | 7.39       | 34.55      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_TX




EUT\_Z\_2TX  
SET 23  
06-W-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9225G      | 72.13             | 88.20             | -16.07         | 67.06         | 3           | Horizontal | 45             | 2.95          | 23      | 32.40      | 7.27       | 34.60      |  |  |  |
| RMS  | 5.9135G      | 56.95             | 68.20             | -11.25         | 51.88         | 3           | Horizontal | 45             | 2.95          | 23      | 32.40      | 7.26       | 34.59      |  |  |  |
| PK   | 6.0505G      | 103.00            | Inf               | -Inf           | 97.78         | 3           | Horizontal | 45             | 2.95          | 23      | 32.50      | 7.35       | 34.63      |  |  |  |
| RMS  | 6.053G       | 90.72             | Inf               | -Inf           | 85.50         | 3           | Horizontal | 45             | 2.95          | 23      | 32.50      | 7.35       | 34.63      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6105MHz\_TX

EUT\_Z\_2TX  
SET 23  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.25476G | 46.95    | 74.00    | -27.05 | 61.49  | 3    | Vertical  | 232     | 2.13   | 28      | 38.90 | 12.07 | 65.51 |  |  |  |
| AV   | 12.21G    | 37.69    | 54.00    | -16.31 | 52.11  | 3    | Vertical  | 232     | 2.13   | 28      | 39.06 | 12.07 | 65.55 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6105MHz\_TX

EUT\_Z\_2TX  
SET 23  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.24644G | 46.23    | 74.00    | -27.77 | 60.77  | 3    | Horizontal | 36      | 1.80   | 28      | 38.91 | 12.07 | 65.52 |  |  |  |
| AV   | 12.24005G | 34.01    | 54.00    | -19.99 | 48.52  | 3    | Horizontal | 36      | 1.80   | 28      | 38.94 | 12.07 | 65.52 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6105MHz\_TX

EUT\_Z\_2TX  
SET 23  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.18937G    | 56.19             | 83.54             | -27.35         | 52.86         | 1           | Vertical  | 332            | 2.00          | 23      | 37.58      | 15.28      | 49.53      |  |  |  |
| AV   | 18.25394G    | 42.74             | 63.54             | -20.80         | 39.43         | 1           | Vertical  | 332            | 2.00          | 23      | 37.60      | 15.27      | 49.56      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6105MHz\_TX

EUT\_Z\_2TX  
SET 23  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.33386G | 44.63    | 83.54    | -38.91 | 41.29  | 1    | Horizontal | 303     | 1.80   | 23      | 37.67 | 15.27 | 49.60 |  |  |  |
| AV   | 18.35176G | 32.44    | 63.54    | -31.10 | 29.08  | 1    | Horizontal | 303     | 1.80   | 23      | 37.70 | 15.27 | 49.61 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6265MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.52999G | 48.68    | 74.00    | -25.32 | 63.37  | 3    | Vertical  | 131     | 2.87   | -       | 38.54 | 12.06 | 65.29 |  |  |  |
| AV   | 12.52955G | 38.06    | 54.00    | -15.94 | 52.75  | 3    | Vertical  | 131     | 2.87   | -       | 38.54 | 12.06 | 65.29 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6265MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.52993G    | 46.64             | 74.00             | -27.36         | 61.33         | 3           | Horizontal | 105            | 1.80          | -       | 38.54      | 12.06      | 65.29      |  |  |  |
| AV   | 12.52977G    | 35.05             | 54.00             | -18.95         | 49.74         | 3           | Horizontal | 105            | 1.80          | -       | 38.54      | 12.06      | 65.29      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6265MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.79538G | 54.35    | 83.54    | -29.19 | 50.69  | 1    | Vertical  | 234     | 1.86   | -       | 37.90 | 15.24 | 49.48 |  |  |  |
| AV   | 18.79458G | 43.12    | 63.54    | -20.42 | 39.46  | 1    | Vertical  | 234     | 1.86   | -       | 37.90 | 15.24 | 49.48 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6265MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.79513G    | 54.65             | 83.54             | -28.89         | 50.99         | 1           | Horizontal | 215            | 1.72          | -       | 37.90      | 15.24      | 49.48      |  |  |  |
| AV   | 18.79511G    | 42.53             | 63.54             | -21.01         | 38.87         | 1           | Horizontal | 215            | 1.72          | -       | 37.90      | 15.24      | 49.48      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6425MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.84968G    | 63.14             | 88.20             | -25.06         | 77.14         | 3           | Vertical  | 109            | 2.13          | 22.5    | 39.20      | 12.05      | 65.25      |  |  |  |
| RMS  | 12.85G       | 51.15             | 68.20             | -17.05         | 65.15         | 3           | Vertical  | 109            | 2.13          | 22.5    | 39.20      | 12.05      | 65.25      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6425MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.85G       | 56.34             | 88.20             | -31.86         | 70.34         | 3           | Horizontal | 56             | 2.14          | 22.5    | 39.20      | 12.05      | 65.25      |  |  |  |
| RMS  | 12.85G       | 47.46             | 68.20             | -20.74         | 61.46         | 3           | Horizontal | 56             | 2.14          | 22.5    | 39.20      | 12.05      | 65.25      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6425MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.29578G | 57.39    | 83.54    | -26.15 | 53.90  | 1    | Vertical  | 41      | 1.80   | 22.5    | 37.82 | 15.21 | 49.54 |  |  |  |
| AV   | 19.29578G | 48.14    | 63.54    | -15.40 | 44.65  | 1    | Vertical  | 41      | 1.80   | 22.5    | 37.82 | 15.21 | 49.54 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6425MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.26061G    | 54.80             | 83.54             | -28.74         | 51.15         | 1           | Horizontal | 272            | 1.86          | 22.5    | 37.96      | 15.21      | 49.52      |  |  |  |
| AV   | 19.29578G    | 43.11             | 63.54             | -20.43         | 39.62         | 1           | Horizontal | 272            | 1.86          | 22.5    | 37.82      | 15.21      | 49.54      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6585MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.16968G | 64.60    | 88.20    | -23.60 | 77.90  | 3    | Vertical  | 68      | 1.71   | -       | 39.56 | 12.04 | 64.90 |  |  |  |
| RMS  | 13.17001G | 52.95    | 68.20    | -15.25 | 66.25  | 3    | Vertical  | 68      | 1.71   | -       | 39.56 | 12.04 | 64.90 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6585MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.16999G    | 59.35             | 88.20             | -28.85         | 72.65         | 3           | Horizontal | 125            | 1.67          | -       | 39.56      | 12.04      | 64.90      |  |  |  |
| RMS  | 13.16986G    | 47.32             | 68.20             | -20.88         | 60.62         | 3           | Horizontal | 125            | 1.67          | -       | 39.56      | 12.04      | 64.90      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6585MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.75492G    | 57.47             | 83.54             | -26.07         | 54.06         | 1           | Vertical  | 273            | 1.92          | -       | 37.70      | 15.18      | 49.47      |  |  |  |
| AV   | 19.75456G    | 43.79             | 63.54             | -19.75         | 40.38         | 1           | Vertical  | 273            | 1.92          | -       | 37.70      | 15.18      | 49.47      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6585MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.75531G    | 53.51             | 83.54             | -30.03         | 50.10         | 1           | Horizontal | 312            | 1.67          | -       | 37.70      | 15.18      | 49.47      |  |  |  |
| AV   | 19.75454G    | 41.76             | 63.54             | -21.78         | 38.35         | 1           | Horizontal | 312            | 1.67          | -       | 37.70      | 15.18      | 49.47      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6745MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.51653G | 63.14    | 88.20    | -25.06 | 74.95  | 3    | Vertical  | 66      | 2.02   | 21      | 40.43 | 12.03 | 64.27 |  |  |  |
| RMS  | 13.44045G | 49.69    | 68.20    | -18.51 | 61.87  | 3    | Vertical  | 66      | 2.02   | 21      | 40.16 | 12.04 | 64.38 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6745MHz\_TX




EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.51685G    | 61.61             | 88.20             | -26.59         | 73.42         | 3           | Horizontal | 72             | 2.01          | 21      | 40.43      | 12.03      | 64.27      |  |  |  |
| RMS  | 13.44141G    | 48.21             | 68.20             | -19.99         | 60.37         | 3           | Horizontal | 72             | 2.01          | 21      | 40.17      | 12.04      | 64.37      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6745MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.26889G    | 59.64             | 83.54             | -23.90         | 55.65         | 1           | Vertical  | 245            | 1.80          | 21      | 37.80      | 15.39      | 49.20      |  |  |  |
| AV   | 20.26857G    | 45.45             | 63.54             | -18.09         | 41.46         | 1           | Vertical  | 245            | 1.80          | 21      | 37.80      | 15.39      | 49.20      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6745MHz\_TX

EUT\_Z\_2TX  
SET 28  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.25642G    | 59.16             | 83.54             | -24.38         | 55.18         | 1           | Horizontal | 249            | 1.80          | 21      | 37.80      | 15.38      | 49.20      |  |  |  |
| AV   | 20.34561G    | 45.32             | 63.54             | -18.22         | 41.16         | 1           | Horizontal | 249            | 1.80          | 21      | 37.89      | 15.45      | 49.18      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6905MHz\_TX




EUT\_Z\_2TX  
SET 18.5  
21.5\18.5  
-2.85\0.46

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.961G       | 106.58            | Inf               | -Inf           | 97.30         | 3           | Vertical  | 322            | 2.26          | 18.5    | 35.24      | 8.22       | 34.18      |  |  |  |
| AV   | 6.881G       | 95.18             | Inf               | -Inf           | 86.49         | 3           | Vertical  | 322            | 2.26          | 18.5    | 34.79      | 8.08       | 34.18      |  |  |  |
| PK   | 7.353G       | 64.32             | 74.00             | -9.68          | 53.31         | 3           | Vertical  | 322            | 2.26          | 18.5    | 36.59      | 8.61       | 34.19      |  |  |  |
| AV   | 7.26G        | 52.54             | 54.00             | -1.46          | 41.76         | 3           | Vertical  | 322            | 2.26          | 18.5    | 36.44      | 8.53       | 34.19      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6905MHz\_TX




EUT\_Z\_2TX  
SET 18.5  
06-W-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.764G       | 100.85            | Inf               | -Inf           | 92.67         | 3           | Horizontal | 132            | 2.90          | 18.5    | 34.40      | 7.96       | 34.18      |  |  |  |
| AV   | 6.762G       | 89.34             | Inf               | -Inf           | 81.16         | 3           | Horizontal | 132            | 2.90          | 18.5    | 34.40      | 7.96       | 34.18      |  |  |  |
| PK   | 7.321G       | 64.63             | 74.00             | -9.37          | 53.64         | 3           | Horizontal | 132            | 2.90          | 18.5    | 36.60      | 8.58       | 34.19      |  |  |  |
| AV   | 7.318G       | 52.13             | 54.00             | -1.87          | 41.14         | 3           | Horizontal | 132            | 2.90          | 18.5    | 36.60      | 8.58       | 34.19      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6905MHz\_TX

EUT\_Z\_2TX  
SET 18.5  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.80968G    | 55.65             | 88.20             | -32.55         | 67.42         | 3           | Vertical  | 39             | 1.26          | -       | 40.58      | 12.03      | 64.38      |  |  |  |
| RMS  | 13.81015G    | 43.81             | 68.20             | -24.39         | 55.58         | 3           | Vertical  | 39             | 1.26          | -       | 40.58      | 12.03      | 64.38      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6905MHz\_TX




EUT\_Z\_2TX  
SET 18.5  
06-W-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.80961G    | 52.62             | 88.20             | -35.58         | 64.39         | 3           | Horizontal | 134            | 1.75          | -       | 40.58      | 12.03      | 64.38      |  |  |  |
| RMS  | 13.81012G    | 41.78             | 68.20             | -26.42         | 53.55         | 3           | Horizontal | 134            | 1.75          | -       | 40.58      | 12.03      | 64.38      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6905MHz\_TX




EUT\_Z\_2TX  
SET 18.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.71517G | 54.82    | 83.54    | -28.72 | 50.20  | 1    | Vertical  | 136     | 1.85   | -       | 37.90 | 15.75 | 49.03 |  |  |  |
| AV   | 20.7147G  | 43.20    | 63.54    | -20.34 | 38.58  | 1    | Vertical  | 136     | 1.85   | -       | 37.90 | 15.75 | 49.03 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6905MHz\_TX




EUT\_Z\_2TX  
SET 18.5  
06-W-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.71508G | 50.69    | 83.54    | -32.85 | 46.07  | 1    | Horizontal | 251     | 1.76   | -       | 37.90 | 15.75 | 49.03 |  |  |  |
| AV   | 20.71546G | 39.26    | 63.54    | -24.28 | 34.64  | 1    | Horizontal | 251     | 1.76   | -       | 37.90 | 15.75 | 49.03 |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_Z\_2TX  
Setting 15  
02-V-B-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9248G | 65.19    | 88.20    | -23.01 | 53.74  | 3    | Vertical  | 247     | 2.62   | -       | 34.20 | 7.88 | 30.63 |  |  |  |
| RMS  | 5.9245G | 50.41    | 68.20    | -17.79 | 38.96  | 3    | Vertical  | 247     | 2.62   | -       | 34.20 | 7.88 | 30.63 |  |  |  |
| PK   | 5.9601G | 110.65   | Inf      | -Inf   | 99.15  | 3    | Vertical  | 247     | 2.62   | -       | 34.22 | 7.90 | 30.62 |  |  |  |
| RMS  | 5.9633G | 97.73    | Inf      | -Inf   | 86.21  | 3    | Vertical  | 247     | 2.62   | -       | 34.23 | 7.91 | 30.62 |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


5955MHz\_TX

EUT\_Z\_2TX  
Setting 15  
02-V-B-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9165G | 62.35    | 88.20    | -25.85 | 50.90  | 3    | Horizontal | 76      | 2.36   | -       | 34.20 | 7.88 | 30.63 |  |  |  |
| RMS  | 5.9103G | 50.27    | 68.20    | -17.93 | 38.83  | 3    | Horizontal | 76      | 2.36   | -       | 34.20 | 7.87 | 30.63 |  |  |  |
| PK   | 5.9586G | 103.37   | Inf      | -Inf   | 91.87  | 3    | Horizontal | 76      | 2.36   | -       | 34.22 | 7.90 | 30.62 |  |  |  |
| RMS  | 5.9598G | 91.37    | Inf      | -Inf   | 79.87  | 3    | Horizontal | 76      | 2.36   | -       | 34.22 | 7.90 | 30.62 |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


5955MHz\_TX

EUT\_Z\_2TX  
Setting 15  
02-V-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.9243G  | 55.65    | 74.00    | -18.35 | 35.34  | 3    | Vertical  | 174     | 1.99   | -       | 39.35 | 12.03 | 31.07 |  |  |  |
| AV   | 11.88655G | 44.74    | 54.00    | -9.26  | 24.33  | 3    | Vertical  | 174     | 1.99   | -       | 39.43 | 12.01 | 31.03 |  |  |  |
| PK   | 17.88945G | 58.24    | 74.00    | -15.76 | 30.84  | 3    | Vertical  | 354     | 2.72   | -       | 46.88 | 12.77 | 32.25 |  |  |  |
| AV   | 17.8627G  | 47.03    | 54.00    | -6.97  | 19.71  | 3    | Vertical  | 354     | 2.72   | -       | 46.83 | 12.75 | 32.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


5955MHz\_TX

EUT\_Z\_2TX  
Setting 15  
02-V-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.9263G     | 55.48             | 74.00             | -18.52         | 35.17         | 3           | Horizontal | 132            | 1.51          | -       | 39.35      | 12.03      | 31.07      |  |  |  |
| AV   | 11.9149G     | 44.80             | 54.00             | -9.20          | 24.46         | 3           | Horizontal | 132            | 1.51          | -       | 39.37      | 12.03      | 31.06      |  |  |  |
| PK   | 17.8748G     | 59.96             | 74.00             | -14.04         | 32.61         | 3           | Horizontal | 281            | 1.41          | -       | 46.85      | 12.76      | 32.26      |  |  |  |
| AV   | 17.8866G     | 48.06             | 54.00             | -5.94          | 20.67         | 3           | Horizontal | 281            | 1.41          | -       | 46.87      | 12.77      | 32.25      |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


5955MHz\_TX

EUT\_Z\_2TX  
Setting 15  
02-V-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.81325G | 46.41    | 83.54    | -37.13 | 37.70  | 1    | Vertical  | 176     | 2.20   | -       | 39.10 | 17.28 | 47.67 |  |  |  |
| AV   | 23.82645G | 37.03    | 63.54    | -26.51 | 28.32  | 1    | Vertical  | 176     | 2.20   | -       | 39.10 | 17.28 | 47.67 |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

5955MHz\_TX




EUT\_Z\_2TX  
Setting 15  
02-V-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.827G   | 47.28    | 83.54    | -36.26 | 38.57  | 1    | Horizontal | 77      | 1.11   | -       | 39.10 | 17.28 | 47.67 |  |  |  |
| AV   | 23.83835G | 37.01    | 63.54    | -26.53 | 28.28  | 1    | Horizontal | 77      | 1.11   | -       | 39.10 | 17.29 | 47.66 |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6195MHz\_TX

EUT\_Z\_2TX  
Setting 15  
02-V-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.406G  | 54.88    | 74.00    | -19.12 | 35.17  | 3    | Vertical  | 260     | 2.36   | -       | 38.80 | 12.02 | 31.11 |  |  |  |
| AV   | 12.3688G | 44.53    | 54.00    | -9.47  | 24.82  | 3    | Vertical  | 260     | 2.36   | -       | 38.80 | 12.02 | 31.11 |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6195MHz\_TX

EUT\_Z\_2TX  
Setting 15  
02-V-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.372G  | 54.89    | 74.00    | -19.11 | 35.18  | 3    | Horizontal | 322     | 1.59   | -       | 38.80 | 12.02 | 31.11 |  |  |  |
| AV   | 12.3663G | 44.45    | 54.00    | -9.55  | 24.73  | 3    | Horizontal | 322     | 1.59   | -       | 38.80 | 12.03 | 31.11 |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6195MHz\_TX

EUT\_Z\_2TX  
Setting 15  
02-V-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.59805G    | 42.12             | 83.54             | -41.42         | 37.47         | 1           | Vertical  | 298            | 2.70          | -       | 37.80      | 15.25      | 48.40      |  |  |  |
| AV   | 18.61G       | 30.61             | 63.54             | -32.93         | 25.95         | 1           | Vertical  | 298            | 2.70          | -       | 37.82      | 15.25      | 48.41      |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6195MHz\_TX

EUT\_Z\_2TX  
Setting 15  
02-V-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.5887G | 40.20    | 83.54    | -43.34 | 35.54  | 1    | Horizontal | 237     | 1.59   | -       | 37.80 | 15.25 | 48.39 |  |  |  |
| AV   | 18.6093G | 30.33    | 63.54    | -33.21 | 25.67  | 1    | Horizontal | 237     | 1.59   | -       | 37.82 | 15.25 | 48.41 |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6415MHz\_TX

EUT\_Z\_2TX  
Setting 14  
04-D-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.8268G     | 49.30             | 88.20             | -38.90         | 41.00         | 3           | Vertical  | 202            | 2.77          | -       | 39.25      | 11.71      | 42.66      |  |  |  |
| RMS  | 12.8534G     | 37.33             | 68.20             | -30.87         | 28.92         | 3           | Vertical  | 202            | 2.77          | -       | 39.30      | 11.73      | 42.62      |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6415MHz\_TX

EUT\_Z\_2TX  
Setting 14  
04-D-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.805G  | 49.82    | 88.20    | -38.38 | 41.62  | 3    | Horizontal | 257     | 1.59   | -       | 39.21 | 11.68 | 42.69 |  |  |  |
| RMS  | 12.8089G | 38.46    | 68.20    | -29.74 | 30.23  | 3    | Horizontal | 257     | 1.59   | -       | 39.22 | 11.69 | 42.68 |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6415MHz\_TX

EUT\_Z\_2TX  
Setting 14  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.24629G | 45.20    | 83.54    | -38.34 | 41.50  | 1    | Vertical  | 153     | 1.23   | -       | 37.99 | 15.22 | 49.51 |  |  |  |
| AV   | 19.24477G | 33.45    | 63.54    | -30.09 | 29.76  | 1    | Vertical  | 153     | 1.23   | -       | 37.98 | 15.22 | 49.51 |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6415MHz\_TX

EUT\_Z\_2TX  
Setting 14  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.24475G | 45.01    | 83.54    | -38.53 | 41.32  | 1    | Horizontal | 212     | 1.20   | -       | 37.98 | 15.22 | 49.51 |  |  |  |
| AV   | 19.24217G | 33.79    | 63.54    | -29.75 | 30.10  | 1    | Horizontal | 212     | 1.20   | -       | 37.97 | 15.22 | 49.50 |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6435MHz\_TX

EUT\_Z\_2TX  
Setting 12  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.853G   | 49.09    | 88.20    | -39.11 | 40.69  | 3    | Vertical  | 62      | 2.82   | -       | 39.30 | 11.73 | 42.63 |  |  |  |
| RMS  | 12.89215G | 37.92    | 68.20    | -30.28 | 29.43  | 3    | Vertical  | 62      | 2.82   | -       | 39.30 | 11.77 | 42.58 |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6435MHz\_TX




EUT\_Z\_2TX  
Setting 12  
04-D-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.8608G | 48.76    | 88.20    | -39.44 | 40.34  | 3    | Horizontal | 290     | 2.81   | -       | 39.30 | 11.74 | 42.62 |  |  |  |
| RMS  | 12.8947G | 37.41    | 68.20    | -30.79 | 28.90  | 3    | Horizontal | 290     | 2.81   | -       | 39.30 | 11.78 | 42.57 |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6435MHz\_TX

EUT\_Z\_2TX  
Setting 12  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.30228G | 45.07    | 83.54    | -38.47 | 41.61  | 1    | Vertical  | 176     | 1.61   | -       | 37.80 | 15.21 | 49.55 |  |  |  |
| AV   | 19.30494G | 34.03    | 63.54    | -29.51 | 30.57  | 1    | Vertical  | 176     | 1.61   | -       | 37.80 | 15.21 | 49.55 |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6435MHz\_TX

EUT\_Z\_2TX  
Setting 12  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.30756G | 45.23    | 83.54    | -38.31 | 41.77  | 1    | Horizontal | 134     | 1.29   | -       | 37.80 | 15.21 | 49.55 |  |  |  |
| AV   | 19.30924G | 33.39    | 63.54    | -30.15 | 29.93  | 1    | Horizontal | 134     | 1.29   | -       | 37.80 | 15.21 | 49.55 |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6475MHz\_TX




EUT\_Z\_2TX  
Setting 13  
04-D-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.95093G    | 48.28             | 88.20             | -39.92         | 39.55         | 3           | Vertical  | 345            | 1.08          | -       | 39.40      | 11.83      | 42.50      |  |  |  |
| RMS  | 12.95047G    | 37.28             | 68.20             | -30.92         | 28.55         | 3           | Vertical  | 345            | 1.08          | -       | 39.40      | 11.83      | 42.50      |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6475MHz\_TX




EUT\_Z\_2TX  
Setting 13  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.95095G | 49.19    | 88.20    | -39.01 | 40.46  | 3    | Horizontal | 235     | 1.81   | -       | 39.40 | 11.83 | 42.50 |  |  |  |
| RMS  | 12.95064G | 37.43    | 68.20    | -30.77 | 28.70  | 3    | Horizontal | 235     | 1.81   | -       | 39.40 | 11.83 | 42.50 |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6475MHz\_TX

EUT\_Z\_2TX  
Setting 13  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.42576G | 45.68    | 83.54    | -37.86 | 42.31  | 1    | Vertical  | 266     | 2.14   | -       | 37.80 | 15.20 | 49.63 |  |  |  |
| AV   | 19.42472G | 34.44    | 63.54    | -29.10 | 31.07  | 1    | Vertical  | 266     | 2.14   | -       | 37.80 | 15.20 | 49.63 |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6475MHz\_TX

EUT\_Z\_2TX  
Setting 13  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.42886G | 45.95    | 83.54    | -37.59 | 42.60  | 1    | Horizontal | 30      | 2.05   | -       | 37.78 | 15.20 | 49.63 |  |  |  |
| AV   | 19.42301G | 34.12    | 63.54    | -29.42 | 30.74  | 1    | Horizontal | 30      | 2.05   | -       | 37.81 | 15.20 | 49.63 |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6515MHz\_TX

EUT\_Z\_2TX  
Setting 14  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.02953G | 50.15    | 88.20    | -38.05 | 41.58  | 3    | Vertical  | 88      | 2.34   | -       | 39.08 | 11.92 | 42.43 |  |  |  |
| RMS  | 13.0292G  | 38.11    | 68.20    | -30.09 | 29.54  | 3    | Vertical  | 88      | 2.34   | -       | 39.08 | 11.92 | 42.43 |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6515MHz\_TX

EUT\_Z\_2TX  
Setting 14  
04-D-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.02966G    | 49.97             | 88.20             | -38.23         | 41.40         | 3           | Horizontal | 186            | 2.50          | -       | 39.08      | 11.92      | 42.43      |  |  |  |
| RMS  | 13.02927G    | 38.17             | 68.20             | -30.03         | 29.60         | 3           | Horizontal | 186            | 2.50          | -       | 39.08      | 11.92      | 42.43      |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6515MHz\_TX

EUT\_Z\_2TX  
Setting 14  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.5416G  | 45.81    | 83.54    | -37.73 | 42.54  | 1    | Vertical  | 198     | 1.34   | -       | 37.72 | 15.20 | 49.65 |  |  |  |
| AV   | 19.54015G | 34.28    | 63.54    | -29.26 | 31.01  | 1    | Vertical  | 198     | 1.34   | -       | 37.72 | 15.20 | 49.65 |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6515MHz\_TX

EUT\_Z\_2TX  
Setting 14  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 19.54168G | 45.93    | 83.54    | -37.61 | 42.66  | 1    | Horizontal | 149     | 2.29   | -       | 37.72 | 15.20 | 49.65 |  |  |  |  |
| AV   | 19.5411G  | 33.87    | 63.54    | -29.67 | 30.60  | 1    | Horizontal | 149     | 2.29   | -       | 37.72 | 15.20 | 49.65 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6535MHz\_TX

EUT\_Z\_2TX  
Setting 13  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.07086G | 50.42    | 88.20    | -37.78 | 41.80  | 3    | Vertical  | 326     | 1.60   | -       | 39.08 | 11.96 | 42.42 |  |  |  |
| RMS  | 13.07038G | 38.14    | 68.20    | -30.06 | 29.52  | 3    | Vertical  | 326     | 1.60   | -       | 39.08 | 11.96 | 42.42 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6535MHz\_TX

EUT\_Z\_2TX  
Setting 13  
04-D-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.07084G    | 50.36             | 88.20             | -37.84         | 41.74         | 3           | Horizontal | 202            | 1.96          | -       | 39.08      | 11.96      | 42.42      |  |  |  |
| RMS  | 13.07016G    | 38.14             | 88.20             | -50.06         | 29.52         | 3           | Horizontal | 202            | 1.96          | -       | 39.08      | 11.96      | 42.42      |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6535MHz\_TX

EUT\_Z\_2TX  
Setting 13  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.60235G | 45.19    | 83.54    | -38.35 | 41.90  | 1    | Vertical  | 330     | 1.92   | -       | 37.70 | 15.19 | 49.60 |  |  |  |
| AV   | 19.6004G  | 33.39    | 63.54    | -30.15 | 30.10  | 1    | Vertical  | 330     | 1.92   | -       | 37.70 | 15.19 | 49.60 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6535MHz\_TX

EUT\_Z\_2TX  
Setting 13  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.60382G | 45.04    | 83.54    | -38.50 | 41.74  | 1    | Horizontal | 173     | 1.94   | -       | 37.70 | 15.19 | 49.59 |  |  |  |
| AV   | 19.60366G | 33.45    | 63.54    | -30.09 | 30.15  | 1    | Horizontal | 173     | 1.94   | -       | 37.70 | 15.19 | 49.59 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6695MHz\_TX

EUT\_Z\_2TX  
Setting 12  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.39001G | 51.60    | 74.00    | -22.40 | 41.88  | 3    | Vertical  | 282     | 2.12   | -       | 39.78 | 12.29 | 42.35 |  |  |  |
| AV   | 13.39054G | 39.03    | 54.00    | -14.97 | 29.31  | 3    | Vertical  | 282     | 2.12   | -       | 39.78 | 12.29 | 42.35 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6695MHz\_TX

EUT\_Z\_2TX  
Setting 12  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.39001G | 50.83    | 74.00    | -23.17 | 41.11  | 3    | Horizontal | 317     | 1.65   | -       | 39.78 | 12.29 | 42.35 |  |  |  |
| AV   | 13.38957G | 38.89    | 54.00    | -15.11 | 29.17  | 3    | Horizontal | 317     | 1.65   | -       | 39.78 | 12.29 | 42.35 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6695MHz\_TX

EUT\_Z\_2TX  
Setting 12  
04-D-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.08827G    | 45.36             | 83.54             | -38.18         | 41.57         | 1           | Vertical  | 199            | 2.24          | -       | 37.80      | 15.24      | 49.25      |  |  |  |
| AV   | 20.08728G    | 33.28             | 63.54             | -30.26         | 29.49         | 1           | Vertical  | 199            | 2.24          | -       | 37.80      | 15.24      | 49.25      |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6695MHz\_TX

EUT\_Z\_2TX  
Setting 12  
04-D-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.08891G    | 44.87             | 83.54             | -38.67         | 41.08         | 1           | Horizontal | 339            | 2.27          | -       | 37.80      | 15.24      | 49.25      |  |  |  |
| AV   | 20.08251G    | 33.42             | 63.54             | -30.12         | 29.63         | 1           | Horizontal | 339            | 2.27          | -       | 37.80      | 15.24      | 49.25      |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6875MHz\_TX




EUT\_Z\_2TX  
Setting 11  
02-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.75545G | 56.55    | 88.20    | -31.65 | 35.27  | 3    | Vertical  | 142     | 1.17   | -       | 41.09 | 11.82 | 31.63 |  |  |  |
| RMS  | 13.7622G  | 45.96    | 68.20    | -22.24 | 24.70  | 3    | Vertical  | 142     | 1.17   | -       | 41.08 | 11.82 | 31.64 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6875MHz\_TX

EUT\_Z\_2TX  
Setting 11  
02-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.7715G  | 56.04    | 88.20    | -32.16 | 34.81  | 3    | Horizontal | 306     | 1.43   | -       | 41.06 | 11.81 | 31.64 |  |  |  |
| RMS  | 13.76055G | 45.92    | 68.20    | -22.28 | 24.66  | 3    | Horizontal | 306     | 1.43   | -       | 41.08 | 11.82 | 31.64 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6875MHz\_TX

EUT\_Z\_2TX  
Setting 11  
02-D-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.64515G    | 41.76             | 83.54             | -41.78         | 36.86         | 1           | Vertical  | 161            | 2.78          | -       | 37.90      | 15.70      | 48.70      |  |  |  |
| AV   | 20.6163G     | 31.73             | 63.54             | -31.81         | 26.86         | 1           | Vertical  | 161            | 2.78          | -       | 37.90      | 15.67      | 48.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6875MHz\_TX

EUT\_Z\_2TX  
Setting 11  
02-D-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.60645G    | 42.24             | 83.54             | -41.30         | 37.38         | 1           | Horizontal | 186            | 1.17          | -       | 37.90      | 15.66      | 48.70      |  |  |  |
| AV   | 20.6062G     | 31.74             | 63.54             | -31.80         | 26.88         | 1           | Horizontal | 186            | 1.17          | -       | 37.90      | 15.66      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6895MHz\_TX

EUT\_Z\_2TX  
Setting 12  
04-D-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.79042G    | 51.27             | 88.20             | -36.93         | 41.07         | 3           | Vertical  | 81             | 2.97          | -       | 40.20      | 12.70      | 42.70      |  |  |  |
| RMS  | 13.79047G    | 39.12             | 68.20             | -29.08         | 28.92         | 3           | Vertical  | 81             | 2.97          | -       | 40.20      | 12.70      | 42.70      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6895MHz\_TX




EUT Z\_2TX  
Setting 12  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.79085G | 51.46    | 88.20    | -36.74 | 41.26  | 3    | Horizontal | 302     | 1.39   | -       | 40.20 | 12.70 | 42.70 |  |  |  |
| RMS  | 13.79078G | 39.28    | 68.20    | -28.92 | 29.08  | 3    | Horizontal | 302     | 1.39   | -       | 40.20 | 12.70 | 42.70 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6895MHz\_TX

EUT\_Z\_2TX  
Setting 12  
04-D-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.68443G    | 45.22             | 83.54             | -38.32         | 40.63         | 1           | Vertical  | 141            | 1.08          | -       | 37.90      | 15.73      | 49.04      |  |  |  |
| AV   | 20.68G       | 33.66             | 63.54             | -29.88         | 29.09         | 1           | Vertical  | 141            | 1.08          | -       | 37.90      | 15.72      | 49.05      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6895MHz\_TX

EUT\_Z\_2TX  
Setting 12  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.68464G | 45.51    | 83.54    | -38.03 | 40.92  | 1    | Horizontal | 270     | 1.46   | -       | 37.90 | 15.73 | 49.04 |  |  |  |
| AV   | 20.68186G | 33.57    | 63.54    | -29.97 | 28.99  | 1    | Horizontal | 270     | 1.46   | -       | 37.90 | 15.73 | 49.05 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6995MHz\_TX

EUT\_Z\_2TX  
Setting 11  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.98946G | 51.20    | 88.20    | -37.00 | 40.37  | 3    | Vertical  | 335     | 2.58   | -       | 40.88 | 12.91 | 42.96 |  |  |  |
| RMS  | 13.99064G | 39.20    | 68.20    | -29.00 | 28.37  | 3    | Vertical  | 335     | 2.58   | -       | 40.88 | 12.91 | 42.96 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

6995MHz\_TX




EUT\_Z\_2TX  
Setting 11  
04-D-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.98981G    | 51.48             | 88.20             | -36.72         | 40.65         | 3           | Horizontal | 289            | 1.23          | -       | 40.88      | 12.91      | 42.96      |  |  |  |
| RMS  | 13.99085G    | 39.37             | 68.20             | -28.83         | 28.54         | 3           | Horizontal | 289            | 1.23          | -       | 40.88      | 12.91      | 42.96      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6995MHz\_TX

EUT\_Z\_2TX  
Setting 11  
04-D-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.98886G    | 46.80             | 83.54             | -36.74         | 41.73         | 1           | Vertical  | 44             | 2.01          | -       | 37.98      | 15.98      | 48.89      |  |  |  |
| AV   | 20.98714G    | 34.35             | 63.54             | -29.19         | 29.30         | 1           | Vertical  | 44             | 2.01          | -       | 37.97      | 15.97      | 48.89      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


6995MHz\_TX

EUT\_Z\_2TX  
Setting 11  
04-D-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.98569G    | 46.02             | 83.54             | -37.52         | 40.97         | 1           | Horizontal | 40             | 2.28          | -       | 37.97      | 15.97      | 48.89      |  |  |  |
| AV   | 20.98732G    | 34.35             | 63.54             | -29.19         | 29.30         | 1           | Horizontal | 40             | 2.28          | -       | 37.97      | 15.97      | 48.89      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

7095MHz\_TX




EUT\_Z\_2TX  
Setting 10  
02-D-B-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 7.0867G | 109.05   | Inf      | -Inf   | 96.01  | 3    | Vertical  | 318     | 2.24   | -       | 35.37 | 9.09 | 31.42 |  |  |  |  |
| RMS  | 7.0871G | 98.13    | Inf      | -Inf   | 85.09  | 3    | Vertical  | 318     | 2.24   | -       | 35.37 | 9.09 | 31.42 |  |  |  |  |
| PK   | 7.1263G | 65.21    | 88.20    | -22.99 | 51.88  | 3    | Vertical  | 318     | 2.24   | -       | 35.56 | 9.19 | 31.42 |  |  |  |  |
| RMS  | 7.1427G | 54.77    | 68.20    | -13.43 | 41.30  | 3    | Vertical  | 318     | 2.24   | -       | 35.66 | 9.23 | 31.42 |  |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


7095MHz\_TX

EUT\_Z\_2TX  
Setting 10  
02-D-B-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.103G  | 101.81   | Inf      | -Inf   | 88.68  | 3    | Horizontal | 242     | 2.23   | -       | 35.42 | 9.13 | 31.42 |  |  |  |
| RMS  | 7.1037G | 92.06    | Inf      | -Inf   | 78.93  | 3    | Horizontal | 242     | 2.23   | -       | 35.42 | 9.13 | 31.42 |  |  |  |
| PK   | 7.1443G | 64.48    | 88.20    | -23.72 | 51.00  | 3    | Horizontal | 242     | 2.23   | -       | 35.67 | 9.23 | 31.42 |  |  |  |
| RMS  | 7.1427G | 54.78    | 68.20    | -13.42 | 41.31  | 3    | Horizontal | 242     | 2.23   | -       | 35.66 | 9.23 | 31.42 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


7095MHz\_TX

EUT\_Z\_2TX  
Setting 10  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.19089G | 52.61    | 88.20    | -35.59 | 40.53  | 3    | Vertical  | 233     | 2.73   | -       | 41.48 | 13.20 | 42.60 |  |  |  |
| RMS  | 14.18923G | 41.15    | 68.20    | -27.05 | 29.07  | 3    | Vertical  | 233     | 2.73   | -       | 41.48 | 13.20 | 42.60 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


7095MHz\_TX

EUT\_Z\_2TX  
Setting 10  
04-D-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.18957G    | 53.79             | 88.20             | -34.41         | 41.71         | 3           | Horizontal | 71             | 1.35          | -       | 41.48      | 13.20      | 42.60      |  |  |  |
| RMS  | 14.19007G    | 41.22             | 68.20             | -26.98         | 29.14         | 3           | Horizontal | 71             | 1.35          | -       | 41.48      | 13.20      | 42.60      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


7095MHz\_TX

EUT\_Z\_2TX  
Setting 10  
04-D-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.28828G    | 46.29             | 83.54             | -37.25         | 40.84         | 1           | Vertical  | 198            | 2.06          | -       | 38.08      | 16.22      | 48.85      |  |  |  |
| AV   | 21.28379G    | 34.29             | 63.54             | -29.25         | 28.85         | 1           | Vertical  | 198            | 2.06          | -       | 38.07      | 16.22      | 48.85      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


7095MHz\_TX

EUT\_Z\_2TX  
Setting 10  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.28825G | 45.78    | 83.54    | -37.76 | 40.33  | 1    | Horizontal | 354     | 1.62   | -       | 38.08 | 16.22 | 48.85 |  |  |  |
| AV   | 21.28813G | 34.31    | 63.54    | -29.23 | 28.86  | 1    | Horizontal | 354     | 1.62   | -       | 38.08 | 16.22 | 48.85 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


7115MHz\_TX

EUT\_Z\_2TX  
Setting 5  
02-D-B-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.1235G | 100.12   | Inf      | -Inf   | 86.82  | 3    | Vertical  | 335     | 2.30   | BP 1MHz | 35.54 | 9.18 | 31.42 |  |  |  |
| RMS  | 7.1235G | 94.32    | Inf      | -Inf   | 81.02  | 3    | Vertical  | 335     | 2.30   | BP 1MHz | 35.54 | 9.18 | 31.42 |  |  |  |
| PK   | 7.1255G | 78.49    | 88.20    | -9.71  | 65.17  | 3    | Vertical  | 335     | 2.30   | BP 1MHz | 35.55 | 9.19 | 31.42 |  |  |  |
| RMS  | 7.1255G | 67.50    | 68.20    | -0.70  | 54.18  | 3    | Vertical  | 335     | 2.30   | BP 1MHz | 35.55 | 9.19 | 31.42 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

7115MHz\_TX




EUT\_Z\_2TX  
Setting 5  
02-D-B-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.1085G | 93.21    | Inf      | -Inf   | 80.03  | 3    | Horizontal | 136     | 2.63   | BP 1MHz | 35.45 | 9.15 | 31.42 |  |  |  |
| RMS  | 7.1085G | 87.25    | Inf      | -Inf   | 74.07  | 3    | Horizontal | 136     | 2.63   | BP 1MHz | 35.45 | 9.15 | 31.42 |  |  |  |
| PK   | 7.1255G | 68.10    | 88.20    | -20.10 | 54.78  | 3    | Horizontal | 136     | 2.63   | BP 1MHz | 35.55 | 9.19 | 31.42 |  |  |  |
| RMS  | 7.1255G | 59.56    | 68.20    | -8.64  | 46.24  | 3    | Horizontal | 136     | 2.63   | BP 1MHz | 35.55 | 9.19 | 31.42 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


7115MHz\_TX

EUT\_Z\_2TX  
Setting 5  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.22916G | 52.68    | 88.20    | -35.52 | 40.50  | 3    | Vertical  | 182     | 1.89   | -       | 41.44 | 13.26 | 42.52 |  |  |  |
| RMS  | 14.22953G | 40.72    | 68.20    | -27.48 | 28.54  | 3    | Vertical  | 182     | 1.89   | -       | 41.44 | 13.26 | 42.52 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


7115MHz\_TX

EUT\_Z\_2TX  
Setting 5  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.22949G | 53.77    | 88.20    | -34.43 | 41.59  | 3    | Horizontal | 312     | 1.11   | -       | 41.44 | 13.26 | 42.52 |  |  |  |
| RMS  | 14.22912G | 40.80    | 68.20    | -27.40 | 28.62  | 3    | Horizontal | 312     | 1.11   | -       | 41.44 | 13.26 | 42.52 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


7115MHz\_TX

EUT\_Z\_2TX  
Setting 5  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.34484G | 46.56    | 83.54    | -36.98 | 41.03  | 1    | Vertical  | 27      | 1.65   | -       | 38.10 | 16.27 | 48.84 |  |  |  |
| AV   | 21.34963G | 34.59    | 63.54    | -28.95 | 29.06  | 1    | Vertical  | 27      | 1.65   | -       | 38.10 | 16.27 | 48.84 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX


7115MHz\_TX

EUT\_Z\_2TX  
Setting 5  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.34546G | 46.40    | 83.54    | -37.14 | 40.87  | 1    | Horizontal | 174     | 1.47   | -       | 38.10 | 16.27 | 48.84 |  |  |  |
| AV   | 21.34276G | 34.54    | 63.54    | -29.00 | 29.02  | 1    | Horizontal | 174     | 1.47   | -       | 38.10 | 16.26 | 48.84 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


5965MHz\_TX

EUT\_Z\_2TX  
Setting 15  
02-D-B-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9232G      | 63.24             | 88.20             | -24.96         | 51.79         | 3           | Vertical  | 258            | 2.30          | -       | 34.20      | 7.88       | 30.63      |  |  |  |
| RMS  | 5.9244G      | 52.57             | 68.20             | -15.63         | 41.12         | 3           | Vertical  | 258            | 2.30          | -       | 34.20      | 7.88       | 30.63      |  |  |  |
| PK   | 5.9632G      | 108.41            | Inf               | -Inf           | 96.89         | 3           | Vertical  | 258            | 2.30          | -       | 34.23      | 7.91       | 30.62      |  |  |  |
| RMS  | 5.9672G      | 98.18             | Inf               | -Inf           | 86.66         | 3           | Vertical  | 258            | 2.30          | -       | 34.23      | 7.91       | 30.62      |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


5965MHz\_TX

EUT\_Z\_2TX  
Setting 15  
02-D-B-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9102G | 61.67    | 88.20    | -26.53 | 50.23  | 3    | Horizontal | 75.4    | 2.62   | -       | 34.20 | 7.87 | 30.63 |  |  |  |
| RMS  | 5.9226G | 51.61    | 68.20    | -16.59 | 40.16  | 3    | Horizontal | 75.4    | 2.62   | -       | 34.20 | 7.88 | 30.63 |  |  |  |
| PK   | 5.9616G | 101.06   | Inf      | -Inf   | 89.55  | 3    | Horizontal | 75.4    | 2.62   | -       | 34.22 | 7.91 | 30.62 |  |  |  |
| RMS  | 5.9598G | 91.10    | Inf      | -Inf   | 79.60  | 3    | Horizontal | 75.4    | 2.62   | -       | 34.22 | 7.90 | 30.62 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


5965MHz\_TX

EUT\_Z\_2TX  
Setting 15  
02-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.9484G  | 56.61    | 74.00    | -17.39 | 36.35  | 3    | Vertical  | 95      | 1.07   | -       | 39.30 | 12.05 | 31.09 |  |  |  |
| AV   | 11.95355G | 44.90    | 54.00    | -9.10  | 24.64  | 3    | Vertical  | 95      | 1.07   | -       | 39.30 | 12.05 | 31.09 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


5965MHz\_TX

EUT\_Z\_2TX  
Setting 15  
02-D-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.9408G     | 55.25             | 74.00             | -18.75         | 34.97         | 3           | Horizontal | 36             | 2.13          | -       | 39.32      | 12.04      | 31.08      |  |  |  |
| AV   | 11.9508G     | 44.91             | 54.00             | -9.09          | 24.65         | 3           | Horizontal | 36             | 2.13          | -       | 39.30      | 12.05      | 31.09      |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


5965MHz\_TX

EUT\_Z\_2TX  
Setting 15  
02-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 17.90615G | 40.69    | 83.54    | -42.85 | 35.91  | 1    | Vertical  | 23      | 2.35   | -       | 37.50 | 15.23 | 47.95 |  |  |  |
| AV   | 17.8785G  | 30.44    | 63.54    | -33.10 | 25.65  | 1    | Vertical  | 23      | 2.35   | -       | 37.45 | 15.21 | 47.87 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


5965MHz\_TX

EUT\_Z\_2TX  
Setting 15  
02-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 17.91735G | 41.35    | 83.54    | -42.19 | 36.56  | 1    | Horizontal | 291     | 1.42   | -       | 37.53 | 15.24 | 47.98 |  |  |  |
| AV   | 17.8726G  | 30.33    | 63.54    | -33.21 | 25.55  | 1    | Horizontal | 291     | 1.42   | -       | 37.43 | 15.21 | 47.86 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6205MHz\_TX




EUT\_Z\_2TX  
Setting 15  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.40936G | 48.55    | 74.00    | -25.45 | 41.58  | 3    | Vertical  | 244     | 1.04   | -       | 38.74 | 11.27 | 43.04 |  |  |  |
| AV   | 12.40944G | 36.28    | 54.00    | -17.72 | 29.31  | 3    | Vertical  | 244     | 1.04   | -       | 38.74 | 11.27 | 43.04 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6205MHz\_TX

EUT\_Z\_2TX  
Setting 15  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.40954G | 49.10    | 74.00    | -24.90 | 42.13  | 3    | Horizontal | 347     | 2.62   | -       | 38.74 | 11.27 | 43.04 |  |  |  |
| AV   | 12.41006G | 36.36    | 54.00    | -17.64 | 29.39  | 3    | Horizontal | 347     | 2.62   | -       | 38.74 | 11.27 | 43.04 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6205MHz\_TX

EUT\_Z\_2TX  
Setting 15  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.61239G | 46.52    | 83.54    | -37.02 | 43.05  | 1    | Vertical  | 140     | 2.43   | -       | 37.82 | 15.25 | 49.60 |  |  |  |
| AV   | 18.61502G | 34.09    | 63.54    | -29.45 | 30.61  | 1    | Vertical  | 140     | 2.43   | -       | 37.83 | 15.25 | 49.60 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6205MHz\_TX

EUT\_Z\_2TX  
Setting 15  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.61399G | 45.89    | 83.54    | -37.65 | 42.41  | 1    | Horizontal | 194     | 1.30   | -       | 37.83 | 15.25 | 49.60 |  |  |  |
| AV   | 18.61307G | 34.16    | 63.54    | -29.38 | 30.68  | 1    | Horizontal | 194     | 1.30   | -       | 37.83 | 15.25 | 49.60 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6405MHz\_TX




EUT\_Z\_2TX  
Setting 15  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.80989G | 49.55    | 88.20    | -38.65 | 41.32  | 3    | Vertical  | 209     | 2.12   | -       | 39.22 | 11.69 | 42.68 |  |  |  |
| RMS  | 12.80914G | 37.74    | 68.20    | -30.46 | 29.51  | 3    | Vertical  | 209     | 2.12   | -       | 39.22 | 11.69 | 42.68 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6405MHz\_TX

EUT\_Z\_2TX  
Setting 15  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.8097G  | 49.83    | 88.20    | -38.37 | 41.60  | 3    | Horizontal | 272     | 2.12   | -       | 39.22 | 11.69 | 42.68 |  |  |  |
| RMS  | 12.80963G | 38.03    | 68.20    | -30.17 | 29.80  | 3    | Horizontal | 272     | 2.12   | -       | 39.22 | 11.69 | 42.68 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6405MHz\_TX

EUT\_Z\_2TX  
Setting 15  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.21134G | 45.92    | 83.54    | -37.62 | 42.33  | 1    | Vertical  | 134     | 1.19   | -       | 37.85 | 15.22 | 49.48 |  |  |  |
| AV   | 19.21727G | 34.21    | 63.54    | -29.33 | 30.61  | 1    | Vertical  | 134     | 1.19   | -       | 37.87 | 15.22 | 49.49 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6405MHz\_TX

EUT\_Z\_2TX  
Setting 15  
04-D-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.21873G | 46.22    | 83.54    | -37.32 | 42.62  | 1    | Horizontal | 237     | 2.34   | -       | 37.87 | 15.22 | 49.49 |  |  |  |
| AV   | 19.21558G | 34.29    | 63.54    | -29.25 | 30.70  | 1    | Horizontal | 237     | 2.34   | -       | 37.86 | 15.22 | 49.49 |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6445MHz\_TX

EUT\_Z\_2TX  
Setting 15  
02-V-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.8656G | 55.35    | 88.20    | -32.85 | 35.57  | 3    | Vertical  | 351     | 2.55   | -       | 39.03 | 11.95 | 31.20 |  |  |  |
| RMS  | 12.8797G | 45.12    | 68.20    | -23.08 | 25.32  | 3    | Vertical  | 351     | 2.55   | -       | 39.06 | 11.95 | 31.21 |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6445MHz\_TX

EUT\_Z\_2TX  
Setting 15  
02-V-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.86785G    | 55.22             | 88.20             | -32.98         | 35.43         | 3           | Horizontal | 284            | 2.17          | -       | 39.04      | 11.95      | 31.20      |  |  |  |
| RMS  | 12.8884G     | 45.01             | 68.20             | -23.19         | 25.19         | 3           | Horizontal | 284            | 2.17          | -       | 39.08      | 11.95      | 31.21      |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6445MHz\_TX

EUT\_Z\_2TX  
Setting 15  
02-V-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.3301G     | 40.69             | 83.54             | -42.85         | 36.48         | 1           | Vertical  | 294            | 1.20          | -       | 37.80      | 15.21      | 48.80      |  |  |  |
| AV   | 19.32765G    | 30.61             | 63.54             | -32.93         | 26.40         | 1           | Vertical  | 294            | 1.20          | -       | 37.80      | 15.21      | 48.80      |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6445MHz\_TX

EUT\_Z\_2TX  
Setting 15  
02-V-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.3362G | 40.15    | 83.54    | -43.39 | 35.94  | 1    | Horizontal | 183     | 2.71   | -       | 37.80 | 15.21 | 48.80 |  |  |  |
| AV   | 19.3561G | 30.65    | 63.54    | -32.89 | 26.43  | 1    | Horizontal | 183     | 2.71   | -       | 37.81 | 15.21 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6485MHz\_TX

EUT\_Z\_2TX  
Setting 14  
02-V-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.96105G    | 54.50             | 88.20             | -33.70         | 34.47         | 3           | Vertical  | 318            | 2.12          | -       | 39.32      | 11.94      | 31.23      |  |  |  |
| RMS  | 12.9474G     | 45.03             | 68.20             | -23.17         | 25.03         | 3           | Vertical  | 318            | 2.12          | -       | 39.29      | 11.94      | 31.23      |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6485MHz\_TX

EUT\_Z\_2TX  
Setting 14  
02-V-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.99015G | 54.82    | 88.20    | -33.38 | 34.75  | 3    | Horizontal | 114     | 2.30   | -       | 39.38 | 11.93 | 31.24 |  |  |  |
| RMS  | 12.9559G  | 44.97    | 68.20    | -23.23 | 24.95  | 3    | Horizontal | 114     | 2.30   | -       | 39.31 | 11.94 | 31.23 |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6485MHz\_TX

EUT\_Z\_2TX  
Setting 14  
02-V-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.444G  | 40.89    | 83.54    | -42.65 | 36.77  | 1    | Vertical  | 307     | 2.40   | -       | 37.72 | 15.20 | 48.80 |  |  |  |
| AV   | 19.4455G | 30.84    | 63.54    | -32.70 | 26.72  | 1    | Vertical  | 307     | 2.40   | -       | 37.72 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6485MHz\_TX

EUT\_Z\_2TX  
Setting 14  
02-V-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.4335G  | 40.68    | 83.54    | -42.86 | 36.51  | 1    | Horizontal | 75      | 2.14   | -       | 37.77 | 15.20 | 48.80 |  |  |  |
| AV   | 19.45015G | 30.89    | 63.54    | -32.65 | 26.79  | 1    | Horizontal | 75      | 2.14   | -       | 37.70 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6525MHz\_TX

EUT\_Z\_2TX  
Setting 16  
02-V-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.0393G | 55.14    | 88.20    | -33.06 | 35.08  | 3    | Vertical  | 263     | 1.15   | -       | 39.40 | 11.92 | 31.26 |  |  |  |
| RMS  | 13.0327G | 44.62    | 68.20    | -23.58 | 24.55  | 3    | Vertical  | 263     | 1.15   | -       | 39.40 | 11.93 | 31.26 |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6525MHz\_TX

EUT\_Z\_2TX  
Setting 16  
02-V-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.03585G    | 55.34             | 88.20             | -32.86         | 35.28         | 3           | Horizontal | 229            | 2.85          | -       | 39.40      | 11.92      | 31.26      |  |  |  |
| RMS  | 13.02955G    | 44.54             | 68.20             | -23.66         | 24.46         | 3           | Horizontal | 229            | 2.85          | -       | 39.40      | 11.93      | 31.25      |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6525MHz\_TX

EUT\_Z\_2TX  
Setting 16  
02-V-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.5942G     | 41.09             | 83.54             | -42.45         | 37.00         | 1           | Vertical  | 14             | 1.21          | -       | 37.70      | 15.19      | 48.80      |  |  |  |
| AV   | 19.59995G    | 30.49             | 63.54             | -33.05         | 26.40         | 1           | Vertical  | 14             | 1.21          | -       | 37.70      | 15.19      | 48.80      |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6525MHz\_TX

EUT\_Z\_2TX  
Setting 16  
02-V-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.5511G  | 40.71    | 83.54    | -42.83 | 36.61  | 1    | Horizontal | 269     | 2.67   | -       | 37.70 | 15.20 | 48.80 |  |  |  |
| AV   | 19.59565G | 30.52    | 63.54    | -33.02 | 26.43  | 1    | Horizontal | 269     | 2.67   | -       | 37.70 | 15.19 | 48.80 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6565MHz\_TX

EUT\_Z\_2TX  
Setting 14  
02-V-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.1181G  | 55.23    | 88.20    | -32.97 | 34.98  | 3    | Vertical  | 90      | 1.67   | -       | 39.64 | 11.91 | 31.30 |  |  |  |
| RMS  | 13.15415G | 44.95    | 68.20    | -23.25 | 24.63  | 3    | Vertical  | 90      | 1.67   | -       | 39.72 | 11.91 | 31.31 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6565MHz\_TX

EUT\_Z\_2TX  
Setting 14  
02-V-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.1448G     | 54.90             | 88.20             | -33.30         | 34.61         | 3           | Horizontal | 317            | 1.11          | -       | 39.69      | 11.91      | 31.31      |  |  |  |
| RMS  | 13.13995G    | 44.95             | 68.20             | -23.25         | 24.67         | 3           | Horizontal | 317            | 1.11          | -       | 39.68      | 11.91      | 31.31      |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6565MHz\_TX

EUT\_Z\_2TX  
Setting 14  
02-V-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.67115G    | 40.50             | 83.54             | -43.04         | 36.41         | 1           | Vertical  | 45             | 1.05          | -       | 37.70      | 15.19      | 48.80      |  |  |  |
| AV   | 19.6848G     | 30.26             | 63.54             | -33.28         | 26.17         | 1           | Vertical  | 45             | 1.05          | -       | 37.70      | 15.19      | 48.80      |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6565MHz\_TX

EUT\_Z\_2TX  
Setting 14  
02-V-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.695G  | 41.11    | 83.54    | -42.43 | 37.02  | 1    | Horizontal | 83      | 2.18   | -       | 37.70 | 15.19 | 48.80 |  |  |  |
| AV   | 19.6898G | 30.36    | 63.54    | -33.18 | 26.27  | 1    | Horizontal | 83      | 2.18   | -       | 37.70 | 15.19 | 48.80 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6685MHz\_TX

EUT\_Z\_2TX  
Setting 16  
02-V-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.36255G | 56.66    | 74.00    | -17.34 | 35.96  | 3    | Vertical  | 151     | 1.28   | -       | 40.23 | 11.88 | 31.41 |  |  |  |
| AV   | 13.3592G  | 45.71    | 54.00    | -8.29  | 25.02  | 3    | Vertical  | 151     | 1.28   | -       | 40.22 | 11.88 | 31.41 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6685MHz\_TX

EUT\_Z\_2TX  
Setting 16  
02-V-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.352G   | 56.17    | 74.00    | -17.83 | 35.50  | 3    | Horizontal | 183     | 2.72   | -       | 40.20 | 11.88 | 31.41 |  |  |  |
| AV   | 13.35025G | 45.76    | 54.00    | -8.24  | 25.09  | 3    | Horizontal | 183     | 2.72   | -       | 40.20 | 11.88 | 31.41 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6685MHz\_TX

EUT\_Z\_2TX  
Setting 16  
02-V-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.0594G     | 40.67             | 83.54             | -42.87         | 36.44         | 1           | Vertical  | 262            | 1.27          | -       | 37.80      | 15.22      | 48.79      |  |  |  |
| AV   | 20.06085G    | 30.56             | 63.54             | -32.98         | 26.33         | 1           | Vertical  | 262            | 1.27          | -       | 37.80      | 15.22      | 48.79      |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX


6685MHz\_TX

EUT\_Z\_2TX  
Setting 16  
02-V-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.06015G | 40.45    | 83.54    | -43.09 | 36.22  | 1    | Horizontal | 123     | 2.34   | -       | 37.80 | 15.22 | 48.79 |  |  |  |
| AV   | 20.0553G  | 30.56    | 63.54    | -32.98 | 26.33  | 1    | Horizontal | 123     | 2.34   | -       | 37.80 | 15.22 | 48.79 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6885MHz\_TX




EUT\_Z\_2TX  
Setting 16  
02-V-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.78165G | 57.50    | 88.20    | -30.70 | 36.30  | 3    | Vertical  | 98      | 1.75   | -       | 41.04 | 11.81 | 31.65 |  |  |  |
| RMS  | 13.7481G  | 46.20    | 68.20    | -22.00 | 24.92  | 3    | Vertical  | 98      | 1.75   | -       | 41.09 | 11.82 | 31.63 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6885MHz\_TX




EUT\_Z\_2TX  
Setting 16  
02-V-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.778G   | 57.88    | 88.20    | -30.32 | 36.68  | 3    | Horizontal | 194     | 1.62   | -       | 41.04 | 11.81 | 31.65 |  |  |  |
| RMS  | 13.75345G | 46.02    | 68.20    | -22.18 | 24.74  | 3    | Horizontal | 194     | 1.62   | -       | 41.09 | 11.82 | 31.63 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6885MHz\_TX




EUT\_Z\_2TX  
Setting 16  
02-V-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.67405G    | 41.62             | 83.54             | -41.92         | 36.70         | 1           | Vertical  | 332            | 1.61          | -       | 37.90      | 15.72      | 48.70      |  |  |  |
| AV   | 20.6317G     | 31.16             | 63.54             | -32.38         | 26.28         | 1           | Vertical  | 332            | 1.61          | -       | 37.90      | 15.68      | 48.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6885MHz\_TX




EUT\_Z\_2TX  
Setting 16  
02-V-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.64555G    | 41.40             | 83.54             | -42.14         | 36.50         | 1           | Horizontal | 109            | 1.59          | -       | 37.90      | 15.70      | 48.70      |  |  |  |
| AV   | 20.63755G    | 31.24             | 63.54             | -32.30         | 26.35         | 1           | Horizontal | 109            | 1.59          | -       | 37.90      | 15.69      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

6925MHz\_TX



EUT\_Z\_2TX  
Setting 15  
02-V-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.85385G | 57.52    | 88.20    | -30.68 | 36.20  | 3    | Vertical  | 26      | 1.32   | -       | 41.21 | 11.80 | 31.69 |  |  |  |
| RMS  | 13.83645G | 46.31    | 68.20    | -21.89 | 25.04  | 3    | Vertical  | 26      | 1.32   | -       | 41.15 | 11.80 | 31.68 |  |  |  |