



RADIO TEST REPORT

FCC ID : HEDEAP105
Equipment : Wi-Fi 7 Access Point
Brand Name : Edgecore
Model Name : EAP105XYYYZ
(Please refer to section 1.1.5 for detailed information)
Applicant : Accton Technology Corporation
No. 1, Zhihui 1st Rd., Zhubei City , Hsinchu County 302 Taiwan
Manufacturer : Accton Technology Corporation
No. 1, Zhihui 1st Rd., Zhubei City , Hsinchu County 302 Taiwan
Standard : 47 CFR FCC Part 15.407

The product was received on Mar. 20, 2024, and testing was started from Oct. 15, 2024 and completed on Jan. 02, 2025. We, Sporton International Inc. Hsinchu Laboratory, would like to declare that the tested sample has been evaluated in accordance with the procedures given in ANSI C63.10-2013 and shown compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. Hsinchu Laboratory, the test report shall not be reproduced except in full.

Approved by: Sam Chen

Sporton International Inc. Hsinchu Laboratory

No.8, Ln. 724, Bo'ai St., Zhubei City, Hsinchu County 302010, Taiwan (R.O.C.)



Table of Contents

History of this test report.....	3
Summary of Test Result.....	4
1 General Description	5
1.1 Information.....	5
1.2 Applicable Standards	11
1.3 Testing Location Information	11
1.4 Measurement Uncertainty	12
2 Test Configuration of EUT	13
2.1 Test Channel Mode	13
2.2 The Worst Case Measurement Configuration	15
2.3 EUT Operation during Test	16
2.4 Accessories	16
2.5 Support Equipmentsent.....	16
2.6 Test Setup Diagram	18
3 Transmitter Test Result	20
3.1 AC Power-line Conducted Emissions	20
3.2 Emission Bandwidth	22
3.3 Maximum Output Power	23
3.4 Power Spectral Density	26
3.5 Unwanted Emissions.....	29
4 Test Equipment and Calibration Data	33
Appendix A. Test Results of AC Power-line Conducted Emissions	
Appendix B. Test Results of Emission Bandwidth	
Appendix C. Test Results of Maximum Output Power	
Appendix D. Test Results of Power Spectral Density	
Appendix E. Test Results of Unwanted Emissions	
Appendix F. Test Photos	
Photographs of EUT v01	



TEL : 886-3-656-9065
FAX : 886-3-656-9085
Report Template No.: CB-A12_1 Ver1.4



Summary of Test Result

Report Clause	Ref Std. Clause	Test Items	Result (PASS/FAIL)	Remark
1.1.2	15.203	Antenna Requirement	PASS	-
3.1	15.207	AC Power-line Conducted Emissions	PASS	-
3.2	15.407(a)	Emission Bandwidth	PASS	-
3.3	15.407(a)	Maximum Output Power	PASS	-
3.4	15.407(a)	Power Spectral Density	PASS	-
3.5	15.407(b)	Unwanted Emissions	PASS	-

Conformity Assessment Condition:

1. The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacture who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.
2. The measurement uncertainty please refer to each test result in the chapter "Measurement Uncertainty".

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.

Reviewed by: Sam Chen

Report Producer: Cathy Chiu



1 General Description

1.1 Information

1.1.1 RF General Information

Frequency Range (MHz)	IEEE Std. 802.11	Ch. Frequency (MHz)	Channel Number
5250-5350	a, n (HT20), ac (VHT20), ax (HEW20), be (EHT20)	5260-5320	52-64 [4]
5470-5725		5500-5720	100-144 [12]
5250-5350	n (HT40), ac (VHT40), ax (HEW40), be (EHT40)	5270-5310	54-62 [2]
5470-5725		5510-5710	102-142 [6]
5250-5350	ac (VHT80), ax (HEW80), be (EHT80)	5290	58 [1]
5470-5725		5530-5690	106-138 [3]
5250-5350	ac (VHT160), ax (HEW160), be (EHT160)	5250	50 [1]
5470-5725		5570	114 [1]

Band	Mode	BWch (MHz)	Nant
5.25-5.35GHz	802.11a	20	2TX
5.25-5.35GHz	802.11n HT20	20	2TX
5.25-5.35GHz	802.11n HT20-BF	20	2TX
5.25-5.35GHz	802.11ac VHT20	20	2TX
5.25-5.35GHz	802.11ac VHT20-BF	20	2TX
5.25-5.35GHz	802.11ax HEW20	20	2TX
5.25-5.35GHz	802.11ax HEW20-BF	20	2TX
5.25-5.35GHz	802.11be EHT20	20	2TX
5.25-5.35GHz	802.11be EHT20-BF	20	2TX
5.25-5.35GHz	802.11n HT40	40	2TX
5.25-5.35GHz	802.11n HT40-BF	40	2TX
5.25-5.35GHz	802.11ac VHT40	40	2TX
5.25-5.35GHz	802.11ac VHT40-BF	40	2TX
5.25-5.35GHz	802.11ax HEW40	40	2TX
5.25-5.35GHz	802.11ax HEW40-BF	40	2TX
5.25-5.35GHz	802.11be EHT40	40	2TX
5.25-5.35GHz	802.11be EHT40-BF	40	2TX
5.25-5.35GHz	802.11ac VHT80	80	2TX
5.25-5.35GHz	802.11ac VHT80-BF	80	2TX
5.25-5.35GHz	802.11ax HEW80	80	2TX
5.25-5.35GHz	802.11ax HEW80-BF	80	2TX
5.25-5.35GHz	802.11be EHT80	80	2TX
5.25-5.35GHz	802.11be EHT80-BF	80	2TX



5.25-5.35GHz	802.11ac VHT160	160	2TX
5.25-5.35GHz	802.11ac VHT160-BF	160	2TX
5.25-5.35GHz	802.11ax HEW160	160	2TX
5.25-5.35GHz	802.11ax HEW160-BF	160	2TX
5.25-5.35GHz	802.11be EHT160	160	2TX
5.25-5.35GHz	802.11be EHT160-BF	160	2TX
5.47-5.725GHz	802.11a	20	2TX
5.47-5.725GHz	802.11n HT20	20	2TX
5.47-5.725GHz	802.11n HT20-BF	20	2TX
5.47-5.725GHz	802.11ac VHT20	20	2TX
5.47-5.725GHz	802.11ac VHT20-BF	20	2TX
5.47-5.725GHz	802.11ax HEW20	20	2TX
5.47-5.725GHz	802.11ax HEW20-BF	20	2TX
5.47-5.725GHz	802.11be EHT20	20	2TX
5.47-5.725GHz	802.11be EHT20-BF	20	2TX
5.47-5.725GHz	802.11n HT40	40	2TX
5.47-5.725GHz	802.11n HT40-BF	40	2TX
5.47-5.725GHz	802.11ac VHT40	40	2TX
5.47-5.725GHz	802.11ac VHT40-BF	40	2TX
5.47-5.725GHz	802.11ax HEW40	40	2TX
5.47-5.725GHz	802.11ax HEW40-BF	40	2TX
5.47-5.725GHz	802.11be EHT40	40	2TX
5.47-5.725GHz	802.11be EHT40-BF	40	2TX
5.47-5.725GHz	802.11ac VHT80	80	2TX
5.47-5.725GHz	802.11ac VHT80-BF	80	2TX
5.47-5.725GHz	802.11ax HEW80	80	2TX
5.47-5.725GHz	802.11ax HEW80-BF	80	2TX
5.47-5.725GHz	802.11be EHT80	80	2TX
5.47-5.725GHz	802.11be EHT80-BF	80	2TX
5.47-5.725GHz	802.11ac VHT160	160	2TX
5.47-5.725GHz	802.11ac VHT160-BF	160	2TX
5.47-5.725GHz	802.11ax HEW160	160	2TX
5.47-5.725GHz	802.11ax HEW160-BF	160	2TX
5.47-5.725GHz	802.11be EHT160	160	2TX
5.47-5.725GHz	802.11be EHT160-BF	160	2TX

Note:

- ♦ 11a, HT20 and HT40 use a combination of OFDM-BPSK, QPSK, 16QAM, 64QAM modulation.
- ♦ VHT20, VHT40, VHT80 and VHT160 use a combination of OFDM-BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM modulation.
- ♦ HEW20, HEW40, HEW80 and HEW160 use a combination of OFDMA-BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM modulation.
- ♦ EHT20, EHT40, EHT80 and EHT160 use a combination of OFDMA-BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM, 4096QAM modulation.
- ♦ BWch is the nominal channel bandwidth.

1.1.2 Antenna Information

Ant.	Port				Brand	Model Name	Antenna Type	Connector	Gain (dBi)
	2.4GHz	5GHz	6GHz	Bluetooth					
1	2	-	-	-	ACCTON Technology Corporation	KG738-125B13U1S	PIFA Antenna	I-PEX	5.31
2	1	-	-	-	ACCTON Technology Corporation	KG738-80W13U1S	PIFA Antenna	I-PEX	5.25
3	-	2	-	-	ACCTON Technology Corporation	KG739-165G13U1S	PIFA Antenna	I-PEX	6.42
4	-	1	-	-	ACCTON Technology Corporation	KG739-100H13U1S	PIFA Antenna	I-PEX	6.76
5	-	-	1	-	ACCTON Technology Corporation	KG737-165A13U1S	PIFA Antenna	I-PEX	6.88
6	-	-	2	-	ACCTON Technology Corporation	KG737-115Y13U1S	PIFA Antenna	I-PEX	6.83
7	-	-	-	1	ACCTON Technology Corporation	GT128V007S-001	CHIP Antenna	N/A	3.71

Note 1: The above information was declared by manufacturer.

Note 2: Directional gain information

Type	Maximum Output Power	Power Spectral Density
Non-BF	Directional gain = Max.gain + array gain. For power measurements on IEEE 802.11 devices Array Gain = 0 dB (i.e., no array gain) for N ANT ≤ 4	$DirectionalGain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{ANT}} \left(\sum_{k=1}^{N_{ANT}} g_{j,k} \right)^2}{N_{ANT}} \right]$
BF	$DirectionalGain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{ANT}} \left(\sum_{k=1}^{N_{ANT}} g_{j,k} \right)^2}{N_{ANT}} \right]$	$DirectionalGain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{ANT}} \left(\sum_{k=1}^{N_{ANT}} g_{j,k} \right)^2}{N_{ANT}} \right]$

Ex.

Directional Gain (NSS1) formula :

$$DirectionalGain = 10 \cdot \log \left[\frac{\sum_{j=1}^{N_{ANT}} \left(\sum_{k=1}^{N_{ANT}} g_{j,k} \right)^2}{N_{ANT}} \right]$$

$$NSS1(g1,1) = 10^{G1/20} ; NSS1(g1,2) = 10^{G2/20} ; NSS1(g1,3) = 10^{G3/20} ; NSS1(g1,4) = 10^{G4/20}$$

$$g_{j,k} = (NSS1(g1,1) + NSS1(g1,2) + NSS1(g1,3) + NSS1(g1,4))^2$$

$$DG = 10 \log[(NSS1(g1,1) + NSS1(g1,2) + NSS1(g1,3) + NSS1(g1,4))^2 / N_{ANT}] \Rightarrow 10$$

$$\log[(10^{G1/20} + 10^{G2/20} + 10^{G3/20} + 10^{G4/20})^2 / N_{ANT}]$$

Where ;

$$2.4G \ G1 = 5.31 \text{ dBi} ; G2 = 5.25 \text{ dBi} ;$$

$$5G \text{ UNII-1} \ G1 = 6.42 \text{ dBi} ; G2 = 6.76 \text{ dBi} ;$$

$$5G \text{ UNII-2A} \ G1 = 6.42 \text{ dBi} ; G2 = 6.76 \text{ dBi} ;$$

$$5G \text{ UNII-2C} \ G1 = 6.42 \text{ dBi} ; G2 = 6.76 \text{ dBi} ;$$

$$5G \text{ UNII-3} \ G1 = 6.42 \text{ dBi} ; G2 = 6.76 \text{ dBi} ;$$

$$2.4G \ DG = 8.29 \text{ dBi}$$

$$5G \text{ UNII-1} \ DG = 9.6 \text{ dBi}$$

$$5G \text{ UNII-2A} \ G1 = 9.6 \text{ dBi}$$

$$5G \text{ UNII-2C} \ G1 = 9.6 \text{ dBi}$$

$$5G \text{ UNII-3} \ DG = 9.6 \text{ dBi}$$

For 2.4GHz function:

For IEEE 802.11 b/g/n/VHT/ax/be mode (2TX/2RX)

Port 1 and Port 2 can be used as transmitting/receiving antenna.

Port 1 and Port 2 could transmit/receive simultaneously.

For 5GHz function:

For IEEE 802.11a/n/ac/ax/be mode (2TX/2RX)

Port 1 and Port 2 can be used as transmitting/receiving antenna.

Port 1 and Port 2 could transmit/receive simultaneously.

For 6GHz function:

For IEEE 802.11ax/be mode (2TX/2RX)

Port 1 and Port 2 can be used as transmitting/receiving antenna.

Port 1 and Port 2 could transmit/receive simultaneously.

For Bluetooth function:

For Bluetooth mode (1TX/1RX):

Only Port 1 can be used as transmitting/receiving antenna.



1.1.3 Mode Test Duty Cycle

Mode	DC	DCF (dB)	T (s)	VBW (Hz)_1/T
802.11a	0.992	0.03	n/a (DC>=0.98)	n/a (DC>=0.98)
802.11be EHT20	0.983	0.07	n/a (DC>=0.98)	n/a (DC>=0.98)
802.11be EHT20-BF	0.983	0.07	n/a (DC>=0.98)	n/a (DC>=0.98)
802.11be EHT40	0.979	0.09	5.453m	300
802.11be EHT40-BF	0.979	0.09	5.453m	300
802.11be EHT80	0.982	0.08	n/a (DC>=0.98)	n/a (DC>=0.98)
802.11be EHT80-BF	0.982	0.08	n/a (DC>=0.98)	n/a (DC>=0.98)
802.11be EHT160	0.98	0.09	n/a (DC>=0.98)	n/a (DC>=0.98)
802.11be EHT160-BF	0.98	0.09	n/a (DC>=0.98)	n/a (DC>=0.98)

Note:

- ♦ DC is Duty Cycle.
- ♦ DCF is Duty Cycle Factor.

1.1.4 EUT Operational Condition

EUT Power Type	From Power Adapter or PoE			
Beamforming Function	☒	With beamforming	☐	Without beamforming
	The product has beamforming function for n/VHT/ax/be in 2.4GHz, n/ac/ax/be in 5GHz and ax/be in 6GHz.			
Weather Band	☒	With 5600~5650MHz	☐	Without 5600~5650MHz
Function	☐	Outdoor P2M	☒	Indoor P2M
	☐	Fixed P2P	☐	Client
	☒	Point-to-multipoint	☐	Point-to-point
TPC Function	☒	With TPC	☐	Without TPC
Channel Puncturing Function	☐	Supported Static Puncturing		
	☐	Supported Dynamic Puncturing		
	☒	Unsupported		
Support RU	☒	Full RU	☐	Partial RU
Test Software Version	QSPR V6.00.00146.1			

Note: The above information was declared by manufacturer.

**1.1.5 Table for Multiple Listing**

Equipment Name	Brand Name	Model Name	Description
Wi-Fi 7 Access Point	Edgecore	EAP105XYYYYZ	The difference of "XYYYYZ" would be marketing strategy: X can be symbol "(" or "blank" Y can be "A~Z, a~z, 1~9 or blank and -" Z can be symbol ")" or "blank"

Note 1: From the above models, model: EAP105 was selected as representative model for the test and its data was recorded in this report.

Note 2: The above information was declared by manufacturer.



1.2 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ 47 CFR FCC Part 15
- ♦ ANSI C63.10-2013
- ♦ FCC KDB 789033 D02 v02r01

The following reference test guidance is not within the scope of accreditation of TAF.

- ♦ FCC KDB 662911 D01 v02r01
- ♦ FCC KDB 412172 D01 v01r01
- ♦ FCC KDB 414788 D01 v01r01

1.3 Testing Location Information

Testing Location Information	
Test Lab. : Sporton International Inc. Hsinchu Laboratory	
Hsinchu (TAF: 3787)	ADD: No.8, Ln. 724, Bo'ai St., Zhubei City, Hsinchu County 302010, Taiwan (R.O.C.) TEL: 886-3-656-9065 FAX: 886-3-656-9085 Test site Designation No. TW3787 with FCC. Conformity Assessment Body Identifier (CABID) TW3787 with ISED.

Test Condition	Test Site No.	Test Engineer	Test Environment (°C / %)	Test Date
RF Conducted	TH01-CB	Serway Lee	22.7~24.4 / 62~64	Oct. 21, 2024~ Dec. 28, 2024
Radiated (below 1GHz)	03CH03-CB	Gordon Hung	22.2~22.6 / 59~61	Jan. 02, 2025
Radiated	03CH06-CB	Gordon Hung	22.5~22.9 / 58~60	Oct. 15, 2024~ Dec. 27, 2024
AC Conduction	CO02-CB	Ryan Huang	21~22 / 61~62	Oct. 30, 2024



1.4 Measurement Uncertainty

ISO/IEC 17025 requires that an estimate of the measurement uncertainties associated with the emissions test results be included in the report. The measurement uncertainties given below are based on a 95% confidence level (based on a coverage factor (k=2))

Test Items	Uncertainty	Remark
Conducted Emission (150kHz ~ 30MHz)	3.8 dB	Confidence levels of 95%
Radiated Emission (9kHz ~ 30MHz)	4.1 dB	Confidence levels of 95%
Radiated Emission (30MHz ~ 1,000MHz)	4.2 dB	Confidence levels of 95%
Radiated Emission (1GHz ~ 18GHz)	4.2 dB	Confidence levels of 95%
Radiated Emission (18GHz ~ 40GHz)	4.0 dB	Confidence levels of 95%
Conducted Emission	3.1 dB	Confidence levels of 95%
Output Power Measurement	0.8 dB	Confidence levels of 95%
Power Density Measurement	3.1 dB	Confidence levels of 95%
Bandwidth Measurement	2.1 %	Confidence levels of 95%



2 Test Configuration of EUT

2.1 Test Channel Mode

Mode
802.11a_Nss1,(6Mbps)_2TX
5260MHz
5300MHz
5320MHz
5500MHz
5580MHz
5700MHz
5720MHz Straddle 5.47-5.725GHz
5720MHz Straddle 5.725-5.85GHz
802.11be EHT20_Nss1,(MCS0)_2TX
5260MHz
5300MHz
5320MHz
5500MHz
5580MHz
5700MHz
5720MHz Straddle 5.47-5.725GHz
5720MHz Straddle 5.725-5.85GHz
802.11be EHT40_Nss1,(MCS0)_2TX
5270MHz
5310MHz
5510MHz
5550MHz
5670MHz
5710MHz Straddle 5.47-5.725GHz
5710MHz Straddle 5.725-5.85GHz
802.11be EHT80_Nss1,(MCS0)_2TX
5290MHz
5530MHz
5610MHz
5690MHz Straddle 5.47-5.725GHz
5690MHz Straddle 5.725-5.85GHz
802.11be EHT160_Nss1,(MCS0)_2TX
5250MHz Straddle 5.15-5.25GHz
5250MHz Straddle 5.25-5.35GHz
5570MHz
802.11be EHT20-BF_Nss1,(MCS0)_2TX
5260MHz
5300MHz
5320MHz
5500MHz
5580MHz
5700MHz



5720MHz Straddle 5.47-5.725GHz
5720MHz Straddle 5.725-5.85GHz
802.11be EHT40-BF_Nss1,(MCS0)_2TX
5270MHz
5310MHz
5510MHz
5550MHz
5670MHz
5710MHz Straddle 5.47-5.725GHz
5710MHz Straddle 5.725-5.85GHz
802.11be EHT80-BF_Nss1,(MCS0)_2TX
5290MHz
5530MHz
5610MHz
5690MHz Straddle 5.47-5.725GHz
5690MHz Straddle 5.725-5.85GHz
802.11be EHT160-BF_Nss1,(MCS0)_2TX
5250MHz Straddle 5.15-5.25GHz
5250MHz Straddle 5.25-5.35GHz
5570MHz

Note:

- ♦ Evaluated EHT20/EHT40/EHT80 mode only, due to similar modulation. The power setting of HT20/HT40/VHT20/VHT40/VHT80/HEW20/HEW40/HEW80 mode are the same or lower than EHT20/EHT40/EHT80.
- ♦ The EUT supports beamforming and CDD modes, and the CDD mode is the worst case. Therefore, all test items are evaluated in the report. The beamforming mode only evaluates the output power.

2.2 The Worst Case Measurement Configuration

The Worst Case Mode for Following Conformance Tests	
Tests Item	AC power-line conducted emissions
Condition	AC power-line conducted measurement for line and neutral Test Voltage: 120Vac / 60Hz
Operating Mode	Normal Link
1	EUT + Adapter + type-C cable
2	EUT + PoE
For operating mode 2 is the worst case and it was record in this test report.	

The Worst Case Mode for Following Conformance Tests	
Tests Item	Emission Bandwidth Maximum Output Power Power Spectral Density
Test Condition	Conducted measurement at transmit chains

The Worst Case Mode for Following Conformance Tests	
Tests Item	Unwanted Emissions
Test Condition	Radiated measurement If EUT consist of multiple antenna assembly (multiple antenna are used in EUT regardless of spatial multiplexing MIMO configuration), the radiated test should be performed with highest antenna gain of each antenna type.
Operating Mode < 1GHz	CTX
After evaluating, and the worst case was found at Z axis, so it was selected to perform test and its test result was written in the report.	
1	EUT + WLAN 2.4GHz + Adapter + type-C cable
2	EUT + WLAN 5GHz + Adapter + type-C cable
3	EUT + WLAN 6GHz + Adapter + type-C cable
4	EUT + Bluetooth + Adapter + type-C cable
Mode 1 has been evaluated to be the worst case among Mode 1~4, thus measurement for Mode 5 will follow this same test mode.	
5	EUT + WLAN 2.4GHz + PoE
For operating mode 5 is the worst case and it was record in this test report.	
Operating Mode > 1GHz	CTX
After evaluating, and the worst case was found at Z axis, so it was selected to perform test and its test result was written in the report.	
1	EUT in Z axis



The Worst Case Mode for Following Conformance Tests	
Tests Item	Simultaneous Transmission Analysis - Co-location RF Exposure Evaluation
Operating Mode	
1	Bluetooth+WLAN 2.4GHz+WLAN 5GHz+WLAN 6GHz
Refer to Sporton Test Report No.: FA431508 for Co-location RF Exposure Evaluation.	

Note: The adapter and PoE below are for measurement only, would not be marketed.

The adapter and PoE information as below:

Support Unit	Brand Name	Model Number
Adapter	j5create	JUP37185
PoE	Cambium	NET-P30-56IN

2.3 EUT Operation during Test

For CTX Mode:

The EUT was programmed to be in continuously transmitting mode.

For Normal Link Mode:

During the test, the EUT operation to normal function.

2.4 Accessories

Accessories
Bracket*1

2.5 Support Equipments


For AC Conduction:


Support Equipment				
No.	Equipment	Brand Name	Model Name	FCC ID
A	5G PoE PC	ASUS	S300TA	NA
B	1G LAN NB	Lenovo	X260	N/A
C	2.4G NB	DELL	E6430	N/A
D	5G NB	DELL	E6430	N/A
E	6E NB	DELL	E7240	N/A
F	6E Device	INTEL	BE200	PD9BE200NG
G	Smart phone	Samsung	Galaxy J2	A3LSMG532M
H	PoE	Cambium	NET-P30-56IN	N/A

**For Radiated and RF Conducted:**

Support Equipment				
No.	Equipment	Brand Name	Model Name	FCC ID
A	Notebook	DELL	E4300	N/A
B	PoE	Cambium	NET-P30-56IN	N/A

2.6 Test Setup Diagram



Test Setup Diagram - Radiated Test


Item	Connection	Shielded	Length
1	RJ-45 cable	No	10m
2	RJ-45 cable	No	10m



3 Transmitter Test Result

3.1 AC Power-line Conducted Emissions

3.1.1 AC Power-line Conducted Emissions Limit

AC Power-line Conducted Emissions Limit		
Frequency Emission (MHz)	Quasi-Peak	Average
0.15-0.5	66 - 56 *	56 - 46 *
0.5-5	56	46
5-30	60	50
Note 1: * Decreases with the logarithm of the frequency.		


3.1.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.1.3 Test Procedures

Test Method
☒ Refer as ANSI C63.10-2013, clause 6.2 for AC power-line conducted emissions.

3.1.4 Test Setup



3.1.5 Measurement Results Calculation

The measured Level is calculated using:

- Corrected Reading: LISN Factor (LISN) + Attenuator (AT/AUX) + Cable Loss (CL) + Read Level (Raw) = Level
- Margin = -Limit + Level

3.1.6 Test Result of AC Power-line Conducted Emissions

Refer as Appendix A

3.2 Emission Bandwidth

3.2.1 Emission Bandwidth Limit

Emission Bandwidth Limit	
UNII Devices	
☒	For the 5.15-5.25 GHz band, N/A
☒	For the 5.25-5.35 GHz band, the maximum conducted output power shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10 \log B$, where B is the 26 dB emission bandwidth in MHz.
☒	For the 5.47-5.725 GHz band, the maximum conducted output power shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10 \log B$, where B is the 26 dB emission bandwidth in MHz.
☒	For the 5.725-5.85 GHz band, 26 dB emission bandwidth ,N/A. 6 dB emission bandwidth $\geq 500\text{kHz}$.
LE-LAN Devices	
☐	For the band 5.15-5.25 GHz, the maximum e.i.r.p. shall not exceed 200 mW or $10 + 10 \log B$, dBm, whichever power is less. B is the 99% emission bandwidth in MHz.
☐	For the 5.25-5.35 GHz band, the maximum e.i.r.p. shall not exceed 1.0 W or $17 + 10 \log B$, dBm, whichever power is less. B is the 99% emission bandwidth in MHz
☐	For the 5.47-5.6 GHz band and 5.65-5.725 GHz band, the maximum e.i.r.p. shall not exceed 1.0 W or $17 + 10 \log B$, dBm, whichever power is less. B is the 99% emission bandwidth in MHz
☐	For the 5.725-5.85 GHz band, 6 dB emission bandwidth $\geq 500\text{kHz}$.


3.2.2 Measuring Instruments

Refer a test equipment and calibration data table in this test report.

3.2.3 Test Procedures

Test Method	
For the emission bandwidth shall be measured using one of the options below:	
☒	Refer as FCC KDB 789033 D02, clause C for EBW and clause D for OBW measurement.
☐	Refer as ANSI C63.10, clause 6.9.1 for occupied bandwidth testing.
☐	Refer as IC RSS-Gen, clause 4.6 for bandwidth testing.

3.2.4 Test Setup



3.2.5 Test Result of Emission Bandwidth

Refer as Appendix B

3.3 Maximum Output Power

3.3.1 Limit

Maximum Output Power Limit	
UNII Devices	
☒ For the 5.15-5.25 GHz band:	
	- Outdoor AP: the maximum conducted output power (P_{Out}) shall not exceed the lesser of 1 W. If $G_{TX} > 6$ dBi, then $P_{Out} = 30 - (G_{TX} - 6)$. e.i.r.p. at any elevation angle above 30 degrees ≤ 125 mW [21dBm] - Indoor AP: the maximum conducted output power (P_{Out}) shall not exceed the lesser of 1 W. If $G_{TX} > 6$ dBi, then $P_{Out} = 30 - (G_{TX} - 6)$ - Point-to-point AP: the maximum conducted output power (P_{Out}) shall not exceed the lesser of 1 W. If $G_{TX} > 23$ dBi, then $P_{Out} = 30 - (G_{TX} - 23)$. - Mobile or Portable Client: the maximum conducted output power (P_{Out}) shall not exceed the lesser of 250 mW. If $G_{TX} > 6$ dBi, then $P_{Out} = 24 - (G_{TX} - 6)$.
☒ For the 5.25-5.35 GHz band, the maximum conducted output power (P_{Out}) shall not exceed the lesser of 250 mW or 11 dBm + 10 log B, where B is the 26 dB emission bandwidth in MHz. If $G_{TX} > 6$ dBi, then $P_{Out} = 24 - (G_{TX} - 6)$.	
☒ For the 5.47-5.725 GHz band, the maximum conducted output power (P_{Out}) shall not exceed the lesser of 250 mW or 11 dBm + 10 log B, where B is the 26 dB emission bandwidth in MHz. If $G_{TX} > 6$ dBi, then $P_{Out} = 24 - (G_{TX} - 6)$.	
☒ For the 5.725-5.85 GHz band:	
	- Point-to-multipoint systems (P2M): the maximum conducted output power (P_{Out}) shall not exceed the lesser of 1 W. If $G_{TX} > 6$ dBi, then $P_{Out} = 30 - (G_{TX} - 6)$. - Point-to-point systems (P2P): the maximum conducted output power (P_{Out}) shall not exceed the lesser of 1 W.
LE-LAN Devices	
☐ For the 5.15-5.25 GHz band:	
	- For other devices: The maximum e.i.r.p. shall not exceed 200 mW or 10 + 10 log B, dBm, whichever power is less. B is the 99% emission bandwidth in MHz. - Vehicles devices: The maximum e.i.r.p. shall not exceed 30 mW or 1.76 + 10 log B, dBm, whichever power is less. B is the 99% emission bandwidth in MHz.
☐ For the 5.25-5.35 GHz band:	
	- For other devices: The maximum conducted output power shall not exceed 250 mW or 11 + 10 log 10 B, dBm, and the maximum e.i.r.p. shall not exceed 1.0 W or 17 + 10 log B, dBm, whichever power is less. B is the 99% emission bandwidth in MHz - Vehicles devices: The maximum e.i.r.p. shall not exceed 30 mW or 1.76 + 10 log B, dBm, whichever power is less. B is the 99% emission bandwidth in MHz.
☐ For the 5.47-5.6 GHz band and 5.65-5.725 GHz band, the maximum conducted output power shall not exceed 250 mW or 11 + 10 log 10 B, dBm, and the maximum e.i.r.p. shall not exceed 1.0 W or 17 + 10 log B, dBm, whichever power is less. B is the 99% emission bandwidth in MHz.	
☐ For the 5.725-5.85 GHz band:	



	- Point-to-multipoint systems (P2M): the maximum conducted output power (P_{Out}) shall not exceed the lesser of 1 W. If $G_{TX} > 6$ dBi, then $P_{Out} = 30 - (G_{TX} - 6)$. - Point-to-point systems (P2P): the maximum conducted output power (P_{Out}) shall not exceed the lesser of 1 W.
P_{Out} = maximum conducted output power in dBm, G_{TX} = the maximum transmitting antenna directional gain in dBi.	

3.3.2 Measuring Instruments


Refer a test equipment and calibration data table in this test report.

3.3.3 Test Procedures


Test Method	
	Average over on/off periods with duty factor
☒	Refer as FCC KDB 789033 D02, clause E Method SA-2 (spectral trace averaging). For Straddle channel
☐	Refer as FCC KDB 789033 D02, clause E Method SA-2 Alt. (RMS detection with slow sweep speed)
	Wideband RF power meter and average over on/off periods with duty factor
☒	Refer as FCC KDB 789033 D02, clause E Method PM-G (using an RF average power meter). For Other tests
☒	For conducted measurement.
	- If the EUT supports multiple transmit chains using options given below: Refer as FCC KDB 662911, In-band power measurements. Using the measure-and-sum approach, measured all transmit ports individually. Sum the power (in linear power units e.g., mW) of all ports for each individual sample and save them. - If multiple transmit chains, EIRP calculation could be following as methods: $P_{total} = P_1 + P_2 + \dots + P_n$ (calculated in linear unit [mW] and transfer to log unit [dBm]) $EIRP_{total} = P_{total} + DG$
☐	For radiated measurement.
	- Refer as FCC KDB 789033 D02 clause II A.1.F "Antenna-port Conducted versus Radiated Testing" - Refer as ANSI C63.10, clause 6.6 for radiated emissions above 1GHz. - Refer as FCC KDB 412172 D01 clause 2.2 for EIRP calculation.

3.3.4 Test Setup

For Straddle channel



For Other tests



3.3.5 Test Result of Maximum Output Power

Refer as Appendix C



3.4 Power Spectral Density

3.4.1 Limit

Peak Power Spectral Density Limit	
UNII Devices	
☒ For the 5.15-5.25 GHz band:	
	- Outdoor AP: the peak power spectral density (PPSD) shall not exceed the lesser of 17dBm/MHz. If $G_{TX} > 6$ dBi, then $P_{Out} = 17 - (G_{TX} - 6)$. - Indoor AP: the peak power spectral density (PPSD) shall not exceed the lesser of 17dBm/MHz. If $G_{TX} > 6$ dBi, then $P_{Out} = 17 - (G_{TX} - 6)$. - Point-to-point AP: the peak power spectral density (PPSD) shall not exceed the lesser of 17dBm/MHz. If $G_{TX} > 23$ dBi, then $P_{Out} = 17 - (G_{TX} - 23)$. - Mobile or Portable Client: the peak power spectral density (PPSD) ≤ 11 dBm/MHz. If $G_{TX} > 6$ dBi, then $PPSD = 11 - (G_{TX} - 6)$.
☒ For the 5.25-5.35 GHz band, the peak power spectral density (PPSD) ≤ 11 dBm/MHz. If $G_{TX} > 6$ dBi, then $PPSD = 11 - (G_{TX} - 6)$.	
☒ For the 5.47-5.725 GHz band, the peak power spectral density (PPSD) ≤ 11 dBm/MHz. If $G_{TX} > 6$ dBi, then $PPSD = 11 - (G_{TX} - 6)$.	
☒ For the 5.725-5.85 GHz band:	
	- Point-to-multipoint systems (P2M): the peak power spectral density (PPSD) ≤ 30 dBm/500kHz. If $G_{TX} > 6$ dBi, then $PPSD = 30 - (G_{TX} - 6)$. - Point-to-point systems (P2P): the peak power spectral density (PPSD) ≤ 30 dBm/500kHz.
LE-LAN Devices	
☐ For the 5.15-5.25 GHz band, the e.i.r.p. peak power spectral density (PPSD) ≤ 10 dBm/MHz.	
☐ For the 5.25-5.35 GHz band, the peak power spectral density (PPSD) ≤ 11 dBm/MHz.	
	e.i.r.p. greater than 200 mW shall comply with the following e.i.r.p. at different elevations, where θ is the angle above the local horizontal plane (of the Earth) as shown below: -13 dBW/MHz for $0^\circ \leq \theta < 8^\circ$; -13 - 0.716 (θ-8) dBW/MHz for $8^\circ \leq \theta < 40^\circ$ -35.9 - 1.22 (θ-40) dBW/MHz for $40^\circ \leq \theta \leq 45^\circ$; -42 dBW/MHz for $\theta > 45^\circ$
☐ For the 5.47-5.6 GHz band and 5.65-5.725 GHz band, the peak power spectral density (PPSD) ≤ 11 dBm/MHz.	
☐ For the 5.725-5.85 GHz band:	
	- Point-to-multipoint systems (P2M): the peak power spectral density (PPSD) ≤ 30 dBm/500kHz. If $G_{TX} > 6$ dBi, then $PPSD = 30 - (G_{TX} - 6)$. - Point-to-point systems (P2P): the peak power spectral density (PPSD) ≤ 30 dBm/500kHz.
PPSD = peak power spectral density that he same method as used to determine the conducted output power shall be used to determine the power spectral density. And power spectral density in dBm/MHz G_{TX} = the maximum transmitting antenna directional gain in dBi.	

3.4.2 Measuring Instruments


Refer a test equipment and calibration data table in this test report.

**3.4.3 Test Procedures**

Test Method	
Peak power spectral density procedures that the same method as used to determine the conducted output power shall be used to determine the peak power spectral density and use the peak search function on the spectrum analyzer to find the peak of the spectrum. For the peak power spectral density shall be measured using below options:	
☐	Refer as FCC KDB 789033 D02, F)5) power spectral density can be measured using resolution bandwidths < 1 MHz provided that the results are integrated over 1 MHz bandwidth
[duty cycle ≥ 98% or external video / power trigger]	
☒	Refer as FCC KDB 789033 D02, clause E Method SA-1 (spectral trace averaging).
☐	Refer as FCC KDB 789033 D02, clause E Method SA-1 Alt. (RMS detection with slow sweep speed)
duty cycle < 98% and average over on/off periods with duty factor	
☒	Refer as FCC KDB 789033 D02, clause E Method SA-2 (spectral trace averaging).
☐	Refer as FCC KDB 789033 D02, clause E Method SA-2 Alt. (RMS detection with slow sweep speed)
☒ For conducted measurement.	
If the EUT supports multiple transmit chains using options given below:	
☒	Option 1: Measure and sum the spectra across the outputs. Refer as FCC KDB 662911, In-band power spectral density (PSD). Sample all transmit ports simultaneously using a spectrum analyzer for each transmit port. Where the trace bin-by-bin of each transmit port summing can be performed. (i.e., in the first spectral bin of output 1 is summed with that in the first spectral bin of output 2 and that from the first spectral bin of output 3, and so on up to the NTX output to obtain the value for the first frequency bin of the summed spectrum.). Add up the amplitude (power) values for the different transmit chains and use this as the new data trace.
☐	Option 2: Measure and sum spectral maxima across the outputs. With this technique, spectra are measured at each output of the device at the required resolution bandwidth. The maximum value (peak) of each spectrum is determined. These maximum values are then summed mathematically in linear power units across the outputs. These operations shall be performed separately over frequency spans that have different out-of-band or spurious emission limits,
☐	Option 3: Measure and add 10 log(N) dB, where N is the number of transmit chains. Refer as FCC KDB 662911, In-band power spectral density (PSD). Performed at each transmit chains and each transmit chains shall be compared with the limit have been reduced with 10 log(N). Or each transmit chains shall be add 10 log(N) to compared with the limit.
If multiple transmit chains, EIRP PPSD calculation could be following as methods: $PPSD_{total} = PPSD_1 + PPSD_2 + \dots + PPSD_n$ (calculated in linear unit [mW] and transfer to log unit [dBm]) $EIRP_{total} = PPSD_{total} + DG$	
☐ For radiated measurement.	
- Refer as FCC KDB 789033 D02 clause II A.1.F "Antenna-port Conducted versus Radiated Testing" - Refer as ANSI C63.10, clause 6.6 for radiated emissions above 1GHz.	

Test Method	
	Refer as FCC KDB 412172 D01 clause 2.2 for EIRP calculation.

3.4.4 Test Setup



3.4.5 Test Result of Power Spectral Density

Refer as Appendix D



3.5 Unwanted Emissions

3.5.1 Transmitter Unwanted Emissions Limit

Unwanted emissions below 1 GHz and restricted band emissions above 1GHz limit			
Frequency Range (MHz)	Field Strength (uV/m)	Field Strength (dBuV/m)	Measure Distance (m)
0.009~0.490	2400/F(kHz)	48.5 - 13.8	300
0.490~1.705	24000/F(kHz)	33.8 - 23	30
1.705~30.0	30	29	30
30~88	100	40	3
88~216	150	43.5	3
216~960	200	46	3
Above 960	500	54	3

Note 1: Test distance for frequencies at or above 30 MHz, measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements).

Note 2: Test distance for frequencies at below 30 MHz, measurements may be performed at a distance closer than the EUT limit distance; however, an attempt should be made to avoid making measurements in the near field. When performing measurements below 30 MHz at a closer distance than the limit distance, the results shall be extrapolated to the specified distance by either making measurements at a minimum of two or more distances on at least one radial to determine the proper extrapolation factor or by using the square of an inverse linear distance extrapolation factor (40 dB/decade). The test report shall specify the extrapolation method used to determine compliance of the EUT.

Note 3: Using the distance of 1m during the test for above 18 GHz, and the test value to correct for the distance factor at 3m.

Un-restricted band emissions above 1GHz Limit	
Operating Band	Limit
☒ 5.15 - 5.25 GHz	e.i.r.p. -27 dBm [68.2 dBuV/m@3m]
☒ 5.25 - 5.35 GHz	e.i.r.p. -27 dBm [68.2 dBuV/m@3m]
☒ 5.47 - 5.725 GHz	e.i.r.p. -27 dBm [68.2 dBuV/m@3m]
☒ 5.725 - 5.85 GHz	all emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

Note 1: Measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of



linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements).


3.5.2 Measuring Instruments


Refer a test equipment and calibration data table in this test report.

3.5.3 Test Procedures

Test Method	
Measurements may be performed at a distance other than the limit distance provided they are not performed in the near field and the emissions to be measured can be detected by the measurement equipment. Measurements shall not be performed at a distance greater than 30 m for frequencies above 30 MHz, unless it can be further demonstrated that measurements at a distance of 30 m or less are impractical. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor of 20 dB/decade (inverse of linear distance for field-strength measurements, inverse of linear distance-squared for power-density measurements).	
The average emission levels shall be measured in [duty cycle $\geq$ 98 or duty factor].	
For the transmitter unwanted emissions shall be measured using following options below:	
	Refer as FCC KDB 789033 D02, clause G)2) for unwanted emissions into non-restricted bands.
	Refer as FCC KDB 789033 D02, clause G)1) for unwanted emissions into restricted bands.
	☐ Refer as FCC KDB 789033 D02, G)6) Method AD (Trace Averaging).
	☒ Refer as FCC KDB 789033 D02, G)6) Method VB (Reduced VBW).
	☐ Refer as ANSI C63.10, clause 11.12.2.5.3 (Reduced VBW). VBW $\geq$ 1/T, where T is pulse time.
	☐ Refer as ANSI C63.10, clause 7.5 average value of pulsed emissions.
	☒ Refer as FCC KDB 789033 D02, clause G)5) measurement procedure peak limit.
☐ Refer as ANSI C63.10, clause 4.1.4.2.2 measurement procedure peak limit.	
For radiated measurement.	
	Refer as ANSI C63.10, clause 6.4 for radiated emissions below 30 MHz and test distance is 3m.
	Refer as ANSI C63.10, clause 6.5 for radiated emissions 30 MHz to 1 GHz and test distance is 3m.
	Refer as ANSI C63.10, clause 6.6 for radiated emissions above 1GHz.
The any unwanted emissions level shall not exceed the fundamental emission level.	
All amplitude of spurious emissions that are attenuated by more than 20 dB below the permissible value has no need to be reported.	

3.5.4 Test Setup





3.5.5 Measurement Results Calculation

The measured Level is calculated using:

Corrected Reading: Antenna factor (AF) + Cable loss (CL) + Read level (Raw) - Preamp factor (PA)(if applicable) = Level.

3.5.6 Transmitter Unwanted Emissions (Below 30MHz)

There is a comparison data of both open-field test site and alternative test site - semi-Anechoic chamber according to KDB414788 Radiated Test Site, and the result came out very similar.

All amplitude of spurious emissions that are attenuated by more than 20 dB below the permissible value has no need to be reported.

The radiated emissions were investigated from 9 kHz or the lowest frequency generated within the device, up to the 10th harmonic or 40 GHz, whichever is appropriate.

3.5.7 Test Result of Transmitter Unwanted Emissions

Refer as Appendix E



4 Test Equipment and Calibration Data

Instrument	Brand	Model No.	Serial No.	Characteristics	Calibration Date	Calibration Due Date	Remark
LISN	Schwarzbeck	NSLK 8127	8127650	9kHz ~ 30MHz	Apr. 15, 2024	Apr. 14, 2025	Conduction (CO02-CB)
LISN	Schwarzbeck	NSLK 8127	8127478	9kHz ~ 30MHz	Dec. 29, 2023	Dec. 28, 2024	Conduction (CO02-CB)
EMI Receiver	Agilent	N9038A	MY52260140	9kHz ~ 8.4GHz	May 15, 2024	May 14, 2025	Conduction (CO02-CB)
COND Cable	Woken	Cable	02	0.15MHz ~ 30MHz	Oct. 16, 2024	Oct. 15, 2025	Conduction (CO02-CB)
Pulse Limiter	Schwarzbeck	VTSD 9561F-N	00378	9kHz ~ 30MHz	Oct. 16, 2024	Oct. 15, 2025	Conduction (CO02-CB)
Test Software	SPORTON	SENSE-EMI	V5.11	150kHz-30MHz	N.C.R.	N.C.R.	Conduction (CO02-CB)
Loop Antenna	Teseq	HLA 6121	65417	9kHz - 30 MHz	Oct. 16, 2024	Oct. 15, 2025	Radiation (03CH03-CB)
3m Semi Anechoic Chamber NSA	TDK	SAC-3M	03CH03-CB	30 MHz ~ 1 GHz	Jan. 18, 2024	Jan. 17, 2025	Radiation (03CH03-CB)
Bilog Antenna with 6dB Attenuator	Schaffner & EMCI	CBL6112B& N-6-06	2888&AT-N0 605	30MHz ~ 1GHz	Jan. 18, 2024	Jan. 17, 2025	Radiation (03CH03-CB)
Amplifier	SGH	SGH301	20240606-1	30MHz ~ 1GHz	Jun. 04, 2024	Jun. 03, 2025	Radiation (03CH03-CB)
Spectrum Analyzer	R&S	FSP40	100019	9kHz ~ 40GHz	Jun. 11, 2024	Jun. 10, 2025	Radiation (03CH03-CB)
EMI Test Receiver	R&S	ESR7	102172	9kHz ~ 7GHz	Oct. 21, 2024	Oct. 20, 2025	Radiation (03CH03-CB)
RF Cable-low	Woken	RG402	Low Cable-02+29	30MHz ~ 1GHz	Oct. 01, 2024	Sep. 30, 2025	Radiation (03CH03-CB)
Test Software	SPORTON	SENSE-EMI	V5.11.8	30MHz-40GHz	N.C.R.	N.C.R.	Radiation (03CH03-CB)
3m Semi Anechoic Chamber VSWR	TDK	SAC-3M	03CH06-CB	1GHz ~18GHz 3m	Oct. 08, 2024	Oct. 07, 2025	Radiation (03CH06-CB)
Horn Antenna	SCHWARZBECK	BBHA9120D	BBHA 9120D-1292	1GHz~18GHz	Jul. 29, 2024	Jul. 28, 2025	Radiation (03CH06-CB)
Horn Antenna	Schwarzbeck	BBHA 9170	BBHA917025 2	15GHz ~ 40GHz	Sep. 23, 2024	Sep. 22, 2025	Radiation (03CH06-CB)
Pre-Amplifier	EMCI	EMC12630SE	980383	1GHz ~ 18GHz	Jul. 31, 2024	Jul. 30, 2025	Radiation (03CH06-CB)
Pre-Amplifier	SGH	SGH1840	20230109-3	18~40GHz	Jan. 12, 2024	Jan. 11, 2025	Radiation (03CH06-CB)
Signal analyzer	R&S	FSV3044	101667	9kHz~44GHz	Aug. 20, 2024	Aug. 19, 2025	Radiation (03CH06-CB)



Instrument	Brand	Model No.	Serial No.	Characteristics	Calibration Date	Calibration Due Date	Remark
RF Cable-high	Woken	RG402	High Cable-05+68	1GHz~18GHz	Oct. 01, 2024	Sep. 30, 2025	Radiation (03CH06-CB)
High Cable	Woken	WCA0929M	40G#5+6	1GHz ~ 40 GHz	Oct. 01, 2024	Sep. 30, 2025	Radiation (03CH06-CB)
Test Software	SPORTON	SENSE-15407_NII	V5.11. 23	5.15GHz-7.115GHz	N.C.R.	N.C.R.	Radiation (03CH06-CB)
Spectrum analyzer	R&S	FSV40	100979	9kHz~40GHz	May 27, 2024	May 26, 2025	Conducted (TH01-CB)
Switch	SPTCB	SP-SWI	SWI-01	1~18 GHz	Oct. 02, 2024	Oct. 01, 2025	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-06	1 GHz – 18 GHz	Oct. 01, 2024	Sep. 30, 2025	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-07	1 GHz – 18 GHz	Oct. 01, 2024	Sep. 30, 2025	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-08	1 GHz – 18 GHz	Oct. 01, 2024	Sep. 30, 2025	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-09	1 GHz – 18 GHz	Oct. 01, 2024	Sep. 30, 2025	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-10	1 GHz – 18 GHz	Oct. 01, 2024	Sep. 30, 2025	Conducted (TH01-CB)
Cable 9k-18G	Woken	RG402	Cable-95	9 kHz –18 GHz	Oct. 01, 2024	Sep. 30, 2025	Conducted (TH01-CB)
Power Sensor	Agilent	E9327A	US40442088	50MHz~18GHz	Mar. 01, 2024	Feb. 28, 2025	Conducted (TH01-CB)
Power Meter	Agilent	E4416A	MY45100745	50MHz~18GHz	Jul. 12, 2024	Jul. 11, 2025	Conducted (TH01-CB)
Test Software	SPORTON	SENSE-15407_NII	V5.11. 23	5.15GHz-7.115GHz	N.C.R.	N.C.R.	Conducted (TH01-CB)

Note: Calibration Interval of instruments listed above is one year.

NCR means Non-Calibration required.




Conducted Emissions at Powerline

Appendix A

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Condition
Mode 2	Pass	QP	271.5k	49.36	61.07	-11.71	Neutral

Mode 2



Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Factor (dB)	Condition	Comment	Raw (dBuV)	LISN (dB)	CL (dB)	AT (dB)						
QP	217.5k	47.78	62.92	-15.14	10.09	Line	-	37.69	0.05	0.02	10.02						
AV	217.5k	34.79	52.92	-18.13	10.09	Line	-	24.70	0.05	0.02	10.02						
QP	240k	48.89	62.10	-13.21	10.10	Line	-	38.79	0.05	0.03	10.02						
AV	240k	34.74	52.10	-17.36	10.10	Line	-	24.64	0.05	0.03	10.02						
QP	253.5k	49.83	61.64	-11.81	10.10	Line	-	39.73	0.05	0.03	10.02						
AV	253.5k	37.59	51.64	-14.05	10.10	Line	-	27.49	0.05	0.03	10.02						
QP	271.5k	49.35	61.07	-11.72	10.10	Line	"Worst"	39.25	0.05	0.03	10.02						
AV	271.5k	31.78	51.07	-19.29	10.10	Line	-	21.68	0.05	0.03	10.02						
QP	294k	48.18	60.42	-12.24	10.11	Line	-	38.07	0.05	0.03	10.03						
AV	294k	30.43	50.42	-19.99	10.11	Line	-	20.32	0.05	0.03	10.03						
QP	303k	47.82	60.17	-12.35	10.11	Line	-	37.71	0.05	0.03	10.03						
AV	303k	35.11	50.17	-15.06	10.11	Line	-	25.00	0.05	0.03	10.03						
QP	397.5k	41.31	57.91	-16.60	10.12	Line	-	31.19	0.05	0.04	10.03						
AV	397.5k	32.65	47.91	-15.26	10.12	Line	-	22.53	0.05	0.04	10.03						
QP	456k	44.72	56.76	-12.04	10.12	Line	-	34.60	0.05	0.04	10.03						
AV	456k	28.49	46.76	-18.27	10.12	Line	-	18.37	0.05	0.04	10.03						
QP	465k	44.72	56.61	-11.89	10.12	Line	-	34.60	0.05	0.04	10.03						
AV	465k	29.82	46.61	-16.79	10.12	Line	-	19.70	0.05	0.04	10.03						
QP	649.5k	41.42	56.00	-14.58	10.12	Line	-	31.30	0.06	0.03	10.03						
AV	649.5k	24.40	46.00	-21.60	10.12	Line	-	14.28	0.06	0.03	10.03						

Mode 2



Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Factor (dB)	Condition	Comment	Raw (dBuV)	LISN (dB)	CL (dB)	AT (dB)						
QP	231k	49.49	62.41	-12.92	10.09	Neutral	-	39.40	0.05	0.02	10.02						
AV	231k	39.01	52.41	-13.40	10.09	Neutral	-	28.92	0.05	0.02	10.02						
QP	271.5k	49.36	61.07	-11.71	10.10	Neutral	"Worst"	39.26	0.05	0.03	10.02						
AV	271.5k	31.77	51.07	-19.30	10.10	Neutral	-	21.67	0.05	0.03	10.02						
QP	285k	48.88	60.67	-11.79	10.11	Neutral	-	38.77	0.05	0.03	10.03						
AV	285k	32.20	50.67	-18.47	10.11	Neutral	-	22.09	0.05	0.03	10.03						
QP	298.5k	47.89	60.28	-12.39	10.11	Neutral	-	37.78	0.05	0.03	10.03						
AV	298.5k	32.43	50.28	-17.85	10.11	Neutral	-	22.32	0.05	0.03	10.03						
QP	325.5k	45.60	59.56	-13.96	10.11	Neutral	-	35.49	0.05	0.03	10.03						
AV	325.5k	36.37	49.56	-13.19	10.11	Neutral	-	26.26	0.05	0.03	10.03						
QP	438k	44.54	57.11	-12.57	10.12	Neutral	-	34.42	0.05	0.04	10.03						
AV	438k	28.45	47.11	-18.66	10.12	Neutral	-	18.33	0.05	0.04	10.03						
QP	469.5k	44.73	56.52	-11.79	10.12	Neutral	-	34.61	0.05	0.04	10.03						
AV	469.5k	30.33	46.52	-16.19	10.12	Neutral	-	20.21	0.05	0.04	10.03						
QP	622.5k	41.18	56.00	-14.82	10.11	Neutral	-	31.07	0.05	0.03	10.03						
AV	622.5k	23.60	46.00	-22.40	10.11	Neutral	-	13.49	0.05	0.03	10.03						
QP	658.5k	41.10	56.00	-14.90	10.12	Neutral	-	30.98	0.06	0.03	10.03						
AV	658.5k	23.62	46.00	-22.38	10.12	Neutral	-	13.50	0.06	0.03	10.03						

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_2TX	80.4M	77.7M	77M7D1D	80.24M	77.314M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	23.155M	16.778M	16M8D1D	21.23M	16.615M
802.11be EHT20_Nss1,(MCS0)_2TX	22.495M	19.172M	19M2D1D	21.34M	18.976M
802.11be EHT40_Nss1,(MCS0)_2TX	41.36M	38.024M	38M0D1D	40.81M	37.836M
802.11be EHT80_Nss1,(MCS0)_2TX	83.38M	77.562M	77M6D1D	80.52M	77.436M
802.11be EHT160_Nss1,(MCS0)_2TX	83.28M	77.761M	77M8D1D	80M	77.453M
5.47-5.725GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	22.825M	16.909M	16M9D1D	15.18M	13.31M
802.11be EHT20_Nss1,(MCS0)_2TX	22.11M	19.24M	19M2D1D	15.6M	14.499M
802.11be EHT40_Nss1,(MCS0)_2TX	42.46M	38.136M	38M1D1D	35.84M	33.78M
802.11be EHT80_Nss1,(MCS0)_2TX	83.38M	77.732M	77M7D1D	78.225M	73.194M
802.11be EHT160_Nss1,(MCS0)_2TX	161.92M	156.644M	157MD1D	161.92M	155.959M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	3.24M	4.368M	4M37D1D	3.22M	4.284M
802.11be EHT20_Nss1,(MCS0)_2TX	4.52M	4.558M	4M56D1D	4.52M	4.551M
802.11be EHT40_Nss1,(MCS0)_2TX	4.04M	4.63M	4M63D1D	4.02M	4.351M
802.11be EHT80_Nss1,(MCS0)_2TX	4.02M	6.702M	6M70D1D	4.02M	5.898M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5260MHz	Pass	Inf	21.835M	16.615M	21.285M	16.714M
5300MHz	Pass	Inf	21.23M	16.617M	22.055M	16.778M
5320MHz	Pass	Inf	21.67M	16.686M	23.155M	16.616M
5500MHz	Pass	Inf	21.56M	16.733M	22.22M	16.687M
5580MHz	Pass	Inf	21.78M	16.61M	21.395M	16.669M
5700MHz	Pass	Inf	21.395M	16.909M	22.825M	16.739M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	15.825M	13.31M	15.18M	13.654M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.24M	4.284M	3.22M	4.368M
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	Inf	22.44M	19.017M	21.56M	18.993M
5300MHz	Pass	Inf	22.495M	18.976M	21.34M	19.172M
5320MHz	Pass	Inf	21.56M	19.018M	22M	19.01M
5500MHz	Pass	Inf	21.395M	19.051M	21.505M	19.077M
5580MHz	Pass	Inf	22.11M	18.987M	21.725M	19M
5700MHz	Pass	Inf	21.285M	19.24M	20.955M	19.09M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	15.645M	14.591M	15.6M	14.499M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.52M	4.551M	4.52M	4.558M
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	Inf	40.81M	38.024M	41.25M	37.836M
5310MHz	Pass	Inf	41.25M	37.9M	41.36M	37.901M
5510MHz	Pass	Inf	41.58M	37.962M	40.92M	38.136M
5550MHz	Pass	Inf	41.91M	37.965M	41.03M	37.973M
5670MHz	Pass	Inf	41.91M	38.033M	42.46M	37.915M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	35.84M	33.78M	35.84M	33.823M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	4.02M	4.351M	4.04M	4.63M
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	Inf	83.38M	77.436M	80.52M	77.562M
5530MHz	Pass	Inf	83.38M	77.732M	81.62M	77.488M
5610MHz	Pass	Inf	80.3M	77.327M	82.94M	77.275M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	78.375M	73.194M	78.225M	73.363M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	4.02M	5.898M	4.02M	6.702M
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	80.4M	77.7M	80.24M	77.314M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	83.28M	77.761M	80M	77.453M
5570MHz	Pass	Inf	161.92M	155.959M	161.92M	156.644M



Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5260MHz

22/10/2024





5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

EBW



5300MHz

22/10/2024





5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX
EBW
5320MHz

22/10/2024


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX
EBW
5500MHz

22/10/2024




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5580MHz

22/10/2024




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5700MHz

22/10/2024




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5720MHz Straddle 5.47-5.725GHz

22/10/2024




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

EBW


5720MHz Straddle 5.725-5.85GHz

22/10/2024




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX
EBW
5720MHz Straddle 5.725-5.85GHz

22/10/2024


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX
EBW
5260MHz

22/10/2024





5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5300MHz

22/10/2024





5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5320MHz

22/10/2024




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5500MHz

22/10/2024




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5580MHz

22/10/2024




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5700MHz

22/10/2024




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5720MHz Straddle 5.47-5.725GHz

22/10/2024




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5720MHz Straddle 5.725-5.85GHz

22/10/2024




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5720MHz Straddle 5.725-5.85GHz

22/10/2024




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5270MHz

22/10/2024




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5310MHz

22/10/2024




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5510MHz

22/10/2024




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5550MHz

22/10/2024




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5670MHz

22/10/2024




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5710MHz Straddle 5.47-5.725GHz

22/10/2024




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5710MHz Straddle 5.725-5.85GHz

22/10/2024




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5710MHz Straddle 5.725-5.85GHz

22/10/2024





5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5290MHz

22/10/2024





5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5530MHz

22/10/2024




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5610MHz

22/10/2024




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5690MHz Straddle 5.47-5.725GHz

22/10/2024




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5690MHz Straddle 5.725-5.85GHz

22/10/2024




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5690MHz Straddle 5.725-5.85GHz

22/10/2024





5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW

5250MHz Straddle 5.15-5.25GHz

22/10/2024





5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW

5250MHz Straddle 5.25-5.35GHz

22/10/2024




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW

5570MHz

22/10/2024



Summary

Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11be EHT160_Nss1,(MCS0)_2TX	18.11	0.06471
802.11be EHT160-BF_Nss1,(MCS0)_2TX	18.11	0.06471
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	20.21	0.10495
802.11be EHT20_Nss1,(MCS0)_2TX	20.79	0.11995
802.11be EHT20-BF_Nss1,(MCS0)_2TX	20.29	0.10691
802.11be EHT40_Nss1,(MCS0)_2TX	23.10	0.20417
802.11be EHT40-BF_Nss1,(MCS0)_2TX	20.21	0.10495
802.11be EHT80_Nss1,(MCS0)_2TX	20.59	0.11455
802.11be EHT80-BF_Nss1,(MCS0)_2TX	20.21	0.10495
802.11be EHT160_Nss1,(MCS0)_2TX	18.21	0.06622
802.11be EHT160-BF_Nss1,(MCS0)_2TX	18.21	0.06622
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	20.33	0.10789
802.11be EHT20_Nss1,(MCS0)_2TX	20.92	0.12359
802.11be EHT20-BF_Nss1,(MCS0)_2TX	20.21	0.10495
802.11be EHT40_Nss1,(MCS0)_2TX	23.09	0.20370
802.11be EHT40-BF_Nss1,(MCS0)_2TX	20.29	0.10691
802.11be EHT80_Nss1,(MCS0)_2TX	23.11	0.20464
802.11be EHT80-BF_Nss1,(MCS0)_2TX	20.36	0.10864
802.11be EHT160_Nss1,(MCS0)_2TX	22.99	0.19907
802.11be EHT160-BF_Nss1,(MCS0)_2TX	20.13	0.10304
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	13.55	0.02265
802.11be EHT20_Nss1,(MCS0)_2TX	15.09	0.03228
802.11be EHT20-BF_Nss1,(MCS0)_2TX	14.60	0.02884
802.11be EHT40_Nss1,(MCS0)_2TX	13.75	0.02371
802.11be EHT40-BF_Nss1,(MCS0)_2TX	11.12	0.01294
802.11be EHT80_Nss1,(MCS0)_2TX	10.19	0.01045
802.11be EHT80-BF_Nss1,(MCS0)_2TX	7.60	0.00575

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5260MHz	Pass	6.76	17.07	17.33	20.21	23.22
5300MHz	Pass	6.76	17.17	17.14	20.17	23.22
5320MHz	Pass	6.76	17.19	17.02	20.12	23.22
5500MHz	Pass	6.76	16.78	17.19	20.00	23.22
5580MHz	Pass	6.76	17.01	17.1	20.07	23.22
5700MHz	Pass	6.76	17.05	17.58	20.33	23.22
5720MHz Straddle 5.47-5.725GHz	Pass	6.76	16.06	16.39	19.24	22.05
5720MHz Straddle 5.725-5.85GHz	Pass	6.76	10.21	10.84	13.55	29.24
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	6.76	17.63	17.92	20.79	23.22
5300MHz	Pass	6.76	17.7	17.66	20.69	23.22
5320MHz	Pass	6.76	17.64	17.65	20.66	23.22
5500MHz	Pass	6.76	17.39	18.04	20.74	23.22
5580MHz	Pass	6.76	17.61	17.86	20.75	23.22
5700MHz	Pass	6.76	17.54	18.25	20.92	23.22
5720MHz Straddle 5.47-5.725GHz	Pass	6.76	16.36	16.8	19.60	22.17
5720MHz Straddle 5.725-5.85GHz	Pass	6.76	11.77	12.37	15.09	29.24
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	6.76	19.81	20.36	23.10	23.22
5310MHz	Pass	6.76	17.75	17.44	20.61	23.22
5510MHz	Pass	6.76	19.94	20.21	23.09	23.22
5550MHz	Pass	6.76	19.76	20.36	23.08	23.22
5670MHz	Pass	6.76	19.35	20.31	22.87	23.22
5710MHz Straddle 5.47-5.725GHz	Pass	6.76	19.64	20	22.83	23.22
5710MHz Straddle 5.725-5.85GHz	Pass	6.76	10.82	10.66	13.75	29.24
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	6.76	17.73	17.43	20.59	23.22
5530MHz	Pass	6.76	19.93	20.27	23.11	23.22
5610MHz	Pass	6.76	19.3	20.26	22.82	23.22
5690MHz Straddle 5.47-5.725GHz	Pass	6.76	19.63	20.33	23.00	23.22
5690MHz Straddle 5.725-5.85GHz	Pass	6.76	7.22	7.14	10.19	29.24
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.76	15.19	15.01	18.11	29.24
5250MHz Straddle 5.25-5.35GHz	Pass	6.76	14.75	15.6	18.21	23.22
5570MHz	Pass	6.76	19.52	20.39	22.99	23.22
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	9.60	17.1	17.46	20.29	20.38
5300MHz	Pass	9.60	17.28	17.13	20.22	20.38
5320MHz	Pass	9.60	17.22	17.17	20.21	20.38
5500MHz	Pass	9.60	16.9	17.4	20.17	20.38
5580MHz	Pass	9.60	17.13	17.26	20.21	20.38
5700MHz	Pass	9.60	16.64	17.28	19.98	20.38
5720MHz Straddle 5.47-5.725GHz	Pass	9.60	15.86	16.17	19.03	19.33
5720MHz Straddle 5.725-5.85GHz	Pass	9.60	11.34	11.82	14.60	26.40
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	9.60	17.11	17.24	20.19	20.38
5310MHz	Pass	9.60	17.36	17.04	20.21	20.38
5510MHz	Pass	9.60	16.84	17.08	19.97	20.38
5550MHz	Pass	9.60	17.03	16.88	19.97	20.38
5670MHz	Pass	9.60	16.87	17.57	20.24	20.38
5710MHz Straddle 5.47-5.725GHz	Pass	9.60	16.98	17.56	20.29	20.38
5710MHz Straddle 5.725-5.85GHz	Pass	9.60	8.14	8.08	11.12	26.40
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	9.60	17.28	17.12	20.21	20.38



Average Power

Appendix C

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
5530MHz	Pass	9.60	17.1	17.08	20.10	20.38
5610MHz	Pass	9.60	16.99	17.69	20.36	20.38
5690MHz Straddle 5.47-5.725GHz	Pass	9.60	17.06	17.58	20.34	20.38
5690MHz Straddle 5.725-5.85GHz	Pass	9.60	4.6	4.58	7.60	26.40
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	9.60	15.19	15.01	18.11	26.40
5250MHz Straddle 5.25-5.35GHz	Pass	9.60	14.75	15.6	18.21	20.38
5570MHz	Pass	9.60	16.87	17.36	20.13	20.38


DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TX

22/10/2024




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TX

22/10/2024




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TX

22/10/2024




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TX

22/10/2024




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

AV Power

5710MHz Straddle 5.47-5.725GHz_TX

22/10/2024




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

AV Power

5710MHz Straddle 5.725-5.85GHz_TX

22/10/2024




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

AV Power

5690MHz Straddle 5.47-5.725GHz_TX

22/10/2024




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX

22/10/2024




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

AV Power

5250MHz Straddle 5.15-5.25GHz_TX

22/10/2024




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

AV Power

5250MHz Straddle 5.25-5.35GHz_TX

22/10/2024




5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TX

23/10/2024




5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TX

23/10/2024




5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

AV Power

5710MHz Straddle 5.47-5.725GHz_TX

22/10/2024




5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

AV Power

5710MHz Straddle 5.725-5.85GHz_TX

22/10/2024




5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

AV Power

5690MHz Straddle 5.47-5.725GHz_TX

22/10/2024




5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX

22/10/2024



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT160_Nss1,(MCS0)_2TX	-1.42
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_2TX	7.27
802.11be EHT20_Nss1,(MCS0)_2TX	7.26
802.11be EHT40_Nss1,(MCS0)_2TX	6.46
802.11be EHT80_Nss1,(MCS0)_2TX	1.03
802.11be EHT160_Nss1,(MCS0)_2TX	-1.39
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_2TX	7.26
802.11be EHT20_Nss1,(MCS0)_2TX	7.38
802.11be EHT40_Nss1,(MCS0)_2TX	6.72
802.11be EHT80_Nss1,(MCS0)_2TX	3.74
802.11be EHT160_Nss1,(MCS0)_2TX	0.92
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_2TX	6.00
802.11be EHT20_Nss1,(MCS0)_2TX	6.05
802.11be EHT40_Nss1,(MCS0)_2TX	5.08
802.11be EHT80_Nss1,(MCS0)_2TX	1.45

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5260MHz	Pass	9.60	3.86	4.29	7.06	7.40
5300MHz	Pass	9.60	4.16	4.31	7.20	7.40
5320MHz	Pass	9.60	4.32	4.30	7.27	7.40
5500MHz	Pass	9.60	3.76	4.33	7.04	7.40
5580MHz	Pass	9.60	3.84	4.11	6.94	7.40
5700MHz	Pass	9.60	4.07	4.76	7.26	7.40
5720MHz Straddle 5.47-5.725GHz	Pass	9.60	4.11	4.48	7.17	7.40
5720MHz Straddle 5.725-5.85GHz	Pass	9.60	2.68	3.42	6.00	26.40
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	9.60	3.90	4.16	6.99	7.40
5300MHz	Pass	9.60	4.21	4.11	7.09	7.40
5320MHz	Pass	9.60	4.25	4.28	7.26	7.40
5500MHz	Pass	9.60	3.85	4.70	7.28	7.40
5580MHz	Pass	9.60	3.81	4.40	7.10	7.40
5700MHz	Pass	9.60	4.12	4.78	7.38	7.40
5720MHz Straddle 5.47-5.725GHz	Pass	9.60	4.12	4.80	7.27	7.40
5720MHz Straddle 5.725-5.85GHz	Pass	9.60	2.87	3.34	6.05	26.40
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	9.60	3.27	3.87	6.46	7.40
5310MHz	Pass	9.60	1.43	1.13	4.06	7.40
5510MHz	Pass	9.60	3.70	3.99	6.71	7.40
5550MHz	Pass	9.60	3.40	3.90	6.51	7.40
5670MHz	Pass	9.60	2.95	3.99	6.51	7.40
5710MHz Straddle 5.47-5.725GHz	Pass	9.60	3.66	4.13	6.72	7.40
5710MHz Straddle 5.725-5.85GHz	Pass	9.60	2.23	2.07	5.08	26.40
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	9.60	-1.69	-2.02	1.03	7.40
5530MHz	Pass	9.60	0.71	0.91	3.74	7.40
5610MHz	Pass	9.60	-0.18	1.06	3.46	7.40
5690MHz Straddle 5.47-5.725GHz	Pass	9.60	0.25	1.15	3.73	7.40
5690MHz Straddle 5.725-5.85GHz	Pass	9.60	-1.39	-1.54	1.45	26.40
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	9.60	-4.59	-4.12	-1.42	13.40
5250MHz Straddle 5.25-5.35GHz	Pass	9.60	-4.70	-4.00	-1.39	7.40
5570MHz	Pass	9.60	-2.61	-1.58	0.92	7.40

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5260MHz

22/10/2024

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.946

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.06	7.06	3.86	4.29

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5300MHz

22/10/2024

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.946

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.20	7.20	4.16	4.31


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5320MHz

22/10/2024

CF (Hz)
5.32G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
19.946
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
7.27	7.27	4.32	4.30

Sum
Port 1
Port 2


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5500MHz

22/10/2024

CF (Hz)
5.5G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
19.946
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
7.04	7.04	3.76	4.33

Sum
Port 1
Port 2


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5580MHz

22/10/2024

CF (Hz)
5.58G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
19.946
Detector Type
RMS



Sum (dBm/100kHz)	PD (dBm/100kHz)	Port 1 (dBm/100kHz)	Port 2 (dBm/100kHz)
6.94	6.94	3.84	4.11


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5700MHz

22/10/2024

CF (Hz)
5.7G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
19.946
Detector Type
RMS




Sum (dBm/100kHz)	PD (dBm/100kHz)	Port 1 (dBm/100kHz)	Port 2 (dBm/100kHz)
7.26	7.26	4.07	4.76

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

22/10/2024




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

22/10/2024




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5260MHz

22/10/2024

CF (Hz)
5.26G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
55.235
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.99	6.99	3.90	4.16

Sum
Port 1
Port 2


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5300MHz

22/10/2024

CF (Hz)
5.3G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
55.235
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.09	7.09	4.21	4.11

Sum
Port 1
Port 2


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5320MHz

22/10/2024

CF (Hz)
5.32G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
55.235
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.26	7.26	4.25	4.28

Sum
Port 1
Port 2


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5500MHz

22/10/2024

CF (Hz)
5.5G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
55.235
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.28	7.28	3.85	4.70

Sum
Port 1
Port 2


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5580MHz

22/10/2024

CF (Hz)
5.58G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
55.235
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
7.10	7.10	3.81	4.40

Sum
Port 1
Port 2


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5700MHz

22/10/2024

CF (Hz)
5.7G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
55.235
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
7.38	7.38	4.12	4.78


Sum
Port 1
Port 2

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

22/10/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.27	7.27	4.12	4.80

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

22/10/2024



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.05	6.05	2.87	3.34


5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5270MHz

22/10/2024

CF (Hz)
5.27G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
55.235
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.46	6.46	3.27	3.87


5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5310MHz

22/10/2024

CF (Hz)
5.31G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
55.235
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.06	4.06	1.43	1.13

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5510MHz

22/10/2024




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.71	6.71	3.70	3.99

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5550MHz

22/10/2024



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.51	6.51	3.40	3.90

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5670MHz

22/10/2024

CF (Hz)
5.67G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.235

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.51	6.51	2.95	3.99

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

22/10/2024

CF (Hz)
5.69G


Span (Hz)
140M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.235

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.72	6.72	3.66	4.13


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

22/10/2024

CF (Hz)
5.735G
Span (Hz)
40M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
55.235
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.08	5.08	2.23	2.07


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5290MHz

22/10/2024

CF (Hz)
5.29G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
55.06
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.03	1.03	-1.69	-2.02


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5530MHz

22/10/2024

CF (Hz)
5.53G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
55.06
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.74	3.74	0.71	0.91


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5610MHz

22/10/2024

CF (Hz)
5.61G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
55.06
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.46	3.46	-0.18	1.06

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

22/10/2024



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.73	3.73	0.25	1.15

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

22/10/2024



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.45	1.45	-1.39	-1.54

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

22/10/2024




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.42	-1.42	-4.59	-4.12

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

22/10/2024



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.39	-1.39	-4.70	-4.00


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5570MHz

22/10/2024

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
55.066
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.92	0.92	-2.61	-1.58




Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 5	Pass	PK	41.64M	36.15	40.00	-3.85	Vertical

Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	41.64M	36.15	40.00	-3.85	-25.15	3	Vertical	271	1.50	"Worst"	61.30	17.99	1.22	44.36		
PK	439.34M	38.37	46.00	-7.63	-16.79	3	Vertical	115	1.25	-	55.16	22.52	4.55	43.86		
PK	444.19M	37.70	46.00	-8.30	-16.70	3	Vertical	92	1.50	-	54.40	22.60	4.55	43.85		
PK	904.94M	36.33	46.00	-9.67	-10.44	3	Vertical	117	2.00	-	46.77	26.48	6.48	43.40		
PK	928.22M	36.77	46.00	-9.23	-10.40	3	Vertical	80	2.00	-	47.17	26.48	6.54	43.42		
PK	948.59M	36.80	46.00	-9.20	-10.10	3	Vertical	47	1.25	-	46.90	26.76	6.59	43.45		

Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	51.34M	26.74	40.00	-13.26	-29.21	3	Horizontal	153	1.50	-	55.95	13.77	1.49	44.47		
PK	119.24M	28.02	43.50	-15.48	-24.02	3	Horizontal	202	1.50	-	52.04	18.17	2.28	44.47		
PK	435.46M	34.66	46.00	-11.34	-16.84	3	Horizontal	0	1.25	-	51.50	22.48	4.55	43.87		
PK	657.59M	35.33	46.00	-10.67	-13.39	3	Horizontal	59	2.00	-	48.72	24.94	5.29	43.62		
PK	784.66M	36.21	46.00	-9.79	-11.64	3	Horizontal	135	2.00	-	47.85	25.80	5.94	43.38		
PK	866.14M	36.38	46.00	-9.62	-10.63	3	Horizontal	160	1.50	-	47.01	26.44	6.31	43.38		
PK	907.85M	36.48	46.00	-9.52	-10.35	3	Horizontal	286	2.00	"Worst"	46.83	26.56	6.49	43.40		
PK	941.8M	36.35	46.00	-9.65	-10.31	3	Horizontal	4	3.00	-	46.66	26.56	6.57	43.44		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.73704G	67.89	68.20	-0.31	3	Vertical	84	2.58	21

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
SET 28
20\28
9.30\8.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.14924G	57.60	74.00	-16.40	52.86	3	Vertical	265	2.37	28	32.00	6.78	34.04				
AV	5.15G	45.41	54.00	-8.59	40.67	3	Vertical	265	2.37	28	32.00	6.78	34.04				
PK	5.26312G	121.80	Inf	-Inf	117.64	3	Vertical	265	2.37	28	31.37	6.86	34.07				
AV	5.26312G	113.04	Inf	-Inf	108.88	3	Vertical	265	2.37	28	31.37	6.86	34.07				
PK	5.38922G	57.83	74.00	-16.17	53.58	3	Vertical	265	2.37	28	31.48	6.88	34.11				
AV	5.35178G	45.69	54.00	-8.31	41.52	3	Vertical	265	2.37	28	31.40	6.87	34.10				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
SET 28
28
9.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1378G	57.86	74.00	-16.14	53.18	3	Horizontal	42	2.95	28	31.95	6.76	34.03			
AV	5.14924G	44.45	54.00	-9.55	39.71	3	Horizontal	42	2.95	28	32.00	6.78	34.04			
PK	5.25376G	114.40	Inf	-Inf	110.22	3	Horizontal	42	2.95	28	31.39	6.86	34.07			
AV	5.2535G	105.17	Inf	-Inf	100.99	3	Horizontal	42	2.95	28	31.39	6.86	34.07			
PK	5.35984G	56.70	74.00	-17.30	52.52	3	Horizontal	42	2.95	28	31.42	6.87	34.11			
AV	5.35984G	44.46	54.00	-9.54	40.28	3	Horizontal	42	2.95	28	31.42	6.87	34.11			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
SET 28
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51968G	58.53	68.20	-9.67	42.20	3	Vertical	351.1	1.80	28	39.70	11.12	34.49			
PK	15.77513G	60.11	74.00	-13.89	43.34	3	Vertical	318	1.80	28	37.70	13.26	34.19			
AV	15.7804G	47.69	54.00	-6.31	30.93	3	Vertical	318	1.80	28	37.68	13.27	34.19			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
SET 28
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51049G	57.74	68.20	-10.46	41.42	3	Horizontal	252	1.80	28	39.70	11.11	34.49			
PK	15.77912G	60.46	74.00	-13.54	43.70	3	Horizontal	315	1.98	28	37.68	13.27	34.19			
AV	15.77964G	47.06	54.00	-6.94	30.30	3	Horizontal	315	1.98	28	37.68	13.27	34.19			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
SET 27.5
20\26\28\27\27.5
6.29\3.63\ -1.10\1.47\0.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.29454G	121.34	Inf	-Inf	117.25	3	Vertical	251	2.46	27.5	31.31	6.86	34.08			
AV	5.30462G	112.63	Inf	-Inf	108.54	3	Vertical	251	2.46	27.5	31.31	6.87	34.09			
PK	5.35G	67.93	74.00	-6.07	63.76	3	Vertical	251	2.46	27.5	31.40	6.87	34.10			
AV	5.35012G	53.19	54.00	-0.81	49.02	3	Vertical	251	2.46	27.5	31.40	6.87	34.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
SET 27.5
27.5
7.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.29356G	113.75	Inf	-Inf	109.66	3	Horizontal	39	2.89	27.5	31.31	6.86	34.08				
AV	5.293G	104.98	Inf	-Inf	100.89	3	Horizontal	39	2.89	27.5	31.31	6.86	34.08				
PK	5.35656G	59.03	74.00	-14.97	54.85	3	Horizontal	39	2.89	27.5	31.41	6.87	34.10				
AV	5.35306G	46.13	54.00	-7.87	41.95	3	Horizontal	39	2.89	27.5	31.41	6.87	34.10				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
SET 27.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58206G	58.37	68.20	-9.83	41.90	3	Vertical	86	2.41	27.5	39.76	11.16	34.45			
PK	15.89441G	60.11	74.00	-13.89	43.29	3	Vertical	324	1.85	27.5	37.69	13.35	34.22			
AV	15.89928G	48.06	54.00	-5.94	31.23	3	Vertical	324	1.85	27.5	37.70	13.35	34.22			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
SET 27.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61778G	57.99	74.00	-16.01	41.44	3	Horizontal	162	1.80	27.5	39.80	11.18	34.43			
PK	15.91051G	58.22	74.00	-15.78	41.42	3	Horizontal	342	2.01	27.5	37.66	13.36	34.22			
AV	15.90012G	45.64	54.00	-8.36	28.81	3	Horizontal	342	2.01	27.5	37.70	13.35	34.22			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
SET 24.5
20\27\19\23\25\24\24.5
7.01\9.17\7.65\4.53\0.30\3.26\1.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.313G	119.24	Inf	-Inf	115.13	3	Vertical	98	2.94	24.5	31.33	6.87	34.09			
AV	5.3131G	110.80	Inf	-Inf	106.69	3	Vertical	98	2.94	24.5	31.33	6.87	34.09			
PK	5.3527G	68.01	74.00	-5.99	63.83	3	Vertical	98	2.94	24.5	31.41	6.87	34.10			
AV	5.3527G	52.76	54.00	-1.24	48.58	3	Vertical	98	2.94	24.5	31.41	6.87	34.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
SET 24.5
24.5
7.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3229G	108.54	Inf	-Inf	104.41	3	Horizontal	53	2.36	24.5	31.35	6.87	34.09			
AV	5.3227G	100.16	Inf	-Inf	96.03	3	Horizontal	53	2.36	24.5	31.35	6.87	34.09			
PK	5.3531G	58.90	74.00	-15.10	54.72	3	Horizontal	53	2.36	24.5	31.41	6.87	34.10			
AV	5.3524G	46.30	54.00	-7.70	42.13	3	Horizontal	53	2.36	24.5	31.40	6.87	34.10			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
SET 24.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63828G	58.77	74.00	-15.23	42.20	3	Vertical	80	2.92	24.5	39.80	11.19	34.42			
AV	10.6384G	45.65	54.00	-8.35	29.08	3	Vertical	80	2.92	24.5	39.80	11.19	34.42			
PK	15.96999G	57.43	74.00	-16.57	40.85	3	Vertical	323	1.88	24.5	37.42	13.40	34.24			
AV	15.96444G	45.01	54.00	-8.99	28.41	3	Vertical	323	1.88	24.5	37.44	13.40	34.24			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
SET 24.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.65323G	58.22	74.00	-15.78	41.64	3	Horizontal	351	2.31	24.5	39.79	11.20	34.41				
AV	10.63944G	45.59	54.00	-8.41	29.01	3	Horizontal	351	2.31	24.5	39.80	11.20	34.42				
PK	15.95257G	57.00	74.00	-17.00	40.36	3	Horizontal	214	1.80	24.5	37.49	13.39	34.24				
AV	15.97199G	44.68	54.00	-9.32	28.11	3	Horizontal	214	1.80	24.5	37.41	13.40	34.24				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
SET 24.5
20\26\23\24.5\25\24.5
6.32\ -2.25\1.23\0.86\ -0.23\0.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4582G	63.29	74.00	-10.71	58.82	3	Vertical	101	2.64	24	31.72	6.89	34.14			
AV	5.4586G	49.20	54.00	-4.80	44.73	3	Vertical	101	2.64	24	31.72	6.89	34.14			
PK	5.469G	67.37	68.20	-0.83	62.88	3	Vertical	101	2.64	24	31.74	6.89	34.14			
PK	5.4936G	120.05	Inf	-Inf	115.52	3	Vertical	101	2.64	24	31.79	6.89	34.15			
AV	5.5035G	111.68	Inf	-Inf	107.13	3	Vertical	101	2.64	24	31.80	6.90	34.15			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
SET 24.5
24.5
9.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4597G	56.76	74.00	-17.24	52.29	3	Horizontal	54	2.82	24	31.72	6.89	34.14			
AV	5.4585G	44.88	54.00	-9.12	40.41	3	Horizontal	54	2.82	24	31.72	6.89	34.14			
PK	5.4684G	58.65	68.20	-9.55	54.16	3	Horizontal	54	2.82	24	31.74	6.89	34.14			
PK	5.5038G	109.27	Inf	-Inf	104.72	3	Horizontal	54	2.82	24	31.80	6.90	34.15			
AV	5.5034G	100.50	Inf	-Inf	95.95	3	Horizontal	54	2.82	24	31.80	6.90	34.15			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
SET 24.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99948G	58.75	74.00	-15.25	41.33	3	Vertical	6	2.02	24	40.20	11.43	34.21			
AV	10.99988G	46.66	54.00	-7.34	29.24	3	Vertical	6	2.02	24	40.20	11.43	34.21			
PK	16.50092G	59.36	68.20	-8.84	40.35	3	Vertical	1	1.80	24	39.70	13.59	34.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
SET 24.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00607G	58.50	74.00	-15.50	41.11	3	Horizontal	1	1.80	24	40.18	11.43	34.22			
AV	10.99864G	46.12	54.00	-7.88	28.70	3	Horizontal	1	1.80	24	40.20	11.43	34.21			
PK	16.48601G	59.32	68.20	-8.88	40.45	3	Horizontal	226	1.80	24	39.56	13.59	34.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
SET 28
20\28
9.27\8.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.43888G	58.05	74.00	-15.95	53.63	3	Vertical	86	2.43	28	31.66	6.89	34.13				
PK	5.46992G	57.56	68.20	-10.64	53.07	3	Vertical	86	2.43	28	31.74	6.89	34.14				
AV	5.45872G	45.38	54.00	-8.62	40.91	3	Vertical	86	2.43	28	31.72	6.89	34.14				
PK	5.58736G	124.60	Inf	-Inf	120.20	3	Vertical	86	2.43	28	31.73	6.91	34.24				
AV	5.58736G	115.33	Inf	-Inf	110.93	3	Vertical	86	2.43	28	31.73	6.91	34.24				
PK	5.73136G	58.64	68.20	-9.56	53.85	3	Vertical	86	2.43	28	32.10	7.09	34.40				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
SET 28
28
9.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.43088G	57.35	74.00	-16.65	52.98	3	Horizontal	153	2.75	28	31.62	6.88	34.13				
AV	5.43792G	44.41	54.00	-9.59	40.00	3	Horizontal	153	2.75	28	31.65	6.89	34.13				
PK	5.46864G	57.50	68.20	-10.70	53.01	3	Horizontal	153	2.75	28	31.74	6.89	34.14				
PK	5.5736G	111.65	Inf	-Inf	107.22	3	Horizontal	153	2.75	28	31.75	6.91	34.23				
AV	5.5832G	102.32	Inf	-Inf	97.92	3	Horizontal	153	2.75	28	31.73	6.91	34.24				
PK	5.73808G	56.68	68.20	-11.52	51.88	3	Horizontal	153	2.75	28	32.10	7.10	34.40				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT_Z_2TX
SET 28
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16995G	58.72	74.00	-15.28	42.20	3	Vertical	136	1.36	28	39.46	11.54	34.48			
AV	11.16959G	45.61	54.00	-8.39	29.08	3	Vertical	136	1.36	28	39.46	11.54	34.47			
PK	16.73457G	62.13	68.20	-6.07	42.82	3	Vertical	327	1.80	28	39.91	13.67	34.27			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT_Z_2TX
SET 28
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14685G	58.73	74.00	-15.27	42.12	3	Horizontal	330	1.05	28	39.52	11.53	34.44			
AV	11.15588G	45.65	54.00	-8.35	29.08	3	Horizontal	330	1.05	28	39.49	11.53	34.45			
PK	16.74851G	60.08	68.20	-8.12	40.69	3	Horizontal	18	1.80	28	39.99	13.67	34.27			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
SET 22
20\24.5\19\21.5\22.5\22
4.93\ -9.12\6.44\1.94\ -10.06\2.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7032G	120.23	Inf	-Inf	115.45	3	Vertical	95	2.61	22	32.10	7.05	34.37			
AV	5.693G	111.17	Inf	-Inf	106.41	3	Vertical	95	2.61	22	32.07	7.04	34.35			
PK	5.7279G	65.50	68.20	-2.70	60.71	3	Vertical	95	2.61	22	32.10	7.08	34.39			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
SET 22
22
10.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6975G	108.72	Inf	-Inf	103.95	3	Horizontal	26	2.66	22	32.09	7.04	34.36			
AV	5.7021G	99.89	Inf	-Inf	95.10	3	Horizontal	26	2.66	22	32.10	7.05	34.36			
PK	5.7264G	58.07	68.20	-10.13	53.28	3	Horizontal	26	2.66	22	32.10	7.08	34.39			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
SET 22
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40032G	58.22	74.00	-15.78	41.56	3	Vertical	346	1.80	22	39.80	11.69	34.83			
AV	11.38098G	45.76	54.00	-8.24	29.12	3	Vertical	346	1.80	22	39.76	11.68	34.80			
PK	17.10544G	59.69	68.20	-8.51	39.72	3	Vertical	353	1.80	22	40.41	13.80	34.24			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
SET 22
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38426G	58.74	74.00	-15.26	42.10	3	Horizontal	169	1.80	22	39.77	11.68	34.81			
AV	11.38801G	45.71	54.00	-8.29	29.07	3	Horizontal	169	1.80	22	39.78	11.68	34.82			
PK	17.10012G	59.53	68.20	-8.67	39.58	3	Horizontal	2	1.66	22	40.40	13.79	34.24			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 28
20\28
7.05\7.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45972G	58.92	74.00	-15.08	54.45	3	Vertical	93	2.67	28	31.72	6.89	34.14			
AV	5.45G	46.65	54.00	-7.35	42.19	3	Vertical	93	2.67	28	31.70	6.89	34.13			
PK	5.46026G	57.57	68.20	-10.63	53.10	3	Vertical	93	2.67	28	31.72	6.89	34.14			
PK	5.71244G	124.68	Inf	-Inf	119.90	3	Vertical	93	2.67	28	32.10	7.06	34.38			
AV	5.71298G	115.90	Inf	-Inf	111.12	3	Vertical	93	2.67	28	32.10	7.06	34.38			
PK	5.88794G	58.55	68.20	-9.65	53.52	3	Vertical	93	2.67	28	32.35	7.24	34.56			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 28
28
9.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45054G	56.78	74.00	-17.22	52.32	3	Horizontal	28	2.80	28	31.70	6.89	34.13			
PK	5.46512G	56.66	68.20	-11.54	52.18	3	Horizontal	28	2.80	28	31.73	6.89	34.14			
AV	5.46G	44.47	54.00	-9.53	40.00	3	Horizontal	28	2.80	28	31.72	6.89	34.14			
PK	5.7173G	113.70	Inf	-Inf	108.91	3	Horizontal	28	2.80	28	32.10	7.07	34.38			
AV	5.72756G	105.02	Inf	-Inf	100.23	3	Horizontal	28	2.80	28	32.10	7.08	34.39			
PK	5.93924G	58.49	68.20	-9.71	53.43	3	Horizontal	28	2.80	28	32.40	7.28	34.62			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 28
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44647G	58.77	74.00	-15.23	42.16	3	Vertical	337	2.10	28	39.80	11.72	34.91			
AV	11.442G	46.24	54.00	-7.76	29.62	3	Vertical	337	2.10	28	39.80	11.72	34.90			
PK	17.16476G	59.82	68.20	-8.38	39.63	3	Vertical	42	2.91	28	40.59	13.82	34.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 28
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44248G	58.34	74.00	-15.66	41.72	3	Horizontal	242	1.80	28	39.80	11.72	34.90			
AV	11.43053G	45.52	54.00	-8.48	28.89	3	Horizontal	242	1.80	28	39.80	11.71	34.88			
PK	17.16855G	59.75	68.20	-8.45	39.54	3	Horizontal	1	1.14	28	40.61	13.82	34.22			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 28
20\28
9.00\7.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.13598G	58.34	74.00	-15.66	53.67	3	Vertical	63	2.95	28	31.94	6.76	34.03				
AV	5.1456G	45.93	54.00	-8.07	41.22	3	Vertical	63	2.95	28	31.98	6.77	34.04				
PK	5.26104G	125.18	Inf	-Inf	121.01	3	Vertical	63	2.95	28	31.38	6.86	34.07				
AV	5.2587G	113.97	Inf	-Inf	109.80	3	Vertical	63	2.95	28	31.38	6.86	34.07				
PK	5.35906G	58.98	74.00	-15.02	54.79	3	Vertical	63	2.95	28	31.42	6.87	34.10				
AV	5.35334G	46.63	54.00	-7.37	42.45	3	Vertical	63	2.95	28	31.41	6.87	34.10				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 28
28
9.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.14846G	56.77	74.00	-17.23	52.04	3	Horizontal	38	2.95	28	31.99	6.78	34.04				
AV	5.14846G	44.49	54.00	-9.51	39.76	3	Horizontal	38	2.95	28	31.99	6.78	34.04				
PK	5.25324G	116.42	Inf	-Inf	112.24	3	Horizontal	38	2.95	28	31.39	6.86	34.07				
AV	5.25246G	104.57	Inf	-Inf	100.38	3	Horizontal	38	2.95	28	31.40	6.86	34.07				
PK	5.37206G	56.94	74.00	-17.06	52.73	3	Horizontal	38	2.95	28	31.44	6.88	34.11				
AV	5.351G	44.61	54.00	-9.39	40.44	3	Horizontal	38	2.95	28	31.40	6.87	34.10				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 28
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51001G	58.09	68.20	-10.11	41.77	3	Vertical	87	2.32	28	39.70	11.11	34.49			
PK	15.78428G	60.74	74.00	-13.26	44.00	3	Vertical	317	1.80	28	37.66	13.27	34.19			
AV	15.781G	48.03	54.00	-5.97	31.27	3	Vertical	317	1.80	28	37.68	13.27	34.19			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 28
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51628G	57.68	68.20	-10.52	41.35	3	Horizontal	326	1.80	28	39.70	11.12	34.49			
PK	15.78116G	60.08	74.00	-13.92	43.32	3	Horizontal	315	1.96	28	37.68	13.27	34.19			
AV	15.78036G	46.74	54.00	-7.26	29.98	3	Horizontal	315	1.96	28	37.68	13.27	34.19			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 27.5
20\28\27.5
7.89\ -0.09\ 1.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.29538G	123.04	Inf	-Inf	118.95	3	Vertical	253	2.48	27.5	31.31	6.86	34.08			
AV	5.29678G	111.72	Inf	-Inf	107.63	3	Vertical	253	2.48	27.5	31.31	6.86	34.08			
PK	5.35558G	71.33	74.00	-2.67	67.15	3	Vertical	253	2.48	27.5	31.41	6.87	34.10			
AV	5.35306G	52.86	54.00	-1.14	48.68	3	Vertical	253	2.48	27.5	31.41	6.87	34.10			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 27.5
27.5
6.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.29244G	113.32	Inf	-Inf	109.22	3	Horizontal	54	1.08	27.5	31.32	6.86	34.08			
AV	5.29104G	101.47	Inf	-Inf	97.37	3	Horizontal	54	1.08	27.5	31.32	6.86	34.08			
PK	5.3525G	63.83	74.00	-10.17	59.65	3	Horizontal	54	1.08	27.5	31.41	6.87	34.10			
AV	5.35G	47.77	54.00	-6.23	43.60	3	Horizontal	54	1.08	27.5	31.40	6.87	34.10			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 27.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60216G	58.38	74.00	-15.62	41.85	3	Vertical	341	2.08	27.5	39.80	11.17	34.44			
PK	15.902G	57.82	74.00	-16.18	41.00	3	Vertical	40	1.80	27.5	37.69	13.35	34.22			
AV	15.903G	45.72	54.00	-8.28	28.90	3	Vertical	40	1.80	27.5	37.69	13.35	34.22			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 27.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58757G	57.70	68.20	-10.50	41.21	3	Horizontal	312	2.09	27.5	39.78	11.16	34.45			
PK	15.89984G	57.89	74.00	-16.11	41.06	3	Horizontal	312	2.02	27.5	37.70	13.35	34.22			
AV	15.90052G	46.33	54.00	-7.67	29.50	3	Horizontal	312	2.02	27.5	37.70	13.35	34.22			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 24
20\25.5\19\22\23.5\24
5.72\ -7.60\6.76\3.76\1.41\0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3125G	121.04	Inf	-Inf	116.94	3	Vertical	100	2.66	23.5	31.32	6.87	34.09				
AV	5.3137G	109.42	Inf	-Inf	105.31	3	Vertical	100	2.66	23.5	31.33	6.87	34.09				
PK	5.3543G	65.28	74.00	-8.72	61.10	3	Vertical	100	2.66	23.5	31.41	6.87	34.10				
AV	5.3528G	53.53	54.00	-0.47	49.35	3	Vertical	100	2.66	23.5	31.41	6.87	34.10				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 24
24
8.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3116G	110.33	Inf	-Inf	106.23	3	Horizontal	54	2.38	23.5	31.32	6.87	34.09				
AV	5.312G	98.38	Inf	-Inf	94.28	3	Horizontal	54	2.38	23.5	31.32	6.87	34.09				
PK	5.3502G	58.13	74.00	-15.87	53.96	3	Horizontal	54	2.38	23.5	31.40	6.87	34.10				
AV	5.3513G	45.90	54.00	-8.10	41.73	3	Horizontal	54	2.38	23.5	31.40	6.87	34.10				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 24
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62482G	57.90	74.00	-16.10	41.34	3	Vertical	266	2.27	23.5	39.80	11.19	34.43			
AV	10.63908G	45.52	54.00	-8.48	28.94	3	Vertical	266	2.27	23.5	39.80	11.20	34.42			
PK	15.96488G	57.44	74.00	-16.56	40.84	3	Vertical	301	1.80	23.5	37.44	13.40	34.24			
AV	15.97227G	44.69	54.00	-9.31	28.12	3	Vertical	301	1.80	23.5	37.41	13.40	34.24			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 24
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.65119G	58.64	74.00	-15.36	42.05	3	Horizontal	1	1.80	23.5	39.80	11.20	34.41				
AV	10.64671G	45.49	54.00	-8.51	28.90	3	Horizontal	1	1.80	23.5	39.80	11.20	34.41				
PK	15.96168G	57.09	74.00	-16.91	40.49	3	Horizontal	237	2.09	23.5	37.45	13.39	34.24				
AV	15.96863G	44.67	54.00	-9.33	28.08	3	Horizontal	237	2.09	23.5	37.43	13.40	34.24				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
SET 22.5
20\24.5\19\21.5\23\22.5
4.50\ -10.53\6.84\2.01\ -0.28\0.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4585G	60.18	74.00	-13.82	55.71	3	Vertical	98	2.27	22	31.72	6.89	34.14			
AV	5.4572G	47.23	54.00	-6.77	42.77	3	Vertical	98	2.27	22	31.71	6.89	34.14			
PK	5.4697G	67.28	68.20	-0.92	62.79	3	Vertical	98	2.27	22	31.74	6.89	34.14			
PK	5.4933G	121.36	Inf	-Inf	116.83	3	Vertical	98	2.27	22	31.79	6.89	34.15			
AV	5.4933G	109.02	Inf	-Inf	104.49	3	Vertical	98	2.27	22	31.79	6.89	34.15			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
SET 22.5
22.5
9.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4506G	57.04	74.00	-16.96	52.58	3	Horizontal	54	2.76	22	31.70	6.89	34.13			
AV	5.4557G	44.59	54.00	-9.41	40.13	3	Horizontal	54	2.76	22	31.71	6.89	34.14			
PK	5.4694G	57.08	68.20	-11.12	52.59	3	Horizontal	54	2.76	22	31.74	6.89	34.14			
PK	5.4937G	109.89	Inf	-Inf	105.36	3	Horizontal	54	2.76	22	31.79	6.89	34.15			
AV	5.4937G	98.11	Inf	-Inf	93.58	3	Horizontal	54	2.76	22	31.79	6.89	34.15			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
SET 22.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99501G	58.61	74.00	-15.39	41.18	3	Vertical	91	1.80	22	40.21	11.43	34.21			
AV	10.99604G	45.93	54.00	-8.07	28.50	3	Vertical	91	1.80	22	40.21	11.43	34.21			
PK	16.50935G	59.01	68.20	-9.19	40.00	3	Vertical	1	1.80	22	39.70	13.59	34.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
SET 22.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00252G	58.38	74.00	-15.62	40.97	3	Horizontal	1	2.94	22	40.19	11.43	34.21			
AV	10.99848G	45.93	54.00	-8.07	28.51	3	Horizontal	1	2.94	22	40.20	11.43	34.21			
PK	16.49193G	59.38	68.20	-8.82	40.45	3	Horizontal	23	1.34	22	39.62	13.59	34.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
SET 28
20\28
9.22\8.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.42G	58.04	74.00	-15.96	53.70	3	Vertical	88	2.43	28	31.58	6.88	34.12			
PK	5.46256G	57.69	68.20	-10.51	53.21	3	Vertical	88	2.43	28	31.73	6.89	34.14			
AV	5.45808G	45.57	54.00	-8.43	41.10	3	Vertical	88	2.43	28	31.72	6.89	34.14			
PK	5.58864G	127.06	Inf	-Inf	122.67	3	Vertical	88	2.43	28	31.72	6.91	34.24			
AV	5.58896G	114.94	Inf	-Inf	110.55	3	Vertical	88	2.43	28	31.72	6.91	34.24			
PK	5.72688G	58.62	68.20	-9.58	53.83	3	Vertical	88	2.43	28	32.10	7.08	34.39			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
SET 28
28
9.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.45296G	56.57	74.00	-17.43	52.10	3	Horizontal	28	2.76	28	31.71	6.89	34.13				
AV	5.45328G	44.42	54.00	-9.58	39.96	3	Horizontal	28	2.76	28	31.71	6.89	34.14				
PK	5.46192G	56.92	68.20	-11.28	52.45	3	Horizontal	28	2.76	28	31.72	6.89	34.14				
PK	5.58832G	113.87	Inf	-Inf	109.48	3	Horizontal	28	2.76	28	31.72	6.91	34.24				
AV	5.58864G	102.68	Inf	-Inf	98.29	3	Horizontal	28	2.76	28	31.72	6.91	34.24				
PK	5.73776G	57.09	68.20	-11.11	52.29	3	Horizontal	28	2.76	28	32.10	7.10	34.40				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
SET 28
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16124G	58.34	74.00	-15.66	41.79	3	Vertical	360.1	1.80	28	39.48	11.53	34.46			
AV	11.17011G	45.52	54.00	-8.48	29.00	3	Vertical	360.1	1.80	28	39.46	11.54	34.48			
PK	16.73956G	61.61	68.20	-6.59	42.27	3	Vertical	327	1.80	28	39.94	13.67	34.27			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5580MHz_TX

EUT_Z_2TX
SET 28
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15505G	58.55	74.00	-15.45	41.98	3	Horizontal	203	1.80	28	39.49	11.53	34.45			
AV	11.16871G	45.50	54.00	-8.50	28.97	3	Horizontal	203	1.80	28	39.46	11.54	34.47			
PK	16.74148G	60.71	68.20	-7.49	41.36	3	Horizontal	325	1.98	28	39.95	13.67	34.27			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
SET 20.5
20\20.5
1.35\0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6914G	120.31	Inf	-Inf	115.56	3	Vertical	96	2.61	20	32.07	7.03	34.35			
AV	5.692G	108.70	Inf	-Inf	103.95	3	Vertical	96	2.61	20	32.07	7.03	34.35			
PK	5.7271G	67.71	68.20	-0.49	62.92	3	Vertical	96	2.61	20	32.10	7.08	34.39			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
SET 20.5
20.5
7.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6922G	108.86	Inf	-Inf	104.11	3	Horizontal	28	2.79	20	32.07	7.03	34.35			
AV	5.6912G	97.49	Inf	-Inf	92.75	3	Horizontal	28	2.79	20	32.06	7.03	34.35			
PK	5.7253G	60.72	68.20	-7.48	55.93	3	Horizontal	28	2.79	20	32.10	7.08	34.39			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Z_2TX
SET 20.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39137G	57.77	74.00	-16.23	41.13	3	Vertical	121	1.29	20	39.78	11.68	34.82			
AV	11.38805G	45.53	54.00	-8.47	28.89	3	Vertical	121	1.29	20	39.78	11.68	34.82			
PK	17.11622G	59.75	68.20	-8.45	39.75	3	Vertical	44	1.80	20	40.43	13.80	34.23			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Z_2TX
SET 20.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38721G	57.78	74.00	-16.22	41.14	3	Horizontal	356.1	1.80	20	39.77	11.68	34.81			
AV	11.38322G	45.46	54.00	-8.54	28.82	3	Horizontal	356.1	1.80	20	39.77	11.68	34.81			
PK	17.11371G	59.26	68.20	-8.94	39.26	3	Horizontal	275	1.80	20	40.43	13.80	34.23			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 28
20\28
8.11\7.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45054G	59.49	74.00	-14.51	55.03	3	Vertical	94	2.68	28	31.70	6.89	34.13			
AV	5.45G	46.52	54.00	-7.48	42.06	3	Vertical	94	2.68	28	31.70	6.89	34.13			
PK	5.4608G	58.23	68.20	-9.97	53.76	3	Vertical	94	2.68	28	31.72	6.89	34.14			
PK	5.71298G	126.40	Inf	-Inf	121.62	3	Vertical	94	2.68	28	32.10	7.06	34.38			
AV	5.7119G	115.54	Inf	-Inf	110.75	3	Vertical	94	2.68	28	32.10	7.06	34.37			
PK	5.85932G	58.57	68.20	-9.63	53.64	3	Vertical	94	2.68	28	32.24	7.22	34.53			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 28
28
9.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4554G	56.64	74.00	-17.36	52.18	3	Horizontal	25	2.74	28	31.71	6.89	34.14			
AV	5.45486G	44.41	54.00	-9.59	39.95	3	Horizontal	25	2.74	28	31.71	6.89	34.14			
PK	5.46026G	55.86	68.20	-12.34	51.39	3	Horizontal	25	2.74	28	31.72	6.89	34.14			
PK	5.7281G	116.09	Inf	-Inf	111.30	3	Horizontal	25	2.74	28	32.10	7.08	34.39			
AV	5.72864G	104.39	Inf	-Inf	99.60	3	Horizontal	25	2.74	28	32.10	7.08	34.39			
PK	5.98568G	57.51	68.20	-10.69	52.39	3	Horizontal	25	2.74	28	32.47	7.31	34.66			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 28
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43724G	58.81	74.00	-15.19	42.19	3	Vertical	302	2.22	28	39.80	11.71	34.89			
AV	11.43852G	45.98	54.00	-8.02	29.35	3	Vertical	302	2.22	28	39.80	11.72	34.89			
PK	17.17051G	59.86	68.20	-8.34	39.64	3	Vertical	43	1.80	28	40.62	13.82	34.22			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 28
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42166G	57.83	74.00	-16.17	41.20	3	Horizontal	360.1	1.80	28	39.80	11.70	34.87			
AV	11.43549G	45.48	54.00	-8.52	28.86	3	Horizontal	360.1	1.80	28	39.80	11.71	34.89			
PK	17.14921G	59.31	68.20	-8.89	39.23	3	Horizontal	360	1.39	28	40.50	13.81	34.23			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 26
20\27.5\20.5\24\25.5\26
7.77\7.93\7.66\5.69\1.32\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1496G	57.67	74.00	-16.33	52.93	3	Vertical	250	2.38	25.5	32.00	6.78	34.04				
AV	5.14904G	45.79	54.00	-8.21	41.05	3	Vertical	250	2.38	25.5	32.00	6.78	34.04				
PK	5.2686G	119.41	Inf	-Inf	115.27	3	Vertical	250	2.38	25.5	31.36	6.86	34.08				
AV	5.2882G	107.67	Inf	-Inf	103.57	3	Vertical	250	2.38	25.5	31.32	6.86	34.08				
PK	5.35064G	65.20	74.00	-8.80	61.03	3	Vertical	250	2.38	25.5	31.40	6.87	34.10				
AV	5.35036G	53.59	54.00	-0.41	49.42	3	Vertical	250	2.38	25.5	31.40	6.87	34.10				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 26
26
9.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14904G	56.66	74.00	-17.34	51.92	3	Horizontal	40	2.91	25.5	32.00	6.78	34.04			
AV	5.14484G	44.63	54.00	-9.37	39.92	3	Horizontal	40	2.91	25.5	31.98	6.77	34.04			
PK	5.2854G	111.83	Inf	-Inf	107.72	3	Horizontal	40	2.91	25.5	31.33	6.86	34.08			
AV	5.28316G	100.13	Inf	-Inf	96.02	3	Horizontal	40	2.91	25.5	31.33	6.86	34.08			
PK	5.40412G	57.29	74.00	-16.71	53.01	3	Horizontal	40	2.91	25.5	31.52	6.88	34.12			
AV	5.36352G	44.97	54.00	-9.03	40.78	3	Horizontal	40	2.91	25.5	31.43	6.87	34.11			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 26
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.55407G	58.02	68.20	-10.18	41.64	3	Vertical	306	1.80	25.5	39.71	11.14	34.47			
PK	15.81504G	57.52	74.00	-16.48	40.83	3	Vertical	27	1.80	25.5	37.60	13.29	34.20			
AV	15.80704G	45.04	54.00	-8.96	28.36	3	Vertical	27	1.80	25.5	37.60	13.28	34.20			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 26
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57453G	57.87	68.20	-10.33	41.43	3	Horizontal	286.1	1.80	25.5	39.75	11.15	34.46			
PK	15.8303G	57.36	74.00	-16.64	40.66	3	Horizontal	313	2.02	25.5	37.60	13.30	34.20			
AV	15.80928G	45.18	54.00	-8.82	28.49	3	Horizontal	313	2.02	25.5	37.60	13.29	34.20			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 18.5
20\16\19.5\18\18.5\19\18.5
-3.74\4.13\2.05\1.90\0.82\0.95\0.86

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.30904G	113.87	Inf	-Inf	109.77	3	Vertical	115	2.91	18	31.32	6.87	34.09			
AV	5.3088G	101.37	Inf	-Inf	97.27	3	Vertical	115	2.91	18	31.32	6.87	34.09			
PK	5.35032G	64.86	74.00	-9.14	60.69	3	Vertical	115	2.91	18	31.40	6.87	34.10			
AV	5.35G	53.14	54.00	-0.86	48.97	3	Vertical	115	2.91	18	31.40	6.87	34.10			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 18.5
18.5
8.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30532G	102.32	Inf	-Inf	98.23	3	Horizontal	43	2.43	18	31.31	6.87	34.09			
AV	5.30604G	89.67	Inf	-Inf	85.58	3	Horizontal	43	2.43	18	31.31	6.87	34.09			
PK	5.35044G	57.42	74.00	-16.58	53.25	3	Horizontal	43	2.43	18	31.40	6.87	34.10			
AV	5.35G	45.51	54.00	-8.49	41.34	3	Horizontal	43	2.43	18	31.40	6.87	34.10			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 18.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6005G	57.76	74.00	-16.24	41.23	3	Vertical	288	1.33	18	39.80	11.17	34.44			
PK	15.95022G	57.86	74.00	-16.14	41.21	3	Vertical	136	1.88	18	37.50	13.39	34.24			
AV	15.90251G	45.00	54.00	-9.00	28.18	3	Vertical	136	1.88	18	37.69	13.35	34.22			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 18.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63782G	57.88	74.00	-16.12	41.31	3	Horizontal	275	2.37	18	39.80	11.19	34.42			
PK	15.92616G	57.81	74.00	-16.19	41.07	3	Horizontal	78	1.80	18	37.60	13.37	34.23			
AV	15.90187G	45.00	54.00	-9.00	28.18	3	Horizontal	78	1.80	18	37.69	13.35	34.22			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
SET 21
20\21\21.5\21
1.37\0.63\1.02\0.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45996G	60.70	74.00	-13.30	56.23	3	Vertical	100	2.62	20.5	31.72	6.89	34.14			
AV	5.45996G	49.21	54.00	-4.79	44.74	3	Vertical	100	2.62	20.5	31.72	6.89	34.14			
PK	5.46668G	67.51	68.20	-0.69	63.03	3	Vertical	100	2.62	20.5	31.73	6.89	34.14			
PK	5.52428G	116.42	Inf	-Inf	111.90	3	Vertical	100	2.62	20.5	31.80	6.90	34.18			
AV	5.52368G	104.66	Inf	-Inf	100.14	3	Vertical	100	2.62	20.5	31.80	6.90	34.18			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
SET 21
21
9.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45072G	57.06	74.00	-16.94	52.60	3	Horizontal	142	1.05	20.5	31.70	6.89	34.13			
AV	5.45996G	44.76	54.00	-9.24	40.29	3	Horizontal	142	1.05	20.5	31.72	6.89	34.14			
PK	5.46932G	57.27	68.20	-10.93	52.78	3	Horizontal	142	1.05	20.5	31.74	6.89	34.14			
PK	5.522G	104.72	Inf	-Inf	100.19	3	Horizontal	142	1.05	20.5	31.80	6.90	34.17			
AV	5.52092G	92.60	Inf	-Inf	88.07	3	Horizontal	142	1.05	20.5	31.80	6.90	34.17			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
SET21
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05549G	58.06	74.00	-15.94	40.91	3	Vertical	330	1.80	20.5	39.98	11.47	34.30			
AV	10.99866G	45.90	54.00	-8.10	28.48	3	Vertical	330	1.80	20.5	40.20	11.43	34.21			
PK	16.50618G	59.34	68.20	-8.86	40.33	3	Vertical	358	1.80	20.5	39.70	13.59	34.28			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
SET 21
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.018G	59.23	74.00	-14.77	41.90	3	Horizontal	51	1.80	20.5	40.13	11.44	34.24			
AV	10.99547G	45.90	54.00	-8.10	28.47	3	Horizontal	51	1.80	20.5	40.21	11.43	34.21			
PK	16.56924G	59.53	68.20	-8.67	40.58	3	Horizontal	1	2.14	20.5	39.62	13.61	34.28			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
SET 26.5
20\27.5\24\25.5\26\28\27\26.5
7.85\3.42\6.52\4.28\3.47\3.33\3.33\1.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4588G	62.77	74.00	-11.23	58.30	3	Vertical	90	2.47	26.5	31.72	6.89	34.14			
AV	5.46G	51.00	54.00	-3.00	46.53	3	Vertical	90	2.47	26.5	31.72	6.89	34.14			
PK	5.4624G	66.67	68.20	-1.53	62.20	3	Vertical	90	2.47	26.5	31.72	6.89	34.14			
PK	5.5616G	122.42	Inf	-Inf	117.96	3	Vertical	90	2.47	26.5	31.78	6.90	34.22			
AV	5.5608G	110.46	Inf	-Inf	105.99	3	Vertical	90	2.47	26.5	31.78	6.90	34.21			
PK	5.7276G	60.05	68.20	-8.15	55.26	3	Vertical	90	2.47	26.5	32.10	7.08	34.39			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
SET 26.5
26.5
8.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.45G	57.14	74.00	-16.86	52.68	3	Horizontal	46	2.80	26.5	31.70	6.89	34.13				
AV	5.4588G	45.05	54.00	-8.95	40.58	3	Horizontal	46	2.80	26.5	31.72	6.89	34.14				
PK	5.4676G	57.74	68.20	-10.46	53.25	3	Horizontal	46	2.80	26.5	31.74	6.89	34.14				
PK	5.546G	110.84	Inf	-Inf	106.34	3	Horizontal	46	2.80	26.5	31.80	6.90	34.20				
AV	5.5432G	99.32	Inf	-Inf	94.82	3	Horizontal	46	2.80	26.5	31.80	6.90	34.20				
PK	5.7432G	57.65	68.20	-10.55	52.86	3	Horizontal	46	2.80	26.5	32.10	7.10	34.41				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
SET 26.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09001G	58.23	74.00	-15.77	41.25	3	Vertical	89	1.45	26.5	39.84	11.49	34.35			
AV	11.08346G	45.91	54.00	-8.09	28.90	3	Vertical	89	1.45	26.5	39.87	11.48	34.34			
PK	16.6321G	59.77	68.20	-8.43	40.78	3	Vertical	320	1.88	26.5	39.63	13.63	34.27			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
SET 26.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07642G	58.52	74.00	-15.48	41.48	3	Horizontal	99	2.95	26.5	39.89	11.48	34.33			
AV	11.0805G	45.96	54.00	-8.04	28.94	3	Horizontal	99	2.95	26.5	39.88	11.48	34.34			
PK	16.65G	0.00	68.20	-68.20	-19.07	3	Horizontal	320	1.88	-	39.70	13.64	34.27			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
SET 23.5
20\26.5\19\22.5\24\23.5
6.59\ -15.57\7.93\3.48\ -0.29\2.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6628G	120.89	Inf	-Inf	116.27	3	Vertical	93	2.65	23.5	31.95	6.99	34.32			
AV	5.662G	108.91	Inf	-Inf	104.29	3	Vertical	93	2.65	23.5	31.95	6.99	34.32			
PK	5.72504G	65.57	68.20	-2.63	60.78	3	Vertical	93	2.65	23.5	32.10	7.08	34.39			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
SET 23.5
23.5
10.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65864G	110.08	Inf	-Inf	105.48	3	Horizontal	29	2.72	23.5	31.93	6.99	34.32			
AV	5.6596G	98.20	Inf	-Inf	93.59	3	Horizontal	29	2.72	23.5	31.94	6.99	34.32			
PK	5.72728G	57.75	68.20	-10.45	52.96	3	Horizontal	29	2.72	23.5	32.10	7.08	34.39			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Z_2TX
SET 23.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34184G	58.50	74.00	-15.50	41.92	3	Vertical	360	1.80	23.5	39.67	11.65	34.74			
AV	11.3034G	45.44	54.00	-8.56	28.98	3	Vertical	360	1.80	23.5	39.51	11.63	34.68			
PK	16.99769G	59.43	68.20	-8.77	39.63	3	Vertical	13	1.80	23.5	40.30	13.76	34.26			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Z_2TX
SET 23.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37772G	57.84	74.00	-16.16	41.20	3	Horizontal	360	1.80	23.5	39.76	11.68	34.80			
AV	11.30843G	45.50	54.00	-8.50	29.03	3	Horizontal	360	1.80	23.5	39.53	11.63	34.69			
PK	17.00449G	60.08	68.20	-8.12	40.26	3	Horizontal	140	2.14	23.5	40.32	13.76	34.26			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 28
20\28
9.04\7.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45104G	58.49	74.00	-15.51	54.03	3	Vertical	90	2.58	28	31.70	6.89	34.13			
AV	5.45312G	46.72	54.00	-7.28	42.25	3	Vertical	90	2.58	28	31.71	6.89	34.13			
PK	5.46924G	58.07	68.20	-10.13	53.58	3	Vertical	90	2.58	28	31.74	6.89	34.14			
PK	5.70116G	124.11	Inf	-Inf	119.32	3	Vertical	90	2.58	28	32.10	7.05	34.36			
AV	5.7204G	112.57	Inf	-Inf	107.78	3	Vertical	90	2.58	28	32.10	7.07	34.38			
PK	5.86132G	60.20	68.20	-8.00	55.26	3	Vertical	90	2.58	28	32.25	7.22	34.53			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 28
28
9.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45052G	56.13	74.00	-17.87	51.67	3	Horizontal	29	2.70	28	31.70	6.89	34.13			
AV	5.4578G	44.46	54.00	-9.54	39.99	3	Horizontal	29	2.70	28	31.72	6.89	34.14			
PK	5.4682G	56.06	68.20	-12.14	51.57	3	Horizontal	29	2.70	28	31.74	6.89	34.14			
PK	5.72196G	112.74	Inf	-Inf	107.96	3	Horizontal	29	2.70	28	32.10	7.07	34.39			
AV	5.69908G	101.43	Inf	-Inf	96.65	3	Horizontal	29	2.70	28	32.10	7.04	34.36			
PK	5.90396G	57.64	68.20	-10.56	52.57	3	Horizontal	29	2.70	28	32.40	7.25	34.58			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 28
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38571G	58.46	74.00	-15.54	41.82	3	Vertical	155	1.06	28	39.77	11.68	34.81			
AV	11.38428G	45.51	54.00	-8.49	28.87	3	Vertical	155	1.06	28	39.77	11.68	34.81			
PK	17.14327G	59.59	68.20	-8.61	39.52	3	Vertical	321	1.80	28	40.49	13.81	34.23			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 28
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43119G	58.02	74.00	-15.98	41.39	3	Horizontal	30	2.56	28	39.80	11.71	34.88			
AV	11.38044G	45.54	54.00	-8.46	28.90	3	Horizontal	30	2.56	28	39.76	11.68	34.80			
PK	17.12592G	60.51	68.20	-7.69	40.49	3	Horizontal	17.1	1.80	28	40.45	13.80	34.23			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
SET 18.5
20\17\19\18.5
-2.89\3.73\0.47\1.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13768G	56.59	74.00	-17.41	51.91	3	Vertical	115	2.91	18.5	31.95	6.76	34.03			
AV	5.14632G	44.78	54.00	-9.22	40.06	3	Vertical	115	2.91	18.5	31.99	6.77	34.04			
PK	5.30664G	110.32	Inf	-Inf	106.23	3	Vertical	115	2.91	18.5	31.31	6.87	34.09			
AV	5.30984G	98.50	Inf	-Inf	94.40	3	Vertical	115	2.91	18.5	31.32	6.87	34.09			
PK	5.35048G	65.22	74.00	-8.78	61.05	3	Vertical	115	2.91	18.5	31.40	6.87	34.10			
AV	5.35G	52.70	54.00	-1.30	48.53	3	Vertical	115	2.91	18.5	31.40	6.87	34.10			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
SET 18.5
18.5
8.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14696G	56.22	74.00	-17.78	51.50	3	Horizontal	52	1.08	18.5	31.99	6.77	34.04			
AV	5.14792G	44.32	54.00	-9.68	39.60	3	Horizontal	52	1.08	18.5	31.99	6.77	34.04			
PK	5.32136G	99.42	Inf	-Inf	95.30	3	Horizontal	52	1.08	18.5	31.34	6.87	34.09			
AV	5.32072G	87.16	Inf	-Inf	83.04	3	Horizontal	52	1.08	18.5	31.34	6.87	34.09			
PK	5.37608G	57.70	74.00	-16.30	53.48	3	Horizontal	52	1.08	18.5	31.45	6.88	34.11			
AV	5.36168G	45.57	54.00	-8.43	41.39	3	Horizontal	52	1.08	18.5	31.42	6.87	34.11			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
SET 18.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54947G	57.91	68.20	-10.29	41.54	3	Vertical	281	2.18	18.5	39.70	11.14	34.47			
PK	15.88135G	57.51	74.00	-16.49	40.73	3	Vertical	360	1.13	18.5	37.66	13.34	34.22			
AV	15.80622G	44.96	54.00	-9.04	28.28	3	Vertical	360	1.13	18.5	37.60	13.28	34.20			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
SET 18.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.56609G	58.15	68.20	-10.05	41.73	3	Horizontal	116	1.08	18.5	39.73	11.15	34.46			
PK	15.81821G	57.30	74.00	-16.70	40.61	3	Horizontal	1	1.80	18.5	37.60	13.29	34.20			
AV	15.80974G	44.99	54.00	-9.01	28.30	3	Horizontal	1	1.80	18.5	37.60	13.29	34.20			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
SET 21.5
20\21\21.5
2.47\1.23\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45992G	64.49	74.00	-9.51	60.02	3	Vertical	89	2.66	21	31.72	6.89	34.14			
AV	5.45944G	53.59	54.00	-0.41	49.12	3	Vertical	89	2.66	21	31.72	6.89	34.14			
PK	5.462G	66.37	68.20	-1.83	61.90	3	Vertical	89	2.66	21	31.72	6.89	34.14			
PK	5.5588G	114.56	Inf	-Inf	110.09	3	Vertical	89	2.66	21	31.78	6.90	34.21			
AV	5.5596G	102.40	Inf	-Inf	97.93	3	Vertical	89	2.66	21	31.78	6.90	34.21			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
SET 21.5
21.5
8.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45944G	57.43	74.00	-16.57	52.96	3	Horizontal	29	2.76	21	31.72	6.89	34.14			
AV	5.4596G	45.43	54.00	-8.57	40.96	3	Horizontal	29	2.76	21	31.72	6.89	34.14			
PK	5.46024G	56.91	68.20	-11.29	52.44	3	Horizontal	29	2.76	21	31.72	6.89	34.14			
PK	5.55912G	102.24	Inf	-Inf	97.77	3	Horizontal	29	2.76	21	31.78	6.90	34.21			
AV	5.56008G	90.02	Inf	-Inf	85.55	3	Horizontal	29	2.76	21	31.78	6.90	34.21			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
SET 21.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.11371G	59.17	74.00	-14.83	42.34	3	Vertical	102	1.80	21	39.72	11.50	34.39			
AV	11.08174G	45.97	54.00	-8.03	28.96	3	Vertical	102	1.80	21	39.87	11.48	34.34			
PK	16.64355G	59.66	68.20	-8.54	40.62	3	Vertical	358.2	1.80	21	39.67	13.64	34.27			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
SET 21.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12314G	58.23	74.00	-15.77	41.46	3	Horizontal	42	1.80	21	39.66	11.51	34.40			
AV	11.08206G	45.99	54.00	-8.01	28.98	3	Horizontal	42	1.80	21	39.87	11.48	34.34			
PK	16.56123G	59.47	68.20	-8.73	40.48	3	Horizontal	359.9	1.42	21	39.66	13.61	34.28			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
SET 24.5
20\27.5\19\23\25\24.5
7.75\ -9.35\7.98\6.52\ -0.59\0.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45992G	58.89	74.00	-15.11	54.42	3	Vertical	90	2.66	24	31.72	6.89	34.14			
AV	5.4596G	47.59	54.00	-6.41	43.12	3	Vertical	90	2.66	24	31.72	6.89	34.14			
PK	5.46888G	60.82	68.20	-7.38	56.33	3	Vertical	90	2.66	24	31.74	6.89	34.14			
PK	5.61736G	117.91	Inf	-Inf	113.48	3	Vertical	90	2.66	24	31.77	6.93	34.27			
AV	5.62056G	105.82	Inf	-Inf	101.38	3	Vertical	90	2.66	24	31.78	6.94	34.28			
PK	5.72552G	67.63	68.20	-0.57	62.84	3	Vertical	90	2.66	24	32.10	7.08	34.39			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
SET 24.5
24.5
9.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4516G	56.17	74.00	-17.83	51.71	3	Horizontal	30	2.79	24	31.70	6.89	34.13			
AV	5.45896G	44.51	54.00	-9.49	40.04	3	Horizontal	30	2.79	24	31.72	6.89	34.14			
PK	5.46632G	56.22	68.20	-11.98	51.74	3	Horizontal	30	2.79	24	31.73	6.89	34.14			
PK	5.59816G	105.64	Inf	-Inf	101.28	3	Horizontal	30	2.79	24	31.70	6.91	34.25			
AV	5.63912G	94.11	Inf	-Inf	89.59	3	Horizontal	30	2.79	24	31.86	6.96	34.30			
PK	5.75624G	57.30	68.20	-10.90	52.50	3	Horizontal	30	2.79	24	32.10	7.12	34.42			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
SET 24.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.27259G	58.76	74.00	-15.24	42.29	3	Vertical	2	1.80	24	39.50	11.61	34.64			
AV	11.27722G	45.78	54.00	-8.22	29.31	3	Vertical	2	1.80	24	39.50	11.61	34.64			
PK	16.75056G	60.30	68.20	-7.90	40.88	3	Vertical	2	1.80	24	40.01	13.68	34.27			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
SET 24.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.25644G	58.48	74.00	-15.52	41.99	3	Horizontal	4	1.80	24	39.50	11.60	34.61			
AV	11.24302G	45.82	54.00	-8.18	29.33	3	Horizontal	4	1.80	24	39.49	11.59	34.59			
PK	16.78812G	60.70	68.20	-7.50	40.90	3	Horizontal	1	1.80	24	40.38	13.69	34.27			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 27
20\27.5\27
7.61\ -3.38\1.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	61.64	74.00	-12.36	57.17	3	Vertical	96	2.63	27	31.72	6.89	34.14			
AV	5.46G	50.02	54.00	-3.98	45.55	3	Vertical	96	2.63	27	31.72	6.89	34.14			
PK	5.46008G	61.64	68.20	-6.56	57.17	3	Vertical	96	2.63	27	31.72	6.89	34.14			
PK	5.68376G	121.32	Inf	-Inf	116.60	3	Vertical	96	2.63	27	32.04	7.02	34.34			
AV	5.66264G	109.04	Inf	-Inf	104.42	3	Vertical	96	2.63	27	31.95	6.99	34.32			
PK	5.86136G	66.79	68.20	-1.41	61.85	3	Vertical	96	2.63	27	32.25	7.22	34.53			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 27
27
9.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45048G	56.38	74.00	-17.62	51.92	3	Horizontal	26	2.83	27	31.70	6.89	34.13			
PK	5.46104G	57.00	68.20	-11.20	52.53	3	Horizontal	26	2.83	27	31.72	6.89	34.14			
AV	5.45864G	44.61	54.00	-9.39	40.14	3	Horizontal	26	2.83	27	31.72	6.89	34.14			
PK	5.68088G	110.24	Inf	-Inf	105.54	3	Horizontal	26	2.83	27	32.02	7.02	34.34			
AV	5.7188G	97.92	Inf	-Inf	93.13	3	Horizontal	26	2.83	27	32.10	7.07	34.38			
PK	5.85896G	58.45	68.20	-9.75	53.52	3	Horizontal	26	2.83	27	32.24	7.22	34.53			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
SET 27
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.36018G	57.76	74.00	-16.24	41.15	3	Vertical	222	1.33	27	39.72	11.66	34.77			
AV	11.30072G	45.61	54.00	-8.39	29.16	3	Vertical	222	1.33	27	39.50	11.63	34.68			
PK	17.02125G	59.73	68.20	-8.47	39.84	3	Vertical	350	1.80	27	40.38	13.77	34.26			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 27
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33413G	58.29	74.00	-15.71	41.73	3	Horizontal	101	1.80	27	39.64	11.65	34.73			
AV	11.30152G	45.58	54.00	-8.42	29.12	3	Horizontal	101	1.80	27	39.51	11.63	34.68			
PK	17.07639G	59.59	68.20	-8.61	39.59	3	Horizontal	343	1.80	27	40.45	13.79	34.24			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
SET 19
20\17.5\18.5\19.5\19
-2.28\3.09\2.23\0.24\1.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14776G	61.76	74.00	-12.24	57.04	3	Vertical	249	2.54	19	31.99	6.77	34.04			
AV	5.14992G	50.01	54.00	-3.99	45.27	3	Vertical	249	2.54	19	32.00	6.78	34.04			
PK	5.32752G	107.40	Inf	-Inf	103.26	3	Vertical	249	2.54	19	31.36	6.87	34.09			
AV	5.32824G	95.59	Inf	-Inf	91.46	3	Vertical	249	2.54	19	31.36	6.87	34.10			
PK	5.35G	64.92	74.00	-9.08	60.75	3	Vertical	249	2.54	19	31.40	6.87	34.10			
AV	5.35032G	52.67	54.00	-1.33	48.50	3	Vertical	249	2.54	19	31.40	6.87	34.10			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
SET 19
19
7.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.14968G	57.61	74.00	-16.39	52.87	3	Horizontal	41	2.95	19	32.00	6.78	34.04				
AV	5.14608G	46.09	54.00	-7.91	41.38	3	Horizontal	41	2.95	19	31.98	6.77	34.04				
PK	5.20416G	101.20	Inf	-Inf	96.73	3	Horizontal	41	2.95	19	31.68	6.85	34.06				
AV	5.22384G	88.38	Inf	-Inf	84.03	3	Horizontal	41	2.95	19	31.56	6.85	34.06				
PK	5.36544G	58.46	74.00	-15.54	54.27	3	Horizontal	41	2.95	19	31.43	6.87	34.11				
AV	5.36256G	46.02	54.00	-7.98	41.83	3	Horizontal	41	2.95	19	31.43	6.87	34.11				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
SET 19
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39546G	57.23	68.20	-10.97	41.07	3	Vertical	292	1.80	19	39.60	11.04	34.48			
PK	15.68255G	58.50	74.00	-15.50	41.83	3	Vertical	13	1.80	19	37.63	13.20	34.16			
AV	15.80658G	44.85	54.00	-9.15	28.17	3	Vertical	13	1.80	19	37.60	13.28	34.20			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
SET 19
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46515G	57.77	68.20	-10.43	41.48	3	Horizontal	260	1.80	19	39.70	11.08	34.49			
PK	15.7452G	57.72	74.00	-16.28	40.87	3	Horizontal	236	1.80	19	37.79	13.24	34.18			
AV	15.80722G	44.91	54.00	-9.09	28.22	3	Horizontal	236	1.80	19	37.60	13.29	34.20			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
SET 21.5
20\22\21\21.5
2.25\1.06\1.19\0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.45624G	64.10	74.00	-9.90	59.64	3	Vertical	84	2.58	21	31.71	6.89	34.14				
AV	5.45624G	51.58	54.00	-2.42	47.12	3	Vertical	84	2.58	21	31.71	6.89	34.14				
PK	5.46056G	61.23	68.20	-6.97	56.76	3	Vertical	84	2.58	21	31.72	6.89	34.14				
PK	5.57828G	111.57	Inf	-Inf	107.15	3	Vertical	84	2.58	21	31.74	6.91	34.23				
AV	5.57864G	99.90	Inf	-Inf	95.48	3	Vertical	84	2.58	21	31.74	6.91	34.23				
PK	5.73704G	67.89	68.20	-0.31	63.09	3	Vertical	84	2.58	21	32.10	7.10	34.40				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
SET 21.5
21.5
8.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.40116G	58.33	74.00	-15.67	54.07	3	Horizontal	31	2.72	21	31.50	6.88	34.12			
AV	5.4206G	45.33	54.00	-8.67	40.99	3	Horizontal	31	2.72	21	31.58	6.88	34.12			
PK	5.46308G	56.86	68.20	-11.34	52.38	3	Horizontal	31	2.72	21	31.73	6.89	34.14			
PK	5.63948G	100.28	Inf	-Inf	95.76	3	Horizontal	31	2.72	21	31.86	6.96	34.30			
AV	5.63984G	88.28	Inf	-Inf	83.76	3	Horizontal	31	2.72	21	31.86	6.96	34.30			
PK	5.74064G	57.81	68.20	-10.39	53.02	3	Horizontal	31	2.72	21	32.10	7.10	34.41			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
SET 21.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.08214G	58.85	74.00	-15.15	41.84	3	Vertical	341	1.80	21	39.87	11.48	34.34			
AV	11.24837G	45.75	54.00	-8.25	29.26	3	Vertical	341	1.80	21	39.50	11.59	34.60			
PK	16.65022G	60.12	68.20	-8.08	41.05	3	Vertical	201	1.05	21	39.70	13.64	34.27			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX

EUT_Z_2TX
SET 21.5
06-W-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12082G	57.96	74.00	-16.04	41.17	3	Horizontal	133	1.80	21	39.68	11.51	34.40			
AV	11.25572G	45.77	54.00	-8.23	29.28	3	Horizontal	133	1.80	21	39.50	11.60	34.61			
PK	16.55815G	59.41	68.20	-8.79	40.41	3	Horizontal	271	1.78	21	39.67	13.61	34.28			