



【300Mbps High Power Intelligence Wireless N Router】

JHR-N926R

Features:

- Support online host number display
- One Key to turn on/off wireless signal
- One Key to Regulate transmit power
- Support Wifi WPS switch button
- Integrates router, Wireless access point, Four-ports switch and firewall in one
- 2.4GHz, IEEE802.11n/g/b, up to 300Mbps
- 4x10/100Mbps LAN Port, 1x10/100Mbps WAN Port
- 2x4dBi Detachable Antenna
- WDS Wireless Bridge
- Built-in firewall, Filtering on IP address, MAC address, Domain name, Applications, etc

- Supports 64/128-bits WEP, WPA/WPA2 Encryption

Specifications

Standard	IEEE 802.11n、IEEE 802.11g、IEEE 802.11b IEEE 802.3、IEEE 802.3u
Interface	LAN 4 10/100M Auto MDI/MDIX RJ45 port WAN 1 10/100M Auto MDI/MDIX RJ45 port
Frequency Range	2.4GHz-2.4835GHz
Radio Data Rate	300M
Channel	1~11 (USA, Canada) ; 1~13 (Europe) ; 1~14 (Japan)
Spread Spectrum	DSSS
Modulation	BPSK, QPSK, CCK and OFDM (BPSK/QPSK/16-QAM/ 64-QAM)
Transmission Distance	Indoor up to 500m , outdoor up to 1000m (it is limited in an environment)
Receive Sensitivity@PE	11n : -70dBm@10% PER 11g : -70dBm@10% PER 11b: -85dBm@8% PER
Transmit Power	<20dBm
Antenna plus	2x4dBi
LED Indicator	Status
Data Security	64/128-bits WEP; WPA/WPA2
Environment	Operating Temperature: 0℃~40℃ (32°F~104°F) Operating Humidity: 10%~90%RH (non-condensing)
Power	12V/ 1A
Dimensions	155mmx105mmx20mm
Safety & Emission	FCC, CE

Network Configuration:

