

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.392	39.31	74.0	34.69	Peak	157.00	200	Horizontal	Pass
1**	1512.392	27.96	54.0	26.04	AV	157.00	200	Horizontal	Pass
2	2349.560	42.86	74.0	31.14	Peak	59.00	400	Horizontal	Pass
2**	2349.560	35.34	54.0	18.66	AV	59.00	400	Horizontal	Pass
3	4203.344	46.34	74.0	27.66	Peak	265.00	200	Horizontal	Pass
3**	4203.344	39.27	54.0	14.73	AV	265.00	200	Horizontal	Pass
4	7437.378	55.67	74.0	18.33	Peak	299.00	100	Horizontal	Pass
4**	7437.378	44.34	54.0	9.66	AV	299.00	100	Horizontal	Pass
5	12515.081	55.08	74.0	18.92	Peak	213.00	300	Horizontal	Pass
5**	12515.081	44.82	54.0	9.18	AV	213.00	300	Horizontal	Pass
6	16150.711	55.25	74.0	18.75	Peak	269.00	300	Horizontal	Pass
6**	16150.711	44.01	54.0	9.99	AV	269.00	300	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.226	39.16	74.0	34.84	Peak	35.00	300	Vertical	Pass
1**	1569.226	29.36	54.0	24.64	AV	35.00	300	Vertical	Pass
2	2350.685	47.71	74.0	26.29	Peak	275.00	200	Vertical	Pass
2**	2350.685	33.95	54.0	20.05	AV	275.00	200	Vertical	Pass
3	3919.538	42.26	74.0	31.74	Peak	71.00	200	Vertical	Pass
3**	3919.538	35.85	54.0	18.15	AV	71.00	200	Vertical	Pass
4	7680.191	54.15	74.0	19.85	Peak	63.00	400	Vertical	Pass
4**	7680.191	44.60	54.0	9.40	AV	63.00	400	Vertical	Pass
5	12525.957	55.07	74.0	18.93	Peak	328.00	200	Vertical	Pass
5**	12525.957	42.38	54.0	11.62	AV	328.00	200	Vertical	Pass
6	15384.554	52.10	74.0	21.90	Peak	157.00	300	Vertical	Pass
6**	15384.554	46.10	54.0	7.90	AV	157.00	300	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.153	36.73	74.0	37.27	Peak	146.00	200	Horizontal	Pass
1**	1509.153	29.74	54.0	24.26	AV	146.00	200	Horizontal	Pass
2	2345.734	43.49	74.0	30.51	Peak	115.00	400	Horizontal	Pass
2**	2345.734	36.51	54.0	17.49	AV	115.00	400	Horizontal	Pass
3	4207.528	49.95	74.0	24.05	Peak	110.00	200	Horizontal	Pass
3**	4207.528	36.94	54.0	17.06	AV	110.00	200	Horizontal	Pass
4	7431.969	53.45	74.0	20.55	Peak	111.00	100	Horizontal	Pass
4**	7431.969	43.06	54.0	10.94	AV	111.00	100	Horizontal	Pass
5	12518.808	57.44	74.0	16.56	Peak	71.00	400	Horizontal	Pass
5**	12518.808	49.08	54.0	4.92	AV	71.00	400	Horizontal	Pass
6	16149.143	56.18	74.0	17.82	Peak	301.00	200	Horizontal	Pass
6**	16149.143	46.53	54.0	7.47	AV	301.00	200	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.375	37.16	74.0	36.84	Peak	108.00	400	Vertical	Pass
1**	1570.375	26.41	54.0	27.59	AV	108.00	400	Vertical	Pass
2	2349.737	45.07	74.0	28.93	Peak	103.00	400	Vertical	Pass
2**	2349.737	32.78	54.0	21.22	AV	103.00	400	Vertical	Pass
3	3914.270	46.24	74.0	27.76	Peak	35.00	200	Vertical	Pass
3**	3914.270	38.97	54.0	15.03	AV	35.00	200	Vertical	Pass
4	7682.089	49.49	74.0	24.51	Peak	25.00	200	Vertical	Pass
4**	7682.089	41.36	54.0	12.64	AV	25.00	200	Vertical	Pass
5	12527.124	58.14	74.0	15.86	Peak	34.00	300	Vertical	Pass
5**	12527.124	42.76	54.0	11.24	AV	34.00	300	Vertical	Pass
6	15383.381	54.93	74.0	19.07	Peak	194.00	400	Vertical	Pass
6**	15383.381	45.27	54.0	8.73	AV	194.00	400	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.031	38.18	74.0	35.82	Peak	33.00	200	Horizontal	Pass
1**	1510.031	27.04	54.0	26.96	AV	33.00	200	Horizontal	Pass
2	2351.910	45.68	74.0	28.32	Peak	30.00	300	Horizontal	Pass
2**	2351.910	39.17	54.0	14.83	AV	30.00	300	Horizontal	Pass
3	4205.887	45.45	74.0	28.55	Peak	316.00	200	Horizontal	Pass
3**	4205.887	39.31	54.0	14.69	AV	316.00	200	Horizontal	Pass
4	7432.861	54.60	74.0	19.40	Peak	250.00	200	Horizontal	Pass
4**	7432.861	44.18	54.0	9.82	AV	250.00	200	Horizontal	Pass
5	12515.122	57.77	74.0	16.23	Peak	48.00	400	Horizontal	Pass
5**	12515.122	49.47	54.0	4.53	AV	48.00	400	Horizontal	Pass
6	16150.334	51.79	74.0	22.21	Peak	349.00	100	Horizontal	Pass
6**	16150.334	44.66	54.0	9.34	AV	349.00	100	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.190	34.41	74.0	39.59	Peak	12.00	400	Vertical	Pass
1**	1570.190	28.53	54.0	25.47	AV	12.00	400	Vertical	Pass
2	2350.511	45.07	74.0	28.93	Peak	110.00	300	Vertical	Pass
2**	2350.511	34.14	54.0	19.86	AV	110.00	300	Vertical	Pass
3	3919.510	46.36	74.0	27.64	Peak	326.00	200	Vertical	Pass
3**	3919.510	38.74	54.0	15.26	AV	326.00	200	Vertical	Pass
4	7684.143	49.40	74.0	24.60	Peak	292.00	200	Vertical	Pass
4**	7684.143	45.00	54.0	9.00	AV	292.00	200	Vertical	Pass
5	12529.603	53.52	74.0	20.48	Peak	124.00	400	Vertical	Pass
5**	12529.603	43.34	54.0	10.66	AV	124.00	400	Vertical	Pass
6	15385.588	51.58	74.0	22.42	Peak	315.00	400	Vertical	Pass
6**	15385.588	42.97	54.0	11.03	AV	315.00	400	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.348	41.93	74.0	32.07	Peak	146.00	200	Horizontal	Pass
1**	1510.348	27.18	54.0	26.82	AV	146.00	200	Horizontal	Pass
2	2350.938	45.86	74.0	28.14	Peak	121.00	400	Horizontal	Pass
2**	2350.938	35.40	54.0	18.60	AV	121.00	400	Horizontal	Pass
3	4201.439	48.75	74.0	25.25	Peak	213.00	200	Horizontal	Pass
3**	4201.439	39.26	54.0	14.74	AV	213.00	200	Horizontal	Pass
4	7436.188	56.66	74.0	17.34	Peak	158.00	200	Horizontal	Pass
4**	7436.188	40.25	54.0	13.75	AV	158.00	200	Horizontal	Pass
5	12516.876	58.53	74.0	15.47	Peak	168.00	200	Horizontal	Pass
5**	12516.876	45.50	54.0	8.50	AV	168.00	200	Horizontal	Pass
6	16146.000	53.65	74.0	20.35	Peak	219.00	400	Horizontal	Pass
6**	16146.000	45.40	54.0	8.60	AV	219.00	400	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.440	36.24	74.0	37.76	Peak	350.00	300	Vertical	Pass
1**	1570.440	23.89	54.0	30.11	AV	350.00	300	Vertical	Pass
2	2344.795	45.38	74.0	28.62	Peak	132.00	400	Vertical	Pass
2**	2344.795	31.02	54.0	22.98	AV	132.00	400	Vertical	Pass
3	3919.250	47.00	74.0	27.00	Peak	346.00	200	Vertical	Pass
3**	3919.250	38.95	54.0	15.05	AV	346.00	200	Vertical	Pass
4	7679.426	53.77	74.0	20.23	Peak	40.00	400	Vertical	Pass
4**	7679.426	42.95	54.0	11.05	AV	40.00	400	Vertical	Pass
5	12531.275	56.74	74.0	17.26	Peak	158.00	400	Vertical	Pass
5**	12531.275	44.85	54.0	9.15	AV	158.00	400	Vertical	Pass
6	15386.170	55.77	74.0	18.23	Peak	83.00	400	Vertical	Pass
6**	15386.170	47.53	54.0	6.47	AV	83.00	400	Vertical	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.666	39.44	74.0	34.56	Peak	137.00	100	Horizontal	Pass
1**	1508.666	31.75	54.0	22.25	AV	137.00	100	Horizontal	Pass
2	2346.768	41.90	74.0	32.10	Peak	244.00	100	Horizontal	Pass
2**	2346.768	38.30	54.0	15.70	AV	244.00	100	Horizontal	Pass
3	4202.570	45.95	74.0	28.05	Peak	43.00	200	Horizontal	Pass
3**	4202.570	38.86	54.0	15.14	AV	43.00	200	Horizontal	Pass
4	7437.181	56.55	74.0	17.45	Peak	261.00	400	Horizontal	Pass
4**	7437.181	42.13	54.0	11.87	AV	261.00	400	Horizontal	Pass
5	12520.831	54.84	74.0	19.16	Peak	214.00	200	Horizontal	Pass
5**	12520.831	46.77	54.0	7.23	AV	214.00	200	Horizontal	Pass
6	16149.997	51.55	74.0	22.45	Peak	93.00	300	Horizontal	Pass
6**	16149.997	41.98	54.0	12.02	AV	93.00	300	Horizontal	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.880	36.29	74.0	37.71	Peak	54.00	300	Vertical	Pass
1**	1566.880	28.77	54.0	25.23	AV	54.00	300	Vertical	Pass
2	2348.402	42.71	74.0	31.29	Peak	234.00	100	Vertical	Pass
2**	2348.402	32.95	54.0	21.05	AV	234.00	100	Vertical	Pass
3	3918.868	44.16	74.0	29.84	Peak	110.00	200	Vertical	Pass
3**	3918.868	37.31	54.0	16.69	AV	110.00	200	Vertical	Pass
4	7682.992	51.94	74.0	22.06	Peak	93.00	200	Vertical	Pass
4**	7682.992	44.03	54.0	9.97	AV	93.00	200	Vertical	Pass
5	12526.923	55.29	74.0	18.71	Peak	5.00	300	Vertical	Pass
5**	12526.923	40.10	54.0	13.90	AV	5.00	300	Vertical	Pass
6	15384.028	53.43	74.0	20.57	Peak	305.00	100	Vertical	Pass
6**	15384.028	43.25	54.0	10.75	AV	305.00	100	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.321	37.92	74.0	36.08	Peak	147.00	400	Horizontal	Pass
1**	1523.321	26.23	54.0	27.77	AV	147.00	400	Horizontal	Pass
2	2273.125	41.23	74.0	32.77	Peak	150.00	300	Horizontal	Pass
2**	2273.125	33.27	54.0	20.73	AV	150.00	300	Horizontal	Pass
3	4048.700	46.50	74.0	27.50	Peak	317.00	200	Horizontal	Pass
3**	4048.700	36.33	54.0	17.67	AV	317.00	200	Horizontal	Pass
4	7619.265	52.88	74.0	21.12	Peak	314.00	400	Horizontal	Pass
4**	7619.265	46.43	54.0	7.57	AV	314.00	400	Horizontal	Pass
5	12451.168	52.47	74.0	21.53	Peak	64.00	400	Horizontal	Pass
5**	12451.168	45.58	54.0	8.42	AV	64.00	400	Horizontal	Pass
6	15903.113	51.60	74.0	22.40	Peak	24.00	300	Horizontal	Pass
6**	15903.113	46.98	54.0	7.02	AV	24.00	300	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.516	36.06	74.0	37.94	Peak	287.00	100	Vertical	Pass
1**	1532.516	30.76	54.0	23.24	AV	287.00	100	Vertical	Pass
2	2331.644	42.63	74.0	31.37	Peak	297.00	200	Vertical	Pass
2**	2331.644	36.95	54.0	17.05	AV	297.00	200	Vertical	Pass
3	4903.386	51.82	74.0	22.18	Peak	156.00	200	Vertical	Pass
3**	4903.386	37.74	54.0	16.26	AV	156.00	200	Vertical	Pass
4	7330.675	55.67	74.0	18.33	Peak	226.00	300	Vertical	Pass
4**	7330.675	44.12	54.0	9.88	AV	226.00	300	Vertical	Pass
5	12487.621	52.64	74.0	21.36	Peak	224.00	200	Vertical	Pass
5**	12487.621	45.39	54.0	8.61	AV	224.00	200	Vertical	Pass
6	15687.870	56.52	74.0	17.48	Peak	89.00	300	Vertical	Pass
6**	15687.870	46.68	54.0	7.32	AV	89.00	300	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.649	35.93	74.0	38.07	Peak	265.00	300	Horizontal	Pass
1**	1520.649	29.87	54.0	24.13	AV	265.00	300	Horizontal	Pass
2	2277.576	43.85	74.0	30.15	Peak	217.00	300	Horizontal	Pass
2**	2277.576	33.18	54.0	20.82	AV	217.00	300	Horizontal	Pass
3	4044.851	44.21	74.0	29.79	Peak	22.00	200	Horizontal	Pass
3**	4044.851	36.80	54.0	17.20	AV	22.00	200	Horizontal	Pass
4	7623.563	55.29	74.0	18.71	Peak	349.00	200	Horizontal	Pass
4**	7623.563	46.36	54.0	7.64	AV	349.00	200	Horizontal	Pass
5	12454.308	55.61	74.0	18.39	Peak	123.00	200	Horizontal	Pass
5**	12454.308	43.50	54.0	10.50	AV	123.00	200	Horizontal	Pass
6	15900.902	53.59	74.0	20.41	Peak	321.00	200	Horizontal	Pass
6**	15900.902	47.23	54.0	6.77	AV	321.00	200	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.536	40.55	74.0	33.45	Peak	197.00	300	Vertical	Pass
1**	1531.536	25.82	54.0	28.18	AV	197.00	300	Vertical	Pass
2	2337.980	45.39	74.0	28.61	Peak	306.00	300	Vertical	Pass
2**	2337.980	36.02	54.0	17.98	AV	306.00	300	Vertical	Pass
3	4900.384	51.32	74.0	22.68	Peak	34.00	200	Vertical	Pass
3**	4900.384	38.37	54.0	15.63	AV	34.00	200	Vertical	Pass
4	7329.919	53.75	74.0	20.25	Peak	294.00	300	Vertical	Pass
4**	7329.919	45.49	54.0	8.51	AV	294.00	300	Vertical	Pass
5	12485.027	55.49	74.0	18.51	Peak	139.00	100	Vertical	Pass
5**	12485.027	46.17	54.0	7.83	AV	139.00	100	Vertical	Pass
6	15693.391	56.67	74.0	17.33	Peak	203.00	100	Vertical	Pass
6**	15693.391	42.20	54.0	11.80	AV	203.00	100	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.156	39.33	74.0	34.67	Peak	165.00	100	Horizontal	Pass
1**	1524.156	28.45	54.0	25.55	AV	165.00	100	Horizontal	Pass
2	2270.998	41.86	74.0	32.14	Peak	74.00	300	Horizontal	Pass
2**	2270.998	33.43	54.0	20.57	AV	74.00	300	Horizontal	Pass
3	4046.493	44.41	74.0	29.59	Peak	203.00	200	Horizontal	Pass
3**	4046.493	39.32	54.0	14.68	AV	203.00	200	Horizontal	Pass
4	7619.065	53.01	74.0	20.99	Peak	19.00	300	Horizontal	Pass
4**	7619.065	41.66	54.0	12.34	AV	19.00	300	Horizontal	Pass
5	12454.182	52.22	74.0	21.78	Peak	212.00	200	Horizontal	Pass
5**	12454.182	43.57	54.0	10.43	AV	212.00	200	Horizontal	Pass
6	15900.089	55.89	74.0	18.11	Peak	4.00	200	Horizontal	Pass
6**	15900.089	45.06	54.0	8.94	AV	4.00	200	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.183	39.20	74.0	34.80	Peak	143.00	400	Vertical	Pass
1**	1533.183	29.71	54.0	24.29	AV	143.00	400	Vertical	Pass
2	2333.754	43.55	74.0	30.45	Peak	277.00	400	Vertical	Pass
2**	2333.754	34.36	54.0	19.64	AV	277.00	400	Vertical	Pass
3	4900.540	47.08	74.0	26.92	Peak	286.00	200	Vertical	Pass
3**	4900.540	40.14	54.0	13.86	AV	286.00	200	Vertical	Pass
4	7330.389	52.00	74.0	22.00	Peak	124.00	200	Vertical	Pass
4**	7330.389	44.66	54.0	9.34	AV	124.00	200	Vertical	Pass
5	12484.843	54.26	74.0	19.74	Peak	0.00	400	Vertical	Pass
5**	12484.843	42.95	54.0	11.05	AV	0.00	400	Vertical	Pass
6	15694.372	56.20	74.0	17.80	Peak	66.00	100	Vertical	Pass
6**	15694.372	44.79	54.0	9.21	AV	66.00	100	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.288	39.57	74.0	34.43	Peak	44.00	200	Horizontal	Pass
1**	1526.288	26.19	54.0	27.81	AV	44.00	200	Horizontal	Pass
2	2277.822	44.25	74.0	29.75	Peak	317.00	100	Horizontal	Pass
2**	2277.822	37.23	54.0	16.77	AV	317.00	100	Horizontal	Pass
3	4045.834	48.56	74.0	25.44	Peak	298.00	200	Horizontal	Pass
3**	4045.834	39.05	54.0	14.95	AV	298.00	200	Horizontal	Pass
4	7624.203	51.90	74.0	22.10	Peak	77.00	100	Horizontal	Pass
4**	7624.203	40.52	54.0	13.48	AV	77.00	100	Horizontal	Pass
5	12452.007	54.01	74.0	19.99	Peak	263.00	200	Horizontal	Pass
5**	12452.007	43.24	54.0	10.76	AV	263.00	200	Horizontal	Pass
6	15904.235	55.94	74.0	18.06	Peak	325.00	200	Horizontal	Pass
6**	15904.235	47.18	54.0	6.82	AV	325.00	200	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.607	38.08	74.0	35.92	Peak	207.00	100	Vertical	Pass
1**	1533.607	26.37	54.0	27.63	AV	207.00	100	Vertical	Pass
2	2336.455	45.53	74.0	28.47	Peak	68.00	400	Vertical	Pass
2**	2336.455	33.68	54.0	20.32	AV	68.00	400	Vertical	Pass
3	4896.534	49.28	74.0	24.72	Peak	248.00	200	Vertical	Pass
3**	4896.534	39.92	54.0	14.08	AV	248.00	200	Vertical	Pass
4	7330.295	55.65	74.0	18.35	Peak	261.00	400	Vertical	Pass
4**	7330.295	43.97	54.0	10.03	AV	261.00	400	Vertical	Pass
5	12487.963	50.29	74.0	23.71	Peak	48.00	300	Vertical	Pass
5**	12487.963	41.84	54.0	12.16	AV	48.00	300	Vertical	Pass
6	15694.425	52.11	74.0	21.89	Peak	66.00	400	Vertical	Pass
6**	15694.425	43.32	54.0	10.68	AV	66.00	400	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.147	39.31	74.0	34.69	Peak	268.00	100	Horizontal	Pass
1**	1527.147	30.74	54.0	23.26	AV	268.00	100	Horizontal	Pass
2	2277.266	42.91	74.0	31.09	Peak	179.00	100	Horizontal	Pass
2**	2277.266	32.55	54.0	21.45	AV	179.00	100	Horizontal	Pass
3	4045.844	49.21	74.0	24.79	Peak	358.00	200	Horizontal	Pass
3**	4045.844	39.24	54.0	14.76	AV	358.00	200	Horizontal	Pass
4	7621.633	55.04	74.0	18.96	Peak	41.00	400	Horizontal	Pass
4**	7621.633	44.39	54.0	9.61	AV	41.00	400	Horizontal	Pass
5	12455.832	53.51	74.0	20.49	Peak	249.00	200	Horizontal	Pass
5**	12455.832	43.77	54.0	10.23	AV	249.00	200	Horizontal	Pass
6	15901.213	53.92	74.0	20.08	Peak	5.00	300	Horizontal	Pass
6**	15901.213	41.75	54.0	12.25	AV	5.00	300	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.337	36.32	74.0	37.68	Peak	116.00	400	Vertical	Pass
1**	1529.337	29.35	54.0	24.65	AV	116.00	400	Vertical	Pass
2	2336.996	41.87	74.0	32.13	Peak	94.00	100	Vertical	Pass
2**	2336.996	33.75	54.0	20.25	AV	94.00	100	Vertical	Pass
3	4897.045	52.05	74.0	21.95	Peak	27.00	200	Vertical	Pass
3**	4897.045	41.34	54.0	12.66	AV	27.00	200	Vertical	Pass
4	7324.051	56.07	74.0	17.93	Peak	173.00	400	Vertical	Pass
4**	7324.051	41.73	54.0	12.27	AV	173.00	400	Vertical	Pass
5	12490.162	55.86	74.0	18.14	Peak	61.00	400	Vertical	Pass
5**	12490.162	47.12	54.0	6.88	AV	61.00	400	Vertical	Pass
6	15694.510	51.84	74.0	22.16	Peak	189.00	100	Vertical	Pass
6**	15694.510	44.19	54.0	9.81	AV	189.00	100	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.169	41.48	74.0	32.52	Peak	26.00	100	Horizontal	Pass
1**	1523.169	26.89	54.0	27.11	AV	26.00	100	Horizontal	Pass
2	2272.116	46.47	74.0	27.53	Peak	341.00	200	Horizontal	Pass
2**	2272.116	34.18	54.0	19.82	AV	341.00	200	Horizontal	Pass
3	4043.720	46.68	74.0	27.32	Peak	327.00	200	Horizontal	Pass
3**	4043.720	39.59	54.0	14.41	AV	327.00	200	Horizontal	Pass
4	7620.346	52.29	74.0	21.71	Peak	48.00	400	Horizontal	Pass
4**	7620.346	45.17	54.0	8.83	AV	48.00	400	Horizontal	Pass
5	12454.721	54.84	74.0	19.16	Peak	329.00	300	Horizontal	Pass
5**	12454.721	45.36	54.0	8.64	AV	329.00	300	Horizontal	Pass
6	15901.066	51.76	74.0	22.24	Peak	246.00	200	Horizontal	Pass
6**	15901.066	44.87	54.0	9.13	AV	246.00	200	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.741	38.73	74.0	35.27	Peak	147.00	100	Vertical	Pass
1**	1526.741	28.37	54.0	25.63	AV	147.00	100	Vertical	Pass
2	2339.063	43.57	74.0	30.43	Peak	310.00	200	Vertical	Pass
2**	2339.063	35.62	54.0	18.38	AV	310.00	200	Vertical	Pass
3	4902.502	47.77	74.0	26.23	Peak	155.00	200	Vertical	Pass
3**	4902.502	37.48	54.0	16.52	AV	155.00	200	Vertical	Pass
4	7326.587	51.80	74.0	22.20	Peak	175.00	100	Vertical	Pass
4**	7326.587	45.73	54.0	8.27	AV	175.00	100	Vertical	Pass
5	12485.191	54.74	74.0	19.26	Peak	197.00	200	Vertical	Pass
5**	12485.191	41.59	54.0	12.41	AV	197.00	200	Vertical	Pass
6	15689.796	52.42	74.0	21.58	Peak	267.00	400	Vertical	Pass
6**	15689.796	41.87	54.0	12.13	AV	267.00	400	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.813	38.52	74.0	35.48	Peak	144.00	300	Horizontal	Pass
1**	1522.813	27.06	54.0	26.94	AV	144.00	300	Horizontal	Pass
2	2276.202	45.96	74.0	28.04	Peak	171.00	100	Horizontal	Pass
2**	2276.202	35.40	54.0	18.60	AV	171.00	100	Horizontal	Pass
3	4049.393	49.74	74.0	24.26	Peak	126.00	200	Horizontal	Pass
3**	4049.393	36.06	54.0	17.94	AV	126.00	200	Horizontal	Pass
4	7619.845	54.50	74.0	19.50	Peak	227.00	300	Horizontal	Pass
4**	7619.845	43.18	54.0	10.82	AV	227.00	300	Horizontal	Pass
5	12455.150	55.47	74.0	18.53	Peak	5.00	100	Horizontal	Pass
5**	12455.150	47.02	54.0	6.98	AV	5.00	100	Horizontal	Pass
6	15904.055	54.52	74.0	19.48	Peak	193.00	300	Horizontal	Pass
6**	15904.055	41.72	54.0	12.28	AV	193.00	300	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.270	41.42	74.0	32.58	Peak	16.00	300	Vertical	Pass
1**	1528.270	31.09	54.0	22.91	AV	16.00	300	Vertical	Pass
2	2333.669	43.11	74.0	30.89	Peak	270.00	400	Vertical	Pass
2**	2333.669	35.74	54.0	18.26	AV	270.00	400	Vertical	Pass
3	4901.733	51.91	74.0	22.09	Peak	23.00	200	Vertical	Pass
3**	4901.733	39.52	54.0	14.48	AV	23.00	200	Vertical	Pass
4	7330.301	56.18	74.0	17.82	Peak	15.00	400	Vertical	Pass
4**	7330.301	44.10	54.0	9.90	AV	15.00	400	Vertical	Pass
5	12489.147	53.64	74.0	20.36	Peak	334.00	200	Vertical	Pass
5**	12489.147	45.27	54.0	8.73	AV	334.00	200	Vertical	Pass
6	15690.073	53.89	74.0	20.11	Peak	341.00	400	Vertical	Pass
6**	15690.073	43.22	54.0	10.78	AV	341.00	400	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.793	39.17	74.0	34.83	Peak	277.00	100	Horizontal	Pass
1**	1527.793	28.20	54.0	25.80	AV	277.00	100	Horizontal	Pass
2	2278.762	46.44	74.0	27.56	Peak	330.00	400	Horizontal	Pass
2**	2278.762	33.86	54.0	20.14	AV	330.00	400	Horizontal	Pass
3	4047.210	48.44	74.0	25.56	Peak	330.00	200	Horizontal	Pass
3**	4047.210	38.96	54.0	15.04	AV	330.00	200	Horizontal	Pass
4	7620.572	51.68	74.0	22.32	Peak	205.00	200	Horizontal	Pass
4**	7620.572	42.68	54.0	11.32	AV	205.00	200	Horizontal	Pass
5	12453.993	52.37	74.0	21.63	Peak	210.00	400	Horizontal	Pass
5**	12453.993	45.64	54.0	8.36	AV	210.00	400	Horizontal	Pass
6	15906.075	55.92	74.0	18.08	Peak	153.00	200	Horizontal	Pass
6**	15906.075	45.58	54.0	8.42	AV	153.00	200	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.537	37.77	74.0	36.23	Peak	262.00	100	Vertical	Pass
1**	1531.537	27.67	54.0	26.33	AV	262.00	100	Vertical	Pass
2	2337.663	42.47	74.0	31.53	Peak	282.00	400	Vertical	Pass
2**	2337.663	33.76	54.0	20.24	AV	282.00	400	Vertical	Pass
3	4896.318	51.30	74.0	22.70	Peak	17.00	200	Vertical	Pass
3**	4896.318	42.39	54.0	11.61	AV	17.00	200	Vertical	Pass
4	7324.788	51.28	74.0	22.72	Peak	282.00	100	Vertical	Pass
4**	7324.788	44.06	54.0	9.94	AV	282.00	100	Vertical	Pass
5	12484.237	51.89	74.0	22.11	Peak	145.00	100	Vertical	Pass
5**	12484.237	44.43	54.0	9.57	AV	145.00	100	Vertical	Pass
6	15687.702	51.82	74.0	22.18	Peak	253.00	100	Vertical	Pass
6**	15687.702	46.13	54.0	7.87	AV	253.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.748	40.46	74.0	33.54	Peak	54.00	200	Horizontal	Pass
1**	1524.748	26.14	54.0	27.86	AV	54.00	200	Horizontal	Pass
2	2278.035	41.98	74.0	32.02	Peak	329.00	200	Horizontal	Pass
2**	2278.035	34.02	54.0	19.98	AV	329.00	200	Horizontal	Pass
3	4046.473	48.73	74.0	25.27	Peak	82.00	200	Horizontal	Pass
3**	4046.473	38.92	54.0	15.08	AV	82.00	200	Horizontal	Pass
4	7622.056	55.50	74.0	18.50	Peak	24.00	200	Horizontal	Pass
4**	7622.056	46.32	54.0	7.68	AV	24.00	200	Horizontal	Pass
5	12452.369	51.20	74.0	22.80	Peak	232.00	300	Horizontal	Pass
5**	12452.369	42.99	54.0	11.01	AV	232.00	300	Horizontal	Pass
6	15903.504	50.91	74.0	23.09	Peak	183.00	200	Horizontal	Pass
6**	15903.504	45.59	54.0	8.41	AV	183.00	200	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.583	38.39	74.0	35.61	Peak	121.00	300	Vertical	Pass
1**	1530.583	31.34	54.0	22.66	AV	121.00	300	Vertical	Pass
2	2335.105	46.00	74.0	28.00	Peak	334.00	200	Vertical	Pass
2**	2335.105	32.90	54.0	21.10	AV	334.00	200	Vertical	Pass
3	4901.882	52.10	74.0	21.90	Peak	134.00	200	Vertical	Pass
3**	4901.882	37.85	54.0	16.15	AV	134.00	200	Vertical	Pass
4	7326.946	54.59	74.0	19.41	Peak	294.00	100	Vertical	Pass
4**	7326.946	45.05	54.0	8.95	AV	294.00	100	Vertical	Pass
5	12488.189	52.45	74.0	21.55	Peak	286.00	300	Vertical	Pass
5**	12488.189	43.31	54.0	10.69	AV	286.00	300	Vertical	Pass
6	15687.555	52.35	74.0	21.65	Peak	204.00	100	Vertical	Pass
6**	15687.555	43.40	54.0	10.60	AV	204.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.824	40.85	74.0	33.15	Peak	0.00	200	Horizontal	Pass
1**	1527.824	28.86	54.0	25.14	AV	0.00	200	Horizontal	Pass
2	2272.624	44.45	74.0	29.55	Peak	13.00	100	Horizontal	Pass
2**	2272.624	33.21	54.0	20.79	AV	13.00	100	Horizontal	Pass
3	4048.987	46.61	74.0	27.39	Peak	135.00	200	Horizontal	Pass
3**	4048.987	38.25	54.0	15.75	AV	135.00	200	Horizontal	Pass
4	7618.961	54.95	74.0	19.05	Peak	312.00	200	Horizontal	Pass
4**	7618.961	41.08	54.0	12.92	AV	312.00	200	Horizontal	Pass
5	12455.871	50.78	74.0	23.22	Peak	216.00	100	Horizontal	Pass
5**	12455.871	41.87	54.0	12.13	AV	216.00	100	Horizontal	Pass
6	15903.378	55.68	74.0	18.32	Peak	45.00	300	Horizontal	Pass
6**	15903.378	42.37	54.0	11.63	AV	45.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.011	37.62	74.0	36.38	Peak	355.00	300	Vertical	Pass
1**	1529.011	28.24	54.0	25.76	AV	355.00	300	Vertical	Pass
2	2333.397	45.97	74.0	28.03	Peak	104.00	300	Vertical	Pass
2**	2333.397	33.00	54.0	21.00	AV	104.00	300	Vertical	Pass
3	4903.101	49.20	74.0	24.80	Peak	218.00	200	Vertical	Pass
3**	4903.101	39.56	54.0	14.44	AV	218.00	200	Vertical	Pass
4	7326.844	50.64	74.0	23.36	Peak	119.00	100	Vertical	Pass
4**	7326.844	46.70	54.0	7.30	AV	119.00	100	Vertical	Pass
5	12485.582	51.42	74.0	22.58	Peak	161.00	300	Vertical	Pass
5**	12485.582	42.36	54.0	11.64	AV	161.00	300	Vertical	Pass
6	15691.972	52.89	74.0	21.11	Peak	247.00	400	Vertical	Pass
6**	15691.972	43.78	54.0	10.22	AV	247.00	400	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.275	41.45	74.0	32.55	Peak	243.00	400	Horizontal	Pass
1**	1527.275	31.03	54.0	22.97	AV	243.00	400	Horizontal	Pass
2	2275.318	46.02	74.0	27.98	Peak	221.00	100	Horizontal	Pass
2**	2275.318	32.25	54.0	21.75	AV	221.00	100	Horizontal	Pass
3	4046.999	48.69	74.0	25.31	Peak	64.00	200	Horizontal	Pass
3**	4046.999	38.00	54.0	16.00	AV	64.00	200	Horizontal	Pass
4	7619.268	55.69	74.0	18.31	Peak	226.00	100	Horizontal	Pass
4**	7619.268	41.94	54.0	12.06	AV	226.00	100	Horizontal	Pass
5	12451.956	52.73	74.0	21.27	Peak	6.00	200	Horizontal	Pass
5**	12451.956	46.55	54.0	7.45	AV	6.00	200	Horizontal	Pass
6	15901.835	54.73	74.0	19.27	Peak	138.00	200	Horizontal	Pass
6**	15901.835	44.28	54.0	9.72	AV	138.00	200	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.638	41.30	74.0	32.70	Peak	158.00	400	Vertical	Pass
1**	1526.638	30.54	54.0	23.46	AV	158.00	400	Vertical	Pass
2	2334.206	46.68	74.0	27.32	Peak	109.00	400	Vertical	Pass
2**	2334.206	35.82	54.0	18.18	AV	109.00	400	Vertical	Pass
3	4900.137	48.20	74.0	25.80	Peak	88.00	200	Vertical	Pass
3**	4900.137	42.33	54.0	11.67	AV	88.00	200	Vertical	Pass
4	7327.657	54.04	74.0	19.96	Peak	247.00	200	Vertical	Pass
4**	7327.657	41.62	54.0	12.38	AV	247.00	200	Vertical	Pass
5	12485.155	52.67	74.0	21.33	Peak	111.00	400	Vertical	Pass
5**	12485.155	41.94	54.0	12.06	AV	111.00	400	Vertical	Pass
6	15690.857	51.71	74.0	22.29	Peak	230.00	300	Vertical	Pass
6**	15690.857	44.07	54.0	9.93	AV	230.00	300	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.724	39.16	74.0	34.84	Peak	55.00	100	Horizontal	Pass
1**	1524.724	28.17	54.0	25.83	AV	55.00	100	Horizontal	Pass
2	2277.892	45.16	74.0	28.84	Peak	13.00	300	Horizontal	Pass
2**	2277.892	31.76	54.0	22.24	AV	13.00	300	Horizontal	Pass
3	4042.839	44.40	74.0	29.60	Peak	308.00	200	Horizontal	Pass
3**	4042.839	35.33	54.0	18.67	AV	308.00	200	Horizontal	Pass
4	7622.507	54.81	74.0	19.19	Peak	20.00	400	Horizontal	Pass
4**	7622.507	41.32	54.0	12.68	AV	20.00	400	Horizontal	Pass
5	12452.673	55.58	74.0	18.42	Peak	245.00	300	Horizontal	Pass
5**	12452.673	41.45	54.0	12.55	AV	245.00	300	Horizontal	Pass
6	15905.226	54.41	74.0	19.59	Peak	317.00	100	Horizontal	Pass
6**	15905.226	47.29	54.0	6.71	AV	317.00	100	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.669	38.95	74.0	35.05	Peak	121.00	200	Vertical	Pass
1**	1529.669	25.78	54.0	28.22	AV	121.00	200	Vertical	Pass
2	2335.277	45.82	74.0	28.18	Peak	292.00	400	Vertical	Pass
2**	2335.277	35.80	54.0	18.20	AV	292.00	400	Vertical	Pass
3	4896.264	52.92	74.0	21.08	Peak	345.00	200	Vertical	Pass
3**	4896.264	37.57	54.0	16.43	AV	345.00	200	Vertical	Pass
4	7327.329	54.23	74.0	19.77	Peak	49.00	100	Vertical	Pass
4**	7327.329	42.14	54.0	11.86	AV	49.00	100	Vertical	Pass
5	12488.635	54.92	74.0	19.08	Peak	287.00	400	Vertical	Pass
5**	12488.635	45.18	54.0	8.82	AV	287.00	400	Vertical	Pass
6	15689.659	56.68	74.0	17.32	Peak	155.00	400	Vertical	Pass
6**	15689.659	45.83	54.0	8.17	AV	155.00	400	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.963	39.27	74.0	34.73	Peak	37.00	100	Horizontal	Pass
1**	1527.963	30.97	54.0	23.03	AV	37.00	100	Horizontal	Pass
2	2272.700	42.01	74.0	31.99	Peak	261.00	200	Horizontal	Pass
2**	2272.700	34.61	54.0	19.39	AV	261.00	200	Horizontal	Pass
3	4047.479	46.30	74.0	27.70	Peak	134.00	200	Horizontal	Pass
3**	4047.479	35.44	54.0	18.56	AV	134.00	200	Horizontal	Pass
4	7621.941	55.39	74.0	18.61	Peak	35.00	100	Horizontal	Pass
4**	7621.941	45.96	54.0	8.04	AV	35.00	100	Horizontal	Pass
5	12451.612	51.32	74.0	22.68	Peak	191.00	300	Horizontal	Pass
5**	12451.612	46.87	54.0	7.13	AV	191.00	300	Horizontal	Pass
6	15903.842	52.43	74.0	21.57	Peak	284.00	300	Horizontal	Pass
6**	15903.842	45.31	54.0	8.69	AV	284.00	300	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.079	40.07	74.0	33.93	Peak	304.00	200	Vertical	Pass
1**	1528.079	28.78	54.0	25.22	AV	304.00	200	Vertical	Pass
2	2335.957	42.34	74.0	31.66	Peak	336.00	300	Vertical	Pass
2**	2335.957	37.26	54.0	16.74	AV	336.00	300	Vertical	Pass
3	4898.514	52.30	74.0	21.70	Peak	194.00	200	Vertical	Pass
3**	4898.514	37.86	54.0	16.14	AV	194.00	200	Vertical	Pass
4	7326.496	54.07	74.0	19.93	Peak	2.00	100	Vertical	Pass
4**	7326.496	42.77	54.0	11.23	AV	2.00	100	Vertical	Pass
5	12484.388	50.59	74.0	23.41	Peak	67.00	100	Vertical	Pass
5**	12484.388	44.66	54.0	9.34	AV	67.00	100	Vertical	Pass
6	15694.193	54.02	74.0	19.98	Peak	36.00	200	Vertical	Pass
6**	15694.193	46.72	54.0	7.28	AV	36.00	200	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.362	35.57	74.0	38.43	Peak	187.00	200	Horizontal	Pass
1**	1527.362	26.66	54.0	27.34	AV	187.00	200	Horizontal	Pass
2	2274.775	44.78	74.0	29.22	Peak	261.00	100	Horizontal	Pass
2**	2274.775	32.30	54.0	21.70	AV	261.00	100	Horizontal	Pass
3	4045.944	46.34	74.0	27.66	Peak	314.00	200	Horizontal	Pass
3**	4045.944	36.10	54.0	17.90	AV	314.00	200	Horizontal	Pass
4	7617.462	55.26	74.0	18.74	Peak	23.00	400	Horizontal	Pass
4**	7617.462	42.87	54.0	11.13	AV	23.00	400	Horizontal	Pass
5	12457.436	50.87	74.0	23.13	Peak	323.00	100	Horizontal	Pass
5**	12457.436	41.81	54.0	12.19	AV	323.00	100	Horizontal	Pass
6	15905.393	53.74	74.0	20.26	Peak	75.00	200	Horizontal	Pass
6**	15905.393	46.72	54.0	7.28	AV	75.00	200	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.273	38.24	74.0	35.76	Peak	287.00	300	Vertical	Pass
1**	1533.273	26.98	54.0	27.02	AV	287.00	300	Vertical	Pass
2	2336.500	44.24	74.0	29.76	Peak	338.00	200	Vertical	Pass
2**	2336.500	33.70	54.0	20.30	AV	338.00	200	Vertical	Pass
3	4899.598	48.52	74.0	25.48	Peak	53.00	200	Vertical	Pass
3**	4899.598	40.39	54.0	13.61	AV	53.00	200	Vertical	Pass
4	7330.077	53.94	74.0	20.06	Peak	153.00	300	Vertical	Pass
4**	7330.077	41.53	54.0	12.47	AV	153.00	300	Vertical	Pass
5	12489.443	52.63	74.0	21.37	Peak	302.00	300	Vertical	Pass
5**	12489.443	46.11	54.0	7.89	AV	302.00	300	Vertical	Pass
6	15694.248	55.99	74.0	18.01	Peak	101.00	300	Vertical	Pass
6**	15694.248	44.06	54.0	9.94	AV	101.00	300	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.107	37.38	74.0	36.62	Peak	309.00	300	Horizontal	Pass
1**	1524.107	30.04	54.0	23.96	AV	309.00	300	Horizontal	Pass
2	2277.567	46.25	74.0	27.75	Peak	220.00	200	Horizontal	Pass
2**	2277.567	33.04	54.0	20.96	AV	220.00	200	Horizontal	Pass
3	4047.610	46.70	74.0	27.30	Peak	285.00	200	Horizontal	Pass
3**	4047.610	40.09	54.0	13.91	AV	285.00	200	Horizontal	Pass
4	7623.074	51.71	74.0	22.29	Peak	349.00	200	Horizontal	Pass
4**	7623.074	43.96	54.0	10.04	AV	349.00	200	Horizontal	Pass
5	12450.825	50.73	74.0	23.27	Peak	115.00	200	Horizontal	Pass
5**	12450.825	44.79	54.0	9.21	AV	115.00	200	Horizontal	Pass
6	15904.744	51.79	74.0	22.21	Peak	89.00	300	Horizontal	Pass
6**	15904.744	43.99	54.0	10.01	AV	89.00	300	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.467	40.05	74.0	33.95	Peak	254.00	200	Vertical	Pass
1**	1529.467	25.81	54.0	28.19	AV	254.00	200	Vertical	Pass
2	2335.619	42.01	74.0	31.99	Peak	81.00	400	Vertical	Pass
2**	2335.619	34.66	54.0	19.34	AV	81.00	400	Vertical	Pass
3	4904.093	52.95	74.0	21.05	Peak	349.00	200	Vertical	Pass
3**	4904.093	37.19	54.0	16.81	AV	349.00	200	Vertical	Pass
4	7325.101	53.34	74.0	20.66	Peak	99.00	300	Vertical	Pass
4**	7325.101	45.79	54.0	8.21	AV	99.00	300	Vertical	Pass
5	12483.211	55.68	74.0	18.32	Peak	92.00	300	Vertical	Pass
5**	12483.211	44.98	54.0	9.02	AV	92.00	300	Vertical	Pass
6	15690.728	55.63	74.0	18.37	Peak	283.00	200	Vertical	Pass
6**	15690.728	45.73	54.0	8.27	AV	283.00	200	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.835	41.08	74.0	32.92	Peak	81.00	100	Horizontal	Pass
1**	1524.835	30.98	54.0	23.02	AV	81.00	100	Horizontal	Pass
2	2274.743	41.62	74.0	32.38	Peak	31.00	200	Horizontal	Pass
2**	2274.743	32.83	54.0	21.17	AV	31.00	200	Horizontal	Pass
3	4044.382	49.97	74.0	24.03	Peak	235.00	200	Horizontal	Pass
3**	4044.382	34.49	54.0	19.51	AV	235.00	200	Horizontal	Pass
4	7622.364	50.19	74.0	23.81	Peak	300.00	200	Horizontal	Pass
4**	7622.364	44.83	54.0	9.17	AV	300.00	200	Horizontal	Pass
5	12457.448	53.95	74.0	20.05	Peak	327.00	200	Horizontal	Pass
5**	12457.448	45.55	54.0	8.45	AV	327.00	200	Horizontal	Pass
6	15900.526	55.24	74.0	18.76	Peak	252.00	200	Horizontal	Pass
6**	15900.526	46.97	54.0	7.03	AV	252.00	200	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.639	41.67	74.0	32.33	Peak	44.00	100	Vertical	Pass
1**	1530.639	26.66	54.0	27.34	AV	44.00	100	Vertical	Pass
2	2332.953	47.00	74.0	27.00	Peak	160.00	400	Vertical	Pass
2**	2332.953	36.34	54.0	17.66	AV	160.00	400	Vertical	Pass
3	4896.450	48.69	74.0	25.31	Peak	284.00	200	Vertical	Pass
3**	4896.450	42.35	54.0	11.65	AV	284.00	200	Vertical	Pass
4	7324.954	52.83	74.0	21.17	Peak	281.00	100	Vertical	Pass
4**	7324.954	43.43	54.0	10.57	AV	281.00	100	Vertical	Pass
5	12490.092	55.91	74.0	18.09	Peak	149.00	200	Vertical	Pass
5**	12490.092	46.74	54.0	7.26	AV	149.00	200	Vertical	Pass
6	15689.207	52.97	74.0	21.03	Peak	32.00	300	Vertical	Pass
6**	15689.207	43.33	54.0	10.67	AV	32.00	300	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.361	40.99	74.0	33.01	Peak	188.00	100	Horizontal	Pass
1**	1524.361	28.76	54.0	25.24	AV	188.00	100	Horizontal	Pass
2	2271.308	41.18	74.0	32.82	Peak	105.00	400	Horizontal	Pass
2**	2271.308	32.44	54.0	21.56	AV	105.00	400	Horizontal	Pass
3	4045.808	48.36	74.0	25.64	Peak	81.00	200	Horizontal	Pass
3**	4045.808	36.28	54.0	17.72	AV	81.00	200	Horizontal	Pass
4	7617.350	51.43	74.0	22.57	Peak	227.00	100	Horizontal	Pass
4**	7617.350	45.92	54.0	8.08	AV	227.00	100	Horizontal	Pass
5	12455.220	51.34	74.0	22.66	Peak	166.00	300	Horizontal	Pass
5**	12455.220	46.78	54.0	7.22	AV	166.00	300	Horizontal	Pass
6	15902.186	52.98	74.0	21.02	Peak	312.00	200	Horizontal	Pass
6**	15902.186	42.37	54.0	11.63	AV	312.00	200	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.320	40.49	74.0	33.51	Peak	168.00	400	Vertical	Pass
1**	1530.320	29.70	54.0	24.30	AV	168.00	400	Vertical	Pass
2	2338.300	46.68	74.0	27.32	Peak	97.00	300	Vertical	Pass
2**	2338.300	34.62	54.0	19.38	AV	97.00	300	Vertical	Pass
3	4900.507	48.69	74.0	25.31	Peak	106.00	200	Vertical	Pass
3**	4900.507	38.69	54.0	15.31	AV	106.00	200	Vertical	Pass
4	7325.472	50.66	74.0	23.34	Peak	160.00	200	Vertical	Pass
4**	7325.472	41.30	54.0	12.70	AV	160.00	200	Vertical	Pass
5	12484.300	51.42	74.0	22.58	Peak	47.00	400	Vertical	Pass
5**	12484.300	43.09	54.0	10.91	AV	47.00	400	Vertical	Pass
6	15689.967	54.95	74.0	19.05	Peak	183.00	400	Vertical	Pass
6**	15689.967	45.26	54.0	8.74	AV	183.00	400	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.736	37.63	74.0	36.37	Peak	224.00	100	Horizontal	Pass
1**	1524.736	26.99	54.0	27.01	AV	224.00	100	Horizontal	Pass
2	2272.755	43.66	74.0	30.34	Peak	75.00	400	Horizontal	Pass
2**	2272.755	35.28	54.0	18.72	AV	75.00	400	Horizontal	Pass
3	4050.396	50.14	74.0	23.86	Peak	310.00	200	Horizontal	Pass
3**	4050.396	39.34	54.0	14.66	AV	310.00	200	Horizontal	Pass
4	7618.026	51.78	74.0	22.22	Peak	44.00	100	Horizontal	Pass
4**	7618.026	42.96	54.0	11.04	AV	44.00	100	Horizontal	Pass
5	12455.655	51.33	74.0	22.67	Peak	294.00	100	Horizontal	Pass
5**	12455.655	43.94	54.0	10.06	AV	294.00	100	Horizontal	Pass
6	15903.688	54.15	74.0	19.85	Peak	81.00	400	Horizontal	Pass
6**	15903.688	46.24	54.0	7.76	AV	81.00	400	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.560	41.08	74.0	32.92	Peak	115.00	200	Vertical	Pass
1**	1531.560	26.31	54.0	27.69	AV	115.00	200	Vertical	Pass
2	2337.266	47.34	74.0	26.66	Peak	238.00	300	Vertical	Pass
2**	2337.266	35.40	54.0	18.60	AV	238.00	300	Vertical	Pass
3	4903.261	46.99	74.0	27.01	Peak	266.00	200	Vertical	Pass
3**	4903.261	36.97	54.0	17.03	AV	266.00	200	Vertical	Pass
4	7327.180	52.56	74.0	21.44	Peak	117.00	400	Vertical	Pass
4**	7327.180	43.48	54.0	10.52	AV	117.00	400	Vertical	Pass
5	12488.356	53.50	74.0	20.50	Peak	328.00	100	Vertical	Pass
5**	12488.356	43.69	54.0	10.31	AV	328.00	100	Vertical	Pass
6	15694.121	54.71	74.0	19.29	Peak	299.00	400	Vertical	Pass
6**	15694.121	44.41	54.0	9.59	AV	299.00	400	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.170	37.97	74.0	36.03	Peak	250.00	100	Horizontal	Pass
1**	1525.170	30.21	54.0	23.79	AV	250.00	100	Horizontal	Pass
2	2277.107	42.12	74.0	31.88	Peak	252.00	400	Horizontal	Pass
2**	2277.107	35.34	54.0	18.66	AV	252.00	400	Horizontal	Pass
3	4044.466	48.67	74.0	25.33	Peak	270.00	200	Horizontal	Pass
3**	4044.466	39.97	54.0	14.03	AV	270.00	200	Horizontal	Pass
4	7622.036	51.77	74.0	22.23	Peak	351.00	200	Horizontal	Pass
4**	7622.036	42.51	54.0	11.49	AV	351.00	200	Horizontal	Pass
5	12454.970	55.84	74.0	18.16	Peak	101.00	100	Horizontal	Pass
5**	12454.970	43.01	54.0	10.99	AV	101.00	100	Horizontal	Pass
6	15902.253	51.48	74.0	22.52	Peak	256.00	300	Horizontal	Pass
6**	15902.253	43.97	54.0	10.03	AV	256.00	300	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.764	41.60	74.0	32.40	Peak	211.00	100	Vertical	Pass
1**	1532.764	31.02	54.0	22.98	AV	211.00	100	Vertical	Pass
2	2334.172	42.41	74.0	31.59	Peak	93.00	300	Vertical	Pass
2**	2334.172	33.82	54.0	20.18	AV	93.00	300	Vertical	Pass
3	4903.705	49.44	74.0	24.56	Peak	67.00	200	Vertical	Pass
3**	4903.705	38.27	54.0	15.73	AV	67.00	200	Vertical	Pass
4	7327.174	54.29	74.0	19.71	Peak	285.00	100	Vertical	Pass
4**	7327.174	44.48	54.0	9.52	AV	285.00	100	Vertical	Pass
5	12483.530	52.89	74.0	21.11	Peak	25.00	200	Vertical	Pass
5**	12483.530	42.10	54.0	11.90	AV	25.00	200	Vertical	Pass
6	15694.551	51.05	74.0	22.95	Peak	179.00	300	Vertical	Pass
6**	15694.551	44.59	54.0	9.41	AV	179.00	300	Vertical	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.689	41.38	74.0	32.62	Peak	2.00	400	Horizontal	Pass
1**	1525.689	30.03	54.0	23.97	AV	2.00	400	Horizontal	Pass
2	2277.675	41.77	74.0	32.23	Peak	316.00	100	Horizontal	Pass
2**	2277.675	36.59	54.0	17.41	AV	316.00	100	Horizontal	Pass
3	4049.471	49.51	74.0	24.49	Peak	262.00	200	Horizontal	Pass
3**	4049.471	39.52	54.0	14.48	AV	262.00	200	Horizontal	Pass
4	7623.090	55.56	74.0	18.44	Peak	300.00	400	Horizontal	Pass
4**	7623.090	42.80	54.0	11.20	AV	300.00	400	Horizontal	Pass
5	12451.267	51.27	74.0	22.73	Peak	242.00	200	Horizontal	Pass
5**	12451.267	41.77	54.0	12.23	AV	242.00	200	Horizontal	Pass
6	15903.773	52.30	74.0	21.70	Peak	88.00	400	Horizontal	Pass
6**	15903.773	46.72	54.0	7.28	AV	88.00	400	Horizontal	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.462	39.05	74.0	34.95	Peak	148.00	200	Vertical	Pass
1**	1532.462	28.51	54.0	25.49	AV	148.00	200	Vertical	Pass
2	2334.144	43.38	74.0	30.62	Peak	253.00	200	Vertical	Pass
2**	2334.144	32.41	54.0	21.59	AV	253.00	200	Vertical	Pass
3	4903.183	52.69	74.0	21.31	Peak	134.00	200	Vertical	Pass
3**	4903.183	39.24	54.0	14.76	AV	134.00	200	Vertical	Pass
4	7331.250	56.13	74.0	17.87	Peak	213.00	100	Vertical	Pass
4**	7331.250	42.59	54.0	11.41	AV	213.00	100	Vertical	Pass
5	12483.016	51.50	74.0	22.50	Peak	77.00	200	Vertical	Pass
5**	12483.016	42.50	54.0	11.50	AV	77.00	200	Vertical	Pass
6	15693.571	54.99	74.0	19.01	Peak	31.00	400	Vertical	Pass
6**	15693.571	45.17	54.0	8.83	AV	31.00	400	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.502	36.17	74.0	37.83	Peak	43.00	400	Horizontal	Pass
1**	1520.502	27.95	54.0	26.05	AV	43.00	400	Horizontal	Pass
2	2275.629	42.12	74.0	31.88	Peak	154.00	200	Horizontal	Pass
2**	2275.629	31.35	54.0	22.65	AV	154.00	200	Horizontal	Pass
3	4045.933	45.56	74.0	28.44	Peak	119.00	200	Horizontal	Pass
3**	4045.933	37.75	54.0	16.25	AV	119.00	200	Horizontal	Pass
4	7624.098	55.17	74.0	18.83	Peak	208.00	100	Horizontal	Pass
4**	7624.098	44.57	54.0	9.43	AV	208.00	100	Horizontal	Pass
5	12451.407	52.39	74.0	21.61	Peak	305.00	200	Horizontal	Pass
5**	12451.407	44.62	54.0	9.38	AV	305.00	200	Horizontal	Pass
6	15900.987	56.53	74.0	17.47	Peak	133.00	200	Horizontal	Pass
6**	15900.987	46.51	54.0	7.49	AV	133.00	200	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.292	41.28	74.0	32.72	Peak	58.00	300	Vertical	Pass
1**	1597.292	26.18	54.0	27.82	AV	58.00	300	Vertical	Pass
2	2225.427	41.15	74.0	32.85	Peak	235.00	100	Vertical	Pass
2**	2225.427	34.01	54.0	19.99	AV	235.00	100	Vertical	Pass
3	4259.836	47.34	74.0	26.66	Peak	85.00	200	Vertical	Pass
3**	4259.836	39.44	54.0	14.56	AV	85.00	200	Vertical	Pass
4	7711.103	57.08	74.0	16.92	Peak	193.00	300	Vertical	Pass
4**	7711.103	42.73	54.0	11.27	AV	193.00	300	Vertical	Pass
5	12501.767	52.60	74.0	21.40	Peak	145.00	100	Vertical	Pass
5**	12501.767	41.12	54.0	12.88	AV	145.00	100	Vertical	Pass
6	15673.408	52.87	74.0	21.13	Peak	122.00	300	Vertical	Pass
6**	15673.408	43.29	54.0	10.71	AV	122.00	300	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.753	37.15	74.0	36.85	Peak	194.00	200	Horizontal	Pass
1**	1522.753	26.26	54.0	27.74	AV	194.00	200	Horizontal	Pass
2	2276.413	45.79	74.0	28.21	Peak	96.00	100	Horizontal	Pass
2**	2276.413	31.55	54.0	22.45	AV	96.00	100	Horizontal	Pass
3	4047.997	46.42	74.0	27.58	Peak	156.00	200	Horizontal	Pass
3**	4047.997	38.94	54.0	15.06	AV	156.00	200	Horizontal	Pass
4	7621.360	53.65	74.0	20.35	Peak	91.00	200	Horizontal	Pass
4**	7621.360	43.72	54.0	10.28	AV	91.00	200	Horizontal	Pass
5	12452.572	50.30	74.0	23.70	Peak	196.00	200	Horizontal	Pass
5**	12452.572	45.78	54.0	8.22	AV	196.00	200	Horizontal	Pass
6	15901.864	53.10	74.0	20.90	Peak	289.00	300	Horizontal	Pass
6**	15901.864	45.96	54.0	8.04	AV	289.00	300	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.936	38.96	74.0	35.04	Peak	243.00	300	Vertical	Pass
1**	1596.936	26.86	54.0	27.14	AV	243.00	300	Vertical	Pass
2	2227.527	43.36	74.0	30.64	Peak	162.00	300	Vertical	Pass
2**	2227.527	32.27	54.0	21.73	AV	162.00	300	Vertical	Pass
3	4261.290	47.09	74.0	26.91	Peak	320.00	200	Vertical	Pass
3**	4261.290	37.47	54.0	16.53	AV	320.00	200	Vertical	Pass
4	7707.504	56.05	74.0	17.95	Peak	260.00	300	Vertical	Pass
4**	7707.504	40.39	54.0	13.61	AV	260.00	300	Vertical	Pass
5	12502.135	51.71	74.0	22.29	Peak	241.00	100	Vertical	Pass
5**	12502.135	42.47	54.0	11.53	AV	241.00	100	Vertical	Pass
6	15670.024	56.53	74.0	17.47	Peak	213.00	100	Vertical	Pass
6**	15670.024	41.44	54.0	12.56	AV	213.00	100	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.797	36.77	74.0	37.23	Peak	196.00	200	Horizontal	Pass
1**	1521.797	27.33	54.0	26.67	AV	196.00	200	Horizontal	Pass
2	2274.177	46.13	74.0	27.87	Peak	351.00	300	Horizontal	Pass
2**	2274.177	34.25	54.0	19.75	AV	351.00	300	Horizontal	Pass
3	4043.869	48.32	74.0	25.68	Peak	194.00	200	Horizontal	Pass
3**	4043.869	38.94	54.0	15.06	AV	194.00	200	Horizontal	Pass
4	7622.883	52.00	74.0	22.00	Peak	27.00	400	Horizontal	Pass
4**	7622.883	45.64	54.0	8.36	AV	27.00	400	Horizontal	Pass
5	12457.580	54.10	74.0	19.90	Peak	286.00	400	Horizontal	Pass
5**	12457.580	44.87	54.0	9.13	AV	286.00	400	Horizontal	Pass
6	15902.852	52.71	74.0	21.29	Peak	330.00	100	Horizontal	Pass
6**	15902.852	41.78	54.0	12.22	AV	330.00	100	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.579	39.44	74.0	34.56	Peak	199.00	200	Vertical	Pass
1**	1600.579	24.77	54.0	29.23	AV	199.00	200	Vertical	Pass
2	2228.601	39.67	74.0	34.33	Peak	339.00	200	Vertical	Pass
2**	2228.601	32.58	54.0	21.42	AV	339.00	200	Vertical	Pass
3	4257.557	50.12	74.0	23.88	Peak	224.00	200	Vertical	Pass
3**	4257.557	35.60	54.0	18.40	AV	224.00	200	Vertical	Pass
4	7707.915	56.76	74.0	17.24	Peak	65.00	400	Vertical	Pass
4**	7707.915	40.24	54.0	13.76	AV	65.00	400	Vertical	Pass
5	12498.181	56.35	74.0	17.65	Peak	159.00	300	Vertical	Pass
5**	12498.181	42.58	54.0	11.42	AV	159.00	300	Vertical	Pass
6	15675.310	56.04	74.0	17.96	Peak	198.00	400	Vertical	Pass
6**	15675.310	41.88	54.0	12.12	AV	198.00	400	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.999	41.43	74.0	32.57	Peak	10.00	200	Horizontal	Pass
1**	1526.999	27.36	54.0	26.64	AV	10.00	200	Horizontal	Pass
2	2277.898	41.16	74.0	32.84	Peak	355.00	300	Horizontal	Pass
2**	2277.898	37.20	54.0	16.80	AV	355.00	300	Horizontal	Pass
3	4047.691	49.48	74.0	24.52	Peak	165.00	200	Horizontal	Pass
3**	4047.691	34.59	54.0	19.41	AV	165.00	200	Horizontal	Pass
4	7620.312	52.40	74.0	21.60	Peak	12.00	300	Horizontal	Pass
4**	7620.312	43.72	54.0	10.28	AV	12.00	300	Horizontal	Pass
5	12455.959	50.47	74.0	23.53	Peak	196.00	200	Horizontal	Pass
5**	12455.959	43.96	54.0	10.04	AV	196.00	200	Horizontal	Pass
6	15901.012	53.84	74.0	20.16	Peak	63.00	300	Horizontal	Pass
6**	15901.012	42.36	54.0	11.64	AV	63.00	300	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.853	43.08	74.0	30.92	Peak	8.00	100	Vertical	Pass
1**	1597.853	28.02	54.0	25.98	AV	8.00	100	Vertical	Pass
2	2230.792	42.53	74.0	31.47	Peak	218.00	400	Vertical	Pass
2**	2230.792	31.41	54.0	22.59	AV	218.00	400	Vertical	Pass
3	4254.514	46.46	74.0	27.54	Peak	143.00	200	Vertical	Pass
3**	4254.514	38.56	54.0	15.44	AV	143.00	200	Vertical	Pass
4	7711.544	58.14	74.0	15.86	Peak	53.00	200	Vertical	Pass
4**	7711.544	45.44	54.0	8.56	AV	53.00	200	Vertical	Pass
5	12495.554	55.41	74.0	18.59	Peak	203.00	400	Vertical	Pass
5**	12495.554	42.14	54.0	11.86	AV	203.00	400	Vertical	Pass
6	15675.769	58.16	74.0	15.84	Peak	71.00	400	Vertical	Pass
6**	15675.769	44.34	54.0	9.66	AV	71.00	400	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.731	37.33	74.0	36.67	Peak	297.00	300	Horizontal	Pass
1**	1524.731	26.84	54.0	27.16	AV	297.00	300	Horizontal	Pass
2	2270.945	46.73	74.0	27.27	Peak	31.00	400	Horizontal	Pass
2**	2270.945	31.82	54.0	22.18	AV	31.00	400	Horizontal	Pass
3	4045.296	46.58	74.0	27.42	Peak	281.00	200	Horizontal	Pass
3**	4045.296	36.26	54.0	17.74	AV	281.00	200	Horizontal	Pass
4	7619.486	55.23	74.0	18.77	Peak	89.00	300	Horizontal	Pass
4**	7619.486	44.80	54.0	9.20	AV	89.00	300	Horizontal	Pass
5	12452.127	50.66	74.0	23.34	Peak	39.00	300	Horizontal	Pass
5**	12452.127	45.03	54.0	8.97	AV	39.00	300	Horizontal	Pass
6	15902.113	55.82	74.0	18.18	Peak	231.00	200	Horizontal	Pass
6**	15902.113	46.31	54.0	7.69	AV	231.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.352	37.25	74.0	36.75	Peak	95.00	400	Vertical	Pass
1**	1601.352	23.64	54.0	30.36	AV	95.00	400	Vertical	Pass
2	2224.705	41.03	74.0	32.97	Peak	172.00	400	Vertical	Pass
2**	2224.705	30.94	54.0	23.06	AV	172.00	400	Vertical	Pass
3	4256.622	46.31	74.0	27.69	Peak	215.00	200	Vertical	Pass
3**	4256.622	38.34	54.0	15.66	AV	215.00	200	Vertical	Pass
4	7705.250	55.25	74.0	18.75	Peak	256.00	300	Vertical	Pass
4**	7705.250	44.75	54.0	9.25	AV	256.00	300	Vertical	Pass
5	12501.317	52.12	74.0	21.88	Peak	18.00	100	Vertical	Pass
5**	12501.317	45.22	54.0	8.78	AV	18.00	100	Vertical	Pass
6	15671.029	58.35	74.0	15.65	Peak	204.00	100	Vertical	Pass
6**	15671.029	41.08	54.0	12.92	AV	204.00	100	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.619	39.07	74.0	34.93	Peak	279.00	100	Horizontal	Pass
1**	1526.619	26.37	54.0	27.63	AV	279.00	100	Horizontal	Pass
2	2278.488	46.58	74.0	27.42	Peak	254.00	300	Horizontal	Pass
2**	2278.488	35.59	54.0	18.41	AV	254.00	300	Horizontal	Pass
3	4047.901	49.23	74.0	24.77	Peak	137.00	200	Horizontal	Pass
3**	4047.901	37.89	54.0	16.11	AV	137.00	200	Horizontal	Pass
4	7622.614	50.91	74.0	23.09	Peak	330.00	100	Horizontal	Pass
4**	7622.614	40.87	54.0	13.13	AV	330.00	100	Horizontal	Pass
5	12455.861	54.17	74.0	19.83	Peak	204.00	200	Horizontal	Pass
5**	12455.861	43.89	54.0	10.11	AV	204.00	200	Horizontal	Pass
6	15902.751	54.29	74.0	19.71	Peak	307.00	400	Horizontal	Pass
6**	15902.751	45.55	54.0	8.45	AV	307.00	400	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.290	42.02	74.0	31.98	Peak	35.00	100	Vertical	Pass
1**	1602.290	27.11	54.0	26.89	AV	35.00	100	Vertical	Pass
2	2229.605	41.15	74.0	32.85	Peak	345.00	300	Vertical	Pass
2**	2229.605	29.20	54.0	24.80	AV	345.00	300	Vertical	Pass
3	4254.690	46.82	74.0	27.18	Peak	271.00	200	Vertical	Pass
3**	4254.690	37.39	54.0	16.61	AV	271.00	200	Vertical	Pass
4	7705.996	52.88	74.0	21.12	Peak	82.00	300	Vertical	Pass
4**	7705.996	42.18	54.0	11.82	AV	82.00	300	Vertical	Pass
5	12498.805	53.37	74.0	20.63	Peak	292.00	100	Vertical	Pass
5**	12498.805	42.33	54.0	11.67	AV	292.00	100	Vertical	Pass
6	15672.367	53.46	74.0	20.54	Peak	96.00	300	Vertical	Pass
6**	15672.367	43.51	54.0	10.49	AV	96.00	300	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.572	36.98	74.0	37.02	Peak	158.00	200	Horizontal	Pass
1**	1522.572	26.85	54.0	27.15	AV	158.00	200	Horizontal	Pass
2	2276.378	44.91	74.0	29.09	Peak	324.00	400	Horizontal	Pass
2**	2276.378	34.80	54.0	19.20	AV	324.00	400	Horizontal	Pass
3	4047.567	45.61	74.0	28.39	Peak	214.00	200	Horizontal	Pass
3**	4047.567	38.22	54.0	15.78	AV	214.00	200	Horizontal	Pass
4	7619.133	53.24	74.0	20.76	Peak	271.00	200	Horizontal	Pass
4**	7619.133	44.24	54.0	9.76	AV	271.00	200	Horizontal	Pass
5	12451.684	50.72	74.0	23.28	Peak	178.00	200	Horizontal	Pass
5**	12451.684	44.15	54.0	9.85	AV	178.00	200	Horizontal	Pass
6	15900.722	55.67	74.0	18.33	Peak	226.00	100	Horizontal	Pass
6**	15900.722	45.33	54.0	8.67	AV	226.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.363	40.56	74.0	33.44	Peak	315.00	400	Vertical	Pass
1**	1600.363	27.46	54.0	26.54	AV	315.00	400	Vertical	Pass
2	2226.834	40.01	74.0	33.99	Peak	65.00	100	Vertical	Pass
2**	2226.834	30.16	54.0	23.84	AV	65.00	100	Vertical	Pass
3	4255.960	46.83	74.0	27.17	Peak	167.00	200	Vertical	Pass
3**	4255.960	40.70	54.0	13.30	AV	167.00	200	Vertical	Pass
4	7707.568	54.11	74.0	19.89	Peak	80.00	400	Vertical	Pass
4**	7707.568	40.27	54.0	13.73	AV	80.00	400	Vertical	Pass
5	12496.016	55.63	74.0	18.37	Peak	314.00	300	Vertical	Pass
5**	12496.016	45.17	54.0	8.83	AV	314.00	300	Vertical	Pass
6	15669.053	55.66	74.0	18.34	Peak	347.00	100	Vertical	Pass
6**	15669.053	42.71	54.0	11.29	AV	347.00	100	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.283	37.04	74.0	36.96	Peak	74.00	400	Horizontal	Pass
1**	1528.283	26.04	54.0	27.96	AV	74.00	400	Horizontal	Pass
2	2272.073	40.89	74.0	33.11	Peak	344.00	300	Horizontal	Pass
2**	2272.073	32.26	54.0	21.74	AV	344.00	300	Horizontal	Pass
3	4048.417	46.25	74.0	27.75	Peak	122.00	200	Horizontal	Pass
3**	4048.417	35.83	54.0	18.17	AV	122.00	200	Horizontal	Pass
4	7618.455	55.73	74.0	18.27	Peak	94.00	200	Horizontal	Pass
4**	7618.455	43.82	54.0	10.18	AV	94.00	200	Horizontal	Pass
5	12458.226	54.42	74.0	19.58	Peak	245.00	200	Horizontal	Pass
5**	12458.226	42.49	54.0	11.51	AV	245.00	200	Horizontal	Pass
6	15904.397	52.38	74.0	21.62	Peak	262.00	400	Horizontal	Pass
6**	15904.397	47.24	54.0	6.76	AV	262.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.413	37.36	74.0	36.64	Peak	82.00	300	Vertical	Pass
1**	1596.413	26.49	54.0	27.51	AV	82.00	300	Vertical	Pass
2	2230.132	40.47	74.0	33.53	Peak	317.00	400	Vertical	Pass
2**	2230.132	34.04	54.0	19.96	AV	317.00	400	Vertical	Pass
3	4255.783	47.48	74.0	26.52	Peak	52.00	200	Vertical	Pass
3**	4255.783	38.11	54.0	15.89	AV	52.00	200	Vertical	Pass
4	7711.830	55.16	74.0	18.84	Peak	298.00	400	Vertical	Pass
4**	7711.830	42.35	54.0	11.65	AV	298.00	400	Vertical	Pass
5	12499.685	56.17	74.0	17.83	Peak	67.00	200	Vertical	Pass
5**	12499.685	45.32	54.0	8.68	AV	67.00	200	Vertical	Pass
6	15673.628	52.88	74.0	21.12	Peak	207.00	400	Vertical	Pass
6**	15673.628	41.18	54.0	12.82	AV	207.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.973	39.04	74.0	34.96	Peak	246.00	200	Horizontal	Pass
1**	1526.973	26.96	54.0	27.04	AV	246.00	200	Horizontal	Pass
2	2273.323	44.66	74.0	29.34	Peak	226.00	300	Horizontal	Pass
2**	2273.323	35.04	54.0	18.96	AV	226.00	300	Horizontal	Pass
3	4045.343	48.42	74.0	25.58	Peak	136.00	200	Horizontal	Pass
3**	4045.343	39.18	54.0	14.82	AV	136.00	200	Horizontal	Pass
4	7617.919	54.38	74.0	19.62	Peak	17.00	200	Horizontal	Pass
4**	7617.919	40.97	54.0	13.03	AV	17.00	200	Horizontal	Pass
5	12450.798	54.90	74.0	19.10	Peak	335.00	400	Horizontal	Pass
5**	12450.798	42.86	54.0	11.14	AV	335.00	400	Horizontal	Pass
6	15902.074	53.65	74.0	20.35	Peak	213.00	400	Horizontal	Pass
6**	15902.074	44.14	54.0	9.86	AV	213.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.425	42.89	74.0	31.11	Peak	38.00	400	Vertical	Pass
1**	1597.425	27.00	54.0	27.00	AV	38.00	400	Vertical	Pass
2	2230.447	39.72	74.0	34.28	Peak	265.00	400	Vertical	Pass
2**	2230.447	31.80	54.0	22.20	AV	265.00	400	Vertical	Pass
3	4259.184	50.59	74.0	23.41	Peak	152.00	200	Vertical	Pass
3**	4259.184	36.27	54.0	17.73	AV	152.00	200	Vertical	Pass
4	7711.935	53.57	74.0	20.43	Peak	316.00	100	Vertical	Pass
4**	7711.935	41.00	54.0	13.00	AV	316.00	100	Vertical	Pass
5	12502.567	52.49	74.0	21.51	Peak	96.00	200	Vertical	Pass
5**	12502.567	45.25	54.0	8.75	AV	96.00	200	Vertical	Pass
6	15675.611	54.29	74.0	19.71	Peak	82.00	300	Vertical	Pass
6**	15675.611	41.14	54.0	12.86	AV	82.00	300	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.382	36.59	74.0	37.41	Peak	86.00	200	Horizontal	Pass
1**	1524.382	29.44	54.0	24.56	AV	86.00	200	Horizontal	Pass
2	2274.174	42.84	74.0	31.16	Peak	139.00	300	Horizontal	Pass
2**	2274.174	35.73	54.0	18.27	AV	139.00	300	Horizontal	Pass
3	4042.657	44.53	74.0	29.47	Peak	45.00	200	Horizontal	Pass
3**	4042.657	36.51	54.0	17.49	AV	45.00	200	Horizontal	Pass
4	7619.892	55.48	74.0	18.52	Peak	338.00	100	Horizontal	Pass
4**	7619.892	43.77	54.0	10.23	AV	338.00	100	Horizontal	Pass
5	12455.277	52.02	74.0	21.98	Peak	69.00	300	Horizontal	Pass
5**	12455.277	47.37	54.0	6.63	AV	69.00	300	Horizontal	Pass
6	15907.488	51.90	74.0	22.10	Peak	125.00	400	Horizontal	Pass
6**	15907.488	43.31	54.0	10.69	AV	125.00	400	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.352	39.58	74.0	34.42	Peak	208.00	100	Vertical	Pass
1**	1595.352	23.93	54.0	30.07	AV	208.00	100	Vertical	Pass
2	2230.140	38.39	74.0	35.61	Peak	129.00	400	Vertical	Pass
2**	2230.140	34.11	54.0	19.89	AV	129.00	400	Vertical	Pass
3	4257.883	45.22	74.0	28.78	Peak	164.00	200	Vertical	Pass
3**	4257.883	39.05	54.0	14.95	AV	164.00	200	Vertical	Pass
4	7705.927	55.92	74.0	18.08	Peak	208.00	100	Vertical	Pass
4**	7705.927	42.02	54.0	11.98	AV	208.00	100	Vertical	Pass
5	12495.902	53.07	74.0	20.93	Peak	183.00	100	Vertical	Pass
5**	12495.902	44.72	54.0	9.28	AV	183.00	100	Vertical	Pass
6	15675.964	54.80	74.0	19.20	Peak	79.00	200	Vertical	Pass
6**	15675.964	42.57	54.0	11.43	AV	79.00	200	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.853	41.11	74.0	32.89	Peak	18.00	300	Horizontal	Pass
1**	1522.853	30.74	54.0	23.26	AV	18.00	300	Horizontal	Pass
2	2273.580	45.89	74.0	28.11	Peak	227.00	200	Horizontal	Pass
2**	2273.580	33.43	54.0	20.57	AV	227.00	200	Horizontal	Pass
3	4048.437	46.14	74.0	27.86	Peak	138.00	200	Horizontal	Pass
3**	4048.437	37.13	54.0	16.87	AV	138.00	200	Horizontal	Pass
4	7622.264	54.56	74.0	19.44	Peak	313.00	200	Horizontal	Pass
4**	7622.264	41.44	54.0	12.56	AV	313.00	200	Horizontal	Pass
5	12451.132	52.69	74.0	21.31	Peak	84.00	400	Horizontal	Pass
5**	12451.132	46.56	54.0	7.44	AV	84.00	400	Horizontal	Pass
6	15903.248	55.74	74.0	18.26	Peak	144.00	200	Horizontal	Pass
6**	15903.248	42.21	54.0	11.79	AV	144.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.265	37.97	74.0	36.03	Peak	38.00	100	Vertical	Pass
1**	1599.265	28.09	54.0	25.91	AV	38.00	100	Vertical	Pass
2	2229.018	40.10	74.0	33.90	Peak	64.00	300	Vertical	Pass
2**	2229.018	33.48	54.0	20.52	AV	64.00	300	Vertical	Pass
3	4256.515	50.32	74.0	23.68	Peak	306.00	200	Vertical	Pass
3**	4256.515	38.26	54.0	15.74	AV	306.00	200	Vertical	Pass
4	7709.570	54.77	74.0	19.23	Peak	255.00	100	Vertical	Pass
4**	7709.570	41.11	54.0	12.89	AV	255.00	100	Vertical	Pass
5	12497.828	51.64	74.0	22.36	Peak	75.00	200	Vertical	Pass
5**	12497.828	41.47	54.0	12.53	AV	75.00	200	Vertical	Pass
6	15673.098	57.87	74.0	16.13	Peak	142.00	400	Vertical	Pass
6**	15673.098	45.44	54.0	8.56	AV	142.00	400	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.945	39.67	74.0	34.33	Peak	144.00	300	Horizontal	Pass
1**	1526.945	27.02	54.0	26.98	AV	144.00	300	Horizontal	Pass
2	2276.234	44.68	74.0	29.32	Peak	103.00	300	Horizontal	Pass
2**	2276.234	34.67	54.0	19.33	AV	103.00	300	Horizontal	Pass
3	4044.780	45.46	74.0	28.54	Peak	54.00	200	Horizontal	Pass
3**	4044.780	38.99	54.0	15.01	AV	54.00	200	Horizontal	Pass
4	7617.304	55.86	74.0	18.14	Peak	318.00	400	Horizontal	Pass
4**	7617.304	41.96	54.0	12.04	AV	318.00	400	Horizontal	Pass
5	12452.167	51.94	74.0	22.06	Peak	312.00	300	Horizontal	Pass
5**	12452.167	42.22	54.0	11.78	AV	312.00	300	Horizontal	Pass
6	15905.695	52.33	74.0	21.67	Peak	264.00	200	Horizontal	Pass
6**	15905.695	42.23	54.0	11.77	AV	264.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.235	39.42	74.0	34.58	Peak	40.00	400	Vertical	Pass
1**	1601.235	24.41	54.0	29.59	AV	40.00	400	Vertical	Pass
2	2228.407	42.22	74.0	31.78	Peak	51.00	200	Vertical	Pass
2**	2228.407	33.97	54.0	20.03	AV	51.00	200	Vertical	Pass
3	4255.709	50.34	74.0	23.66	Peak	100.00	200	Vertical	Pass
3**	4255.709	36.70	54.0	17.30	AV	100.00	200	Vertical	Pass
4	7709.128	56.52	74.0	17.48	Peak	265.00	300	Vertical	Pass
4**	7709.128	43.19	54.0	10.81	AV	265.00	300	Vertical	Pass
5	12502.343	53.77	74.0	20.23	Peak	324.00	200	Vertical	Pass
5**	12502.343	43.73	54.0	10.27	AV	324.00	200	Vertical	Pass
6	15671.074	53.33	74.0	20.67	Peak	351.00	200	Vertical	Pass
6**	15671.074	42.67	54.0	11.33	AV	351.00	200	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.584	39.13	74.0	34.87	Peak	295.00	200	Horizontal	Pass
1**	1525.584	29.32	54.0	24.68	AV	295.00	200	Horizontal	Pass
2	2277.248	41.73	74.0	32.27	Peak	201.00	200	Horizontal	Pass
2**	2277.248	36.22	54.0	17.78	AV	201.00	200	Horizontal	Pass
3	4043.889	47.29	74.0	26.71	Peak	209.00	200	Horizontal	Pass
3**	4043.889	38.01	54.0	15.99	AV	209.00	200	Horizontal	Pass
4	7617.624	51.56	74.0	22.44	Peak	152.00	100	Horizontal	Pass
4**	7617.624	44.89	54.0	9.11	AV	152.00	100	Horizontal	Pass
5	12454.882	53.01	74.0	20.99	Peak	244.00	100	Horizontal	Pass
5**	12454.882	45.77	54.0	8.23	AV	244.00	100	Horizontal	Pass
6	15901.419	52.65	74.0	21.35	Peak	268.00	200	Horizontal	Pass
6**	15901.419	45.11	54.0	8.89	AV	268.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.110	39.95	74.0	34.05	Peak	157.00	200	Vertical	Pass
1**	1599.110	26.63	54.0	27.37	AV	157.00	200	Vertical	Pass
2	2229.269	38.74	74.0	35.26	Peak	115.00	400	Vertical	Pass
2**	2229.269	30.37	54.0	23.63	AV	115.00	400	Vertical	Pass
3	4259.784	49.37	74.0	24.63	Peak	203.00	200	Vertical	Pass
3**	4259.784	39.84	54.0	14.16	AV	203.00	200	Vertical	Pass
4	7706.884	53.97	74.0	20.03	Peak	140.00	100	Vertical	Pass
4**	7706.884	43.23	54.0	10.77	AV	140.00	100	Vertical	Pass
5	12502.423	51.68	74.0	22.32	Peak	143.00	100	Vertical	Pass
5**	12502.423	44.17	54.0	9.83	AV	143.00	100	Vertical	Pass
6	15674.357	55.85	74.0	18.15	Peak	322.00	200	Vertical	Pass
6**	15674.357	40.05	54.0	13.95	AV	322.00	200	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.076	37.11	74.0	36.89	Peak	186.00	200	Horizontal	Pass
1**	1521.076	27.22	54.0	26.78	AV	186.00	200	Horizontal	Pass
2	2274.931	44.69	74.0	29.31	Peak	328.00	300	Horizontal	Pass
2**	2274.931	32.12	54.0	21.88	AV	328.00	300	Horizontal	Pass
3	4050.127	49.59	74.0	24.41	Peak	92.00	200	Horizontal	Pass
3**	4050.127	37.40	54.0	16.60	AV	92.00	200	Horizontal	Pass
4	7619.213	50.57	74.0	23.43	Peak	108.00	100	Horizontal	Pass
4**	7619.213	43.72	54.0	10.28	AV	108.00	100	Horizontal	Pass
5	12454.254	50.93	74.0	23.07	Peak	285.00	100	Horizontal	Pass
5**	12454.254	47.27	54.0	6.73	AV	285.00	100	Horizontal	Pass
6	15906.069	52.99	74.0	21.01	Peak	234.00	100	Horizontal	Pass
6**	15906.069	45.01	54.0	8.99	AV	234.00	100	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.458	38.98	74.0	35.02	Peak	21.00	200	Vertical	Pass
1**	1594.458	23.99	54.0	30.01	AV	21.00	200	Vertical	Pass
2	2224.172	40.10	74.0	33.90	Peak	133.00	100	Vertical	Pass
2**	2224.172	32.97	54.0	21.03	AV	133.00	100	Vertical	Pass
3	4260.235	49.54	74.0	24.46	Peak	336.00	200	Vertical	Pass
3**	4260.235	36.40	54.0	17.60	AV	336.00	200	Vertical	Pass
4	7711.532	56.23	74.0	17.77	Peak	30.00	400	Vertical	Pass
4**	7711.532	43.26	54.0	10.74	AV	30.00	400	Vertical	Pass
5	12497.490	52.25	74.0	21.75	Peak	302.00	200	Vertical	Pass
5**	12497.490	40.85	54.0	13.15	AV	302.00	200	Vertical	Pass
6	15668.539	53.70	74.0	20.30	Peak	265.00	100	Vertical	Pass
6**	15668.539	44.71	54.0	9.29	AV	265.00	100	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.013	37.04	74.0	36.96	Peak	145.00	300	Horizontal	Pass
1**	1524.013	30.42	54.0	23.58	AV	145.00	300	Horizontal	Pass
2	2276.832	46.46	74.0	27.54	Peak	356.00	200	Horizontal	Pass
2**	2276.832	33.74	54.0	20.26	AV	356.00	200	Horizontal	Pass
3	4048.867	47.94	74.0	26.06	Peak	150.00	200	Horizontal	Pass
3**	4048.867	37.61	54.0	16.39	AV	150.00	200	Horizontal	Pass
4	7621.872	52.60	74.0	21.40	Peak	332.00	400	Horizontal	Pass
4**	7621.872	46.06	54.0	7.94	AV	332.00	400	Horizontal	Pass
5	12457.612	51.17	74.0	22.83	Peak	127.00	300	Horizontal	Pass
5**	12457.612	44.92	54.0	9.08	AV	127.00	300	Horizontal	Pass
6	15907.184	53.05	74.0	20.95	Peak	71.00	400	Horizontal	Pass
6**	15907.184	46.18	54.0	7.82	AV	71.00	400	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.463	38.24	74.0	35.76	Peak	236.00	400	Vertical	Pass
1**	1596.463	26.43	54.0	27.57	AV	236.00	400	Vertical	Pass
2	2225.977	39.19	74.0	34.81	Peak	198.00	400	Vertical	Pass
2**	2225.977	32.47	54.0	21.53	AV	198.00	400	Vertical	Pass
3	4260.940	45.86	74.0	28.14	Peak	201.00	200	Vertical	Pass
3**	4260.940	38.91	54.0	15.09	AV	201.00	200	Vertical	Pass
4	7711.984	57.69	74.0	16.31	Peak	81.00	300	Vertical	Pass
4**	7711.984	42.53	54.0	11.47	AV	81.00	300	Vertical	Pass
5	12500.388	53.46	74.0	20.54	Peak	164.00	100	Vertical	Pass
5**	12500.388	40.43	54.0	13.57	AV	164.00	100	Vertical	Pass
6	15669.353	56.27	74.0	17.73	Peak	53.00	100	Vertical	Pass
6**	15669.353	40.87	54.0	13.13	AV	53.00	100	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.078	39.79	74.0	34.21	Peak	167.00	400	Horizontal	Pass
1**	1528.078	30.48	54.0	23.52	AV	167.00	400	Horizontal	Pass
2	2277.330	43.10	74.0	30.90	Peak	137.00	300	Horizontal	Pass
2**	2277.330	35.15	54.0	18.85	AV	137.00	300	Horizontal	Pass
3	4046.764	44.94	74.0	29.06	Peak	74.00	200	Horizontal	Pass
3**	4046.764	39.30	54.0	14.70	AV	74.00	200	Horizontal	Pass
4	7618.483	51.91	74.0	22.09	Peak	181.00	400	Horizontal	Pass
4**	7618.483	46.22	54.0	7.78	AV	181.00	400	Horizontal	Pass
5	12451.471	53.87	74.0	20.13	Peak	197.00	100	Horizontal	Pass
5**	12451.471	44.89	54.0	9.11	AV	197.00	100	Horizontal	Pass
6	15900.522	51.43	74.0	22.57	Peak	168.00	200	Horizontal	Pass
6**	15900.522	45.20	54.0	8.80	AV	168.00	200	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.508	41.77	74.0	32.23	Peak	334.00	400	Vertical	Pass
1**	1596.508	23.60	54.0	30.40	AV	334.00	400	Vertical	Pass
2	2230.769	43.61	74.0	30.39	Peak	284.00	100	Vertical	Pass
2**	2230.769	30.24	54.0	23.76	AV	284.00	100	Vertical	Pass
3	4258.622	46.06	74.0	27.94	Peak	257.00	200	Vertical	Pass
3**	4258.622	40.54	54.0	13.46	AV	257.00	200	Vertical	Pass
4	7708.467	54.52	74.0	19.48	Peak	69.00	300	Vertical	Pass
4**	7708.467	42.98	54.0	11.02	AV	69.00	300	Vertical	Pass
5	12497.541	52.03	74.0	21.97	Peak	170.00	400	Vertical	Pass
5**	12497.541	46.03	54.0	7.97	AV	170.00	400	Vertical	Pass
6	15670.147	53.05	74.0	20.95	Peak	116.00	300	Vertical	Pass
6**	15670.147	43.95	54.0	10.05	AV	116.00	300	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.669	36.81	74.0	37.19	Peak	108.00	200	Horizontal	Pass
1**	1526.669	27.37	54.0	26.63	AV	108.00	200	Horizontal	Pass
2	2273.460	41.87	74.0	32.13	Peak	31.00	400	Horizontal	Pass
2**	2273.460	34.18	54.0	19.82	AV	31.00	400	Horizontal	Pass
3	4050.334	46.16	74.0	27.84	Peak	55.00	200	Horizontal	Pass
3**	4050.334	39.29	54.0	14.71	AV	55.00	200	Horizontal	Pass
4	7619.471	51.45	74.0	22.55	Peak	96.00	200	Horizontal	Pass
4**	7619.471	45.03	54.0	8.97	AV	96.00	200	Horizontal	Pass
5	12454.602	52.62	74.0	21.38	Peak	329.00	200	Horizontal	Pass
5**	12454.602	41.42	54.0	12.58	AV	329.00	200	Horizontal	Pass
6	15901.070	52.69	74.0	21.31	Peak	118.00	400	Horizontal	Pass
6**	15901.070	46.47	54.0	7.53	AV	118.00	400	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.958	41.29	74.0	32.71	Peak	158.00	300	Vertical	Pass
1**	1601.958	27.83	54.0	26.17	AV	158.00	300	Vertical	Pass
2	2224.746	42.76	74.0	31.24	Peak	122.00	300	Vertical	Pass
2**	2224.746	32.22	54.0	21.78	AV	122.00	300	Vertical	Pass
3	4261.501	45.38	74.0	28.62	Peak	306.00	200	Vertical	Pass
3**	4261.501	39.23	54.0	14.77	AV	306.00	200	Vertical	Pass
4	7706.316	56.40	74.0	17.60	Peak	68.00	300	Vertical	Pass
4**	7706.316	42.65	54.0	11.35	AV	68.00	300	Vertical	Pass
5	12497.082	53.22	74.0	20.78	Peak	12.00	200	Vertical	Pass
5**	12497.082	42.13	54.0	11.87	AV	12.00	200	Vertical	Pass
6	15676.249	58.00	74.0	16.00	Peak	38.00	300	Vertical	Pass
6**	15676.249	44.60	54.0	9.40	AV	38.00	300	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.917	39.73	74.0	34.27	Peak	94.00	100	Horizontal	Pass
1**	1524.917	29.71	54.0	24.29	AV	94.00	100	Horizontal	Pass
2	2274.388	46.23	74.0	27.77	Peak	288.00	100	Horizontal	Pass
2**	2274.388	33.82	54.0	20.18	AV	288.00	100	Horizontal	Pass
3	4048.580	45.73	74.0	28.27	Peak	295.00	200	Horizontal	Pass
3**	4048.580	39.43	54.0	14.57	AV	295.00	200	Horizontal	Pass
4	7617.980	55.08	74.0	18.92	Peak	139.00	300	Horizontal	Pass
4**	7617.980	46.11	54.0	7.89	AV	139.00	300	Horizontal	Pass
5	12451.705	53.47	74.0	20.53	Peak	281.00	300	Horizontal	Pass
5**	12451.705	46.58	54.0	7.42	AV	281.00	300	Horizontal	Pass
6	15905.179	50.95	74.0	23.05	Peak	57.00	100	Horizontal	Pass
6**	15905.179	45.99	54.0	8.01	AV	57.00	100	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.682	40.76	74.0	33.24	Peak	198.00	300	Vertical	Pass
1**	1600.682	24.53	54.0	29.47	AV	198.00	300	Vertical	Pass
2	2228.463	40.13	74.0	33.87	Peak	304.00	300	Vertical	Pass
2**	2228.463	28.87	54.0	25.13	AV	304.00	300	Vertical	Pass
3	4259.717	47.34	74.0	26.66	Peak	295.00	200	Vertical	Pass
3**	4259.717	36.78	54.0	17.22	AV	295.00	200	Vertical	Pass
4	7709.765	55.55	74.0	18.45	Peak	267.00	200	Vertical	Pass
4**	7709.765	44.76	54.0	9.24	AV	267.00	200	Vertical	Pass
5	12495.742	51.05	74.0	22.95	Peak	275.00	400	Vertical	Pass
5**	12495.742	42.13	54.0	11.87	AV	275.00	400	Vertical	Pass
6	15669.789	57.98	74.0	16.02	Peak	237.00	100	Vertical	Pass
6**	15669.789	44.08	54.0	9.92	AV	237.00	100	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.666	41.32	74.0	32.68	Peak	325.00	200	Horizontal	Pass
1**	1526.666	29.97	54.0	24.03	AV	325.00	200	Horizontal	Pass
2	2278.623	46.05	74.0	27.95	Peak	355.00	200	Horizontal	Pass
2**	2278.623	35.35	54.0	18.65	AV	355.00	200	Horizontal	Pass
3	4045.534	49.29	74.0	24.71	Peak	359.00	200	Horizontal	Pass
3**	4045.534	37.54	54.0	16.46	AV	359.00	200	Horizontal	Pass
4	7624.234	51.39	74.0	22.61	Peak	153.00	200	Horizontal	Pass
4**	7624.234	43.42	54.0	10.58	AV	153.00	200	Horizontal	Pass
5	12458.310	51.11	74.0	22.89	Peak	239.00	100	Horizontal	Pass
5**	12458.310	47.02	54.0	6.98	AV	239.00	100	Horizontal	Pass
6	15902.360	54.93	74.0	19.07	Peak	149.00	100	Horizontal	Pass
6**	15902.360	45.19	54.0	8.81	AV	149.00	100	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.278	38.17	74.0	35.83	Peak	57.00	400	Vertical	Pass
1**	1599.278	25.88	54.0	28.12	AV	57.00	400	Vertical	Pass
2	2230.315	39.11	74.0	34.89	Peak	193.00	400	Vertical	Pass
2**	2230.315	33.56	54.0	20.44	AV	193.00	400	Vertical	Pass
3	4255.225	50.11	74.0	23.89	Peak	72.00	200	Vertical	Pass
3**	4255.225	37.09	54.0	16.91	AV	72.00	200	Vertical	Pass
4	7706.164	57.36	74.0	16.64	Peak	14.00	400	Vertical	Pass
4**	7706.164	39.78	54.0	14.22	AV	14.00	400	Vertical	Pass
5	12502.286	54.20	74.0	19.80	Peak	342.00	200	Vertical	Pass
5**	12502.286	46.16	54.0	7.84	AV	342.00	200	Vertical	Pass
6	15674.746	54.80	74.0	19.20	Peak	301.00	100	Vertical	Pass
6**	15674.746	43.72	54.0	10.28	AV	301.00	100	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.393	35.81	74.0	38.19	Peak	289.00	200	Horizontal	Pass
1**	1527.393	31.16	54.0	22.84	AV	289.00	200	Horizontal	Pass
2	2278.244	43.62	74.0	30.38	Peak	323.00	200	Horizontal	Pass
2**	2278.244	35.94	54.0	18.06	AV	323.00	200	Horizontal	Pass
3	4042.979	46.60	74.0	27.40	Peak	288.00	200	Horizontal	Pass
3**	4042.979	36.88	54.0	17.12	AV	288.00	200	Horizontal	Pass
4	7618.934	52.23	74.0	21.77	Peak	255.00	300	Horizontal	Pass
4**	7618.934	44.92	54.0	9.08	AV	255.00	300	Horizontal	Pass
5	12454.836	54.68	74.0	19.32	Peak	128.00	200	Horizontal	Pass
5**	12454.836	45.52	54.0	8.48	AV	128.00	200	Horizontal	Pass
6	15903.501	53.61	74.0	20.39	Peak	351.00	100	Horizontal	Pass
6**	15903.501	45.31	54.0	8.69	AV	351.00	100	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.639	40.27	74.0	33.73	Peak	358.00	100	Vertical	Pass
1**	1594.639	27.41	54.0	26.59	AV	358.00	100	Vertical	Pass
2	2226.752	40.64	74.0	33.36	Peak	231.00	200	Vertical	Pass
2**	2226.752	33.05	54.0	20.95	AV	231.00	200	Vertical	Pass
3	4255.417	47.63	74.0	26.37	Peak	122.00	200	Vertical	Pass
3**	4255.417	40.98	54.0	13.02	AV	122.00	200	Vertical	Pass
4	7708.622	56.22	74.0	17.78	Peak	226.00	300	Vertical	Pass
4**	7708.622	42.77	54.0	11.23	AV	226.00	300	Vertical	Pass
5	12498.803	55.48	74.0	18.52	Peak	319.00	100	Vertical	Pass
5**	12498.803	40.80	54.0	13.20	AV	319.00	100	Vertical	Pass
6	15671.346	54.95	74.0	19.05	Peak	266.00	100	Vertical	Pass
6**	15671.346	40.98	54.0	13.02	AV	266.00	100	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.584	40.09	74.0	33.91	Peak	27.00	200	Horizontal	Pass
1**	1522.584	27.32	54.0	26.68	AV	27.00	200	Horizontal	Pass
2	2276.367	46.60	74.0	27.40	Peak	35.00	200	Horizontal	Pass
2**	2276.367	31.67	54.0	22.33	AV	35.00	200	Horizontal	Pass
3	4047.228	46.22	74.0	27.78	Peak	24.00	200	Horizontal	Pass
3**	4047.228	35.42	54.0	18.58	AV	24.00	200	Horizontal	Pass
4	7621.828	51.58	74.0	22.42	Peak	253.00	100	Horizontal	Pass
4**	7621.828	42.00	54.0	12.00	AV	253.00	100	Horizontal	Pass
5	12456.331	54.35	74.0	19.65	Peak	45.00	100	Horizontal	Pass
5**	12456.331	46.92	54.0	7.08	AV	45.00	100	Horizontal	Pass
6	15899.815	51.89	74.0	22.11	Peak	77.00	100	Horizontal	Pass
6**	15899.815	42.26	54.0	11.74	AV	77.00	100	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.361	42.38	74.0	31.62	Peak	144.00	200	Vertical	Pass
1**	1595.361	23.03	54.0	30.97	AV	144.00	200	Vertical	Pass
2	2229.860	41.13	74.0	32.87	Peak	210.00	400	Vertical	Pass
2**	2229.860	31.80	54.0	22.20	AV	210.00	400	Vertical	Pass
3	4254.799	45.79	74.0	28.21	Peak	267.00	200	Vertical	Pass
3**	4254.799	38.94	54.0	15.06	AV	267.00	200	Vertical	Pass
4	7705.225	56.60	74.0	17.40	Peak	231.00	200	Vertical	Pass
4**	7705.225	39.45	54.0	14.55	AV	231.00	200	Vertical	Pass
5	12495.276	51.95	74.0	22.05	Peak	15.00	200	Vertical	Pass
5**	12495.276	43.66	54.0	10.34	AV	15.00	200	Vertical	Pass
6	15672.798	55.56	74.0	18.44	Peak	43.00	400	Vertical	Pass
6**	15672.798	42.04	54.0	11.96	AV	43.00	400	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.433	38.63	74.0	35.37	Peak	246.00	400	Horizontal	Pass
1**	1522.433	28.96	54.0	25.04	AV	246.00	400	Horizontal	Pass
2	2277.978	41.62	74.0	32.38	Peak	131.00	300	Horizontal	Pass
2**	2277.978	32.55	54.0	21.45	AV	131.00	300	Horizontal	Pass
3	4049.421	50.11	74.0	23.89	Peak	359.00	200	Horizontal	Pass
3**	4049.421	35.63	54.0	18.37	AV	359.00	200	Horizontal	Pass
4	7618.632	50.78	74.0	23.22	Peak	186.00	400	Horizontal	Pass
4**	7618.632	40.54	54.0	13.46	AV	186.00	400	Horizontal	Pass
5	12458.306	51.83	74.0	22.17	Peak	263.00	200	Horizontal	Pass
5**	12458.306	47.04	54.0	6.96	AV	263.00	200	Horizontal	Pass
6	15906.004	54.76	74.0	19.24	Peak	39.00	200	Horizontal	Pass
6**	15906.004	46.72	54.0	7.28	AV	39.00	200	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.331	41.58	74.0	32.42	Peak	43.00	100	Vertical	Pass
1**	1598.331	24.38	54.0	29.62	AV	43.00	100	Vertical	Pass
2	2225.407	41.34	74.0	32.66	Peak	84.00	300	Vertical	Pass
2**	2225.407	34.29	54.0	19.71	AV	84.00	300	Vertical	Pass
3	4257.596	45.80	74.0	28.20	Peak	241.00	200	Vertical	Pass
3**	4257.596	37.58	54.0	16.42	AV	241.00	200	Vertical	Pass
4	7709.998	55.33	74.0	18.67	Peak	107.00	200	Vertical	Pass
4**	7709.998	41.70	54.0	12.30	AV	107.00	200	Vertical	Pass
5	12497.433	51.16	74.0	22.84	Peak	56.00	400	Vertical	Pass
5**	12497.433	44.19	54.0	9.81	AV	56.00	400	Vertical	Pass
6	15671.188	52.89	74.0	21.11	Peak	258.00	400	Vertical	Pass
6**	15671.188	43.12	54.0	10.88	AV	258.00	400	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.236	36.87	74.0	37.13	Peak	205.00	200	Horizontal	Pass
1**	1526.236	31.14	54.0	22.86	AV	205.00	200	Horizontal	Pass
2	2275.449	43.74	74.0	30.26	Peak	335.00	300	Horizontal	Pass
2**	2275.449	36.40	54.0	17.60	AV	335.00	300	Horizontal	Pass
3	4045.797	49.84	74.0	24.16	Peak	347.00	200	Horizontal	Pass
3**	4045.797	34.40	54.0	19.60	AV	347.00	200	Horizontal	Pass
4	7623.556	53.68	74.0	20.32	Peak	245.00	400	Horizontal	Pass
4**	7623.556	43.20	54.0	10.80	AV	245.00	400	Horizontal	Pass
5	12452.232	54.49	74.0	19.51	Peak	243.00	100	Horizontal	Pass
5**	12452.232	43.04	54.0	10.96	AV	243.00	100	Horizontal	Pass
6	15907.154	52.12	74.0	21.88	Peak	6.00	400	Horizontal	Pass
6**	15907.154	44.88	54.0	9.12	AV	6.00	400	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.520	38.37	74.0	35.63	Peak	127.00	400	Vertical	Pass
1**	1597.520	24.04	54.0	29.96	AV	127.00	400	Vertical	Pass
2	2227.371	42.99	74.0	31.01	Peak	264.00	100	Vertical	Pass
2**	2227.371	30.30	54.0	23.70	AV	264.00	100	Vertical	Pass
3	4254.364	49.42	74.0	24.58	Peak	53.00	200	Vertical	Pass
3**	4254.364	39.06	54.0	14.94	AV	53.00	200	Vertical	Pass
4	7710.782	55.78	74.0	18.22	Peak	278.00	100	Vertical	Pass
4**	7710.782	43.19	54.0	10.81	AV	278.00	100	Vertical	Pass
5	12495.874	50.58	74.0	23.42	Peak	70.00	200	Vertical	Pass
5**	12495.874	44.64	54.0	9.36	AV	70.00	200	Vertical	Pass
6	15675.388	55.06	74.0	18.94	Peak	243.00	100	Vertical	Pass
6**	15675.388	43.30	54.0	10.70	AV	243.00	100	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.506	35.89	74.0	38.11	Peak	268.00	100	Horizontal	Pass
1**	1523.506	29.69	54.0	24.31	AV	268.00	100	Horizontal	Pass
2	2271.492	43.20	74.0	30.80	Peak	351.00	200	Horizontal	Pass
2**	2271.492	35.03	54.0	18.97	AV	351.00	200	Horizontal	Pass
3	4049.044	47.71	74.0	26.29	Peak	60.00	200	Horizontal	Pass
3**	4049.044	39.37	54.0	14.63	AV	60.00	200	Horizontal	Pass
4	7619.833	52.59	74.0	21.41	Peak	151.00	200	Horizontal	Pass
4**	7619.833	43.84	54.0	10.16	AV	151.00	200	Horizontal	Pass
5	12453.569	55.51	74.0	18.49	Peak	214.00	300	Horizontal	Pass
5**	12453.569	42.87	54.0	11.13	AV	214.00	300	Horizontal	Pass
6	15904.159	53.16	74.0	20.84	Peak	119.00	100	Horizontal	Pass
6**	15904.159	44.07	54.0	9.93	AV	119.00	100	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.935	42.01	74.0	31.99	Peak	114.00	100	Vertical	Pass
1**	1598.935	26.37	54.0	27.63	AV	114.00	100	Vertical	Pass
2	2228.698	41.60	74.0	32.40	Peak	142.00	400	Vertical	Pass
2**	2228.698	29.51	54.0	24.49	AV	142.00	400	Vertical	Pass
3	4259.977	46.86	74.0	27.14	Peak	243.00	200	Vertical	Pass
3**	4259.977	35.64	54.0	18.36	AV	243.00	200	Vertical	Pass
4	7705.213	53.51	74.0	20.49	Peak	91.00	100	Vertical	Pass
4**	7705.213	39.61	54.0	14.39	AV	91.00	100	Vertical	Pass
5	12495.472	51.59	74.0	22.41	Peak	113.00	100	Vertical	Pass
5**	12495.472	44.03	54.0	9.97	AV	113.00	100	Vertical	Pass
6	15675.170	56.66	74.0	17.34	Peak	139.00	100	Vertical	Pass
6**	15675.170	43.86	54.0	10.14	AV	139.00	100	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.897	37.81	74.0	36.19	Peak	82.00	400	Horizontal	Pass
1**	1524.897	28.14	54.0	25.86	AV	82.00	400	Horizontal	Pass
2	2273.986	41.07	74.0	32.93	Peak	171.00	100	Horizontal	Pass
2**	2273.986	32.85	54.0	21.15	AV	171.00	100	Horizontal	Pass
3	4046.287	45.63	74.0	28.37	Peak	139.00	200	Horizontal	Pass
3**	4046.287	36.30	54.0	17.70	AV	139.00	200	Horizontal	Pass
4	7617.171	51.43	74.0	22.57	Peak	2.00	400	Horizontal	Pass
4**	7617.171	45.91	54.0	8.09	AV	2.00	400	Horizontal	Pass
5	12456.478	51.19	74.0	22.81	Peak	305.00	400	Horizontal	Pass
5**	12456.478	43.32	54.0	10.68	AV	305.00	400	Horizontal	Pass
6	15902.845	53.43	74.0	20.57	Peak	151.00	400	Horizontal	Pass
6**	15902.845	41.94	54.0	12.06	AV	151.00	400	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.409	41.70	74.0	32.30	Peak	191.00	300	Vertical	Pass
1**	1598.409	28.83	54.0	25.17	AV	191.00	300	Vertical	Pass
2	2224.179	39.81	74.0	34.19	Peak	4.00	400	Vertical	Pass
2**	2224.179	29.24	54.0	24.76	AV	4.00	400	Vertical	Pass
3	4255.969	49.93	74.0	24.07	Peak	95.00	200	Vertical	Pass
3**	4255.969	39.59	54.0	14.41	AV	95.00	200	Vertical	Pass
4	7709.476	52.91	74.0	21.09	Peak	234.00	400	Vertical	Pass
4**	7709.476	44.69	54.0	9.31	AV	234.00	400	Vertical	Pass
5	12498.999	52.45	74.0	21.55	Peak	41.00	100	Vertical	Pass
5**	12498.999	45.91	54.0	8.09	AV	41.00	100	Vertical	Pass
6	15676.405	53.91	74.0	20.09	Peak	124.00	400	Vertical	Pass
6**	15676.405	43.15	54.0	10.85	AV	124.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.944	36.73	74.0	37.27	Peak	148.00	400	Horizontal	Pass
1**	1521.944	31.25	54.0	22.75	AV	148.00	400	Horizontal	Pass
2	4016.631	46.12	74.0	27.88	Peak	77.00	300	Horizontal	Pass
2**	4016.631	36.31	54.0	17.69	AV	77.00	300	Horizontal	Pass
3	7596.085	56.23	74.0	17.77	Peak	104.00	200	Horizontal	Pass
3**	7596.085	41.11	54.0	12.89	AV	104.00	200	Horizontal	Pass
4	12452.371	51.50	74.0	22.50	Peak	19.00	400	Horizontal	Pass
4**	12452.371	42.27	54.0	11.73	AV	19.00	400	Horizontal	Pass
5	16094.372	50.88	74.0	23.12	Peak	50.00	100	Horizontal	Pass
5**	16094.372	46.70	54.0	7.30	AV	50.00	100	Horizontal	Pass
6	17422.065	55.31	74.0	18.69	Peak	5.00	100	Horizontal	Pass
6**	17422.065	47.13	54.0	6.87	AV	5.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.156	43.32	74.0	30.68	Peak	328.00	400	Vertical	Pass
1**	1331.156	36.64	54.0	17.36	AV	328.00	400	Vertical	Pass
2	1438.448	41.34	74.0	32.66	Peak	215.00	400	Vertical	Pass
2**	1438.448	39.14	54.0	14.86	AV	215.00	400	Vertical	Pass
3	4307.950	44.80	74.0	29.20	Peak	10.00	200	Vertical	Pass
3**	4307.950	36.54	54.0	17.46	AV	10.00	200	Vertical	Pass
4	7594.638	51.00	74.0	23.00	Peak	184.00	400	Vertical	Pass
4**	7594.638	41.50	54.0	12.50	AV	184.00	400	Vertical	Pass
5	12536.505	55.57	74.0	18.43	Peak	42.00	100	Vertical	Pass
5**	12536.505	43.69	54.0	10.31	AV	42.00	100	Vertical	Pass
6	15909.340	55.12	74.0	18.88	Peak	153.00	200	Vertical	Pass
6**	15909.340	47.26	54.0	6.74	AV	153.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.823	39.17	74.0	34.83	Peak	39.00	200	Horizontal	Pass
1**	1520.823	32.01	54.0	21.99	AV	39.00	200	Horizontal	Pass
2	4018.376	46.53	74.0	27.47	Peak	52.00	400	Horizontal	Pass
2**	4018.376	36.49	54.0	17.51	AV	52.00	400	Horizontal	Pass
3	7598.626	52.87	74.0	21.13	Peak	22.00	200	Horizontal	Pass
3**	7598.626	44.32	54.0	9.68	AV	22.00	200	Horizontal	Pass
4	12451.946	53.26	74.0	20.74	Peak	83.00	100	Horizontal	Pass
4**	12451.946	41.76	54.0	12.24	AV	83.00	100	Horizontal	Pass
5	16095.397	52.63	74.0	21.37	Peak	317.00	200	Horizontal	Pass
5**	16095.397	43.68	54.0	10.32	AV	317.00	200	Horizontal	Pass
6	17418.974	56.98	74.0	17.02	Peak	117.00	400	Horizontal	Pass
6**	17418.974	49.49	54.0	4.51	AV	117.00	400	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.859	42.45	74.0	31.55	Peak	358.00	300	Vertical	Pass
1**	1333.859	32.53	54.0	21.47	AV	358.00	300	Vertical	Pass
2	1439.825	39.08	74.0	34.92	Peak	21.00	200	Vertical	Pass
2**	1439.825	35.77	54.0	18.23	AV	21.00	200	Vertical	Pass
3	4308.698	49.62	74.0	24.38	Peak	286.00	200	Vertical	Pass
3**	4308.698	35.59	54.0	18.41	AV	286.00	200	Vertical	Pass
4	7591.705	53.21	74.0	20.79	Peak	275.00	300	Vertical	Pass
4**	7591.705	41.86	54.0	12.14	AV	275.00	300	Vertical	Pass
5	12537.538	55.67	74.0	18.33	Peak	221.00	400	Vertical	Pass
5**	12537.538	43.18	54.0	10.82	AV	221.00	400	Vertical	Pass
6	15905.308	52.10	74.0	21.90	Peak	116.00	300	Vertical	Pass
6**	15905.308	43.10	54.0	10.90	AV	116.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.128	37.02	74.0	36.98	Peak	302.00	200	Horizontal	Pass
1**	1519.128	30.11	54.0	23.89	AV	302.00	200	Horizontal	Pass
2	4023.933	46.19	74.0	27.81	Peak	289.00	300	Horizontal	Pass
2**	4023.933	37.77	54.0	16.23	AV	289.00	300	Horizontal	Pass
3	7594.569	51.86	74.0	22.14	Peak	333.00	200	Horizontal	Pass
3**	7594.569	43.46	54.0	10.54	AV	333.00	200	Horizontal	Pass
4	12458.582	52.03	74.0	21.97	Peak	257.00	300	Horizontal	Pass
4**	12458.582	45.65	54.0	8.35	AV	257.00	300	Horizontal	Pass
5	16096.024	50.60	74.0	23.40	Peak	245.00	400	Horizontal	Pass
5**	16096.024	45.91	54.0	8.09	AV	245.00	400	Horizontal	Pass
6	17420.833	53.83	74.0	20.17	Peak	330.00	300	Horizontal	Pass
6**	17420.833	45.04	54.0	8.96	AV	330.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.220	42.60	74.0	31.40	Peak	194.00	100	Vertical	Pass
1**	1332.220	33.96	54.0	20.04	AV	194.00	100	Vertical	Pass
2	1439.640	41.42	74.0	32.58	Peak	7.00	200	Vertical	Pass
2**	1439.640	38.82	54.0	15.18	AV	7.00	200	Vertical	Pass
3	4314.264	48.34	74.0	25.66	Peak	167.00	200	Vertical	Pass
3**	4314.264	38.53	54.0	15.47	AV	167.00	200	Vertical	Pass
4	7594.817	50.35	74.0	23.65	Peak	18.00	100	Vertical	Pass
4**	7594.817	45.34	54.0	8.66	AV	18.00	100	Vertical	Pass
5	12533.698	55.78	74.0	18.22	Peak	338.00	400	Vertical	Pass
5**	12533.698	45.92	54.0	8.08	AV	338.00	400	Vertical	Pass
6	15907.682	53.25	74.0	20.75	Peak	339.00	100	Vertical	Pass
6**	15907.682	45.17	54.0	8.83	AV	339.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.812	36.07	74.0	37.93	Peak	179.00	200	Horizontal	Pass
1**	1520.812	29.17	54.0	24.83	AV	179.00	200	Horizontal	Pass
2	4017.415	48.99	74.0	25.01	Peak	2.00	200	Horizontal	Pass
2**	4017.415	37.66	54.0	16.34	AV	2.00	200	Horizontal	Pass
3	7600.145	50.60	74.0	23.40	Peak	5.00	200	Horizontal	Pass
3**	7600.145	44.05	54.0	9.95	AV	5.00	200	Horizontal	Pass
4	12456.796	54.21	74.0	19.79	Peak	44.00	300	Horizontal	Pass
4**	12456.796	42.45	54.0	11.55	AV	44.00	300	Horizontal	Pass
5	16094.243	55.83	74.0	18.17	Peak	325.00	100	Horizontal	Pass
5**	16094.243	42.50	54.0	11.50	AV	325.00	100	Horizontal	Pass
6	17417.788	58.33	74.0	15.67	Peak	157.00	400	Horizontal	Pass
6**	17417.788	49.14	54.0	4.86	AV	157.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.817	43.45	74.0	30.55	Peak	294.00	300	Vertical	Pass
1**	1335.817	31.77	54.0	22.23	AV	294.00	300	Vertical	Pass
2	1443.883	39.99	74.0	34.01	Peak	239.00	300	Vertical	Pass
2**	1443.883	34.62	54.0	19.38	AV	239.00	300	Vertical	Pass
3	4309.123	49.52	74.0	24.48	Peak	39.00	200	Vertical	Pass
3**	4309.123	38.82	54.0	15.18	AV	39.00	200	Vertical	Pass
4	7592.966	53.49	74.0	20.51	Peak	141.00	300	Vertical	Pass
4**	7592.966	43.90	54.0	10.10	AV	141.00	300	Vertical	Pass
5	12536.144	52.81	74.0	21.19	Peak	1.00	200	Vertical	Pass
5**	12536.144	45.28	54.0	8.72	AV	1.00	200	Vertical	Pass
6	15907.004	52.10	74.0	21.90	Peak	327.00	100	Vertical	Pass
6**	15907.004	43.26	54.0	10.74	AV	327.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.002	35.27	74.0	38.73	Peak	169.00	200	Horizontal	Pass
1**	1525.002	28.50	54.0	25.50	AV	169.00	200	Horizontal	Pass
2	4021.928	49.98	74.0	24.02	Peak	127.00	400	Horizontal	Pass
2**	4021.928	37.23	54.0	16.77	AV	127.00	400	Horizontal	Pass
3	7599.655	54.46	74.0	19.54	Peak	44.00	200	Horizontal	Pass
3**	7599.655	40.58	54.0	13.42	AV	44.00	200	Horizontal	Pass
4	12454.101	55.08	74.0	18.92	Peak	75.00	100	Horizontal	Pass
4**	12454.101	42.58	54.0	11.42	AV	75.00	100	Horizontal	Pass
5	16096.061	54.81	74.0	19.19	Peak	226.00	200	Horizontal	Pass
5**	16096.061	43.35	54.0	10.65	AV	226.00	200	Horizontal	Pass
6	17422.835	54.70	74.0	19.30	Peak	195.00	100	Horizontal	Pass
6**	17422.835	48.30	54.0	5.70	AV	195.00	100	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.483	41.65	74.0	32.35	Peak	347.00	300	Vertical	Pass
1**	1335.483	36.61	54.0	17.39	AV	347.00	300	Vertical	Pass
2	1442.048	40.84	74.0	33.16	Peak	159.00	200	Vertical	Pass
2**	1442.048	34.62	54.0	19.38	AV	159.00	200	Vertical	Pass
3	4311.336	47.11	74.0	26.89	Peak	74.00	200	Vertical	Pass
3**	4311.336	36.83	54.0	17.17	AV	74.00	200	Vertical	Pass
4	7594.279	55.62	74.0	18.38	Peak	128.00	200	Vertical	Pass
4**	7594.279	46.09	54.0	7.91	AV	128.00	200	Vertical	Pass
5	12536.051	56.30	74.0	17.70	Peak	31.00	100	Vertical	Pass
5**	12536.051	45.44	54.0	8.56	AV	31.00	100	Vertical	Pass
6	15908.679	56.03	74.0	17.97	Peak	125.00	100	Vertical	Pass
6**	15908.679	48.08	54.0	5.92	AV	125.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.660	35.52	74.0	38.48	Peak	42.00	200	Horizontal	Pass
1**	1520.660	30.40	54.0	23.60	AV	42.00	200	Horizontal	Pass
2	4019.077	49.51	74.0	24.49	Peak	216.00	100	Horizontal	Pass
2**	4019.077	38.74	54.0	15.26	AV	216.00	100	Horizontal	Pass
3	7598.533	50.57	74.0	23.43	Peak	221.00	200	Horizontal	Pass
3**	7598.533	45.73	54.0	8.27	AV	221.00	200	Horizontal	Pass
4	12457.907	54.71	74.0	19.29	Peak	210.00	300	Horizontal	Pass
4**	12457.907	45.48	54.0	8.52	AV	210.00	300	Horizontal	Pass
5	16092.795	52.34	74.0	21.66	Peak	211.00	300	Horizontal	Pass
5**	16092.795	44.04	54.0	9.96	AV	211.00	300	Horizontal	Pass
6	17420.131	58.01	74.0	15.99	Peak	357.00	400	Horizontal	Pass
6**	17420.131	45.56	54.0	8.44	AV	357.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.317	45.27	74.0	28.73	Peak	181.00	300	Vertical	Pass
1**	1330.317	31.27	54.0	22.73	AV	181.00	300	Vertical	Pass
2	1439.978	44.61	74.0	29.39	Peak	172.00	200	Vertical	Pass
2**	1439.978	35.31	54.0	18.69	AV	172.00	200	Vertical	Pass
3	4308.594	49.72	74.0	24.28	Peak	39.00	200	Vertical	Pass
3**	4308.594	40.66	54.0	13.34	AV	39.00	200	Vertical	Pass
4	7592.704	52.96	74.0	21.04	Peak	134.00	200	Vertical	Pass
4**	7592.704	44.93	54.0	9.07	AV	134.00	200	Vertical	Pass
5	12537.344	52.70	74.0	21.30	Peak	64.00	400	Vertical	Pass
5**	12537.344	42.92	54.0	11.08	AV	64.00	400	Vertical	Pass
6	15905.516	51.98	74.0	22.02	Peak	91.00	200	Vertical	Pass
6**	15905.516	45.72	54.0	8.28	AV	91.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.515	38.85	74.0	35.15	Peak	221.00	200	Horizontal	Pass
1**	1523.515	28.50	54.0	25.50	AV	221.00	200	Horizontal	Pass
2	4019.335	49.14	74.0	24.86	Peak	186.00	400	Horizontal	Pass
2**	4019.335	39.53	54.0	14.47	AV	186.00	400	Horizontal	Pass
3	7602.339	52.21	74.0	21.79	Peak	348.00	200	Horizontal	Pass
3**	7602.339	42.25	54.0	11.75	AV	348.00	200	Horizontal	Pass
4	12452.834	51.01	74.0	22.99	Peak	348.00	300	Horizontal	Pass
4**	12452.834	46.81	54.0	7.19	AV	348.00	300	Horizontal	Pass
5	16096.937	54.18	74.0	19.82	Peak	35.00	100	Horizontal	Pass
5**	16096.937	46.18	54.0	7.82	AV	35.00	100	Horizontal	Pass
6	17417.901	57.14	74.0	16.86	Peak	133.00	400	Horizontal	Pass
6**	17417.901	44.59	54.0	9.41	AV	133.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1337.173	45.57	74.0	28.43	Peak	163.00	100	Vertical	Pass
1**	1337.173	34.18	54.0	19.82	AV	163.00	100	Vertical	Pass
2	1442.883	41.56	74.0	32.44	Peak	72.00	200	Vertical	Pass
2**	1442.883	38.75	54.0	15.25	AV	72.00	200	Vertical	Pass
3	4310.179	48.69	74.0	25.31	Peak	190.00	200	Vertical	Pass
3**	4310.179	40.22	54.0	13.78	AV	190.00	200	Vertical	Pass
4	7593.401	55.99	74.0	18.01	Peak	295.00	200	Vertical	Pass
4**	7593.401	46.06	54.0	7.94	AV	295.00	200	Vertical	Pass
5	12534.040	56.14	74.0	17.86	Peak	11.00	200	Vertical	Pass
5**	12534.040	41.08	54.0	12.92	AV	11.00	200	Vertical	Pass
6	15909.005	51.93	74.0	22.07	Peak	231.00	100	Vertical	Pass
6**	15909.005	46.97	54.0	7.03	AV	231.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.291	39.75	74.0	34.25	Peak	18.00	300	Horizontal	Pass
1**	1522.291	30.65	54.0	23.35	AV	18.00	300	Horizontal	Pass
2	4022.762	45.91	74.0	28.09	Peak	139.00	100	Horizontal	Pass
2**	4022.762	39.51	54.0	14.49	AV	139.00	100	Horizontal	Pass
3	7598.457	53.88	74.0	20.12	Peak	108.00	200	Horizontal	Pass
3**	7598.457	44.90	54.0	9.10	AV	108.00	200	Horizontal	Pass
4	12457.683	56.27	74.0	17.73	Peak	112.00	100	Horizontal	Pass
4**	12457.683	41.82	54.0	12.18	AV	112.00	100	Horizontal	Pass
5	16092.561	53.19	74.0	20.81	Peak	330.00	400	Horizontal	Pass
5**	16092.561	46.11	54.0	7.89	AV	330.00	400	Horizontal	Pass
6	17420.739	53.36	74.0	20.64	Peak	199.00	400	Horizontal	Pass
6**	17420.739	48.14	54.0	5.86	AV	199.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.846	44.26	74.0	29.74	Peak	138.00	400	Vertical	Pass
1**	1331.846	35.18	54.0	18.82	AV	138.00	400	Vertical	Pass
2	1441.090	44.06	74.0	29.94	Peak	223.00	100	Vertical	Pass
2**	1441.090	39.12	54.0	14.88	AV	223.00	100	Vertical	Pass
3	4308.449	48.85	74.0	25.15	Peak	157.00	200	Vertical	Pass
3**	4308.449	36.68	54.0	17.32	AV	157.00	200	Vertical	Pass
4	7597.503	51.47	74.0	22.53	Peak	309.00	200	Vertical	Pass
4**	7597.503	41.84	54.0	12.16	AV	309.00	200	Vertical	Pass
5	12533.085	53.19	74.0	20.81	Peak	311.00	300	Vertical	Pass
5**	12533.085	43.28	54.0	10.72	AV	311.00	300	Vertical	Pass
6	15909.970	54.40	74.0	19.60	Peak	312.00	400	Vertical	Pass
6**	15909.970	47.05	54.0	6.95	AV	312.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.031	40.84	74.0	33.16	Peak	144.00	400	Horizontal	Pass
1**	1523.031	32.53	54.0	21.47	AV	144.00	400	Horizontal	Pass
2	4021.822	48.09	74.0	25.91	Peak	27.00	400	Horizontal	Pass
2**	4021.822	36.16	54.0	17.84	AV	27.00	400	Horizontal	Pass
3	7595.399	51.42	74.0	22.58	Peak	154.00	200	Horizontal	Pass
3**	7595.399	45.53	54.0	8.47	AV	154.00	200	Horizontal	Pass
4	12456.646	54.45	74.0	19.55	Peak	7.00	300	Horizontal	Pass
4**	12456.646	44.94	54.0	9.06	AV	7.00	300	Horizontal	Pass
5	16093.951	53.91	74.0	20.09	Peak	108.00	100	Horizontal	Pass
5**	16093.951	46.38	54.0	7.62	AV	108.00	100	Horizontal	Pass
6	17421.637	53.12	74.0	20.88	Peak	247.00	200	Horizontal	Pass
6**	17421.637	49.90	54.0	4.10	AV	247.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.729	45.51	74.0	28.49	Peak	48.00	100	Vertical	Pass
1**	1333.729	36.00	54.0	18.00	AV	48.00	100	Vertical	Pass
2	1440.540	39.33	74.0	34.67	Peak	34.00	300	Vertical	Pass
2**	1440.540	39.28	54.0	14.72	AV	34.00	300	Vertical	Pass
3	4313.209	46.24	74.0	27.76	Peak	194.00	200	Vertical	Pass
3**	4313.209	38.90	54.0	15.10	AV	194.00	200	Vertical	Pass
4	7594.250	52.62	74.0	21.38	Peak	355.00	100	Vertical	Pass
4**	7594.250	45.82	54.0	8.18	AV	355.00	100	Vertical	Pass
5	12532.398	54.34	74.0	19.66	Peak	78.00	100	Vertical	Pass
5**	12532.398	41.25	54.0	12.75	AV	78.00	100	Vertical	Pass
6	15910.003	54.02	74.0	19.98	Peak	320.00	400	Vertical	Pass
6**	15910.003	44.08	54.0	9.92	AV	320.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.546	38.64	74.0	35.36	Peak	167.00	200	Horizontal	Pass
1**	1518.546	31.10	54.0	22.90	AV	167.00	200	Horizontal	Pass
2	4017.307	45.62	74.0	28.38	Peak	297.00	200	Horizontal	Pass
2**	4017.307	36.40	54.0	17.60	AV	297.00	200	Horizontal	Pass
3	7600.540	54.70	74.0	19.30	Peak	22.00	200	Horizontal	Pass
3**	7600.540	45.30	54.0	8.70	AV	22.00	200	Horizontal	Pass
4	12456.559	53.94	74.0	20.06	Peak	292.00	300	Horizontal	Pass
4**	12456.559	44.52	54.0	9.48	AV	292.00	300	Horizontal	Pass
5	16099.003	54.68	74.0	19.32	Peak	55.00	300	Horizontal	Pass
5**	16099.003	45.01	54.0	8.99	AV	55.00	300	Horizontal	Pass
6	17420.845	54.77	74.0	19.23	Peak	330.00	100	Horizontal	Pass
6**	17420.845	44.71	54.0	9.29	AV	330.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.527	44.34	74.0	29.66	Peak	36.00	300	Vertical	Pass
1**	1336.527	32.80	54.0	21.20	AV	36.00	300	Vertical	Pass
2	1437.855	39.56	74.0	34.44	Peak	228.00	100	Vertical	Pass
2**	1437.855	34.27	54.0	19.73	AV	228.00	100	Vertical	Pass
3	4313.479	49.67	74.0	24.33	Peak	153.00	200	Vertical	Pass
3**	4313.479	40.31	54.0	13.69	AV	153.00	200	Vertical	Pass
4	7596.795	50.19	74.0	23.81	Peak	110.00	300	Vertical	Pass
4**	7596.795	42.91	54.0	11.09	AV	110.00	300	Vertical	Pass
5	12530.866	51.78	74.0	22.22	Peak	111.00	300	Vertical	Pass
5**	12530.866	41.11	54.0	12.89	AV	111.00	300	Vertical	Pass
6	15904.518	56.19	74.0	17.81	Peak	120.00	100	Vertical	Pass
6**	15904.518	47.94	54.0	6.06	AV	120.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.625	36.34	74.0	37.66	Peak	310.00	400	Horizontal	Pass
1**	1519.625	28.29	54.0	25.71	AV	310.00	400	Horizontal	Pass
2	4018.127	45.33	74.0	28.67	Peak	209.00	200	Horizontal	Pass
2**	4018.127	37.71	54.0	16.29	AV	209.00	200	Horizontal	Pass
3	7596.195	55.86	74.0	18.14	Peak	250.00	200	Horizontal	Pass
3**	7596.195	43.45	54.0	10.55	AV	250.00	200	Horizontal	Pass
4	12459.150	53.99	74.0	20.01	Peak	153.00	400	Horizontal	Pass
4**	12459.150	43.39	54.0	10.61	AV	153.00	400	Horizontal	Pass
5	16092.828	52.42	74.0	21.58	Peak	321.00	200	Horizontal	Pass
5**	16092.828	47.66	54.0	6.34	AV	321.00	200	Horizontal	Pass
6	17419.967	53.94	74.0	20.06	Peak	246.00	100	Horizontal	Pass
6**	17419.967	45.72	54.0	8.28	AV	246.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.297	44.46	74.0	29.54	Peak	332.00	100	Vertical	Pass
1**	1333.297	36.56	54.0	17.44	AV	332.00	100	Vertical	Pass
2	1439.826	42.68	74.0	31.32	Peak	113.00	200	Vertical	Pass
2**	1439.826	37.81	54.0	16.19	AV	113.00	200	Vertical	Pass
3	4310.270	50.06	74.0	23.94	Peak	115.00	200	Vertical	Pass
3**	4310.270	39.46	54.0	14.54	AV	115.00	200	Vertical	Pass
4	7594.911	55.89	74.0	18.11	Peak	249.00	200	Vertical	Pass
4**	7594.911	42.38	54.0	11.62	AV	249.00	200	Vertical	Pass
5	12533.750	52.11	74.0	21.89	Peak	201.00	200	Vertical	Pass
5**	12533.750	41.14	54.0	12.86	AV	201.00	200	Vertical	Pass
6	15909.221	55.75	74.0	18.25	Peak	208.00	100	Vertical	Pass
6**	15909.221	45.39	54.0	8.61	AV	208.00	100	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.309	37.81	74.0	36.19	Peak	7.00	100	Horizontal	Pass
1**	1521.309	27.16	54.0	26.84	AV	7.00	100	Horizontal	Pass
2	4016.582	49.89	74.0	24.11	Peak	156.00	400	Horizontal	Pass
2**	4016.582	34.41	54.0	19.59	AV	156.00	400	Horizontal	Pass
3	7601.506	52.96	74.0	21.04	Peak	100.00	200	Horizontal	Pass
3**	7601.506	45.92	54.0	8.08	AV	100.00	200	Horizontal	Pass
4	12456.856	54.06	74.0	19.94	Peak	360.00	100	Horizontal	Pass
4**	12456.856	44.05	54.0	9.95	AV	360.00	100	Horizontal	Pass
5	16098.889	52.52	74.0	21.48	Peak	190.00	200	Horizontal	Pass
5**	16098.889	45.81	54.0	8.19	AV	190.00	200	Horizontal	Pass
6	17415.785	54.35	74.0	19.65	Peak	289.00	200	Horizontal	Pass
6**	17415.785	44.36	54.0	9.64	AV	289.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.366	47.50	74.0	26.50	Peak	13.00	300	Vertical	Pass
1**	1331.366	36.58	54.0	17.42	AV	13.00	300	Vertical	Pass
2	1441.998	44.45	74.0	29.55	Peak	46.00	400	Vertical	Pass
2**	1441.998	39.43	54.0	14.57	AV	46.00	400	Vertical	Pass
3	4307.300	45.07	74.0	28.93	Peak	14.00	200	Vertical	Pass
3**	4307.300	38.60	54.0	15.40	AV	14.00	200	Vertical	Pass
4	7597.413	53.74	74.0	20.26	Peak	46.00	300	Vertical	Pass
4**	7597.413	43.13	54.0	10.87	AV	46.00	300	Vertical	Pass
5	12531.224	52.85	74.0	21.15	Peak	218.00	400	Vertical	Pass
5**	12531.224	41.71	54.0	12.29	AV	218.00	400	Vertical	Pass
6	15903.597	56.06	74.0	17.94	Peak	283.00	300	Vertical	Pass
6**	15903.597	42.66	54.0	11.34	AV	283.00	300	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.007	36.68	74.0	37.32	Peak	40.00	300	Horizontal	Pass
1**	1523.007	27.33	54.0	26.67	AV	40.00	300	Horizontal	Pass
2	4019.903	49.35	74.0	24.65	Peak	331.00	400	Horizontal	Pass
2**	4019.903	39.39	54.0	14.61	AV	331.00	400	Horizontal	Pass
3	7600.259	53.13	74.0	20.87	Peak	13.00	200	Horizontal	Pass
3**	7600.259	43.15	54.0	10.85	AV	13.00	200	Horizontal	Pass
4	12454.499	53.10	74.0	20.90	Peak	7.00	400	Horizontal	Pass
4**	12454.499	42.32	54.0	11.68	AV	7.00	400	Horizontal	Pass
5	16097.408	52.78	74.0	21.22	Peak	4.00	300	Horizontal	Pass
5**	16097.408	42.74	54.0	11.26	AV	4.00	300	Horizontal	Pass
6	17417.863	56.65	74.0	17.35	Peak	233.00	200	Horizontal	Pass
6**	17417.863	49.69	54.0	4.31	AV	233.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.046	42.46	74.0	31.54	Peak	144.00	100	Vertical	Pass
1**	1332.046	36.44	54.0	17.56	AV	144.00	100	Vertical	Pass
2	1440.594	39.88	74.0	34.12	Peak	336.00	100	Vertical	Pass
2**	1440.594	39.27	54.0	14.73	AV	336.00	100	Vertical	Pass
3	4312.699	44.56	74.0	29.44	Peak	319.00	200	Vertical	Pass
3**	4312.699	35.62	54.0	18.38	AV	319.00	200	Vertical	Pass
4	7591.404	55.47	74.0	18.53	Peak	4.00	300	Vertical	Pass
4**	7591.404	46.30	54.0	7.70	AV	4.00	300	Vertical	Pass
5	12534.722	54.83	74.0	19.17	Peak	80.00	300	Vertical	Pass
5**	12534.722	41.39	54.0	12.61	AV	80.00	300	Vertical	Pass
6	15910.217	54.45	74.0	19.55	Peak	74.00	100	Vertical	Pass
6**	15910.217	45.47	54.0	8.53	AV	74.00	100	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.028	39.06	74.0	34.94	Peak	62.00	100	Horizontal	Pass
1**	1518.028	27.88	54.0	26.12	AV	62.00	100	Horizontal	Pass
2	4023.404	48.47	74.0	25.53	Peak	192.00	200	Horizontal	Pass
2**	4023.404	34.94	54.0	19.06	AV	192.00	200	Horizontal	Pass
3	7596.465	50.47	74.0	23.53	Peak	171.00	200	Horizontal	Pass
3**	7596.465	43.00	54.0	11.00	AV	171.00	200	Horizontal	Pass
4	12458.626	52.46	74.0	21.54	Peak	256.00	100	Horizontal	Pass
4**	12458.626	41.44	54.0	12.56	AV	256.00	100	Horizontal	Pass
5	16099.069	55.32	74.0	18.68	Peak	193.00	200	Horizontal	Pass
5**	16099.069	45.81	54.0	8.19	AV	193.00	200	Horizontal	Pass
6	17420.687	55.84	74.0	18.16	Peak	192.00	300	Horizontal	Pass
6**	17420.687	44.62	54.0	9.38	AV	192.00	300	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.076	43.57	74.0	30.43	Peak	17.00	200	Vertical	Pass
1**	1336.076	36.65	54.0	17.35	AV	17.00	200	Vertical	Pass
2	1436.833	43.85	74.0	30.15	Peak	43.00	100	Vertical	Pass
2**	1436.833	38.68	54.0	15.32	AV	43.00	100	Vertical	Pass
3	4313.937	46.52	74.0	27.48	Peak	19.00	200	Vertical	Pass
3**	4313.937	39.63	54.0	14.37	AV	19.00	200	Vertical	Pass
4	7595.974	50.08	74.0	23.92	Peak	161.00	400	Vertical	Pass
4**	7595.974	43.68	54.0	10.32	AV	161.00	400	Vertical	Pass
5	12534.104	56.49	74.0	17.51	Peak	190.00	300	Vertical	Pass
5**	12534.104	46.51	54.0	7.49	AV	190.00	300	Vertical	Pass
6	15904.034	57.18	74.0	16.82	Peak	183.00	400	Vertical	Pass
6**	15904.034	48.51	54.0	5.49	AV	183.00	400	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.076	36.26	74.0	37.74	Peak	109.00	400	Horizontal	Pass
1**	1518.076	31.16	54.0	22.84	AV	109.00	400	Horizontal	Pass
2	4022.987	46.84	74.0	27.16	Peak	44.00	100	Horizontal	Pass
2**	4022.987	34.19	54.0	19.81	AV	44.00	100	Horizontal	Pass
3	7597.456	56.04	74.0	17.96	Peak	67.00	200	Horizontal	Pass
3**	7597.456	42.64	54.0	11.36	AV	67.00	200	Horizontal	Pass
4	12456.719	56.34	74.0	17.66	Peak	25.00	200	Horizontal	Pass
4**	12456.719	46.90	54.0	7.10	AV	25.00	200	Horizontal	Pass
5	16098.104	55.14	74.0	18.86	Peak	65.00	200	Horizontal	Pass
5**	16098.104	43.66	54.0	10.34	AV	65.00	200	Horizontal	Pass
6	17417.674	53.64	74.0	20.36	Peak	210.00	200	Horizontal	Pass
6**	17417.674	49.30	54.0	4.70	AV	210.00	200	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.876	42.72	74.0	31.28	Peak	250.00	400	Vertical	Pass
1**	1334.876	32.81	54.0	21.19	AV	250.00	400	Vertical	Pass
2	1444.107	39.48	74.0	34.52	Peak	304.00	300	Vertical	Pass
2**	1444.107	37.68	54.0	16.32	AV	304.00	300	Vertical	Pass
3	4314.495	45.89	74.0	28.11	Peak	219.00	200	Vertical	Pass
3**	4314.495	38.37	54.0	15.63	AV	219.00	200	Vertical	Pass
4	7596.606	54.02	74.0	19.98	Peak	345.00	100	Vertical	Pass
4**	7596.606	46.27	54.0	7.73	AV	345.00	100	Vertical	Pass
5	12531.699	54.45	74.0	19.55	Peak	68.00	300	Vertical	Pass
5**	12531.699	44.40	54.0	9.60	AV	68.00	300	Vertical	Pass
6	15904.758	57.13	74.0	16.87	Peak	149.00	400	Vertical	Pass
6**	15904.758	47.98	54.0	6.02	AV	149.00	400	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.569	37.11	74.0	36.89	Peak	64.00	100	Horizontal	Pass
1**	1519.569	28.13	54.0	25.87	AV	64.00	100	Horizontal	Pass
2	4022.815	49.77	74.0	24.23	Peak	359.00	300	Horizontal	Pass
2**	4022.815	38.33	54.0	15.67	AV	359.00	300	Horizontal	Pass
3	7595.850	53.38	74.0	20.62	Peak	277.00	200	Horizontal	Pass
3**	7595.850	44.97	54.0	9.03	AV	277.00	200	Horizontal	Pass
4	12452.084	51.39	74.0	22.61	Peak	51.00	400	Horizontal	Pass
4**	12452.084	42.48	54.0	11.52	AV	51.00	400	Horizontal	Pass
5	16096.272	51.31	74.0	22.69	Peak	144.00	300	Horizontal	Pass
5**	16096.272	46.47	54.0	7.53	AV	144.00	300	Horizontal	Pass
6	17423.247	53.25	74.0	20.75	Peak	105.00	200	Horizontal	Pass
6**	17423.247	46.92	54.0	7.08	AV	105.00	200	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.248	44.86	74.0	29.14	Peak	237.00	100	Vertical	Pass
1**	1335.248	31.19	54.0	22.81	AV	237.00	100	Vertical	Pass
2	1437.373	39.51	74.0	34.49	Peak	99.00	100	Vertical	Pass
2**	1437.373	35.30	54.0	18.70	AV	99.00	100	Vertical	Pass
3	4307.561	45.34	74.0	28.66	Peak	67.00	200	Vertical	Pass
3**	4307.561	39.43	54.0	14.57	AV	67.00	200	Vertical	Pass
4	7592.172	50.30	74.0	23.70	Peak	284.00	300	Vertical	Pass
4**	7592.172	44.96	54.0	9.04	AV	284.00	300	Vertical	Pass
5	12538.551	52.83	74.0	21.17	Peak	37.00	400	Vertical	Pass
5**	12538.551	45.04	54.0	8.96	AV	37.00	400	Vertical	Pass
6	15908.681	56.89	74.0	17.11	Peak	130.00	100	Vertical	Pass
6**	15908.681	47.76	54.0	6.24	AV	130.00	100	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.467	40.40	74.0	33.60	Peak	4.00	100	Horizontal	Pass
1**	1517.467	29.41	54.0	24.59	AV	4.00	100	Horizontal	Pass
2	4023.859	47.86	74.0	26.14	Peak	302.00	400	Horizontal	Pass
2**	4023.859	36.10	54.0	17.90	AV	302.00	400	Horizontal	Pass
3	7602.043	55.16	74.0	18.84	Peak	38.00	200	Horizontal	Pass
3**	7602.043	40.91	54.0	13.09	AV	38.00	200	Horizontal	Pass
4	12455.855	54.40	74.0	19.60	Peak	68.00	400	Horizontal	Pass
4**	12455.855	45.00	54.0	9.00	AV	68.00	400	Horizontal	Pass
5	16098.019	53.24	74.0	20.76	Peak	96.00	300	Horizontal	Pass
5**	16098.019	46.12	54.0	7.88	AV	96.00	300	Horizontal	Pass
6	17421.517	58.20	74.0	15.80	Peak	292.00	100	Horizontal	Pass
6**	17421.517	50.20	54.0	3.80	AV	292.00	100	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.146	42.78	74.0	31.22	Peak	212.00	200	Vertical	Pass
1**	1334.146	34.64	54.0	19.36	AV	212.00	200	Vertical	Pass
2	1441.996	44.04	74.0	29.96	Peak	198.00	200	Vertical	Pass
2**	1441.996	39.48	54.0	14.52	AV	198.00	200	Vertical	Pass
3	4314.168	48.51	74.0	25.49	Peak	25.00	200	Vertical	Pass
3**	4314.168	38.49	54.0	15.51	AV	25.00	200	Vertical	Pass
4	7593.024	50.58	74.0	23.42	Peak	60.00	100	Vertical	Pass
4**	7593.024	46.55	54.0	7.45	AV	60.00	100	Vertical	Pass
5	12532.054	53.79	74.0	20.21	Peak	281.00	400	Vertical	Pass
5**	12532.054	41.39	54.0	12.61	AV	281.00	400	Vertical	Pass
6	15906.354	54.13	74.0	19.87	Peak	32.00	200	Vertical	Pass
6**	15906.354	46.35	54.0	7.65	AV	32.00	200	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.998	35.36	74.0	38.64	Peak	280.00	300	Horizontal	Pass
1**	1523.998	32.54	54.0	21.46	AV	280.00	300	Horizontal	Pass
2	4017.025	45.38	74.0	28.62	Peak	126.00	400	Horizontal	Pass
2**	4017.025	34.05	54.0	19.95	AV	126.00	400	Horizontal	Pass
3	7599.402	54.49	74.0	19.51	Peak	84.00	200	Horizontal	Pass
3**	7599.402	42.76	54.0	11.24	AV	84.00	200	Horizontal	Pass
4	12459.120	52.99	74.0	21.01	Peak	1.00	300	Horizontal	Pass
4**	12459.120	41.86	54.0	12.14	AV	1.00	300	Horizontal	Pass
5	16095.436	52.94	74.0	21.06	Peak	145.00	300	Horizontal	Pass
5**	16095.436	41.99	54.0	12.01	AV	145.00	300	Horizontal	Pass
6	17419.067	53.77	74.0	20.23	Peak	278.00	300	Horizontal	Pass
6**	17419.067	47.67	54.0	6.33	AV	278.00	300	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.604	45.00	74.0	29.00	Peak	70.00	300	Vertical	Pass
1**	1333.604	31.67	54.0	22.33	AV	70.00	300	Vertical	Pass
2	1436.959	44.45	74.0	29.55	Peak	273.00	200	Vertical	Pass
2**	1436.959	37.67	54.0	16.33	AV	273.00	200	Vertical	Pass
3	4310.474	44.70	74.0	29.30	Peak	77.00	200	Vertical	Pass
3**	4310.474	40.10	54.0	13.90	AV	77.00	200	Vertical	Pass
4	7592.336	50.66	74.0	23.34	Peak	220.00	100	Vertical	Pass
4**	7592.336	42.14	54.0	11.86	AV	220.00	100	Vertical	Pass
5	12532.354	50.94	74.0	23.06	Peak	202.00	400	Vertical	Pass
5**	12532.354	45.26	54.0	8.74	AV	202.00	400	Vertical	Pass
6	15910.357	52.89	74.0	21.11	Peak	66.00	300	Vertical	Pass
6**	15910.357	44.69	54.0	9.31	AV	66.00	300	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.935	41.10	74.0	32.90	Peak	299.00	200	Horizontal	Pass
1**	1521.935	32.11	54.0	21.89	AV	299.00	200	Horizontal	Pass
2	4019.717	44.51	74.0	29.49	Peak	301.00	300	Horizontal	Pass
2**	4019.717	34.22	54.0	19.78	AV	301.00	300	Horizontal	Pass
3	7600.121	53.15	74.0	20.85	Peak	286.00	200	Horizontal	Pass
3**	7600.121	44.82	54.0	9.18	AV	286.00	200	Horizontal	Pass
4	12456.478	55.92	74.0	18.08	Peak	258.00	100	Horizontal	Pass
4**	12456.478	44.78	54.0	9.22	AV	258.00	100	Horizontal	Pass
5	16098.877	54.68	74.0	19.32	Peak	81.00	300	Horizontal	Pass
5**	16098.877	42.14	54.0	11.86	AV	81.00	300	Horizontal	Pass
6	17416.840	54.09	74.0	19.91	Peak	342.00	300	Horizontal	Pass
6**	17416.840	49.07	54.0	4.93	AV	342.00	300	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.969	44.41	74.0	29.59	Peak	195.00	100	Vertical	Pass
1**	1334.969	31.74	54.0	22.26	AV	195.00	100	Vertical	Pass
2	1443.318	44.50	74.0	29.50	Peak	310.00	300	Vertical	Pass
2**	1443.318	39.55	54.0	14.45	AV	310.00	300	Vertical	Pass
3	4315.037	47.42	74.0	26.58	Peak	86.00	200	Vertical	Pass
3**	4315.037	41.38	54.0	12.62	AV	86.00	200	Vertical	Pass
4	7595.875	53.19	74.0	20.81	Peak	357.00	200	Vertical	Pass
4**	7595.875	44.99	54.0	9.01	AV	357.00	200	Vertical	Pass
5	12531.884	53.67	74.0	20.33	Peak	223.00	100	Vertical	Pass
5**	12531.884	45.06	54.0	8.94	AV	223.00	100	Vertical	Pass
6	15909.371	54.97	74.0	19.03	Peak	71.00	200	Vertical	Pass
6**	15909.371	43.64	54.0	10.36	AV	71.00	200	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.218	41.13	74.0	32.87	Peak	96.00	400	Horizontal	Pass
1**	1523.218	28.82	54.0	25.18	AV	96.00	400	Horizontal	Pass
2	4020.076	45.79	74.0	28.21	Peak	169.00	300	Horizontal	Pass
2**	4020.076	39.91	54.0	14.09	AV	169.00	300	Horizontal	Pass
3	7597.641	50.38	74.0	23.62	Peak	173.00	200	Horizontal	Pass
3**	7597.641	42.47	54.0	11.53	AV	173.00	200	Horizontal	Pass
4	12455.865	52.20	74.0	21.80	Peak	189.00	100	Horizontal	Pass
4**	12455.865	44.71	54.0	9.29	AV	189.00	100	Horizontal	Pass
5	16099.220	50.95	74.0	23.05	Peak	176.00	400	Horizontal	Pass
5**	16099.220	44.35	54.0	9.65	AV	176.00	400	Horizontal	Pass
6	17417.584	56.23	74.0	17.77	Peak	99.00	200	Horizontal	Pass
6**	17417.584	49.98	54.0	4.02	AV	99.00	200	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.707	42.98	74.0	31.02	Peak	216.00	200	Vertical	Pass
1**	1330.707	31.94	54.0	22.06	AV	216.00	200	Vertical	Pass
2	1442.417	41.82	74.0	32.18	Peak	134.00	300	Vertical	Pass
2**	1442.417	34.82	54.0	19.18	AV	134.00	300	Vertical	Pass
3	4314.535	46.60	74.0	27.40	Peak	51.00	200	Vertical	Pass
3**	4314.535	41.42	54.0	12.58	AV	51.00	200	Vertical	Pass
4	7594.819	55.79	74.0	18.21	Peak	113.00	200	Vertical	Pass
4**	7594.819	46.55	54.0	7.45	AV	113.00	200	Vertical	Pass
5	12535.596	51.65	74.0	22.35	Peak	351.00	400	Vertical	Pass
5**	12535.596	44.34	54.0	9.66	AV	351.00	400	Vertical	Pass
6	15903.607	51.75	74.0	22.25	Peak	115.00	400	Vertical	Pass
6**	15903.607	47.81	54.0	6.19	AV	115.00	400	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass

	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass

Note ¹: All the configurations were pre tested, but only the worst data was shown in this report.

Note ²: All antenna were pre tested, but only the worst case has been reported in this report.

Test Data

SISO-Antenna 2

U-NII-1 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.699	54.27	74.0	19.73	Peak	186.00	100	Horizontal	Pass
1**	5075.699	45.83	54.0	8.17	AV	186.00	100	Horizontal	Pass
2	5150.000	53.34	74.0	20.66	Peak	93.00	100	Horizontal	Pass
2**	5150.000	42.37	54.0	11.63	AV	93.00	100	Horizontal	Pass

U-NII-1 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.48	74.0	20.52	Peak	254.00	300	Horizontal	Pass
1**	5350.000	46.09	54.0	7.91	AV	254.00	300	Horizontal	Pass
2	5422.910	56.79	74.0	17.21	Peak	91.00	300	Horizontal	Pass
2**	5422.910	45.37	54.0	8.63	AV	91.00	300	Horizontal	Pass

U-NII-1 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.314	56.99	74.0	17.01	Peak	207.00	300	Horizontal	Pass
1**	5075.314	44.36	54.0	9.64	AV	207.00	300	Horizontal	Pass
2	5150.000	53.24	74.0	20.76	Peak	315.00	200	Horizontal	Pass
2**	5150.000	43.51	54.0	10.49	AV	315.00	200	Horizontal	Pass

U-NII-1 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.83	74.0	19.17	Peak	78.00	300	Horizontal	Pass
1**	5350.000	43.27	54.0	10.73	AV	78.00	300	Horizontal	Pass
2	5422.261	56.83	74.0	17.17	Peak	359.00	200	Horizontal	Pass
2**	5422.261	45.03	54.0	8.97	AV	359.00	200	Horizontal	Pass

U-NII-1 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.770	54.76	74.0	19.24	Peak	60.00	300	Horizontal	Pass
1**	5075.770	45.35	54.0	8.65	AV	60.00	300	Horizontal	Pass
2	5150.000	55.76	74.0	18.24	Peak	0.00	300	Horizontal	Pass
2**	5150.000	43.8	54.0	10.20	AV	0.00	300	Horizontal	Pass

U-NII-1 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.57	74.0	21.43	Peak	173.00	300	Horizontal	Pass
1**	5350.000	43.61	54.0	10.39	AV	173.00	300	Horizontal	Pass
2	5424.273	57.02	74.0	16.98	Peak	138.00	300	Horizontal	Pass
2**	5424.273	45.49	54.0	8.51	AV	138.00	300	Horizontal	Pass

U-NII-1 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.363	57.37	74.0	16.63	Peak	101.00	100	Horizontal	Pass
1**	5077.363	45.5	54.0	8.50	AV	101.00	100	Horizontal	Pass
2	5150.000	53.45	74.0	20.55	Peak	0.00	100	Horizontal	Pass
2**	5150.000	42.39	54.0	11.61	AV	0.00	100	Horizontal	Pass

U-NII-1 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.17	74.0	19.83	Peak	207.00	200	Horizontal	Pass
1**	5350.000	44.32	54.0	9.68	AV	207.00	200	Horizontal	Pass
2	5422.201	56.24	74.0	17.76	Peak	337.00	300	Horizontal	Pass
2**	5422.201	46.58	54.0	7.42	AV	337.00	300	Horizontal	Pass

U-NII-1 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.691	54.46	74.0	19.54	Peak	229.00	100	Horizontal	Pass
1**	5076.691	46.43	54.0	7.57	AV	229.00	100	Horizontal	Pass
2	5150.000	53.67	74.0	20.33	Peak	0.00	100	Horizontal	Pass
2**	5150.000	45.42	54.0	8.58	AV	0.00	100	Horizontal	Pass

U-NII-1 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.46	74.0	20.54	Peak	50.00	300	Horizontal	Pass
1**	5350.000	42.9	54.0	11.10	AV	50.00	300	Horizontal	Pass
2	5421.969	57.69	74.0	16.31	Peak	249.00	200	Horizontal	Pass
2**	5421.969	44.08	54.0	9.92	AV	249.00	200	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.317	57.88	74.0	16.12	Peak	115.00	200	Horizontal	Pass
1**	5077.317	44.99	54.0	9.01	AV	115.00	200	Horizontal	Pass
2	5150.000	53.4	74.0	20.60	Peak	134.00	200	Horizontal	Pass
2**	5150.000	43.03	54.0	10.97	AV	134.00	200	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.76	74.0	21.24	Peak	162.00	300	Horizontal	Pass
1**	5350.000	44.7	54.0	9.30	AV	162.00	300	Horizontal	Pass
2	5423.892	58.22	74.0	15.78	Peak	323.00	200	Horizontal	Pass
2**	5423.892	46.93	54.0	7.07	AV	323.00	200	Horizontal	Pass

U-NII-1 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.405	56.03	74.0	17.97	Peak	155.00	100	Horizontal	Pass
1**	5077.405	42.6	54.0	11.40	AV	155.00	100	Horizontal	Pass
2	5150.000	53.5	74.0	20.50	Peak	272.00	100	Horizontal	Pass
2**	5150.000	43.09	54.0	10.91	AV	272.00	100	Horizontal	Pass

U-NII-1 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.23	74.0	17.77	Peak	209.00	300	Horizontal	Pass
1**	5350.000	44.61	54.0	9.39	AV	209.00	300	Horizontal	Pass
2	5422.842	54.65	74.0	19.35	Peak	242.00	100	Horizontal	Pass
2**	5422.842	45.52	54.0	8.48	AV	242.00	100	Horizontal	Pass

U-NII-1 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.834	56.46	74.0	17.54	Peak	181.00	200	Horizontal	Pass
1**	5076.834	44.85	54.0	9.15	AV	181.00	200	Horizontal	Pass
2	5150.000	54.95	74.0	19.05	Peak	298.00	200	Horizontal	Pass
2**	5150.000	43.07	54.0	10.93	AV	298.00	200	Horizontal	Pass

U-NII-1 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.7	74.0	20.30	Peak	211.00	100	Horizontal	Pass
1**	5350.000	42.6	54.0	11.40	AV	211.00	100	Horizontal	Pass
2	5422.896	57.19	74.0	16.81	Peak	140.00	200	Horizontal	Pass
2**	5422.896	46.33	54.0	7.67	AV	140.00	200	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.606	56.13	74.0	17.87	Peak	35.00	200	Horizontal	Pass
1**	5076.606	43.22	54.0	10.78	AV	35.00	200	Horizontal	Pass
2	5150.000	54.39	74.0	19.61	Peak	319.00	300	Horizontal	Pass
2**	5150.000	43.74	54.0	10.26	AV	319.00	300	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.64	74.0	20.36	Peak	288.00	200	Horizontal	Pass
1**	5350.000	45.42	54.0	8.58	AV	288.00	200	Horizontal	Pass
2	5424.159	56.01	74.0	17.99	Peak	68.00	200	Horizontal	Pass
2**	5424.159	45.74	54.0	8.26	AV	68.00	200	Horizontal	Pass

U-NII-2A 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.738	57.16	74.0	16.84	Peak	144.00	300	Horizontal	Pass
1**	4996.738	45.21	54.0	8.79	AV	144.00	300	Horizontal	Pass
2	5150.000	53.35	74.0	20.65	Peak	115.00	200	Horizontal	Pass
2**	5150.000	43.9	54.0	10.10	AV	115.00	200	Horizontal	Pass

U-NII-2A 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.01	74.0	18.99	Peak	307.00	200	Horizontal	Pass
1**	5350.000	45.91	54.0	8.09	AV	307.00	200	Horizontal	Pass
2	5461.339	57.68	74.0	16.32	Peak	33.00	100	Horizontal	Pass
2**	5461.339	46.56	54.0	7.44	AV	33.00	100	Horizontal	Pass

U-NII-2A 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.409	56.62	74.0	17.38	Peak	146.00	300	Horizontal	Pass
1**	4996.409	44.74	54.0	9.26	AV	146.00	300	Horizontal	Pass
2	5150.000	52.37	74.0	21.63	Peak	308.00	200	Horizontal	Pass
2**	5150.000	43.11	54.0	10.89	AV	308.00	200	Horizontal	Pass

U-NII-2A 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.94	74.0	20.06	Peak	273.00	200	Horizontal	Pass
1**	5350.000	45.76	54.0	8.24	AV	273.00	200	Horizontal	Pass
2	5460.984	56.65	74.0	17.35	Peak	184.00	300	Horizontal	Pass
2**	5460.984	44.22	54.0	9.78	AV	184.00	300	Horizontal	Pass

U-NII-2A 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.940	58.12	74.0	15.88	Peak	360.00	300	Horizontal	Pass
1**	4997.940	43	54.0	11.00	AV	360.00	300	Horizontal	Pass
2	5150.000	52.01	74.0	21.99	Peak	56.00	200	Horizontal	Pass
2**	5150.000	45.88	54.0	8.12	AV	56.00	200	Horizontal	Pass

U-NII-2A 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.57	74.0	17.43	Peak	19.00	100	Horizontal	Pass
1**	5350.000	43.13	54.0	10.87	AV	19.00	100	Horizontal	Pass
2	5461.113	56.34	74.0	17.66	Peak	339.00	300	Horizontal	Pass
2**	5461.113	44.21	54.0	9.79	AV	339.00	300	Horizontal	Pass

U-NII-2A 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.392	56.49	74.0	17.51	Peak	113.00	100	Horizontal	Pass
1**	4997.392	45.98	54.0	8.02	AV	113.00	100	Horizontal	Pass
2	5150.000	55.12	74.0	18.88	Peak	210.00	200	Horizontal	Pass
2**	5150.000	45.79	54.0	8.21	AV	210.00	200	Horizontal	Pass

U-NII-2A 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.82	74.0	19.18	Peak	217.00	200	Horizontal	Pass
1**	5350.000	44.38	54.0	9.62	AV	217.00	200	Horizontal	Pass
2	5461.388	56.01	74.0	17.99	Peak	297.00	300	Horizontal	Pass
2**	5461.388	45.53	54.0	8.47	AV	297.00	300	Horizontal	Pass

U-NII-2A 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.372	54.59	74.0	19.41	Peak	19.00	200	Horizontal	Pass
1**	4998.372	45.47	54.0	8.53	AV	19.00	200	Horizontal	Pass
2	5150.000	52.1	74.0	21.90	Peak	90.00	300	Horizontal	Pass
2**	5150.000	44.89	54.0	9.11	AV	90.00	300	Horizontal	Pass

U-NII-2A 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.93	74.0	19.07	Peak	40.00	100	Horizontal	Pass
1**	5350.000	46.01	54.0	7.99	AV	40.00	100	Horizontal	Pass
2	5462.016	57.04	74.0	16.96	Peak	243.00	100	Horizontal	Pass
2**	5462.016	43.36	54.0	10.64	AV	243.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.401	55.09	74.0	18.91	Peak	303.00	200	Horizontal	Pass
1**	4996.401	43.44	54.0	10.56	AV	303.00	200	Horizontal	Pass
2	5150.000	52.55	74.0	21.45	Peak	52.00	200	Horizontal	Pass
2**	5150.000	44.47	54.0	9.53	AV	52.00	200	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.21	74.0	20.79	Peak	210.00	200	Horizontal	Pass
1**	5350.000	44.95	54.0	9.05	AV	210.00	200	Horizontal	Pass
2	5461.897	56.03	74.0	17.97	Peak	239.00	200	Horizontal	Pass
2**	5461.897	44.29	54.0	9.71	AV	239.00	200	Horizontal	Pass

U-NII-2A 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.753	57.48	74.0	16.52	Peak	62.00	200	Horizontal	Pass
1**	4997.753	46.11	54.0	7.89	AV	62.00	200	Horizontal	Pass
2	5150.000	52.29	74.0	21.71	Peak	36.00	300	Horizontal	Pass
2**	5150.000	43.29	54.0	10.71	AV	36.00	300	Horizontal	Pass

U-NII-2A 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.99	74.0	21.01	Peak	215.00	300	Horizontal	Pass
1**	5350.000	44.77	54.0	9.23	AV	215.00	300	Horizontal	Pass
2	5460.974	57.95	74.0	16.05	Peak	248.00	300	Horizontal	Pass
2**	5460.974	46.6	54.0	7.40	AV	248.00	300	Horizontal	Pass

U-NII-2A 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.253	55.25	74.0	18.75	Peak	334.00	100	Horizontal	Pass
1**	4998.253	44.78	54.0	9.22	AV	334.00	100	Horizontal	Pass
2	5150.000	54.41	74.0	19.59	Peak	10.00	200	Horizontal	Pass
2**	5150.000	44.81	54.0	9.19	AV	10.00	200	Horizontal	Pass

U-NII-2A 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.87	74.0	19.13	Peak	253.00	200	Horizontal	Pass
1**	5350.000	45.27	54.0	8.73	AV	253.00	200	Horizontal	Pass
2	5460.930	55.29	74.0	18.71	Peak	318.00	300	Horizontal	Pass
2**	5460.930	47.05	54.0	6.95	AV	318.00	300	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.493	56.31	74.0	17.69	Peak	271.00	100	Horizontal	Pass
1**	4998.493	45.45	54.0	8.55	AV	271.00	100	Horizontal	Pass
2	5150.000	52.7	74.0	21.30	Peak	216.00	100	Horizontal	Pass
2**	5150.000	43.51	54.0	10.49	AV	216.00	100	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.41	74.0	19.59	Peak	343.00	100	Horizontal	Pass
1**	5350.000	44.76	54.0	9.24	AV	343.00	100	Horizontal	Pass
2	5460.010	57.39	74.0	16.61	Peak	157.00	200	Horizontal	Pass
2**	5460.010	44.74	54.0	9.26	AV	157.00	200	Horizontal	Pass

U-NII-2C 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5413.362	56.8	74.0	17.20	Peak	3.00	300	Horizontal	Pass
1**	5412.998	44.73	54.0	9.27	AV	3.00	300	Horizontal	Pass
2	5460.000	56.9	74.0	17.10	Peak	343.00	300	Horizontal	Pass
2**	5460.000	46.54	54.0	7.46	AV	343.00	300	Horizontal	Pass
3	5467.720	57.64	68.2	10.56	Peak	163.00	200	Horizontal	Pass
3**	5467.966	47.95	--	--	AV	163.00	200	Horizontal	N/A
4	5470.000	56.63	68.2	11.57	Peak	241.00	300	Horizontal	Pass
4**	5470.000	45.31	--	--	AV	241.00	300	Horizontal	N/A

U-NII-2C 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.75	68.2	11.45	Peak	179.00	300	Horizontal	Pass
2	5775.193	57.72	68.2	10.48	Peak	288.00	300	Horizontal	Pass

U-NII-2C 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.759	57.75	74.0	16.25	Peak	298.00	200	Horizontal	Pass
1**	5411.798	45.54	54.0	8.46	AV	298.00	200	Horizontal	Pass
2	5460.000	56.72	74.0	17.28	Peak	263.00	300	Horizontal	Pass
2**	5460.000	47.67	54.0	6.33	AV	263.00	300	Horizontal	Pass
3	5467.953	56.59	68.2	11.61	Peak	180.00	300	Horizontal	Pass
3**	5465.960	45.2	--	--	AV	180.00	300	Horizontal	N/A
4	5470.000	55.26	68.2	12.94	Peak	152.00	100	Horizontal	Pass
4**	5470.000	46.09	--	--	AV	152.00	100	Horizontal	N/A

U-NII-2C 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.96	68.2	11.24	Peak	88.00	300	Horizontal	Pass
2	5777.059	55.51	68.2	12.69	Peak	125.00	300	Horizontal	Pass

U-NII-2C 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.193	55.51	74.0	18.49	Peak	42.00	200	Horizontal	Pass
1**	5411.038	44.81	54.0	9.19	AV	42.00	200	Horizontal	Pass
2	5460.000	54.86	74.0	19.14	Peak	227.00	200	Horizontal	Pass
2**	5460.000	44.01	54.0	9.99	AV	227.00	200	Horizontal	Pass
3	5466.624	55.22	68.2	12.98	Peak	270.00	300	Horizontal	Pass
3**	5468.730	44.57	--	--	AV	270.00	300	Horizontal	N/A
4	5470.000	53.45	68.2	14.75	Peak	250.00	200	Horizontal	Pass
4**	5470.000	44.08	--	--	AV	250.00	200	Horizontal	N/A

U-NII-2C 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.06	68.2	14.14	Peak	158.00	200	Horizontal	Pass
2	5776.312	56.37	68.2	11.83	Peak	213.00	100	Horizontal	Pass

U-NII-2C 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.802	57.14	74.0	16.86	Peak	231.00	300	Horizontal	Pass
1**	5411.363	43.33	54.0	10.67	AV	231.00	300	Horizontal	Pass
2	5460.000	53.72	74.0	20.28	Peak	113.00	100	Horizontal	Pass
2**	5460.000	44.37	54.0	9.63	AV	113.00	100	Horizontal	Pass
3	5468.548	56.16	68.2	12.04	Peak	169.00	300	Horizontal	Pass
3**	5467.561	45.77	--	--	AV	169.00	300	Horizontal	N/A
4	5470.000	53.04	68.2	15.16	Peak	360.00	300	Horizontal	Pass
4**	5470.000	44.96	--	--	AV	360.00	300	Horizontal	N/A

U-NII-2C 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.03	68.2	13.17	Peak	196.00	200	Horizontal	Pass
2	5775.968	57.86	68.2	10.34	Peak	324.00	100	Horizontal	Pass

U-NII-2C 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.641	58.35	74.0	15.65	Peak	29.00	200	Horizontal	Pass
1**	5411.589	46.1	54.0	7.90	AV	29.00	200	Horizontal	Pass
2	5460.000	56.53	74.0	17.47	Peak	228.00	200	Horizontal	Pass
2**	5460.000	46.16	54.0	7.84	AV	228.00	200	Horizontal	Pass
3	5465.955	55.98	68.2	12.22	Peak	73.00	200	Horizontal	Pass
3**	5466.908	46.39	--	--	AV	73.00	200	Horizontal	N/A
4	5470.000	54.57	68.2	13.63	Peak	332.00	100	Horizontal	Pass
4**	5470.000	44.82	--	--	AV	332.00	100	Horizontal	N/A

U-NII-2C 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.79	68.2	14.41	Peak	330.00	200	Horizontal	Pass
2	5775.639	55.98	68.2	12.22	Peak	112.00	300	Horizontal	Pass

U-NII-2C 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.425	57.45	74.0	16.55	Peak	129.00	100	Horizontal	Pass
1**	5412.833	45.06	54.0	8.94	AV	129.00	100	Horizontal	Pass
2	5460.000	53.71	74.0	20.29	Peak	137.00	100	Horizontal	Pass
2**	5460.000	45.34	54.0	8.66	AV	137.00	100	Horizontal	Pass
3	5468.236	58.3	68.2	9.90	Peak	133.00	200	Horizontal	Pass
3**	5467.748	47.18	--	--	AV	133.00	200	Horizontal	N/A
4	5470.000	56.08	68.2	12.12	Peak	1.00	300	Horizontal	Pass
4**	5470.000	44.35	--	--	AV	1.00	300	Horizontal	N/A

U-NII-2C 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.36	68.2	13.84	Peak	37.00	100	Horizontal	Pass
2	5775.727	57.59	68.2	10.61	Peak	348.00	200	Horizontal	Pass

U-NII-2C 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.119	55.79	74.0	18.21	Peak	43.00	200	Horizontal	Pass
1**	5411.490	43	54.0	11.00	AV	43.00	200	Horizontal	Pass
2	5460.000	53.78	74.0	20.22	Peak	118.00	100	Horizontal	Pass
2**	5460.000	44.57	54.0	9.43	AV	118.00	100	Horizontal	Pass
3	5468.435	56.59	68.2	11.61	Peak	336.00	200	Horizontal	Pass
3**	5468.779	45.19	--	--	AV	336.00	200	Horizontal	N/A
4	5470.000	53.14	68.2	15.06	Peak	202.00	300	Horizontal	Pass
4**	5470.000	47.54	--	--	AV	202.00	300	Horizontal	N/A

U-NII-2C 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.81	68.2	11.39	Peak	27.00	200	Horizontal	Pass
2	5776.678	57.58	68.2	10.62	Peak	345.00	200	Horizontal	Pass

U-NII-2C 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.351	57.61	74.0	16.39	Peak	355.00	100	Horizontal	Pass
1**	5410.534	46.11	54.0	7.89	AV	355.00	100	Horizontal	Pass
2	5460.000	54.86	74.0	19.14	Peak	242.00	300	Horizontal	Pass
2**	5460.000	45.86	54.0	8.14	AV	242.00	300	Horizontal	Pass
3	5466.668	57.84	68.2	10.36	Peak	318.00	100	Horizontal	Pass
3**	5468.202	45.33	--	--	AV	318.00	100	Horizontal	N/A
4	5470.000	53.67	68.2	14.53	Peak	212.00	100	Horizontal	Pass
4**	5470.000	45.12	--	--	AV	212.00	100	Horizontal	N/A

U-NII-2C 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.93	68.2	14.27	Peak	270.00	100	Horizontal	Pass
2	5776.785	57.23	68.2	10.97	Peak	99.00	300	Horizontal	Pass

U-NII-2C 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.416	56.27	74.0	17.73	Peak	269.00	300	Horizontal	Pass
1**	5412.623	45.34	54.0	8.66	AV	269.00	300	Horizontal	Pass
2	5460.000	54.99	74.0	19.01	Peak	153.00	100	Horizontal	Pass
2**	5460.000	46.76	54.0	7.24	AV	153.00	100	Horizontal	Pass
3	5468.372	57.58	68.2	10.62	Peak	334.00	300	Horizontal	Pass
3**	5465.904	46.26	--	--	AV	334.00	300	Horizontal	N/A
4	5470.000	53.51	68.2	14.69	Peak	217.00	300	Horizontal	Pass
4**	5470.000	44.66	--	--	AV	217.00	300	Horizontal	N/A

U-NII-2C 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.82	68.2	13.38	Peak	269.00	300	Horizontal	Pass
2	5777.601	57.67	68.2	10.53	Peak	167.00	300	Horizontal	Pass

U-NII-3 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.801	55.21	68.2	12.99	Peak	330.00	300	Horizontal	Pass
2	5650.000	56.23	68.2	11.97	Peak	330.00	300	Horizontal	Pass

U-NII-3 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.97	68.2	13.23	Peak	149.00	100	Horizontal	Pass
2	5943.674	56.27	68.2	11.93	Peak	133.00	300	Horizontal	Pass

U-NII-3 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.596	56.18	68.2	12.02	Peak	146.00	200	Horizontal	Pass
2	5650.000	53.46	68.2	14.74	Peak	146.00	200	Horizontal	Pass

U-NII-3 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.46	68.2	13.74	Peak	80.00	300	Horizontal	Pass
2	5944.239	53.8	68.2	14.40	Peak	139.00	100	Horizontal	Pass

U-NII-3 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.027	55.57	68.2	12.63	Peak	26.00	300	Horizontal	Pass
2	5650.000	50.57	68.2	17.63	Peak	26.00	300	Horizontal	Pass

U-NII-3 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	54.89	68.2	13.31	Peak	305.00	100	Horizontal	Pass
2	5945.124	54.51	68.2	13.69	Peak	20.00	100	Horizontal	Pass

U-NII-3 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.626	56.53	68.2	11.67	Peak	328.00	100	Horizontal	Pass
2	5650.000	51.05	68.2	17.15	Peak	328.00	100	Horizontal	Pass

U-NII-3 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.63	68.2	14.57	Peak	25.00	200	Horizontal	Pass
2	5947.033	52.21	68.2	15.99	Peak	293.00	300	Horizontal	Pass

U-NII-3 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.169	56.52	68.2	11.68	Peak	213.00	100	Horizontal	Pass
2	5650.000	48.94	68.2	19.26	Peak	213.00	100	Horizontal	Pass

U-NII-3 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	51.52	68.2	16.68	Peak	207.00	200	Horizontal	Pass
2	5948.879	49.53	68.2	18.67	Peak	106.00	300	Horizontal	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.584	57.39	68.2	10.81	Peak	24.00	300	Horizontal	Pass
2	5650.000	46.52	68.2	21.68	Peak	24.00	300	Horizontal	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	49.94	68.2	18.26	Peak	253.00	300	Horizontal	Pass
2	5948.958	47	68.2	21.20	Peak	101.00	100	Horizontal	Pass

U-NII-3 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.267	57.05	68.2	11.15	Peak	284.00	300	Horizontal	Pass
2	5650.000	47.08	68.2	21.12	Peak	284.00	300	Horizontal	Pass

U-NII-3 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	49.39	68.2	18.81	Peak	301.00	300	Horizontal	Pass
2	5949.773	47.59	68.2	20.61	Peak	355.00	200	Horizontal	Pass

U-NII-3 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.700	57.52	68.2	10.68	Peak	314.00	100	Horizontal	Pass
2	5650.000	46.03	68.2	22.17	Peak	314.00	100	Horizontal	Pass

U-NII-3 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	47.29	68.2	20.91	Peak	254.00	200	Horizontal	Pass
2	5952.184	45.79	68.2	22.41	Peak	303.00	200	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.910	55.08	68.2	13.12	Peak	115.00	100	Horizontal	Pass
2	5650.000	45.69	68.2	22.51	Peak	115.00	100	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	46.94	68.2	21.26	Peak	246.00	200	Horizontal	Pass
2	5954.732	46.62	68.2	21.58	Peak	110.00	300	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2551267-AR-1.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2551267-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2551267-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--