


13. LTE_Band17


13.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	58.54	Pass	2986
30	694	0.1	RMS	693.7	-64.86	-13	51.86	Pass	6641
694	726	0.1	RMS	704.4	20.83	60	39.17	Pass	401
726	1000	0.1	RMS	899.3	-65.08	-13	52.08	Pass	2741
1000	3000	1	RMS	1408	-46.45	-13	33.45	Pass	2001
3000	10000	1	RMS	6800	-45.66	-13	32.66	Pass	7001




13.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	59.26	Pass	2986
30	694	0.1	RMS	693.6	-65.42	-13	52.42	Pass	6641
694	726	0.1	RMS	704.4	20.04	60	39.96	Pass	401
726	1000	0.1	RMS	830.6	-65.13	-13	52.13	Pass	2741
1000	3000	1	RMS	1408	-47.51	-13	34.51	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001




13.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.19	-72.67	-13	59.67	Pass	2986
30	694	0.1	RMS	693.3	-65.91	-13	52.91	Pass	6641
694	726	0.1	RMS	707.84	20.83	60	39.17	Pass	401
726	1000	0.1	RMS	969.8	-65.17	-13	52.17	Pass	2741
1000	3000	1	RMS	1415	-49.03	-13	36.03	Pass	2001
3000	10000	1	RMS	6798	-45.62	-13	32.62	Pass	7001




13.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.16	-72.28	-13	59.28	Pass	2986
30	694	0.1	RMS	479.1	-65.96	-13	52.96	Pass	6641
694	726	0.1	RMS	707.84	20.9	60	39.1	Pass	401
726	1000	0.1	RMS	971.6	-65.08	-13	52.08	Pass	2741
1000	3000	1	RMS	1415	-48.77	-13	35.77	Pass	2001
3000	10000	1	RMS	6798	-45.63	-13	32.63	Pass	7001




13.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.27	-72.94	-13	59.94	Pass	2986
30	694	0.1	RMS	491.8	-65.88	-13	52.88	Pass	6641
694	726	0.1	RMS	711.36	21.35	60	38.65	Pass	401
726	1000	0.1	RMS	863.1	-65.12	-13	52.12	Pass	2741
1000	3000	1	RMS	1422	-46.93	-13	33.93	Pass	2001
3000	10000	1	RMS	6801	-45.61	-13	32.61	Pass	7001




13.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.17	-72.72	-13	59.72	Pass	2986
30	694	0.1	RMS	692.1	-65.93	-13	52.93	Pass	6641
694	726	0.1	RMS	711.36	20.26	60	39.74	Pass	401
726	1000	0.1	RMS	976.6	-65.09	-13	52.09	Pass	2741
1000	3000	1	RMS	1422	-48.65	-13	35.65	Pass	2001
3000	10000	1	RMS	6799	-45.61	-13	32.61	Pass	7001




13.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.09	-13	60.09	Pass	401
0.15	30	0.01	RMS	0.24	-72.61	-13	59.61	Pass	2986
30	694	0.1	RMS	691.4	-60.78	-13	47.78	Pass	6641
694	726	0.1	RMS	704.64	21.28	60	38.72	Pass	401
726	1000	0.1	RMS	852.9	-65.02	-13	52.02	Pass	2741
1000	3000	1	RMS	1409	-46.55	-13	33.55	Pass	2001
3000	10000	1	RMS	6800	-45.54	-13	32.54	Pass	7001




13.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.17	-72.7	-13	59.7	Pass	2986
30	694	0.1	RMS	691.4	-62.2	-13	49.2	Pass	6641
694	726	0.1	RMS	704.64	20.48	60	39.52	Pass	401
726	1000	0.1	RMS	977.9	-64.98	-13	51.98	Pass	2741
1000	3000	1	RMS	1409	-47.48	-13	34.48	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001



13.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.25	-72.75	-13	59.75	Pass	2986
30	694	0.1	RMS	692.4	-59.96	-13	46.96	Pass	6641
694	726	0.1	RMS	705.6	21.32	60	38.68	Pass	401
726	1000	0.1	RMS	856.1	-64.94	-13	51.94	Pass	2741
1000	3000	1	RMS	1411	-46.81	-13	33.81	Pass	2001
3000	10000	1	RMS	6799	-45.58	-13	32.58	Pass	7001



13.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.19	-72.03	-13	59.03	Pass	2986
30	694	0.1	RMS	692.4	-60.45	-13	47.45	Pass	6641
694	726	0.1	RMS	705.6	20.52	60	39.48	Pass	401
726	1000	0.1	RMS	964	-65.12	-13	52.12	Pass	2741
1000	3000	1	RMS	1411	-47.72	-13	34.72	Pass	2001
3000	10000	1	RMS	6799	-45.58	-13	32.58	Pass	7001



13.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	59.3	Pass	2986
30	694	0.1	RMS	693.4	-58.98	-13	45.98	Pass	6641
694	726	0.1	RMS	706.64	21.38	60	38.62	Pass	401
726	1000	0.1	RMS	824.3	-65.12	-13	52.12	Pass	2741
1000	3000	1	RMS	1413	-47.44	-13	34.44	Pass	2001
3000	10000	1	RMS	6801	-45.64	-13	32.64	Pass	7001



13.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.4	-13	60.4	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	59.17	Pass	2986
30	694	0.1	RMS	693.4	-61.12	-13	48.12	Pass	6641
694	726	0.1	RMS	706.64	20.26	60	39.74	Pass	401
726	1000	0.1	RMS	846.7	-65.09	-13	52.09	Pass	2741
1000	3000	1	RMS	1413	-48.82	-13	35.82	Pass	2001
3000	10000	1	RMS	6799	-45.59	-13	32.59	Pass	7001



14. LTE_Band38


14.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.13	-25	43.13	Pass	401
0.15	30	0.01	RMS	0.19	-67.6	-25	42.6	Pass	2986
30	1000	0.1	RMS	973.683	-61.19	-25	36.19	Pass	9701
1000	2560	1	RMS	2560	-46.2	-25	21.2	Pass	1561
2560	2630	1	RMS	2570.325	24.72	60	35.28	Pass	401
2630	3000	1	RMS	2997.225	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	11999	-47.88	-25	22.88	Pass	9002
12000	26500	1	RMS	25507	-43.01	-25	18.01	Pass	14502




14.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.56	-25	43.56	Pass	401
0.15	30	0.01	RMS	0.17	-68.26	-25	43.26	Pass	2986
30	1000	0.1	RMS	944.063	-61.15	-25	36.15	Pass	9701
1000	2560	1	RMS	2560	-45.54	-25	20.54	Pass	1561
2560	2630	1	RMS	2570.5	24.23	60	35.77	Pass	401
2630	3000	1	RMS	3000	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11999	-47.91	-25	22.91	Pass	9002
12000	26500	1	RMS	25491	-43.03	-25	18.03	Pass	14502




14.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.64	-25	43.64	Pass	401
0.15	30	0.01	RMS	0.15	-68.08	-25	43.08	Pass	2986
30	1000	0.1	RMS	972.682	-61.13	-25	36.13	Pass	9701
1000	2560	1	RMS	2559	-47.6	-25	22.6	Pass	1561
2560	2630	1	RMS	2592.9	24.73	60	35.27	Pass	401
2630	3000	1	RMS	3000	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	12000	-47.86	-25	22.86	Pass	9002
12000	26500	1	RMS	25496	-43.03	-25	18.03	Pass	14502




14.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.15	-25	43.15	Pass	401
0.15	30	0.01	RMS	0.15	-68.03	-25	43.03	Pass	2986
30	1000	0.1	RMS	970.38	-61.2	-25	36.2	Pass	9701
1000	2560	1	RMS	2558	-47.57	-25	22.57	Pass	1561
2560	2630	1	RMS	2592.725	23.56	60	36.44	Pass	401
2630	3000	1	RMS	3000	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11990	-47.92	-25	22.92	Pass	9002
12000	26500	1	RMS	25505	-43.06	-25	18.06	Pass	14502




14.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.64	-25	42.64	Pass	401
0.15	30	0.01	RMS	0.23	-68.66	-25	43.66	Pass	2986
30	1000	0.1	RMS	984.79	-61.09	-25	36.09	Pass	9701
1000	2560	1	RMS	2560	-47.71	-25	22.71	Pass	1561
2560	2630	1	RMS	2615.3	24.23	60	35.77	Pass	401
2630	3000	1	RMS	3000	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11991	-47.94	-25	22.94	Pass	9002
12000	26500	1	RMS	25506	-43.06	-25	18.06	Pass	14502




14.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.29	-25	44.29	Pass	401
0.15	30	0.01	RMS	0.19	-68.5	-25	43.5	Pass	2986
30	1000	0.1	RMS	866.111	-61.13	-25	36.13	Pass	9701
1000	2560	1	RMS	2549	-47.72	-25	22.72	Pass	1561
2560	2630	1	RMS	2615.3	23.69	60	36.31	Pass	401
2630	3000	1	RMS	2633.7	-46.55	-25	21.55	Pass	401
3000	12000	1	RMS	11999	-47.93	-25	22.93	Pass	9002
12000	26500	1	RMS	25498	-43.12	-25	18.12	Pass	14502




14.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.99	-25	43.99	Pass	401
0.15	30	0.01	RMS	0.15	-68.49	-25	43.49	Pass	2986
30	1000	0.1	RMS	610	-61.15	-25	36.15	Pass	9701
1000	2560	1	RMS	2552	-30.87	-25	5.87	Pass*	1561
2560	2630	1	RMS	2570.675	25.1	60	34.9	Pass	401
2630	3000	1	RMS	3000	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	12000	-47.86	-25	22.86	Pass	9002
12000	26500	1	RMS	25502	-42.98	-25	17.98	Pass	14502




14.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.83	-25	43.83	Pass	401
0.15	30	0.01	RMS	0.15	-68.47	-25	43.47	Pass	2986
30	1000	0.1	RMS	993.696	-61.17	-25	36.17	Pass	9701
1000	2560	1	RMS	2553	-35.07	-25	10.07	Pass	1561
2560	2630	1	RMS	2570.675	24.45	60	35.55	Pass	401
2630	3000	1	RMS	2998.15	-46.64	-25	21.64	Pass	401
3000	12000	1	RMS	11986	-47.97	-25	22.97	Pass	9002
12000	26500	1	RMS	25501	-42.96	-25	17.96	Pass	14502



14.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.37	-25	43.37	Pass	401
0.15	30	0.01	RMS	0.16	-67.94	-25	42.94	Pass	2986
30	1000	0.1	RMS	985.59	-61.08	-25	36.08	Pass	9701
1000	2560	1	RMS	2553	-45.88	-25	20.88	Pass	1561
2560	2630	1	RMS	2590.625	24.59	60	35.41	Pass	401
2630	3000	1	RMS	3000	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11999	-47.94	-25	22.94	Pass	9002
12000	26500	1	RMS	25500	-43.09	-25	18.09	Pass	14502



14.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.23	-25	43.23	Pass	401
0.15	30	0.01	RMS	0.15	-68.43	-25	43.43	Pass	2986
30	1000	0.1	RMS	970.48	-61.14	-25	36.14	Pass	9701
1000	2560	1	RMS	2560	-47.58	-25	22.58	Pass	1561
2560	2630	1	RMS	2590.625	24.04	60	35.96	Pass	401
2630	3000	1	RMS	2998.15	-46.65	-25	21.65	Pass	401
3000	12000	1	RMS	11996	-47.92	-25	22.92	Pass	9002
12000	26500	1	RMS	25519	-42.98	-25	17.98	Pass	14502



14.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.6	-25	43.6	Pass	401
0.15	30	0.01	RMS	0.17	-68.74	-25	43.74	Pass	2986
30	1000	0.1	RMS	971.281	-61.1	-25	36.1	Pass	9701
1000	2560	1	RMS	2556	-47.27	-25	22.27	Pass	1561
2560	2630	1	RMS	2610.575	24.63	60	35.37	Pass	401
2630	3000	1	RMS	2630	-35.38	-25	10.38	Pass	401
3000	12000	1	RMS	11999	-47.85	-25	22.85	Pass	9002
12000	26500	1	RMS	25505	-43.02	-25	18.02	Pass	14502



14.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.79	-25	42.79	Pass	401
0.15	30	0.01	RMS	0.16	-68.01	-25	43.01	Pass	2986
30	1000	0.1	RMS	987.792	-61.17	-25	36.17	Pass	9701
1000	2560	1	RMS	2558	-47.31	-25	22.31	Pass	1561
2560	2630	1	RMS	2610.575	23.74	60	36.26	Pass	401
2630	3000	1	RMS	2630	-35.36	-25	10.36	Pass	401
3000	12000	1	RMS	11971	-47.8	-25	22.8	Pass	9002
12000	26500	1	RMS	25505	-43.07	-25	18.07	Pass	14502



14.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.81	-25	43.81	Pass	401
0.15	30	0.01	RMS	0.15	-68.19	-25	43.19	Pass	2986
30	1000	0.1	RMS	610.2	-60.78	-25	35.78	Pass	9701
1000	2560	1	RMS	2557	-29.36	-25	4.36	Pass*	1561
2560	2630	1	RMS	2570.675	24.97	60	35.03	Pass	401
2630	3000	1	RMS	2975.95	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11991	-47.94	-25	22.94	Pass	9002
12000	26500	1	RMS	25501	-43.07	-25	18.07	Pass	14502



14.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.47	-25	43.47	Pass	401
0.15	30	0.01	RMS	0.15	-67.32	-25	42.32	Pass	2986
30	1000	0.1	RMS	967.779	-61.2	-25	36.2	Pass	9701
1000	2560	1	RMS	2557	-29.36	-25	4.36	Pass*	1561
2560	2630	1	RMS	2570.675	23.62	60	36.38	Pass	401
2630	3000	1	RMS	2998.15	-46.56	-25	21.56	Pass	401
3000	12000	1	RMS	11993	-47.85	-25	22.85	Pass	9002
12000	26500	1	RMS	25502	-43.01	-25	18.01	Pass	14502



14.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.52	-25	43.52	Pass	401
0.15	30	0.01	RMS	0.16	-68.53	-25	43.53	Pass	2986
30	1000	0.1	RMS	827.4	-61.27	-25	36.27	Pass	9701
1000	2560	1	RMS	2560	-43.17	-25	18.17	Pass	1561
2560	2630	1	RMS	2588.35	24.01	60	35.99	Pass	401
2630	3000	1	RMS	2642.025	-45.53	-25	20.53	Pass	401
3000	12000	1	RMS	11999	-47.96	-25	22.96	Pass	9002
12000	26500	1	RMS	25502	-43.11	-25	18.11	Pass	14502



14.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.28	-25	43.28	Pass	401
0.15	30	0.01	RMS	0.16	-68.24	-25	43.24	Pass	2986
30	1000	0.1	RMS	994.296	-61.22	-25	36.22	Pass	9701
1000	2560	1	RMS	2560	-42.53	-25	17.53	Pass	1561
2560	2630	1	RMS	2588.175	23.05	60	36.95	Pass	401
2630	3000	1	RMS	2642.95	-45.24	-25	20.24	Pass	401
3000	12000	1	RMS	11990	-47.95	-25	22.95	Pass	9002
12000	26500	1	RMS	25499	-43.08	-25	18.08	Pass	14502



14.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.64	-25	42.64	Pass	401
0.15	30	0.01	RMS	0.15	-67.14	-25	42.14	Pass	2986
30	1000	0.1	RMS	856.105	-61.1	-25	36.1	Pass	9701
1000	2560	1	RMS	2553	-46.98	-25	21.98	Pass	1561
2560	2630	1	RMS	2605.85	23.96	60	36.04	Pass	401
2630	3000	1	RMS	2631.85	-31.25	-25	6.25	Pass	401
3000	12000	1	RMS	11991	-47.86	-25	22.86	Pass	9002
12000	26500	1	RMS	25503	-43.04	-25	18.04	Pass	14502



14.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-69	-25	44	Pass	401
0.15	30	0.01	RMS	0.17	-69.08	-25	44.08	Pass	2986
30	1000	0.1	RMS	878.319	-61.13	-25	36.13	Pass	9701
1000	2560	1	RMS	2550	-46.15	-25	21.15	Pass	1561
2560	2630	1	RMS	2605.85	23.71	60	36.29	Pass	401
2630	3000	1	RMS	2631.85	-31.07	-25	6.07	Pass	401
3000	12000	1	RMS	11997	-47.81	-25	22.81	Pass	9002
12000	26500	1	RMS	25509	-42.99	-25	17.99	Pass	14502



14.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.53	-25	43.53	Pass	401
0.15	30	0.01	RMS	0.15	-67.84	-25	42.84	Pass	2986
30	1000	0.1	RMS	991.795	-61.22	-25	36.22	Pass	9701
1000	2560	1	RMS	2554	-35.65	-25	10.65	Pass	1561
2560	2630	1	RMS	2571.2	23.38	60	36.62	Pass	401
2630	3000	1	RMS	2643.875	-45.92	-25	20.92	Pass	401
3000	12000	1	RMS	11991	-47.87	-25	22.87	Pass	9002
12000	26500	1	RMS	25497	-43.08	-25	18.08	Pass	14502



14.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.01	-25	44.01	Pass	401
0.15	30	0.01	RMS	0.15	-68.59	-25	43.59	Pass	2986
30	1000	0.1	RMS	610.5	-60.76	-25	35.76	Pass	9701
1000	2560	1	RMS	2553	-29.36	-25	4.36	Pass*	1561
2560	2630	1	RMS	2571.2	24.06	60	35.94	Pass	401
2630	3000	1	RMS	2644.8	-45.19	-25	20.19	Pass	401
3000	12000	1	RMS	11993	-47.9	-25	22.9	Pass	9002
12000	26500	1	RMS	25499	-43.08	-25	18.08	Pass	14502



14.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.36	-25	43.36	Pass	401
0.15	30	0.01	RMS	0.21	-68.44	-25	43.44	Pass	2986
30	1000	0.1	RMS	930.154	-61.1	-25	36.1	Pass	9701
1000	2560	1	RMS	2551	-43.91	-25	18.91	Pass	1561
2560	2630	1	RMS	2586.075	23.73	60	36.27	Pass	401
2630	3000	1	RMS	2998.15	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	12000	-47.84	-25	22.84	Pass	9002
12000	26500	1	RMS	25497	-43.04	-25	18.04	Pass	14502



14.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-68.52	-25	43.52	Pass	401
0.15	30	0.01	RMS	0.15	-68.36	-25	43.36	Pass	2986
30	1000	0.1	RMS	949.467	-61.17	-25	36.17	Pass	9701
1000	2560	1	RMS	2548	-41.37	-25	16.37	Pass	1561
2560	2630	1	RMS	2586.075	23.65	60	36.35	Pass	401
2630	3000	1	RMS	2998.15	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11984	-47.88	-25	22.88	Pass	9002
12000	26500	1	RMS	25534	-43.05	-25	18.05	Pass	14502



14.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.63	-25	43.63	Pass	401
0.15	30	0.01	RMS	0.19	-68.5	-25	43.5	Pass	2986
30	1000	0.1	RMS	998.199	-61.09	-25	36.09	Pass	9701
1000	2560	1	RMS	2560	-46.48	-25	21.48	Pass	1561
2560	2630	1	RMS	2601.125	24.09	60	35.91	Pass	401
2630	3000	1	RMS	2636.475	-34.65	-25	9.65	Pass	401
3000	12000	1	RMS	12000	-47.92	-25	22.92	Pass	9002
12000	26500	1	RMS	25501	-42.98	-25	17.98	Pass	14502



14.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.31	-25	43.31	Pass	401
0.15	30	0.01	RMS	0.17	-68.54	-25	43.54	Pass	2986
30	1000	0.1	RMS	977.185	-61.2	-25	36.2	Pass	9701
1000	2560	1	RMS	2560	-45.35	-25	20.35	Pass	1561
2560	2630	1	RMS	2601.125	23.88	60	36.12	Pass	401
2630	3000	1	RMS	2636.475	-34.17	-25	9.17	Pass	401
3000	12000	1	RMS	11993	-47.89	-25	22.89	Pass	9002
12000	26500	1	RMS	25504	-43.05	-25	18.05	Pass	14502



15. LTE_Band41 full


15.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69	-25	44	Pass	401
0.15	30	0.01	RMS	0.16	-67.72	-25	42.72	Pass	2986
30	1000	0.1	RMS	970.48	-61.09	-25	36.09	Pass	9701
1000	2486	1	RMS	2486	-44.74	-25	19.74	Pass	1487
2486	2700	1	RMS	2496.165	22.44	60	37.56	Pass	401
2700	3000	1	RMS	3000	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11982	-58.14	-25	33.14	Pass	9002
12000	26500	1	RMS	25488	-48.37	-25	23.37	Pass	14502




15.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.43	-25	43.43	Pass	401
0.15	30	0.01	RMS	0.15	-68.39	-25	43.39	Pass	2986
30	1000	0.1	RMS	535.7	-60.87	-25	35.87	Pass	9701
1000	2486	1	RMS	2486	-46.38	-25	21.38	Pass	1487
2486	2700	1	RMS	2496.165	22.39	60	37.61	Pass	401
2700	3000	1	RMS	2998.5	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	11969	-58.1	-25	33.1	Pass	9002
12000	26500	1	RMS	25511	-48.32	-25	23.32	Pass	14502




15.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.5	-25	43.5	Pass	401
0.15	30	0.01	RMS	0.16	-68.34	-25	43.34	Pass	2986
30	1000	0.1	RMS	977.285	-61.08	-25	36.08	Pass	9701
1000	2486	1	RMS	2485	-47.73	-25	22.73	Pass	1487
2486	2700	1	RMS	2590.86	21.7	60	38.3	Pass	401
2700	3000	1	RMS	3000	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11999	-58.16	-25	33.16	Pass	9002
12000	26500	1	RMS	25489	-48.32	-25	23.32	Pass	14502




15.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.84	-25	43.84	Pass	401
0.15	30	0.01	RMS	0.15	-68.65	-25	43.65	Pass	2986
30	1000	0.1	RMS	998.099	-61.17	-25	36.17	Pass	9701
1000	2486	1	RMS	2482	-47.81	-25	22.81	Pass	1487
2486	2700	1	RMS	2590.86	20.68	60	39.32	Pass	401
2700	3000	1	RMS	2997	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11994	-58.12	-25	33.12	Pass	9002
12000	26500	1	RMS	25501	-48.33	-25	23.33	Pass	14502




15.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.55	-25	43.55	Pass	401
0.15	30	0.01	RMS	0.17	-68.17	-25	43.17	Pass	2986
30	1000	0.1	RMS	724.7	-60.5	-25	35.5	Pass	9701
1000	2486	1	RMS	2483	-47.82	-25	22.82	Pass	1487
2486	2700	1	RMS	2685.02	20.94	60	39.06	Pass	401
2700	3000	1	RMS	2999.25	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	11999	-58.05	-25	33.05	Pass	9002
12000	26500	1	RMS	25516	-48.35	-25	23.35	Pass	14502




15.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.16	-25	44.16	Pass	401
0.15	30	0.01	RMS	0.2	-68.64	-25	43.64	Pass	2986
30	1000	0.1	RMS	899.834	-61.18	-25	36.18	Pass	9701
1000	2486	1	RMS	2484	-47.67	-25	22.67	Pass	1487
2486	2700	1	RMS	2685.02	21.16	60	38.84	Pass	401
2700	3000	1	RMS	2998.5	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	11999	-58.02	-25	33.02	Pass	9002
12000	26500	1	RMS	25503	-48.38	-25	23.38	Pass	14502




15.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.4	-25	43.4	Pass	401
0.15	30	0.01	RMS	0.38	-68.19	-25	43.19	Pass	2986
30	1000	0.1	RMS	967.679	-61.14	-25	36.14	Pass	9701
1000	2486	1	RMS	2480	-40.94	-25	15.94	Pass	1487
2486	2700	1	RMS	2496.165	22.06	60	37.94	Pass	401
2700	3000	1	RMS	2999.25	-46.56	-25	21.56	Pass	401
3000	12000	1	RMS	11994	-58.03	-25	33.03	Pass	9002
12000	26500	1	RMS	25503	-48.27	-25	23.27	Pass	14502




15.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.71	-25	43.71	Pass	401
0.15	30	0.01	RMS	0.35	-68.7	-25	43.7	Pass	2986
30	1000	0.1	RMS	535.9	-61.03	-25	36.03	Pass	9701
1000	2486	1	RMS	2479	-44.08	-25	19.08	Pass	1487
2486	2700	1	RMS	2496.165	21.02	60	38.98	Pass	401
2700	3000	1	RMS	2997.75	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	11862	-58.09	-25	33.09	Pass	9002
12000	26500	1	RMS	25511	-48.3	-25	23.3	Pass	14502



15.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.81	-25	42.81	Pass	401
0.15	30	0.01	RMS	0.16	-67.39	-25	42.39	Pass	2986
30	1000	0.1	RMS	952.569	-61.2	-25	36.2	Pass	9701
1000	2486	1	RMS	2480	-47.87	-25	22.87	Pass	1487
2486	2700	1	RMS	2588.185	22.14	60	37.86	Pass	401
2700	3000	1	RMS	3000	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	11999	-58.12	-25	33.12	Pass	9002
12000	26500	1	RMS	25491	-48.35	-25	23.35	Pass	14502



15.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.75	-25	42.75	Pass	401
0.15	30	0.01	RMS	0.16	-67.77	-25	42.77	Pass	2986
30	1000	0.1	RMS	942.462	-61.11	-25	36.11	Pass	9701
1000	2486	1	RMS	2483	-47.82	-25	22.82	Pass	1487
2486	2700	1	RMS	2588.185	21.59	60	38.41	Pass	401
2700	3000	1	RMS	3000	-46.62	-25	21.62	Pass	401
3000	12000	1	RMS	11999	-58.08	-25	33.08	Pass	9002
12000	26500	1	RMS	25507	-48.39	-25	23.39	Pass	14502



15.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.28	-25	43.28	Pass	401
0.15	30	0.01	RMS	0.22	-68.57	-25	43.57	Pass	2986
30	1000	0.1	RMS	719.8	-60.94	-25	35.94	Pass	9701
1000	2486	1	RMS	2482	-47.79	-25	22.79	Pass	1487
2486	2700	1	RMS	2680.205	21.2	60	38.8	Pass	401
2700	3000	1	RMS	2700	-39.81	-25	14.81	Pass	401
3000	12000	1	RMS	11991	-58	-25	33	Pass	9002
12000	26500	1	RMS	25509	-48.4	-25	23.4	Pass	14502



15.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.33	-25	43.33	Pass	401
0.15	30	0.01	RMS	0.15	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	719.9	-59.43	-25	34.43	Pass	9701
1000	2486	1	RMS	2486	-47.79	-25	22.79	Pass	1487
2486	2700	1	RMS	2680.205	22.23	60	37.77	Pass	401
2700	3000	1	RMS	2700	-38.03	-25	13.03	Pass	401
3000	12000	1	RMS	11990	-58.1	-25	33.1	Pass	9002
12000	26500	1	RMS	25499	-48.26	-25	23.26	Pass	14502



15.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.49	-25	43.49	Pass	401
0.15	30	0.01	RMS	0.15	-67.54	-25	42.54	Pass	2986
30	1000	0.1	RMS	536.1	-61.16	-25	36.16	Pass	9701
1000	2486	1	RMS	2484	-34	-25	9	Pass	1487
2486	2700	1	RMS	2496.7	21.71	60	38.29	Pass	401
2700	3000	1	RMS	2996.25	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	11989	-58.11	-25	33.11	Pass	9002
12000	26500	1	RMS	25493	-48.39	-25	23.39	Pass	14502



15.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.45	-25	43.45	Pass	401
0.15	30	0.01	RMS	0.15	-68.72	-25	43.72	Pass	2986
30	1000	0.1	RMS	981.388	-61.12	-25	36.12	Pass	9701
1000	2486	1	RMS	2484	-37.78	-25	12.78	Pass	1487
2486	2700	1	RMS	2496.165	19.87	60	40.13	Pass	401
2700	3000	1	RMS	2999.25	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	11994	-58.13	-25	33.13	Pass	9002
12000	26500	1	RMS	25504	-48.26	-25	23.26	Pass	14502



15.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.8	-25	42.8	Pass	401
0.15	30	0.01	RMS	0.15	-67.87	-25	42.87	Pass	2986
30	1000	0.1	RMS	991.795	-61.24	-25	36.24	Pass	9701
1000	2486	1	RMS	2481	-47.75	-25	22.75	Pass	1487
2486	2700	1	RMS	2586.045	22.08	60	37.92	Pass	401
2700	3000	1	RMS	2999.25	-46.55	-25	21.55	Pass	401
3000	12000	1	RMS	11991	-58.08	-25	33.08	Pass	9002
12000	26500	1	RMS	25494	-48.44	-25	23.44	Pass	14502



15.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.18	-25	43.18	Pass	401
0.15	30	0.01	RMS	0.15	-68.38	-25	43.38	Pass	2986
30	1000	0.1	RMS	940.06	-61.18	-25	36.18	Pass	9701
1000	2486	1	RMS	2482	-47.83	-25	22.83	Pass	1487
2486	2700	1	RMS	2586.045	21.64	60	38.36	Pass	401
2700	3000	1	RMS	2999.25	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	11996	-58.1	-25	33.1	Pass	9002
12000	26500	1	RMS	25499	-48.37	-25	23.37	Pass	14502



15.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.65	-25	43.65	Pass	401
0.15	30	0.01	RMS	0.17	-69.07	-25	44.07	Pass	2986
30	1000	0.1	RMS	978.386	-61.2	-25	36.2	Pass	9701
1000	2486	1	RMS	2482	-47.72	-25	22.72	Pass	1487
2486	2700	1	RMS	2675.39	22.07	60	37.93	Pass	401
2700	3000	1	RMS	2702.25	-35.47	-25	10.47	Pass	401
3000	12000	1	RMS	11995	-58.17	-25	33.17	Pass	9002
12000	26500	1	RMS	25491	-48.42	-25	23.42	Pass	14502



15.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.11	-25	43.11	Pass	401
0.15	30	0.01	RMS	0.25	-68.51	-25	43.51	Pass	2986
30	1000	0.1	RMS	715.1	-60.26	-25	35.26	Pass	9701
1000	2486	1	RMS	2482	-47.81	-25	22.81	Pass	1487
2486	2700	1	RMS	2675.925	20.37	60	39.63	Pass	401
2700	3000	1	RMS	2702.25	-34.85	-25	9.85	Pass	401
3000	12000	1	RMS	11984	-58.14	-25	33.14	Pass	9002
12000	26500	1	RMS	25499	-48.3	-25	23.3	Pass	14502



15.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.11	-25	44.11	Pass	401
0.15	30	0.01	RMS	0.15	-68.3	-25	43.3	Pass	2986
30	1000	0.1	RMS	980.087	-61.2	-25	36.2	Pass	9701
1000	2486	1	RMS	2479	-37.45	-25	12.45	Pass	1487
2486	2700	1	RMS	2496.7	20.95	60	39.05	Pass	401
2700	3000	1	RMS	3000	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	11977	-58.08	-25	33.08	Pass	9002
12000	26500	1	RMS	25501	-48.4	-25	23.4	Pass	14502



15.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.24	-25	43.24	Pass	401
0.15	30	0.01	RMS	0.15	-67.93	-25	42.93	Pass	2986
30	1000	0.1	RMS	536.4	-60.63	-25	35.63	Pass	9701
1000	2486	1	RMS	2479	-37.77	-25	12.77	Pass	1487
2486	2700	1	RMS	2496.7	22.16	60	37.84	Pass	401
2700	3000	1	RMS	2999.25	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11998	-58.16	-25	33.16	Pass	9002
12000	26500	1	RMS	25508	-48.36	-25	23.36	Pass	14502



15.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.71	-25	43.71	Pass	401
0.15	30	0.01	RMS	0.24	-68.14	-25	43.14	Pass	2986
30	1000	0.1	RMS	999.7	-61.13	-25	36.13	Pass	9701
1000	2486	1	RMS	2482	-47.76	-25	22.76	Pass	1487
2486	2700	1	RMS	2583.905	22.17	60	37.83	Pass	401
2700	3000	1	RMS	3000	-46.63	-25	21.63	Pass	401
3000	12000	1	RMS	11979	-58.11	-25	33.11	Pass	9002
12000	26500	1	RMS	25504	-48.4	-25	23.4	Pass	14502



15.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.85	-25	43.85	Pass	401
0.15	30	0.01	RMS	0.15	-67.72	-25	42.72	Pass	2986
30	1000	0.1	RMS	910.241	-61.16	-25	36.16	Pass	9701
1000	2486	1	RMS	2486	-47.73	-25	22.73	Pass	1487
2486	2700	1	RMS	2583.905	21.84	60	38.16	Pass	401
2700	3000	1	RMS	2998.5	-46.6	-25	21.6	Pass	401
3000	12000	1	RMS	11998	-58.07	-25	33.07	Pass	9002
12000	26500	1	RMS	25505	-48.47	-25	23.47	Pass	14502



15.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.72	-25	43.72	Pass	401
0.15	30	0.01	RMS	0.15	-68.22	-25	43.22	Pass	2986
30	1000	0.1	RMS	710.4	-59.63	-25	34.63	Pass	9701
1000	2486	1	RMS	2481	-47.81	-25	22.81	Pass	1487
2486	2700	1	RMS	2671.11	21.99	60	38.01	Pass	401
2700	3000	1	RMS	2706.75	-32.82	-25	7.82	Pass	401
3000	12000	1	RMS	11993	-58.1	-25	33.1	Pass	9002
12000	26500	1	RMS	25505	-48.46	-25	23.46	Pass	14502



15.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.97	-25	43.97	Pass	401
0.15	30	0.01	RMS	0.15	-67.8	-25	42.8	Pass	2986
30	1000	0.1	RMS	892.028	-61.17	-25	36.17	Pass	9701
1000	2486	1	RMS	2482	-47.71	-25	22.71	Pass	1487
2486	2700	1	RMS	2670.575	22.02	60	37.98	Pass	401
2700	3000	1	RMS	2706.75	-35.05	-25	10.05	Pass	401
3000	12000	1	RMS	11983	-58.07	-25	33.07	Pass	9002
12000	26500	1	RMS	25499	-48.37	-25	23.37	Pass	14502

