











Mode	20	
	Harmonic	
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_230712 HORIZONTAL	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_230712 VERTICAL







Mode	21																																																																																						
	Band Edge - L																																																																																						
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz																																																																																						
ANT	1																																																																																						
Pol.	Horizontal	Fundamental																																																																																					
Peak	 Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2325.62</td><td>53.96</td><td>74.00</td><td>-20.04</td><td>41.14</td><td>27.10</td><td>8.32</td><td>32.63</td><td>10.03</td><td>314</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2325.62	53.96	74.00	-20.04	41.14	27.10	8.32	32.63	10.03	314	PEAK	 Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>99.05</td><td>-----</td><td>-----</td><td>86.30</td><td>26.90</td><td>8.52</td><td>32.70</td><td>10.03</td><td>314</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	99.05	-----	-----	86.30	26.90	8.52	32.70	10.03	314	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2325.62	53.96	74.00	-20.04	41.14	27.10	8.32	32.63	10.03	314	PEAK																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2437.00	99.05	-----	-----	86.30	26.90	8.52	32.70	10.03	314	PEAK																																																																												
Avg	 Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:0.270kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2372.99</td><td>39.96</td><td>54.00</td><td>-14.04</td><td>27.11</td><td>27.07</td><td>8.41</td><td>32.66</td><td>10.03</td><td>314</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2372.99	39.96	54.00	-14.04	27.11	27.07	8.41	32.66	10.03	314	AVERAGE	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:0.270kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>90.35</td><td>-----</td><td>-----</td><td>77.60</td><td>26.90</td><td>8.52</td><td>32.70</td><td>10.03</td><td>314</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	90.35	-----	-----	77.60	26.90	8.52	32.70	10.03	314	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	2372.99	39.96	54.00	-14.04	27.11	27.07	8.41	32.66	10.03	314	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	2437.00	90.35	-----	-----	77.60	26.90	8.52	32.70	10.03	314	AVERAGE																																																																												





Mode	21																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.72</td><td>50.98</td><td>74.00</td><td>-23.02</td><td>38.16</td><td>26.90</td><td>8.62</td><td>32.73</td><td>10.03</td><td>106</td><td>314</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.72	50.98	74.00	-23.02	38.16	26.90	8.62	32.73	10.03	106	314	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2487.72	50.98	74.00	-23.02	38.16	26.90	8.62	32.73	10.03	106	314	PEAK																																												
Avg	 Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:0.270kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.72</td><td>40.10</td><td>54.00</td><td>-13.90</td><td>27.28</td><td>26.90</td><td>8.62</td><td>32.73</td><td>10.03</td><td>106</td><td>314</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.72	40.10	54.00	-13.90	27.28	26.90	8.62	32.73	10.03	106	314	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2487.72	40.10	54.00	-13.90	27.28	26.90	8.62	32.73	10.03	106	314	AVERAGE																																												





Mode	21																																																																																					
	Band Edge - L																																																																																					
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz																																																																																					
ANT	1																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	 Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2329.81</td><td>56.19</td><td>74.00</td><td>-17.81</td><td>43.36</td><td>27.10</td><td>8.33</td><td>32.63</td><td>10.03</td><td>52 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2329.81	56.19	74.00	-17.81	43.36	27.10	8.33	32.63	10.03	52 PEAK	 Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>103.64</td><td>-----</td><td>-----</td><td>90.89</td><td>26.90</td><td>8.52</td><td>32.70</td><td>10.03</td><td>52 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	103.64	-----	-----	90.89	26.90	8.52	32.70	10.03	52 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2329.81	56.19	74.00	-17.81	43.36	27.10	8.33	32.63	10.03	52 PEAK																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2437.00	103.64	-----	-----	90.89	26.90	8.52	32.70	10.03	52 PEAK																																																																												
Avg	 Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:0.270kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2327.78</td><td>40.20</td><td>54.00</td><td>-13.80</td><td>27.37</td><td>27.10</td><td>8.33</td><td>32.63</td><td>10.03</td><td>52 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2327.78	40.20	54.00	-13.80	27.37	27.10	8.33	32.63	10.03	52 AVERAGE	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:0.270kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>93.94</td><td>-----</td><td>-----</td><td>81.19</td><td>26.90</td><td>8.52</td><td>32.70</td><td>10.03</td><td>52 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	93.94	-----	-----	81.19	26.90	8.52	32.70	10.03	52 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2327.78	40.20	54.00	-13.80	27.37	27.10	8.33	32.63	10.03	52 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2437.00	93.94	-----	-----	81.19	26.90	8.52	32.70	10.03	52 AVERAGE																																																																												





Mode	21																																												
	Band Edge - R																																												
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz																																												
ANT	1																																												
Pol.	Vertical	Fundamental																																											
Peak	 Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.19</td><td>52.31</td><td>74.00</td><td>-21.69</td><td>39.50</td><td>26.90</td><td>8.61</td><td>32.73</td><td>10.03</td><td>52</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.19	52.31	74.00	-21.69	39.50	26.90	8.61	32.73	10.03	52	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	2484.19	52.31	74.00	-21.69	39.50	26.90	8.61	32.73	10.03	52	PEAK																																		
Avg	 Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:0.270kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.16</td><td>40.15</td><td>54.00</td><td>-13.85</td><td>27.33</td><td>26.90</td><td>8.63</td><td>32.74</td><td>10.03</td><td>52</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.16	40.15	54.00	-13.85	27.33	26.90	8.63	32.74	10.03	52	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	2496.16	40.15	54.00	-13.85	27.33	26.90	8.63	32.74	10.03	52	AVERAGE																																		







Mode	21																																																																																														
	Harmonic																																																																																														
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz																																																																																														
ANT	1																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg																																																																																															
	Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_230712 HORIZONTAL						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_230712 VERTICAL																																																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>61.81</td><td>74.00</td><td>-12.19</td><td>50.49</td><td>32.55</td><td>12.26</td><td>33.98</td><td>0.49</td><td>100</td><td>39</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>50.82</td><td>54.00</td><td>-3.18</td><td>39.50</td><td>32.55</td><td>12.26</td><td>33.98</td><td>0.49</td><td>100</td><td>39</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>48.68</td><td>74.00</td><td>-25.32</td><td>32.54</td><td>37.00</td><td>15.11</td><td>36.41</td><td>0.44</td><td>320</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>39.23</td><td>54.00</td><td>-14.77</td><td>23.09</td><td>37.00</td><td>15.11</td><td>36.41</td><td>0.44</td><td>320</td><td>360</td><td>AVERAGE</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	61.81	74.00	-12.19	50.49	32.55	12.26	33.98	0.49	100	39	PEAK	2	4874.00	50.82	54.00	-3.18	39.50	32.55	12.26	33.98	0.49	100	39	AVERAGE	3	7311.00	48.68	74.00	-25.32	32.54	37.00	15.11	36.41	0.44	320	360	PEAK	4	7311.00	39.23	54.00	-14.77	23.09	37.00	15.11	36.41	0.44	320	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	4874.00	61.81	74.00	-12.19	50.49	32.55	12.26	33.98	0.49	100	39	PEAK																																																																																			
2	4874.00	50.82	54.00	-3.18	39.50	32.55	12.26	33.98	0.49	100	39	AVERAGE																																																																																			
3	7311.00	48.68	74.00	-25.32	32.54	37.00	15.11	36.41	0.44	320	360	PEAK																																																																																			
4	7311.00	39.23	54.00	-14.77	23.09	37.00	15.11	36.41	0.44	320	360	AVERAGE																																																																																			







Mode	21	
	Harmonic	
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_230712 HORIZONTAL	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_230712 VERTICAL





Mode	22																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>65.60</td><td>74.00</td><td>-8.40</td><td>52.79</td><td>26.90</td><td>8.61</td><td>32.73</td><td>10.03</td><td>120</td><td>346</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	65.60	74.00	-8.40	52.79	26.90	8.61	32.73	10.03	120	346	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>100.12</td><td>-----</td><td>-----</td><td>87.34</td><td>26.90</td><td>8.57</td><td>32.72</td><td>10.03</td><td>120</td><td>346</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.12	-----	-----	87.34	26.90	8.57	32.72	10.03	120	346
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.51	65.60	74.00	-8.40	52.79	26.90	8.61	32.73	10.03	120	346	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	100.12	-----	-----	87.34	26.90	8.57	32.72	10.03	120	346	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:0.270kHz SWT:Auto						Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:0.270kHz SWT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.58</td><td>44.96</td><td>54.00</td><td>-9.04</td><td>32.15</td><td>26.90</td><td>8.61</td><td>32.73</td><td>10.03</td><td>120</td><td>346</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.58	44.96	54.00	-9.04	32.15	26.90	8.61	32.73	10.03	120	346	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>90.04</td><td>-----</td><td>-----</td><td>77.26</td><td>26.90</td><td>8.57</td><td>32.72</td><td>10.03</td><td>120</td><td>346</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	90.04	-----	-----	77.26	26.90	8.57	32.72	10.03	120	346
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.58	44.96	54.00	-9.04	32.15	26.90	8.61	32.73	10.03	120	346	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	90.04	-----	-----	77.26	26.90	8.57	32.72	10.03	120	346	AVERAGE																																																																																							





Mode	22																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>2484.12</td><td>68.22</td><td>74.00</td><td>-5.78</td><td>55.41</td><td>26.90</td><td>8.61</td><td>32.73</td><td>10.03</td><td>255 48 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	2484.12	68.22	74.00	-5.78	55.41	26.90	8.61	32.73	10.03	255 48 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>2462.00</td><td>103.50</td><td>-----</td><td>-----</td><td>90.74</td><td>26.88</td><td>8.57</td><td>32.72</td><td>10.03</td><td>255 48 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	2462.00	103.50	-----	-----	90.74	26.88	8.57	32.72	10.03
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																									
1	2484.12	68.22	74.00	-5.78	55.41	26.90	8.61	32.73	10.03	255 48 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																									
1	2462.00	103.50	-----	-----	90.74	26.88	8.57	32.72	10.03	255 48 PEAK																																																																																								
Avg																																																																																																		
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:0.270kHz SMT:Auto						Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:0.270kHz SMT:Auto																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>2483.51</td><td>49.28</td><td>54.00</td><td>-4.72</td><td>36.47</td><td>26.90</td><td>8.61</td><td>32.73</td><td>10.03</td><td>255 48 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	2483.51	49.28	54.00	-4.72	36.47	26.90	8.61	32.73	10.03	255 48 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>2462.00</td><td>94.81</td><td>-----</td><td>-----</td><td>82.03</td><td>26.90</td><td>8.57</td><td>32.72</td><td>10.03</td><td>255 48 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	2462.00	94.81	-----	-----	82.03	26.90	8.57	32.72	10.03
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																									
1	2483.51	49.28	54.00	-4.72	36.47	26.90	8.61	32.73	10.03	255 48 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			cm	deg																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																									
1	2462.00	94.81	-----	-----	82.03	26.90	8.57	32.72	10.03	255 48 AVERAGE																																																																																								





Mode	22																																																																																													
	Harmonic																																																																																													
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg																																																																																														
	Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_230712 HORIZONTAL																																																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>62.46</td><td>74.00</td><td>-11.54</td><td>51.06</td><td>32.65</td><td>12.26</td><td>33.97</td><td>0.46</td><td>100</td><td>30</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>45.36</td><td>54.00</td><td>-8.64</td><td>33.96</td><td>32.65</td><td>12.26</td><td>33.97</td><td>0.46</td><td>100</td><td>30</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>50.44</td><td>74.00</td><td>-23.56</td><td>34.36</td><td>36.93</td><td>15.19</td><td>36.46</td><td>0.42</td><td>200</td><td>248</td><td>PEAK</td></tr><tr><td>4</td><td>7386.00</td><td>38.70</td><td>54.00</td><td>-15.30</td><td>22.62</td><td>36.93</td><td>15.19</td><td>36.46</td><td>0.42</td><td>200</td><td>248</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	62.46	74.00	-11.54	51.06	32.65	12.26	33.97	0.46	100	30	PEAK	2	4924.00	45.36	54.00	-8.64	33.96	32.65	12.26	33.97	0.46	100	30	AVERAGE	3	7386.00	50.44	74.00	-23.56	34.36	36.93	15.19	36.46	0.42	200	248	PEAK	4	7386.00	38.70	54.00	-15.30	22.62	36.93	15.19	36.46	0.42	200	248	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	4924.00	62.46	74.00	-11.54	51.06	32.65	12.26	33.97	0.46	100	30	PEAK																																																																																		
2	4924.00	45.36	54.00	-8.64	33.96	32.65	12.26	33.97	0.46	100	30	AVERAGE																																																																																		
3	7386.00	50.44	74.00	-23.56	34.36	36.93	15.19	36.46	0.42	200	248	PEAK																																																																																		
4	7386.00	38.70	54.00	-15.30	22.62	36.93	15.19	36.46	0.42	200	248	AVERAGE																																																																																		
Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_230712 VERTICAL																																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>59.67</td><td>74.00</td><td>-14.33</td><td>48.27</td><td>32.65</td><td>12.26</td><td>33.97</td><td>0.46</td><td>100</td><td>146</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>51.51</td><td>54.00</td><td>-2.49</td><td>40.11</td><td>32.65</td><td>12.26</td><td>33.97</td><td>0.46</td><td>100</td><td>146</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>52.17</td><td>74.00</td><td>-21.83</td><td>36.09</td><td>36.93</td><td>15.19</td><td>36.46</td><td>0.42</td><td>200</td><td>59</td><td>PEAK</td></tr><tr><td>4</td><td>7386.00</td><td>38.47</td><td>54.00</td><td>-15.53</td><td>22.39</td><td>36.93</td><td>15.19</td><td>36.46</td><td>0.42</td><td>200</td><td>59</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	59.67	74.00	-14.33	48.27	32.65	12.26	33.97	0.46	100	146	PEAK	2	4924.00	51.51	54.00	-2.49	40.11	32.65	12.26	33.97	0.46	100	146	AVERAGE	3	7386.00	52.17	74.00	-21.83	36.09	36.93	15.19	36.46	0.42	200	59	PEAK	4	7386.00	38.47	54.00	-15.53	22.39	36.93	15.19	36.46	0.42	200	59	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	4924.00	59.67	74.00	-14.33	48.27	32.65	12.26	33.97	0.46	100	146	PEAK																																																																																		
2	4924.00	51.51	54.00	-2.49	40.11	32.65	12.26	33.97	0.46	100	146	AVERAGE																																																																																		
3	7386.00	52.17	74.00	-21.83	36.09	36.93	15.19	36.46	0.42	200	59	PEAK																																																																																		
4	7386.00	38.47	54.00	-15.53	22.39	36.93	15.19	36.46	0.42	200	59	AVERAGE																																																																																		





Mode	22	
	Harmonic	
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_230712 HORIZONTAL	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_230712 VERTICAL



Mode	23																																																																																																		
	SHF																																																																																																		
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak																																																																																																			
	Site : 03CH21-HY Condition: PEAK_74 1m 88HA9170_1223_230710 HORIZONTAL						Site : 03CH21-HY Condition: PEAK_74 1m 88HA9170_1223_230710 VERTICAL																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>21147.91</td><td>39.64</td><td>74.00</td><td>-34.36</td><td>46.00</td><td>38.39</td><td>26.25</td><td>61.46</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	21147.91	39.64	74.00	-34.36	46.00	38.39	26.25	61.46	-9.54	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>22539.85</td><td>40.30</td><td>74.00</td><td>-33.70</td><td>44.42</td><td>38.56</td><td>27.25</td><td>60.39</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	22539.85	40.30	74.00	-33.70	44.42	38.56	27.25	60.39	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	21147.91	39.64	74.00	-34.36	46.00	38.39	26.25	61.46	-9.54	--	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	22539.85	40.30	74.00	-33.70	44.42	38.56	27.25	60.39	-9.54	--	--	PEAK																																																																																							



Mode	24																																																																																																																																																																																																																									
	LF																																																																																																																																																																																																																									
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																																																																																																																									
ANT	1																																																																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																																																																			
QP/ Peak																																																																																																																																																																																																																										
	Site : 03CH21-HY Condition: QP 3m LF_633038001_231015 HORIZONTAL						Site : 03CH21-HY Condition: QP 3m LF_633038001_231015 VERTICAL																																																																																																																																																																																																																			
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>72.68</td><td>31.58</td><td>40.00</td><td>-8.42</td><td>49.93</td><td>12.88</td><td>1.44</td><td>32.72</td><td>0.05</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>95.96</td><td>28.62</td><td>43.50</td><td>-14.88</td><td>43.87</td><td>15.70</td><td>1.68</td><td>32.69</td><td>0.06</td><td>100</td><td>69</td><td>QP</td></tr><tr><td>3</td><td>243.40</td><td>29.57</td><td>46.00</td><td>-16.43</td><td>41.95</td><td>17.58</td><td>2.67</td><td>32.74</td><td>0.11</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>284.14</td><td>29.51</td><td>46.00</td><td>-16.49</td><td>40.45</td><td>18.86</td><td>2.89</td><td>32.77</td><td>0.08</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>628.49</td><td>32.47</td><td>46.00</td><td>-13.53</td><td>34.77</td><td>26.31</td><td>4.30</td><td>33.02</td><td>0.11</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>951.50</td><td>33.40</td><td>46.00</td><td>-12.60</td><td>28.44</td><td>31.10</td><td>5.26</td><td>31.62</td><td>0.22</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	72.68	31.58	40.00	-8.42	49.93	12.88	1.44	32.72	0.05	--	--	Peak	2	95.96	28.62	43.50	-14.88	43.87	15.70	1.68	32.69	0.06	100	69	QP	3	243.40	29.57	46.00	-16.43	41.95	17.58	2.67	32.74	0.11	--	--	Peak	4	284.14	29.51	46.00	-16.49	40.45	18.86	2.89	32.77	0.08	--	--	Peak	5	628.49	32.47	46.00	-13.53	34.77	26.31	4.30	33.02	0.11	--	--	Peak	6	951.50	33.40	46.00	-12.60	28.44	31.10	5.26	31.62	0.22	--	--	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>72.68</td><td>25.14</td><td>40.00</td><td>-14.86</td><td>43.49</td><td>12.88</td><td>1.44</td><td>32.72</td><td>0.05</td><td>100</td><td>357</td><td>QP</td></tr><tr><td>2</td><td>96.93</td><td>35.64</td><td>43.50</td><td>-7.86</td><td>50.72</td><td>15.86</td><td>1.69</td><td>32.69</td><td>0.06</td><td>100</td><td>296</td><td>QP</td></tr><tr><td>3</td><td>271.53</td><td>30.75</td><td>46.00</td><td>-15.25</td><td>41.67</td><td>18.93</td><td>2.82</td><td>32.76</td><td>0.09</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>274.44</td><td>31.58</td><td>46.00</td><td>-14.42</td><td>42.62</td><td>18.79</td><td>2.84</td><td>32.76</td><td>0.09</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>628.49</td><td>32.35</td><td>46.00</td><td>-13.65</td><td>34.65</td><td>26.31</td><td>4.30</td><td>33.02</td><td>0.11</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>953.44</td><td>34.10</td><td>46.00</td><td>-11.90</td><td>29.08</td><td>31.13</td><td>5.27</td><td>31.60</td><td>0.22</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	72.68	25.14	40.00	-14.86	43.49	12.88	1.44	32.72	0.05	100	357	QP	2	96.93	35.64	43.50	-7.86	50.72	15.86	1.69	32.69	0.06	100	296	QP	3	271.53	30.75	46.00	-15.25	41.67	18.93	2.82	32.76	0.09	--	--	Peak	4	274.44	31.58	46.00	-14.42	42.62	18.79	2.84	32.76	0.09	--	--	Peak	5	628.49	32.35	46.00	-13.65	34.65	26.31	4.30	33.02	0.11	--	--	Peak	6	953.44	34.10	46.00	-11.90	29.08	31.13	5.27	31.60	0.22	--	--
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																															
1	72.68	31.58	40.00	-8.42	49.93	12.88	1.44	32.72	0.05	--	--	Peak																																																																																																																																																																																																														
2	95.96	28.62	43.50	-14.88	43.87	15.70	1.68	32.69	0.06	100	69	QP																																																																																																																																																																																																														
3	243.40	29.57	46.00	-16.43	41.95	17.58	2.67	32.74	0.11	--	--	Peak																																																																																																																																																																																																														
4	284.14	29.51	46.00	-16.49	40.45	18.86	2.89	32.77	0.08	--	--	Peak																																																																																																																																																																																																														
5	628.49	32.47	46.00	-13.53	34.77	26.31	4.30	33.02	0.11	--	--	Peak																																																																																																																																																																																																														
6	951.50	33.40	46.00	-12.60	28.44	31.10	5.26	31.62	0.22	--	--	Peak																																																																																																																																																																																																														
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																															
1	72.68	25.14	40.00	-14.86	43.49	12.88	1.44	32.72	0.05	100	357	QP																																																																																																																																																																																																														
2	96.93	35.64	43.50	-7.86	50.72	15.86	1.69	32.69	0.06	100	296	QP																																																																																																																																																																																																														
3	271.53	30.75	46.00	-15.25	41.67	18.93	2.82	32.76	0.09	--	--	Peak																																																																																																																																																																																																														
4	274.44	31.58	46.00	-14.42	42.62	18.79	2.84	32.76	0.09	--	--	Peak																																																																																																																																																																																																														
5	628.49	32.35	46.00	-13.65	34.65	26.31	4.30	33.02	0.11	--	--	Peak																																																																																																																																																																																																														
6	953.44	34.10	46.00	-11.90	29.08	31.13	5.27	31.60	0.22	--	--	Peak																																																																																																																																																																																																														



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
802.11b	100.00	-	-	10Hz
802.11g	97.33	5475	0.18	200Hz
2.4GHz 802.11ax HE20 Full RU	94.16	3870	0.26	270Hz

