

Client Name:Blue Morning

Item Name:AE1012(10" Metal Case-

H60

motherboa
rd)

BND-Japan

Period:2025.03.12

6/F, Building B, Hexi Hangcheng Industrial Zone, No.135 Qianjin 2nd Road, Bao'an District, Shenzhen, China
Building B, Hexi Hangcheng Industrial Zone, No. 135 Qianjin No. 2 Road, Baoan District, Shenzhen

Project Linkage

Customer
Contact:Hands
MACHI
NE.
post Box.

Thorwald
Structure:Hands
MACHI

NE.
electricity Words:0755-29985185
post Box. yangwende@szsward. com

Thorwald RF:Xiao
Chunyan Hands MACHINE.
electricity Words:0755-29985185
post Box. swdrd005@szsward. com


1. A brief description of the project

Number of project antennas	Type of machine
2	Flatbed
Shell material: 10 inch metal shell (full shell metal, side full plastic)	

2. A brief description of the antenna

Antenna number	Name	Operating frequency band/MHZ	material/structure
1	GPS	1575MHz	FPC
2	WIFI&BT&5Gwifi	2400MHz/2500MHz&5.8GHz	FPC

Antenna layout






6/F, Building B, Hexi Hangcheng Industrial Zone, No.135 Qianjin 2nd Road, Bao'an District, Shenzhen, China
Building B, Hexi Hangcheng Industrial Zone, No. 135 Qianjin No. 2 Road, Baoan District, Shenzhen

WIFI&BT Antenna S11



WIFI & BT antenna efficiency




Passive Test For 2.4Gwifi								
Freq	Effi	Effi	Gain	Gain	UHS	DHIS	Max	Min
(MHz)	(%)	(dB)	(dBi)	(dBd)	(%)	(%)	(dB)	(dB)
2400	14.11	-8.5	-4.06	-6.21	7.614	6.501	-4.06	-17.72
2410	14.68	-8.33	-3.73	-5.88	7.827	6.85	-3.73	-18.54
2420	14.77	-8.31	-3.53	-5.68	7.824	6.944	-3.53	-19.84
2430	14.54	-8.38	-3.4	-5.55	7.653	6.884	-3.4	-19.99
2440	13.7	-8.63	-3.45	-5.6	7.194	6.505	-3.45	-19.44
2450	13.86	-8.58	-3.31	-5.46	7.199	6.664	-3.31	-18.89
2460	14.12	-8.5	-3.21	-5.36	7.284	6.84	-3.21	-19.11
2470	15.42	-8.12	-2.72	-4.87	7.918	7.501	-2.72	-20.77
2480	16.05	-7.95	-2.42	-4.57	8.359	7.69	-2.42	-18.5
2490	16.34	-7.87	-2.29	-4.44	8.536	7.806	-2.29	-18.5
2500	14.91	-8.26	-2.64	-4.79	7.906	7.007	-2.64	-19.02



5GWIFI antenna efficiency

Passive Test For 5Gwifi

Freq	Effi	Effi	Gain	Gain	UHS	DHIS	Max	Min
(MHz)	(%)	(dB)	(dBi)	(dBd)	(%)	(%)	(dB)	(dB)
5000	11	-9.58	-4.48	-6.63	5.051	5.954	-4.48	-18.76
5100	9.09	-10.41	-4.55	-6.7	4.239	4.85	-4.55	-20.4
5200	9.21	-10.36	-4.27	-6.42	5.124	4.09	-4.27	-24.87
5300	8.45	-10.73	-4.08	-6.23	5.337	3.108	-4.08	-22.3
5400	17.7	-7.52	2.35	0.2	10.525	7.172	2.35	-23.38
5500	27.17	-5.66	3.47	1.32	16.929	10.237	3.47	-22.92
5600	32.33	-4.9	3.15	1	19.012	13.313	3.15	-21.71
5700	35.79	-4.46	3.99	1.84	21.905	13.884	3.99	-17.33
5800	33.74	-4.72	4.28	2.13	20.573	13.166	4.28	-21.49
5900	30.33	-5.18	2.3	0.15	18.264	12.067	2.3	-18.69
6000	35.53	-4.49	3.07	0.92	21.271	14.257	3.07	-22.03






GPS Antenna S11



6/F, Building B, Hexi Hangang, Bao'an District, Shenzhen, China
 Building B, Hexi Hangang, Bao'an District, Shenzhen, China

GPS antenna efficiency



Passive Test For GPS2								
Freq	Effi	Effi	Gain	Gain	UHS	DHS	Max	Min
(MHz)	(%)	(dB)	(dBi)	(dBd)	(%)	(%)	(dB)	(dB)
1570	31.12	-5.07	0.27	-1.88	15.195	15.924	0.27	-11.63
1571	31.17	-5.06	0.29	-1.86	15.222	15.945	0.29	-11.81
1572	31.26	-5.05	0.3	-1.85	15.278	15.977	0.3	-11.69
1573	31.41	-5.03	0.31	-1.84	15.353	16.056	0.31	-11.77
1574	31.64	-5	0.36	-1.79	15.459	16.177	0.36	-11.84
1575	31.88	-4.97	0.39	-1.76	15.566	16.311	0.39	-11.78
1576	31.88	-4.96	0.41	-1.74	15.571	16.311	0.41	-11.96
1577	31.8	-4.98	0.37	-1.78	15.526	16.272	0.37	-11.94
1578	31.65	-5	0.35	-1.8	15.459	16.193	0.35	-12.06
1579	31.44	-5.03	0.31	-1.84	15.349	16.092	0.31	-12.18
1580	31.04	-5.08	0.24	-1.91	15.155	15.886	0.24	-12.29



The measured distance of the BT antenna

Real-world results	
model number	1
test environment	R&D Center, Thorwald
test equipment	Huawei AM08
Test distance	> 10 meters

WIFI antenna signal strength measurement pictures (data)



test site	Our R&D office					
Test Groups	2.4G/5G - Distance 15 meters		2.4G/5G - Distance 10 meters		2.4G/5G - distance 5 meters	
Test bands	2.4Gwifi	5Gwifi	2.4Gwifi	5Gwifi	2.4Gwifi	5Gwifi
signal strength	-43 dBm	-46 dBm	-37 dBm	-42 dBm	-31 dBm	-36 dBm

GPS real picture (data)



Test location: on the roof of our building

Test time: 9:30 a.m. to 10:00 a.m.

Test direction: East, South, West,


North Cold start positioning time:

< 60sec

6/F, Building B, Hexi Hangcheng Industrial Zone,
No.135 Qianjin 2nd Road, Bao'an District, Shenzhen,
China

Building B, Hexi Hangcheng Industrial Zone, No. 135 Qianjin No. 2 Road, Baoan District, Shenzhen

Antenna matching



Antenna matching has not been changed.

The main antenna	1	2	3	4	5	6	Remarks
The original match							
Change Match							

