

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.925	38.09	74.0	35.91	Peak	162.00	300	Horizontal	Pass
1**	1521.925	29.01	54.0	24.99	AV	162.00	300	Horizontal	Pass
2	2275.688	43.99	74.0	30.01	Peak	0.00	300	Horizontal	Pass
2**	2275.688	36.00	54.0	18.00	AV	0.00	300	Horizontal	Pass
3	4048.222	47.45	74.0	26.55	Peak	70.00	200	Horizontal	Pass
3**	4048.222	36.31	54.0	17.69	AV	70.00	200	Horizontal	Pass
4	7618.761	52.35	74.0	21.65	Peak	31.00	400	Horizontal	Pass
4**	7618.761	44.45	54.0	9.55	AV	31.00	400	Horizontal	Pass
5	12451.961	51.11	74.0	22.89	Peak	356.00	100	Horizontal	Pass
5**	12451.961	45.55	54.0	8.45	AV	356.00	100	Horizontal	Pass
6	15900.409	52.15	74.0	21.85	Peak	264.00	300	Horizontal	Pass
6**	15900.409	44.09	54.0	9.91	AV	264.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.675	41.27	74.0	32.73	Peak	245.00	300	Vertical	Pass
1**	1526.675	31.13	54.0	22.87	AV	245.00	300	Vertical	Pass
2	2338.680	46.69	74.0	27.31	Peak	270.00	200	Vertical	Pass
2**	2338.680	33.62	54.0	20.38	AV	270.00	200	Vertical	Pass
3	4898.865	48.79	74.0	25.21	Peak	238.00	200	Vertical	Pass
3**	4898.865	38.95	54.0	15.05	AV	238.00	200	Vertical	Pass
4	7327.472	52.08	74.0	21.92	Peak	49.00	300	Vertical	Pass
4**	7327.472	42.54	54.0	11.46	AV	49.00	300	Vertical	Pass
5	12488.795	53.08	74.0	20.92	Peak	138.00	100	Vertical	Pass
5**	12488.795	42.30	54.0	11.70	AV	138.00	100	Vertical	Pass
6	15689.543	52.53	74.0	21.47	Peak	67.00	400	Vertical	Pass
6**	15689.543	43.15	54.0	10.85	AV	67.00	400	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.077	39.11	74.0	34.89	Peak	159.00	300	Horizontal	Pass
1**	1523.077	27.63	54.0	26.37	AV	159.00	300	Horizontal	Pass
2	2271.964	44.63	74.0	29.37	Peak	67.00	100	Horizontal	Pass
2**	2271.964	36.95	54.0	17.05	AV	67.00	100	Horizontal	Pass
3	4047.514	47.49	74.0	26.51	Peak	297.00	200	Horizontal	Pass
3**	4047.514	35.01	54.0	18.99	AV	297.00	200	Horizontal	Pass
4	7620.072	55.22	74.0	18.78	Peak	83.00	300	Horizontal	Pass
4**	7620.072	45.27	54.0	8.73	AV	83.00	300	Horizontal	Pass
5	12455.615	55.68	74.0	18.32	Peak	351.00	300	Horizontal	Pass
5**	12455.615	45.16	54.0	8.84	AV	351.00	300	Horizontal	Pass
6	15905.538	53.19	74.0	20.81	Peak	251.00	100	Horizontal	Pass
6**	15905.538	46.71	54.0	7.29	AV	251.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.178	40.72	74.0	33.28	Peak	110.00	100	Vertical	Pass
1**	1531.178	27.79	54.0	26.21	AV	110.00	100	Vertical	Pass
2	2337.794	45.06	74.0	28.94	Peak	200.00	100	Vertical	Pass
2**	2337.794	37.20	54.0	16.80	AV	200.00	100	Vertical	Pass
3	4896.464	52.88	74.0	21.12	Peak	55.00	200	Vertical	Pass
3**	4896.464	37.67	54.0	16.33	AV	55.00	200	Vertical	Pass
4	7326.087	52.12	74.0	21.88	Peak	31.00	300	Vertical	Pass
4**	7326.087	43.05	54.0	10.95	AV	31.00	300	Vertical	Pass
5	12484.247	53.36	74.0	20.64	Peak	61.00	100	Vertical	Pass
5**	12484.247	46.06	54.0	7.94	AV	61.00	100	Vertical	Pass
6	15692.488	52.58	74.0	21.42	Peak	14.00	100	Vertical	Pass
6**	15692.488	45.92	54.0	8.08	AV	14.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.729	36.57	74.0	37.43	Peak	280.00	100	Horizontal	Pass
1**	1527.729	29.68	54.0	24.32	AV	280.00	100	Horizontal	Pass
2	2271.602	46.67	74.0	27.33	Peak	45.00	200	Horizontal	Pass
2**	2271.602	34.44	54.0	19.56	AV	45.00	200	Horizontal	Pass
3	4044.011	45.16	74.0	28.84	Peak	299.00	200	Horizontal	Pass
3**	4044.011	38.82	54.0	15.18	AV	299.00	200	Horizontal	Pass
4	7617.135	55.59	74.0	18.41	Peak	308.00	300	Horizontal	Pass
4**	7617.135	44.16	54.0	9.84	AV	308.00	300	Horizontal	Pass
5	12450.970	50.71	74.0	23.29	Peak	23.00	400	Horizontal	Pass
5**	12450.970	42.43	54.0	11.57	AV	23.00	400	Horizontal	Pass
6	15900.121	55.56	74.0	18.44	Peak	106.00	300	Horizontal	Pass
6**	15900.121	42.21	54.0	11.79	AV	106.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.780	39.72	74.0	34.28	Peak	291.00	400	Vertical	Pass
1**	1527.780	31.02	54.0	22.98	AV	291.00	400	Vertical	Pass
2	2334.202	46.72	74.0	27.28	Peak	204.00	100	Vertical	Pass
2**	2334.202	34.68	54.0	19.32	AV	204.00	100	Vertical	Pass
3	4901.584	49.93	74.0	24.07	Peak	272.00	200	Vertical	Pass
3**	4901.584	40.14	54.0	13.86	AV	272.00	200	Vertical	Pass
4	7329.744	55.67	74.0	18.33	Peak	273.00	400	Vertical	Pass
4**	7329.744	42.89	54.0	11.11	AV	273.00	400	Vertical	Pass
5	12485.706	51.59	74.0	22.41	Peak	53.00	100	Vertical	Pass
5**	12485.706	45.58	54.0	8.42	AV	53.00	100	Vertical	Pass
6	15690.532	54.33	74.0	19.67	Peak	71.00	300	Vertical	Pass
6**	15690.532	47.10	54.0	6.90	AV	71.00	300	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.066	39.68	74.0	34.32	Peak	295.00	200	Horizontal	Pass
1**	1523.066	30.02	54.0	23.98	AV	295.00	200	Horizontal	Pass
2	2274.272	44.91	74.0	29.09	Peak	23.00	400	Horizontal	Pass
2**	2274.272	35.81	54.0	18.19	AV	23.00	400	Horizontal	Pass
3	4045.512	48.62	74.0	25.38	Peak	133.00	200	Horizontal	Pass
3**	4045.512	37.12	54.0	16.88	AV	133.00	200	Horizontal	Pass
4	7621.728	53.28	74.0	20.72	Peak	248.00	400	Horizontal	Pass
4**	7621.728	41.67	54.0	12.33	AV	248.00	400	Horizontal	Pass
5	12453.049	51.60	74.0	22.40	Peak	156.00	200	Horizontal	Pass
5**	12453.049	45.76	54.0	8.24	AV	156.00	200	Horizontal	Pass
6	15901.856	51.61	74.0	22.39	Peak	31.00	300	Horizontal	Pass
6**	15901.856	44.82	54.0	9.18	AV	31.00	300	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.308	41.26	74.0	32.74	Peak	47.00	200	Vertical	Pass
1**	1530.308	26.02	54.0	27.98	AV	47.00	200	Vertical	Pass
2	2336.769	42.83	74.0	31.17	Peak	56.00	100	Vertical	Pass
2**	2336.769	34.10	54.0	19.90	AV	56.00	100	Vertical	Pass
3	4898.435	49.78	74.0	24.22	Peak	199.00	200	Vertical	Pass
3**	4898.435	41.49	54.0	12.51	AV	199.00	200	Vertical	Pass
4	7329.079	54.99	74.0	19.01	Peak	43.00	400	Vertical	Pass
4**	7329.079	41.47	54.0	12.53	AV	43.00	400	Vertical	Pass
5	12483.689	53.29	74.0	20.71	Peak	84.00	200	Vertical	Pass
5**	12483.689	41.44	54.0	12.56	AV	84.00	200	Vertical	Pass
6	15692.899	53.97	74.0	20.03	Peak	49.00	300	Vertical	Pass
6**	15692.899	47.22	54.0	6.78	AV	49.00	300	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.938	36.34	74.0	37.66	Peak	262.00	200	Horizontal	Pass
1**	1522.938	26.70	54.0	27.30	AV	262.00	200	Horizontal	Pass
2	2278.314	44.70	74.0	29.30	Peak	279.00	100	Horizontal	Pass
2**	2278.314	32.21	54.0	21.79	AV	279.00	100	Horizontal	Pass
3	4049.696	49.27	74.0	24.73	Peak	288.00	200	Horizontal	Pass
3**	4049.696	34.97	54.0	19.03	AV	288.00	200	Horizontal	Pass
4	7623.662	50.75	74.0	23.25	Peak	234.00	200	Horizontal	Pass
4**	7623.662	45.57	54.0	8.43	AV	234.00	200	Horizontal	Pass
5	12453.916	54.73	74.0	19.27	Peak	308.00	400	Horizontal	Pass
5**	12453.916	43.81	54.0	10.19	AV	308.00	400	Horizontal	Pass
6	15904.925	56.02	74.0	17.98	Peak	274.00	300	Horizontal	Pass
6**	15904.925	46.09	54.0	7.91	AV	274.00	300	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.633	35.81	74.0	38.19	Peak	60.00	300	Vertical	Pass
1**	1526.633	28.15	54.0	25.85	AV	60.00	300	Vertical	Pass
2	2336.465	42.74	74.0	31.26	Peak	340.00	300	Vertical	Pass
2**	2336.465	34.40	54.0	19.60	AV	340.00	300	Vertical	Pass
3	4901.784	47.39	74.0	26.61	Peak	5.00	200	Vertical	Pass
3**	4901.784	41.46	54.0	12.54	AV	5.00	200	Vertical	Pass
4	7325.331	54.61	74.0	19.39	Peak	290.00	100	Vertical	Pass
4**	7325.331	43.85	54.0	10.15	AV	290.00	100	Vertical	Pass
5	12488.764	50.24	74.0	23.76	Peak	139.00	200	Vertical	Pass
5**	12488.764	43.12	54.0	10.88	AV	139.00	200	Vertical	Pass
6	15690.820	51.09	74.0	22.91	Peak	3.00	200	Vertical	Pass
6**	15690.820	45.44	54.0	8.56	AV	3.00	200	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.557	38.59	74.0	35.41	Peak	240.00	300	Horizontal	Pass
1**	1525.557	29.07	54.0	24.93	AV	240.00	300	Horizontal	Pass
2	2275.509	44.65	74.0	29.35	Peak	146.00	300	Horizontal	Pass
2**	2275.509	36.85	54.0	17.15	AV	146.00	300	Horizontal	Pass
3	4047.667	46.91	74.0	27.09	Peak	22.00	200	Horizontal	Pass
3**	4047.667	39.99	54.0	14.01	AV	22.00	200	Horizontal	Pass
4	7622.890	53.50	74.0	20.50	Peak	213.00	300	Horizontal	Pass
4**	7622.890	45.30	54.0	8.70	AV	213.00	300	Horizontal	Pass
5	12453.081	52.65	74.0	21.35	Peak	315.00	300	Horizontal	Pass
5**	12453.081	46.53	54.0	7.47	AV	315.00	300	Horizontal	Pass
6	15907.218	54.94	74.0	19.06	Peak	7.00	200	Horizontal	Pass
6**	15907.218	44.42	54.0	9.58	AV	7.00	200	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.749	40.55	74.0	33.45	Peak	191.00	200	Vertical	Pass
1**	1529.749	28.60	54.0	25.40	AV	191.00	200	Vertical	Pass
2	2336.013	46.76	74.0	27.24	Peak	125.00	400	Vertical	Pass
2**	2336.013	36.14	54.0	17.86	AV	125.00	400	Vertical	Pass
3	4899.663	49.51	74.0	24.49	Peak	137.00	200	Vertical	Pass
3**	4899.663	39.92	54.0	14.08	AV	137.00	200	Vertical	Pass
4	7325.858	56.00	74.0	18.00	Peak	264.00	300	Vertical	Pass
4**	7325.858	43.70	54.0	10.30	AV	264.00	300	Vertical	Pass
5	12483.231	55.67	74.0	18.33	Peak	303.00	300	Vertical	Pass
5**	12483.231	44.05	54.0	9.95	AV	303.00	300	Vertical	Pass
6	15694.939	55.00	74.0	19.00	Peak	234.00	200	Vertical	Pass
6**	15694.939	41.47	54.0	12.53	AV	234.00	200	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.366	36.30	74.0	37.70	Peak	206.00	300	Horizontal	Pass
1**	1522.366	30.95	54.0	23.05	AV	206.00	300	Horizontal	Pass
2	2275.320	44.95	74.0	29.05	Peak	47.00	100	Horizontal	Pass
2**	2275.320	34.23	54.0	19.77	AV	47.00	100	Horizontal	Pass
3	4049.385	49.18	74.0	24.82	Peak	66.00	200	Horizontal	Pass
3**	4049.385	38.77	54.0	15.23	AV	66.00	200	Horizontal	Pass
4	7616.778	55.77	74.0	18.23	Peak	155.00	200	Horizontal	Pass
4**	7616.778	46.34	54.0	7.66	AV	155.00	200	Horizontal	Pass
5	12457.183	52.36	74.0	21.64	Peak	54.00	400	Horizontal	Pass
5**	12457.183	45.29	54.0	8.71	AV	54.00	400	Horizontal	Pass
6	15905.880	55.54	74.0	18.46	Peak	17.00	400	Horizontal	Pass
6**	15905.880	46.61	54.0	7.39	AV	17.00	400	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.565	37.26	74.0	36.74	Peak	85.00	200	Vertical	Pass
1**	1530.565	28.48	54.0	25.52	AV	85.00	200	Vertical	Pass
2	2335.379	44.22	74.0	29.78	Peak	206.00	400	Vertical	Pass
2**	2335.379	33.71	54.0	20.29	AV	206.00	400	Vertical	Pass
3	4896.326	51.77	74.0	22.23	Peak	313.00	200	Vertical	Pass
3**	4896.326	40.15	54.0	13.85	AV	313.00	200	Vertical	Pass
4	7323.382	50.77	74.0	23.23	Peak	137.00	400	Vertical	Pass
4**	7323.382	46.64	54.0	7.36	AV	137.00	400	Vertical	Pass
5	12486.235	51.37	74.0	22.63	Peak	262.00	400	Vertical	Pass
5**	12486.235	44.74	54.0	9.26	AV	262.00	400	Vertical	Pass
6	15688.188	50.87	74.0	23.13	Peak	360.00	100	Vertical	Pass
6**	15688.188	45.91	54.0	8.09	AV	360.00	100	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.157	37.32	74.0	36.68	Peak	60.00	300	Horizontal	Pass
1**	1525.157	25.61	54.0	28.39	AV	60.00	300	Horizontal	Pass
2	2275.310	44.45	74.0	29.55	Peak	57.00	200	Horizontal	Pass
2**	2275.310	34.49	54.0	19.51	AV	57.00	200	Horizontal	Pass
3	4047.745	50.08	74.0	23.92	Peak	22.00	200	Horizontal	Pass
3**	4047.745	35.70	54.0	18.30	AV	22.00	200	Horizontal	Pass
4	7624.138	53.03	74.0	20.97	Peak	247.00	400	Horizontal	Pass
4**	7624.138	44.44	54.0	9.56	AV	247.00	400	Horizontal	Pass
5	12451.183	55.43	74.0	18.57	Peak	22.00	100	Horizontal	Pass
5**	12451.183	44.71	54.0	9.29	AV	22.00	100	Horizontal	Pass
6	15903.247	54.57	74.0	19.43	Peak	5.00	200	Horizontal	Pass
6**	15903.247	41.99	54.0	12.01	AV	5.00	200	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.164	38.62	74.0	35.38	Peak	345.00	300	Vertical	Pass
1**	1529.164	26.30	54.0	27.70	AV	345.00	300	Vertical	Pass
2	2335.510	43.22	74.0	30.78	Peak	235.00	400	Vertical	Pass
2**	2335.510	37.69	54.0	16.31	AV	235.00	400	Vertical	Pass
3	4903.608	51.92	74.0	22.08	Peak	169.00	200	Vertical	Pass
3**	4903.608	38.19	54.0	15.81	AV	169.00	200	Vertical	Pass
4	7328.386	56.33	74.0	17.67	Peak	319.00	400	Vertical	Pass
4**	7328.386	42.60	54.0	11.40	AV	319.00	400	Vertical	Pass
5	12488.489	55.13	74.0	18.87	Peak	313.00	200	Vertical	Pass
5**	12488.489	46.41	54.0	7.59	AV	313.00	200	Vertical	Pass
6	15691.284	54.07	74.0	19.93	Peak	125.00	100	Vertical	Pass
6**	15691.284	42.71	54.0	11.29	AV	125.00	100	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.789	40.85	74.0	33.15	Peak	134.00	300	Horizontal	Pass
1**	1524.789	27.66	54.0	26.34	AV	134.00	300	Horizontal	Pass
2	2274.402	45.85	74.0	28.15	Peak	186.00	200	Horizontal	Pass
2**	2274.402	36.83	54.0	17.17	AV	186.00	200	Horizontal	Pass
3	4043.366	49.42	74.0	24.58	Peak	214.00	200	Horizontal	Pass
3**	4043.366	35.11	54.0	18.89	AV	214.00	200	Horizontal	Pass
4	7621.887	55.59	74.0	18.41	Peak	174.00	300	Horizontal	Pass
4**	7621.887	41.21	54.0	12.79	AV	174.00	300	Horizontal	Pass
5	12457.341	54.86	74.0	19.14	Peak	68.00	200	Horizontal	Pass
5**	12457.341	47.40	54.0	6.60	AV	68.00	200	Horizontal	Pass
6	15899.941	52.48	74.0	21.52	Peak	102.00	200	Horizontal	Pass
6**	15899.941	46.99	54.0	7.01	AV	102.00	200	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.963	36.57	74.0	37.43	Peak	343.00	300	Vertical	Pass
1**	1532.963	29.38	54.0	24.62	AV	343.00	300	Vertical	Pass
2	2338.805	46.85	74.0	27.15	Peak	27.00	100	Vertical	Pass
2**	2338.805	35.91	54.0	18.09	AV	27.00	100	Vertical	Pass
3	4898.515	52.67	74.0	21.33	Peak	169.00	200	Vertical	Pass
3**	4898.515	40.12	54.0	13.88	AV	169.00	200	Vertical	Pass
4	7324.085	51.49	74.0	22.51	Peak	325.00	100	Vertical	Pass
4**	7324.085	45.83	54.0	8.17	AV	325.00	100	Vertical	Pass
5	12485.403	55.24	74.0	18.76	Peak	209.00	200	Vertical	Pass
5**	12485.403	44.51	54.0	9.49	AV	209.00	200	Vertical	Pass
6	15688.423	51.92	74.0	22.08	Peak	9.00	100	Vertical	Pass
6**	15688.423	41.50	54.0	12.50	AV	9.00	100	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.298	41.13	74.0	32.87	Peak	276.00	100	Horizontal	Pass
1**	1521.298	27.17	54.0	26.83	AV	276.00	100	Horizontal	Pass
2	2271.758	44.43	74.0	29.57	Peak	173.00	100	Horizontal	Pass
2**	2271.758	35.99	54.0	18.01	AV	173.00	100	Horizontal	Pass
3	4049.778	46.53	74.0	27.47	Peak	72.00	200	Horizontal	Pass
3**	4049.778	37.26	54.0	16.74	AV	72.00	200	Horizontal	Pass
4	7623.993	54.72	74.0	19.28	Peak	275.00	300	Horizontal	Pass
4**	7623.993	43.28	54.0	10.72	AV	275.00	300	Horizontal	Pass
5	12457.143	52.86	74.0	21.14	Peak	310.00	400	Horizontal	Pass
5**	12457.143	44.12	54.0	9.88	AV	310.00	400	Horizontal	Pass
6	15904.066	55.58	74.0	18.42	Peak	157.00	300	Horizontal	Pass
6**	15904.066	46.96	54.0	7.04	AV	157.00	300	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.645	38.34	74.0	35.66	Peak	305.00	400	Vertical	Pass
1**	1530.645	30.90	54.0	23.10	AV	305.00	400	Vertical	Pass
2	2336.528	45.43	74.0	28.57	Peak	17.00	400	Vertical	Pass
2**	2336.528	33.13	54.0	20.87	AV	17.00	400	Vertical	Pass
3	4901.660	48.80	74.0	25.20	Peak	20.00	200	Vertical	Pass
3**	4901.660	42.33	54.0	11.67	AV	20.00	200	Vertical	Pass
4	7330.095	51.17	74.0	22.83	Peak	173.00	300	Vertical	Pass
4**	7330.095	45.28	54.0	8.72	AV	173.00	300	Vertical	Pass
5	12489.295	51.57	74.0	22.43	Peak	40.00	200	Vertical	Pass
5**	12489.295	41.97	54.0	12.03	AV	40.00	200	Vertical	Pass
6	15695.312	55.98	74.0	18.02	Peak	123.00	200	Vertical	Pass
6**	15695.312	43.34	54.0	10.66	AV	123.00	200	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.077	38.30	74.0	35.70	Peak	61.00	300	Horizontal	Pass
1**	1521.077	26.52	54.0	27.48	AV	61.00	300	Horizontal	Pass
2	2273.029	44.21	74.0	29.79	Peak	1.00	400	Horizontal	Pass
2**	2273.029	34.88	54.0	19.12	AV	1.00	400	Horizontal	Pass
3	4044.753	44.45	74.0	29.55	Peak	139.00	200	Horizontal	Pass
3**	4044.753	34.28	54.0	19.72	AV	139.00	200	Horizontal	Pass
4	7620.638	52.71	74.0	21.29	Peak	127.00	200	Horizontal	Pass
4**	7620.638	41.49	54.0	12.51	AV	127.00	200	Horizontal	Pass
5	12451.076	51.83	74.0	22.17	Peak	317.00	200	Horizontal	Pass
5**	12451.076	43.40	54.0	10.60	AV	317.00	200	Horizontal	Pass
6	15905.985	53.93	74.0	20.07	Peak	322.00	400	Horizontal	Pass
6**	15905.985	42.16	54.0	11.84	AV	322.00	400	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.963	39.88	74.0	34.12	Peak	98.00	300	Vertical	Pass
1**	1526.963	30.06	54.0	23.94	AV	98.00	300	Vertical	Pass
2	2336.250	44.52	74.0	29.48	Peak	86.00	400	Vertical	Pass
2**	2336.250	37.62	54.0	16.38	AV	86.00	400	Vertical	Pass
3	4899.282	48.39	74.0	25.61	Peak	238.00	200	Vertical	Pass
3**	4899.282	37.22	54.0	16.78	AV	238.00	200	Vertical	Pass
4	7327.538	54.70	74.0	19.30	Peak	304.00	100	Vertical	Pass
4**	7327.538	44.36	54.0	9.64	AV	304.00	100	Vertical	Pass
5	12486.645	50.67	74.0	23.33	Peak	222.00	300	Vertical	Pass
5**	12486.645	42.48	54.0	11.52	AV	222.00	300	Vertical	Pass
6	15695.132	52.73	74.0	21.27	Peak	182.00	300	Vertical	Pass
6**	15695.132	41.86	54.0	12.14	AV	182.00	300	Vertical	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.765	35.76	74.0	38.24	Peak	112.00	200	Horizontal	Pass
1**	1523.765	26.61	54.0	27.39	AV	112.00	200	Horizontal	Pass
2	2274.534	43.31	74.0	30.69	Peak	105.00	300	Horizontal	Pass
2**	2274.534	35.76	54.0	18.24	AV	105.00	300	Horizontal	Pass
3	4049.229	47.44	74.0	26.56	Peak	230.00	200	Horizontal	Pass
3**	4049.229	35.68	54.0	18.32	AV	230.00	200	Horizontal	Pass
4	7622.996	51.66	74.0	22.34	Peak	261.00	300	Horizontal	Pass
4**	7622.996	42.74	54.0	11.26	AV	261.00	300	Horizontal	Pass
5	12454.617	54.87	74.0	19.13	Peak	40.00	100	Horizontal	Pass
5**	12454.617	47.22	54.0	6.78	AV	40.00	100	Horizontal	Pass
6	15900.614	52.38	74.0	21.62	Peak	212.00	300	Horizontal	Pass
6**	15900.614	44.22	54.0	9.78	AV	212.00	300	Horizontal	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.226	38.87	74.0	35.13	Peak	123.00	400	Vertical	Pass
1**	1532.226	28.30	54.0	25.70	AV	123.00	400	Vertical	Pass
2	2335.280	44.87	74.0	29.13	Peak	295.00	100	Vertical	Pass
2**	2335.280	37.58	54.0	16.42	AV	295.00	100	Vertical	Pass
3	4903.656	51.35	74.0	22.65	Peak	161.00	200	Vertical	Pass
3**	4903.656	38.47	54.0	15.53	AV	161.00	200	Vertical	Pass
4	7324.760	53.79	74.0	20.21	Peak	4.00	300	Vertical	Pass
4**	7324.760	41.36	54.0	12.64	AV	4.00	300	Vertical	Pass
5	12485.292	55.42	74.0	18.58	Peak	189.00	200	Vertical	Pass
5**	12485.292	45.68	54.0	8.32	AV	189.00	200	Vertical	Pass
6	15695.129	51.46	74.0	22.54	Peak	22.00	100	Vertical	Pass
6**	15695.129	46.92	54.0	7.08	AV	22.00	100	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.847	38.92	74.0	35.08	Peak	252.00	300	Horizontal	Pass
1**	1521.847	25.75	54.0	28.25	AV	252.00	300	Horizontal	Pass
2	2271.989	46.61	74.0	27.39	Peak	305.00	200	Horizontal	Pass
2**	2271.989	33.74	54.0	20.26	AV	305.00	200	Horizontal	Pass
3	4050.073	45.44	74.0	28.56	Peak	280.00	200	Horizontal	Pass
3**	4050.073	39.22	54.0	14.78	AV	280.00	200	Horizontal	Pass
4	7617.491	51.99	74.0	22.01	Peak	307.00	200	Horizontal	Pass
4**	7617.491	40.64	54.0	13.36	AV	307.00	200	Horizontal	Pass
5	12455.829	52.46	74.0	21.54	Peak	309.00	100	Horizontal	Pass
5**	12455.829	45.42	54.0	8.58	AV	309.00	100	Horizontal	Pass
6	15907.386	50.93	74.0	23.07	Peak	207.00	400	Horizontal	Pass
6**	15907.386	47.21	54.0	6.79	AV	207.00	400	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.033	41.65	74.0	32.35	Peak	218.00	200	Vertical	Pass
1**	1599.033	24.61	54.0	29.39	AV	218.00	200	Vertical	Pass
2	2229.371	38.94	74.0	35.06	Peak	94.00	400	Vertical	Pass
2**	2229.371	32.18	54.0	21.82	AV	94.00	400	Vertical	Pass
3	4260.980	47.63	74.0	26.37	Peak	70.00	200	Vertical	Pass
3**	4260.980	38.80	54.0	15.20	AV	70.00	200	Vertical	Pass
4	7710.967	55.00	74.0	19.00	Peak	27.00	300	Vertical	Pass
4**	7710.967	45.14	54.0	8.86	AV	27.00	300	Vertical	Pass
5	12500.149	54.42	74.0	19.58	Peak	139.00	300	Vertical	Pass
5**	12500.149	43.21	54.0	10.79	AV	139.00	300	Vertical	Pass
6	15673.063	52.76	74.0	21.24	Peak	204.00	200	Vertical	Pass
6**	15673.063	43.95	54.0	10.05	AV	204.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.784	36.29	74.0	37.71	Peak	203.00	200	Horizontal	Pass
1**	1522.784	26.42	54.0	27.58	AV	203.00	200	Horizontal	Pass
2	2273.983	43.71	74.0	30.29	Peak	272.00	200	Horizontal	Pass
2**	2273.983	34.54	54.0	19.46	AV	272.00	200	Horizontal	Pass
3	4045.719	48.26	74.0	25.74	Peak	154.00	200	Horizontal	Pass
3**	4045.719	34.27	54.0	19.73	AV	154.00	200	Horizontal	Pass
4	7623.425	55.29	74.0	18.71	Peak	160.00	200	Horizontal	Pass
4**	7623.425	45.42	54.0	8.58	AV	160.00	200	Horizontal	Pass
5	12454.577	55.31	74.0	18.69	Peak	7.00	300	Horizontal	Pass
5**	12454.577	41.76	54.0	12.24	AV	7.00	300	Horizontal	Pass
6	15899.821	53.48	74.0	20.52	Peak	198.00	300	Horizontal	Pass
6**	15899.821	41.82	54.0	12.18	AV	198.00	300	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.988	42.77	74.0	31.23	Peak	95.00	300	Vertical	Pass
1**	1600.988	27.97	54.0	26.03	AV	95.00	300	Vertical	Pass
2	2227.006	41.70	74.0	32.30	Peak	260.00	300	Vertical	Pass
2**	2227.006	34.34	54.0	19.66	AV	260.00	300	Vertical	Pass
3	4259.253	48.32	74.0	25.68	Peak	287.00	200	Vertical	Pass
3**	4259.253	40.67	54.0	13.33	AV	287.00	200	Vertical	Pass
4	7709.569	58.06	74.0	15.94	Peak	50.00	100	Vertical	Pass
4**	7709.569	44.94	54.0	9.06	AV	50.00	100	Vertical	Pass
5	12495.986	54.06	74.0	19.94	Peak	85.00	200	Vertical	Pass
5**	12495.986	44.85	54.0	9.15	AV	85.00	200	Vertical	Pass
6	15668.947	57.20	74.0	16.80	Peak	13.00	100	Vertical	Pass
6**	15668.947	43.69	54.0	10.31	AV	13.00	100	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.087	40.30	74.0	33.70	Peak	51.00	200	Horizontal	Pass
1**	1528.087	29.00	54.0	25.00	AV	51.00	200	Horizontal	Pass
2	2273.509	44.39	74.0	29.61	Peak	265.00	100	Horizontal	Pass
2**	2273.509	36.68	54.0	17.32	AV	265.00	100	Horizontal	Pass
3	4048.748	47.13	74.0	26.87	Peak	146.00	200	Horizontal	Pass
3**	4048.748	35.27	54.0	18.73	AV	146.00	200	Horizontal	Pass
4	7620.841	51.15	74.0	22.85	Peak	40.00	300	Horizontal	Pass
4**	7620.841	41.57	54.0	12.43	AV	40.00	300	Horizontal	Pass
5	12454.680	51.40	74.0	22.60	Peak	5.00	400	Horizontal	Pass
5**	12454.680	44.29	54.0	9.71	AV	5.00	400	Horizontal	Pass
6	15904.184	54.77	74.0	19.23	Peak	103.00	100	Horizontal	Pass
6**	15904.184	47.26	54.0	6.74	AV	103.00	100	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.607	37.68	74.0	36.32	Peak	135.00	200	Vertical	Pass
1**	1599.607	25.44	54.0	28.56	AV	135.00	200	Vertical	Pass
2	2226.301	40.35	74.0	33.65	Peak	28.00	100	Vertical	Pass
2**	2226.301	33.10	54.0	20.90	AV	28.00	100	Vertical	Pass
3	4255.007	48.71	74.0	25.29	Peak	265.00	200	Vertical	Pass
3**	4255.007	36.52	54.0	17.48	AV	265.00	200	Vertical	Pass
4	7705.022	55.62	74.0	18.38	Peak	37.00	200	Vertical	Pass
4**	7705.022	44.13	54.0	9.87	AV	37.00	200	Vertical	Pass
5	12496.578	54.33	74.0	19.67	Peak	300.00	400	Vertical	Pass
5**	12496.578	43.74	54.0	10.26	AV	300.00	400	Vertical	Pass
6	15673.623	58.58	74.0	15.42	Peak	120.00	400	Vertical	Pass
6**	15673.623	43.03	54.0	10.97	AV	120.00	400	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.363	37.09	74.0	36.91	Peak	103.00	100	Horizontal	Pass
1**	1524.363	31.08	54.0	22.92	AV	103.00	100	Horizontal	Pass
2	2278.798	41.36	74.0	32.64	Peak	208.00	100	Horizontal	Pass
2**	2278.798	36.94	54.0	17.06	AV	208.00	100	Horizontal	Pass
3	4046.370	47.90	74.0	26.10	Peak	18.00	200	Horizontal	Pass
3**	4046.370	36.72	54.0	17.28	AV	18.00	200	Horizontal	Pass
4	7618.871	50.89	74.0	23.11	Peak	328.00	200	Horizontal	Pass
4**	7618.871	45.88	54.0	8.12	AV	328.00	200	Horizontal	Pass
5	12452.116	53.76	74.0	20.24	Peak	116.00	200	Horizontal	Pass
5**	12452.116	45.39	54.0	8.61	AV	116.00	200	Horizontal	Pass
6	15905.089	51.79	74.0	22.21	Peak	140.00	200	Horizontal	Pass
6**	15905.089	43.31	54.0	10.69	AV	140.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.838	40.35	74.0	33.65	Peak	125.00	200	Vertical	Pass
1**	1600.838	26.62	54.0	27.38	AV	125.00	200	Vertical	Pass
2	2224.284	40.99	74.0	33.01	Peak	353.00	400	Vertical	Pass
2**	2224.284	32.18	54.0	21.82	AV	353.00	400	Vertical	Pass
3	4255.057	47.89	74.0	26.11	Peak	347.00	200	Vertical	Pass
3**	4255.057	35.55	54.0	18.45	AV	347.00	200	Vertical	Pass
4	7710.349	58.43	74.0	15.57	Peak	326.00	100	Vertical	Pass
4**	7710.349	42.22	54.0	11.78	AV	326.00	100	Vertical	Pass
5	12495.881	55.52	74.0	18.48	Peak	131.00	200	Vertical	Pass
5**	12495.881	43.41	54.0	10.59	AV	131.00	200	Vertical	Pass
6	15668.715	54.29	74.0	19.71	Peak	358.00	400	Vertical	Pass
6**	15668.715	42.78	54.0	11.22	AV	358.00	400	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.610	39.27	74.0	34.73	Peak	253.00	100	Horizontal	Pass
1**	1524.610	31.23	54.0	22.77	AV	253.00	100	Horizontal	Pass
2	2278.529	41.75	74.0	32.25	Peak	269.00	100	Horizontal	Pass
2**	2278.529	31.68	54.0	22.32	AV	269.00	100	Horizontal	Pass
3	4046.487	46.82	74.0	27.18	Peak	284.00	200	Horizontal	Pass
3**	4046.487	37.80	54.0	16.20	AV	284.00	200	Horizontal	Pass
4	7622.027	51.82	74.0	22.18	Peak	205.00	100	Horizontal	Pass
4**	7622.027	46.44	54.0	7.56	AV	205.00	100	Horizontal	Pass
5	12457.567	52.85	74.0	21.15	Peak	350.00	400	Horizontal	Pass
5**	12457.567	44.84	54.0	9.16	AV	350.00	400	Horizontal	Pass
6	15903.049	51.76	74.0	22.24	Peak	49.00	200	Horizontal	Pass
6**	15903.049	46.66	54.0	7.34	AV	49.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.561	40.05	74.0	33.95	Peak	14.00	400	Vertical	Pass
1**	1598.561	24.58	54.0	29.42	AV	14.00	400	Vertical	Pass
2	2227.286	43.88	74.0	30.12	Peak	117.00	200	Vertical	Pass
2**	2227.286	28.54	54.0	25.46	AV	117.00	200	Vertical	Pass
3	4257.954	46.03	74.0	27.97	Peak	316.00	200	Vertical	Pass
3**	4257.954	38.73	54.0	15.27	AV	316.00	200	Vertical	Pass
4	7712.328	54.81	74.0	19.19	Peak	56.00	200	Vertical	Pass
4**	7712.328	40.41	54.0	13.59	AV	56.00	200	Vertical	Pass
5	12497.706	53.09	74.0	20.91	Peak	153.00	400	Vertical	Pass
5**	12497.706	40.95	54.0	13.05	AV	153.00	400	Vertical	Pass
6	15673.877	54.42	74.0	19.58	Peak	197.00	400	Vertical	Pass
6**	15673.877	41.61	54.0	12.39	AV	197.00	400	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.543	40.15	74.0	33.85	Peak	262.00	100	Horizontal	Pass
1**	1524.543	26.74	54.0	27.26	AV	262.00	100	Horizontal	Pass
2	2275.754	42.39	74.0	31.61	Peak	184.00	300	Horizontal	Pass
2**	2275.754	32.80	54.0	21.20	AV	184.00	300	Horizontal	Pass
3	4043.258	44.69	74.0	29.31	Peak	236.00	200	Horizontal	Pass
3**	4043.258	34.49	54.0	19.51	AV	236.00	200	Horizontal	Pass
4	7617.181	53.42	74.0	20.58	Peak	126.00	400	Horizontal	Pass
4**	7617.181	45.04	54.0	8.96	AV	126.00	400	Horizontal	Pass
5	12458.151	52.98	74.0	21.02	Peak	30.00	300	Horizontal	Pass
5**	12458.151	45.49	54.0	8.51	AV	30.00	300	Horizontal	Pass
6	15902.941	51.70	74.0	22.30	Peak	109.00	100	Horizontal	Pass
6**	15902.941	42.95	54.0	11.05	AV	109.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.684	37.14	74.0	36.86	Peak	65.00	300	Vertical	Pass
1**	1595.684	24.25	54.0	29.75	AV	65.00	300	Vertical	Pass
2	2229.597	41.60	74.0	32.40	Peak	183.00	200	Vertical	Pass
2**	2229.597	29.07	54.0	24.93	AV	183.00	200	Vertical	Pass
3	4257.603	47.18	74.0	26.82	Peak	252.00	200	Vertical	Pass
3**	4257.603	38.71	54.0	15.29	AV	252.00	200	Vertical	Pass
4	7708.909	57.92	74.0	16.08	Peak	283.00	200	Vertical	Pass
4**	7708.909	44.39	54.0	9.61	AV	283.00	200	Vertical	Pass
5	12495.610	52.15	74.0	21.85	Peak	340.00	400	Vertical	Pass
5**	12495.610	45.90	54.0	8.10	AV	340.00	400	Vertical	Pass
6	15671.306	52.95	74.0	21.05	Peak	71.00	400	Vertical	Pass
6**	15671.306	44.71	54.0	9.29	AV	71.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.975	40.53	74.0	33.47	Peak	90.00	200	Horizontal	Pass
1**	1524.975	27.53	54.0	26.47	AV	90.00	200	Horizontal	Pass
2	2276.492	46.40	74.0	27.60	Peak	140.00	400	Horizontal	Pass
2**	2276.492	34.27	54.0	19.73	AV	140.00	400	Horizontal	Pass
3	4043.619	45.17	74.0	28.83	Peak	78.00	200	Horizontal	Pass
3**	4043.619	39.47	54.0	14.53	AV	78.00	200	Horizontal	Pass
4	7622.674	51.59	74.0	22.41	Peak	109.00	100	Horizontal	Pass
4**	7622.674	43.12	54.0	10.88	AV	109.00	100	Horizontal	Pass
5	12451.042	51.28	74.0	22.72	Peak	259.00	200	Horizontal	Pass
5**	12451.042	41.89	54.0	12.11	AV	259.00	200	Horizontal	Pass
6	15901.034	54.54	74.0	19.46	Peak	323.00	400	Horizontal	Pass
6**	15901.034	45.85	54.0	8.15	AV	323.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.476	40.31	74.0	33.69	Peak	74.00	400	Vertical	Pass
1**	1596.476	28.30	54.0	25.70	AV	74.00	400	Vertical	Pass
2	2224.124	40.82	74.0	33.18	Peak	318.00	400	Vertical	Pass
2**	2224.124	28.51	54.0	25.49	AV	318.00	400	Vertical	Pass
3	4256.923	48.95	74.0	25.05	Peak	280.00	200	Vertical	Pass
3**	4256.923	35.92	54.0	18.08	AV	280.00	200	Vertical	Pass
4	7707.549	52.78	74.0	21.22	Peak	315.00	100	Vertical	Pass
4**	7707.549	42.52	54.0	11.48	AV	315.00	100	Vertical	Pass
5	12499.017	55.79	74.0	18.21	Peak	17.00	100	Vertical	Pass
5**	12499.017	43.38	54.0	10.62	AV	17.00	100	Vertical	Pass
6	15669.754	56.26	74.0	17.74	Peak	312.00	100	Vertical	Pass
6**	15669.754	41.49	54.0	12.51	AV	312.00	100	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.507	38.52	74.0	35.48	Peak	240.00	200	Horizontal	Pass
1**	1520.507	29.10	54.0	24.90	AV	240.00	200	Horizontal	Pass
2	2277.554	46.07	74.0	27.93	Peak	154.00	300	Horizontal	Pass
2**	2277.554	32.70	54.0	21.30	AV	154.00	300	Horizontal	Pass
3	4046.735	45.27	74.0	28.73	Peak	352.00	200	Horizontal	Pass
3**	4046.735	35.43	54.0	18.57	AV	352.00	200	Horizontal	Pass
4	7622.887	52.94	74.0	21.06	Peak	245.00	100	Horizontal	Pass
4**	7622.887	42.01	54.0	11.99	AV	245.00	100	Horizontal	Pass
5	12456.846	55.72	74.0	18.28	Peak	97.00	300	Horizontal	Pass
5**	12456.846	46.70	54.0	7.30	AV	97.00	300	Horizontal	Pass
6	15902.778	55.19	74.0	18.81	Peak	9.00	300	Horizontal	Pass
6**	15902.778	45.69	54.0	8.31	AV	9.00	300	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.242	40.15	74.0	33.85	Peak	55.00	200	Vertical	Pass
1**	1596.242	24.28	54.0	29.72	AV	55.00	200	Vertical	Pass
2	2227.396	39.16	74.0	34.84	Peak	306.00	200	Vertical	Pass
2**	2227.396	30.03	54.0	23.97	AV	306.00	200	Vertical	Pass
3	4259.168	49.88	74.0	24.12	Peak	58.00	200	Vertical	Pass
3**	4259.168	38.37	54.0	15.63	AV	58.00	200	Vertical	Pass
4	7710.170	57.57	74.0	16.43	Peak	352.00	400	Vertical	Pass
4**	7710.170	45.32	54.0	8.68	AV	352.00	400	Vertical	Pass
5	12496.323	51.39	74.0	22.61	Peak	201.00	100	Vertical	Pass
5**	12496.323	45.24	54.0	8.76	AV	201.00	100	Vertical	Pass
6	15673.003	56.45	74.0	17.55	Peak	167.00	200	Vertical	Pass
6**	15673.003	43.66	54.0	10.34	AV	167.00	200	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.006	38.68	74.0	35.32	Peak	121.00	300	Horizontal	Pass
1**	1523.006	30.65	54.0	23.35	AV	121.00	300	Horizontal	Pass
2	2276.091	42.31	74.0	31.69	Peak	196.00	300	Horizontal	Pass
2**	2276.091	34.90	54.0	19.10	AV	196.00	300	Horizontal	Pass
3	4042.935	49.38	74.0	24.62	Peak	325.00	200	Horizontal	Pass
3**	4042.935	37.73	54.0	16.27	AV	325.00	200	Horizontal	Pass
4	7620.926	51.08	74.0	22.92	Peak	102.00	200	Horizontal	Pass
4**	7620.926	43.47	54.0	10.53	AV	102.00	200	Horizontal	Pass
5	12456.330	54.43	74.0	19.57	Peak	183.00	400	Horizontal	Pass
5**	12456.330	47.15	54.0	6.85	AV	183.00	400	Horizontal	Pass
6	15900.812	56.48	74.0	17.52	Peak	298.00	100	Horizontal	Pass
6**	15900.812	42.97	54.0	11.03	AV	298.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.198	37.40	74.0	36.60	Peak	31.00	100	Vertical	Pass
1**	1601.198	24.62	54.0	29.38	AV	31.00	100	Vertical	Pass
2	2229.005	40.89	74.0	33.11	Peak	318.00	400	Vertical	Pass
2**	2229.005	33.37	54.0	20.63	AV	318.00	400	Vertical	Pass
3	4255.661	48.37	74.0	25.63	Peak	205.00	200	Vertical	Pass
3**	4255.661	40.67	54.0	13.33	AV	205.00	200	Vertical	Pass
4	7706.325	57.55	74.0	16.45	Peak	94.00	100	Vertical	Pass
4**	7706.325	40.40	54.0	13.60	AV	94.00	100	Vertical	Pass
5	12500.109	55.12	74.0	18.88	Peak	0.00	300	Vertical	Pass
5**	12500.109	44.58	54.0	9.42	AV	0.00	300	Vertical	Pass
6	15671.439	52.79	74.0	21.21	Peak	204.00	100	Vertical	Pass
6**	15671.439	42.56	54.0	11.44	AV	204.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.500	37.28	74.0	36.72	Peak	224.00	200	Horizontal	Pass
1**	1528.500	26.09	54.0	27.91	AV	224.00	200	Horizontal	Pass
2	2273.439	43.09	74.0	30.91	Peak	46.00	200	Horizontal	Pass
2**	2273.439	36.65	54.0	17.35	AV	46.00	200	Horizontal	Pass
3	4045.680	47.52	74.0	26.48	Peak	200.00	200	Horizontal	Pass
3**	4045.680	36.95	54.0	17.05	AV	200.00	200	Horizontal	Pass
4	7616.605	55.09	74.0	18.91	Peak	87.00	400	Horizontal	Pass
4**	7616.605	43.89	54.0	10.11	AV	87.00	400	Horizontal	Pass
5	12451.050	51.04	74.0	22.96	Peak	225.00	100	Horizontal	Pass
5**	12451.050	43.95	54.0	10.05	AV	225.00	100	Horizontal	Pass
6	15900.376	52.26	74.0	21.74	Peak	47.00	200	Horizontal	Pass
6**	15900.376	42.62	54.0	11.38	AV	47.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.824	39.23	74.0	34.77	Peak	325.00	200	Vertical	Pass
1**	1600.824	24.27	54.0	29.73	AV	325.00	200	Vertical	Pass
2	2225.232	38.71	74.0	35.29	Peak	57.00	200	Vertical	Pass
2**	2225.232	31.65	54.0	22.35	AV	57.00	200	Vertical	Pass
3	4257.544	50.37	74.0	23.63	Peak	263.00	200	Vertical	Pass
3**	4257.544	38.57	54.0	15.43	AV	263.00	200	Vertical	Pass
4	7710.590	52.83	74.0	21.17	Peak	181.00	100	Vertical	Pass
4**	7710.590	44.22	54.0	9.78	AV	181.00	100	Vertical	Pass
5	12497.822	56.10	74.0	17.90	Peak	228.00	100	Vertical	Pass
5**	12497.822	43.90	54.0	10.10	AV	228.00	100	Vertical	Pass
6	15669.877	56.46	74.0	17.54	Peak	26.00	400	Vertical	Pass
6**	15669.877	40.31	54.0	13.69	AV	26.00	400	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.085	35.57	74.0	38.43	Peak	58.00	100	Horizontal	Pass
1**	1524.085	26.94	54.0	27.06	AV	58.00	100	Horizontal	Pass
2	2278.465	43.30	74.0	30.70	Peak	16.00	300	Horizontal	Pass
2**	2278.465	34.02	54.0	19.98	AV	16.00	300	Horizontal	Pass
3	4043.293	47.86	74.0	26.14	Peak	53.00	200	Horizontal	Pass
3**	4043.293	39.02	54.0	14.98	AV	53.00	200	Horizontal	Pass
4	7624.154	55.70	74.0	18.30	Peak	141.00	100	Horizontal	Pass
4**	7624.154	44.65	54.0	9.35	AV	141.00	100	Horizontal	Pass
5	12458.223	54.84	74.0	19.16	Peak	131.00	300	Horizontal	Pass
5**	12458.223	44.47	54.0	9.53	AV	131.00	300	Horizontal	Pass
6	15902.936	51.40	74.0	22.60	Peak	352.00	100	Horizontal	Pass
6**	15902.936	46.83	54.0	7.17	AV	352.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.100	39.13	74.0	34.87	Peak	67.00	100	Vertical	Pass
1**	1598.100	25.50	54.0	28.50	AV	67.00	100	Vertical	Pass
2	2228.151	40.11	74.0	33.89	Peak	111.00	400	Vertical	Pass
2**	2228.151	33.14	54.0	20.86	AV	111.00	400	Vertical	Pass
3	4257.360	45.38	74.0	28.62	Peak	346.00	200	Vertical	Pass
3**	4257.360	40.58	54.0	13.42	AV	346.00	200	Vertical	Pass
4	7711.090	53.98	74.0	20.02	Peak	344.00	100	Vertical	Pass
4**	7711.090	44.76	54.0	9.24	AV	344.00	100	Vertical	Pass
5	12501.443	51.41	74.0	22.59	Peak	41.00	300	Vertical	Pass
5**	12501.443	44.54	54.0	9.46	AV	41.00	300	Vertical	Pass
6	15676.309	55.59	74.0	18.41	Peak	142.00	200	Vertical	Pass
6**	15676.309	40.89	54.0	13.11	AV	142.00	200	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.875	37.85	74.0	36.15	Peak	282.00	400	Horizontal	Pass
1**	1524.875	27.33	54.0	26.67	AV	282.00	400	Horizontal	Pass
2	2274.014	44.62	74.0	29.38	Peak	5.00	100	Horizontal	Pass
2**	2274.014	35.91	54.0	18.09	AV	5.00	100	Horizontal	Pass
3	4043.847	45.71	74.0	28.29	Peak	21.00	200	Horizontal	Pass
3**	4043.847	37.47	54.0	16.53	AV	21.00	200	Horizontal	Pass
4	7618.633	53.88	74.0	20.12	Peak	121.00	200	Horizontal	Pass
4**	7618.633	41.45	54.0	12.55	AV	121.00	200	Horizontal	Pass
5	12451.048	55.63	74.0	18.37	Peak	12.00	300	Horizontal	Pass
5**	12451.048	44.80	54.0	9.20	AV	12.00	300	Horizontal	Pass
6	15903.186	56.52	74.0	17.48	Peak	224.00	200	Horizontal	Pass
6**	15903.186	43.49	54.0	10.51	AV	224.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.150	42.33	74.0	31.67	Peak	58.00	400	Vertical	Pass
1**	1597.150	27.48	54.0	26.52	AV	58.00	400	Vertical	Pass
2	2225.408	41.21	74.0	32.79	Peak	62.00	400	Vertical	Pass
2**	2225.408	33.21	54.0	20.79	AV	62.00	400	Vertical	Pass
3	4259.357	50.19	74.0	23.81	Peak	224.00	200	Vertical	Pass
3**	4259.357	40.38	54.0	13.62	AV	224.00	200	Vertical	Pass
4	7710.171	56.21	74.0	17.79	Peak	14.00	400	Vertical	Pass
4**	7710.171	40.92	54.0	13.08	AV	14.00	400	Vertical	Pass
5	12497.023	55.90	74.0	18.10	Peak	104.00	100	Vertical	Pass
5**	12497.023	41.60	54.0	12.40	AV	104.00	100	Vertical	Pass
6	15669.437	53.62	74.0	20.38	Peak	227.00	200	Vertical	Pass
6**	15669.437	40.34	54.0	13.66	AV	227.00	200	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.136	41.48	74.0	32.52	Peak	156.00	300	Horizontal	Pass
1**	1526.136	31.00	54.0	23.00	AV	156.00	300	Horizontal	Pass
2	2273.513	42.36	74.0	31.64	Peak	118.00	400	Horizontal	Pass
2**	2273.513	34.63	54.0	19.37	AV	118.00	400	Horizontal	Pass
3	4045.106	46.70	74.0	27.30	Peak	124.00	200	Horizontal	Pass
3**	4045.106	39.87	54.0	14.13	AV	124.00	200	Horizontal	Pass
4	7622.713	51.71	74.0	22.29	Peak	109.00	100	Horizontal	Pass
4**	7622.713	42.36	54.0	11.64	AV	109.00	100	Horizontal	Pass
5	12456.513	53.61	74.0	20.39	Peak	225.00	100	Horizontal	Pass
5**	12456.513	47.41	54.0	6.59	AV	225.00	100	Horizontal	Pass
6	15907.449	53.77	74.0	20.23	Peak	24.00	400	Horizontal	Pass
6**	15907.449	45.92	54.0	8.08	AV	24.00	400	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.874	40.52	74.0	33.48	Peak	187.00	400	Vertical	Pass
1**	1596.874	23.49	54.0	30.51	AV	187.00	400	Vertical	Pass
2	2225.821	42.25	74.0	31.75	Peak	21.00	300	Vertical	Pass
2**	2225.821	29.69	54.0	24.31	AV	21.00	300	Vertical	Pass
3	4254.405	50.41	74.0	23.59	Peak	49.00	200	Vertical	Pass
3**	4254.405	35.98	54.0	18.02	AV	49.00	200	Vertical	Pass
4	7709.688	55.94	74.0	18.06	Peak	148.00	100	Vertical	Pass
4**	7709.688	41.89	54.0	12.11	AV	148.00	100	Vertical	Pass
5	12496.532	54.44	74.0	19.56	Peak	220.00	200	Vertical	Pass
5**	12496.532	45.73	54.0	8.27	AV	220.00	200	Vertical	Pass
6	15676.448	54.38	74.0	19.62	Peak	227.00	300	Vertical	Pass
6**	15676.448	42.86	54.0	11.14	AV	227.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.184	36.77	74.0	37.23	Peak	296.00	100	Horizontal	Pass
1**	1521.184	28.03	54.0	25.97	AV	296.00	100	Horizontal	Pass
2	2277.093	42.72	74.0	31.28	Peak	30.00	200	Horizontal	Pass
2**	2277.093	36.64	54.0	17.36	AV	30.00	200	Horizontal	Pass
3	4046.673	49.71	74.0	24.29	Peak	115.00	200	Horizontal	Pass
3**	4046.673	36.36	54.0	17.64	AV	115.00	200	Horizontal	Pass
4	7621.005	51.62	74.0	22.38	Peak	204.00	300	Horizontal	Pass
4**	7621.005	44.07	54.0	9.93	AV	204.00	300	Horizontal	Pass
5	12457.943	51.73	74.0	22.27	Peak	301.00	400	Horizontal	Pass
5**	12457.943	43.71	54.0	10.29	AV	301.00	400	Horizontal	Pass
6	15906.609	54.35	74.0	19.65	Peak	222.00	200	Horizontal	Pass
6**	15906.609	43.64	54.0	10.36	AV	222.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.217	40.06	74.0	33.94	Peak	213.00	400	Vertical	Pass
1**	1599.217	25.06	54.0	28.94	AV	213.00	400	Vertical	Pass
2	2227.897	41.49	74.0	32.51	Peak	205.00	100	Vertical	Pass
2**	2227.897	30.90	54.0	23.10	AV	205.00	100	Vertical	Pass
3	4255.052	48.82	74.0	25.18	Peak	57.00	200	Vertical	Pass
3**	4255.052	36.95	54.0	17.05	AV	57.00	200	Vertical	Pass
4	7711.019	55.36	74.0	18.64	Peak	13.00	100	Vertical	Pass
4**	7711.019	41.37	54.0	12.63	AV	13.00	100	Vertical	Pass
5	12502.601	54.56	74.0	19.44	Peak	40.00	300	Vertical	Pass
5**	12502.601	45.65	54.0	8.35	AV	40.00	300	Vertical	Pass
6	15670.988	58.36	74.0	15.64	Peak	289.00	200	Vertical	Pass
6**	15670.988	40.19	54.0	13.81	AV	289.00	200	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.055	40.13	74.0	33.87	Peak	193.00	100	Horizontal	Pass
1**	1523.055	30.73	54.0	23.27	AV	193.00	100	Horizontal	Pass
2	2273.017	44.85	74.0	29.15	Peak	225.00	300	Horizontal	Pass
2**	2273.017	35.29	54.0	18.71	AV	225.00	300	Horizontal	Pass
3	4042.911	49.58	74.0	24.42	Peak	78.00	200	Horizontal	Pass
3**	4042.911	34.36	54.0	19.64	AV	78.00	200	Horizontal	Pass
4	7618.672	50.81	74.0	23.19	Peak	173.00	200	Horizontal	Pass
4**	7618.672	45.50	54.0	8.50	AV	173.00	200	Horizontal	Pass
5	12457.597	52.25	74.0	21.75	Peak	284.00	300	Horizontal	Pass
5**	12457.597	44.60	54.0	9.40	AV	284.00	300	Horizontal	Pass
6	15900.131	54.43	74.0	19.57	Peak	359.00	300	Horizontal	Pass
6**	15900.131	42.37	54.0	11.63	AV	359.00	300	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.247	42.93	74.0	31.07	Peak	49.00	100	Vertical	Pass
1**	1601.247	26.62	54.0	27.38	AV	49.00	100	Vertical	Pass
2	2225.863	43.83	74.0	30.17	Peak	134.00	400	Vertical	Pass
2**	2225.863	31.82	54.0	22.18	AV	134.00	400	Vertical	Pass
3	4258.877	48.31	74.0	25.69	Peak	112.00	200	Vertical	Pass
3**	4258.877	39.09	54.0	14.91	AV	112.00	200	Vertical	Pass
4	7705.761	52.83	74.0	21.17	Peak	233.00	400	Vertical	Pass
4**	7705.761	41.61	54.0	12.39	AV	233.00	400	Vertical	Pass
5	12499.221	52.32	74.0	21.68	Peak	186.00	100	Vertical	Pass
5**	12499.221	44.78	54.0	9.22	AV	186.00	100	Vertical	Pass
6	15674.628	55.97	74.0	18.03	Peak	140.00	400	Vertical	Pass
6**	15674.628	42.04	54.0	11.96	AV	140.00	400	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.152	38.97	74.0	35.03	Peak	213.00	100	Horizontal	Pass
1**	1527.152	28.86	54.0	25.14	AV	213.00	100	Horizontal	Pass
2	2273.464	46.10	74.0	27.90	Peak	75.00	100	Horizontal	Pass
2**	2273.464	34.93	54.0	19.07	AV	75.00	100	Horizontal	Pass
3	4043.988	48.80	74.0	25.20	Peak	302.00	200	Horizontal	Pass
3**	4043.988	39.76	54.0	14.24	AV	302.00	200	Horizontal	Pass
4	7620.762	51.61	74.0	22.39	Peak	160.00	100	Horizontal	Pass
4**	7620.762	41.96	54.0	12.04	AV	160.00	100	Horizontal	Pass
5	12457.378	50.95	74.0	23.05	Peak	201.00	300	Horizontal	Pass
5**	12457.378	43.20	54.0	10.80	AV	201.00	300	Horizontal	Pass
6	15901.976	55.01	74.0	18.99	Peak	307.00	400	Horizontal	Pass
6**	15901.976	42.88	54.0	11.12	AV	307.00	400	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.509	39.93	74.0	34.07	Peak	104.00	300	Vertical	Pass
1**	1598.509	27.86	54.0	26.14	AV	104.00	300	Vertical	Pass
2	2230.657	43.59	74.0	30.41	Peak	338.00	100	Vertical	Pass
2**	2230.657	29.60	54.0	24.40	AV	338.00	100	Vertical	Pass
3	4256.171	47.83	74.0	26.17	Peak	294.00	200	Vertical	Pass
3**	4256.171	38.05	54.0	15.95	AV	294.00	200	Vertical	Pass
4	7711.397	56.74	74.0	17.26	Peak	322.00	100	Vertical	Pass
4**	7711.397	40.41	54.0	13.59	AV	322.00	100	Vertical	Pass
5	12497.194	54.63	74.0	19.37	Peak	345.00	100	Vertical	Pass
5**	12497.194	43.54	54.0	10.46	AV	345.00	100	Vertical	Pass
6	15674.706	55.02	74.0	18.98	Peak	46.00	400	Vertical	Pass
6**	15674.706	44.06	54.0	9.94	AV	46.00	400	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.015	38.71	74.0	35.29	Peak	211.00	100	Horizontal	Pass
1**	1523.015	29.17	54.0	24.83	AV	211.00	100	Horizontal	Pass
2	2273.601	42.77	74.0	31.23	Peak	193.00	200	Horizontal	Pass
2**	2273.601	33.62	54.0	20.38	AV	193.00	200	Horizontal	Pass
3	4042.982	44.34	74.0	29.66	Peak	224.00	200	Horizontal	Pass
3**	4042.982	35.37	54.0	18.63	AV	224.00	200	Horizontal	Pass
4	7620.062	53.80	74.0	20.20	Peak	194.00	100	Horizontal	Pass
4**	7620.062	45.83	54.0	8.17	AV	194.00	100	Horizontal	Pass
5	12450.613	55.12	74.0	18.88	Peak	245.00	300	Horizontal	Pass
5**	12450.613	44.69	54.0	9.31	AV	245.00	300	Horizontal	Pass
6	15902.173	52.45	74.0	21.55	Peak	316.00	200	Horizontal	Pass
6**	15902.173	41.79	54.0	12.21	AV	316.00	200	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.705	42.77	74.0	31.23	Peak	101.00	100	Vertical	Pass
1**	1599.705	23.28	54.0	30.72	AV	101.00	100	Vertical	Pass
2	2226.668	38.62	74.0	35.38	Peak	321.00	300	Vertical	Pass
2**	2226.668	30.63	54.0	23.37	AV	321.00	300	Vertical	Pass
3	4261.043	47.90	74.0	26.10	Peak	167.00	200	Vertical	Pass
3**	4261.043	36.10	54.0	17.90	AV	167.00	200	Vertical	Pass
4	7707.647	53.41	74.0	20.59	Peak	247.00	400	Vertical	Pass
4**	7707.647	43.39	54.0	10.61	AV	247.00	400	Vertical	Pass
5	12501.370	51.11	74.0	22.89	Peak	262.00	100	Vertical	Pass
5**	12501.370	43.72	54.0	10.28	AV	262.00	100	Vertical	Pass
6	15675.869	57.17	74.0	16.83	Peak	239.00	100	Vertical	Pass
6**	15675.869	42.61	54.0	11.39	AV	239.00	100	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.194	37.83	74.0	36.17	Peak	310.00	100	Horizontal	Pass
1**	1522.194	27.20	54.0	26.80	AV	310.00	100	Horizontal	Pass
2	2277.476	42.57	74.0	31.43	Peak	207.00	400	Horizontal	Pass
2**	2277.476	36.40	54.0	17.60	AV	207.00	400	Horizontal	Pass
3	4043.039	46.59	74.0	27.41	Peak	121.00	200	Horizontal	Pass
3**	4043.039	37.12	54.0	16.88	AV	121.00	200	Horizontal	Pass
4	7618.284	55.24	74.0	18.76	Peak	278.00	400	Horizontal	Pass
4**	7618.284	43.64	54.0	10.36	AV	278.00	400	Horizontal	Pass
5	12451.335	55.29	74.0	18.71	Peak	54.00	200	Horizontal	Pass
5**	12451.335	42.05	54.0	11.95	AV	54.00	200	Horizontal	Pass
6	15905.943	51.21	74.0	22.79	Peak	325.00	200	Horizontal	Pass
6**	15905.943	45.78	54.0	8.22	AV	325.00	200	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.213	40.10	74.0	33.90	Peak	41.00	100	Vertical	Pass
1**	1601.213	24.50	54.0	29.50	AV	41.00	100	Vertical	Pass
2	2224.098	39.09	74.0	34.91	Peak	100.00	100	Vertical	Pass
2**	2224.098	31.53	54.0	22.47	AV	100.00	100	Vertical	Pass
3	4254.461	49.39	74.0	24.61	Peak	221.00	200	Vertical	Pass
3**	4254.461	38.06	54.0	15.94	AV	221.00	200	Vertical	Pass
4	7712.396	56.80	74.0	17.20	Peak	16.00	200	Vertical	Pass
4**	7712.396	42.29	54.0	11.71	AV	16.00	200	Vertical	Pass
5	12496.471	55.49	74.0	18.51	Peak	212.00	300	Vertical	Pass
5**	12496.471	40.27	54.0	13.73	AV	212.00	300	Vertical	Pass
6	15675.351	53.94	74.0	20.06	Peak	185.00	100	Vertical	Pass
6**	15675.351	44.16	54.0	9.84	AV	185.00	100	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.396	35.92	74.0	38.08	Peak	114.00	300	Horizontal	Pass
1**	1523.396	29.12	54.0	24.88	AV	114.00	300	Horizontal	Pass
2	2270.922	45.67	74.0	28.33	Peak	14.00	300	Horizontal	Pass
2**	2270.922	33.26	54.0	20.74	AV	14.00	300	Horizontal	Pass
3	4048.336	44.74	74.0	29.26	Peak	329.00	200	Horizontal	Pass
3**	4048.336	37.38	54.0	16.62	AV	329.00	200	Horizontal	Pass
4	7621.561	54.17	74.0	19.83	Peak	132.00	400	Horizontal	Pass
4**	7621.561	40.84	54.0	13.16	AV	132.00	400	Horizontal	Pass
5	12455.649	52.80	74.0	21.20	Peak	234.00	100	Horizontal	Pass
5**	12455.649	41.91	54.0	12.09	AV	234.00	100	Horizontal	Pass
6	15902.289	53.09	74.0	20.91	Peak	68.00	400	Horizontal	Pass
6**	15902.289	41.82	54.0	12.18	AV	68.00	400	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.326	37.38	74.0	36.62	Peak	88.00	200	Vertical	Pass
1**	1602.326	24.94	54.0	29.06	AV	88.00	200	Vertical	Pass
2	2225.402	42.16	74.0	31.84	Peak	145.00	100	Vertical	Pass
2**	2225.402	28.81	54.0	25.19	AV	145.00	100	Vertical	Pass
3	4258.612	45.01	74.0	28.99	Peak	326.00	200	Vertical	Pass
3**	4258.612	36.49	54.0	17.51	AV	326.00	200	Vertical	Pass
4	7708.106	54.82	74.0	19.18	Peak	174.00	200	Vertical	Pass
4**	7708.106	40.23	54.0	13.77	AV	174.00	200	Vertical	Pass
5	12500.483	53.32	74.0	20.68	Peak	223.00	400	Vertical	Pass
5**	12500.483	44.50	54.0	9.50	AV	223.00	400	Vertical	Pass
6	15673.525	53.34	74.0	20.66	Peak	242.00	200	Vertical	Pass
6**	15673.525	43.18	54.0	10.82	AV	242.00	200	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.918	39.70	74.0	34.30	Peak	84.00	400	Horizontal	Pass
1**	1523.918	29.87	54.0	24.13	AV	84.00	400	Horizontal	Pass
2	2278.596	43.97	74.0	30.03	Peak	260.00	300	Horizontal	Pass
2**	2278.596	33.93	54.0	20.07	AV	260.00	300	Horizontal	Pass
3	4048.959	46.64	74.0	27.36	Peak	196.00	200	Horizontal	Pass
3**	4048.959	38.23	54.0	15.77	AV	196.00	200	Horizontal	Pass
4	7621.103	51.20	74.0	22.80	Peak	27.00	100	Horizontal	Pass
4**	7621.103	41.92	54.0	12.08	AV	27.00	100	Horizontal	Pass
5	12453.680	50.73	74.0	23.27	Peak	177.00	200	Horizontal	Pass
5**	12453.680	42.00	54.0	12.00	AV	177.00	200	Horizontal	Pass
6	15901.535	51.27	74.0	22.73	Peak	202.00	300	Horizontal	Pass
6**	15901.535	47.37	54.0	6.63	AV	202.00	300	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.655	42.30	74.0	31.70	Peak	74.00	400	Vertical	Pass
1**	1600.655	28.80	54.0	25.20	AV	74.00	400	Vertical	Pass
2	2225.227	39.20	74.0	34.80	Peak	28.00	200	Vertical	Pass
2**	2225.227	28.57	54.0	25.43	AV	28.00	200	Vertical	Pass
3	4261.522	46.94	74.0	27.06	Peak	125.00	200	Vertical	Pass
3**	4261.522	41.27	54.0	12.73	AV	125.00	200	Vertical	Pass
4	7712.453	56.33	74.0	17.67	Peak	175.00	200	Vertical	Pass
4**	7712.453	41.99	54.0	12.01	AV	175.00	200	Vertical	Pass
5	12495.320	55.29	74.0	18.71	Peak	4.00	300	Vertical	Pass
5**	12495.320	40.97	54.0	13.03	AV	4.00	300	Vertical	Pass
6	15672.071	52.71	74.0	21.29	Peak	192.00	200	Vertical	Pass
6**	15672.071	41.52	54.0	12.48	AV	192.00	200	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.576	40.92	74.0	33.08	Peak	103.00	100	Horizontal	Pass
1**	1522.576	27.08	54.0	26.92	AV	103.00	100	Horizontal	Pass
2	2272.966	44.80	74.0	29.20	Peak	337.00	100	Horizontal	Pass
2**	2272.966	35.76	54.0	18.24	AV	337.00	100	Horizontal	Pass
3	4044.910	45.13	74.0	28.87	Peak	156.00	200	Horizontal	Pass
3**	4044.910	40.21	54.0	13.79	AV	156.00	200	Horizontal	Pass
4	7621.656	51.45	74.0	22.55	Peak	19.00	400	Horizontal	Pass
4**	7621.656	41.91	54.0	12.09	AV	19.00	400	Horizontal	Pass
5	12452.305	51.90	74.0	22.10	Peak	57.00	100	Horizontal	Pass
5**	12452.305	44.98	54.0	9.02	AV	57.00	100	Horizontal	Pass
6	15902.381	53.47	74.0	20.53	Peak	160.00	200	Horizontal	Pass
6**	15902.381	44.79	54.0	9.21	AV	160.00	200	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.792	39.00	74.0	35.00	Peak	182.00	400	Vertical	Pass
1**	1600.792	25.34	54.0	28.66	AV	182.00	400	Vertical	Pass
2	2230.244	39.24	74.0	34.76	Peak	78.00	300	Vertical	Pass
2**	2230.244	28.86	54.0	25.14	AV	78.00	300	Vertical	Pass
3	4261.029	47.08	74.0	26.92	Peak	355.00	200	Vertical	Pass
3**	4261.029	37.08	54.0	16.92	AV	355.00	200	Vertical	Pass
4	7706.355	54.47	74.0	19.53	Peak	81.00	400	Vertical	Pass
4**	7706.355	41.93	54.0	12.07	AV	81.00	400	Vertical	Pass
5	12495.003	54.46	74.0	19.54	Peak	75.00	200	Vertical	Pass
5**	12495.003	41.30	54.0	12.70	AV	75.00	200	Vertical	Pass
6	15669.463	57.54	74.0	16.46	Peak	186.00	300	Vertical	Pass
6**	15669.463	44.85	54.0	9.15	AV	186.00	300	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.052	41.09	74.0	32.91	Peak	146.00	300	Horizontal	Pass
1**	1524.052	27.45	54.0	26.55	AV	146.00	300	Horizontal	Pass
2	2271.364	43.64	74.0	30.36	Peak	190.00	300	Horizontal	Pass
2**	2271.364	32.24	54.0	21.76	AV	190.00	300	Horizontal	Pass
3	4043.381	49.15	74.0	24.85	Peak	104.00	200	Horizontal	Pass
3**	4043.381	36.78	54.0	17.22	AV	104.00	200	Horizontal	Pass
4	7622.774	52.59	74.0	21.41	Peak	296.00	100	Horizontal	Pass
4**	7622.774	42.66	54.0	11.34	AV	296.00	100	Horizontal	Pass
5	12451.756	51.33	74.0	22.67	Peak	235.00	100	Horizontal	Pass
5**	12451.756	43.67	54.0	10.33	AV	235.00	100	Horizontal	Pass
6	15900.308	52.20	74.0	21.80	Peak	55.00	400	Horizontal	Pass
6**	15900.308	42.81	54.0	11.19	AV	55.00	400	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.790	41.98	74.0	32.02	Peak	267.00	200	Vertical	Pass
1**	1601.790	26.44	54.0	27.56	AV	267.00	200	Vertical	Pass
2	2227.254	38.67	74.0	35.33	Peak	189.00	100	Vertical	Pass
2**	2227.254	34.02	54.0	19.98	AV	189.00	100	Vertical	Pass
3	4261.077	49.67	74.0	24.33	Peak	270.00	200	Vertical	Pass
3**	4261.077	41.28	54.0	12.72	AV	270.00	200	Vertical	Pass
4	7707.035	55.97	74.0	18.03	Peak	248.00	300	Vertical	Pass
4**	7707.035	42.93	54.0	11.07	AV	248.00	300	Vertical	Pass
5	12498.075	53.98	74.0	20.02	Peak	241.00	400	Vertical	Pass
5**	12498.075	42.80	54.0	11.20	AV	241.00	400	Vertical	Pass
6	15671.226	58.33	74.0	15.67	Peak	63.00	100	Vertical	Pass
6**	15671.226	43.62	54.0	10.38	AV	63.00	100	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.856	35.86	74.0	38.14	Peak	103.00	400	Horizontal	Pass
1**	1524.856	27.20	54.0	26.80	AV	103.00	400	Horizontal	Pass
2	2274.220	42.05	74.0	31.95	Peak	232.00	200	Horizontal	Pass
2**	2274.220	34.43	54.0	19.57	AV	232.00	200	Horizontal	Pass
3	4049.907	45.53	74.0	28.47	Peak	86.00	200	Horizontal	Pass
3**	4049.907	36.11	54.0	17.89	AV	86.00	200	Horizontal	Pass
4	7621.891	55.74	74.0	18.26	Peak	307.00	300	Horizontal	Pass
4**	7621.891	45.20	54.0	8.80	AV	307.00	300	Horizontal	Pass
5	12453.493	56.03	74.0	17.97	Peak	48.00	300	Horizontal	Pass
5**	12453.493	41.54	54.0	12.46	AV	48.00	300	Horizontal	Pass
6	15906.229	51.02	74.0	22.98	Peak	126.00	100	Horizontal	Pass
6**	15906.229	42.99	54.0	11.01	AV	126.00	100	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.425	40.08	74.0	33.92	Peak	54.00	200	Vertical	Pass
1**	1602.425	26.40	54.0	27.60	AV	54.00	200	Vertical	Pass
2	2227.733	41.06	74.0	32.94	Peak	86.00	200	Vertical	Pass
2**	2227.733	32.16	54.0	21.84	AV	86.00	200	Vertical	Pass
3	4261.965	50.29	74.0	23.71	Peak	67.00	200	Vertical	Pass
3**	4261.965	38.48	54.0	15.52	AV	67.00	200	Vertical	Pass
4	7710.149	57.90	74.0	16.10	Peak	312.00	100	Vertical	Pass
4**	7710.149	40.66	54.0	13.34	AV	312.00	100	Vertical	Pass
5	12501.128	52.36	74.0	21.64	Peak	303.00	200	Vertical	Pass
5**	12501.128	40.99	54.0	13.01	AV	303.00	200	Vertical	Pass
6	15673.551	58.40	74.0	15.60	Peak	216.00	300	Vertical	Pass
6**	15673.551	44.55	54.0	9.45	AV	216.00	300	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.887	41.26	74.0	32.74	Peak	216.00	100	Horizontal	Pass
1**	1527.887	26.19	54.0	27.81	AV	216.00	100	Horizontal	Pass
2	2271.207	43.36	74.0	30.64	Peak	195.00	200	Horizontal	Pass
2**	2271.207	35.66	54.0	18.34	AV	195.00	200	Horizontal	Pass
3	4047.645	45.48	74.0	28.52	Peak	102.00	200	Horizontal	Pass
3**	4047.645	35.83	54.0	18.17	AV	102.00	200	Horizontal	Pass
4	7621.593	51.75	74.0	22.25	Peak	150.00	400	Horizontal	Pass
4**	7621.593	46.42	54.0	7.58	AV	150.00	400	Horizontal	Pass
5	12455.441	53.80	74.0	20.20	Peak	72.00	100	Horizontal	Pass
5**	12455.441	47.05	54.0	6.95	AV	72.00	100	Horizontal	Pass
6	15900.612	52.46	74.0	21.54	Peak	282.00	300	Horizontal	Pass
6**	15900.612	45.60	54.0	8.40	AV	282.00	300	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.329	39.37	74.0	34.63	Peak	91.00	200	Vertical	Pass
1**	1600.329	27.84	54.0	26.16	AV	91.00	200	Vertical	Pass
2	2229.113	42.69	74.0	31.31	Peak	336.00	200	Vertical	Pass
2**	2229.113	29.10	54.0	24.90	AV	336.00	200	Vertical	Pass
3	4256.619	46.40	74.0	27.60	Peak	118.00	200	Vertical	Pass
3**	4256.619	36.69	54.0	17.31	AV	118.00	200	Vertical	Pass
4	7708.308	55.46	74.0	18.54	Peak	319.00	300	Vertical	Pass
4**	7708.308	41.95	54.0	12.05	AV	319.00	300	Vertical	Pass
5	12495.699	51.98	74.0	22.02	Peak	145.00	100	Vertical	Pass
5**	12495.699	44.83	54.0	9.17	AV	145.00	100	Vertical	Pass
6	15671.174	54.13	74.0	19.87	Peak	34.00	300	Vertical	Pass
6**	15671.174	43.49	54.0	10.51	AV	34.00	300	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.762	41.05	74.0	32.95	Peak	0.00	100	Horizontal	Pass
1**	1524.762	27.68	54.0	26.32	AV	0.00	100	Horizontal	Pass
2	2271.924	46.54	74.0	27.46	Peak	223.00	200	Horizontal	Pass
2**	2271.924	37.28	54.0	16.72	AV	223.00	200	Horizontal	Pass
3	4042.744	47.25	74.0	26.75	Peak	237.00	200	Horizontal	Pass
3**	4042.744	40.20	54.0	13.80	AV	237.00	200	Horizontal	Pass
4	7618.594	51.16	74.0	22.84	Peak	347.00	400	Horizontal	Pass
4**	7618.594	43.38	54.0	10.62	AV	347.00	400	Horizontal	Pass
5	12452.884	54.02	74.0	19.98	Peak	166.00	300	Horizontal	Pass
5**	12452.884	43.54	54.0	10.46	AV	166.00	300	Horizontal	Pass
6	15904.750	50.94	74.0	23.06	Peak	206.00	300	Horizontal	Pass
6**	15904.750	46.60	54.0	7.40	AV	206.00	300	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.219	41.03	74.0	32.97	Peak	84.00	200	Vertical	Pass
1**	1597.219	23.00	54.0	31.00	AV	84.00	200	Vertical	Pass
2	2228.092	40.36	74.0	33.64	Peak	196.00	100	Vertical	Pass
2**	2228.092	30.83	54.0	23.17	AV	196.00	100	Vertical	Pass
3	4260.052	50.58	74.0	23.42	Peak	313.00	200	Vertical	Pass
3**	4260.052	37.30	54.0	16.70	AV	313.00	200	Vertical	Pass
4	7710.411	54.23	74.0	19.77	Peak	299.00	200	Vertical	Pass
4**	7710.411	43.48	54.0	10.52	AV	299.00	200	Vertical	Pass
5	12498.360	51.67	74.0	22.33	Peak	90.00	100	Vertical	Pass
5**	12498.360	43.47	54.0	10.53	AV	90.00	100	Vertical	Pass
6	15671.155	52.86	74.0	21.14	Peak	217.00	300	Vertical	Pass
6**	15671.155	42.30	54.0	11.70	AV	217.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.400	38.98	74.0	35.02	Peak	18.00	100	Horizontal	Pass
1**	1519.400	28.88	54.0	25.12	AV	18.00	100	Horizontal	Pass
2	4021.342	48.51	74.0	25.49	Peak	162.00	200	Horizontal	Pass
2**	4021.342	38.42	54.0	15.58	AV	162.00	200	Horizontal	Pass
3	7597.127	56.16	74.0	17.84	Peak	26.00	200	Horizontal	Pass
3**	7597.127	40.95	54.0	13.05	AV	26.00	200	Horizontal	Pass
4	12451.783	55.98	74.0	18.02	Peak	41.00	400	Horizontal	Pass
4**	12451.783	44.89	54.0	9.11	AV	41.00	400	Horizontal	Pass
5	16098.856	53.73	74.0	20.27	Peak	231.00	300	Horizontal	Pass
5**	16098.856	44.14	54.0	9.86	AV	231.00	300	Horizontal	Pass
6	17423.348	55.72	74.0	18.28	Peak	169.00	300	Horizontal	Pass
6**	17423.348	44.52	54.0	9.48	AV	169.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.754	41.73	74.0	32.27	Peak	285.00	100	Vertical	Pass
1**	1331.754	31.19	54.0	22.81	AV	285.00	100	Vertical	Pass
2	1438.352	43.72	74.0	30.28	Peak	321.00	100	Vertical	Pass
2**	1438.352	37.98	54.0	16.02	AV	321.00	100	Vertical	Pass
3	4310.066	45.07	74.0	28.93	Peak	73.00	200	Vertical	Pass
3**	4310.066	41.46	54.0	12.54	AV	73.00	200	Vertical	Pass
4	7590.254	54.09	74.0	19.91	Peak	82.00	100	Vertical	Pass
4**	7590.254	46.19	54.0	7.81	AV	82.00	100	Vertical	Pass
5	12538.201	54.53	74.0	19.47	Peak	135.00	100	Vertical	Pass
5**	12538.201	40.86	54.0	13.14	AV	135.00	100	Vertical	Pass
6	15909.214	52.58	74.0	21.42	Peak	247.00	300	Vertical	Pass
6**	15909.214	46.61	54.0	7.39	AV	247.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.934	36.76	74.0	37.24	Peak	273.00	300	Horizontal	Pass
1**	1524.934	27.70	54.0	26.30	AV	273.00	300	Horizontal	Pass
2	4016.449	46.31	74.0	27.69	Peak	217.00	400	Horizontal	Pass
2**	4016.449	35.42	54.0	18.58	AV	217.00	400	Horizontal	Pass
3	7600.444	56.26	74.0	17.74	Peak	209.00	200	Horizontal	Pass
3**	7600.444	42.19	54.0	11.81	AV	209.00	200	Horizontal	Pass
4	12459.026	52.91	74.0	21.09	Peak	53.00	100	Horizontal	Pass
4**	12459.026	43.63	54.0	10.37	AV	53.00	100	Horizontal	Pass
5	16097.246	56.38	74.0	17.62	Peak	188.00	300	Horizontal	Pass
5**	16097.246	44.72	54.0	9.28	AV	188.00	300	Horizontal	Pass
6	17421.212	58.08	74.0	15.92	Peak	329.00	300	Horizontal	Pass
6**	17421.212	47.63	54.0	6.37	AV	329.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.479	44.54	74.0	29.46	Peak	188.00	400	Vertical	Pass
1**	1334.479	34.67	54.0	19.33	AV	188.00	400	Vertical	Pass
2	1443.476	39.50	74.0	34.50	Peak	84.00	200	Vertical	Pass
2**	1443.476	36.67	54.0	17.33	AV	84.00	200	Vertical	Pass
3	4314.586	47.23	74.0	26.77	Peak	38.00	200	Vertical	Pass
3**	4314.586	40.87	54.0	13.13	AV	38.00	200	Vertical	Pass
4	7598.191	52.62	74.0	21.38	Peak	187.00	100	Vertical	Pass
4**	7598.191	43.63	54.0	10.37	AV	187.00	100	Vertical	Pass
5	12536.356	55.59	74.0	18.41	Peak	264.00	100	Vertical	Pass
5**	12536.356	42.24	54.0	11.76	AV	264.00	100	Vertical	Pass
6	15903.747	57.12	74.0	16.88	Peak	139.00	300	Vertical	Pass
6**	15903.747	44.61	54.0	9.39	AV	139.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.503	39.54	74.0	34.46	Peak	18.00	200	Horizontal	Pass
1**	1524.503	30.70	54.0	23.30	AV	18.00	200	Horizontal	Pass
2	4016.478	50.11	74.0	23.89	Peak	213.00	300	Horizontal	Pass
2**	4016.478	34.02	54.0	19.98	AV	213.00	300	Horizontal	Pass
3	7601.469	55.56	74.0	18.44	Peak	333.00	200	Horizontal	Pass
3**	7601.469	44.53	54.0	9.47	AV	333.00	200	Horizontal	Pass
4	12459.736	51.90	74.0	22.10	Peak	16.00	300	Horizontal	Pass
4**	12459.736	46.81	54.0	7.19	AV	16.00	300	Horizontal	Pass
5	16098.749	55.30	74.0	18.70	Peak	271.00	300	Horizontal	Pass
5**	16098.749	44.93	54.0	9.07	AV	271.00	300	Horizontal	Pass
6	17416.967	53.83	74.0	20.17	Peak	226.00	100	Horizontal	Pass
6**	17416.967	45.49	54.0	8.51	AV	226.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.222	45.33	74.0	28.67	Peak	79.00	200	Vertical	Pass
1**	1335.222	33.38	54.0	20.62	AV	79.00	200	Vertical	Pass
2	1439.720	39.63	74.0	34.37	Peak	97.00	300	Vertical	Pass
2**	1439.720	37.99	54.0	16.01	AV	97.00	300	Vertical	Pass
3	4311.962	45.35	74.0	28.65	Peak	103.00	200	Vertical	Pass
3**	4311.962	40.98	54.0	13.02	AV	103.00	200	Vertical	Pass
4	7591.183	50.47	74.0	23.53	Peak	84.00	100	Vertical	Pass
4**	7591.183	41.20	54.0	12.80	AV	84.00	100	Vertical	Pass
5	12531.286	52.56	74.0	21.44	Peak	53.00	400	Vertical	Pass
5**	12531.286	46.60	54.0	7.40	AV	53.00	400	Vertical	Pass
6	15909.367	52.18	74.0	21.82	Peak	351.00	400	Vertical	Pass
6**	15909.367	45.29	54.0	8.71	AV	351.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.295	39.58	74.0	34.42	Peak	182.00	400	Horizontal	Pass
1**	1522.295	29.24	54.0	24.76	AV	182.00	400	Horizontal	Pass
2	4019.648	50.05	74.0	23.95	Peak	224.00	100	Horizontal	Pass
2**	4019.648	36.08	54.0	17.92	AV	224.00	100	Horizontal	Pass
3	7598.425	55.63	74.0	18.37	Peak	358.00	200	Horizontal	Pass
3**	7598.425	42.99	54.0	11.01	AV	358.00	200	Horizontal	Pass
4	12457.505	54.99	74.0	19.01	Peak	341.00	100	Horizontal	Pass
4**	12457.505	44.60	54.0	9.40	AV	341.00	100	Horizontal	Pass
5	16091.511	53.55	74.0	20.45	Peak	24.00	400	Horizontal	Pass
5**	16091.511	42.03	54.0	11.97	AV	24.00	400	Horizontal	Pass
6	17419.582	55.77	74.0	18.23	Peak	318.00	300	Horizontal	Pass
6**	17419.582	45.44	54.0	8.56	AV	318.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.264	45.99	74.0	28.01	Peak	109.00	300	Vertical	Pass
1**	1333.264	36.41	54.0	17.59	AV	109.00	300	Vertical	Pass
2	1442.490	44.05	74.0	29.95	Peak	33.00	400	Vertical	Pass
2**	1442.490	35.26	54.0	18.74	AV	33.00	400	Vertical	Pass
3	4308.886	46.56	74.0	27.44	Peak	360.00	200	Vertical	Pass
3**	4308.886	36.82	54.0	17.18	AV	360.00	200	Vertical	Pass
4	7594.590	51.39	74.0	22.61	Peak	193.00	200	Vertical	Pass
4**	7594.590	41.08	54.0	12.92	AV	193.00	200	Vertical	Pass
5	12534.139	50.66	74.0	23.34	Peak	173.00	400	Vertical	Pass
5**	12534.139	41.23	54.0	12.77	AV	173.00	400	Vertical	Pass
6	15905.175	55.12	74.0	18.88	Peak	324.00	100	Vertical	Pass
6**	15905.175	44.68	54.0	9.32	AV	324.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.845	38.23	74.0	35.77	Peak	169.00	300	Horizontal	Pass
1**	1518.845	30.45	54.0	23.55	AV	169.00	300	Horizontal	Pass
2	4016.185	49.36	74.0	24.64	Peak	266.00	100	Horizontal	Pass
2**	4016.185	35.93	54.0	18.07	AV	266.00	100	Horizontal	Pass
3	7600.934	52.52	74.0	21.48	Peak	222.00	200	Horizontal	Pass
3**	7600.934	44.93	54.0	9.07	AV	222.00	200	Horizontal	Pass
4	12456.838	51.62	74.0	22.38	Peak	263.00	100	Horizontal	Pass
4**	12456.838	43.48	54.0	10.52	AV	263.00	100	Horizontal	Pass
5	16092.422	54.75	74.0	19.25	Peak	156.00	400	Horizontal	Pass
5**	16092.422	43.92	54.0	10.08	AV	156.00	400	Horizontal	Pass
6	17417.820	58.33	74.0	15.67	Peak	327.00	400	Horizontal	Pass
6**	17417.820	46.47	54.0	7.53	AV	327.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.551	41.63	74.0	32.37	Peak	131.00	200	Vertical	Pass
1**	1330.551	35.94	54.0	18.06	AV	131.00	200	Vertical	Pass
2	1436.314	42.27	74.0	31.73	Peak	19.00	300	Vertical	Pass
2**	1436.314	36.72	54.0	17.28	AV	19.00	300	Vertical	Pass
3	4314.431	49.39	74.0	24.61	Peak	234.00	200	Vertical	Pass
3**	4314.431	37.42	54.0	16.58	AV	234.00	200	Vertical	Pass
4	7597.652	52.44	74.0	21.56	Peak	56.00	200	Vertical	Pass
4**	7597.652	43.17	54.0	10.83	AV	56.00	200	Vertical	Pass
5	12534.562	54.59	74.0	19.41	Peak	128.00	100	Vertical	Pass
5**	12534.562	41.32	54.0	12.68	AV	128.00	100	Vertical	Pass
6	15904.034	51.63	74.0	22.37	Peak	299.00	100	Vertical	Pass
6**	15904.034	47.15	54.0	6.85	AV	299.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.322	38.10	74.0	35.90	Peak	253.00	200	Horizontal	Pass
1**	1523.322	28.12	54.0	25.88	AV	253.00	200	Horizontal	Pass
2	4019.916	48.79	74.0	25.21	Peak	164.00	100	Horizontal	Pass
2**	4019.916	38.67	54.0	15.33	AV	164.00	100	Horizontal	Pass
3	7600.877	51.32	74.0	22.68	Peak	48.00	200	Horizontal	Pass
3**	7600.877	44.73	54.0	9.27	AV	48.00	200	Horizontal	Pass
4	12455.357	53.30	74.0	20.70	Peak	237.00	400	Horizontal	Pass
4**	12455.357	43.96	54.0	10.04	AV	237.00	400	Horizontal	Pass
5	16095.591	53.92	74.0	20.08	Peak	242.00	400	Horizontal	Pass
5**	16095.591	45.71	54.0	8.29	AV	242.00	400	Horizontal	Pass
6	17420.522	55.80	74.0	18.20	Peak	70.00	200	Horizontal	Pass
6**	17420.522	44.62	54.0	9.38	AV	70.00	200	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.234	44.07	74.0	29.93	Peak	107.00	400	Vertical	Pass
1**	1330.234	32.64	54.0	21.36	AV	107.00	400	Vertical	Pass
2	1441.410	42.42	74.0	31.58	Peak	126.00	300	Vertical	Pass
2**	1441.410	36.32	54.0	17.68	AV	126.00	300	Vertical	Pass
3	4314.709	47.02	74.0	26.98	Peak	345.00	200	Vertical	Pass
3**	4314.709	35.56	54.0	18.44	AV	345.00	200	Vertical	Pass
4	7597.876	51.34	74.0	22.66	Peak	61.00	200	Vertical	Pass
4**	7597.876	41.65	54.0	12.35	AV	61.00	200	Vertical	Pass
5	12533.418	51.31	74.0	22.69	Peak	200.00	300	Vertical	Pass
5**	12533.418	45.25	54.0	8.75	AV	200.00	300	Vertical	Pass
6	15907.968	51.60	74.0	22.40	Peak	162.00	100	Vertical	Pass
6**	15907.968	47.38	54.0	6.62	AV	162.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.936	35.29	74.0	38.71	Peak	124.00	400	Horizontal	Pass
1**	1520.936	30.14	54.0	23.86	AV	124.00	400	Horizontal	Pass
2	4017.478	44.91	74.0	29.09	Peak	170.00	300	Horizontal	Pass
2**	4017.478	37.65	54.0	16.35	AV	170.00	300	Horizontal	Pass
3	7594.724	51.24	74.0	22.76	Peak	220.00	200	Horizontal	Pass
3**	7594.724	40.81	54.0	13.19	AV	220.00	200	Horizontal	Pass
4	12452.572	52.61	74.0	21.39	Peak	316.00	100	Horizontal	Pass
4**	12452.572	45.06	54.0	8.94	AV	316.00	100	Horizontal	Pass
5	16096.443	52.39	74.0	21.61	Peak	279.00	300	Horizontal	Pass
5**	16096.443	46.44	54.0	7.56	AV	279.00	300	Horizontal	Pass
6	17420.890	55.18	74.0	18.82	Peak	88.00	200	Horizontal	Pass
6**	17420.890	49.94	54.0	4.06	AV	88.00	200	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.529	47.11	74.0	26.89	Peak	357.00	200	Vertical	Pass
1**	1332.529	31.95	54.0	22.05	AV	357.00	200	Vertical	Pass
2	1441.291	44.18	74.0	29.82	Peak	337.00	100	Vertical	Pass
2**	1441.291	35.99	54.0	18.01	AV	337.00	100	Vertical	Pass
3	4313.452	45.67	74.0	28.33	Peak	97.00	200	Vertical	Pass
3**	4313.452	41.30	54.0	12.70	AV	97.00	200	Vertical	Pass
4	7592.297	51.14	74.0	22.86	Peak	116.00	100	Vertical	Pass
4**	7592.297	43.09	54.0	10.91	AV	116.00	100	Vertical	Pass
5	12536.357	56.38	74.0	17.62	Peak	48.00	300	Vertical	Pass
5**	12536.357	43.06	54.0	10.94	AV	48.00	300	Vertical	Pass
6	15904.058	53.85	74.0	20.15	Peak	143.00	200	Vertical	Pass
6**	15904.058	44.68	54.0	9.32	AV	143.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.631	37.21	74.0	36.79	Peak	149.00	300	Horizontal	Pass
1**	1523.631	27.81	54.0	26.19	AV	149.00	300	Horizontal	Pass
2	4022.587	49.99	74.0	24.01	Peak	22.00	200	Horizontal	Pass
2**	4022.587	39.47	54.0	14.53	AV	22.00	200	Horizontal	Pass
3	7601.689	54.39	74.0	19.61	Peak	327.00	200	Horizontal	Pass
3**	7601.689	41.33	54.0	12.67	AV	327.00	200	Horizontal	Pass
4	12456.239	56.28	74.0	17.72	Peak	109.00	100	Horizontal	Pass
4**	12456.239	43.42	54.0	10.58	AV	109.00	100	Horizontal	Pass
5	16097.197	52.37	74.0	21.63	Peak	131.00	200	Horizontal	Pass
5**	16097.197	46.31	54.0	7.69	AV	131.00	200	Horizontal	Pass
6	17417.387	53.91	74.0	20.09	Peak	37.00	200	Horizontal	Pass
6**	17417.387	49.70	54.0	4.30	AV	37.00	200	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.575	42.23	74.0	31.77	Peak	21.00	400	Vertical	Pass
1**	1335.575	36.47	54.0	17.53	AV	21.00	400	Vertical	Pass
2	1436.573	40.63	74.0	33.37	Peak	27.00	400	Vertical	Pass
2**	1436.573	35.33	54.0	18.67	AV	27.00	400	Vertical	Pass
3	4314.238	46.64	74.0	27.36	Peak	13.00	200	Vertical	Pass
3**	4314.238	37.49	54.0	16.51	AV	13.00	200	Vertical	Pass
4	7595.688	53.97	74.0	20.03	Peak	179.00	100	Vertical	Pass
4**	7595.688	43.18	54.0	10.82	AV	179.00	100	Vertical	Pass
5	12538.686	53.67	74.0	20.33	Peak	9.00	200	Vertical	Pass
5**	12538.686	44.74	54.0	9.26	AV	9.00	200	Vertical	Pass
6	15906.059	57.00	74.0	17.00	Peak	188.00	100	Vertical	Pass
6**	15906.059	48.40	54.0	5.60	AV	188.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.695	41.13	74.0	32.87	Peak	80.00	100	Horizontal	Pass
1**	1523.695	32.25	54.0	21.75	AV	80.00	100	Horizontal	Pass
2	4018.302	48.59	74.0	25.41	Peak	27.00	300	Horizontal	Pass
2**	4018.302	37.22	54.0	16.78	AV	27.00	300	Horizontal	Pass
3	7599.313	54.13	74.0	19.87	Peak	285.00	200	Horizontal	Pass
3**	7599.313	41.33	54.0	12.67	AV	285.00	200	Horizontal	Pass
4	12458.832	54.00	74.0	20.00	Peak	1.00	400	Horizontal	Pass
4**	12458.832	45.09	54.0	8.91	AV	1.00	400	Horizontal	Pass
5	16091.663	51.27	74.0	22.73	Peak	358.00	400	Horizontal	Pass
5**	16091.663	46.75	54.0	7.25	AV	358.00	400	Horizontal	Pass
6	17422.391	54.80	74.0	19.20	Peak	302.00	300	Horizontal	Pass
6**	17422.391	48.70	54.0	5.30	AV	302.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.347	42.52	74.0	31.48	Peak	8.00	100	Vertical	Pass
1**	1332.347	33.18	54.0	20.82	AV	8.00	100	Vertical	Pass
2	1437.580	40.51	74.0	33.49	Peak	264.00	200	Vertical	Pass
2**	1437.580	38.06	54.0	15.94	AV	264.00	200	Vertical	Pass
3	4313.030	47.76	74.0	26.24	Peak	352.00	200	Vertical	Pass
3**	4313.030	36.49	54.0	17.51	AV	352.00	200	Vertical	Pass
4	7595.795	52.10	74.0	21.90	Peak	308.00	400	Vertical	Pass
4**	7595.795	41.91	54.0	12.09	AV	308.00	400	Vertical	Pass
5	12535.217	54.81	74.0	19.19	Peak	324.00	200	Vertical	Pass
5**	12535.217	41.58	54.0	12.42	AV	324.00	200	Vertical	Pass
6	15903.277	53.61	74.0	20.39	Peak	129.00	200	Vertical	Pass
6**	15903.277	44.63	54.0	9.37	AV	129.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.003	36.87	74.0	37.13	Peak	244.00	200	Horizontal	Pass
1**	1524.003	32.24	54.0	21.76	AV	244.00	200	Horizontal	Pass
2	4020.924	45.71	74.0	28.29	Peak	133.00	300	Horizontal	Pass
2**	4020.924	35.71	54.0	18.29	AV	133.00	300	Horizontal	Pass
3	7594.653	51.27	74.0	22.73	Peak	170.00	200	Horizontal	Pass
3**	7594.653	46.32	54.0	7.68	AV	170.00	200	Horizontal	Pass
4	12457.348	54.85	74.0	19.15	Peak	79.00	400	Horizontal	Pass
4**	12457.348	44.01	54.0	9.99	AV	79.00	400	Horizontal	Pass
5	16096.961	55.41	74.0	18.59	Peak	25.00	300	Horizontal	Pass
5**	16096.961	46.72	54.0	7.28	AV	25.00	300	Horizontal	Pass
6	17416.779	57.21	74.0	16.79	Peak	279.00	300	Horizontal	Pass
6**	17416.779	45.21	54.0	8.79	AV	279.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.808	46.38	74.0	27.62	Peak	249.00	100	Vertical	Pass
1**	1333.808	31.15	54.0	22.85	AV	249.00	100	Vertical	Pass
2	1441.933	44.81	74.0	29.19	Peak	245.00	200	Vertical	Pass
2**	1441.933	39.19	54.0	14.81	AV	245.00	200	Vertical	Pass
3	4310.457	48.32	74.0	25.68	Peak	131.00	200	Vertical	Pass
3**	4310.457	37.33	54.0	16.67	AV	131.00	200	Vertical	Pass
4	7595.761	55.62	74.0	18.38	Peak	205.00	400	Vertical	Pass
4**	7595.761	42.86	54.0	11.14	AV	205.00	400	Vertical	Pass
5	12538.439	55.06	74.0	18.94	Peak	20.00	100	Vertical	Pass
5**	12538.439	43.39	54.0	10.61	AV	20.00	100	Vertical	Pass
6	15907.952	55.02	74.0	18.98	Peak	233.00	300	Vertical	Pass
6**	15907.952	44.71	54.0	9.29	AV	233.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.212	37.70	74.0	36.30	Peak	244.00	400	Horizontal	Pass
1**	1518.212	30.65	54.0	23.35	AV	244.00	400	Horizontal	Pass
2	4018.103	48.31	74.0	25.69	Peak	139.00	400	Horizontal	Pass
2**	4018.103	34.09	54.0	19.91	AV	139.00	400	Horizontal	Pass
3	7597.173	53.10	74.0	20.90	Peak	349.00	200	Horizontal	Pass
3**	7597.173	46.14	54.0	7.86	AV	349.00	200	Horizontal	Pass
4	12452.364	55.93	74.0	18.07	Peak	81.00	400	Horizontal	Pass
4**	12452.364	43.97	54.0	10.03	AV	81.00	400	Horizontal	Pass
5	16092.744	52.92	74.0	21.08	Peak	217.00	200	Horizontal	Pass
5**	16092.744	45.65	54.0	8.35	AV	217.00	200	Horizontal	Pass
6	17420.364	53.37	74.0	20.63	Peak	307.00	300	Horizontal	Pass
6**	17420.364	47.83	54.0	6.17	AV	307.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.555	44.47	74.0	29.53	Peak	48.00	400	Vertical	Pass
1**	1331.555	36.41	54.0	17.59	AV	48.00	400	Vertical	Pass
2	1437.409	40.46	74.0	33.54	Peak	121.00	400	Vertical	Pass
2**	1437.409	37.05	54.0	16.95	AV	121.00	400	Vertical	Pass
3	4311.786	45.72	74.0	28.28	Peak	300.00	200	Vertical	Pass
3**	4311.786	38.63	54.0	15.37	AV	300.00	200	Vertical	Pass
4	7595.123	55.57	74.0	18.43	Peak	270.00	300	Vertical	Pass
4**	7595.123	45.64	54.0	8.36	AV	270.00	300	Vertical	Pass
5	12537.544	50.75	74.0	23.25	Peak	158.00	300	Vertical	Pass
5**	12537.544	45.17	54.0	8.83	AV	158.00	300	Vertical	Pass
6	15908.782	52.56	74.0	21.44	Peak	81.00	400	Vertical	Pass
6**	15908.782	44.47	54.0	9.53	AV	81.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.558	41.11	74.0	32.89	Peak	50.00	100	Horizontal	Pass
1**	1520.558	30.96	54.0	23.04	AV	50.00	100	Horizontal	Pass
2	4022.105	49.45	74.0	24.55	Peak	27.00	200	Horizontal	Pass
2**	4022.105	34.98	54.0	19.02	AV	27.00	200	Horizontal	Pass
3	7598.994	55.58	74.0	18.42	Peak	333.00	200	Horizontal	Pass
3**	7598.994	41.80	54.0	12.20	AV	333.00	200	Horizontal	Pass
4	12455.282	51.83	74.0	22.17	Peak	9.00	100	Horizontal	Pass
4**	12455.282	44.99	54.0	9.01	AV	9.00	100	Horizontal	Pass
5	16096.830	51.97	74.0	22.03	Peak	117.00	200	Horizontal	Pass
5**	16096.830	45.61	54.0	8.39	AV	117.00	200	Horizontal	Pass
6	17420.363	58.43	74.0	15.57	Peak	108.00	400	Horizontal	Pass
6**	17420.363	48.91	54.0	5.09	AV	108.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.223	42.46	74.0	31.54	Peak	6.00	100	Vertical	Pass
1**	1336.223	33.63	54.0	20.37	AV	6.00	100	Vertical	Pass
2	1444.204	40.26	74.0	33.74	Peak	21.00	400	Vertical	Pass
2**	1444.204	36.11	54.0	17.89	AV	21.00	400	Vertical	Pass
3	4313.347	45.76	74.0	28.24	Peak	234.00	200	Vertical	Pass
3**	4313.347	37.28	54.0	16.72	AV	234.00	200	Vertical	Pass
4	7591.830	50.96	74.0	23.04	Peak	348.00	400	Vertical	Pass
4**	7591.830	43.80	54.0	10.20	AV	348.00	400	Vertical	Pass
5	12535.460	54.33	74.0	19.67	Peak	2.00	300	Vertical	Pass
5**	12535.460	42.57	54.0	11.43	AV	2.00	300	Vertical	Pass
6	15903.159	51.81	74.0	22.19	Peak	312.00	400	Vertical	Pass
6**	15903.159	48.08	54.0	5.92	AV	312.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.797	37.37	74.0	36.63	Peak	309.00	100	Horizontal	Pass
1**	1518.797	28.17	54.0	25.83	AV	309.00	100	Horizontal	Pass
2	4017.971	47.42	74.0	26.58	Peak	110.00	100	Horizontal	Pass
2**	4017.971	35.27	54.0	18.73	AV	110.00	100	Horizontal	Pass
3	7598.975	53.07	74.0	20.93	Peak	174.00	200	Horizontal	Pass
3**	7598.975	44.29	54.0	9.71	AV	174.00	200	Horizontal	Pass
4	12457.259	54.78	74.0	19.22	Peak	328.00	400	Horizontal	Pass
4**	12457.259	42.83	54.0	11.17	AV	328.00	400	Horizontal	Pass
5	16097.014	55.40	74.0	18.60	Peak	176.00	100	Horizontal	Pass
5**	16097.014	45.60	54.0	8.40	AV	176.00	100	Horizontal	Pass
6	17422.619	56.64	74.0	17.36	Peak	97.00	400	Horizontal	Pass
6**	17422.619	45.82	54.0	8.18	AV	97.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.016	41.64	74.0	32.36	Peak	300.00	400	Vertical	Pass
1**	1331.016	36.67	54.0	17.33	AV	300.00	400	Vertical	Pass
2	1444.171	42.26	74.0	31.74	Peak	79.00	200	Vertical	Pass
2**	1444.171	35.92	54.0	18.08	AV	79.00	200	Vertical	Pass
3	4310.814	47.52	74.0	26.48	Peak	267.00	200	Vertical	Pass
3**	4310.814	38.80	54.0	15.20	AV	267.00	200	Vertical	Pass
4	7590.329	53.55	74.0	20.45	Peak	50.00	400	Vertical	Pass
4**	7590.329	45.39	54.0	8.61	AV	50.00	400	Vertical	Pass
5	12538.113	54.51	74.0	19.49	Peak	70.00	100	Vertical	Pass
5**	12538.113	41.75	54.0	12.25	AV	70.00	100	Vertical	Pass
6	15904.766	53.98	74.0	20.02	Peak	133.00	400	Vertical	Pass
6**	15904.766	47.71	54.0	6.29	AV	133.00	400	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.493	40.29	74.0	33.71	Peak	224.00	400	Horizontal	Pass
1**	1517.493	28.79	54.0	25.21	AV	224.00	400	Horizontal	Pass
2	4021.369	50.02	74.0	23.98	Peak	75.00	200	Horizontal	Pass
2**	4021.369	34.88	54.0	19.12	AV	75.00	200	Horizontal	Pass
3	7596.018	54.16	74.0	19.84	Peak	245.00	200	Horizontal	Pass
3**	7596.018	42.98	54.0	11.02	AV	245.00	200	Horizontal	Pass
4	12457.143	52.45	74.0	21.55	Peak	3.00	300	Horizontal	Pass
4**	12457.143	41.21	54.0	12.79	AV	3.00	300	Horizontal	Pass
5	16096.524	56.38	74.0	17.62	Peak	134.00	400	Horizontal	Pass
5**	16096.524	42.64	54.0	11.36	AV	134.00	400	Horizontal	Pass
6	17417.405	58.59	74.0	15.41	Peak	8.00	300	Horizontal	Pass
6**	17417.405	48.56	54.0	5.44	AV	8.00	300	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.749	43.87	74.0	30.13	Peak	275.00	200	Vertical	Pass
1**	1335.749	34.58	54.0	19.42	AV	275.00	200	Vertical	Pass
2	1436.348	40.81	74.0	33.19	Peak	176.00	200	Vertical	Pass
2**	1436.348	38.34	54.0	15.66	AV	176.00	200	Vertical	Pass
3	4311.369	47.50	74.0	26.50	Peak	330.00	200	Vertical	Pass
3**	4311.369	40.37	54.0	13.63	AV	330.00	200	Vertical	Pass
4	7590.839	54.40	74.0	19.60	Peak	76.00	200	Vertical	Pass
4**	7590.839	42.06	54.0	11.94	AV	76.00	200	Vertical	Pass
5	12531.771	54.39	74.0	19.61	Peak	34.00	100	Vertical	Pass
5**	12531.771	44.17	54.0	9.83	AV	34.00	100	Vertical	Pass
6	15904.541	54.46	74.0	19.54	Peak	355.00	400	Vertical	Pass
6**	15904.541	46.53	54.0	7.47	AV	355.00	400	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.349	35.31	74.0	38.69	Peak	227.00	100	Horizontal	Pass
1**	1517.349	27.61	54.0	26.39	AV	227.00	100	Horizontal	Pass
2	4018.538	49.86	74.0	24.14	Peak	84.00	400	Horizontal	Pass
2**	4018.538	39.04	54.0	14.96	AV	84.00	400	Horizontal	Pass
3	7601.791	55.09	74.0	18.91	Peak	269.00	200	Horizontal	Pass
3**	7601.791	43.16	54.0	10.84	AV	269.00	200	Horizontal	Pass
4	12452.329	54.72	74.0	19.28	Peak	344.00	100	Horizontal	Pass
4**	12452.329	42.96	54.0	11.04	AV	344.00	100	Horizontal	Pass
5	16097.750	55.50	74.0	18.50	Peak	323.00	300	Horizontal	Pass
5**	16097.750	43.01	54.0	10.99	AV	323.00	300	Horizontal	Pass
6	17422.458	54.76	74.0	19.24	Peak	98.00	300	Horizontal	Pass
6**	17422.458	44.46	54.0	9.54	AV	98.00	300	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.682	46.95	74.0	27.05	Peak	169.00	200	Vertical	Pass
1**	1332.682	32.42	54.0	21.58	AV	169.00	200	Vertical	Pass
2	1437.790	43.66	74.0	30.34	Peak	49.00	400	Vertical	Pass
2**	1437.790	39.72	54.0	14.28	AV	49.00	400	Vertical	Pass
3	4308.322	45.13	74.0	28.87	Peak	49.00	200	Vertical	Pass
3**	4308.322	38.14	54.0	15.86	AV	49.00	200	Vertical	Pass
4	7597.087	51.54	74.0	22.46	Peak	191.00	200	Vertical	Pass
4**	7597.087	44.91	54.0	9.09	AV	191.00	200	Vertical	Pass
5	12534.768	53.71	74.0	20.29	Peak	354.00	400	Vertical	Pass
5**	12534.768	43.32	54.0	10.68	AV	354.00	400	Vertical	Pass
6	15906.266	55.57	74.0	18.43	Peak	268.00	200	Vertical	Pass
6**	15906.266	44.90	54.0	9.10	AV	268.00	200	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.749	37.66	74.0	36.34	Peak	209.00	100	Horizontal	Pass
1**	1520.749	32.46	54.0	21.54	AV	209.00	100	Horizontal	Pass
2	4016.903	45.72	74.0	28.28	Peak	20.00	200	Horizontal	Pass
2**	4016.903	34.50	54.0	19.50	AV	20.00	200	Horizontal	Pass
3	7597.612	55.32	74.0	18.68	Peak	322.00	200	Horizontal	Pass
3**	7597.612	46.42	54.0	7.58	AV	322.00	200	Horizontal	Pass
4	12455.337	52.45	74.0	21.55	Peak	360.00	100	Horizontal	Pass
4**	12455.337	46.80	54.0	7.20	AV	360.00	100	Horizontal	Pass
5	16093.577	52.41	74.0	21.59	Peak	293.00	300	Horizontal	Pass
5**	16093.577	45.86	54.0	8.14	AV	293.00	300	Horizontal	Pass
6	17420.762	56.45	74.0	17.55	Peak	274.00	300	Horizontal	Pass
6**	17420.762	45.51	54.0	8.49	AV	274.00	300	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.769	43.40	74.0	30.60	Peak	332.00	100	Vertical	Pass
1**	1331.769	34.40	54.0	19.60	AV	332.00	100	Vertical	Pass
2	1439.997	40.40	74.0	33.60	Peak	264.00	300	Vertical	Pass
2**	1439.997	36.14	54.0	17.86	AV	264.00	300	Vertical	Pass
3	4307.555	45.08	74.0	28.92	Peak	168.00	200	Vertical	Pass
3**	4307.555	36.89	54.0	17.11	AV	168.00	200	Vertical	Pass
4	7590.286	52.43	74.0	21.57	Peak	31.00	100	Vertical	Pass
4**	7590.286	42.61	54.0	11.39	AV	31.00	100	Vertical	Pass
5	12538.399	56.14	74.0	17.86	Peak	62.00	100	Vertical	Pass
5**	12538.399	45.25	54.0	8.75	AV	62.00	100	Vertical	Pass
6	15905.408	55.44	74.0	18.56	Peak	306.00	400	Vertical	Pass
6**	15905.408	42.61	54.0	11.39	AV	306.00	400	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.248	40.02	74.0	33.98	Peak	172.00	200	Horizontal	Pass
1**	1519.248	29.15	54.0	24.85	AV	172.00	200	Horizontal	Pass
2	4023.297	45.13	74.0	28.87	Peak	201.00	100	Horizontal	Pass
2**	4023.297	37.93	54.0	16.07	AV	201.00	100	Horizontal	Pass
3	7602.104	55.43	74.0	18.57	Peak	185.00	200	Horizontal	Pass
3**	7602.104	44.90	54.0	9.10	AV	185.00	200	Horizontal	Pass
4	12453.095	54.78	74.0	19.22	Peak	156.00	300	Horizontal	Pass
4**	12453.095	42.35	54.0	11.65	AV	156.00	300	Horizontal	Pass
5	16096.907	50.92	74.0	23.08	Peak	348.00	400	Horizontal	Pass
5**	16096.907	47.00	54.0	7.00	AV	348.00	400	Horizontal	Pass
6	17416.740	56.27	74.0	17.73	Peak	46.00	100	Horizontal	Pass
6**	17416.740	46.92	54.0	7.08	AV	46.00	100	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.890	41.86	74.0	32.14	Peak	138.00	100	Vertical	Pass
1**	1329.890	36.65	54.0	17.35	AV	138.00	100	Vertical	Pass
2	1441.961	44.67	74.0	29.33	Peak	260.00	200	Vertical	Pass
2**	1441.961	34.88	54.0	19.12	AV	260.00	200	Vertical	Pass
3	4310.779	44.67	74.0	29.33	Peak	281.00	200	Vertical	Pass
3**	4310.779	39.26	54.0	14.74	AV	281.00	200	Vertical	Pass
4	7591.131	55.33	74.0	18.67	Peak	25.00	200	Vertical	Pass
4**	7591.131	41.59	54.0	12.41	AV	25.00	200	Vertical	Pass
5	12533.069	52.60	74.0	21.40	Peak	129.00	200	Vertical	Pass
5**	12533.069	45.53	54.0	8.47	AV	129.00	200	Vertical	Pass
6	15907.729	53.17	74.0	20.83	Peak	186.00	400	Vertical	Pass
6**	15907.729	42.75	54.0	11.25	AV	186.00	400	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.682	36.55	74.0	37.45	Peak	115.00	100	Horizontal	Pass
1**	1523.682	32.40	54.0	21.60	AV	115.00	100	Horizontal	Pass
2	4019.968	49.42	74.0	24.58	Peak	310.00	200	Horizontal	Pass
2**	4019.968	37.77	54.0	16.23	AV	310.00	200	Horizontal	Pass
3	7600.544	51.53	74.0	22.47	Peak	345.00	200	Horizontal	Pass
3**	7600.544	43.75	54.0	10.25	AV	345.00	200	Horizontal	Pass
4	12453.330	53.01	74.0	20.99	Peak	17.00	400	Horizontal	Pass
4**	12453.330	42.98	54.0	11.02	AV	17.00	400	Horizontal	Pass
5	16093.102	53.86	74.0	20.14	Peak	212.00	300	Horizontal	Pass
5**	16093.102	44.23	54.0	9.77	AV	212.00	300	Horizontal	Pass
6	17416.355	53.46	74.0	20.54	Peak	36.00	200	Horizontal	Pass
6**	17416.355	44.34	54.0	9.66	AV	36.00	200	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.297	42.96	74.0	31.04	Peak	81.00	200	Vertical	Pass
1**	1330.297	35.19	54.0	18.81	AV	81.00	200	Vertical	Pass
2	1436.739	40.26	74.0	33.74	Peak	323.00	400	Vertical	Pass
2**	1436.739	39.57	54.0	14.43	AV	323.00	400	Vertical	Pass
3	4314.965	44.90	74.0	29.10	Peak	23.00	200	Vertical	Pass
3**	4314.965	37.26	54.0	16.74	AV	23.00	200	Vertical	Pass
4	7592.999	50.12	74.0	23.88	Peak	61.00	200	Vertical	Pass
4**	7592.999	41.76	54.0	12.24	AV	61.00	200	Vertical	Pass
5	12531.591	54.04	74.0	19.96	Peak	9.00	200	Vertical	Pass
5**	12531.591	43.01	54.0	10.99	AV	9.00	200	Vertical	Pass
6	15906.742	55.53	74.0	18.47	Peak	19.00	200	Vertical	Pass
6**	15906.742	45.53	54.0	8.47	AV	19.00	200	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.763	36.75	74.0	37.25	Peak	116.00	300	Horizontal	Pass
1**	1520.763	31.68	54.0	22.32	AV	116.00	300	Horizontal	Pass
2	4021.872	48.87	74.0	25.13	Peak	285.00	400	Horizontal	Pass
2**	4021.872	34.71	54.0	19.29	AV	285.00	400	Horizontal	Pass
3	7595.775	54.75	74.0	19.25	Peak	4.00	200	Horizontal	Pass
3**	7595.775	44.84	54.0	9.16	AV	4.00	200	Horizontal	Pass
4	12452.813	54.50	74.0	19.50	Peak	227.00	100	Horizontal	Pass
4**	12452.813	44.32	54.0	9.68	AV	227.00	100	Horizontal	Pass
5	16095.414	50.63	74.0	23.37	Peak	235.00	400	Horizontal	Pass
5**	16095.414	44.27	54.0	9.73	AV	235.00	400	Horizontal	Pass
6	17419.233	56.23	74.0	17.77	Peak	52.00	400	Horizontal	Pass
6**	17419.233	45.61	54.0	8.39	AV	52.00	400	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1337.157	47.45	74.0	26.55	Peak	4.00	200	Vertical	Pass
1**	1337.157	34.17	54.0	19.83	AV	4.00	200	Vertical	Pass
2	1437.911	39.44	74.0	34.56	Peak	228.00	400	Vertical	Pass
2**	1437.911	34.44	54.0	19.56	AV	228.00	400	Vertical	Pass
3	4314.384	50.35	74.0	23.65	Peak	32.00	200	Vertical	Pass
3**	4314.384	39.03	54.0	14.97	AV	32.00	200	Vertical	Pass
4	7593.092	50.45	74.0	23.55	Peak	338.00	200	Vertical	Pass
4**	7593.092	42.28	54.0	11.72	AV	338.00	200	Vertical	Pass
5	12531.036	52.69	74.0	21.31	Peak	48.00	400	Vertical	Pass
5**	12531.036	45.83	54.0	8.17	AV	48.00	400	Vertical	Pass
6	15910.098	54.64	74.0	19.36	Peak	54.00	400	Vertical	Pass
6**	15910.098	43.46	54.0	10.54	AV	54.00	400	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.035	38.62	74.0	35.38	Peak	136.00	100	Horizontal	Pass
1**	1518.035	28.63	54.0	25.37	AV	136.00	100	Horizontal	Pass
2	4018.604	46.37	74.0	27.63	Peak	317.00	100	Horizontal	Pass
2**	4018.604	35.66	54.0	18.34	AV	317.00	100	Horizontal	Pass
3	7595.643	51.98	74.0	22.02	Peak	164.00	200	Horizontal	Pass
3**	7595.643	42.65	54.0	11.35	AV	164.00	200	Horizontal	Pass
4	12454.258	51.51	74.0	22.49	Peak	203.00	100	Horizontal	Pass
4**	12454.258	41.63	54.0	12.37	AV	203.00	100	Horizontal	Pass
5	16096.899	55.80	74.0	18.20	Peak	87.00	400	Horizontal	Pass
5**	16096.899	45.28	54.0	8.72	AV	87.00	400	Horizontal	Pass
6	17422.896	53.27	74.0	20.73	Peak	202.00	400	Horizontal	Pass
6**	17422.896	46.35	54.0	7.65	AV	202.00	400	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.238	43.75	74.0	30.25	Peak	334.00	200	Vertical	Pass
1**	1331.238	33.89	54.0	20.11	AV	334.00	200	Vertical	Pass
2	1439.020	40.48	74.0	33.52	Peak	77.00	400	Vertical	Pass
2**	1439.020	35.80	54.0	18.20	AV	77.00	400	Vertical	Pass
3	4314.123	49.56	74.0	24.44	Peak	134.00	200	Vertical	Pass
3**	4314.123	37.12	54.0	16.88	AV	134.00	200	Vertical	Pass
4	7598.166	53.94	74.0	20.06	Peak	71.00	400	Vertical	Pass
4**	7598.166	42.59	54.0	11.41	AV	71.00	400	Vertical	Pass
5	12533.743	55.59	74.0	18.41	Peak	13.00	400	Vertical	Pass
5**	12533.743	44.63	54.0	9.37	AV	13.00	400	Vertical	Pass
6	15907.944	54.01	74.0	19.99	Peak	172.00	200	Vertical	Pass
6**	15907.944	43.58	54.0	10.42	AV	172.00	200	Vertical	Pass

Replaceable Antenna Model 2: AE1013-BND-H60

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1588.400	37.83	74.0	36.17	Peak	40.00	100	Horizontal	Pass
1**	1588.400	27.90	54.0	26.10	AV	40.00	100	Horizontal	Pass
2	4379.800	47.78	74.0	26.22	Peak	347.00	100	Horizontal	Pass
2**	4379.800	38.72	54.0	15.28	AV	347.00	100	Horizontal	Pass
3	5185.200	106.94	--	--	Peak	156.00	100	Horizontal	N/A
3**	5185.200	100.10	--	--	AV	156.00	100	Horizontal	N/A
4	7526.987	46.60	74.0	27.40	Peak	37.00	400	Horizontal	Pass
4**	7526.987	37.10	54.0	16.90	AV	37.00	400	Horizontal	Pass
5	12056.549	47.57	74.0	26.43	Peak	37.00	200	Horizontal	Pass
5**	12056.549	38.04	54.0	15.96	AV	37.00	200	Horizontal	Pass
6	15570.300	50.36	74.0	23.64	Peak	0.00	100	Horizontal	Pass
6**	15570.300	42.12	54.0	11.88	AV	0.00	100	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.100	37.81	74.0	36.19	Peak	22.00	300	Vertical	Pass
1**	1494.100	28.13	54.0	25.87	AV	22.00	300	Vertical	Pass
2	4296.400	47.47	74.0	26.53	Peak	58.00	400	Vertical	Pass
2**	4296.400	37.66	54.0	16.34	AV	58.00	400	Vertical	Pass
3	5185.000	100.42	--	--	Peak	188.00	150	Vertical	N/A
3**	5185.000	93.55	--	--	AV	188.00	150	Vertical	N/A
4	7366.562	46.15	74.0	27.85	Peak	337.00	100	Vertical	Pass
4**	7366.562	36.52	54.0	17.48	AV	337.00	100	Vertical	Pass
5	12477.162	48.23	74.0	25.77	Peak	73.00	100	Vertical	Pass
5**	12477.162	38.15	54.0	15.85	AV	73.00	100	Vertical	Pass
6	16152.526	50.55	74.0	23.45	Peak	189.00	300	Vertical	Pass
6**	16152.526	40.60	54.0	13.40	AV	189.00	300	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass

	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass

Test DataReplaceable Antenna Model 1: AF1013-T30A537

U-NII-1 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	62.11	74.0	11.89	Peak	282.00	200	Vertical	Pass
1**	5146.750	46.48	54.0	7.52	AV	282.00	200	Vertical	Pass
2	5150.000	62.71	74.0	11.29	Peak	291.00	100	Vertical	Pass
2**	5150.000	47.03	54.0	6.97	AV	291.00	100	Vertical	Pass

U-NII-1 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.55	74.0	17.45	Peak	27.00	100	Vertical	Pass
1**	5350.000	45.86	54.0	8.14	AV	27.00	100	Vertical	Pass
2	5352.383	56.63	74.0	17.37	Peak	31.00	100	Vertical	Pass
2**	5352.383	45.26	54.0	8.74	AV	31.00	100	Vertical	Pass

U-NII-1 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.667	59.98	74.0	14.02	Peak	281.00	100	Vertical	Pass
1**	5145.667	45.96	54.0	8.04	AV	281.00	100	Vertical	Pass
2	5150.000	63.18	74.0	10.82	Peak	274.00	150	Vertical	Pass
2**	5150.000	45.69	54.0	8.31	AV	274.00	150	Vertical	Pass

U-NII-1 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.51	74.0	18.49	Peak	240.00	200	Vertical	Pass
1**	5350.000	45.70	54.0	8.30	AV	240.00	200	Vertical	Pass
2	5378.417	57.26	74.0	16.74	Peak	1.00	150	Vertical	Pass
2**	5378.417	44.77	54.0	9.23	AV	1.00	150	Vertical	Pass

U-NII-1 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.917	66.01	74.0	7.99	Peak	232.00	100	Vertical	Pass
1**	5148.917	47.45	54.0	6.55	AV	232.00	100	Vertical	Pass
2	5150.000	65.60	74.0	8.40	Peak	360.00	150	Vertical	Pass
2**	5150.000	48.10	54.0	5.90	AV	360.00	150	Vertical	Pass

U-NII-1 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.90	74.0	18.10	Peak	1.00	150	Vertical	Pass
1**	5350.000	45.64	54.0	8.36	AV	1.00	150	Vertical	Pass
2	5373.834	56.45	74.0	17.55	Peak	360.00	200	Vertical	Pass
2**	5373.834	44.57	54.0	9.43	AV	360.00	200	Vertical	Pass

U-NII-1 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.833	62.28	74.0	11.72	Peak	278.00	200	Vertical	Pass
1**	5147.833	45.80	54.0	8.20	AV	278.00	200	Vertical	Pass
2	5150.000	59.69	74.0	14.31	Peak	360.00	150	Vertical	Pass
2**	5150.000	46.27	54.0	7.73	AV	360.00	150	Vertical	Pass

U-NII-1 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.04	74.0	17.96	Peak	86.00	100	Vertical	Pass
1**	5350.000	45.53	54.0	8.47	AV	86.00	100	Vertical	Pass
2	5353.850	56.81	74.0	17.19	Peak	260.00	200	Vertical	Pass
2**	5353.850	45.19	54.0	8.81	AV	260.00	200	Vertical	Pass

U-NII-1 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.833	63.91	74.0	10.09	Peak	287.00	100	Vertical	Pass
1**	5147.833	47.54	54.0	6.46	AV	287.00	100	Vertical	Pass
2	5150.000	64.09	74.0	9.91	Peak	287.00	150	Vertical	Pass
2**	5150.000	47.18	54.0	6.82	AV	287.00	150	Vertical	Pass

U-NII-1 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.36	74.0	17.64	Peak	360.00	100	Vertical	Pass
1**	5350.000	45.54	54.0	8.46	AV	360.00	100	Vertical	Pass
2	5358.067	57.00	74.0	17.00	Peak	312.00	200	Vertical	Pass
2**	5358.067	45.12	54.0	8.88	AV	312.00	200	Vertical	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5134.834	66.24	74.0	7.76	Peak	239.00	150	Vertical	Pass
1**	5134.834	47.96	54.0	6.04	AV	239.00	150	Vertical	Pass
2	5150.000	63.89	74.0	10.11	Peak	278.00	100	Vertical	Pass
2**	5150.000	48.57	54.0	5.43	AV	278.00	100	Vertical	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.02	74.0	17.98	Peak	170.00	150	Vertical	Pass
1**	5350.000	45.50	54.0	8.50	AV	170.00	150	Vertical	Pass
2	5352.750	56.96	74.0	17.04	Peak	265.00	150	Vertical	Pass
2**	5352.750	45.34	54.0	8.66	AV	265.00	150	Vertical	Pass

U-NII-1 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.917	62.41	74.0	11.59	Peak	1.00	100	Vertical	Pass
1**	5148.917	46.94	54.0	7.06	AV	1.00	100	Vertical	Pass
2	5150.000	60.79	74.0	13.21	Peak	282.00	200	Vertical	Pass
2**	5150.000	46.29	54.0	7.71	AV	282.00	200	Vertical	Pass

U-NII-1 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.39	74.0	18.61	Peak	21.00	150	Vertical	Pass
1**	5350.000	45.55	54.0	8.45	AV	21.00	150	Vertical	Pass
2	5354.950	56.89	74.0	17.11	Peak	84.00	100	Vertical	Pass
2**	5354.950	45.21	54.0	8.79	AV	84.00	100	Vertical	Pass

U-NII-1 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.833	67.02	74.0	6.98	Peak	359.00	100	Vertical	Pass
1**	5147.833	47.54	54.0	6.46	AV	359.00	100	Vertical	Pass
2	5150.000	66.26	74.0	7.74	Peak	276.00	150	Vertical	Pass
2**	5150.000	48.51	54.0	5.49	AV	276.00	150	Vertical	Pass

U-NII-1 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.39	74.0	17.61	Peak	234.00	150	Vertical	Pass
1**	5350.000	45.51	54.0	8.49	AV	234.00	150	Vertical	Pass
2	5353.483	56.51	74.0	17.49	Peak	273.00	150	Vertical	Pass
2**	5353.483	45.26	54.0	8.74	AV	273.00	150	Vertical	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	65.64	74.0	8.36	Peak	280.00	200	Vertical	Pass
1**	5146.750	48.55	54.0	5.45	AV	280.00	200	Vertical	Pass
2	5150.000	63.94	74.0	10.06	Peak	280.00	100	Vertical	Pass
2**	5150.000	48.40	54.0	5.60	AV	280.00	100	Vertical	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.66	74.0	18.34	Peak	359.00	100	Vertical	Pass
1**	5350.000	45.54	54.0	8.46	AV	359.00	100	Vertical	Pass
2	5357.883	56.80	74.0	17.20	Peak	55.00	150	Vertical	Pass
2**	5357.883	45.03	54.0	8.97	AV	55.00	150	Vertical	Pass

U-NII-2A 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4867.250	56.78	74.0	17.22	Peak	35.00	100	Horizontal	Pass
1**	4867.250	44.09	54.0	9.91	AV	35.00	100	Horizontal	Pass
2	5150.000	54.90	74.0	19.10	Peak	258.00	150	Horizontal	Pass
2**	5150.000	44.43	54.0	9.57	AV	258.00	150	Horizontal	Pass

U-NII-2A 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.33	74.0	11.67	Peak	203.00	150	Horizontal	Pass
1**	5350.000	46.45	54.0	7.55	AV	203.00	150	Horizontal	Pass
2	5352.567	65.36	74.0	8.64	Peak	181.00	150	Horizontal	Pass
2**	5352.567	46.30	54.0	7.70	AV	181.00	150	Horizontal	Pass

U-NII-2A 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.250	56.18	74.0	17.82	Peak	335.00	100	Horizontal	Pass
1**	4997.250	44.18	54.0	9.82	AV	335.00	100	Horizontal	Pass
2	5150.000	54.85	74.0	19.15	Peak	359.00	150	Horizontal	Pass
2**	5150.000	44.53	54.0	9.47	AV	359.00	150	Horizontal	Pass

U-NII-2A 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.60	74.0	11.40	Peak	200.00	200	Horizontal	Pass
1**	5350.000	46.22	54.0	7.78	AV	200.00	200	Horizontal	Pass
2	5358.433	63.36	74.0	10.64	Peak	178.00	100	Horizontal	Pass
2**	5358.433	45.58	54.0	8.42	AV	178.00	100	Horizontal	Pass

U-NII-2A 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5027.583	56.82	74.0	17.18	Peak	137.00	200	Horizontal	Pass
1**	5027.583	44.17	54.0	9.83	AV	137.00	200	Horizontal	Pass
2	5150.000	55.18	74.0	18.82	Peak	76.00	150	Horizontal	Pass
2**	5150.000	44.39	54.0	9.61	AV	76.00	150	Horizontal	Pass

U-NII-2A 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	64.29	74.0	9.71	Peak	196.00	150	Horizontal	Pass
1**	5350.000	47.45	54.0	6.55	AV	196.00	150	Horizontal	Pass
2	5351.467	63.96	74.0	10.04	Peak	183.00	200	Horizontal	Pass
2**	5351.467	47.00	54.0	7.00	AV	183.00	200	Horizontal	Pass

U-NII-2A 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4877.000	56.18	74.0	17.82	Peak	359.00	150	Horizontal	Pass
1**	4877.000	44.54	54.0	9.46	AV	359.00	150	Horizontal	Pass
2	5150.000	54.78	74.0	19.22	Peak	359.00	100	Horizontal	Pass
2**	5150.000	44.32	54.0	9.68	AV	359.00	100	Horizontal	Pass

U-NII-2A 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.12	74.0	11.88	Peak	253.00	100	Horizontal	Pass
1**	5350.000	46.14	54.0	7.86	AV	253.00	100	Horizontal	Pass
2	5350.183	65.86	74.0	8.14	Peak	185.00	150	Horizontal	Pass
2**	5350.183	46.17	54.0	7.83	AV	185.00	150	Horizontal	Pass

U-NII-2A 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5046.000	56.39	74.0	17.61	Peak	112.00	200	Horizontal	Pass
1**	5046.000	44.30	54.0	9.70	AV	112.00	200	Horizontal	Pass
2	5150.000	55.19	74.0	18.81	Peak	264.00	100	Horizontal	Pass
2**	5150.000	44.34	54.0	9.66	AV	264.00	100	Horizontal	Pass

U-NII-2A 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.10	74.0	12.90	Peak	159.00	150	Horizontal	Pass
1**	5350.000	47.53	54.0	6.47	AV	159.00	150	Horizontal	Pass
2	5354.217	63.90	74.0	10.10	Peak	179.00	100	Horizontal	Pass
2**	5354.217	46.40	54.0	7.60	AV	179.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5125.084	56.62	74.0	17.38	Peak	306.00	100	Horizontal	Pass
1**	5125.084	44.69	54.0	9.31	AV	306.00	100	Horizontal	Pass
2	5150.000	55.34	74.0	18.66	Peak	228.00	200	Horizontal	Pass
2**	5150.000	44.41	54.0	9.59	AV	228.00	200	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.42	74.0	12.58	Peak	176.00	200	Horizontal	Pass
1**	5350.000	47.32	54.0	6.68	AV	176.00	200	Horizontal	Pass
2	5359.717	63.62	74.0	10.38	Peak	185.00	200	Horizontal	Pass
2**	5359.717	46.35	54.0	7.65	AV	185.00	200	Horizontal	Pass

U-NII-2A 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4816.333	56.32	74.0	17.68	Peak	309.00	100	Horizontal	Pass
1**	4816.333	44.51	54.0	9.49	AV	309.00	100	Horizontal	Pass
2	5150.000	54.66	74.0	19.34	Peak	18.00	100	Horizontal	Pass
2**	5150.000	44.53	54.0	9.47	AV	18.00	100	Horizontal	Pass

U-NII-2A 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.20	74.0	14.80	Peak	252.00	100	Horizontal	Pass
1**	5350.000	45.59	54.0	8.41	AV	252.00	100	Horizontal	Pass
2	5351.834	63.10	74.0	10.90	Peak	184.00	200	Horizontal	Pass
2**	5351.834	45.83	54.0	8.17	AV	184.00	200	Horizontal	Pass

U-NII-2A 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5133.750	56.13	74.0	17.87	Peak	358.00	150	Horizontal	Pass
1**	5133.750	44.75	54.0	9.25	AV	358.00	150	Horizontal	Pass
2	5150.000	54.74	74.0	19.26	Peak	41.00	100	Horizontal	Pass
2**	5150.000	44.50	54.0	9.50	AV	41.00	100	Horizontal	Pass

U-NII-2A 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.42	74.0	10.58	Peak	186.00	200	Horizontal	Pass
1**	5350.000	47.93	54.0	6.07	AV	186.00	200	Horizontal	Pass
2	5352.383	68.95	74.0	5.05	Peak	183.00	200	Horizontal	Pass
2**	5352.383	47.11	54.0	6.89	AV	183.00	200	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4813.084	56.50	74.0	17.50	Peak	22.00	150	Horizontal	Pass
1**	4813.084	44.36	54.0	9.64	AV	22.00	150	Horizontal	Pass
2	5150.000	55.28	74.0	18.72	Peak	254.00	150	Horizontal	Pass
2**	5150.000	44.36	54.0	9.64	AV	254.00	150	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.18	74.0	10.82	Peak	198.00	200	Horizontal	Pass
1**	5350.000	47.43	54.0	6.57	AV	198.00	200	Horizontal	Pass
2	5351.650	64.00	74.0	10.00	Peak	186.00	100	Horizontal	Pass
2**	5351.650	46.93	54.0	7.07	AV	186.00	100	Horizontal	Pass

U-NII-2C 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5380.200	57.11	74.0	16.89	Peak	216.00	200	Horizontal	Pass
1**	5380.200	44.51	54.0	9.49	AV	216.00	200	Horizontal	Pass
2	5460.000	54.66	74.0	19.34	Peak	242.00	150	Horizontal	Pass
2**	5460.000	43.93	54.0	10.07	AV	242.00	150	Horizontal	Pass
3	5461.600	55.39	68.2	12.81	Peak	189.00	150	Horizontal	Pass
3**	5461.600	43.65	--	--	AV	189.00	150	Horizontal	N/A
4	5469.800	53.64	68.2	14.56	Peak	360.00	200	Horizontal	Pass
4**	5469.800	44.24	--	--	AV	360.00	200	Horizontal	N/A

U-NII-2C 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.86	68.2	11.34	Peak	196.00	200	Horizontal	Pass
2	5795.000	57.26	68.2	10.94	Peak	105.00	100	Horizontal	Pass

U-NII-2C 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.000	56.75	74.0	17.25	Peak	193.00	100	Horizontal	Pass
1**	5351.000	45.27	54.0	8.73	AV	193.00	100	Horizontal	Pass
2	5460.000	54.83	74.0	19.17	Peak	359.00	150	Horizontal	Pass
2**	5460.000	44.23	54.0	9.77	AV	359.00	150	Horizontal	Pass
3	5464.800	55.78	68.2	12.42	Peak	188.00	200	Horizontal	Pass
3**	5464.800	44.13	--	--	AV	188.00	200	Horizontal	N/A
4	5469.800	54.16	68.2	14.04	Peak	99.00	150	Horizontal	Pass
4**	5469.800	44.48	--	--	AV	99.00	150	Horizontal	N/A

U-NII-2C 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.92	68.2	13.28	Peak	99.00	150	Horizontal	Pass
2	5772.292	57.40	68.2	10.80	Peak	253.00	200	Horizontal	Pass

U-NII-2C 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5354.600	56.96	74.0	17.04	Peak	75.00	200	Horizontal	Pass
1**	5354.600	44.95	54.0	9.05	AV	75.00	200	Horizontal	Pass
2	5460.000	54.72	74.0	19.28	Peak	71.00	100	Horizontal	Pass
2**	5460.000	43.80	54.0	10.20	AV	71.00	100	Horizontal	Pass
3	5467.800	55.08	68.2	13.12	Peak	124.00	100	Horizontal	Pass
3**	5467.800	44.43	--	--	AV	124.00	100	Horizontal	N/A
4	5469.800	54.21	68.2	13.99	Peak	222.00	100	Horizontal	Pass
4**	5469.800	44.38	--	--	AV	222.00	100	Horizontal	N/A

U-NII-2C 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.94	68.2	12.26	Peak	3.00	200	Horizontal	Pass
2	5813.125	57.29	68.2	10.91	Peak	71.00	200	Horizontal	Pass

U-NII-2C 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5446.600	57.63	74.0	16.37	Peak	205.00	200	Horizontal	Pass
1**	5446.600	42.78	54.0	11.22	AV	205.00	200	Horizontal	Pass
2	5460.000	53.82	74.0	20.18	Peak	151.00	100	Horizontal	Pass
2**	5460.000	43.68	54.0	10.32	AV	151.00	100	Horizontal	Pass
3	5468.800	63.03	68.2	5.17	Peak	212.00	150	Horizontal	Pass
3**	5468.800	44.11	--	--	AV	212.00	150	Horizontal	N/A
4	5469.800	56.04	68.2	12.16	Peak	357.00	100	Horizontal	Pass
4**	5469.800	44.10	--	--	AV	357.00	100	Horizontal	N/A

U-NII-2C 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.66	68.2	13.54	Peak	300.00	150	Horizontal	Pass
2	5834.166	56.94	68.2	11.26	Peak	134.00	200	Horizontal	Pass

U-NII-2C 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.600	63.33	74.0	10.67	Peak	188.00	150	Horizontal	Pass
1**	5458.600	43.43	54.0	10.57	AV	188.00	150	Horizontal	Pass
2	5460.000	53.61	74.0	20.39	Peak	208.00	150	Horizontal	Pass
2**	5460.000	43.58	54.0	10.42	AV	208.00	150	Horizontal	Pass
3	5466.000	63.59	68.2	4.61	Peak	188.00	100	Horizontal	Pass
3**	5466.000	44.07	--	--	AV	188.00	100	Horizontal	N/A
4	5469.800	57.25	68.2	10.95	Peak	213.00	150	Horizontal	Pass
4**	5469.800	44.23	--	--	AV	213.00	150	Horizontal	N/A

U-NII-2C 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.66	68.2	13.54	Peak	142.00	200	Horizontal	Pass
2	5787.292	57.45	68.2	10.75	Peak	2.00	100	Horizontal	Pass

U-NII-2C 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.800	59.56	74.0	14.44	Peak	137.00	100	Horizontal	Pass
1**	5456.800	44.94	54.0	9.06	AV	137.00	100	Horizontal	Pass
2	5460.000	56.39	74.0	17.61	Peak	201.00	100	Horizontal	Pass
2**	5460.000	45.00	54.0	9.00	AV	201.00	100	Horizontal	Pass
3	5462.200	62.68	68.2	5.52	Peak	191.00	100	Horizontal	Pass
3**	5462.200	45.23	--	--	AV	191.00	100	Horizontal	N/A
4	5469.800	60.78	68.2	7.42	Peak	203.00	150	Horizontal	Pass
4**	5469.800	45.63	--	--	AV	203.00	150	Horizontal	N/A

U-NII-2C 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.78	68.2	13.42	Peak	123.00	100	Horizontal	Pass
2	5844.375	57.11	68.2	11.09	Peak	360.00	200	Horizontal	Pass

U-NII-2C 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.800	59.61	74.0	14.39	Peak	188.00	100	Horizontal	Pass
1**	5459.800	44.66	54.0	9.34	AV	188.00	100	Horizontal	Pass
2	5460.000	55.02	74.0	18.98	Peak	245.00	150	Horizontal	Pass
2**	5460.000	44.58	54.0	9.42	AV	245.00	150	Horizontal	Pass
3	5465.600	64.28	68.2	3.92	Peak	208.00	200	Horizontal	Pass
3**	5465.600	45.07	--	--	AV	208.00	200	Horizontal	N/A
4	5469.800	54.48	68.2	13.72	Peak	161.00	100	Horizontal	Pass
4**	5469.800	45.33	--	--	AV	161.00	100	Horizontal	N/A

U-NII-2C 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.29	68.2	12.91	Peak	43.00	100	Horizontal	Pass
2	5770.208	56.92	68.2	11.28	Peak	337.00	200	Horizontal	Pass

U-NII-2C 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5442.800	60.31	74.0	13.69	Peak	188.00	200	Horizontal	Pass
1**	5442.800	43.48	54.0	10.52	AV	188.00	200	Horizontal	Pass
2	5460.000	58.14	74.0	15.86	Peak	208.00	100	Horizontal	Pass
2**	5460.000	44.37	54.0	9.63	AV	208.00	100	Horizontal	Pass
3	5469.000	64.26	68.2	3.94	Peak	182.00	100	Horizontal	Pass
3**	5469.000	44.85	--	--	AV	182.00	100	Horizontal	N/A
4	5469.800	60.41	68.2	7.79	Peak	203.00	100	Horizontal	Pass
4**	5469.800	44.72	--	--	AV	203.00	100	Horizontal	N/A

U-NII-2C 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.85	68.2	12.35	Peak	230.00	200	Horizontal	Pass
2	5805.625	57.60	68.2	10.60	Peak	327.00	200	Horizontal	Pass

U-NII-2C 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.600	61.14	74.0	12.86	Peak	193.00	150	Horizontal	Pass
1**	5459.600	44.94	54.0	9.06	AV	193.00	150	Horizontal	Pass
2	5460.000	60.49	74.0	13.51	Peak	181.00	200	Horizontal	Pass
2**	5460.000	44.72	54.0	9.28	AV	181.00	200	Horizontal	Pass
3	5469.200	63.09	68.2	5.11	Peak	183.00	100	Horizontal	Pass
3**	5469.200	44.41	--	--	AV	183.00	100	Horizontal	N/A
4	5469.800	62.91	68.2	5.29	Peak	202.00	150	Horizontal	Pass
4**	5469.800	44.58	--	--	AV	202.00	150	Horizontal	N/A

U-NII-2C 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.44	68.2	12.76	Peak	199.00	200	Horizontal	Pass
2	5797.500	57.47	68.2	10.73	Peak	115.00	150	Horizontal	Pass

U-NII-3 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.416	56.61	68.2	11.59	Peak	46.00	200	Vertical	Pass
2	5650.000	54.89	68.2	13.31	Peak	87.00	200	Vertical	Pass

U-NII-3 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	55.54	68.4	12.86	Peak	83.00	100	Vertical	Pass
2	5946.750	56.81	68.2	11.39	Peak	355.00	150	Vertical	Pass

U-NII-3 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5622.500	56.46	68.2	11.74	Peak	242.00	100	Vertical	Pass
2	5650.000	55.78	68.2	12.42	Peak	240.00	100	Vertical	Pass

U-NII-3 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	55.62	68.4	12.78	Peak	298.00	150	Vertical	Pass
2	5940.250	57.29	68.2	10.91	Peak	30.00	150	Vertical	Pass

U-NII-3 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5626.459	56.44	68.2	11.76	Peak	33.00	150	Vertical	Pass
2	5650.000	56.39	68.2	11.81	Peak	159.00	200	Vertical	Pass

U-NII-3 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	55.72	68.4	12.68	Peak	279.00	150	Vertical	Pass
2	5947.000	57.10	68.2	11.10	Peak	27.00	200	Vertical	Pass

U-NII-3 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.875	56.63	68.2	11.57	Peak	154.00	200	Vertical	Pass
2	5650.000	56.59	68.2	11.61	Peak	188.00	100	Vertical	Pass

U-NII-3 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	55.07	68.4	13.33	Peak	252.00	150	Vertical	Pass
2	5944.250	57.00	68.2	11.20	Peak	42.00	200	Vertical	Pass

U-NII-3 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.084	56.91	68.2	11.29	Peak	171.00	100	Vertical	Pass
2	5650.000	55.14	68.2	13.06	Peak	352.00	200	Vertical	Pass

U-NII-3 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	55.37	68.4	13.03	Peak	171.00	150	Vertical	Pass
2	5993.000	56.96	68.2	11.24	Peak	355.00	100	Vertical	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5618.750	56.86	68.2	11.34	Peak	48.00	100	Vertical	Pass
2	5650.000	55.57	68.2	12.63	Peak	357.00	150	Vertical	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	54.77	68.4	13.63	Peak	5.00	100	Vertical	Pass
2	5944.750	57.36	68.2	10.84	Peak	101.00	100	Vertical	Pass

U-NII-3 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5625.417	56.47	68.2	11.73	Peak	148.00	200	Vertical	Pass
2	5650.000	55.16	68.2	13.04	Peak	207.00	150	Vertical	Pass

U-NII-3 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	55.43	68.4	12.97	Peak	155.00	200	Vertical	Pass
2	5933.500	57.16	68.2	11.04	Peak	271.00	200	Vertical	Pass

U-NII-3 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5627.292	56.40	68.2	11.80	Peak	279.00	100	Vertical	Pass
2	5650.000	55.18	68.2	13.02	Peak	69.00	100	Vertical	Pass

U-NII-3 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	55.52	68.4	12.88	Peak	355.00	100	Vertical	Pass
2	5940.000	56.98	68.2	11.22	Peak	333.00	150	Vertical	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5618.125	56.59	68.2	11.61	Peak	323.00	150	Vertical	Pass
2	5650.000	56.63	68.2	11.57	Peak	184.00	100	Vertical	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	55.05	68.4	13.35	Peak	22.00	200	Vertical	Pass
2	5934.750	57.18	68.2	11.02	Peak	223.00	150	Vertical	Pass

Replaceable Antenna Model 2: AE1013-BND-H60

U-NII-2C 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5448.667	56.32	74.0	17.68	Peak	158.00	100	Horizontal	Pass
1**	5448.667	46.30	54.0	7.70	AV	158.00	100	Horizontal	Pass
2	5460.000	54.23	74.0	19.77	Peak	170.00	100	Horizontal	Pass
2**	5460.000	44.75	54.0	9.25	AV	170.00	100	Horizontal	Pass
3	5462.167	57.59	68.2	10.61	Peak	178.00	200	Horizontal	Pass
3**	5462.167	46.53	--	--	AV	178.00	200	Horizontal	N/A
4	5469.834	56.58	68.2	11.62	Peak	175.00	100	Horizontal	Pass
4**	5469.834	47.38	--	--	AV	175.00	100	Horizontal	N/A
5	5448.333	55.69	74.0	18.31	Peak	158.00	150	Horizontal	Pass
5**	5448.333	46.75	54.0	7.25	AV	158.00	150	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2541704-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2541704-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2541704-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--