

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.303	39.93	74.0	34.07	Peak	231.00	300	Horizontal	Pass
1**	1526.303	26.36	54.0	27.64	AV	231.00	300	Horizontal	Pass
2	2271.112	41.68	74.0	32.32	Peak	305.00	100	Horizontal	Pass
2**	2271.112	32.69	54.0	21.31	AV	305.00	100	Horizontal	Pass
3	4043.012	47.45	74.0	26.55	Peak	233.00	200	Horizontal	Pass
3**	4043.012	36.64	54.0	17.36	AV	233.00	200	Horizontal	Pass
4	7622.805	51.20	74.0	22.80	Peak	222.00	200	Horizontal	Pass
4**	7622.805	40.96	54.0	13.04	AV	222.00	200	Horizontal	Pass
5	12454.410	54.30	74.0	19.70	Peak	179.00	300	Horizontal	Pass
5**	12454.410	42.13	54.0	11.87	AV	179.00	300	Horizontal	Pass
6	15903.898	54.33	74.0	19.67	Peak	150.00	400	Horizontal	Pass
6**	15903.898	44.49	54.0	9.51	AV	150.00	400	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.601	35.85	74.0	38.15	Peak	228.00	300	Vertical	Pass
1**	1533.601	30.18	54.0	23.82	AV	228.00	300	Vertical	Pass
2	2337.524	43.23	74.0	30.77	Peak	352.00	300	Vertical	Pass
2**	2337.524	34.80	54.0	19.20	AV	352.00	300	Vertical	Pass
3	4899.895	49.30	74.0	24.70	Peak	175.00	200	Vertical	Pass
3**	4899.895	37.74	54.0	16.26	AV	175.00	200	Vertical	Pass
4	7324.375	54.82	74.0	19.18	Peak	289.00	100	Vertical	Pass
4**	7324.375	45.70	54.0	8.30	AV	289.00	100	Vertical	Pass
5	12482.710	53.51	74.0	20.49	Peak	234.00	200	Vertical	Pass
5**	12482.710	46.91	54.0	7.09	AV	234.00	200	Vertical	Pass
6	15694.209	51.38	74.0	22.62	Peak	286.00	300	Vertical	Pass
6**	15694.209	43.93	54.0	10.07	AV	286.00	300	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.595	39.47	74.0	34.53	Peak	220.00	200	Horizontal	Pass
1**	1526.595	29.62	54.0	24.38	AV	220.00	200	Horizontal	Pass
2	2273.134	45.09	74.0	28.91	Peak	287.00	400	Horizontal	Pass
2**	2273.134	31.31	54.0	22.69	AV	287.00	400	Horizontal	Pass
3	4048.304	48.47	74.0	25.53	Peak	185.00	200	Horizontal	Pass
3**	4048.304	37.35	54.0	16.65	AV	185.00	200	Horizontal	Pass
4	7624.193	55.12	74.0	18.88	Peak	315.00	400	Horizontal	Pass
4**	7624.193	40.52	54.0	13.48	AV	315.00	400	Horizontal	Pass
5	12451.108	54.29	74.0	19.71	Peak	145.00	200	Horizontal	Pass
5**	12451.108	45.92	54.0	8.08	AV	145.00	200	Horizontal	Pass
6	15905.035	55.68	74.0	18.32	Peak	117.00	300	Horizontal	Pass
6**	15905.035	45.84	54.0	8.16	AV	117.00	300	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.748	38.31	74.0	35.69	Peak	315.00	200	Vertical	Pass
1**	1532.748	31.20	54.0	22.80	AV	315.00	200	Vertical	Pass
2	2333.768	44.73	74.0	29.27	Peak	235.00	100	Vertical	Pass
2**	2333.768	36.42	54.0	17.58	AV	235.00	100	Vertical	Pass
3	4903.349	50.20	74.0	23.80	Peak	285.00	200	Vertical	Pass
3**	4903.349	40.01	54.0	13.99	AV	285.00	200	Vertical	Pass
4	7325.025	55.36	74.0	18.64	Peak	115.00	100	Vertical	Pass
4**	7325.025	41.33	54.0	12.67	AV	115.00	100	Vertical	Pass
5	12486.323	50.95	74.0	23.05	Peak	307.00	100	Vertical	Pass
5**	12486.323	45.91	54.0	8.09	AV	307.00	100	Vertical	Pass
6	15688.747	56.17	74.0	17.83	Peak	67.00	300	Vertical	Pass
6**	15688.747	42.25	54.0	11.75	AV	67.00	300	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.407	39.85	74.0	34.15	Peak	354.00	200	Horizontal	Pass
1**	1521.407	28.90	54.0	25.10	AV	354.00	200	Horizontal	Pass
2	2275.564	46.26	74.0	27.74	Peak	359.00	400	Horizontal	Pass
2**	2275.564	32.19	54.0	21.81	AV	359.00	400	Horizontal	Pass
3	4046.448	44.89	74.0	29.11	Peak	41.00	200	Horizontal	Pass
3**	4046.448	34.82	54.0	19.18	AV	41.00	200	Horizontal	Pass
4	7620.907	50.86	74.0	23.14	Peak	338.00	400	Horizontal	Pass
4**	7620.907	42.19	54.0	11.81	AV	338.00	400	Horizontal	Pass
5	12458.206	50.22	74.0	23.78	Peak	258.00	100	Horizontal	Pass
5**	12458.206	44.58	54.0	9.42	AV	258.00	100	Horizontal	Pass
6	15900.366	56.18	74.0	17.82	Peak	0.00	300	Horizontal	Pass
6**	15900.366	47.05	54.0	6.95	AV	0.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.006	37.25	74.0	36.75	Peak	123.00	200	Vertical	Pass
1**	1528.006	30.39	54.0	23.61	AV	123.00	200	Vertical	Pass
2	2335.056	46.07	74.0	27.93	Peak	18.00	400	Vertical	Pass
2**	2335.056	34.60	54.0	19.40	AV	18.00	400	Vertical	Pass
3	4902.716	50.90	74.0	23.10	Peak	0.00	200	Vertical	Pass
3**	4902.716	37.51	54.0	16.49	AV	0.00	200	Vertical	Pass
4	7325.960	53.01	74.0	20.99	Peak	325.00	100	Vertical	Pass
4**	7325.960	44.72	54.0	9.28	AV	325.00	100	Vertical	Pass
5	12485.781	51.84	74.0	22.16	Peak	300.00	200	Vertical	Pass
5**	12485.781	41.78	54.0	12.22	AV	300.00	200	Vertical	Pass
6	15693.242	51.23	74.0	22.77	Peak	330.00	400	Vertical	Pass
6**	15693.242	42.97	54.0	11.03	AV	330.00	400	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.824	41.21	74.0	32.79	Peak	112.00	300	Horizontal	Pass
1**	1527.824	29.15	54.0	24.85	AV	112.00	300	Horizontal	Pass
2	2275.566	42.65	74.0	31.35	Peak	215.00	400	Horizontal	Pass
2**	2275.566	33.06	54.0	20.94	AV	215.00	400	Horizontal	Pass
3	4047.376	47.74	74.0	26.26	Peak	300.00	200	Horizontal	Pass
3**	4047.376	36.35	54.0	17.65	AV	300.00	200	Horizontal	Pass
4	7617.976	51.72	74.0	22.28	Peak	331.00	100	Horizontal	Pass
4**	7617.976	45.32	54.0	8.68	AV	331.00	100	Horizontal	Pass
5	12456.837	53.40	74.0	20.60	Peak	77.00	400	Horizontal	Pass
5**	12456.837	45.62	54.0	8.38	AV	77.00	400	Horizontal	Pass
6	15903.464	54.20	74.0	19.80	Peak	297.00	200	Horizontal	Pass
6**	15903.464	43.45	54.0	10.55	AV	297.00	200	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.404	38.47	74.0	35.53	Peak	107.00	400	Vertical	Pass
1**	1532.404	27.15	54.0	26.85	AV	107.00	400	Vertical	Pass
2	2337.164	44.06	74.0	29.94	Peak	296.00	400	Vertical	Pass
2**	2337.164	34.24	54.0	19.76	AV	296.00	400	Vertical	Pass
3	4903.717	51.70	74.0	22.30	Peak	84.00	200	Vertical	Pass
3**	4903.717	37.51	54.0	16.49	AV	84.00	200	Vertical	Pass
4	7323.766	55.13	74.0	18.87	Peak	257.00	300	Vertical	Pass
4**	7323.766	45.72	54.0	8.28	AV	257.00	300	Vertical	Pass
5	12486.069	56.02	74.0	17.98	Peak	167.00	300	Vertical	Pass
5**	12486.069	42.74	54.0	11.26	AV	167.00	300	Vertical	Pass
6	15691.912	51.99	74.0	22.01	Peak	274.00	200	Vertical	Pass
6**	15691.912	47.11	54.0	6.89	AV	274.00	200	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.161	41.13	74.0	32.87	Peak	144.00	400	Horizontal	Pass
1**	1524.161	27.84	54.0	26.16	AV	144.00	400	Horizontal	Pass
2	2271.003	45.48	74.0	28.52	Peak	197.00	200	Horizontal	Pass
2**	2271.003	35.89	54.0	18.11	AV	197.00	200	Horizontal	Pass
3	4042.775	48.16	74.0	25.84	Peak	137.00	200	Horizontal	Pass
3**	4042.775	35.86	54.0	18.14	AV	137.00	200	Horizontal	Pass
4	7618.433	52.07	74.0	21.93	Peak	294.00	400	Horizontal	Pass
4**	7618.433	44.06	54.0	9.94	AV	294.00	400	Horizontal	Pass
5	12453.254	54.54	74.0	19.46	Peak	273.00	200	Horizontal	Pass
5**	12453.254	44.47	54.0	9.53	AV	273.00	200	Horizontal	Pass
6	15905.006	53.43	74.0	20.57	Peak	343.00	400	Horizontal	Pass
6**	15905.006	46.98	54.0	7.02	AV	343.00	400	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.816	37.54	74.0	36.46	Peak	248.00	200	Vertical	Pass
1**	1528.816	29.00	54.0	25.00	AV	248.00	200	Vertical	Pass
2	2337.609	47.38	74.0	26.62	Peak	357.00	100	Vertical	Pass
2**	2337.609	35.59	54.0	18.41	AV	357.00	100	Vertical	Pass
3	4898.000	51.55	74.0	22.45	Peak	91.00	200	Vertical	Pass
3**	4898.000	36.77	54.0	17.23	AV	91.00	200	Vertical	Pass
4	7330.968	51.07	74.0	22.93	Peak	257.00	100	Vertical	Pass
4**	7330.968	41.95	54.0	12.05	AV	257.00	100	Vertical	Pass
5	12484.344	51.60	74.0	22.40	Peak	83.00	100	Vertical	Pass
5**	12484.344	46.60	54.0	7.40	AV	83.00	100	Vertical	Pass
6	15694.479	56.48	74.0	17.52	Peak	303.00	200	Vertical	Pass
6**	15694.479	46.91	54.0	7.09	AV	303.00	200	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.801	38.24	74.0	35.76	Peak	79.00	300	Horizontal	Pass
1**	1522.801	31.52	54.0	22.48	AV	79.00	300	Horizontal	Pass
2	2276.088	41.14	74.0	32.86	Peak	168.00	300	Horizontal	Pass
2**	2276.088	36.75	54.0	17.25	AV	168.00	300	Horizontal	Pass
3	4050.274	45.73	74.0	28.27	Peak	92.00	200	Horizontal	Pass
3**	4050.274	38.87	54.0	15.13	AV	92.00	200	Horizontal	Pass
4	7621.660	52.12	74.0	21.88	Peak	117.00	200	Horizontal	Pass
4**	7621.660	45.16	54.0	8.84	AV	117.00	200	Horizontal	Pass
5	12450.764	51.06	74.0	22.94	Peak	141.00	400	Horizontal	Pass
5**	12450.764	43.46	54.0	10.54	AV	141.00	400	Horizontal	Pass
6	15904.351	54.45	74.0	19.55	Peak	69.00	300	Horizontal	Pass
6**	15904.351	43.98	54.0	10.02	AV	69.00	300	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.334	37.00	74.0	37.00	Peak	273.00	200	Vertical	Pass
1**	1532.334	25.91	54.0	28.09	AV	273.00	200	Vertical	Pass
2	2337.216	47.05	74.0	26.95	Peak	228.00	400	Vertical	Pass
2**	2337.216	38.01	54.0	15.99	AV	228.00	400	Vertical	Pass
3	4902.170	52.46	74.0	21.54	Peak	38.00	200	Vertical	Pass
3**	4902.170	38.87	54.0	15.13	AV	38.00	200	Vertical	Pass
4	7330.977	54.33	74.0	19.67	Peak	127.00	300	Vertical	Pass
4**	7330.977	41.62	54.0	12.38	AV	127.00	300	Vertical	Pass
5	12482.616	53.01	74.0	20.99	Peak	196.00	200	Vertical	Pass
5**	12482.616	43.77	54.0	10.23	AV	196.00	200	Vertical	Pass
6	15694.892	51.58	74.0	22.42	Peak	85.00	300	Vertical	Pass
6**	15694.892	41.95	54.0	12.05	AV	85.00	300	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.107	37.35	74.0	36.65	Peak	168.00	200	Horizontal	Pass
1**	1521.107	25.67	54.0	28.33	AV	168.00	200	Horizontal	Pass
2	2272.662	44.91	74.0	29.09	Peak	345.00	200	Horizontal	Pass
2**	2272.662	36.69	54.0	17.31	AV	345.00	200	Horizontal	Pass
3	4049.955	50.14	74.0	23.86	Peak	93.00	200	Horizontal	Pass
3**	4049.955	35.39	54.0	18.61	AV	93.00	200	Horizontal	Pass
4	7619.393	52.83	74.0	21.17	Peak	164.00	200	Horizontal	Pass
4**	7619.393	43.57	54.0	10.43	AV	164.00	200	Horizontal	Pass
5	12454.497	55.74	74.0	18.26	Peak	109.00	200	Horizontal	Pass
5**	12454.497	41.61	54.0	12.39	AV	109.00	200	Horizontal	Pass
6	15900.290	53.52	74.0	20.48	Peak	123.00	300	Horizontal	Pass
6**	15900.290	41.61	54.0	12.39	AV	123.00	300	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.975	38.17	74.0	35.83	Peak	67.00	100	Vertical	Pass
1**	1527.975	25.86	54.0	28.14	AV	67.00	100	Vertical	Pass
2	2338.080	46.38	74.0	27.62	Peak	271.00	300	Vertical	Pass
2**	2338.080	33.20	54.0	20.80	AV	271.00	300	Vertical	Pass
3	4903.304	48.64	74.0	25.36	Peak	324.00	200	Vertical	Pass
3**	4903.304	40.18	54.0	13.82	AV	324.00	200	Vertical	Pass
4	7326.253	56.11	74.0	17.89	Peak	241.00	400	Vertical	Pass
4**	7326.253	42.60	54.0	11.40	AV	241.00	400	Vertical	Pass
5	12487.770	50.03	74.0	23.97	Peak	281.00	400	Vertical	Pass
5**	12487.770	46.10	54.0	7.90	AV	281.00	400	Vertical	Pass
6	15687.788	56.17	74.0	17.83	Peak	52.00	200	Vertical	Pass
6**	15687.788	46.02	54.0	7.98	AV	52.00	200	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.473	36.70	74.0	37.30	Peak	271.00	100	Horizontal	Pass
1**	1522.473	26.20	54.0	27.80	AV	271.00	100	Horizontal	Pass
2	2278.522	44.44	74.0	29.56	Peak	157.00	300	Horizontal	Pass
2**	2278.522	31.41	54.0	22.59	AV	157.00	300	Horizontal	Pass
3	4042.885	49.03	74.0	24.97	Peak	198.00	200	Horizontal	Pass
3**	4042.885	38.30	54.0	15.70	AV	198.00	200	Horizontal	Pass
4	7618.856	55.00	74.0	19.00	Peak	82.00	100	Horizontal	Pass
4**	7618.856	42.01	54.0	11.99	AV	82.00	100	Horizontal	Pass
5	12457.944	51.08	74.0	22.92	Peak	180.00	300	Horizontal	Pass
5**	12457.944	42.30	54.0	11.70	AV	180.00	300	Horizontal	Pass
6	15902.455	55.89	74.0	18.11	Peak	347.00	300	Horizontal	Pass
6**	15902.455	43.71	54.0	10.29	AV	347.00	300	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.582	36.03	74.0	37.97	Peak	260.00	300	Vertical	Pass
1**	1530.582	29.87	54.0	24.13	AV	260.00	300	Vertical	Pass
2	2332.239	46.86	74.0	27.14	Peak	359.00	300	Vertical	Pass
2**	2332.239	33.90	54.0	20.10	AV	359.00	300	Vertical	Pass
3	4896.717	48.07	74.0	25.93	Peak	239.00	200	Vertical	Pass
3**	4896.717	40.06	54.0	13.94	AV	239.00	200	Vertical	Pass
4	7323.735	54.02	74.0	19.98	Peak	249.00	300	Vertical	Pass
4**	7323.735	43.27	54.0	10.73	AV	249.00	300	Vertical	Pass
5	12487.985	53.68	74.0	20.32	Peak	205.00	100	Vertical	Pass
5**	12487.985	41.66	54.0	12.34	AV	205.00	100	Vertical	Pass
6	15689.156	51.74	74.0	22.26	Peak	52.00	300	Vertical	Pass
6**	15689.156	42.01	54.0	11.99	AV	52.00	300	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.635	36.16	74.0	37.84	Peak	199.00	100	Horizontal	Pass
1**	1521.635	30.57	54.0	23.43	AV	199.00	100	Horizontal	Pass
2	2278.030	41.15	74.0	32.85	Peak	299.00	400	Horizontal	Pass
2**	2278.030	33.66	54.0	20.34	AV	299.00	400	Horizontal	Pass
3	4042.561	44.99	74.0	29.01	Peak	326.00	200	Horizontal	Pass
3**	4042.561	39.54	54.0	14.46	AV	326.00	200	Horizontal	Pass
4	7618.343	52.41	74.0	21.59	Peak	6.00	400	Horizontal	Pass
4**	7618.343	44.30	54.0	9.70	AV	6.00	400	Horizontal	Pass
5	12452.411	50.58	74.0	23.42	Peak	59.00	100	Horizontal	Pass
5**	12452.411	42.99	54.0	11.01	AV	59.00	100	Horizontal	Pass
6	15905.888	51.99	74.0	22.01	Peak	4.00	400	Horizontal	Pass
6**	15905.888	42.58	54.0	11.42	AV	4.00	400	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.228	39.80	74.0	34.20	Peak	240.00	400	Vertical	Pass
1**	1528.228	29.60	54.0	24.40	AV	240.00	400	Vertical	Pass
2	2337.988	44.36	74.0	29.64	Peak	55.00	100	Vertical	Pass
2**	2337.988	37.84	54.0	16.16	AV	55.00	100	Vertical	Pass
3	4903.872	50.46	74.0	23.54	Peak	101.00	200	Vertical	Pass
3**	4903.872	37.91	54.0	16.09	AV	101.00	200	Vertical	Pass
4	7324.533	54.58	74.0	19.42	Peak	302.00	200	Vertical	Pass
4**	7324.533	43.23	54.0	10.77	AV	302.00	200	Vertical	Pass
5	12483.318	52.20	74.0	21.80	Peak	271.00	100	Vertical	Pass
5**	12483.318	46.30	54.0	7.70	AV	271.00	100	Vertical	Pass
6	15694.131	55.64	74.0	18.36	Peak	170.00	200	Vertical	Pass
6**	15694.131	41.62	54.0	12.38	AV	170.00	200	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.291	40.61	74.0	33.39	Peak	320.00	200	Horizontal	Pass
1**	1521.291	26.63	54.0	27.37	AV	320.00	200	Horizontal	Pass
2	2274.358	44.07	74.0	29.93	Peak	156.00	300	Horizontal	Pass
2**	2274.358	32.54	54.0	21.46	AV	156.00	300	Horizontal	Pass
3	4048.993	47.04	74.0	26.96	Peak	78.00	200	Horizontal	Pass
3**	4048.993	39.24	54.0	14.76	AV	78.00	200	Horizontal	Pass
4	7624.129	54.96	74.0	19.04	Peak	304.00	300	Horizontal	Pass
4**	7624.129	43.41	54.0	10.59	AV	304.00	300	Horizontal	Pass
5	12450.771	53.29	74.0	20.71	Peak	5.00	300	Horizontal	Pass
5**	12450.771	44.67	54.0	9.33	AV	5.00	300	Horizontal	Pass
6	15901.393	52.05	74.0	21.95	Peak	63.00	300	Horizontal	Pass
6**	15901.393	42.68	54.0	11.32	AV	63.00	300	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.727	36.36	74.0	37.64	Peak	346.00	200	Vertical	Pass
1**	1531.727	28.31	54.0	25.69	AV	346.00	200	Vertical	Pass
2	2334.858	42.65	74.0	31.35	Peak	14.00	200	Vertical	Pass
2**	2334.858	36.15	54.0	17.85	AV	14.00	200	Vertical	Pass
3	4900.858	50.87	74.0	23.13	Peak	185.00	200	Vertical	Pass
3**	4900.858	36.72	54.0	17.28	AV	185.00	200	Vertical	Pass
4	7330.945	54.79	74.0	19.21	Peak	243.00	400	Vertical	Pass
4**	7330.945	42.65	54.0	11.35	AV	243.00	400	Vertical	Pass
5	12486.235	50.17	74.0	23.83	Peak	105.00	100	Vertical	Pass
5**	12486.235	42.40	54.0	11.60	AV	105.00	100	Vertical	Pass
6	15693.607	56.14	74.0	17.86	Peak	68.00	200	Vertical	Pass
6**	15693.607	45.64	54.0	8.36	AV	68.00	200	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.402	41.12	74.0	32.88	Peak	257.00	400	Horizontal	Pass
1**	1528.402	29.04	54.0	24.96	AV	257.00	400	Horizontal	Pass
2	2272.993	42.77	74.0	31.23	Peak	286.00	200	Horizontal	Pass
2**	2272.993	37.01	54.0	16.99	AV	286.00	200	Horizontal	Pass
3	4048.731	44.77	74.0	29.23	Peak	237.00	200	Horizontal	Pass
3**	4048.731	36.30	54.0	17.70	AV	237.00	200	Horizontal	Pass
4	7619.342	54.44	74.0	19.56	Peak	90.00	300	Horizontal	Pass
4**	7619.342	40.83	54.0	13.17	AV	90.00	300	Horizontal	Pass
5	12455.350	50.65	74.0	23.35	Peak	141.00	200	Horizontal	Pass
5**	12455.350	44.35	54.0	9.65	AV	141.00	200	Horizontal	Pass
6	15906.966	56.53	74.0	17.47	Peak	313.00	400	Horizontal	Pass
6**	15906.966	46.96	54.0	7.04	AV	313.00	400	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.465	40.00	74.0	34.00	Peak	300.00	300	Vertical	Pass
1**	1528.465	27.04	54.0	26.96	AV	300.00	300	Vertical	Pass
2	2335.540	46.00	74.0	28.00	Peak	266.00	400	Vertical	Pass
2**	2335.540	35.37	54.0	18.63	AV	266.00	400	Vertical	Pass
3	4902.024	47.74	74.0	26.26	Peak	91.00	200	Vertical	Pass
3**	4902.024	42.54	54.0	11.46	AV	91.00	200	Vertical	Pass
4	7328.065	54.49	74.0	19.51	Peak	155.00	100	Vertical	Pass
4**	7328.065	46.73	54.0	7.27	AV	155.00	100	Vertical	Pass
5	12485.026	50.78	74.0	23.22	Peak	30.00	300	Vertical	Pass
5**	12485.026	45.27	54.0	8.73	AV	30.00	300	Vertical	Pass
6	15688.969	55.29	74.0	18.71	Peak	25.00	100	Vertical	Pass
6**	15688.969	43.70	54.0	10.30	AV	25.00	100	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.060	40.39	74.0	33.61	Peak	137.00	100	Horizontal	Pass
1**	1527.060	27.34	54.0	26.66	AV	137.00	100	Horizontal	Pass
2	2278.570	41.44	74.0	32.56	Peak	128.00	200	Horizontal	Pass
2**	2278.570	33.64	54.0	20.36	AV	128.00	200	Horizontal	Pass
3	4048.387	46.63	74.0	27.37	Peak	351.00	200	Horizontal	Pass
3**	4048.387	38.26	54.0	15.74	AV	351.00	200	Horizontal	Pass
4	7623.011	55.85	74.0	18.15	Peak	313.00	300	Horizontal	Pass
4**	7623.011	46.02	54.0	7.98	AV	313.00	300	Horizontal	Pass
5	12451.966	53.90	74.0	20.10	Peak	246.00	400	Horizontal	Pass
5**	12451.966	42.70	54.0	11.30	AV	246.00	400	Horizontal	Pass
6	15900.777	50.72	74.0	23.28	Peak	144.00	400	Horizontal	Pass
6**	15900.777	45.36	54.0	8.64	AV	144.00	400	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.022	40.63	74.0	33.37	Peak	337.00	200	Vertical	Pass
1**	1534.022	27.98	54.0	26.02	AV	337.00	200	Vertical	Pass
2	2331.509	41.69	74.0	32.31	Peak	355.00	400	Vertical	Pass
2**	2331.509	35.83	54.0	18.17	AV	355.00	400	Vertical	Pass
3	4900.612	49.19	74.0	24.81	Peak	320.00	200	Vertical	Pass
3**	4900.612	41.65	54.0	12.35	AV	320.00	200	Vertical	Pass
4	7324.369	54.55	74.0	19.45	Peak	101.00	100	Vertical	Pass
4**	7324.369	44.09	54.0	9.91	AV	101.00	100	Vertical	Pass
5	12484.058	51.48	74.0	22.52	Peak	100.00	400	Vertical	Pass
5**	12484.058	42.37	54.0	11.63	AV	100.00	400	Vertical	Pass
6	15695.009	55.60	74.0	18.40	Peak	286.00	100	Vertical	Pass
6**	15695.009	47.43	54.0	6.57	AV	286.00	100	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.000	35.95	74.0	38.05	Peak	327.00	300	Horizontal	Pass
1**	1522.000	28.04	54.0	25.96	AV	327.00	300	Horizontal	Pass
2	2273.289	41.95	74.0	32.05	Peak	179.00	400	Horizontal	Pass
2**	2273.289	37.28	54.0	16.72	AV	179.00	400	Horizontal	Pass
3	4045.025	45.62	74.0	28.38	Peak	303.00	200	Horizontal	Pass
3**	4045.025	39.56	54.0	14.44	AV	303.00	200	Horizontal	Pass
4	7618.405	53.95	74.0	20.05	Peak	11.00	300	Horizontal	Pass
4**	7618.405	45.50	54.0	8.50	AV	11.00	300	Horizontal	Pass
5	12456.244	51.29	74.0	22.71	Peak	275.00	200	Horizontal	Pass
5**	12456.244	43.54	54.0	10.46	AV	275.00	200	Horizontal	Pass
6	15904.482	52.76	74.0	21.24	Peak	138.00	100	Horizontal	Pass
6**	15904.482	44.58	54.0	9.42	AV	138.00	100	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.757	40.19	74.0	33.81	Peak	114.00	300	Vertical	Pass
1**	1533.757	30.06	54.0	23.94	AV	114.00	300	Vertical	Pass
2	2338.237	46.43	74.0	27.57	Peak	264.00	200	Vertical	Pass
2**	2338.237	32.51	54.0	21.49	AV	264.00	200	Vertical	Pass
3	4900.025	47.24	74.0	26.76	Peak	128.00	200	Vertical	Pass
3**	4900.025	38.34	54.0	15.66	AV	128.00	200	Vertical	Pass
4	7324.710	52.20	74.0	21.80	Peak	193.00	400	Vertical	Pass
4**	7324.710	43.46	54.0	10.54	AV	193.00	400	Vertical	Pass
5	12490.349	52.63	74.0	21.37	Peak	151.00	400	Vertical	Pass
5**	12490.349	41.52	54.0	12.48	AV	151.00	400	Vertical	Pass
6	15692.464	51.74	74.0	22.26	Peak	95.00	200	Vertical	Pass
6**	15692.464	44.40	54.0	9.60	AV	95.00	200	Vertical	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.330	38.20	74.0	35.80	Peak	265.00	100	Horizontal	Pass
1**	1521.330	29.39	54.0	24.61	AV	265.00	100	Horizontal	Pass
2	2277.279	42.37	74.0	31.63	Peak	200.00	100	Horizontal	Pass
2**	2277.279	31.79	54.0	22.21	AV	200.00	100	Horizontal	Pass
3	4044.784	48.65	74.0	25.35	Peak	227.00	200	Horizontal	Pass
3**	4044.784	35.43	54.0	18.57	AV	227.00	200	Horizontal	Pass
4	7618.149	53.03	74.0	20.97	Peak	19.00	300	Horizontal	Pass
4**	7618.149	45.42	54.0	8.58	AV	19.00	300	Horizontal	Pass
5	12451.970	54.38	74.0	19.62	Peak	224.00	300	Horizontal	Pass
5**	12451.970	44.40	54.0	9.60	AV	224.00	300	Horizontal	Pass
6	15899.741	54.89	74.0	19.11	Peak	7.00	400	Horizontal	Pass
6**	15899.741	45.57	54.0	8.43	AV	7.00	400	Horizontal	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.191	37.94	74.0	36.06	Peak	114.00	400	Vertical	Pass
1**	1532.191	29.17	54.0	24.83	AV	114.00	400	Vertical	Pass
2	2335.280	46.40	74.0	27.60	Peak	91.00	200	Vertical	Pass
2**	2335.280	36.85	54.0	17.15	AV	91.00	200	Vertical	Pass
3	4899.963	49.46	74.0	24.54	Peak	170.00	200	Vertical	Pass
3**	4899.963	41.91	54.0	12.09	AV	170.00	200	Vertical	Pass
4	7329.123	53.04	74.0	20.96	Peak	80.00	400	Vertical	Pass
4**	7329.123	46.13	54.0	7.87	AV	80.00	400	Vertical	Pass
5	12484.095	55.66	74.0	18.34	Peak	53.00	100	Vertical	Pass
5**	12484.095	44.08	54.0	9.92	AV	53.00	100	Vertical	Pass
6	15692.628	56.27	74.0	17.73	Peak	74.00	100	Vertical	Pass
6**	15692.628	46.69	54.0	7.31	AV	74.00	100	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.997	38.02	74.0	35.98	Peak	163.00	200	Horizontal	Pass
1**	1525.997	27.26	54.0	26.74	AV	163.00	200	Horizontal	Pass
2	2276.660	45.33	74.0	28.67	Peak	346.00	300	Horizontal	Pass
2**	2276.660	31.69	54.0	22.31	AV	346.00	300	Horizontal	Pass
3	4044.087	49.41	74.0	24.59	Peak	115.00	200	Horizontal	Pass
3**	4044.087	37.63	54.0	16.37	AV	115.00	200	Horizontal	Pass
4	7617.026	53.54	74.0	20.46	Peak	165.00	400	Horizontal	Pass
4**	7617.026	42.28	54.0	11.72	AV	165.00	400	Horizontal	Pass
5	12452.617	51.90	74.0	22.10	Peak	60.00	300	Horizontal	Pass
5**	12452.617	46.17	54.0	7.83	AV	60.00	300	Horizontal	Pass
6	15904.787	53.61	74.0	20.39	Peak	37.00	200	Horizontal	Pass
6**	15904.787	43.30	54.0	10.70	AV	37.00	200	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.929	41.75	74.0	32.25	Peak	82.00	300	Vertical	Pass
1**	1595.929	25.96	54.0	28.04	AV	82.00	300	Vertical	Pass
2	2230.132	43.34	74.0	30.66	Peak	29.00	100	Vertical	Pass
2**	2230.132	31.09	54.0	22.91	AV	29.00	100	Vertical	Pass
3	4259.243	48.45	74.0	25.55	Peak	40.00	200	Vertical	Pass
3**	4259.243	38.67	54.0	15.33	AV	40.00	200	Vertical	Pass
4	7710.750	57.68	74.0	16.32	Peak	138.00	100	Vertical	Pass
4**	7710.750	41.76	54.0	12.24	AV	138.00	100	Vertical	Pass
5	12498.784	54.95	74.0	19.05	Peak	217.00	200	Vertical	Pass
5**	12498.784	45.12	54.0	8.88	AV	217.00	200	Vertical	Pass
6	15676.120	56.95	74.0	17.05	Peak	39.00	400	Vertical	Pass
6**	15676.120	45.26	54.0	8.74	AV	39.00	400	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.762	38.86	74.0	35.14	Peak	4.00	400	Horizontal	Pass
1**	1524.762	29.18	54.0	24.82	AV	4.00	400	Horizontal	Pass
2	2277.760	43.82	74.0	30.18	Peak	68.00	400	Horizontal	Pass
2**	2277.760	36.87	54.0	17.13	AV	68.00	400	Horizontal	Pass
3	4043.135	45.67	74.0	28.33	Peak	245.00	200	Horizontal	Pass
3**	4043.135	36.20	54.0	17.80	AV	245.00	200	Horizontal	Pass
4	7623.008	51.43	74.0	22.57	Peak	293.00	300	Horizontal	Pass
4**	7623.008	40.98	54.0	13.02	AV	293.00	300	Horizontal	Pass
5	12458.378	55.02	74.0	18.98	Peak	3.00	300	Horizontal	Pass
5**	12458.378	44.86	54.0	9.14	AV	3.00	300	Horizontal	Pass
6	15902.776	50.87	74.0	23.13	Peak	108.00	200	Horizontal	Pass
6**	15902.776	44.84	54.0	9.16	AV	108.00	200	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.338	41.09	74.0	32.91	Peak	119.00	400	Vertical	Pass
1**	1601.338	23.00	54.0	31.00	AV	119.00	400	Vertical	Pass
2	2230.311	42.44	74.0	31.56	Peak	55.00	200	Vertical	Pass
2**	2230.311	31.15	54.0	22.85	AV	55.00	200	Vertical	Pass
3	4261.036	48.36	74.0	25.64	Peak	320.00	200	Vertical	Pass
3**	4261.036	40.92	54.0	13.08	AV	320.00	200	Vertical	Pass
4	7710.176	55.87	74.0	18.13	Peak	24.00	200	Vertical	Pass
4**	7710.176	39.80	54.0	14.20	AV	24.00	200	Vertical	Pass
5	12497.851	51.03	74.0	22.97	Peak	96.00	100	Vertical	Pass
5**	12497.851	44.29	54.0	9.71	AV	96.00	100	Vertical	Pass
6	15675.966	55.96	74.0	18.04	Peak	273.00	400	Vertical	Pass
6**	15675.966	40.80	54.0	13.20	AV	273.00	400	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.201	36.85	74.0	37.15	Peak	129.00	400	Horizontal	Pass
1**	1528.201	30.88	54.0	23.12	AV	129.00	400	Horizontal	Pass
2	2273.379	46.84	74.0	27.16	Peak	358.00	300	Horizontal	Pass
2**	2273.379	31.93	54.0	22.07	AV	358.00	300	Horizontal	Pass
3	4047.542	49.64	74.0	24.36	Peak	320.00	200	Horizontal	Pass
3**	4047.542	39.58	54.0	14.42	AV	320.00	200	Horizontal	Pass
4	7618.911	51.80	74.0	22.20	Peak	116.00	100	Horizontal	Pass
4**	7618.911	43.70	54.0	10.30	AV	116.00	100	Horizontal	Pass
5	12455.811	53.93	74.0	20.07	Peak	283.00	400	Horizontal	Pass
5**	12455.811	43.13	54.0	10.87	AV	283.00	400	Horizontal	Pass
6	15906.280	53.22	74.0	20.78	Peak	205.00	200	Horizontal	Pass
6**	15906.280	45.85	54.0	8.15	AV	205.00	200	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.437	43.10	74.0	30.90	Peak	225.00	400	Vertical	Pass
1**	1598.437	24.71	54.0	29.29	AV	225.00	400	Vertical	Pass
2	2226.046	43.36	74.0	30.64	Peak	203.00	400	Vertical	Pass
2**	2226.046	28.51	54.0	25.49	AV	203.00	400	Vertical	Pass
3	4258.960	45.12	74.0	28.88	Peak	235.00	200	Vertical	Pass
3**	4258.960	39.31	54.0	14.69	AV	235.00	200	Vertical	Pass
4	7706.079	54.16	74.0	19.84	Peak	56.00	300	Vertical	Pass
4**	7706.079	43.71	54.0	10.29	AV	56.00	300	Vertical	Pass
5	12501.615	54.11	74.0	19.89	Peak	239.00	200	Vertical	Pass
5**	12501.615	44.70	54.0	9.30	AV	239.00	200	Vertical	Pass
6	15669.191	54.95	74.0	19.05	Peak	100.00	100	Vertical	Pass
6**	15669.191	44.10	54.0	9.90	AV	100.00	100	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.874	41.51	74.0	32.49	Peak	56.00	300	Horizontal	Pass
1**	1521.874	27.79	54.0	26.21	AV	56.00	300	Horizontal	Pass
2	2271.943	45.11	74.0	28.89	Peak	152.00	100	Horizontal	Pass
2**	2271.943	36.55	54.0	17.45	AV	152.00	100	Horizontal	Pass
3	4047.862	47.37	74.0	26.63	Peak	293.00	200	Horizontal	Pass
3**	4047.862	38.82	54.0	15.18	AV	293.00	200	Horizontal	Pass
4	7618.471	50.48	74.0	23.52	Peak	159.00	100	Horizontal	Pass
4**	7618.471	44.05	54.0	9.95	AV	159.00	100	Horizontal	Pass
5	12455.706	53.13	74.0	20.87	Peak	270.00	100	Horizontal	Pass
5**	12455.706	44.64	54.0	9.36	AV	270.00	100	Horizontal	Pass
6	15905.978	55.02	74.0	18.98	Peak	238.00	400	Horizontal	Pass
6**	15905.978	44.71	54.0	9.29	AV	238.00	400	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.894	37.42	74.0	36.58	Peak	12.00	300	Vertical	Pass
1**	1599.894	25.24	54.0	28.76	AV	12.00	300	Vertical	Pass
2	2229.343	41.20	74.0	32.80	Peak	264.00	200	Vertical	Pass
2**	2229.343	33.28	54.0	20.72	AV	264.00	200	Vertical	Pass
3	4260.460	48.98	74.0	25.02	Peak	165.00	200	Vertical	Pass
3**	4260.460	36.93	54.0	17.07	AV	165.00	200	Vertical	Pass
4	7708.900	57.68	74.0	16.32	Peak	178.00	200	Vertical	Pass
4**	7708.900	41.54	54.0	12.46	AV	178.00	200	Vertical	Pass
5	12496.591	55.91	74.0	18.09	Peak	83.00	200	Vertical	Pass
5**	12496.591	40.44	54.0	13.56	AV	83.00	200	Vertical	Pass
6	15670.849	56.03	74.0	17.97	Peak	100.00	100	Vertical	Pass
6**	15670.849	39.96	54.0	14.04	AV	100.00	100	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.404	40.97	74.0	33.03	Peak	60.00	200	Horizontal	Pass
1**	1526.404	26.76	54.0	27.24	AV	60.00	200	Horizontal	Pass
2	2271.554	45.10	74.0	28.90	Peak	281.00	100	Horizontal	Pass
2**	2271.554	31.96	54.0	22.04	AV	281.00	100	Horizontal	Pass
3	4045.545	44.42	74.0	29.58	Peak	17.00	200	Horizontal	Pass
3**	4045.545	38.77	54.0	15.23	AV	17.00	200	Horizontal	Pass
4	7622.816	52.54	74.0	21.46	Peak	151.00	300	Horizontal	Pass
4**	7622.816	44.39	54.0	9.61	AV	151.00	300	Horizontal	Pass
5	12456.747	52.82	74.0	21.18	Peak	111.00	400	Horizontal	Pass
5**	12456.747	44.50	54.0	9.50	AV	111.00	400	Horizontal	Pass
6	15905.453	55.80	74.0	18.20	Peak	169.00	100	Horizontal	Pass
6**	15905.453	41.79	54.0	12.21	AV	169.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.495	42.60	74.0	31.40	Peak	149.00	300	Vertical	Pass
1**	1600.495	24.53	54.0	29.47	AV	149.00	300	Vertical	Pass
2	2225.524	40.08	74.0	33.92	Peak	261.00	300	Vertical	Pass
2**	2225.524	32.90	54.0	21.10	AV	261.00	300	Vertical	Pass
3	4261.618	45.85	74.0	28.15	Peak	163.00	200	Vertical	Pass
3**	4261.618	39.53	54.0	14.47	AV	163.00	200	Vertical	Pass
4	7709.421	56.05	74.0	17.95	Peak	132.00	300	Vertical	Pass
4**	7709.421	43.68	54.0	10.32	AV	132.00	300	Vertical	Pass
5	12495.448	53.15	74.0	20.85	Peak	191.00	200	Vertical	Pass
5**	12495.448	43.14	54.0	10.86	AV	191.00	200	Vertical	Pass
6	15676.121	56.00	74.0	18.00	Peak	345.00	100	Vertical	Pass
6**	15676.121	43.07	54.0	10.93	AV	345.00	100	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.781	37.60	74.0	36.40	Peak	287.00	400	Horizontal	Pass
1**	1525.781	28.58	54.0	25.42	AV	287.00	400	Horizontal	Pass
2	2271.285	41.74	74.0	32.26	Peak	151.00	200	Horizontal	Pass
2**	2271.285	32.16	54.0	21.84	AV	151.00	200	Horizontal	Pass
3	4045.188	50.04	74.0	23.96	Peak	273.00	200	Horizontal	Pass
3**	4045.188	39.81	54.0	14.19	AV	273.00	200	Horizontal	Pass
4	7616.976	53.04	74.0	20.96	Peak	295.00	400	Horizontal	Pass
4**	7616.976	44.15	54.0	9.85	AV	295.00	400	Horizontal	Pass
5	12455.735	51.25	74.0	22.75	Peak	287.00	400	Horizontal	Pass
5**	12455.735	41.86	54.0	12.14	AV	287.00	400	Horizontal	Pass
6	15901.637	55.95	74.0	18.05	Peak	211.00	100	Horizontal	Pass
6**	15901.637	45.78	54.0	8.22	AV	211.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.477	40.75	74.0	33.25	Peak	186.00	200	Vertical	Pass
1**	1600.477	26.06	54.0	27.94	AV	186.00	200	Vertical	Pass
2	2230.048	38.59	74.0	35.41	Peak	353.00	100	Vertical	Pass
2**	2230.048	29.76	54.0	24.24	AV	353.00	100	Vertical	Pass
3	4259.251	49.30	74.0	24.70	Peak	258.00	200	Vertical	Pass
3**	4259.251	38.23	54.0	15.77	AV	258.00	200	Vertical	Pass
4	7712.238	56.17	74.0	17.83	Peak	135.00	400	Vertical	Pass
4**	7712.238	40.62	54.0	13.38	AV	135.00	400	Vertical	Pass
5	12496.288	52.71	74.0	21.29	Peak	52.00	100	Vertical	Pass
5**	12496.288	45.99	54.0	8.01	AV	52.00	100	Vertical	Pass
6	15674.265	54.54	74.0	19.46	Peak	108.00	100	Vertical	Pass
6**	15674.265	40.36	54.0	13.64	AV	108.00	100	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.883	37.37	74.0	36.63	Peak	258.00	100	Horizontal	Pass
1**	1521.883	31.14	54.0	22.86	AV	258.00	100	Horizontal	Pass
2	2274.736	46.19	74.0	27.81	Peak	342.00	400	Horizontal	Pass
2**	2274.736	32.21	54.0	21.79	AV	342.00	400	Horizontal	Pass
3	4042.961	44.52	74.0	29.48	Peak	277.00	200	Horizontal	Pass
3**	4042.961	35.27	54.0	18.73	AV	277.00	200	Horizontal	Pass
4	7619.502	54.87	74.0	19.13	Peak	22.00	100	Horizontal	Pass
4**	7619.502	45.03	54.0	8.97	AV	22.00	100	Horizontal	Pass
5	12457.918	51.97	74.0	22.03	Peak	75.00	300	Horizontal	Pass
5**	12457.918	42.28	54.0	11.72	AV	75.00	300	Horizontal	Pass
6	15906.035	54.56	74.0	19.44	Peak	54.00	200	Horizontal	Pass
6**	15906.035	44.09	54.0	9.91	AV	54.00	200	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.566	41.56	74.0	32.44	Peak	108.00	200	Vertical	Pass
1**	1597.566	23.82	54.0	30.18	AV	108.00	200	Vertical	Pass
2	2230.079	39.71	74.0	34.29	Peak	44.00	200	Vertical	Pass
2**	2230.079	30.56	54.0	23.44	AV	44.00	200	Vertical	Pass
3	4259.255	49.69	74.0	24.31	Peak	115.00	200	Vertical	Pass
3**	4259.255	38.72	54.0	15.28	AV	115.00	200	Vertical	Pass
4	7710.606	55.50	74.0	18.50	Peak	198.00	400	Vertical	Pass
4**	7710.606	42.31	54.0	11.69	AV	198.00	400	Vertical	Pass
5	12498.838	53.22	74.0	20.78	Peak	40.00	300	Vertical	Pass
5**	12498.838	41.58	54.0	12.42	AV	40.00	300	Vertical	Pass
6	15673.592	57.24	74.0	16.76	Peak	271.00	100	Vertical	Pass
6**	15673.592	41.02	54.0	12.98	AV	271.00	100	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.850	39.48	74.0	34.52	Peak	161.00	100	Horizontal	Pass
1**	1523.850	29.24	54.0	24.76	AV	161.00	100	Horizontal	Pass
2	2277.358	46.15	74.0	27.85	Peak	245.00	400	Horizontal	Pass
2**	2277.358	31.95	54.0	22.05	AV	245.00	400	Horizontal	Pass
3	4050.307	44.51	74.0	29.49	Peak	69.00	200	Horizontal	Pass
3**	4050.307	39.95	54.0	14.05	AV	69.00	200	Horizontal	Pass
4	7622.636	50.91	74.0	23.09	Peak	346.00	200	Horizontal	Pass
4**	7622.636	46.34	54.0	7.66	AV	346.00	200	Horizontal	Pass
5	12457.242	54.69	74.0	19.31	Peak	176.00	300	Horizontal	Pass
5**	12457.242	43.77	54.0	10.23	AV	176.00	300	Horizontal	Pass
6	15906.689	51.00	74.0	23.00	Peak	335.00	100	Horizontal	Pass
6**	15906.689	42.28	54.0	11.72	AV	335.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.792	38.07	74.0	35.93	Peak	201.00	200	Vertical	Pass
1**	1595.792	25.43	54.0	28.57	AV	201.00	200	Vertical	Pass
2	2223.738	39.37	74.0	34.63	Peak	87.00	400	Vertical	Pass
2**	2223.738	33.47	54.0	20.53	AV	87.00	400	Vertical	Pass
3	4260.159	49.25	74.0	24.75	Peak	13.00	200	Vertical	Pass
3**	4260.159	35.59	54.0	18.41	AV	13.00	200	Vertical	Pass
4	7708.220	57.61	74.0	16.39	Peak	208.00	300	Vertical	Pass
4**	7708.220	42.54	54.0	11.46	AV	208.00	300	Vertical	Pass
5	12496.592	51.66	74.0	22.34	Peak	300.00	100	Vertical	Pass
5**	12496.592	45.94	54.0	8.06	AV	300.00	100	Vertical	Pass
6	15672.405	56.06	74.0	17.94	Peak	18.00	300	Vertical	Pass
6**	15672.405	44.65	54.0	9.35	AV	18.00	300	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.088	41.04	74.0	32.96	Peak	63.00	200	Horizontal	Pass
1**	1527.088	31.22	54.0	22.78	AV	63.00	200	Horizontal	Pass
2	2272.474	41.22	74.0	32.78	Peak	27.00	200	Horizontal	Pass
2**	2272.474	35.37	54.0	18.63	AV	27.00	200	Horizontal	Pass
3	4046.759	47.35	74.0	26.65	Peak	226.00	200	Horizontal	Pass
3**	4046.759	37.28	54.0	16.72	AV	226.00	200	Horizontal	Pass
4	7623.684	53.33	74.0	20.67	Peak	320.00	200	Horizontal	Pass
4**	7623.684	45.36	54.0	8.64	AV	320.00	200	Horizontal	Pass
5	12457.969	51.26	74.0	22.74	Peak	74.00	400	Horizontal	Pass
5**	12457.969	42.22	54.0	11.78	AV	74.00	400	Horizontal	Pass
6	15899.888	54.42	74.0	19.58	Peak	355.00	400	Horizontal	Pass
6**	15899.888	44.68	54.0	9.32	AV	355.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.446	37.99	74.0	36.01	Peak	95.00	300	Vertical	Pass
1**	1595.446	23.38	54.0	30.62	AV	95.00	300	Vertical	Pass
2	2224.525	43.87	74.0	30.13	Peak	80.00	300	Vertical	Pass
2**	2224.525	30.75	54.0	23.25	AV	80.00	300	Vertical	Pass
3	4259.530	47.16	74.0	26.84	Peak	318.00	200	Vertical	Pass
3**	4259.530	39.52	54.0	14.48	AV	318.00	200	Vertical	Pass
4	7710.924	55.79	74.0	18.21	Peak	304.00	100	Vertical	Pass
4**	7710.924	45.21	54.0	8.79	AV	304.00	100	Vertical	Pass
5	12497.179	56.41	74.0	17.59	Peak	53.00	200	Vertical	Pass
5**	12497.179	41.88	54.0	12.12	AV	53.00	200	Vertical	Pass
6	15673.119	53.60	74.0	20.40	Peak	61.00	400	Vertical	Pass
6**	15673.119	44.65	54.0	9.35	AV	61.00	400	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.668	40.94	74.0	33.06	Peak	68.00	400	Horizontal	Pass
1**	1527.668	27.78	54.0	26.22	AV	68.00	400	Horizontal	Pass
2	2275.995	45.24	74.0	28.76	Peak	332.00	300	Horizontal	Pass
2**	2275.995	35.83	54.0	18.17	AV	332.00	300	Horizontal	Pass
3	4043.191	47.16	74.0	26.84	Peak	122.00	200	Horizontal	Pass
3**	4043.191	37.05	54.0	16.95	AV	122.00	200	Horizontal	Pass
4	7618.892	52.71	74.0	21.29	Peak	308.00	400	Horizontal	Pass
4**	7618.892	44.95	54.0	9.05	AV	308.00	400	Horizontal	Pass
5	12451.182	51.22	74.0	22.78	Peak	172.00	200	Horizontal	Pass
5**	12451.182	42.04	54.0	11.96	AV	172.00	200	Horizontal	Pass
6	15901.107	52.63	74.0	21.37	Peak	137.00	200	Horizontal	Pass
6**	15901.107	42.97	54.0	11.03	AV	137.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.644	40.22	74.0	33.78	Peak	155.00	100	Vertical	Pass
1**	1597.644	28.44	54.0	25.56	AV	155.00	100	Vertical	Pass
2	2224.162	43.92	74.0	30.08	Peak	95.00	400	Vertical	Pass
2**	2224.162	30.18	54.0	23.82	AV	95.00	400	Vertical	Pass
3	4258.261	44.90	74.0	29.10	Peak	87.00	200	Vertical	Pass
3**	4258.261	39.92	54.0	14.08	AV	87.00	200	Vertical	Pass
4	7706.052	57.20	74.0	16.80	Peak	49.00	100	Vertical	Pass
4**	7706.052	42.36	54.0	11.64	AV	49.00	100	Vertical	Pass
5	12497.160	53.93	74.0	20.07	Peak	129.00	400	Vertical	Pass
5**	12497.160	42.17	54.0	11.83	AV	129.00	400	Vertical	Pass
6	15674.223	58.16	74.0	15.84	Peak	91.00	100	Vertical	Pass
6**	15674.223	42.68	54.0	11.32	AV	91.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.498	41.43	74.0	32.57	Peak	148.00	100	Horizontal	Pass
1**	1522.498	31.40	54.0	22.60	AV	148.00	100	Horizontal	Pass
2	2272.572	46.19	74.0	27.81	Peak	237.00	400	Horizontal	Pass
2**	2272.572	32.64	54.0	21.36	AV	237.00	400	Horizontal	Pass
3	4042.872	48.42	74.0	25.58	Peak	173.00	200	Horizontal	Pass
3**	4042.872	37.89	54.0	16.11	AV	173.00	200	Horizontal	Pass
4	7622.681	53.66	74.0	20.34	Peak	333.00	200	Horizontal	Pass
4**	7622.681	41.08	54.0	12.92	AV	333.00	200	Horizontal	Pass
5	12452.074	51.92	74.0	22.08	Peak	89.00	100	Horizontal	Pass
5**	12452.074	46.20	54.0	7.80	AV	89.00	100	Horizontal	Pass
6	15899.732	52.92	74.0	21.08	Peak	337.00	400	Horizontal	Pass
6**	15899.732	41.77	54.0	12.23	AV	337.00	400	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.710	39.40	74.0	34.60	Peak	56.00	300	Vertical	Pass
1**	1600.710	28.69	54.0	25.31	AV	56.00	300	Vertical	Pass
2	2224.219	39.72	74.0	34.28	Peak	328.00	200	Vertical	Pass
2**	2224.219	29.22	54.0	24.78	AV	328.00	200	Vertical	Pass
3	4255.229	48.97	74.0	25.03	Peak	308.00	200	Vertical	Pass
3**	4255.229	36.51	54.0	17.49	AV	308.00	200	Vertical	Pass
4	7712.347	53.47	74.0	20.53	Peak	73.00	100	Vertical	Pass
4**	7712.347	43.08	54.0	10.92	AV	73.00	100	Vertical	Pass
5	12500.650	55.96	74.0	18.04	Peak	43.00	100	Vertical	Pass
5**	12500.650	45.61	54.0	8.39	AV	43.00	100	Vertical	Pass
6	15676.488	54.37	74.0	19.63	Peak	106.00	300	Vertical	Pass
6**	15676.488	42.19	54.0	11.81	AV	106.00	300	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.045	38.16	74.0	35.84	Peak	262.00	100	Horizontal	Pass
1**	1527.045	29.93	54.0	24.07	AV	262.00	100	Horizontal	Pass
2	2275.547	44.07	74.0	29.93	Peak	220.00	200	Horizontal	Pass
2**	2275.547	33.44	54.0	20.56	AV	220.00	200	Horizontal	Pass
3	4043.592	48.43	74.0	25.57	Peak	89.00	200	Horizontal	Pass
3**	4043.592	37.53	54.0	16.47	AV	89.00	200	Horizontal	Pass
4	7623.612	51.12	74.0	22.88	Peak	337.00	400	Horizontal	Pass
4**	7623.612	41.53	54.0	12.47	AV	337.00	400	Horizontal	Pass
5	12452.902	54.08	74.0	19.92	Peak	275.00	300	Horizontal	Pass
5**	12452.902	45.93	54.0	8.07	AV	275.00	300	Horizontal	Pass
6	15905.635	51.10	74.0	22.90	Peak	288.00	100	Horizontal	Pass
6**	15905.635	43.38	54.0	10.62	AV	288.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.486	39.19	74.0	34.81	Peak	84.00	100	Vertical	Pass
1**	1601.486	24.13	54.0	29.87	AV	84.00	100	Vertical	Pass
2	2227.542	39.96	74.0	34.04	Peak	202.00	100	Vertical	Pass
2**	2227.542	32.66	54.0	21.34	AV	202.00	100	Vertical	Pass
3	4257.150	47.21	74.0	26.79	Peak	115.00	200	Vertical	Pass
3**	4257.150	37.89	54.0	16.11	AV	115.00	200	Vertical	Pass
4	7711.626	55.74	74.0	18.26	Peak	122.00	200	Vertical	Pass
4**	7711.626	42.20	54.0	11.80	AV	122.00	200	Vertical	Pass
5	12501.651	51.22	74.0	22.78	Peak	144.00	300	Vertical	Pass
5**	12501.651	44.16	54.0	9.84	AV	144.00	300	Vertical	Pass
6	15673.026	55.85	74.0	18.15	Peak	235.00	400	Vertical	Pass
6**	15673.026	44.99	54.0	9.01	AV	235.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.323	39.46	74.0	34.54	Peak	352.00	200	Horizontal	Pass
1**	1527.323	29.48	54.0	24.52	AV	352.00	200	Horizontal	Pass
2	2272.017	40.92	74.0	33.08	Peak	28.00	300	Horizontal	Pass
2**	2272.017	36.13	54.0	17.87	AV	28.00	300	Horizontal	Pass
3	4049.018	48.44	74.0	25.56	Peak	292.00	200	Horizontal	Pass
3**	4049.018	35.25	54.0	18.75	AV	292.00	200	Horizontal	Pass
4	7619.053	50.18	74.0	23.82	Peak	31.00	200	Horizontal	Pass
4**	7619.053	43.50	54.0	10.50	AV	31.00	200	Horizontal	Pass
5	12453.713	51.95	74.0	22.05	Peak	186.00	400	Horizontal	Pass
5**	12453.713	43.16	54.0	10.84	AV	186.00	400	Horizontal	Pass
6	15901.854	55.79	74.0	18.21	Peak	233.00	300	Horizontal	Pass
6**	15901.854	46.10	54.0	7.90	AV	233.00	300	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.298	40.76	74.0	33.24	Peak	222.00	200	Vertical	Pass
1**	1599.298	27.64	54.0	26.36	AV	222.00	200	Vertical	Pass
2	2226.608	40.62	74.0	33.38	Peak	131.00	100	Vertical	Pass
2**	2226.608	33.82	54.0	20.18	AV	131.00	100	Vertical	Pass
3	4258.515	49.10	74.0	24.90	Peak	247.00	200	Vertical	Pass
3**	4258.515	37.77	54.0	16.23	AV	247.00	200	Vertical	Pass
4	7708.056	57.18	74.0	16.82	Peak	133.00	400	Vertical	Pass
4**	7708.056	43.27	54.0	10.73	AV	133.00	400	Vertical	Pass
5	12500.861	56.46	74.0	17.54	Peak	164.00	200	Vertical	Pass
5**	12500.861	42.96	54.0	11.04	AV	164.00	200	Vertical	Pass
6	15673.259	53.44	74.0	20.56	Peak	188.00	100	Vertical	Pass
6**	15673.259	40.75	54.0	13.25	AV	188.00	100	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.861	40.25	74.0	33.75	Peak	356.00	100	Horizontal	Pass
1**	1527.861	25.60	54.0	28.40	AV	356.00	100	Horizontal	Pass
2	2273.053	41.74	74.0	32.26	Peak	83.00	400	Horizontal	Pass
2**	2273.053	35.85	54.0	18.15	AV	83.00	400	Horizontal	Pass
3	4045.973	47.66	74.0	26.34	Peak	23.00	200	Horizontal	Pass
3**	4045.973	36.68	54.0	17.32	AV	23.00	200	Horizontal	Pass
4	7624.264	51.00	74.0	23.00	Peak	132.00	400	Horizontal	Pass
4**	7624.264	44.05	54.0	9.95	AV	132.00	400	Horizontal	Pass
5	12452.516	54.45	74.0	19.55	Peak	91.00	300	Horizontal	Pass
5**	12452.516	43.34	54.0	10.66	AV	91.00	300	Horizontal	Pass
6	15907.411	53.56	74.0	20.44	Peak	69.00	300	Horizontal	Pass
6**	15907.411	44.25	54.0	9.75	AV	69.00	300	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.526	41.73	74.0	32.27	Peak	77.00	200	Vertical	Pass
1**	1599.526	26.19	54.0	27.81	AV	77.00	200	Vertical	Pass
2	2230.501	40.60	74.0	33.40	Peak	145.00	400	Vertical	Pass
2**	2230.501	33.94	54.0	20.06	AV	145.00	400	Vertical	Pass
3	4256.379	45.44	74.0	28.56	Peak	298.00	200	Vertical	Pass
3**	4256.379	38.19	54.0	15.81	AV	298.00	200	Vertical	Pass
4	7712.065	58.04	74.0	15.96	Peak	14.00	300	Vertical	Pass
4**	7712.065	43.02	54.0	10.98	AV	14.00	300	Vertical	Pass
5	12498.935	53.51	74.0	20.49	Peak	107.00	400	Vertical	Pass
5**	12498.935	45.36	54.0	8.64	AV	107.00	400	Vertical	Pass
6	15669.057	57.28	74.0	16.72	Peak	315.00	400	Vertical	Pass
6**	15669.057	40.00	54.0	14.00	AV	315.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.168	37.67	74.0	36.33	Peak	150.00	300	Horizontal	Pass
1**	1523.168	27.53	54.0	26.47	AV	150.00	300	Horizontal	Pass
2	2274.945	41.70	74.0	32.30	Peak	288.00	100	Horizontal	Pass
2**	2274.945	32.65	54.0	21.35	AV	288.00	100	Horizontal	Pass
3	4050.050	46.52	74.0	27.48	Peak	175.00	200	Horizontal	Pass
3**	4050.050	40.02	54.0	13.98	AV	175.00	200	Horizontal	Pass
4	7623.889	50.50	74.0	23.50	Peak	204.00	400	Horizontal	Pass
4**	7623.889	42.91	54.0	11.09	AV	204.00	400	Horizontal	Pass
5	12457.009	50.15	74.0	23.85	Peak	331.00	300	Horizontal	Pass
5**	12457.009	45.14	54.0	8.86	AV	331.00	300	Horizontal	Pass
6	15902.983	55.22	74.0	18.78	Peak	119.00	100	Horizontal	Pass
6**	15902.983	46.88	54.0	7.12	AV	119.00	100	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.566	42.91	74.0	31.09	Peak	34.00	100	Vertical	Pass
1**	1601.566	23.38	54.0	30.62	AV	34.00	100	Vertical	Pass
2	2228.451	42.74	74.0	31.26	Peak	144.00	300	Vertical	Pass
2**	2228.451	29.93	54.0	24.07	AV	144.00	300	Vertical	Pass
3	4255.365	49.02	74.0	24.98	Peak	292.00	200	Vertical	Pass
3**	4255.365	38.26	54.0	15.74	AV	292.00	200	Vertical	Pass
4	7707.877	54.76	74.0	19.24	Peak	184.00	300	Vertical	Pass
4**	7707.877	42.63	54.0	11.37	AV	184.00	300	Vertical	Pass
5	12498.115	54.08	74.0	19.92	Peak	328.00	100	Vertical	Pass
5**	12498.115	41.93	54.0	12.07	AV	328.00	100	Vertical	Pass
6	15670.728	54.82	74.0	19.18	Peak	38.00	200	Vertical	Pass
6**	15670.728	44.92	54.0	9.08	AV	38.00	200	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.786	39.31	74.0	34.69	Peak	75.00	400	Horizontal	Pass
1**	1524.786	27.33	54.0	26.67	AV	75.00	400	Horizontal	Pass
2	2274.425	43.20	74.0	30.80	Peak	43.00	100	Horizontal	Pass
2**	2274.425	35.72	54.0	18.28	AV	43.00	100	Horizontal	Pass
3	4044.410	50.10	74.0	23.90	Peak	35.00	200	Horizontal	Pass
3**	4044.410	39.96	54.0	14.04	AV	35.00	200	Horizontal	Pass
4	7621.307	53.87	74.0	20.13	Peak	128.00	200	Horizontal	Pass
4**	7621.307	46.01	54.0	7.99	AV	128.00	200	Horizontal	Pass
5	12455.535	55.08	74.0	18.92	Peak	161.00	300	Horizontal	Pass
5**	12455.535	45.20	54.0	8.80	AV	161.00	300	Horizontal	Pass
6	15901.769	56.10	74.0	17.90	Peak	38.00	100	Horizontal	Pass
6**	15901.769	46.87	54.0	7.13	AV	38.00	100	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.599	41.53	74.0	32.47	Peak	152.00	400	Vertical	Pass
1**	1601.599	26.72	54.0	27.28	AV	152.00	400	Vertical	Pass
2	2226.217	39.27	74.0	34.73	Peak	257.00	400	Vertical	Pass
2**	2226.217	32.50	54.0	21.50	AV	257.00	400	Vertical	Pass
3	4256.368	47.56	74.0	26.44	Peak	78.00	200	Vertical	Pass
3**	4256.368	37.89	54.0	16.11	AV	78.00	200	Vertical	Pass
4	7709.426	58.50	74.0	15.50	Peak	49.00	400	Vertical	Pass
4**	7709.426	43.43	54.0	10.57	AV	49.00	400	Vertical	Pass
5	12501.852	50.94	74.0	23.06	Peak	271.00	300	Vertical	Pass
5**	12501.852	44.28	54.0	9.72	AV	271.00	300	Vertical	Pass
6	15670.164	55.78	74.0	18.22	Peak	154.00	400	Vertical	Pass
6**	15670.164	45.19	54.0	8.81	AV	154.00	400	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.891	35.98	74.0	38.02	Peak	269.00	100	Horizontal	Pass
1**	1527.891	30.28	54.0	23.72	AV	269.00	100	Horizontal	Pass
2	2276.664	41.05	74.0	32.95	Peak	136.00	400	Horizontal	Pass
2**	2276.664	35.31	54.0	18.69	AV	136.00	400	Horizontal	Pass
3	4046.120	48.71	74.0	25.29	Peak	224.00	200	Horizontal	Pass
3**	4046.120	36.41	54.0	17.59	AV	224.00	200	Horizontal	Pass
4	7623.614	53.69	74.0	20.31	Peak	55.00	100	Horizontal	Pass
4**	7623.614	43.24	54.0	10.76	AV	55.00	100	Horizontal	Pass
5	12457.314	55.39	74.0	18.61	Peak	29.00	200	Horizontal	Pass
5**	12457.314	47.38	54.0	6.62	AV	29.00	200	Horizontal	Pass
6	15906.348	54.60	74.0	19.40	Peak	216.00	200	Horizontal	Pass
6**	15906.348	41.75	54.0	12.25	AV	216.00	200	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.234	39.56	74.0	34.44	Peak	275.00	400	Vertical	Pass
1**	1596.234	24.82	54.0	29.18	AV	275.00	400	Vertical	Pass
2	2231.211	40.29	74.0	33.71	Peak	102.00	100	Vertical	Pass
2**	2231.211	33.26	54.0	20.74	AV	102.00	100	Vertical	Pass
3	4254.590	50.22	74.0	23.78	Peak	247.00	200	Vertical	Pass
3**	4254.590	36.06	54.0	17.94	AV	247.00	200	Vertical	Pass
4	7706.382	52.92	74.0	21.08	Peak	97.00	100	Vertical	Pass
4**	7706.382	41.71	54.0	12.29	AV	97.00	100	Vertical	Pass
5	12501.226	52.44	74.0	21.56	Peak	265.00	300	Vertical	Pass
5**	12501.226	44.80	54.0	9.20	AV	265.00	300	Vertical	Pass
6	15670.258	56.06	74.0	17.94	Peak	262.00	200	Vertical	Pass
6**	15670.258	40.88	54.0	13.12	AV	262.00	200	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.354	40.61	74.0	33.39	Peak	267.00	200	Horizontal	Pass
1**	1523.354	30.64	54.0	23.36	AV	267.00	200	Horizontal	Pass
2	2278.678	44.84	74.0	29.16	Peak	333.00	200	Horizontal	Pass
2**	2278.678	33.72	54.0	20.28	AV	333.00	200	Horizontal	Pass
3	4049.703	45.80	74.0	28.20	Peak	158.00	200	Horizontal	Pass
3**	4049.703	40.15	54.0	13.85	AV	158.00	200	Horizontal	Pass
4	7617.095	53.77	74.0	20.23	Peak	101.00	100	Horizontal	Pass
4**	7617.095	45.86	54.0	8.14	AV	101.00	100	Horizontal	Pass
5	12453.547	52.41	74.0	21.59	Peak	328.00	100	Horizontal	Pass
5**	12453.547	46.18	54.0	7.82	AV	328.00	100	Horizontal	Pass
6	15901.187	54.61	74.0	19.39	Peak	152.00	400	Horizontal	Pass
6**	15901.187	42.77	54.0	11.23	AV	152.00	400	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.676	39.55	74.0	34.45	Peak	19.00	300	Vertical	Pass
1**	1595.676	24.81	54.0	29.19	AV	19.00	300	Vertical	Pass
2	2230.505	40.90	74.0	33.10	Peak	352.00	300	Vertical	Pass
2**	2230.505	33.30	54.0	20.70	AV	352.00	300	Vertical	Pass
3	4260.620	47.68	74.0	26.32	Peak	66.00	200	Vertical	Pass
3**	4260.620	40.73	54.0	13.27	AV	66.00	200	Vertical	Pass
4	7712.030	56.39	74.0	17.61	Peak	272.00	200	Vertical	Pass
4**	7712.030	41.96	54.0	12.04	AV	272.00	200	Vertical	Pass
5	12498.495	51.59	74.0	22.41	Peak	322.00	200	Vertical	Pass
5**	12498.495	43.47	54.0	10.53	AV	322.00	200	Vertical	Pass
6	15675.646	58.52	74.0	15.48	Peak	336.00	100	Vertical	Pass
6**	15675.646	44.02	54.0	9.98	AV	336.00	100	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.368	38.81	74.0	35.19	Peak	71.00	200	Horizontal	Pass
1**	1521.368	29.85	54.0	24.15	AV	71.00	200	Horizontal	Pass
2	2274.159	46.77	74.0	27.23	Peak	160.00	100	Horizontal	Pass
2**	2274.159	33.39	54.0	20.61	AV	160.00	100	Horizontal	Pass
3	4047.980	48.87	74.0	25.13	Peak	108.00	200	Horizontal	Pass
3**	4047.980	37.12	54.0	16.88	AV	108.00	200	Horizontal	Pass
4	7622.744	54.45	74.0	19.55	Peak	201.00	300	Horizontal	Pass
4**	7622.744	41.15	54.0	12.85	AV	201.00	300	Horizontal	Pass
5	12454.302	50.65	74.0	23.35	Peak	215.00	100	Horizontal	Pass
5**	12454.302	47.30	54.0	6.70	AV	215.00	100	Horizontal	Pass
6	15900.967	52.26	74.0	21.74	Peak	56.00	200	Horizontal	Pass
6**	15900.967	44.86	54.0	9.14	AV	56.00	200	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.328	42.21	74.0	31.79	Peak	134.00	100	Vertical	Pass
1**	1595.328	25.29	54.0	28.71	AV	134.00	100	Vertical	Pass
2	2224.650	43.75	74.0	30.25	Peak	37.00	200	Vertical	Pass
2**	2224.650	28.80	54.0	25.20	AV	37.00	200	Vertical	Pass
3	4254.252	46.01	74.0	27.99	Peak	246.00	200	Vertical	Pass
3**	4254.252	36.42	54.0	17.58	AV	246.00	200	Vertical	Pass
4	7710.949	52.88	74.0	21.12	Peak	128.00	100	Vertical	Pass
4**	7710.949	41.66	54.0	12.34	AV	128.00	100	Vertical	Pass
5	12499.533	53.49	74.0	20.51	Peak	220.00	400	Vertical	Pass
5**	12499.533	42.64	54.0	11.36	AV	220.00	400	Vertical	Pass
6	15671.203	56.10	74.0	17.90	Peak	2.00	300	Vertical	Pass
6**	15671.203	39.95	54.0	14.05	AV	2.00	300	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.571	36.99	74.0	37.01	Peak	33.00	100	Horizontal	Pass
1**	1523.571	26.42	54.0	27.58	AV	33.00	100	Horizontal	Pass
2	2273.811	42.70	74.0	31.30	Peak	295.00	200	Horizontal	Pass
2**	2273.811	36.31	54.0	17.69	AV	295.00	200	Horizontal	Pass
3	4044.035	48.52	74.0	25.48	Peak	98.00	200	Horizontal	Pass
3**	4044.035	36.44	54.0	17.56	AV	98.00	200	Horizontal	Pass
4	7621.181	51.82	74.0	22.18	Peak	246.00	300	Horizontal	Pass
4**	7621.181	44.28	54.0	9.72	AV	246.00	300	Horizontal	Pass
5	12457.372	55.74	74.0	18.26	Peak	214.00	100	Horizontal	Pass
5**	12457.372	47.18	54.0	6.82	AV	214.00	100	Horizontal	Pass
6	15905.714	56.13	74.0	17.87	Peak	91.00	300	Horizontal	Pass
6**	15905.714	46.97	54.0	7.03	AV	91.00	300	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.649	40.07	74.0	33.93	Peak	339.00	400	Vertical	Pass
1**	1600.649	26.30	54.0	27.70	AV	339.00	400	Vertical	Pass
2	2230.706	43.07	74.0	30.93	Peak	197.00	300	Vertical	Pass
2**	2230.706	33.00	54.0	21.00	AV	197.00	300	Vertical	Pass
3	4261.971	45.39	74.0	28.61	Peak	329.00	200	Vertical	Pass
3**	4261.971	38.01	54.0	15.99	AV	329.00	200	Vertical	Pass
4	7707.679	56.89	74.0	17.11	Peak	47.00	100	Vertical	Pass
4**	7707.679	40.81	54.0	13.19	AV	47.00	100	Vertical	Pass
5	12502.487	51.02	74.0	22.98	Peak	244.00	400	Vertical	Pass
5**	12502.487	40.74	54.0	13.26	AV	244.00	400	Vertical	Pass
6	15671.925	53.56	74.0	20.44	Peak	232.00	200	Vertical	Pass
6**	15671.925	45.18	54.0	8.82	AV	232.00	200	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.391	36.70	74.0	37.30	Peak	152.00	100	Horizontal	Pass
1**	1522.391	29.75	54.0	24.25	AV	152.00	100	Horizontal	Pass
2	2271.138	41.36	74.0	32.64	Peak	240.00	200	Horizontal	Pass
2**	2271.138	36.49	54.0	17.51	AV	240.00	200	Horizontal	Pass
3	4044.955	47.89	74.0	26.11	Peak	98.00	200	Horizontal	Pass
3**	4044.955	35.53	54.0	18.47	AV	98.00	200	Horizontal	Pass
4	7619.096	51.24	74.0	22.76	Peak	175.00	200	Horizontal	Pass
4**	7619.096	42.64	54.0	11.36	AV	175.00	200	Horizontal	Pass
5	12455.282	53.95	74.0	20.05	Peak	174.00	100	Horizontal	Pass
5**	12455.282	41.44	54.0	12.56	AV	174.00	100	Horizontal	Pass
6	15906.138	53.68	74.0	20.32	Peak	72.00	300	Horizontal	Pass
6**	15906.138	47.31	54.0	6.69	AV	72.00	300	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.530	40.42	74.0	33.58	Peak	302.00	400	Vertical	Pass
1**	1600.530	23.91	54.0	30.09	AV	302.00	400	Vertical	Pass
2	2230.744	39.98	74.0	34.02	Peak	231.00	300	Vertical	Pass
2**	2230.744	28.87	54.0	25.13	AV	231.00	300	Vertical	Pass
3	4262.197	45.94	74.0	28.06	Peak	51.00	200	Vertical	Pass
3**	4262.197	38.02	54.0	15.98	AV	51.00	200	Vertical	Pass
4	7706.978	58.51	74.0	15.49	Peak	53.00	200	Vertical	Pass
4**	7706.978	41.65	54.0	12.35	AV	53.00	200	Vertical	Pass
5	12497.353	51.97	74.0	22.03	Peak	352.00	200	Vertical	Pass
5**	12497.353	45.75	54.0	8.25	AV	352.00	200	Vertical	Pass
6	15668.781	52.68	74.0	21.32	Peak	340.00	100	Vertical	Pass
6**	15668.781	42.22	54.0	11.78	AV	340.00	100	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.735	37.90	74.0	36.10	Peak	172.00	300	Horizontal	Pass
1**	1524.735	30.77	54.0	23.23	AV	172.00	300	Horizontal	Pass
2	2272.560	42.42	74.0	31.58	Peak	200.00	100	Horizontal	Pass
2**	2272.560	32.59	54.0	21.41	AV	200.00	100	Horizontal	Pass
3	4046.668	47.93	74.0	26.07	Peak	168.00	200	Horizontal	Pass
3**	4046.668	34.61	54.0	19.39	AV	168.00	200	Horizontal	Pass
4	7622.322	49.93	74.0	24.07	Peak	129.00	300	Horizontal	Pass
4**	7622.322	41.80	54.0	12.20	AV	129.00	300	Horizontal	Pass
5	12450.641	51.82	74.0	22.18	Peak	10.00	200	Horizontal	Pass
5**	12450.641	47.30	54.0	6.70	AV	10.00	200	Horizontal	Pass
6	15905.166	55.36	74.0	18.64	Peak	194.00	400	Horizontal	Pass
6**	15905.166	41.86	54.0	12.14	AV	194.00	400	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.452	38.29	74.0	35.71	Peak	34.00	300	Vertical	Pass
1**	1595.452	28.32	54.0	25.68	AV	34.00	300	Vertical	Pass
2	2228.485	39.27	74.0	34.73	Peak	329.00	400	Vertical	Pass
2**	2228.485	32.20	54.0	21.80	AV	329.00	400	Vertical	Pass
3	4257.877	50.38	74.0	23.62	Peak	103.00	200	Vertical	Pass
3**	4257.877	38.05	54.0	15.95	AV	103.00	200	Vertical	Pass
4	7708.148	56.21	74.0	17.79	Peak	287.00	100	Vertical	Pass
4**	7708.148	44.60	54.0	9.40	AV	287.00	100	Vertical	Pass
5	12496.074	55.84	74.0	18.16	Peak	35.00	200	Vertical	Pass
5**	12496.074	45.93	54.0	8.07	AV	35.00	200	Vertical	Pass
6	15672.431	55.62	74.0	18.38	Peak	20.00	300	Vertical	Pass
6**	15672.431	42.08	54.0	11.92	AV	20.00	300	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.271	41.19	74.0	32.81	Peak	30.00	200	Horizontal	Pass
1**	1525.271	30.60	54.0	23.40	AV	30.00	200	Horizontal	Pass
2	2278.866	41.03	74.0	32.97	Peak	8.00	200	Horizontal	Pass
2**	2278.866	35.51	54.0	18.49	AV	8.00	200	Horizontal	Pass
3	4046.779	50.03	74.0	23.97	Peak	40.00	200	Horizontal	Pass
3**	4046.779	38.75	54.0	15.25	AV	40.00	200	Horizontal	Pass
4	7620.905	50.84	74.0	23.16	Peak	70.00	400	Horizontal	Pass
4**	7620.905	44.54	54.0	9.46	AV	70.00	400	Horizontal	Pass
5	12452.130	50.65	74.0	23.35	Peak	174.00	100	Horizontal	Pass
5**	12452.130	44.42	54.0	9.58	AV	174.00	100	Horizontal	Pass
6	15905.277	52.08	74.0	21.92	Peak	313.00	100	Horizontal	Pass
6**	15905.277	42.49	54.0	11.51	AV	313.00	100	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.024	39.96	74.0	34.04	Peak	134.00	300	Vertical	Pass
1**	1601.024	24.95	54.0	29.05	AV	134.00	300	Vertical	Pass
2	2229.823	40.72	74.0	33.28	Peak	37.00	100	Vertical	Pass
2**	2229.823	31.80	54.0	22.20	AV	37.00	100	Vertical	Pass
3	4257.701	46.45	74.0	27.55	Peak	246.00	200	Vertical	Pass
3**	4257.701	35.99	54.0	18.01	AV	246.00	200	Vertical	Pass
4	7712.148	55.22	74.0	18.78	Peak	205.00	400	Vertical	Pass
4**	7712.148	40.33	54.0	13.67	AV	205.00	400	Vertical	Pass
5	12497.557	50.84	74.0	23.16	Peak	242.00	200	Vertical	Pass
5**	12497.557	42.61	54.0	11.39	AV	242.00	200	Vertical	Pass
6	15669.580	53.45	74.0	20.55	Peak	272.00	300	Vertical	Pass
6**	15669.580	43.48	54.0	10.52	AV	272.00	300	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.428	37.38	74.0	36.62	Peak	293.00	400	Horizontal	Pass
1**	1523.428	28.49	54.0	25.51	AV	293.00	400	Horizontal	Pass
2	2271.410	45.98	74.0	28.02	Peak	329.00	300	Horizontal	Pass
2**	2271.410	36.13	54.0	17.87	AV	329.00	300	Horizontal	Pass
3	4045.014	49.82	74.0	24.18	Peak	130.00	200	Horizontal	Pass
3**	4045.014	37.71	54.0	16.29	AV	130.00	200	Horizontal	Pass
4	7621.027	55.32	74.0	18.68	Peak	154.00	300	Horizontal	Pass
4**	7621.027	40.53	54.0	13.47	AV	154.00	300	Horizontal	Pass
5	12450.742	52.88	74.0	21.12	Peak	245.00	100	Horizontal	Pass
5**	12450.742	44.17	54.0	9.83	AV	245.00	100	Horizontal	Pass
6	15906.228	56.13	74.0	17.87	Peak	331.00	100	Horizontal	Pass
6**	15906.228	46.60	54.0	7.40	AV	331.00	100	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.345	37.95	74.0	36.05	Peak	90.00	100	Vertical	Pass
1**	1598.345	24.28	54.0	29.72	AV	90.00	100	Vertical	Pass
2	2230.623	40.91	74.0	33.09	Peak	315.00	400	Vertical	Pass
2**	2230.623	33.98	54.0	20.02	AV	315.00	400	Vertical	Pass
3	4256.296	46.47	74.0	27.53	Peak	132.00	200	Vertical	Pass
3**	4256.296	39.85	54.0	14.15	AV	132.00	200	Vertical	Pass
4	7711.427	54.54	74.0	19.46	Peak	211.00	100	Vertical	Pass
4**	7711.427	43.50	54.0	10.50	AV	211.00	100	Vertical	Pass
5	12498.471	54.91	74.0	19.09	Peak	199.00	400	Vertical	Pass
5**	12498.471	42.14	54.0	11.86	AV	199.00	400	Vertical	Pass
6	15675.885	55.31	74.0	18.69	Peak	87.00	100	Vertical	Pass
6**	15675.885	42.08	54.0	11.92	AV	87.00	100	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.256	41.00	74.0	33.00	Peak	143.00	300	Horizontal	Pass
1**	1523.256	30.96	54.0	23.04	AV	143.00	300	Horizontal	Pass
2	2272.070	42.75	74.0	31.25	Peak	303.00	300	Horizontal	Pass
2**	2272.070	36.50	54.0	17.50	AV	303.00	300	Horizontal	Pass
3	4045.564	48.07	74.0	25.93	Peak	179.00	200	Horizontal	Pass
3**	4045.564	35.01	54.0	18.99	AV	179.00	200	Horizontal	Pass
4	7616.895	52.27	74.0	21.73	Peak	289.00	300	Horizontal	Pass
4**	7616.895	43.58	54.0	10.42	AV	289.00	300	Horizontal	Pass
5	12457.250	55.73	74.0	18.27	Peak	193.00	100	Horizontal	Pass
5**	12457.250	43.14	54.0	10.86	AV	193.00	100	Horizontal	Pass
6	15899.768	54.07	74.0	19.93	Peak	217.00	400	Horizontal	Pass
6**	15899.768	44.24	54.0	9.76	AV	217.00	400	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.026	42.64	74.0	31.36	Peak	292.00	100	Vertical	Pass
1**	1601.026	24.35	54.0	29.65	AV	292.00	100	Vertical	Pass
2	2229.916	42.83	74.0	31.17	Peak	143.00	100	Vertical	Pass
2**	2229.916	32.80	54.0	21.20	AV	143.00	100	Vertical	Pass
3	4259.476	45.51	74.0	28.49	Peak	215.00	200	Vertical	Pass
3**	4259.476	39.66	54.0	14.34	AV	215.00	200	Vertical	Pass
4	7711.422	52.90	74.0	21.10	Peak	140.00	400	Vertical	Pass
4**	7711.422	42.68	54.0	11.32	AV	140.00	400	Vertical	Pass
5	12502.531	55.34	74.0	18.66	Peak	252.00	100	Vertical	Pass
5**	12502.531	44.36	54.0	9.64	AV	252.00	100	Vertical	Pass
6	15674.882	58.22	74.0	15.78	Peak	324.00	400	Vertical	Pass
6**	15674.882	41.54	54.0	12.46	AV	324.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.461	40.55	74.0	33.45	Peak	85.00	100	Horizontal	Pass
1**	1524.461	30.14	54.0	23.86	AV	85.00	100	Horizontal	Pass
2	4022.407	47.39	74.0	26.61	Peak	49.00	300	Horizontal	Pass
2**	4022.407	36.94	54.0	17.06	AV	49.00	300	Horizontal	Pass
3	7597.191	50.62	74.0	23.38	Peak	321.00	200	Horizontal	Pass
3**	7597.191	45.10	54.0	8.90	AV	321.00	200	Horizontal	Pass
4	12455.827	51.34	74.0	22.66	Peak	162.00	100	Horizontal	Pass
4**	12455.827	44.70	54.0	9.30	AV	162.00	100	Horizontal	Pass
5	16093.563	53.33	74.0	20.67	Peak	135.00	100	Horizontal	Pass
5**	16093.563	46.15	54.0	7.85	AV	135.00	100	Horizontal	Pass
6	17419.756	58.30	74.0	15.70	Peak	335.00	300	Horizontal	Pass
6**	17419.756	50.27	54.0	3.73	AV	335.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.818	42.73	74.0	31.27	Peak	292.00	400	Vertical	Pass
1**	1336.818	35.65	54.0	18.35	AV	292.00	400	Vertical	Pass
2	1441.923	40.42	74.0	33.58	Peak	91.00	100	Vertical	Pass
2**	1441.923	34.53	54.0	19.47	AV	91.00	100	Vertical	Pass
3	4313.181	45.09	74.0	28.91	Peak	229.00	200	Vertical	Pass
3**	4313.181	40.79	54.0	13.21	AV	229.00	200	Vertical	Pass
4	7593.304	53.53	74.0	20.47	Peak	265.00	200	Vertical	Pass
4**	7593.304	46.46	54.0	7.54	AV	265.00	200	Vertical	Pass
5	12535.272	54.85	74.0	19.15	Peak	40.00	100	Vertical	Pass
5**	12535.272	41.94	54.0	12.06	AV	40.00	100	Vertical	Pass
6	15907.184	51.75	74.0	22.25	Peak	146.00	400	Vertical	Pass
6**	15907.184	48.19	54.0	5.81	AV	146.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.674	35.59	74.0	38.41	Peak	92.00	300	Horizontal	Pass
1**	1518.674	27.76	54.0	26.24	AV	92.00	300	Horizontal	Pass
2	4019.597	45.85	74.0	28.15	Peak	94.00	400	Horizontal	Pass
2**	4019.597	35.83	54.0	18.17	AV	94.00	400	Horizontal	Pass
3	7596.314	53.08	74.0	20.92	Peak	117.00	200	Horizontal	Pass
3**	7596.314	46.47	54.0	7.53	AV	117.00	200	Horizontal	Pass
4	12457.913	52.77	74.0	21.23	Peak	140.00	300	Horizontal	Pass
4**	12457.913	44.09	54.0	9.91	AV	140.00	300	Horizontal	Pass
5	16094.216	54.75	74.0	19.25	Peak	176.00	200	Horizontal	Pass
5**	16094.216	47.25	54.0	6.75	AV	176.00	200	Horizontal	Pass
6	17422.122	56.51	74.0	17.49	Peak	80.00	300	Horizontal	Pass
6**	17422.122	47.93	54.0	6.07	AV	80.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.456	43.90	74.0	30.10	Peak	198.00	300	Vertical	Pass
1**	1333.456	31.51	54.0	22.49	AV	198.00	300	Vertical	Pass
2	1442.836	41.95	74.0	32.05	Peak	299.00	100	Vertical	Pass
2**	1442.836	37.05	54.0	16.95	AV	299.00	100	Vertical	Pass
3	4310.494	48.97	74.0	25.03	Peak	324.00	200	Vertical	Pass
3**	4310.494	37.16	54.0	16.84	AV	324.00	200	Vertical	Pass
4	7591.821	50.95	74.0	23.05	Peak	285.00	100	Vertical	Pass
4**	7591.821	45.58	54.0	8.42	AV	285.00	100	Vertical	Pass
5	12530.898	51.65	74.0	22.35	Peak	1.00	200	Vertical	Pass
5**	12530.898	45.89	54.0	8.11	AV	1.00	200	Vertical	Pass
6	15907.685	55.00	74.0	19.00	Peak	181.00	200	Vertical	Pass
6**	15907.685	47.67	54.0	6.33	AV	181.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.888	37.14	74.0	36.86	Peak	310.00	400	Horizontal	Pass
1**	1518.888	32.08	54.0	21.92	AV	310.00	400	Horizontal	Pass
2	4016.789	48.08	74.0	25.92	Peak	16.00	400	Horizontal	Pass
2**	4016.789	37.67	54.0	16.33	AV	16.00	400	Horizontal	Pass
3	7599.186	52.08	74.0	21.92	Peak	320.00	200	Horizontal	Pass
3**	7599.186	42.19	54.0	11.81	AV	320.00	200	Horizontal	Pass
4	12455.070	54.12	74.0	19.88	Peak	313.00	400	Horizontal	Pass
4**	12455.070	43.11	54.0	10.89	AV	313.00	400	Horizontal	Pass
5	16094.135	55.24	74.0	18.76	Peak	79.00	200	Horizontal	Pass
5**	16094.135	46.74	54.0	7.26	AV	79.00	200	Horizontal	Pass
6	17419.106	54.58	74.0	19.42	Peak	190.00	200	Horizontal	Pass
6**	17419.106	49.83	54.0	4.17	AV	190.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1337.203	43.98	74.0	30.02	Peak	199.00	300	Vertical	Pass
1**	1337.203	34.62	54.0	19.38	AV	199.00	300	Vertical	Pass
2	1438.271	40.33	74.0	33.67	Peak	154.00	300	Vertical	Pass
2**	1438.271	38.28	54.0	15.72	AV	154.00	300	Vertical	Pass
3	4311.190	49.56	74.0	24.44	Peak	173.00	200	Vertical	Pass
3**	4311.190	36.16	54.0	17.84	AV	173.00	200	Vertical	Pass
4	7596.534	54.54	74.0	19.46	Peak	279.00	200	Vertical	Pass
4**	7596.534	42.09	54.0	11.91	AV	279.00	200	Vertical	Pass
5	12535.545	55.92	74.0	18.08	Peak	18.00	100	Vertical	Pass
5**	12535.545	43.88	54.0	10.12	AV	18.00	100	Vertical	Pass
6	15909.819	54.66	74.0	19.34	Peak	244.00	200	Vertical	Pass
6**	15909.819	44.03	54.0	9.97	AV	244.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.428	36.06	74.0	37.94	Peak	125.00	300	Horizontal	Pass
1**	1522.428	30.51	54.0	23.49	AV	125.00	300	Horizontal	Pass
2	4017.239	47.89	74.0	26.11	Peak	20.00	100	Horizontal	Pass
2**	4017.239	35.93	54.0	18.07	AV	20.00	100	Horizontal	Pass
3	7598.547	51.51	74.0	22.49	Peak	11.00	200	Horizontal	Pass
3**	7598.547	46.43	54.0	7.57	AV	11.00	200	Horizontal	Pass
4	12454.195	55.73	74.0	18.27	Peak	69.00	400	Horizontal	Pass
4**	12454.195	46.13	54.0	7.87	AV	69.00	400	Horizontal	Pass
5	16095.755	53.60	74.0	20.40	Peak	19.00	100	Horizontal	Pass
5**	16095.755	45.52	54.0	8.48	AV	19.00	100	Horizontal	Pass
6	17421.706	55.05	74.0	18.95	Peak	248.00	300	Horizontal	Pass
6**	17421.706	47.21	54.0	6.79	AV	248.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.515	44.41	74.0	29.59	Peak	2.00	200	Vertical	Pass
1**	1331.515	35.93	54.0	18.07	AV	2.00	200	Vertical	Pass
2	1438.077	40.17	74.0	33.83	Peak	348.00	400	Vertical	Pass
2**	1438.077	35.34	54.0	18.66	AV	348.00	400	Vertical	Pass
3	4314.992	49.39	74.0	24.61	Peak	17.00	200	Vertical	Pass
3**	4314.992	37.10	54.0	16.90	AV	17.00	200	Vertical	Pass
4	7593.781	51.37	74.0	22.63	Peak	343.00	100	Vertical	Pass
4**	7593.781	42.12	54.0	11.88	AV	343.00	100	Vertical	Pass
5	12533.886	54.18	74.0	19.82	Peak	24.00	100	Vertical	Pass
5**	12533.886	43.52	54.0	10.48	AV	24.00	100	Vertical	Pass
6	15905.759	53.85	74.0	20.15	Peak	271.00	300	Vertical	Pass
6**	15905.759	44.50	54.0	9.50	AV	271.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.431	36.82	74.0	37.18	Peak	159.00	100	Horizontal	Pass
1**	1523.431	26.93	54.0	27.07	AV	159.00	100	Horizontal	Pass
2	4020.845	49.57	74.0	24.43	Peak	306.00	400	Horizontal	Pass
2**	4020.845	36.95	54.0	17.05	AV	306.00	400	Horizontal	Pass
3	7596.685	53.08	74.0	20.92	Peak	193.00	200	Horizontal	Pass
3**	7596.685	44.26	54.0	9.74	AV	193.00	200	Horizontal	Pass
4	12455.791	53.64	74.0	20.36	Peak	85.00	400	Horizontal	Pass
4**	12455.791	46.48	54.0	7.52	AV	85.00	400	Horizontal	Pass
5	16094.818	52.72	74.0	21.28	Peak	57.00	300	Horizontal	Pass
5**	16094.818	42.21	54.0	11.79	AV	57.00	300	Horizontal	Pass
6	17421.932	58.61	74.0	15.39	Peak	342.00	400	Horizontal	Pass
6**	17421.932	48.84	54.0	5.16	AV	342.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.279	43.55	74.0	30.45	Peak	78.00	100	Vertical	Pass
1**	1335.279	35.66	54.0	18.34	AV	78.00	100	Vertical	Pass
2	1436.964	42.12	74.0	31.88	Peak	329.00	200	Vertical	Pass
2**	1436.964	39.81	54.0	14.19	AV	329.00	200	Vertical	Pass
3	4307.736	47.68	74.0	26.32	Peak	199.00	200	Vertical	Pass
3**	4307.736	40.19	54.0	13.81	AV	199.00	200	Vertical	Pass
4	7590.776	52.97	74.0	21.03	Peak	360.00	300	Vertical	Pass
4**	7590.776	44.88	54.0	9.12	AV	360.00	300	Vertical	Pass
5	12532.178	54.15	74.0	19.85	Peak	138.00	100	Vertical	Pass
5**	12532.178	41.63	54.0	12.37	AV	138.00	100	Vertical	Pass
6	15904.547	53.14	74.0	20.86	Peak	187.00	200	Vertical	Pass
6**	15904.547	43.32	54.0	10.68	AV	187.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.000	37.24	74.0	36.76	Peak	62.00	100	Horizontal	Pass
1**	1523.000	30.71	54.0	23.29	AV	62.00	100	Horizontal	Pass
2	4018.269	44.57	74.0	29.43	Peak	233.00	300	Horizontal	Pass
2**	4018.269	36.14	54.0	17.86	AV	233.00	300	Horizontal	Pass
3	7598.379	54.02	74.0	19.98	Peak	132.00	200	Horizontal	Pass
3**	7598.379	41.38	54.0	12.62	AV	132.00	200	Horizontal	Pass
4	12458.691	51.39	74.0	22.61	Peak	262.00	200	Horizontal	Pass
4**	12458.691	44.17	54.0	9.83	AV	262.00	200	Horizontal	Pass
5	16096.215	51.34	74.0	22.66	Peak	297.00	100	Horizontal	Pass
5**	16096.215	41.89	54.0	12.11	AV	297.00	100	Horizontal	Pass
6	17423.184	56.62	74.0	17.38	Peak	201.00	400	Horizontal	Pass
6**	17423.184	47.20	54.0	6.80	AV	201.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.084	45.70	74.0	28.30	Peak	223.00	400	Vertical	Pass
1**	1334.084	34.63	54.0	19.37	AV	223.00	400	Vertical	Pass
2	1439.965	42.85	74.0	31.15	Peak	25.00	200	Vertical	Pass
2**	1439.965	37.19	54.0	16.81	AV	25.00	200	Vertical	Pass
3	4311.144	45.20	74.0	28.80	Peak	278.00	200	Vertical	Pass
3**	4311.144	37.23	54.0	16.77	AV	278.00	200	Vertical	Pass
4	7596.073	53.33	74.0	20.67	Peak	90.00	400	Vertical	Pass
4**	7596.073	41.22	54.0	12.78	AV	90.00	400	Vertical	Pass
5	12534.456	53.93	74.0	20.07	Peak	267.00	100	Vertical	Pass
5**	12534.456	45.03	54.0	8.97	AV	267.00	100	Vertical	Pass
6	15906.338	51.79	74.0	22.21	Peak	324.00	100	Vertical	Pass
6**	15906.338	47.78	54.0	6.22	AV	324.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.362	40.66	74.0	33.34	Peak	57.00	300	Horizontal	Pass
1**	1523.362	31.16	54.0	22.84	AV	57.00	300	Horizontal	Pass
2	4017.096	49.96	74.0	24.04	Peak	24.00	400	Horizontal	Pass
2**	4017.096	35.78	54.0	18.22	AV	24.00	400	Horizontal	Pass
3	7596.836	55.33	74.0	18.67	Peak	282.00	200	Horizontal	Pass
3**	7596.836	43.23	54.0	10.77	AV	282.00	200	Horizontal	Pass
4	12455.619	53.46	74.0	20.54	Peak	55.00	300	Horizontal	Pass
4**	12455.619	41.72	54.0	12.28	AV	55.00	300	Horizontal	Pass
5	16096.857	52.41	74.0	21.59	Peak	174.00	200	Horizontal	Pass
5**	16096.857	43.65	54.0	10.35	AV	174.00	200	Horizontal	Pass
6	17416.978	54.86	74.0	19.14	Peak	30.00	400	Horizontal	Pass
6**	17416.978	44.97	54.0	9.03	AV	30.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.932	41.87	74.0	32.13	Peak	43.00	300	Vertical	Pass
1**	1333.932	35.27	54.0	18.73	AV	43.00	300	Vertical	Pass
2	1436.591	41.36	74.0	32.64	Peak	159.00	300	Vertical	Pass
2**	1436.591	39.89	54.0	14.11	AV	159.00	300	Vertical	Pass
3	4314.715	46.08	74.0	27.92	Peak	127.00	200	Vertical	Pass
3**	4314.715	39.06	54.0	14.94	AV	127.00	200	Vertical	Pass
4	7593.278	50.96	74.0	23.04	Peak	206.00	100	Vertical	Pass
4**	7593.278	45.40	54.0	8.60	AV	206.00	100	Vertical	Pass
5	12536.256	54.91	74.0	19.09	Peak	246.00	300	Vertical	Pass
5**	12536.256	42.47	54.0	11.53	AV	246.00	300	Vertical	Pass
6	15909.954	53.86	74.0	20.14	Peak	223.00	400	Vertical	Pass
6**	15909.954	47.48	54.0	6.52	AV	223.00	400	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.024	38.99	74.0	35.01	Peak	287.00	200	Horizontal	Pass
1**	1524.024	30.55	54.0	23.45	AV	287.00	200	Horizontal	Pass
2	4023.978	46.73	74.0	27.27	Peak	145.00	100	Horizontal	Pass
2**	4023.978	34.28	54.0	19.72	AV	145.00	100	Horizontal	Pass
3	7598.025	55.91	74.0	18.09	Peak	274.00	200	Horizontal	Pass
3**	7598.025	43.70	54.0	10.30	AV	274.00	200	Horizontal	Pass
4	12453.932	51.29	74.0	22.71	Peak	22.00	400	Horizontal	Pass
4**	12453.932	42.95	54.0	11.05	AV	22.00	400	Horizontal	Pass
5	16096.222	51.80	74.0	22.20	Peak	88.00	400	Horizontal	Pass
5**	16096.222	44.88	54.0	9.12	AV	88.00	400	Horizontal	Pass
6	17423.108	53.89	74.0	20.11	Peak	68.00	100	Horizontal	Pass
6**	17423.108	45.07	54.0	8.93	AV	68.00	100	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.843	46.41	74.0	27.59	Peak	229.00	200	Vertical	Pass
1**	1335.843	31.32	54.0	22.68	AV	229.00	200	Vertical	Pass
2	1438.839	43.76	74.0	30.24	Peak	27.00	300	Vertical	Pass
2**	1438.839	37.67	54.0	16.33	AV	27.00	300	Vertical	Pass
3	4313.553	48.35	74.0	25.65	Peak	4.00	200	Vertical	Pass
3**	4313.553	40.87	54.0	13.13	AV	4.00	200	Vertical	Pass
4	7591.647	50.60	74.0	23.40	Peak	332.00	100	Vertical	Pass
4**	7591.647	42.48	54.0	11.52	AV	332.00	100	Vertical	Pass
5	12535.732	53.14	74.0	20.86	Peak	211.00	300	Vertical	Pass
5**	12535.732	42.10	54.0	11.90	AV	211.00	300	Vertical	Pass
6	15907.709	52.58	74.0	21.42	Peak	89.00	100	Vertical	Pass
6**	15907.709	46.97	54.0	7.03	AV	89.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.714	38.40	74.0	35.60	Peak	92.00	300	Horizontal	Pass
1**	1520.714	27.47	54.0	26.53	AV	92.00	300	Horizontal	Pass
2	4023.091	47.67	74.0	26.33	Peak	329.00	400	Horizontal	Pass
2**	4023.091	34.80	54.0	19.20	AV	329.00	400	Horizontal	Pass
3	7600.172	50.62	74.0	23.38	Peak	261.00	200	Horizontal	Pass
3**	7600.172	40.91	54.0	13.09	AV	261.00	200	Horizontal	Pass
4	12456.142	54.94	74.0	19.06	Peak	96.00	200	Horizontal	Pass
4**	12456.142	44.88	54.0	9.12	AV	96.00	200	Horizontal	Pass
5	16096.456	53.78	74.0	20.22	Peak	287.00	200	Horizontal	Pass
5**	16096.456	46.89	54.0	7.11	AV	287.00	200	Horizontal	Pass
6	17421.425	55.60	74.0	18.40	Peak	277.00	300	Horizontal	Pass
6**	17421.425	50.27	54.0	3.73	AV	277.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.522	46.88	74.0	27.12	Peak	209.00	400	Vertical	Pass
1**	1333.522	31.76	54.0	22.24	AV	209.00	400	Vertical	Pass
2	1439.023	40.96	74.0	33.04	Peak	106.00	400	Vertical	Pass
2**	1439.023	36.31	54.0	17.69	AV	106.00	400	Vertical	Pass
3	4309.568	46.08	74.0	27.92	Peak	292.00	200	Vertical	Pass
3**	4309.568	40.70	54.0	13.30	AV	292.00	200	Vertical	Pass
4	7595.800	52.51	74.0	21.49	Peak	172.00	100	Vertical	Pass
4**	7595.800	43.75	54.0	10.25	AV	172.00	100	Vertical	Pass
5	12534.857	55.82	74.0	18.18	Peak	126.00	400	Vertical	Pass
5**	12534.857	41.26	54.0	12.74	AV	126.00	400	Vertical	Pass
6	15906.163	56.94	74.0	17.06	Peak	291.00	200	Vertical	Pass
6**	15906.163	43.05	54.0	10.95	AV	291.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.977	40.37	74.0	33.63	Peak	179.00	100	Horizontal	Pass
1**	1517.977	32.11	54.0	21.89	AV	179.00	100	Horizontal	Pass
2	4016.079	46.42	74.0	27.58	Peak	178.00	300	Horizontal	Pass
2**	4016.079	36.76	54.0	17.24	AV	178.00	300	Horizontal	Pass
3	7596.059	54.39	74.0	19.61	Peak	309.00	200	Horizontal	Pass
3**	7596.059	46.07	54.0	7.93	AV	309.00	200	Horizontal	Pass
4	12458.828	55.28	74.0	18.72	Peak	215.00	100	Horizontal	Pass
4**	12458.828	43.42	54.0	10.58	AV	215.00	100	Horizontal	Pass
5	16097.424	52.46	74.0	21.54	Peak	327.00	400	Horizontal	Pass
5**	16097.424	46.28	54.0	7.72	AV	327.00	400	Horizontal	Pass
6	17419.160	57.46	74.0	16.54	Peak	201.00	100	Horizontal	Pass
6**	17419.160	44.83	54.0	9.17	AV	201.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.342	46.35	74.0	27.65	Peak	80.00	100	Vertical	Pass
1**	1331.342	36.60	54.0	17.40	AV	80.00	100	Vertical	Pass
2	1438.739	39.93	74.0	34.07	Peak	37.00	400	Vertical	Pass
2**	1438.739	37.35	54.0	16.65	AV	37.00	400	Vertical	Pass
3	4310.076	45.75	74.0	28.25	Peak	302.00	200	Vertical	Pass
3**	4310.076	41.10	54.0	12.90	AV	302.00	200	Vertical	Pass
4	7595.016	53.93	74.0	20.07	Peak	13.00	400	Vertical	Pass
4**	7595.016	44.41	54.0	9.59	AV	13.00	400	Vertical	Pass
5	12536.008	55.78	74.0	18.22	Peak	163.00	200	Vertical	Pass
5**	12536.008	41.30	54.0	12.70	AV	163.00	200	Vertical	Pass
6	15906.272	57.42	74.0	16.58	Peak	334.00	100	Vertical	Pass
6**	15906.272	43.73	54.0	10.27	AV	334.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.605	39.49	74.0	34.51	Peak	268.00	200	Horizontal	Pass
1**	1521.605	26.79	54.0	27.21	AV	268.00	200	Horizontal	Pass
2	4019.662	49.94	74.0	24.06	Peak	27.00	200	Horizontal	Pass
2**	4019.662	35.96	54.0	18.04	AV	27.00	200	Horizontal	Pass
3	7594.645	55.62	74.0	18.38	Peak	199.00	200	Horizontal	Pass
3**	7594.645	45.18	54.0	8.82	AV	199.00	200	Horizontal	Pass
4	12454.663	52.36	74.0	21.64	Peak	345.00	200	Horizontal	Pass
4**	12454.663	43.31	54.0	10.69	AV	345.00	200	Horizontal	Pass
5	16093.181	56.45	74.0	17.55	Peak	266.00	200	Horizontal	Pass
5**	16093.181	43.71	54.0	10.29	AV	266.00	200	Horizontal	Pass
6	17418.953	54.65	74.0	19.35	Peak	242.00	300	Horizontal	Pass
6**	17418.953	45.62	54.0	8.38	AV	242.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.992	46.23	74.0	27.77	Peak	251.00	300	Vertical	Pass
1**	1332.992	33.83	54.0	20.17	AV	251.00	300	Vertical	Pass
2	1436.989	42.93	74.0	31.07	Peak	327.00	200	Vertical	Pass
2**	1436.989	34.18	54.0	19.82	AV	327.00	200	Vertical	Pass
3	4307.677	45.64	74.0	28.36	Peak	299.00	200	Vertical	Pass
3**	4307.677	38.19	54.0	15.81	AV	299.00	200	Vertical	Pass
4	7596.290	55.61	74.0	18.39	Peak	37.00	300	Vertical	Pass
4**	7596.290	46.62	54.0	7.38	AV	37.00	300	Vertical	Pass
5	12533.768	51.84	74.0	22.16	Peak	177.00	200	Vertical	Pass
5**	12533.768	40.69	54.0	13.31	AV	177.00	200	Vertical	Pass
6	15903.497	56.50	74.0	17.50	Peak	305.00	400	Vertical	Pass
6**	15903.497	44.60	54.0	9.40	AV	305.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.421	39.81	74.0	34.19	Peak	233.00	100	Horizontal	Pass
1**	1519.421	27.19	54.0	26.81	AV	233.00	100	Horizontal	Pass
2	4019.684	49.74	74.0	24.26	Peak	23.00	100	Horizontal	Pass
2**	4019.684	38.77	54.0	15.23	AV	23.00	100	Horizontal	Pass
3	7602.004	53.06	74.0	20.94	Peak	6.00	200	Horizontal	Pass
3**	7602.004	43.35	54.0	10.65	AV	6.00	200	Horizontal	Pass
4	12454.784	52.44	74.0	21.56	Peak	76.00	100	Horizontal	Pass
4**	12454.784	44.12	54.0	9.88	AV	76.00	100	Horizontal	Pass
5	16098.366	51.37	74.0	22.63	Peak	239.00	400	Horizontal	Pass
5**	16098.366	44.60	54.0	9.40	AV	239.00	400	Horizontal	Pass
6	17419.145	58.61	74.0	15.39	Peak	58.00	400	Horizontal	Pass
6**	17419.145	47.35	54.0	6.65	AV	58.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.352	43.06	74.0	30.94	Peak	314.00	400	Vertical	Pass
1**	1331.352	30.94	54.0	23.06	AV	314.00	400	Vertical	Pass
2	1438.399	41.30	74.0	32.70	Peak	48.00	400	Vertical	Pass
2**	1438.399	37.54	54.0	16.46	AV	48.00	400	Vertical	Pass
3	4311.868	44.59	74.0	29.41	Peak	151.00	200	Vertical	Pass
3**	4311.868	36.38	54.0	17.62	AV	151.00	200	Vertical	Pass
4	7596.016	54.56	74.0	19.44	Peak	268.00	300	Vertical	Pass
4**	7596.016	42.51	54.0	11.49	AV	268.00	300	Vertical	Pass
5	12533.093	54.47	74.0	19.53	Peak	186.00	400	Vertical	Pass
5**	12533.093	41.48	54.0	12.52	AV	186.00	400	Vertical	Pass
6	15906.429	55.90	74.0	18.10	Peak	170.00	400	Vertical	Pass
6**	15906.429	47.67	54.0	6.33	AV	170.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.042	35.81	74.0	38.19	Peak	243.00	100	Horizontal	Pass
1**	1522.042	27.31	54.0	26.69	AV	243.00	100	Horizontal	Pass
2	4020.715	44.72	74.0	29.28	Peak	325.00	200	Horizontal	Pass
2**	4020.715	37.67	54.0	16.33	AV	325.00	200	Horizontal	Pass
3	7601.362	53.69	74.0	20.31	Peak	174.00	200	Horizontal	Pass
3**	7601.362	43.61	54.0	10.39	AV	174.00	200	Horizontal	Pass
4	12452.390	53.86	74.0	20.14	Peak	223.00	100	Horizontal	Pass
4**	12452.390	41.58	54.0	12.42	AV	223.00	100	Horizontal	Pass
5	16095.308	51.82	74.0	22.18	Peak	251.00	100	Horizontal	Pass
5**	16095.308	46.54	54.0	7.46	AV	251.00	100	Horizontal	Pass
6	17417.020	56.01	74.0	17.99	Peak	273.00	200	Horizontal	Pass
6**	17417.020	48.58	54.0	5.42	AV	273.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.275	43.62	74.0	30.38	Peak	168.00	400	Vertical	Pass
1**	1330.275	36.37	54.0	17.63	AV	168.00	400	Vertical	Pass
2	1444.051	44.79	74.0	29.21	Peak	233.00	400	Vertical	Pass
2**	1444.051	38.71	54.0	15.29	AV	233.00	400	Vertical	Pass
3	4313.563	48.57	74.0	25.43	Peak	227.00	200	Vertical	Pass
3**	4313.563	40.27	54.0	13.73	AV	227.00	200	Vertical	Pass
4	7596.670	54.76	74.0	19.24	Peak	338.00	400	Vertical	Pass
4**	7596.670	46.34	54.0	7.66	AV	338.00	400	Vertical	Pass
5	12537.094	53.48	74.0	20.52	Peak	271.00	200	Vertical	Pass
5**	12537.094	43.72	54.0	10.28	AV	271.00	200	Vertical	Pass
6	15906.859	54.17	74.0	19.83	Peak	288.00	300	Vertical	Pass
6**	15906.859	47.50	54.0	6.50	AV	288.00	300	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.859	40.44	74.0	33.56	Peak	80.00	400	Horizontal	Pass
1**	1521.859	30.96	54.0	23.04	AV	80.00	400	Horizontal	Pass
2	4020.327	47.59	74.0	26.41	Peak	123.00	100	Horizontal	Pass
2**	4020.327	36.75	54.0	17.25	AV	123.00	100	Horizontal	Pass
3	7596.633	50.51	74.0	23.49	Peak	246.00	200	Horizontal	Pass
3**	7596.633	44.86	54.0	9.14	AV	246.00	200	Horizontal	Pass
4	12452.187	54.76	74.0	19.24	Peak	148.00	300	Horizontal	Pass
4**	12452.187	45.30	54.0	8.70	AV	148.00	300	Horizontal	Pass
5	16097.405	50.77	74.0	23.23	Peak	74.00	200	Horizontal	Pass
5**	16097.405	46.38	54.0	7.62	AV	74.00	200	Horizontal	Pass
6	17416.551	53.08	74.0	20.92	Peak	45.00	300	Horizontal	Pass
6**	17416.551	46.63	54.0	7.37	AV	45.00	300	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.742	42.29	74.0	31.71	Peak	344.00	200	Vertical	Pass
1**	1333.742	36.38	54.0	17.62	AV	344.00	200	Vertical	Pass
2	1443.760	43.26	74.0	30.74	Peak	268.00	100	Vertical	Pass
2**	1443.760	37.77	54.0	16.23	AV	268.00	100	Vertical	Pass
3	4313.238	46.86	74.0	27.14	Peak	313.00	200	Vertical	Pass
3**	4313.238	36.18	54.0	17.82	AV	313.00	200	Vertical	Pass
4	7597.638	51.36	74.0	22.64	Peak	255.00	400	Vertical	Pass
4**	7597.638	44.54	54.0	9.46	AV	255.00	400	Vertical	Pass
5	12530.913	53.25	74.0	20.75	Peak	126.00	300	Vertical	Pass
5**	12530.913	41.15	54.0	12.85	AV	126.00	300	Vertical	Pass
6	15906.738	51.66	74.0	22.34	Peak	81.00	300	Vertical	Pass
6**	15906.738	44.31	54.0	9.69	AV	81.00	300	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.552	40.38	74.0	33.62	Peak	263.00	200	Horizontal	Pass
1**	1518.552	27.49	54.0	26.51	AV	263.00	200	Horizontal	Pass
2	4016.994	48.70	74.0	25.30	Peak	256.00	400	Horizontal	Pass
2**	4016.994	39.09	54.0	14.91	AV	256.00	400	Horizontal	Pass
3	7602.299	55.35	74.0	18.65	Peak	95.00	200	Horizontal	Pass
3**	7602.299	45.27	54.0	8.73	AV	95.00	200	Horizontal	Pass
4	12452.420	56.48	74.0	17.52	Peak	310.00	100	Horizontal	Pass
4**	12452.420	46.05	54.0	7.95	AV	310.00	100	Horizontal	Pass
5	16091.932	50.64	74.0	23.36	Peak	129.00	400	Horizontal	Pass
5**	16091.932	44.25	54.0	9.75	AV	129.00	400	Horizontal	Pass
6	17420.483	56.51	74.0	17.49	Peak	10.00	100	Horizontal	Pass
6**	17420.483	48.64	54.0	5.36	AV	10.00	100	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.408	47.32	74.0	26.68	Peak	248.00	300	Vertical	Pass
1**	1336.408	34.43	54.0	19.57	AV	248.00	300	Vertical	Pass
2	1439.451	41.27	74.0	32.73	Peak	93.00	400	Vertical	Pass
2**	1439.451	34.44	54.0	19.56	AV	93.00	400	Vertical	Pass
3	4310.172	44.60	74.0	29.40	Peak	77.00	200	Vertical	Pass
3**	4310.172	39.66	54.0	14.34	AV	77.00	200	Vertical	Pass
4	7592.530	51.38	74.0	22.62	Peak	61.00	100	Vertical	Pass
4**	7592.530	42.49	54.0	11.51	AV	61.00	100	Vertical	Pass
5	12535.257	54.75	74.0	19.25	Peak	183.00	200	Vertical	Pass
5**	12535.257	45.76	54.0	8.24	AV	183.00	200	Vertical	Pass
6	15907.061	55.99	74.0	18.01	Peak	51.00	200	Vertical	Pass
6**	15907.061	43.22	54.0	10.78	AV	51.00	200	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.611	40.33	74.0	33.67	Peak	182.00	300	Horizontal	Pass
1**	1522.611	29.28	54.0	24.72	AV	182.00	300	Horizontal	Pass
2	4023.040	45.22	74.0	28.78	Peak	185.00	100	Horizontal	Pass
2**	4023.040	39.91	54.0	14.09	AV	185.00	100	Horizontal	Pass
3	7601.402	56.26	74.0	17.74	Peak	320.00	200	Horizontal	Pass
3**	7601.402	44.01	54.0	9.99	AV	320.00	200	Horizontal	Pass
4	12455.981	55.55	74.0	18.45	Peak	147.00	400	Horizontal	Pass
4**	12455.981	43.73	54.0	10.27	AV	147.00	400	Horizontal	Pass
5	16093.716	53.23	74.0	20.77	Peak	147.00	100	Horizontal	Pass
5**	16093.716	46.10	54.0	7.90	AV	147.00	100	Horizontal	Pass
6	17420.658	54.28	74.0	19.72	Peak	351.00	100	Horizontal	Pass
6**	17420.658	48.76	54.0	5.24	AV	351.00	100	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.561	41.66	74.0	32.34	Peak	298.00	200	Vertical	Pass
1**	1334.561	33.77	54.0	20.23	AV	298.00	200	Vertical	Pass
2	1440.558	42.15	74.0	31.85	Peak	299.00	300	Vertical	Pass
2**	1440.558	38.43	54.0	15.57	AV	299.00	300	Vertical	Pass
3	4314.142	49.00	74.0	25.00	Peak	154.00	200	Vertical	Pass
3**	4314.142	40.07	54.0	13.93	AV	154.00	200	Vertical	Pass
4	7597.668	50.73	74.0	23.27	Peak	111.00	100	Vertical	Pass
4**	7597.668	44.51	54.0	9.49	AV	111.00	100	Vertical	Pass
5	12536.587	53.83	74.0	20.17	Peak	321.00	400	Vertical	Pass
5**	12536.587	40.72	54.0	13.28	AV	321.00	400	Vertical	Pass
6	15905.141	53.93	74.0	20.07	Peak	205.00	200	Vertical	Pass
6**	15905.141	43.65	54.0	10.35	AV	205.00	200	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.761	38.27	74.0	35.73	Peak	220.00	400	Horizontal	Pass
1**	1518.761	29.66	54.0	24.34	AV	220.00	400	Horizontal	Pass
2	4020.547	49.69	74.0	24.31	Peak	360.00	100	Horizontal	Pass
2**	4020.547	39.54	54.0	14.46	AV	360.00	100	Horizontal	Pass
3	7597.729	51.85	74.0	22.15	Peak	49.00	200	Horizontal	Pass
3**	7597.729	44.97	54.0	9.03	AV	49.00	200	Horizontal	Pass
4	12455.738	52.34	74.0	21.66	Peak	126.00	300	Horizontal	Pass
4**	12455.738	41.93	54.0	12.07	AV	126.00	300	Horizontal	Pass
5	16097.034	52.62	74.0	21.38	Peak	88.00	400	Horizontal	Pass
5**	16097.034	43.66	54.0	10.34	AV	88.00	400	Horizontal	Pass
6	17420.790	54.30	74.0	19.70	Peak	204.00	100	Horizontal	Pass
6**	17420.790	50.08	54.0	3.92	AV	204.00	100	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.302	44.92	74.0	29.08	Peak	259.00	400	Vertical	Pass
1**	1333.302	33.65	54.0	20.35	AV	259.00	400	Vertical	Pass
2	1440.426	43.37	74.0	30.63	Peak	235.00	100	Vertical	Pass
2**	1440.426	34.34	54.0	19.66	AV	235.00	100	Vertical	Pass
3	4311.495	47.19	74.0	26.81	Peak	224.00	200	Vertical	Pass
3**	4311.495	37.75	54.0	16.25	AV	224.00	200	Vertical	Pass
4	7594.290	54.30	74.0	19.70	Peak	244.00	200	Vertical	Pass
4**	7594.290	45.32	54.0	8.68	AV	244.00	200	Vertical	Pass
5	12535.443	56.28	74.0	17.72	Peak	232.00	100	Vertical	Pass
5**	12535.443	44.76	54.0	9.24	AV	232.00	100	Vertical	Pass
6	15905.310	53.82	74.0	20.18	Peak	304.00	300	Vertical	Pass
6**	15905.310	47.10	54.0	6.90	AV	304.00	300	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.145	39.14	74.0	34.86	Peak	91.00	100	Horizontal	Pass
1**	1519.145	30.92	54.0	23.08	AV	91.00	100	Horizontal	Pass
2	4016.900	46.60	74.0	27.40	Peak	66.00	400	Horizontal	Pass
2**	4016.900	35.90	54.0	18.10	AV	66.00	400	Horizontal	Pass
3	7600.229	51.45	74.0	22.55	Peak	127.00	200	Horizontal	Pass
3**	7600.229	45.67	54.0	8.33	AV	127.00	200	Horizontal	Pass
4	12452.648	52.41	74.0	21.59	Peak	315.00	100	Horizontal	Pass
4**	12452.648	42.08	54.0	11.92	AV	315.00	100	Horizontal	Pass
5	16095.673	51.03	74.0	22.97	Peak	350.00	100	Horizontal	Pass
5**	16095.673	46.71	54.0	7.29	AV	350.00	100	Horizontal	Pass
6	17418.692	54.58	74.0	19.42	Peak	27.00	400	Horizontal	Pass
6**	17418.692	45.69	54.0	8.31	AV	27.00	400	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.424	41.78	74.0	32.22	Peak	208.00	300	Vertical	Pass
1**	1332.424	30.90	54.0	23.10	AV	208.00	300	Vertical	Pass
2	1441.371	41.82	74.0	32.18	Peak	211.00	300	Vertical	Pass
2**	1441.371	36.33	54.0	17.67	AV	211.00	300	Vertical	Pass
3	4314.759	49.60	74.0	24.40	Peak	201.00	200	Vertical	Pass
3**	4314.759	41.24	54.0	12.76	AV	201.00	200	Vertical	Pass
4	7592.947	54.59	74.0	19.41	Peak	233.00	200	Vertical	Pass
4**	7592.947	42.38	54.0	11.62	AV	233.00	200	Vertical	Pass
5	12535.028	51.41	74.0	22.59	Peak	116.00	300	Vertical	Pass
5**	12535.028	42.38	54.0	11.62	AV	116.00	300	Vertical	Pass
6	15908.174	55.24	74.0	18.76	Peak	133.00	400	Vertical	Pass
6**	15908.174	44.19	54.0	9.81	AV	133.00	400	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.551	36.10	74.0	37.90	Peak	51.00	200	Horizontal	Pass
1**	1524.551	31.05	54.0	22.95	AV	51.00	200	Horizontal	Pass
2	4021.144	49.52	74.0	24.48	Peak	175.00	300	Horizontal	Pass
2**	4021.144	34.61	54.0	19.39	AV	175.00	300	Horizontal	Pass
3	7598.977	53.46	74.0	20.54	Peak	129.00	200	Horizontal	Pass
3**	7598.977	44.63	54.0	9.37	AV	129.00	200	Horizontal	Pass
4	12454.677	50.60	74.0	23.40	Peak	57.00	100	Horizontal	Pass
4**	12454.677	41.45	54.0	12.55	AV	57.00	100	Horizontal	Pass
5	16096.616	52.84	74.0	21.16	Peak	109.00	400	Horizontal	Pass
5**	16096.616	43.87	54.0	10.13	AV	109.00	400	Horizontal	Pass
6	17420.654	56.80	74.0	17.20	Peak	246.00	400	Horizontal	Pass
6**	17420.654	49.92	54.0	4.08	AV	246.00	400	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.968	45.12	74.0	28.88	Peak	84.00	300	Vertical	Pass
1**	1335.968	33.39	54.0	20.61	AV	84.00	300	Vertical	Pass
2	1441.578	43.41	74.0	30.59	Peak	28.00	100	Vertical	Pass
2**	1441.578	36.21	54.0	17.79	AV	28.00	100	Vertical	Pass
3	4307.894	46.73	74.0	27.27	Peak	185.00	200	Vertical	Pass
3**	4307.894	38.63	54.0	15.37	AV	185.00	200	Vertical	Pass
4	7590.336	51.48	74.0	22.52	Peak	309.00	200	Vertical	Pass
4**	7590.336	44.39	54.0	9.61	AV	309.00	200	Vertical	Pass
5	12537.203	54.98	74.0	19.02	Peak	304.00	400	Vertical	Pass
5**	12537.203	42.15	54.0	11.85	AV	304.00	400	Vertical	Pass
6	15903.684	56.70	74.0	17.30	Peak	162.00	400	Vertical	Pass
6**	15903.684	44.93	54.0	9.07	AV	162.00	400	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.910	39.89	74.0	34.11	Peak	317.00	400	Horizontal	Pass
1**	1520.910	31.54	54.0	22.46	AV	317.00	400	Horizontal	Pass
2	4017.847	48.36	74.0	25.64	Peak	73.00	300	Horizontal	Pass
2**	4017.847	36.55	54.0	17.45	AV	73.00	300	Horizontal	Pass
3	7596.783	53.61	74.0	20.39	Peak	16.00	200	Horizontal	Pass
3**	7596.783	40.77	54.0	13.23	AV	16.00	200	Horizontal	Pass
4	12453.255	54.83	74.0	19.17	Peak	229.00	200	Horizontal	Pass
4**	12453.255	46.69	54.0	7.31	AV	229.00	200	Horizontal	Pass
5	16097.513	51.70	74.0	22.30	Peak	321.00	100	Horizontal	Pass
5**	16097.513	44.74	54.0	9.26	AV	321.00	100	Horizontal	Pass
6	17418.565	58.50	74.0	15.50	Peak	129.00	400	Horizontal	Pass
6**	17418.565	48.96	54.0	5.04	AV	129.00	400	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.871	46.41	74.0	27.59	Peak	31.00	100	Vertical	Pass
1**	1333.871	35.30	54.0	18.70	AV	31.00	100	Vertical	Pass
2	1444.272	39.16	74.0	34.84	Peak	326.00	100	Vertical	Pass
2**	1444.272	35.76	54.0	18.24	AV	326.00	100	Vertical	Pass
3	4307.526	49.91	74.0	24.09	Peak	173.00	200	Vertical	Pass
3**	4307.526	38.72	54.0	15.28	AV	173.00	200	Vertical	Pass
4	7597.016	51.84	74.0	22.16	Peak	40.00	100	Vertical	Pass
4**	7597.016	41.51	54.0	12.49	AV	40.00	100	Vertical	Pass
5	12538.541	51.12	74.0	22.88	Peak	231.00	100	Vertical	Pass
5**	12538.541	44.98	54.0	9.02	AV	231.00	100	Vertical	Pass
6	15910.011	53.65	74.0	20.35	Peak	211.00	300	Vertical	Pass
6**	15910.011	43.06	54.0	10.94	AV	211.00	300	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass

	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass

Test Data**U-NII-1 11a Low Channel**

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	66.84	74.0	7.16	Peak	269.00	200	Horizontal	Pass
1**	5146.750	47.69	54.0	6.31	AV	269.00	200	Horizontal	Pass
2	5150.000	65.10	74.0	8.90	Peak	262.00	100	Horizontal	Pass
2**	5150.000	49.00	54.0	5.00	AV	262.00	100	Horizontal	Pass
3	5149.025	65.13	74.0	8.87	Peak	277.00	100	Horizontal	Pass
3**	5149.025	49.66	54.0	4.34	AV	277.00	100	Horizontal	Pass

U-NII-1 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.23	74.0	17.77	Peak	85.00	200	Horizontal	Pass
1**	5350.055	45.77	54.0	8.23	AV	85.00	200	Horizontal	Pass
2	5406.815	56.87	74.0	17.13	Peak	226.00	200	Horizontal	Pass
2**	5406.815	45.21	54.0	8.79	AV	226.00	200	Horizontal	Pass

U-NII-1 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	67.08	74.0	6.92	Peak	232.00	150	Horizontal	Pass
1**	5149.350	49.97	54.0	4.03	AV	232.00	150	Horizontal	Pass
2	5150.000	65.29	74.0	8.71	Peak	217.00	150	Horizontal	Pass
2**	5150.000	49.13	54.0	4.87	AV	217.00	150	Horizontal	Pass
3	5145.775	62.81	74.0	11.19	Peak	277.00	100	Horizontal	Pass
3**	5145.775	50.39	54.0	3.61	AV	277.00	100	Horizontal	Pass

U-NII-1 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.65	74.0	18.35	Peak	322.00	150	Horizontal	Pass
1**	5350.055	45.79	54.0	8.21	AV	322.00	150	Horizontal	Pass
2	5387.455	56.87	74.0	17.13	Peak	298.00	150	Horizontal	Pass
2**	5387.455	44.78	54.0	9.22	AV	298.00	150	Horizontal	Pass

U-NII-1 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	66.62	74.0	7.38	Peak	246.00	100	Horizontal	Pass
1**	5146.750	50.49	54.0	3.51	AV	246.00	100	Horizontal	Pass
2	5150.000	64.94	74.0	9.06	Peak	278.00	200	Horizontal	Pass
2**	5150.000	49.72	54.0	4.28	AV	278.00	200	Horizontal	Pass

U-NII-1 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.22	74.0	18.78	Peak	93.00	150	Horizontal	Pass
1**	5350.000	45.60	54.0	8.40	AV	93.00	150	Horizontal	Pass
2	5352.035	56.30	74.0	17.70	Peak	108.00	150	Horizontal	Pass
2**	5352.035	45.28	54.0	8.72	AV	108.00	150	Horizontal	Pass

U-NII-1 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	64.49	74.0	9.51	Peak	243.00	200	Horizontal	Pass
1**	5149.350	47.31	54.0	6.69	AV	243.00	200	Horizontal	Pass
2	5150.000	63.11	74.0	10.89	Peak	221.00	100	Horizontal	Pass
2**	5150.000	46.64	54.0	7.36	AV	221.00	100	Horizontal	Pass

U-NII-1 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.35	74.0	18.65	Peak	201.00	150	Horizontal	Pass
1**	5350.000	45.61	54.0	8.39	AV	201.00	150	Horizontal	Pass
2	5352.365	56.55	74.0	17.45	Peak	330.00	100	Horizontal	Pass
2**	5352.365	45.26	54.0	8.74	AV	330.00	100	Horizontal	Pass

U-NII-1 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.150	65.99	74.0	8.01	Peak	261.00	100	Horizontal	Pass
1**	5144.150	48.49	54.0	5.51	AV	261.00	100	Horizontal	Pass
2	5150.000	64.35	74.0	9.65	Peak	285.00	200	Horizontal	Pass
2**	5150.000	50.41	54.0	3.59	AV	285.00	200	Horizontal	Pass

U-NII-1 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.63	74.0	18.37	Peak	0.00	100	Horizontal	Pass
1**	5350.000	45.93	54.0	8.07	AV	0.00	100	Horizontal	Pass
2	5350.110	56.87	74.0	17.13	Peak	161.00	200	Horizontal	Pass
2**	5350.110	45.87	54.0	8.13	AV	161.00	200	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	64.40	74.0	9.60	Peak	273.00	100	Horizontal	Pass
1**	5149.675	46.89	54.0	7.11	AV	273.00	100	Horizontal	Pass
2	5150.000	64.16	74.0	9.84	Peak	241.00	150	Horizontal	Pass
2**	5150.000	47.79	54.0	6.21	AV	241.00	150	Horizontal	Pass
3	5146.425	60.58	74.0	13.42	Peak	294.00	100	Horizontal	Pass
3**	5146.425	49.00	54.0	5.00	AV	294.00	100	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.27	74.0	18.73	Peak	278.00	100	Horizontal	Pass
1**	5350.000	45.83	54.0	8.17	AV	278.00	100	Horizontal	Pass
2	5360.340	57.20	74.0	16.80	Peak	288.00	200	Horizontal	Pass
2**	5360.340	45.29	54.0	8.71	AV	288.00	200	Horizontal	Pass

U-NII-1 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5143.500	64.13	74.0	9.87	Peak	262.00	200	Horizontal	Pass
1**	5143.500	46.24	54.0	7.76	AV	262.00	200	Horizontal	Pass
2	5150.000	63.46	74.0	10.54	Peak	288.00	100	Horizontal	Pass
2**	5150.000	47.69	54.0	6.31	AV	288.00	100	Horizontal	Pass
3	5149.675	63.28	74.0	10.72	Peak	284.00	100	Horizontal	Pass
3**	5149.675	48.25	54.0	5.75	AV	284.00	100	Horizontal	Pass

U-NII-1 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.55	74.0	18.45	Peak	215.00	100	Vertical	Pass
1**	5350.000	45.73	54.0	8.27	AV	215.00	100	Vertical	Pass
2	5350.495	56.59	74.0	17.41	Peak	0.00	100	Vertical	Pass
2**	5350.495	45.71	54.0	8.29	AV	0.00	100	Vertical	Pass

U-NII-1 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	65.60	74.0	8.40	Peak	239.00	150	Horizontal	Pass
1**	5146.750	47.40	54.0	6.60	AV	239.00	150	Horizontal	Pass
2	5150.000	61.82	74.0	12.18	Peak	249.00	100	Horizontal	Pass
2**	5150.000	48.80	54.0	5.20	AV	249.00	100	Horizontal	Pass

U-NII-1 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	60.60	74.0	13.40	Peak	27.00	200	Horizontal	Pass
1**	5350.055	46.42	54.0	7.58	AV	27.00	200	Horizontal	Pass
2	5356.600	61.58	74.0	12.42	Peak	30.00	150	Horizontal	Pass
2**	5356.600	45.90	54.0	8.10	AV	30.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.075	62.93	74.0	11.07	Peak	268.00	150	Horizontal	Pass
1**	5147.075	47.26	54.0	6.74	AV	268.00	150	Horizontal	Pass
2	5150.000	61.04	74.0	12.96	Peak	243.00	100	Horizontal	Pass
2**	5150.000	47.66	54.0	6.34	AV	243.00	100	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.50	74.0	17.50	Peak	124.00	150	Horizontal	Pass
1**	5350.000	45.74	54.0	8.26	AV	124.00	150	Horizontal	Pass
2	5350.825	56.73	74.0	17.27	Peak	115.00	150	Horizontal	Pass
2**	5350.825	45.79	54.0	8.21	AV	115.00	150	Horizontal	Pass

U-NII-2A 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5125.625	56.22	74.0	17.78	Peak	98.00	100	Horizontal	Pass
1**	5125.625	45.29	54.0	8.71	AV	98.00	100	Horizontal	Pass
2	5150.000	54.15	74.0	19.85	Peak	262.00	100	Horizontal	Pass
2**	5150.000	44.78	54.0	9.22	AV	262.00	100	Horizontal	Pass

U-NII-2A 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.80	74.0	18.20	Peak	252.00	100	Horizontal	Pass
1**	5350.055	45.72	54.0	8.28	AV	252.00	100	Horizontal	Pass
2	5385.310	56.48	74.0	17.52	Peak	121.00	200	Horizontal	Pass
2**	5385.310	44.61	54.0	9.39	AV	121.00	200	Horizontal	Pass

U-NII-2A 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5128.875	57.19	74.0	16.81	Peak	239.00	100	Horizontal	Pass
1**	5128.875	45.26	54.0	8.74	AV	239.00	100	Horizontal	Pass
2	5150.000	54.31	74.0	19.69	Peak	37.00	150	Horizontal	Pass
2**	5150.000	44.94	54.0	9.06	AV	37.00	150	Horizontal	Pass

U-NII-2A 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.71	74.0	18.29	Peak	166.00	200	Horizontal	Pass
1**	5350.000	45.95	54.0	8.05	AV	166.00	200	Horizontal	Pass
2	5350.770	56.98	74.0	17.02	Peak	222.00	200	Horizontal	Pass
2**	5350.770	45.75	54.0	8.25	AV	222.00	200	Horizontal	Pass

U-NII-2A 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5133.425	56.89	74.0	17.11	Peak	360.00	100	Horizontal	Pass
1**	5133.425	44.94	54.0	9.06	AV	360.00	100	Horizontal	Pass
2	5150.000	54.64	74.0	19.36	Peak	242.00	150	Horizontal	Pass
2**	5150.000	44.88	54.0	9.12	AV	242.00	150	Horizontal	Pass

U-NII-2A 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.53	74.0	17.47	Peak	163.00	150	Horizontal	Pass
1**	5350.000	45.72	54.0	8.28	AV	163.00	150	Horizontal	Pass
2	5350.825	57.14	74.0	16.86	Peak	276.00	200	Horizontal	Pass
2**	5350.825	45.55	54.0	8.45	AV	276.00	200	Horizontal	Pass

U-NII-2A 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5131.475	57.05	74.0	16.95	Peak	140.00	150	Horizontal	Pass
1**	5131.475	45.14	54.0	8.86	AV	140.00	150	Horizontal	Pass
2	5150.000	55.13	74.0	18.87	Peak	104.00	200	Horizontal	Pass
2**	5150.000	44.93	54.0	9.07	AV	104.00	200	Horizontal	Pass

U-NII-2A 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.08	74.0	17.92	Peak	324.00	200	Horizontal	Pass
1**	5350.000	46.20	54.0	7.80	AV	324.00	200	Horizontal	Pass
2	5351.045	56.56	74.0	17.44	Peak	324.00	100	Horizontal	Pass
2**	5351.045	45.45	54.0	8.55	AV	324.00	100	Horizontal	Pass

U-NII-2A 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.79	74.0	19.21	Peak	360.00	100	Horizontal	Pass
1**	5150.000	44.95	54.0	9.05	AV	360.00	100	Horizontal	Pass
2	5150.000	54.79	74.0	19.21	Peak	360.00	100	Horizontal	Pass
2**	5150.000	44.95	54.0	9.05	AV	360.00	100	Horizontal	Pass

U-NII-2A 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.97	74.0	18.03	Peak	323.00	100	Horizontal	Pass
1**	5350.000	45.81	54.0	8.19	AV	323.00	100	Horizontal	Pass
2	5352.695	57.45	74.0	16.55	Peak	99.00	100	Horizontal	Pass
2**	5352.695	45.66	54.0	8.34	AV	99.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5129.200	57.37	74.0	16.63	Peak	346.00	100	Horizontal	Pass
1**	5129.200	45.29	54.0	8.71	AV	346.00	100	Horizontal	Pass
2	5150.000	54.82	74.0	19.18	Peak	266.00	100	Horizontal	Pass
2**	5150.000	45.04	54.0	8.96	AV	266.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.31	74.0	18.69	Peak	118.00	200	Horizontal	Pass
1**	5350.000	45.90	54.0	8.10	AV	118.00	200	Horizontal	Pass
2	5351.320	56.92	74.0	17.08	Peak	38.00	150	Horizontal	Pass
2**	5351.320	45.59	54.0	8.41	AV	38.00	150	Horizontal	Pass

U-NII-2A 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5126.600	56.71	74.0	17.29	Peak	360.00	100	Horizontal	Pass
1**	5126.600	45.30	54.0	8.70	AV	360.00	100	Horizontal	Pass
2	5150.000	54.72	74.0	19.28	Peak	37.00	100	Horizontal	Pass
2**	5150.000	44.72	54.0	9.28	AV	37.00	100	Horizontal	Pass

U-NII-2A 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.58	74.0	18.42	Peak	266.00	150	Horizontal	Pass
1**	5350.055	45.72	54.0	8.28	AV	266.00	150	Horizontal	Pass
2	5355.720	56.93	74.0	17.07	Peak	0.00	100	Horizontal	Pass
2**	5355.720	45.13	54.0	8.87	AV	0.00	100	Horizontal	Pass

U-NII-2A 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4875.050	56.40	74.0	17.60	Peak	38.00	150	Horizontal	Pass
1**	4875.050	44.38	54.0	9.62	AV	38.00	150	Horizontal	Pass
2	5150.000	55.30	74.0	18.70	Peak	130.00	150	Horizontal	Pass
2**	5150.000	44.92	54.0	9.08	AV	130.00	150	Horizontal	Pass

U-NII-2A 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.42	74.0	18.58	Peak	0.00	200	Horizontal	Pass
1**	5350.055	45.84	54.0	8.16	AV	0.00	200	Horizontal	Pass
2	5351.210	57.51	74.0	16.49	Peak	138.00	150	Horizontal	Pass
2**	5351.210	45.45	54.0	8.55	AV	138.00	150	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.775	56.37	74.0	17.63	Peak	320.00	200	Horizontal	Pass
1**	5145.775	45.07	54.0	8.93	AV	320.00	200	Horizontal	Pass
2	5150.000	54.05	74.0	19.95	Peak	0.00	200	Horizontal	Pass
2**	5150.000	44.67	54.0	9.33	AV	0.00	200	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.69	74.0	18.31	Peak	6.00	200	Horizontal	Pass
1**	5350.055	45.83	54.0	8.17	AV	6.00	200	Horizontal	Pass
2	5358.250	57.09	74.0	16.91	Peak	322.00	200	Horizontal	Pass
2**	5358.250	45.33	54.0	8.67	AV	322.00	200	Horizontal	Pass

U-NII-2C 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.320	59.41	74.0	14.59	Peak	254.00	200	Horizontal	Pass
1**	5459.320	44.95	54.0	9.05	AV	254.00	200	Horizontal	Pass
2	5459.980	56.52	74.0	17.48	Peak	261.00	150	Horizontal	Pass
2**	5459.980	45.21	54.0	8.79	AV	261.00	150	Horizontal	Pass
3	5469.760	64.89	68.2	3.31	Peak	290.00	200	Horizontal	Pass
3**	5469.760	45.19	--	--	AV	290.00	200	Horizontal	N/A
4	5469.940	60.28	68.2	7.92	Peak	251.00	100	Horizontal	Pass
4**	5469.940	45.53	--	--	AV	251.00	100	Horizontal	N/A

U-NII-2C 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	63.55	68.2	4.65	Peak	278.00	200	Horizontal	Pass
2	5728.375	64.77	68.2	3.43	Peak	257.00	200	Horizontal	Pass

U-NII-2C 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.600	60.66	74.0	13.34	Peak	249.00	150	Horizontal	Pass
1**	5458.600	44.86	54.0	9.14	AV	249.00	150	Horizontal	Pass
2	5459.980	56.15	74.0	17.85	Peak	232.00	150	Horizontal	Pass
2**	5459.980	44.85	54.0	9.15	AV	232.00	150	Horizontal	Pass
3	5469.580	64.70	68.2	3.50	Peak	264.00	100	Horizontal	Pass
3**	5469.580	46.81	--	--	AV	264.00	100	Horizontal	N/A
4	5469.940	64.62	68.2	3.58	Peak	292.00	100	Horizontal	Pass
4**	5469.940	45.83	--	--	AV	292.00	100	Horizontal	N/A

U-NII-2C 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.34	68.2	11.86	Peak	232.00	200	Horizontal	Pass
2	5732.250	62.96	68.2	5.24	Peak	283.00	100	Horizontal	Pass

U-NII-2C 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.720	56.90	74.0	17.10	Peak	276.00	100	Horizontal	Pass
1**	5350.720	45.55	54.0	8.45	AV	276.00	100	Horizontal	Pass
2	5459.980	54.11	74.0	19.89	Peak	280.00	200	Horizontal	Pass
2**	5459.980	44.76	54.0	9.24	AV	280.00	200	Horizontal	Pass
3	5462.080	61.73	68.2	6.47	Peak	256.00	200	Horizontal	Pass
3**	5462.080	44.92	--	--	AV	256.00	200	Horizontal	N/A
4	5469.940	53.63	68.2	14.57	Peak	344.00	100	Horizontal	Pass
4**	5469.940	45.00	--	--	AV	344.00	100	Horizontal	N/A

U-NII-2C 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.61	68.2	13.59	Peak	153.00	100	Horizontal	Pass
2	5727.063	58.25	68.2	9.95	Peak	287.00	150	Horizontal	Pass

U-NII-2C 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5353.180	56.99	74.0	17.01	Peak	86.00	150	Horizontal	Pass
1**	5353.180	45.73	54.0	8.27	AV	86.00	150	Horizontal	Pass
2	5459.980	54.82	74.0	19.18	Peak	82.00	150	Horizontal	Pass
2**	5459.980	44.38	54.0	9.62	AV	82.00	150	Horizontal	Pass
3	5467.960	62.36	68.2	5.84	Peak	243.00	200	Horizontal	Pass
3**	5467.960	44.81	--	--	AV	243.00	200	Horizontal	N/A
4	5469.940	54.31	68.2	13.89	Peak	278.00	200	Horizontal	Pass
4**	5469.940	44.80	--	--	AV	278.00	200	Horizontal	N/A

U-NII-2C 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.57	68.2	7.63	Peak	360.00	200	Horizontal	Pass
2	5726.000	65.00	68.2	3.20	Peak	225.00	150	Horizontal	Pass

U-NII-2C 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.940	64.02	74.0	9.98	Peak	248.00	200	Horizontal	Pass
1**	5457.940	44.90	54.0	9.10	AV	248.00	200	Horizontal	Pass
2	5459.980	55.73	74.0	18.27	Peak	212.00	150	Horizontal	Pass
2**	5459.980	44.78	54.0	9.22	AV	212.00	150	Horizontal	Pass
3	5467.960	63.69	68.2	4.51	Peak	248.00	150	Horizontal	Pass
3**	5467.960	45.05	--	--	AV	248.00	150	Horizontal	N/A
4	5469.940	59.70	68.2	8.50	Peak	251.00	200	Horizontal	Pass
4**	5469.940	45.78	--	--	AV	251.00	200	Horizontal	N/A

U-NII-2C 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.84	68.2	9.36	Peak	249.00	150	Horizontal	Pass
2	5725.250	61.06	68.2	7.14	Peak	234.00	100	Horizontal	Pass

U-NII-2C 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5440.480	59.21	74.0	14.79	Peak	295.00	100	Horizontal	Pass
1**	5440.480	44.91	54.0	9.09	AV	295.00	100	Horizontal	Pass
2	5459.980	59.81	74.0	14.19	Peak	248.00	200	Horizontal	Pass
2**	5459.980	45.24	54.0	8.76	AV	248.00	200	Horizontal	Pass
3	5469.160	62.04	68.2	6.16	Peak	248.00	100	Horizontal	Pass
3**	5469.160	45.44	--	--	AV	248.00	100	Horizontal	N/A
4	5469.940	56.84	68.2	11.36	Peak	231.00	100	Horizontal	Pass
4**	5469.940	45.51	--	--	AV	231.00	100	Horizontal	N/A

U-NII-2C 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	54.74	68.2	13.46	Peak	356.00	150	Horizontal	Pass
2	5813.813	57.46	68.2	10.74	Peak	37.00	150	Horizontal	Pass

U-NII-2C 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.740	59.77	74.0	14.23	Peak	287.00	100	Horizontal	Pass
1**	5459.740	45.05	54.0	8.95	AV	287.00	100	Horizontal	Pass
2	5459.980	55.03	74.0	18.97	Peak	290.00	200	Horizontal	Pass
2**	5459.980	44.81	54.0	9.19	AV	290.00	200	Horizontal	Pass
3	5469.880	63.55	68.2	4.65	Peak	253.00	200	Horizontal	Pass
3**	5469.880	46.27	--	--	AV	253.00	200	Horizontal	N/A
4	5469.940	55.02	68.2	13.18	Peak	257.00	100	Horizontal	Pass
4**	5469.940	46.98	--	--	AV	257.00	100	Horizontal	N/A

U-NII-2C 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	64.60	68.2	3.60	Peak	275.00	150	Horizontal	Pass
2	5728.187	64.62	68.2	3.58	Peak	257.00	100	Horizontal	Pass

U-NII-2C 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.300	59.83	74.0	14.17	Peak	244.00	150	Horizontal	Pass
1**	5458.300	44.85	54.0	9.15	AV	244.00	150	Horizontal	Pass
2	5459.980	54.11	74.0	19.89	Peak	360.00	200	Horizontal	Pass
2**	5459.980	44.79	54.0	9.21	AV	360.00	200	Horizontal	Pass
3	5467.360	62.05	68.2	6.15	Peak	259.00	100	Horizontal	Pass
3**	5467.360	44.47	--	--	AV	259.00	100	Horizontal	N/A
4	5469.940	58.37	68.2	9.83	Peak	248.00	200	Horizontal	Pass
4**	5469.940	44.67	--	--	AV	248.00	200	Horizontal	N/A

U-NII-2C 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	54.63	68.2	13.57	Peak	248.00	200	Horizontal	Pass
2	5727.875	59.68	68.2	8.52	Peak	283.00	100	Horizontal	Pass

U-NII-2C 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.360	60.14	74.0	13.86	Peak	246.00	100	Horizontal	Pass
1**	5458.360	45.59	54.0	8.41	AV	246.00	100	Horizontal	Pass
2	5459.980	54.58	74.0	19.42	Peak	273.00	100	Horizontal	Pass
2**	5459.980	45.60	54.0	8.40	AV	273.00	100	Horizontal	Pass
3	5469.580	63.64	68.2	4.56	Peak	253.00	100	Horizontal	Pass
3**	5469.580	45.56	--	--	AV	253.00	100	Horizontal	N/A
4	5469.940	62.52	68.2	5.68	Peak	246.00	150	Horizontal	Pass
4**	5469.940	46.32	--	--	AV	246.00	150	Horizontal	N/A

U-NII-2C 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	54.68	68.2	13.52	Peak	354.00	200	Horizontal	Pass
2	5746.875	57.28	68.2	10.92	Peak	358.00	100	Horizontal	Pass

U-NII-3 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5632.688	56.70	68.2	11.50	Peak	360.00	200	Horizontal	Pass
2	5650.000	55.12	68.2	13.08	Peak	147.00	150	Horizontal	Pass

U-NII-3 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.63	68.3	12.67	Peak	64.00	200	Horizontal	Pass
2	5997.600	57.53	68.2	10.67	Peak	154.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5630.813	56.37	68.2	11.83	Peak	258.00	100	Horizontal	Pass
2	5650.000	54.83	68.2	13.37	Peak	166.00	100	Horizontal	Pass

U-NII-3 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.73	68.3	13.57	Peak	208.00	100	Horizontal	Pass
2	5937.750	58.11	68.2	10.09	Peak	360.00	200	Horizontal	Pass

U-NII-3 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.937	56.90	68.2	11.30	Peak	265.00	200	Horizontal	Pass
2	5650.000	55.74	68.2	12.46	Peak	43.00	200	Horizontal	Pass

U-NII-3 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.09	68.3	13.21	Peak	360.00	150	Horizontal	Pass
2	5944.650	57.41	68.2	10.79	Peak	360.00	150	Horizontal	Pass

U-NII-3 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.312	56.91	68.2	11.29	Peak	163.00	100	Horizontal	Pass
2	5650.000	55.37	68.2	12.83	Peak	0.00	150	Horizontal	Pass

U-NII-3 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.62	68.3	12.68	Peak	226.00	100	Horizontal	Pass
2	5927.250	57.25	68.2	10.95	Peak	74.00	100	Horizontal	Pass

U-NII-3 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.312	56.80	68.2	11.40	Peak	171.00	200	Horizontal	Pass
2	5650.000	55.85	68.2	12.35	Peak	352.00	200	Horizontal	Pass

U-NII-3 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.02	68.3	10.28	Peak	208.00	100	Horizontal	Pass
2	5942.100	57.63	68.2	10.57	Peak	360.00	150	Horizontal	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.688	56.82	68.2	11.38	Peak	285.00	200	Horizontal	Pass
2	5650.000	55.57	68.2	12.63	Peak	300.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.78	68.3	13.52	Peak	358.00	100	Horizontal	Pass
2	5928.975	57.35	68.2	10.85	Peak	327.00	150	Horizontal	Pass

U-NII-3 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5632.250	57.55	68.2	10.65	Peak	360.00	100	Horizontal	Pass
2	5650.000	55.07	68.2	13.13	Peak	44.00	200	Horizontal	Pass

U-NII-3 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.30	68.3	13.00	Peak	222.00	150	Horizontal	Pass
2	5968.800	57.72	68.2	10.48	Peak	162.00	200	Horizontal	Pass

U-NII-3 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.063	57.57	68.2	10.63	Peak	351.00	200	Horizontal	Pass
2	5650.000	54.49	68.2	13.71	Peak	222.00	200	Horizontal	Pass

U-NII-3 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.41	68.3	12.89	Peak	159.00	100	Horizontal	Pass
2	5947.725	57.48	68.2	10.72	Peak	72.00	200	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5626.563	56.61	68.2	11.59	Peak	336.00	150	Horizontal	Pass
2	5650.000	55.20	68.2	13.00	Peak	226.00	200	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.11	68.3	13.19	Peak	64.00	200	Horizontal	Pass
2	5941.425	57.29	68.2	10.91	Peak	89.00	150	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2540824-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2540824-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2540824-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--