

© 2014 All Rights Reserved

Acer Liquid Jade Quick Guide

Model: S55

This revision: 07/2014

Product information

For detailed product information, please go to **www.acer.com**.

For service and support information, or to download the User Guide, drivers and applications, please follow the instructions below:

1. Go to **www.acer.com** and click **Support > DRIVERS AND MANUALS**.
2. Select appropriate items from **Select Product Family > Select Product Line > Select Product Model**.
3. Select the operating system from the drop-down menu.

Acer Liquid Jade Smartphone

Model number: _____

Serial number: _____


Date of purchase: _____

Place of purchase: _____


Android is a trademark of Google Inc. Use of this trademark is subject to Google Permissions.

Setting up for the first time


Inserting the SIM cards and microSD card



1. Remove the SIM / SD card holder from the left-hand side of the phone.



Note: Your smartphone will accept two nano SIM cards (SIM 1 being on the right) **OR** a nano SIM and a micro SD card. Specifications vary depending on model purchased.



2. Ensure the microSD card and/or SIMs are fully seated in the holder and carefully insert the holder into the slot.

Note: Ensure the cards do not slip out of the holder when you are reinserting it.


Charging your phone

For initial use, you need to charge your smartphone for eight hours. After that you can recharge the battery as needed.

Connect the AC adapter cord to the micro USB connector on your smartphone. Plug the AC adapter into any AC outlet and charge the device.

It is normal for the phone to heat up when charging or during long periods of use.

All phones are factory tested before release.



Resetting and restarting the phone

Open **Settings** from the Applications menu, then tap **Backup & reset**. Tap **Factory data reset** and then tap **Reset phone**. Tap **Erase everything** to format your phone.

If your phone is no longer responding, press and hold the power button for 15 seconds to shut the phone down. Press and hold the power button for more than 15 seconds to reboot it.

Note: Do not perform this operation if the phone is charging. Unplug the charger first.

RF Exposure Information (SAR)

This phone meets the FCC requirements on the limitation of exposure of the general public to electromagnetic fields by way of health protection.

The highest SAR value of this device is listed below.

	FCC (W/kg @ 1 g)	IC (W/kg @ 1g)
Head	0.67	0.67
Body	1.34	1.34