

						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	Tune-up
						2541.01	2592.99	2645	Limit (dBm)
90	30	DFT-s-OFDM	Pi/2 BPSK	1	1	21.39	21.39	21.72	22.5
				1	122	21.87	22.48	21.39	
				1	243	21.43	22.19	20.92	
				120	0	21.92	21.97	21.74	22.0
				120	62	21.69	21.42	21.51	
				120	124	21.75	21.50	20.42	
				243	0	21.78	21.05	21.04	22.0
			QPSK	1	1	21.71	21.90	22.20	22.5
				1	122	21.83	21.49	21.85	
				1	243	21.57	21.00	21.63	
				120	0	21.35	21.42	21.79	22.0
				120	62	21.69	21.78	21.50	
				120	124	21.70	21.09	21.04	
				243	0	21.62	20.48	20.68	22.0
			16QAM	1	1	20.57	21.00	20.72	21.0
			64QAM	1	1	18.96	20.25	19.29	20.5
			256QAM	1	1	17.30	18.26	17.35	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						509202	518598	528000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						2546.01	2592.99	2640	
100	30	DFT-s-OFDM	Pi/2 BPSK	1	1	21.26	21.66	21.69	22.5
				1	136	21.74	22.44	21.37	
				1	271	21.62	22.13	21.01	
				135	0	21.95	21.85	21.36	22.0
				135	69	21.47	21.53	21.64	
				135	137	21.66	21.54	20.48	
				270	0	21.90	21.98	21.09	22.0
			QPSK	1	1	21.81	21.89	22.05	22.5
				1	136	21.85	21.60	21.98	
				1	271	21.58	21.07	21.58	
				135	0	21.52	21.38	21.66	22.0
				135	69	21.99	21.84	21.67	
				135	137	21.52	21.10	21.08	
				270	0	21.56	20.57	20.61	22.0
			16QAM	1	1	20.47	20.94	20.76	21.0
			64QAM	1	1	19.02	20.07	19.22	20.5

			256QAM	1	1	17.25	18.26	17.34	18.5
--	--	--	--------	---	---	-------	-------	-------	------

NR 41 PC2

Bandwidth h (MHz)	SCS (kHz)	Mode	Modulation n	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						500202	518598	537000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						2501.01	2592.99	2685.00	
10	30	DFT-s- OFDM	Pi/2 BPSK	1	1	24.15	24.27	24.22	24.5
				1	12	24.55	24.13	24.41	26.0
				1	22	22.81	22.64	23.06	23.5
				12	0	24.97	25.36	24.88	26.0
				12	6	24.76	24.19	24.50	25.0
				12	11	24.55	24.72	24.35	25.0
				24	0	24.81	24.23	24.18	25.0
			QPSK	1	1	23.21	22.98	22.97	24.0
				1	12	24.63	24.58	24.14	26.0
				1	22	22.92	21.88	21.86	23.5
				12	0	25.07	24.42	24.89	25.5
				12	6	24.66	24.90	24.31	25.5
				12	11	24.62	25.13	24.30	25.5
				24	0	24.69	24.81	24.07	25.0
			16QAM	1	1	22.89	23.03	22.95	23.5
			64QAM	1	1	22.98	22.92	22.96	23.5
			256QAM	1	1	21.90	22.25	22.18	22.5
Bandwidth h (MHz)	SCS (kHz)	Mode	Modulation n	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						500702	518598	536500	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						2503.51	2592.99	2682.50	
15	30	DFT-s- OFDM	Pi/2 BPSK	1	1	24.04	24.13	24.30	24.5
				1	19	24.46	24.24	24.55	26.0
				1	36	23.06	22.67	22.96	23.5
				18	0	24.99	25.47	24.76	26.0
				18	10	24.74	24.37	24.26	25.0
				18	19	24.63	24.65	24.27	25.0
				36	0	24.84	24.23	24.06	25.0
			QPSK	1	1	23.24	23.00	23.06	24.0
				1	19	24.60	24.83	24.28	26.0
				1	36	23.18	21.80	21.81	23.5
				18	0	25.03	24.56	25.18	25.5

				18	10	24.74	24.94	24.23	25.5
				18	19	24.54	24.93	24.48	25.5
				36	0	24.81	24.83	24.05	25.0
			16QAM	1	1	22.89	22.95	22.96	23.5
			64QAM	1	1	22.96	22.88	22.93	23.5
			256QAM	1	1	21.90	22.17	21.99	22.5
Bandwidth h (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up
						501202	518598	536000	Limit
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	(dBm)
						2506.01	2592.99	2680.00	
20	30	DFT-s- OFDM	Pi/2 BPSK	1	1	23.98	24.19	24.17	24.5
				1	25	24.54	24.32	24.44	26.0
				1	49	22.86	22.67	22.91	23.5
				25	0	24.89	25.47	24.69	26.0
				25	13	24.61	24.24	24.23	25.0
				25	25	24.63	24.58	24.14	25.0
				50	0	24.76	23.99	24.26	25.0
			QPSK	1	1	23.14	23.21	23.13	24.0
				1	25	24.36	24.63	24.21	26.0
				1	49	23.19	21.90	21.79	23.5
				25	0	24.92	24.46	24.93	25.5
				25	13	24.52	25.10	24.38	25.5
				25	25	24.71	25.13	24.31	25.5
				50	0	24.92	24.76	23.81	25.0
			16QAM	1	1	23.03	23.14	23.06	23.5
			64QAM	1	1	23.07	22.87	23.00	23.5
			256QAM	1	1	21.98	22.15	22.06	22.5
Bandwidth h (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up
						502202	518598	535000	Limit
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	(dBm)
						2511.01	2592.99	2675.00	
30	30	DFT-s- OFDM	Pi/2 BPSK	1	1	23.95	24.24	24.30	24.5
				1	39	24.61	24.27	24.37	26.0
				1	76	23.05	22.65	22.98	23.5
				36	0	25.19	25.50	24.72	26.0
				36	21	24.82	24.09	24.43	25.0
				36	41	24.48	24.83	24.27	25.0
				75	0	24.85	24.16	24.25	25.0

			QPSK	1	1	23.16	23.26	22.94	24.0
				1	39	24.37	24.68	24.20	26.0
				1	76	22.89	21.76	21.74	23.5
				36	0	25.13	24.47	24.97	25.5
				36	21	24.59	24.94	24.27	25.5
				36	41	24.55	25.03	24.43	25.5
				75	0	24.79	24.68	24.04	25.0
			16QAM	1	1	23.12	23.00	22.87	23.5
			64QAM	1	1	23.01	23.16	23.16	23.5
			256QAM	1	1	22.01	22.18	21.96	22.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up
						503202	518598	534000	Limit
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	(dBm)
						2516.01	2592.99	2670.00	(dBm)
40	30	DFT-s-OFDM	Pi/2 BPSK	1	1	24.18	24.10	24.25	24.5
				1	53	24.63	24.24	24.39	26.0
				1	104	22.77	22.82	23.03	23.5
				50	0	25.04	25.44	24.77	26.0
				50	28	24.71	24.19	24.23	25.0
				50	55	24.72	24.67	24.25	25.0
				100	0	24.97	24.27	24.32	25.0
			QPSK	1	1	23.07	23.18	22.98	24.0
				1	53	24.64	24.75	24.07	26.0
				1	104	23.04	21.77	21.81	23.5
				50	0	25.10	24.43	25.04	25.5
				50	28	24.65	24.94	24.34	25.5
				50	55	24.63	24.95	24.51	25.5
				100	0	24.66	24.73	23.95	25.0
			16QAM	1	1	22.98	23.18	22.83	23.5
			64QAM	1	1	23.19	23.04	23.02	23.5
			256QAM	1	1	22.11	22.11	22.25	22.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up
						504202	518598	533000	Limit
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	(dBm)
						2521.01	2592.99	2665.00	(dBm)
50	30	DFT-s-OFDM	Pi/2 BPSK	1	1	24.11	24.09	24.07	24.5
				1	66	24.63	24.23	24.62	26.0
				1	131	22.98	22.89	22.90	23.5

				64	0	25.05	25.32	24.66	26.0
				64	34	24.74	24.24	24.31	25.0
				64	68	24.60	24.76	24.21	25.0
				128	0	24.74	24.01	24.29	25.0
			QPSK	1	1	23.09	23.16	23.10	24.0
				1	66	24.58	24.87	24.07	26.0
				1	131	22.89	21.66	21.91	23.5
				64	0	25.00	24.48	25.06	25.5
				64	34	24.69	24.98	24.29	25.5
				64	68	24.54	24.96	24.28	25.5
				128	0	24.73	24.77	23.97	25.0
			16QAM	1	1	22.86	23.05	22.99	23.5
			64QAM	1	1	23.23	23.01	23.08	23.5
			256QAM	1	1	22.11	22.29	22.18	22.5
Bandwidth h (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						505202	518598	532000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						2526.01	2592.99	2660.00	
60	30	DFT-s- OFDM	Pi/2 BPSK	1	1	23.93	24.12	24.34	24.5
				1	81	24.40	24.31	24.40	26.0
				1	160	22.79	22.84	22.98	23.5
				81	0	24.94	25.47	24.93	26.0
				81	41	24.71	24.27	24.23	25.0
				81	80	24.48	24.59	24.18	25.0
				162	0	24.77	24.11	24.31	25.0
			QPSK	1	1	23.15	23.21	22.93	24.0
				1	81	24.53	24.74	24.26	26.0
				1	160	22.91	21.78	21.69	23.5
				81	0	25.14	24.42	25.19	25.5
				81	41	24.60	24.81	24.20	25.5
				81	80	24.57	24.94	24.37	25.5
				162	0	24.66	24.70	24.08	25.0
			16QAM	1	1	22.89	22.99	22.94	23.5
			64QAM	1	1	23.16	22.90	23.05	23.5
			256QAM	1	1	21.84	22.29	22.17	22.5
Bandwidth h (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit
						506202	518598	531000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	

						2531.01	2592.99	2655.00	(dBm)
70	30	DFT-s-OFDM	Pi/2 BPSK	1	1	24.14	24.09	24.27	24.5
				1	94	24.52	24.19	24.38	26.0
				1	187	22.99	22.80	22.98	23.5
				90	0	25.03	25.39	24.78	26.0
				90	49	24.80	24.34	24.34	25.0
				90	98	24.44	24.81	24.14	25.0
				180	0	24.93	24.20	24.28	25.0
			QPSK	1	1	23.15	23.16	22.99	24.0
				1	94	24.40	24.87	24.16	26.0
				1	187	22.96	21.69	21.62	23.5
				90	0	24.99	24.46	24.89	25.5
				90	49	24.75	24.87	24.20	25.5
				90	98	24.66	24.87	24.35	25.5
				180	0	24.81	24.87	23.85	25.0
			16QAM	1	1	23.03	23.02	23.04	23.5
			64QAM	1	1	22.95	22.98	23.18	23.5
			256QAM	1	1	21.88	22.24	21.99	22.5
Bandwidth h (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						507202	518598	530000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						2536.01	2592.99	2650.00	
80	30	DFT-s-OFDM	Pi/2 BPSK	1	1	23.94	24.19	24.13	24.5
				1	108	24.57	24.10	24.49	26.0
				1	215	22.78	22.86	22.96	23.5
				108	0	25.18	25.39	24.80	26.0
				108	54	24.76	24.08	24.41	25.0
				108	108	24.56	24.74	24.36	25.0
				216	0	24.72	24.15	24.05	25.0
			QPSK	1	1	23.24	23.22	23.08	24.0
				1	108	24.52	24.82	24.15	26.0
				1	215	23.17	21.70	21.83	23.5
				108	0	25.07	24.59	25.12	25.5
				108	54	24.51	25.03	24.39	25.5
				108	108	24.63	25.06	24.41	25.5
				216	0	24.84	24.82	23.98	25.0
			16QAM	1	1	23.12	23.06	23.05	23.5
			64QAM	1	1	23.18	23.07	23.05	23.5

			256QAM	1	1	21.87	22.13	22.24	22.5
Bandwidth h (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up
						508202	518598	529000	Limit (dBm)
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						2541.01	2592.99	2645.00	
90	30	DFT-s- OFDM	Pi/2 BPSK	1	1	24.16	24.25	24.11	24.5
				1	122	24.38	24.13	24.62	26.0
				1	243	22.96	22.66	22.90	23.5
				120	0	25.17	25.35	24.74	26.0
				120	62	24.77	24.37	24.50	25.0
				120	124	24.65	24.86	24.15	25.0
				243	0	24.77	24.17	24.28	25.0
			QPSK	1	1	23.17	23.03	23.03	24.0
				1	122	24.51	24.63	24.20	26.0
				1	243	22.91	21.67	21.70	23.5
				120	0	25.12	24.37	24.93	25.5
				120	62	24.71	24.83	24.27	25.5
				120	124	24.46	25.11	24.26	25.5
				243	0	24.74	24.71	23.84	25.0
			16QAM	1	1	23.08	23.08	23.01	23.5
			64QAM	1	1	22.98	23.15	22.98	23.5
			256QAM	1	1	21.91	22.08	22.07	22.5
Bandwidth h (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up
						509202	518598	528000	Limit (dBm)
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						2546.01	2592.99	2640.00	
100	30	DFT-s- OFDM	Pi/2 BPSK	1	1	24.08	24.21	24.19	24.5
				1	136	24.53	24.24	24.49	26.0
				1	271	22.92	22.78	22.99	23.5
				135	0	25.04	25.42	24.81	26.0
				135	69	24.73	24.22	24.35	25.0
				135	137	24.59	24.73	24.22	25.0
				270	0	24.84	24.14	24.18	25.0
			QPSK	1	1	23.22	23.13	23.05	24.0
				1	136	24.50	24.73	24.15	26.0
				1	271	23.04	21.75	21.77	23.5
				135	0	25.02	24.49	25.04	25.5
				135	69	24.65	24.95	24.24	25.5

				135	137	24.58	24.99	24.41	25.5
				270	0	24.80	24.76	23.93	25.0
			16QAM	1	1	22.98	23.10	22.91	23.5
			64QAM	1	1	23.08	23.02	23.05	23.5
			256QAM	1	1	21.99	22.23	22.10	22.5

EN-DC+WLAN Sensor on

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						500202	518598	537000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						2501.01	2592.99	2685	
10	30	DFT-s-OFDM	Pi/2 BPSK	1	1	22.14	22.19	22.26	22.5
				1	12	22.52	22.09	22.44	23.0
				1	22	20.77	20.56	20.98	21.0
				12	0	22.93	23.40	22.90	23.5
				12	6	22.78	22.15	22.51	23.0
				12	11	22.45	22.71	22.31	23.0
				24	0	22.82	22.13	22.20	23.0
			QPSK	1	1	21.11	21.02	20.91	21.5
				1	12	22.59	22.54	22.14	23.0
				1	22	20.92	19.91	19.80	21.0
				12	0	23.00	22.41	22.85	23.5
				12	6	22.66	22.89	22.30	23.0
				12	11	22.66	23.09	22.29	23.5
				24	0	22.66	22.80	22.05	23.0
			16QAM	1	1	20.83	21.01	20.98	21.5
			64QAM	1	1	20.98	20.92	21.00	21.5
			256QAM	1	1	19.92	20.24	20.12	20.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						500702	518598	536500	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						2503.51	2592.99	2682.5	
15	30	DFT-s-OFDM	Pi/2 BPSK	1	1	22.07	22.03	22.33	22.5
				1	19	22.44	22.14	22.56	23.0
				1	36	21.04	20.69	20.95	21.5
				18	0	22.93	23.48	22.76	23.5
				18	10	22.65	22.28	22.22	23.0
				18	19	22.58	22.68	22.29	23.0

				36	0	22.81	22.16	22.03	23.0
			QPSK	1	1	21.22	21.05	21.05	21.5
				1	19	22.63	22.85	22.21	23.0
				1	36	21.15	19.78	19.86	21.5
				18	0	22.99	22.48	23.15	23.5
				18	10	22.77	22.89	22.22	23.0
				18	19	22.52	22.84	22.50	23.0
				36	0	22.73	22.83	22.08	23.0
			16QAM	1	1	20.93	20.85	20.95	21.0
			64QAM	1	1	20.90	20.90	20.93	21.0
			256QAM	1	1	19.94	20.11	19.98	20.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						501202	518598	536000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						2506.01	2592.99	2680	
20	30	DFT-s-OFDM	Pi/2 BPSK	1	1	21.90	22.12	22.10	22.5
				1	25	22.50	22.28	22.45	23.0
				1	49	20.91	20.70	20.82	21.0
				25	0	22.94	23.37	22.68	23.5
				25	13	22.65	22.18	22.20	23.0
				25	25	22.61	22.54	22.08	23.0
				50	0	22.78	21.98	22.22	23.0
			QPSK	1	1	21.15	21.14	21.12	21.5
				1	25	22.29	22.68	22.24	23.0
				1	49	21.23	19.93	19.79	21.5
				25	0	22.95	22.37	22.90	23.0
				25	13	22.48	23.10	22.41	23.5
				25	25	22.63	23.11	22.29	23.5
				50	0	22.89	22.73	21.75	23.0
			16QAM	1	1	20.99	21.18	21.00	21.5
			64QAM	1	1	21.08	20.77	21.02	21.5
			256QAM	1	1	19.98	20.09	19.99	20.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						502202	518598	535000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						2511.01	2592.99	2675	
30	30	DFT-s-OFDM	Pi/2 BPSK	1	1	22.00	22.21	22.25	22.5
				1	39	22.54	22.26	22.34	23.0
				1	76	21.06	20.58	21.02	21.5
				36	0	23.15	23.53	22.74	24.0

					36	21	22.77	22.01	22.47	23.0
					36	41	22.40	22.74	22.17	23.0
					75	0	22.77	22.14	22.20	23.0
				QPSK	1	1	21.09	21.25	20.90	21.5
					1	39	22.36	22.60	22.15	23.0
					1	76	20.82	19.78	19.78	21.0
					36	0	23.05	22.46	22.97	23.5
					36	21	22.51	22.84	22.23	23.0
					36	41	22.48	23.08	22.41	23.5
					75	0	22.83	22.68	21.97	23.0
			16QAM	1	1	21.17	20.92	20.84	21.5	
			64QAM	1	1	21.00	21.19	21.11	21.5	
			256QAM	1	1	19.98	20.17	19.86	20.5	
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)	
						503202	518598	534000		
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)		
						2516.01	2592.99	2670		
40	30	DFT-s-OFDM	Pi/2 BPSK	1	1	22.10	22.08	22.28	22.5	
				1	53	22.62	22.23	22.42	23.0	
				1	104	20.78	20.75	21.07	21.5	
				50	0	23.00	23.42	22.81	23.5	
				50	28	22.74	22.21	22.20	23.0	
				50	55	22.66	22.65	22.21	23.0	
				100	0	22.91	22.26	22.33	23.0	
			QPSK	1	1	21.01	21.23	20.93	21.5	
				1	53	22.56	22.72	22.03	23.0	
				1	104	21.05	19.82	19.73	21.5	
				50	0	23.03	22.48	22.94	23.5	
				50	28	22.56	22.93	22.37	23.0	
				50	55	22.63	22.97	22.50	23.0	
				100	0	22.71	22.63	21.97	23.0	
			16QAM	1	1	21.00	21.12	20.83	21.5	
			64QAM	1	1	21.17	20.94	20.92	21.5	
			256QAM	1	1	20.04	20.14	20.28	20.5	
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)	
						504202	518598	533000		
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)		
						2521.01	2592.99	2665		
50	30	DFT-s-OFDM	Pi/2 BPSK	1	1	22.11	22.03	21.97	22.5	
				1	66	22.66	22.24	22.53	23.0	

					1	131	20.94	20.89	20.84	21.0
					64	0	22.96	23.22	22.70	23.5
					64	34	22.68	22.24	22.28	23.0
					64	68	22.56	22.77	22.18	23.0
					128	0	22.65	21.91	22.34	23.0
				QPSK	1	1	21.06	21.16	21.05	21.5
					1	66	22.55	22.86	22.05	23.0
					1	131	20.85	19.60	19.86	21.0
					64	0	22.93	22.53	23.11	23.5
					64	34	22.70	23.02	22.25	23.5
					64	68	22.50	22.96	22.27	23.0
					128	0	22.77	22.73	21.96	23.0
				16QAM	1	1	20.88	21.01	20.94	21.5
				64QAM	1	1	21.28	21.00	21.01	21.5
				256QAM	1	1	20.06	20.20	20.22	20.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)	
						505202	518598	532000		
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)		
						2526.01	2592.99	2660		
60	30	DFT-s-OFDM	Pi/2 BPSK	1	1	21.96	22.13	22.33	22.5	
				1	81	22.43	22.28	22.44	22.5	
				1	160	20.73	20.85	20.97	21.0	
				81	0	22.91	23.41	22.92	23.5	
				81	41	22.62	22.18	22.22	23.0	
				81	80	22.46	22.54	22.14	23.0	
				162	0	22.73	22.11	22.36	23.0	
			QPSK	1	1	21.14	21.21	20.95	21.5	
				1	81	22.53	22.64	22.27	23.0	
				1	160	20.86	19.77	19.60	21.0	
				81	0	23.12	22.47	23.13	23.5	
				81	41	22.57	22.75	22.23	23.0	
				81	80	22.52	22.89	22.38	23.0	
				162	0	22.57	22.71	22.01	23.0	
			16QAM	1	1	20.85	20.97	20.84	21.0	
64QAM	1	1	21.25	20.94	21.04	21.5				
256QAM	1	1	19.77	20.30	20.22	20.5				
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)	
						506202	518598	531000		
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)		
						2531.01	2592.99	2655		

70	30	DFT-s-OFDM	Pi/2 BPSK	1	1	22.19	22.02	22.30	22.5
				1	94	22.53	22.16	22.39	23.0
				1	187	21.00	20.79	20.91	21.5
				90	0	22.95	23.43	22.73	23.5
				90	49	22.74	22.35	22.38	23.0
				90	98	22.39	22.73	22.15	23.0
				180	0	22.98	22.16	22.32	23.0
			QPSK	1	1	21.08	21.12	20.89	21.5
				1	94	22.38	22.84	22.16	23.0
				1	187	20.89	19.74	19.58	21.0
				90	0	22.94	22.36	22.91	23.0
				90	49	22.66	22.90	22.15	23.0
				90	98	22.70	22.81	22.37	23.0
				180	0	22.83	22.87	21.86	23.0
			16QAM	1	1	20.97	20.93	21.08	21.5
			64QAM	1	1	20.97	21.00	21.18	21.5
			256QAM	1	1	19.82	20.22	19.94	20.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						507202	518598	530000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						2536.01	2592.99	2650	
80	30	DFT-s-OFDM	Pi/2 BPSK	1	1	21.99	22.13	22.08	22.5
				1	108	22.57	22.07	22.43	23.0
				1	215	20.74	20.90	20.86	21.0
				108	0	23.08	23.37	22.77	23.5
				108	54	22.75	22.02	22.46	23.0
				108	108	22.61	22.77	22.26	23.0
				216	0	22.65	22.05	22.08	23.0
			QPSK	1	1	21.14	21.24	21.05	21.5
				1	108	22.56	22.75	22.13	23.0
				1	215	21.19	19.70	19.76	21.5
				108	0	23.07	22.53	23.07	23.5
				108	54	22.53	22.94	22.38	23.0
				108	108	22.68	23.06	22.39	23.5
				216	0	22.87	22.72	21.94	23.0
			16QAM	1	1	21.12	21.06	21.06	21.5
			64QAM	1	1	21.15	21.11	21.03	21.5
			256QAM	1	1	19.88	20.17	20.14	20.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	
						508202	518598	529000	

						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	Tune-up Limit (dBm)
						2541.01	2592.99	2645	
90	30	DFT-s-OFDM	Pi/2 BPSK	1	1	22.14	22.25	22.12	22.5
				1	122	22.30	22.12	22.61	23.0
				1	243	20.92	20.59	20.95	21.0
				120	0	23.19	23.38	22.75	23.5
				120	62	22.76	22.42	22.55	23.0
				120	124	22.66	22.78	22.19	23.0
				243	0	22.76	22.22	22.26	23.0
			QPSK	1	1	21.19	20.96	21.04	21.5
				1	122	22.55	22.66	22.20	23.0
				1	243	20.81	19.69	19.64	21.0
				120	0	23.02	22.38	22.94	23.5
				120	62	22.65	22.75	22.28	23.0
				120	124	22.44	23.05	22.25	23.5
				243	0	22.76	22.61	21.87	23.0
			16QAM	1	1	21.03	20.99	20.98	21.5
			64QAM	1	1	20.94	21.15	21.01	21.5
			256QAM	1	1	19.84	20.07	20.05	20.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						509202	518598	528000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						2546.01	2592.99	2640	
100	30	DFT-s-OFDM	Pi/2 BPSK	1	1	22.00	22.22	22.19	22.5
				1	136	22.50	22.28	22.41	23.0
				1	271	20.93	20.73	20.92	21.0
				135	0	22.97	23.40	22.81	24.0
				135	69	22.76	22.20	22.40	23.0
				135	137	22.60	22.72	22.22	23.0
				270	0	22.81	22.06	22.18	23.0
			QPSK	1	1	21.19	21.05	20.95	21.5
				1	136	22.54	22.78	22.06	24.0
				1	271	21.04	19.76	19.77	21.5
				135	0	22.95	22.48	23.09	24.0
				135	69	22.66	22.88	22.14	23.0
				135	137	22.50	22.91	22.34	23.0
				270	0	22.83	22.77	21.98	23.0
			16QAM	1	1	21.03	21.08	20.93	21.5
			64QAM	1	1	21.12	20.94	21.00	21.5

			256QAM	1	1	19.93	20.23	20.02	20.5
--	--	--	--------	---	---	-------	-------	-------	------

NR N66

Bandwidth h (MHz)	SCS (kHz)	Mode	Modulation n	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						342500	349000	355500	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						1712.50	1745.00	1777.50	
5	15	DFT-s- OFDM	Pi/2 BPSK	1	1	21.53	21.49	21.72	22.0
				1	12	21.69	21.57	21.67	22.0
				1	23	21.52	21.56	21.38	22.0
				12	0	21.13	21.06	21.16	21.5
				12	6	21.59	21.64	21.61	22.0
				12	12	21.04	21.10	20.86	21.5
				25	0	21.09	21.18	21.03	21.5
			QPSK	1	1	21.51	21.46	21.61	22.5
				1	12	21.59	21.45	22.11	22.5
				1	23	21.56	21.63	21.43	22.0
				12	0	20.69	20.64	20.49	21.0
				12	6	21.72	21.62	21.61	22.0
				12	12	20.88	20.38	20.35	21.0
				25	0	20.63	20.45	20.68	21.0
			16QAM	1	1	20.54	21.02	20.93	21.5
			64QAM	1	1	19.07	19.47	19.10	19.5
			256QAM	1	1	17.46	17.24	17.38	18.0
Bandwidth h (MHz)	SCS (kHz)	Mode	Modulation n	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						343000	349000	355000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						1715.00	1745.00	1775.00	
10	15	DFT-s- OFDM	Pi/2 BPSK	1	1	21.65	21.53	21.80	22.0
				1	26	21.74	21.72	21.56	22.0
				1	50	21.53	21.45	21.35	22.0
				25	0	21.05	21.16	21.04	21.5
				25	14	21.49	21.70	21.50	22.0
				25	26	21.20	20.97	20.85	21.5
				50	0	21.14	20.94	21.02	21.5
			QPSK	1	1	21.55	21.61	21.43	22.5
				1	26	21.47	21.45	22.03	22.5
				1	50	21.41	21.52	21.47	22.0
				25	0	20.78	20.36	20.58	21.0

				25	14	21.55	21.51	21.46	22.0
				25	26	20.80	20.65	20.48	21.0
				50	0	20.76	20.49	20.53	21.0
			16QAM	1	1	20.61	21.27	20.87	21.5
			64QAM	1	1	19.35	19.21	19.26	19.5
			256QAM	1	1	17.58	17.46	17.40	18.0
Bandwidth h (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up
						343500	349000	354500	Limit
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	(dBm
						1717.50	1745.00	1772.50	)
15	15	DFT-s- OFDM	Pi/2 BPSK	1	1	21.56	21.48	21.63	22.0
				1	39	21.76	21.51	21.61	22.0
				1	77	21.65	21.42	21.39	22.0
				36	0	21.28	20.97	21.19	21.5
				36	21	21.75	21.72	21.71	22.0
				36	42	21.11	20.87	20.92	21.5
				75	0	21.09	20.91	21.08	21.5
			QPSK	1	1	21.68	21.59	21.69	22.5
				1	39	21.44	21.72	22.09	22.5
				1	77	21.51	21.67	21.40	22.0
				36	0	20.65	20.50	20.69	21.0
				36	21	21.59	21.71	21.40	22.0
				36	42	20.69	20.41	20.55	21.0
				75	0	20.75	20.70	20.41	21.0
			16QAM	1	1	20.68	21.28	20.90	21.5
			64QAM	1	1	19.25	19.22	19.08	19.5
			256QAM	1	1	17.60	17.22	17.49	18.0
Bandwidth h (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up
						344000	349000	354000	Limit
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	(dBm
						1720.00	1745.00	1770.00	)
20	15	DFT-s- OFDM	Pi/2 BPSK	1	1	21.80	21.49	21.72	22.0
				1	53	21.70	21.44	21.67	22.0
				1	104	21.57	21.38	21.51	22.0
				50	0	21.22	21.11	21.20	21.5
				50	28	21.60	21.57	21.60	22.0
				50	55	21.21	21.05	20.96	21.5
				100	0	21.05	20.91	20.88	21.5

			QPSK	1	1	21.70	21.65	21.72	22.5
				1	53	21.57	21.62	22.11	22.5
				1	104	21.52	21.49	21.59	22.0
				50	0	20.66	20.57	20.59	21.0
				50	28	21.77	21.64	21.62	22.0
				50	55	20.59	20.40	20.43	21.0
				100	0	20.68	20.71	20.52	21.0
			16QAM	1	1	20.65	21.15	20.96	21.5
			64QAM	1	1	19.16	19.24	19.22	19.5
			256QAM	1	1	17.45	17.30	17.32	18.0
Bandwidth h (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						344500	349000	353500	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						1722.50	1745.00	1767.50	
25	15	DFT-s- OFDM	Pi/2 BPSK	1	1	21.51	21.59	21.51	22.0
				1	66	21.57	21.46	21.46	22.0
				1	131	21.61	21.42	21.63	22.0
				64	0	21.05	21.05	20.91	21.5
				64	34	21.66	21.72	21.68	22.0
				64	68	21.17	20.95	20.84	21.5
				128	0	21.29	21.14	21.15	21.5
			QPSK	1	1	21.66	21.47	21.49	22.5
				1	66	21.39	21.56	22.08	22.5
				1	131	21.44	21.45	21.37	22.0
				64	0	20.63	20.61	20.69	21.0
				64	34	21.58	21.81	21.61	22.0
				64	68	20.87	20.63	20.56	21.0
				128	0	20.82	20.60	20.54	21.0
			16QAM	1	1	20.71	21.27	20.79	21.5
			64QAM	1	1	19.22	19.38	19.10	19.5
			256QAM	1	1	17.60	17.30	17.36	18.0
Bandwidth h (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						345000	349000	353000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						1725.00	1745.00	1765.00	
30	15	DFT-s- OFDM	Pi/2 BPSK	1	1	21.78	21.60	21.68	22.0
				1	80	21.74	21.72	21.67	22.0
				1	158	21.57	21.49	21.44	22.0

				80	0	21.19	21.16	21.07	21.5
				80	40	21.71	21.45	21.50	22.0
				80	79	21.07	21.11	20.82	21.5
				160	0	21.08	21.07	21.03	21.5
			QPSK	1	1	21.55	21.50	21.54	22.5
				1	80	21.56	21.47	22.10	22.5
				1	158	21.57	21.54	21.60	22.0
				80	0	20.75	20.63	20.58	21.0
				80	40	21.77	21.73	21.66	22.0
				80	79	20.72	20.49	20.43	21.0
				160	0	20.64	20.45	20.62	21.0
			16QAM	1	1	20.61	21.31	20.96	21.5
			64QAM	1	1	19.13	19.26	19.12	19.5
			256QAM	1	1	17.60	17.44	17.48	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						346000	349000	352000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						1730.00	1745.00	1760.00	
40	15	DFT-s-OFDM	Pi/2 BPSK	1	1	21.66	21.53	21.65	22.0
				1	108	21.61	21.58	21.53	22.0
				1	214	21.51	21.48	21.48	22.0
				108	0	21.16	21.03	21.05	21.5
				108	54	21.63	21.58	21.59	22.0
				108	107	21.19	21.01	20.95	21.5
				216	0	21.2	21.03	21	21.5
			QPSK	1	1	21.56	21.54	21.57	22.5
				1	108	21.46	21.6	22.09	22.5
				1	214	21.53	21.55	21.48	22.0
				108	0	20.65	20.51	20.61	21.0
				108	54	21.66	21.66	21.53	22.0
				108	107	20.74	20.5	20.41	21.0
				216	0	20.69	20.58	20.54	21.0
			16QAM	1	1	20.64	21.16	20.83	21.5
			64QAM	1	1	19.21	19.34	19.18	19.5
			256QAM	1	1	17.52	17.37	17.47	18.0

EC-DC+WLAN Sensor on

Bandwidth h (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						342500	349000	355500	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						1712.50	1745.00	1777.50	
5	15	DFT-s- OFDM	Pi/2 BPSK	1	1	19.75	19.62	19.52	20.0
				1	12	19.69	19.74	19.60	20.0
				1	23	19.46	19.44	19.30	20.0
				12	0	19.09	19.07	18.97	19.5
				12	6	19.55	19.40	19.42	20.0
				12	12	19.22	18.97	18.99	19.5
				25	0	19.10	18.91	18.87	19.5
			QPSK	1	1	19.62	19.47	19.67	20.5
				1	12	19.35	19.74	19.97	20.5
				1	23	19.60	19.66	19.37	20.0
				12	0	18.69	18.46	18.45	19.0
				12	6	19.46	19.74	19.47	20.0
				12	12	18.72	18.49	18.53	19.0
				25	0	18.82	18.45	18.54	19.0
			16QAM	1	1	18.52	19.17	18.93	19.5
			64QAM	1	1	17.13	17.24	17.14	17.5
			256QAM	1	1	15.55	15.22	15.48	16.0
Bandwidth h (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						343000	349000	355000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						1715.00	1745.00	1775.00	
10	15	DFT-s- OFDM	Pi/2 BPSK	1	1	19.57	19.64	19.76	20.0
				1	26	19.47	19.50	19.56	20.0
				1	50	19.43	19.45	19.44	20.0
				25	0	19.22	19.13	19.14	19.5
				25	14	19.48	19.49	19.61	20.0
				25	26	19.23	19.06	19.03	19.5
				50	0	19.27	18.97	18.96	19.5
			QPSK	1	1	19.68	19.49	19.51	20.5
				1	26	19.47	19.49	20.11	20.5
				1	50	19.49	19.59	19.58	20.0
				25	0	18.74	18.62	18.65	19.0
				25	14	19.64	19.82	19.65	20.0
				25	26	18.78	18.61	18.45	19.0

				50	0	18.82	18.71	18.48	19.0
			16QAM	1	1	18.75	19.08	18.99	19.5
			64QAM	1	1	17.36	17.34	17.11	17.5
			256QAM	1	1	15.58	15.36	15.38	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up
						343500	349000	354500	Limit
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	(dBm
						1717.50	1745.00	1772.50	)
15	15	DFT-s-OFDM	PI/2 BPSK	1	1	19.72	19.58	19.45	20.0
				1	39	19.81	19.74	19.52	20.0
				1	77	19.36	19.60	19.52	20.0
				36	0	19.14	19.07	18.92	19.5
				36	21	19.56	19.44	19.73	20.0
				36	42	19.18	19.00	18.78	19.5
				75	0	19.26	19.11	19.14	19.5
			QPSK	1	1	19.68	19.54	19.55	20.5
				1	39	19.49	19.42	20.10	20.5
				1	77	19.52	19.45	19.60	20.0
				36	0	18.78	18.45	18.64	19.0
				36	21	19.48	19.75	19.44	20.0
				36	42	18.73	18.53	18.36	19.0
				75	0	18.69	18.70	18.59	19.0
			16QAM	1	1	18.68	19.20	18.83	19.5
			64QAM	1	1	17.20	17.19	17.10	17.5
			256QAM	1	1	15.60	15.32	15.58	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up
						344000	349000	354000	Limit
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	(dBm
						1720.00	1745.00	1770.00	)
20	15	DFT-s-OFDM	PI/2 BPSK	1	1	19.68	19.65	19.62	20.0
				1	53	19.66	19.51	19.66	20.0
				1	104	19.40	19.35	19.54	20.0
				50	0	19.28	19.05	18.96	19.5
				50	28	19.66	19.71	19.48	20.0
				50	55	19.32	19.05	18.87	19.5
				100	0	19.10	19.12	19.08	19.5
			QPSK	1	1	19.62	19.66	19.61	20.5
				1	53	19.65	19.69	20.24	20.5

				1	104	19.44	19.59	19.49	20.0
				50	0	18.65	18.37	18.64	19.0
				50	28	19.71	19.76	19.59	20.0
				50	55	18.81	18.38	18.51	19.0
				100	0	18.54	18.63	18.59	19.0
			16QAM	1	1	18.76	19.22	18.78	19.5
			64QAM	1	1	17.27	17.27	17.11	17.5
			256QAM	1	1	15.45	15.39	15.61	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						344500	349000	353500	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						1722.50	1745.00	1767.50	
25	15	DFT-s- OFDM	Pi/2 BPSK	1	1	19.82	19.52	19.76	20.0
				1	66	19.50	19.63	19.54	20.0
				1	131	19.54	19.62	19.44	20.0
				64	0	19.04	18.93	18.99	19.5
				64	34	19.68	19.65	19.56	20.0
				64	68	19.10	18.92	19.06	19.5
				128	0	19.16	19.04	19.03	19.5
			QPSK	1	1	19.66	19.71	19.50	20.5
				1	66	19.50	19.75	19.99	20.5
				1	131	19.57	19.38	19.64	20.0
				64	0	18.58	18.43	18.76	19.0
				64	34	19.64	19.62	19.58	20.0
				64	68	18.75	18.62	18.36	19.0
				128	0	18.60	18.63	18.65	19.0
			16QAM	1	1	18.56	19.07	18.85	19.5
			64QAM	1	1	17.04	17.37	17.32	17.5
			256QAM	1	1	15.42	15.34	15.54	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						345000	349000	353000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						1725.00	1745.00	1765.00	
30	15	DFT-s- OFDM	Pi/2 BPSK	1	1	19.75	19.45	19.61	20.0
				1	80	19.65	19.55	19.44	20.0
				1	158	19.39	19.40	19.31	20.0
				80	0	19.23	19.20	19.07	19.5
				80	40	19.62	19.66	19.52	20.0

				80	79	19.27	18.83	18.91	19.5
				160	0	19.17	19.11	18.95	19.5
			QPSK	1	1	19.49	19.63	19.46	20.5
				1	80	19.54	19.44	19.99	20.5
				1	158	19.64	19.50	19.38	20.0
				80	0	18.53	18.49	18.54	19.0
				80	40	19.53	19.81	19.45	20.0
				80	79	18.87	18.34	18.26	19.0
				160	0	18.75	18.54	18.41	19.0
			16QAM	1	1	18.59	19.26	18.73	19.5
			64QAM	1	1	17.40	17.36	17.35	17.5
			256QAM	1	1	15.53	15.31	15.54	16.0

Bandwidth h (MHz)	SCS (kHz)	Mode	Modulation n	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						346000	349000	352000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						1730.00	1745.00	1760.00	

40	15	DFT-s- OFDM	Pi/2 BPSK	1	1	19.63	19.48	19.67	20.0
				1	108	19.58	19.58	19.5	20.0
				1	214	19.56	19.49	19.48	20.0
				108	0	19.11	18.98	19.08	19.5
				108	54	19.67	19.58	19.59	20.0
				108	107	19.19	19.05	18.93	19.5
				216	0	19.16	19.01	18.99	19.5
			QPSK	1	1	20.11	19.55	19.62	20.5
				1	108	19.51	20.08	20.46	20.5
				1	214	19.58	19.52	19.51	20.0
				108	0	18.68	18.51	18.58	19.0
				108	54	19.98	19.71	19.55	20.0
				108	107	18.76	18.45	18.44	19.0
				216	0	18.7	18.53	18.56	19.0
			16QAM	1	1	18.66	19.17	18.87	19.5
			64QAM	1	1	17.18	17.33	17.2	17.5
			256QAM	1	1	15.5	15.37	15.45	16.0

NR N71

Bandwidth h (MHz)	SCS (kHz)	Mode	Modulation n	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						133100	136100	139100	
						Fre. (MHz)	Fre. (MHz)	695.5	
						665.50	680.50	-2.50	
5	15	DFT-s- OFDM	Pi/2 BPSK	1	1	22.19	22.77	22.76	23.5
				1	12	22.67	22.89	22.86	23.5
				1	23	22.36	22.73	22.76	23.0
				12	0	22.93	22.94	22.87	23.5
				12	6	22.82	22.64	23.15	23.5
				12	12	22.66	22.77	22.83	23.0
				25	0	22.47	22.85	22.57	23.0
			QPSK	1	1	22.21	22.80	23.04	23.5
				1	12	22.77	22.70	22.94	23.5
				1	23	22.35	22.53	22.77	23.5
				12	0	22.78	22.84	22.68	23.5
				12	6	23.16	23.03	23.20	23.5
				12	12	22.72	22.88	23.05	23.5
				25	0	22.66	22.51	22.89	23.0
			16QAM	1	1	22.82	23.07	23.42	23.5
			64QAM	1	1	21.39	21.56	21.71	22.0
			256QAM	1	1	20.04	19.63	19.72	20.0
Bandwidth h (MHz)	SCS (kHz)	Mode	Modulation n	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						133600	136100	138600	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						668.00	680.50	693.00	
10	15	DFT-s- OFDM	Pi/2 BPSK	1	1	22.15	22.63	22.87	23.5
				1	26	22.49	22.97	22.88	23.5
				1	50	22.24	22.75	22.86	23.0
				25	0	23.04	23.03	22.87	23.5
				25	14	22.76	22.76	23.23	23.5
				25	26	22.49	22.73	22.88	23.0
				50	0	22.32	23.05	22.80	23.0
			QPSK	1	1	22.26	22.83	23.03	23.5
				1	26	22.53	22.86	22.87	23.5
				1	50	22.48	22.53	22.68	23.5
				25	0	22.87	22.84	22.86	23.5

				25	14	23.01	23.11	23.01	23.5
				25	26	22.62	22.95	23.14	23.5
				50	0	22.69	22.69	22.60	23.0
			16QAM	1	1	22.82	23.25	23.22	23.5
			64QAM	1	1	21.44	21.64	21.56	22.0
			256QAM	1	1	19.94	19.79	19.85	20.0
Bandwidth h (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up
						134100	135600	138100	Limit
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	(dBm)
						670.50	678.00	690.50	
15	15	DFT-s- OFDM	Pi/2 BPSK	1	1	22.28	22.64	22.83	23.5
				1	39	22.55	22.91	22.85	23.5
				1	77	22.33	22.85	22.74	23.0
				36	0	22.99	22.91	22.93	23.5
				36	21	22.86	22.79	23.08	23.5
				36	42	22.56	22.86	22.9	23.0
				75	0	22.32	22.99	22.71	23.0
			QPSK	1	1	22.26	22.76	23.02	23.5
				1	39	22.68	22.82	22.81	23.5
				1	77	22.34	22.66	22.78	23.5
				36	0	22.79	22.79	22.81	23.5
				36	21	23.08	23.1	23.1	23.5
				36	42	22.68	22.88	23.05	23.5
				75	0	22.79	22.66	22.75	23.0
			16QAM	1	1	22.81	23.21	23.27	23.5
64QAM	1	1	21.5	21.66	21.67	22.0			
256QAM	1	1	19.9	19.64	19.78	20.0			
Bandwidth h (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up
						N/A	136100	N/A	Limit
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	(dBm)
						N/A	680.50	N/A	
20	15	DFT-s- OFDM	Pi/2 BPSK	1	1	N/A	23	N/A	23.5
				1	108	N/A	23.33	N/A	23.5
				1	214	N/A	22.67	N/A	23.0
				108	0	N/A	23.02	N/A	23.5
				108	54	N/A	23.03	N/A	23.5
				108	107	N/A	22.84	N/A	23.0
				216	0	N/A	22.93	N/A	23.0

				1	1	N/A	22.84	N/A	23.5
				1	108	N/A	23.05	N/A	23.5
				1	214	N/A	22.7	N/A	23.5
			QPSK	108	0	N/A	22.79	N/A	23.5
				108	54	N/A	23.14	N/A	23.5
				108	107	N/A	22.73	N/A	23.5
				216	0	N/A	22.74	N/A	23.0
			16QAM	1	1	N/A	23.39	N/A	23.5
			64QAM	1	1	N/A	21.7	N/A	22.0
			256QAM	1	1	N/A	19.82	N/A	20.0

NR N77 A PC3

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						630333	633332	636333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3455.00	3499.98	3545.00	
10	30	DFT-OFDM	PI2BPSK	1	1	23.31	23.28	22.87	23.5
				1	12	22.89	23.14	22.85	23.5
				1	22	22.04	21.97	22.29	23.5
				12	0	22.07	22.07	22.31	22.5
				12	6	22.57	22.60	22.75	23.0
				12	11	21.84	21.63	21.80	22.5
				24	0	21.98	22.11	22.11	22.5
			QPSK	1	1	23.28	23.19	22.77	24.0
				1	12	23.08	22.51	22.85	24.0
				1	22	22.45	22.30	22.12	24.0
				12	0	22.19	21.85	21.71	23.0
				12	6	22.68	22.88	22.78	23.0
				12	11	21.33	21.55	21.53	23.0
				24	0	21.53	21.61	21.66	22.0
			16QAM	1	1	22.11	21.86	21.53	22.0
			64QAM	1	1	21.06	20.28	20.30	21.0
			256QAM	1	1	18.66	18.77	18.60	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						630500	633332	636167	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3457.50	3499.98	3542.50	
15	30	DFT-OFDM	PI2BPSK	1	1	23.14	23.34	22.80	23.5
				1	19	22.92	23.10	22.82	23.5
				1	36	21.87	21.90	22.07	23.5
				18	0	21.93	22.20	22.21	22.5
				18	10	22.61	22.62	22.73	23.0
				18	19	21.54	21.71	21.89	22.5
				36	0	22.09	22.12	22.21	22.5
			QPSK	1	1	23.31	23.14	22.62	24.0
				1	19	23.22	22.60	22.99	24.0
				1	36	22.57	22.29	22.31	24.0
				18	0	22.08	21.85	21.80	23.0
				18	10	22.84	22.62	22.72	23.0
				18	19	21.32	21.40	21.64	23.0

				36	0	21.52	21.64	21.60	22.0
			16QAM	1	1	22.15	21.66	21.58	22.0
			64QAM	1	1	21.10	20.16	20.27	21.0
			256QAM	1	1	18.76	18.61	18.56	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630667	633332	636000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3460.00	3499.98	3540.00	
20	30	DFT-OFDM	PI2BPSK	1	1	23.24	23.27	22.73	23.5
				1	25	22.85	23.17	22.80	23.5
				1	49	22.01	22.16	22.30	23.5
				25	0	21.91	22.28	22.03	22.5
				25	13	22.73	22.58	22.74	23.0
				25	25	21.68	21.46	21.86	22.5
				50	0	22.03	22.11	22.06	22.5
			QPSK	1	1	23.19	23.18	22.81	24.0
				1	25	23.02	22.60	22.99	24.0
				1	49	22.67	22.34	22.08	24.0
				25	0	22.04	21.66	21.79	23.0
				25	13	22.60	22.80	22.79	23.0
				25	25	21.06	21.54	21.44	23.0
				50	0	21.60	21.61	21.68	22.0
			16QAM	1	1	22.20	21.75	21.75	22.0
			64QAM	1	1	20.90	20.33	20.34	21.0
			256QAM	1	1	18.77	18.71	18.46	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630833	633332	635833	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3462.50	3499.98	3537.50	
25	30	DFT-OFDM	PI2BPSK	1	1	23.28	23.11	22.68	23.5
				1	32	22.83	23.03	22.75	23.5
				1	63	22.10	22.02	22.14	23.5
				32	0	21.98	22.14	22.20	22.5
				32	16	22.72	22.48	22.69	23.0
				32	32	21.54	21.67	21.86	22.5
				64	0	21.98	22.18	22.13	22.5
			QPSK	1	1	23.16	23.16	22.61	24.0
				1	32	23.20	22.72	22.96	24.0
				1	63	22.69	22.27	22.04	24.0
				32	0	22.18	21.65	21.70	23.0

				32	16	22.60	22.70	22.58	23.0
				32	32	21.10	21.63	21.48	23.0
				64	0	21.49	21.47	21.58	22.0
			16QAM	1	1	22.09	21.83	21.48	22.0
			64QAM	1	1	21.12	20.26	20.28	21.0
			256QAM	1	1	18.62	18.58	18.72	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						631000	633332	635667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3465.00	3499.98	3535.00	
30	30	DFT-OFDM	PI2BPSK	1	1	23.31	23.30	22.69	23.5
				1	39	22.93	23.18	22.58	23.5
				1	76	21.94	22.08	22.28	23.5
				36	0	22.00	22.16	22.19	22.5
				36	21	22.56	22.55	22.72	23.0
				36	41	21.59	21.51	21.79	22.5
				75	0	22.19	21.98	22.17	22.5
			QPSK	1	1	23.40	23.26	22.66	24.0
				1	39	23.26	22.74	22.80	24.0
				1	76	22.44	22.42	22.12	24.0
				36	0	21.94	21.87	21.58	23.0
				36	21	22.74	22.86	22.62	23.0
				36	41	21.30	21.44	21.45	23.0
				75	0	21.57	21.43	21.70	22.0
			16QAM	1	1	22.20	21.70	21.55	22.0
			64QAM	1	1	21.04	20.33	20.09	21.0
			256QAM	1	1	18.76	18.70	18.72	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						631333	633332	635333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3470.00	3499.98	3530.00	
40	30	DFT-OFDM	PI2BPSK	1	1	23.16	23.39	22.72	23.5
				1	53	23.00	23.17	22.56	23.5
				1	104	22.03	22.03	22.13	23.5
				50	0	22.16	22.17	22.14	22.5
				50	28	22.76	22.46	22.64	23.0
				50	55	21.75	21.72	21.93	22.5
				100	0	22.08	22.02	22.11	22.5
			QPSK	1	1	23.37	23.29	22.65	24.0
				1	53	23.10	22.65	22.80	24.0

				1	104	22.47	22.34	22.22	24.0
				50	0	22.10	21.75	21.58	23.0
				50	28	22.57	22.82	22.64	23.0
				50	55	21.28	21.54	21.65	23.0
				100	0	21.69	21.42	21.49	22.0
			16QAM	1	1	22.15	21.92	21.67	22.0
			64QAM	1	1	21.00	20.21	20.12	21.0
			256QAM	1	1	18.79	18.82	18.47	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						631667	633332	635000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3475.00	3499.98	3525.00	
50	30	DFT-OFDM	PI2BPSK	1	1	23.37	23.20	22.78	23.5
				1	66	22.70	22.93	22.67	23.5
				1	131	21.83	22.09	22.23	23.5
				64	0	21.99	22.26	22.02	22.5
				64	34	22.67	22.51	22.45	23.0
				64	68	21.82	21.51	21.92	22.5
				128	0	22.20	22.02	22.02	22.5
			QPSK	1	1	23.36	23.29	22.83	24.0
				1	66	23.18	22.64	22.80	24.0
				1	131	22.71	22.51	22.08	24.0
				64	0	22.00	21.83	21.58	23.0
				64	34	22.73	22.80	22.62	23.0
				64	68	21.19	21.50	21.45	23.0
				128	0	21.72	21.61	21.66	22.0
			16QAM	1	1	22.10	21.82	21.77	22.0
			64QAM	1	1	20.98	20.40	20.10	21.0
			256QAM	1	1	18.67	18.83	18.54	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						632000	633332	634667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3480.00	3499.98	3520.00	
60	30	DFT-OFDM	PI2BPSK	1	1	23.34	23.15	22.81	23.5
				1	81	22.77	23.03	22.72	23.5
				1	160	21.99	22.06	22.33	23.5
				81	0	21.89	22.04	22.04	22.5
				81	41	22.78	22.55	22.49	23.0
				81	80	21.65	21.67	21.84	22.5
				162	0	22.14	22.07	22.12	22.5

			QPSK	1	1	23.30	23.09	22.77	24.0
				1	81	23.29	22.73	22.96	24.0
				1	160	22.64	22.31	22.22	24.0
				81	0	22.19	21.79	21.55	23.0
				81	41	22.56	22.65	22.74	23.0
				81	80	21.32	21.37	21.46	23.0
				162	0	21.50	21.50	21.56	22.0
			16QAM	1	1	22.18	21.70	21.61	22.0
			64QAM	1	1	21.07	20.41	20.16	21.0
			256QAM	1	1	18.72	18.61	18.64	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632333	633332	634333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3485.00	3499.98	3515.00	
70	30	DFT-OFDM	PI2BPSK	1	1	23.37	23.11	22.97	23.5
				1	94	22.98	23.21	22.61	23.5
				1	187	22.04	22.12	22.21	23.5
				90	0	22.11	22.05	22.11	22.5
				90	49	22.57	22.75	22.69	23.0
				90	98	21.76	21.56	21.86	22.5
				180	0	21.97	22.02	22.02	22.5
			QPSK	1	1	23.26	23.36	22.62	24.0
				1	94	23.13	22.59	22.76	24.0
				1	187	22.46	22.39	22.08	24.0
				90	0	22.04	21.65	21.81	23.0
				90	49	22.60	22.71	22.59	23.0
				90	98	21.10	21.40	21.53	23.0
				180	0	21.53	21.44	21.58	22.0
			16QAM	1	1	22.07	21.68	21.60	22.0
			64QAM	1	1	21.02	20.33	20.14	21.0
			256QAM	1	1	18.83	18.55	18.55	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632667	633332	634000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3490.00	3499.98	3510.00	
80	30	DFT-OFDM	PI2BPSK	1	1	23.22	23.11	22.77	23.5
				1	108	22.73	22.95	22.58	23.5
				1	215	21.89	21.95	22.09	23.5
				108	0	22.03	22.31	22.10	22.5
				108	54	22.64	22.67	22.63	23.0

				108	108	21.61	21.49	21.89	22.5
				216	0	22.16	22.18	22.13	22.5
			QPSK	1	1	23.19	23.34	22.59	24.0
				1	108	23.09	22.59	22.75	24.0
				1	215	22.67	22.33	22.08	24.0
				108	0	21.94	21.73	21.54	23.0
				108	54	22.65	22.86	22.59	23.0
				108	108	21.20	21.45	21.60	23.0
				216	0	21.64	21.48	21.45	22.0
			16QAM	1	1	22.36	21.87	21.58	22.0
			64QAM	1	1	21.03	20.15	20.08	21.0
			256QAM	1	1	18.77	18.67	18.66	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						633000	633332	633667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3495.00	3499.98	3505.00	
90	30	DFT-OFDM	PI2BPSK	1	1	23.23	23.25	22.83	23.5
				1	122	22.85	23.07	22.71	23.5
				1	243	21.98	22.05	22.18	23.5
				120	0	22.03	22.17	22.16	22.5
				120	62	22.69	22.61	22.6	23.0
				120	124	21.69	21.6	21.91	22.5
				243	0	22.08	22.06	22.07	22.5
			QPSK	1	1	23.29	23.22	22.72	24.0
				1	122	23.15	22.65	22.87	24.0
				1	243	22.56	22.42	22.17	24.0
				120	0	22.04	21.78	21.68	23.0
				120	62	22.7	22.76	22.66	23.0
				120	124	21.19	21.52	21.51	23.0
				243	0	21.62	21.57	21.59	22.0
			16QAM	1	1	22.22	21.81	21.62	22.0
			64QAM	1	1	21.02	20.26	20.19	21.0
			256QAM	1	1	18.74	18.69	18.57	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						N/A	633332	N/A	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						N/A	3499.98	N/A	
100	30	DFT-OFDM	PI2BPSK	1	1	N/A	22.75	N/A	23.5
				1	136	N/A	22.79	N/A	23.5
				1	271	N/A	22.26	N/A	23.5

				135	0	N/A	22.22	N/A	22.5
				135	69	N/A	22.73	N/A	23.0
				135	137	N/A	22.09	N/A	22.5
				270	0	N/A	22.18	N/A	22.5
			QPSK	1	1	N/A	22.81	N/A	24.0
				1	136	N/A	23.56	N/A	24.0
				1	271	N/A	22.26	N/A	24.0
				135	0	N/A	21.72	N/A	23.0
				135	69	N/A	22.74	N/A	23.0
				135	137	N/A	21.5	N/A	23.0
				270	0	N/A	21.68	N/A	22.0
			16QAM	1	1	N/A	21.8	N/A	22.0
			64QAM	1	1	N/A	20.51	N/A	21.0
			256QAM	1	1	N/A	18.59	N/A	19.0

Sensor on

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630333.3333	633332	636333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3455	3499.98	3545	
10	30	DFT-OFDM	PI2BPSK	1	1	21.82	21.82	21.36	22.5
				1	12	21.41	21.63	21.35	
				1	22	20.52	20.91	20.75	
				12	0	20.58	20.52	20.80	
				12	6	21.02	21.10	21.22	
				12	11	20.31	20.09	20.33	
				24	0	20.53	20.66	20.59	21.0
			QPSK	1	1	21.79	21.65	21.30	22.5
				1	12	21.62	20.96	21.33	
				1	22	20.95	20.85	20.58	
				12	0	20.74	20.38	20.16	
				12	6	21.19	21.39	21.33	
				12	11	19.84	20.04	20.08	
				24	0	20.08	20.16	20.21	20.5
			16QAM	1	1	20.14	20.34	19.99	20.5
			64QAM	1	1	19.18	18.78	18.81	19.5
			256QAM	1	1	17.21	17.25	17.14	17.5
		Mode	Modulation			Channel No.	Channel No.	Channel No.	

Bandwidth (MHz)	SCS (kHz)			RB size	RB offset	630500	633332	636166.6667	Tune-up Limit (dBm)
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3457.5	3499.98	3542.5	
15	30	DFT-OFDM	PI2BPSK	1	1	21.68	21.84	21.25	22.5
				1	19	21.37	21.59	21.29	
				1	36	20.67	20.88	20.60	
				18	0	20.44	20.74	20.68	21.5
				18	10	21.13	21.16	21.25	
				18	19	20.05	20.18	20.39	
				36	0	20.56	20.60	20.71	21.0
			QPSK	1	1	21.84	21.64	21.15	22.5
				1	19	21.76	21.11	21.46	
				1	36	21.05	20.79	20.78	
				18	0	20.59	20.35	20.35	21.5
				18	10	21.29	21.11	21.27	
				18	19	19.78	19.88	20.09	
				36	0	19.97	20.09	20.09	20.5
			16QAM	1	1	20.19	20.11	20.08	20.5
			64QAM	1	1	19.38	18.64	18.80	19.5
			256QAM	1	1	17.29	17.13	17.10	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630666.6667	633332	636000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3460	3499.98	3540	
20	30	DFT-OFDM	PI2BPSK	1	1	21.72	21.78	21.19	22.5
				1	25	21.34	21.66	21.26	
				1	49	22.35	20.63	20.83	
				25	0	20.40	20.80	20.58	21.5
				25	13	21.25	21.09	21.27	
				25	25	20.21	19.92	20.31	
				50	0	20.51	20.56	20.59	21.0
			QPSK	1	1	21.64	21.67	21.36	22.5
				1	25	21.53	21.09	21.48	
				1	49	21.12	20.84	20.56	
				25	0	20.51	20.13	20.24	21.5
				25	13	21.08	21.34	21.28	
				25	25	19.53	20.04	19.90	
				50	0	20.09	20.06	20.21	20.5
			16QAM	1	1	20.14	20.25	20.29	20.5
			64QAM	1	1	19.35	18.79	18.88	19.5

			256QAM	1	1	17.32	17.22	16.91	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630833.3333	633332	635833.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3462.5	3499.98	3537.5	
25	30	DFT-OFDM	PI2BPSK	1	1	21.74	21.66	21.16	22.5
				1	32	21.29	21.52	21.27	
				1	63	20.58	20.53	20.63	
				32	0	20.52	20.68	20.66	21.5
				32	16	21.18	21.01	21.19	
				32	32	20.09	20.16	20.38	
				64	0	20.44	20.63	20.64	21.0
			QPSK	1	1	21.67	21.68	21.11	22.5
				1	32	21.65	21.21	21.41	
				1	63	21.19	20.74	20.53	
				32	0	20.71	20.13	20.20	21.5
				32	16	21.10	21.24	21.13	
				32	32	19.65	20.13	19.96	
				64	0	19.94	19.93	20.12	20.5
			16QAM	1	1	20.36	20.35	19.99	20.5
			64QAM	1	1	19.33	18.77	18.79	19.5
			256QAM	1	1	17.16	17.05	17.26	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						631000	633332	635666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3465	3499.98	3535	
30	30	DFT-OFDM	PI2BPSK	1	1	21.82	21.80	21.20	22.5
				1	39	21.43	21.73	21.05	
				1	76	20.86	20.59	20.75	
				36	0	20.49	20.62	20.70	21.5
				36	21	21.11	21.01	21.19	
				36	41	20.12	20.03	20.28	
				75	0	20.68	20.50	20.63	21.0
			QPSK	1	1	21.85	21.73	21.20	22.5
				1	39	21.71	21.23	21.28	
				1	76	20.95	20.93	20.59	
				36	0	20.40	20.33	20.06	21.5
				36	21	21.21	21.36	21.08	
				36	41	19.81	19.99	19.91	
				75	0	20.09	19.89	20.23	20.5

			16QAM	1	1	20.41	20.18	20.00	20.5
			64QAM	1	1	19.47	18.85	18.59	19.5
			256QAM	1	1	17.24	17.19	17.23	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						631333.3333	633332	635333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3470	3499.98	3530	
40	30	DFT-OFDM	PI2BPSK	1	1	21.68	21.89	21.20	22.5
				1	53	21.48	21.62	21.04	
				1	104	20.53	20.65	20.58	
				50	0	20.64	20.63	20.59	21.5
				50	28	21.25	20.98	21.10	
				50	55	20.25	20.19	20.44	
				100	0	20.54	20.52	20.57	21.0
			QPSK	1	1	21.85	21.76	21.17	22.5
				1	53	21.57	21.15	21.25	
				1	104	20.93	20.85	20.73	
				50	0	20.57	20.21	20.11	21.5
				50	28	21.02	21.36	21.18	
				50	55	19.75	20.01	20.13	
				100	0	20.14	19.87	19.98	20.5
			16QAM	1	1	20.39	20.40	20.17	20.5
			64QAM	1	1	19.47	18.73	18.60	19.5
			256QAM	1	1	17.30	17.27	16.97	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						631666.6667	633332	635000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3475	3499.98	3525	
50	30	DFT-OFDM	PI2BPSK	1	1	21.89	21.71	21.32	22.5
				1	66	21.16	21.47	21.13	
				1	131	20.55	20.64	20.73	
				64	0	20.44	20.76	20.55	21.5
				64	34	21.12	21.04	20.91	
				64	68	20.34	20.03	20.45	
				128	0	20.68	20.51	20.47	21.0
			QPSK	1	1	21.88	21.84	21.30	22.5
				1	66	21.64	21.15	21.26	
				1	131	21.19	21.02	20.56	
				64	0	20.48	20.30	20.10	21.5
				64	34	21.20	21.35	21.10	

				64	68	19.64	20.02	19.91	
				128	0	20.18	20.07	20.18	20.5
			16QAM	1	1	20.41	20.37	20.25	20.5
			64QAM	1	1	19.50	18.94	18.64	19.5
			256QAM	1	1	17.17	17.34	17.02	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632000	633332	634666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3480	3499.98	3520	
60	30	DFT-OFDM	PI2BPSK	1	1	21.81	21.61	21.36	22.5
				1	81	21.30	21.48	21.20	
				1	160	20.86	20.55	20.80	
				81	0	20.40	20.50	20.57	21.5
				81	41	21.26	21.07	20.98	
				81	80	20.11	20.18	20.33	
				162	0	20.66	20.56	20.60	21.0
			QPSK	1	1	21.81	21.57	21.23	22.5
				1	81	21.74	21.19	21.42	
				1	160	21.09	20.80	20.69	
				81	0	20.65	20.26	20.05	21.5
				81	41	21.11	21.18	21.25	
				81	80	19.79	19.86	19.92	
				162	0	20.04	20.04	20.05	20.5
			16QAM	1	1	20.46	20.23	20.13	20.5
			64QAM	1	1	19.38	18.90	18.64	19.5
			256QAM	1	1	17.23	17.13	17.10	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632333.3333	633332	634333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3485	3499.98	3515	
70	30	DFT-OFDM	PI2BPSK	1	1	21.85	21.61	21.50	22.5
				1	94	21.52	21.69	21.07	
				1	187	20.59	20.67	20.76	
				90	0	20.65	20.54	20.59	21.5
				90	49	21.02	21.21	21.16	
				90	98	20.26	20.10	20.31	
				180	0	20.48	20.51	20.53	21.0
			QPSK	1	1	21.71	21.84	21.14	22.5
				1	94	21.66	21.04	21.24	
				1	187	20.92	20.86	20.56	

				90	0	20.59	20.13	20.35	21.5
				90	49	21.12	21.26	21.06	
				90	98	19.60	19.90	20.06	
				180	0	19.98	19.89	20.13	20.5
			16QAM	1	1	20.35	20.21	20.09	20.5
			64QAM	1	1	19.42	18.88	18.63	19.5
			256QAM	1	1	17.36	17.09	17.01	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632666.6667	633332	634000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3490	3499.98	3510	
80	30	DFT-OFDM	PI2BPSK	1	1	21.69	21.58	21.23	22.5
				1	108	21.22	21.48	21.06	
				1	215	20.56	20.88	20.59	
				108	0	20.52	20.83	20.62	21.5
				108	54	21.12	21.18	21.11	
				108	108	20.12	20.02	20.34	
				216	0	20.71	20.69	20.60	21.0
			QPSK	1	1	21.68	21.81	21.11	22.5
				1	108	21.62	21.07	21.24	
				1	215	21.20	20.78	20.55	
				108	0	20.39	20.18	20.03	21.5
				108	54	21.14	21.31	21.14	
				108	108	19.67	19.91	20.08	
				216	0	20.15	19.96	19.99	20.5
			16QAM	1	1	20.45	20.40	20.08	20.5
			64QAM	1	1	19.41	18.65	18.61	19.5
			256QAM	1	1	17.23	17.16	17.14	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						633000	633332	633666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3495	3499.98	3505	
90	30	DFT-OFDM	PI2BPSK	1	1	21.75	21.76	21.28	22.5
				1	122	21.39	21.55	21.17	
				1	243	20.51	20.51	20.68	
				120	0	20.55	20.72	20.63	21.5
				120	62	21.19	21.06	21.08	
				120	124	20.15	20.05	20.43	
				243	0	20.59	20.56	20.58	21.0
			QPSK	1	1	21.74	21.77	21.19	22.5

				1	122	21.65	21.20	21.32	21.5
				1	243	21.03	20.97	20.71	
				120	0	20.55	20.31	20.14	
				120	62	21.25	21.22	21.15	
				120	124	19.65	20.02	19.99	
				243	0	20.08	20.04	20.08	20.5
			16QAM	1	1	20.41	20.30	20.11	20.5
			64QAM	1	1	19.33	18.71	18.65	19.5
			256QAM	1	1	17.29	17.23	17.11	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						N/A	633332	N/A	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						N/A	3499.98	N/A	
100	30	DFT-OFDM	PI2BPSK	1	1	N/A	21.20	N/A	22.5
				1	136	N/A	21.32	N/A	
				1	271	N/A	20.78	N/A	
				135	0	N/A	20.76	N/A	21.5
				135	69	N/A	21.26	N/A	
				135	137	N/A	20.54	N/A	
				270	0	N/A	20.72	N/A	21.0
			QPSK	1	1	N/A	21.29	N/A	22.5
				1	136	N/A	22.47	N/A	
				1	271	N/A	20.80	N/A	
				135	0	N/A	20.17	N/A	21.5
				135	69	N/A	21.46	N/A	
				135	137	N/A	19.99	N/A	
				270	0	N/A	20.18	N/A	20.5
			16QAM	1	1	N/A	20.27	N/A	20.5
			64QAM	1	1	N/A	18.99	N/A	19.5
			256QAM	1	1	N/A	17.07	N/A	17.5

EN-DC+WLAN Sensor on

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630333	633332	636333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3455.00	3499.98	3545.00	
10	30	DFT-OFDM	PI2BPSK	1	1	20.87	20.82	20.47	21.0
				1	12	20.41	20.73	20.44	21.0

				1	22	19.64	19.48	19.83	20.5
				12	0	19.53	19.61	19.90	20.0
				12	6	20.15	20.07	20.25	20.5
				12	11	19.36	19.16	19.25	20.0
				24	0	19.51	19.68	19.63	20.0
			QPSK	1	1	20.86	20.71	20.31	21.5
				1	12	20.53	20.10	20.41	21.5
				1	22	19.92	19.79	19.68	21.5
				12	0	19.67	19.39	19.25	21.0
				12	6	20.22	20.36	20.25	21.0
				12	11	18.85	19.05	19.03	19.5
				24	0	19.00	19.21	19.18	19.5
			16QAM	1	1	19.62	19.41	19.13	19.5
			64QAM	1	1	18.54	17.81	17.90	18.0
			256QAM	1	1	16.12	16.23	16.20	16.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						630500	633332	636167	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3457.50	3499.98	3542.50	
15	30	DFT-OFDM	PI2BPSK	1	1	20.71	20.87	20.31	21.0
				1	19	20.45	20.60	20.42	21.0
				1	36	19.36	19.42	19.64	20.5
				18	0	19.52	19.77	19.77	20.0
				18	10	20.14	20.22	20.21	20.5
				18	19	19.13	19.26	19.44	20.0
				36	0	19.55	19.69	19.67	20.0
			QPSK	1	1	20.89	20.72	20.19	21.5
				1	19	20.74	20.08	20.52	21.5
				1	36	20.02	19.80	19.77	21.5
				18	0	19.65	19.41	19.39	21.0
				18	10	20.34	20.09	20.17	21.0
				18	19	18.78	18.95	19.20	19.5
				36	0	18.99	19.09	19.12	19.5
			16QAM	1	1	19.75	19.17	19.09	19.5
			64QAM	1	1	18.63	17.69	17.74	18.0
			256QAM	1	1	16.28	16.15	16.10	16.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						630667	633332	636000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3460.00	3499.98	3540.00	

20	30	DFT-OFDM	PI2BPSK	1	1	20.81	20.87	20.21	21.0
				1	25	20.32	20.77	20.35	21.0
				1	49	19.51	19.72	19.75	20.5
				25	0	19.40	19.77	19.48	20.0
				25	13	20.24	20.04	20.31	20.5
				25	25	19.28	18.99	19.46	20.0
				50	0	19.61	19.71	19.63	20.0
			QPSK	1	1	20.79	20.76	20.39	21.5
				1	25	20.52	20.07	20.57	21.5
				1	49	20.24	19.80	19.64	21.5
				25	0	19.52	19.20	19.32	21.0
				25	13	20.06	20.37	20.36	21.0
				25	25	18.64	19.00	19.04	19.5
				50	0	19.20	19.17	19.22	19.5
			16QAM	1	1	19.66	19.21	19.32	19.5
			64QAM	1	1	18.39	17.93	17.79	18.0
			256QAM	1	1	16.34	16.25	15.97	16.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						630833	633332	635833	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3462.50	3499.98	3537.50	
25	30	DFT-OFDM	PI2BPSK	1	1	20.83	20.64	20.22	21.0
				1	32	20.31	20.55	20.24	21.0
				1	63	19.59	19.47	19.60	20.5
				32	0	19.54	19.67	19.72	20.0
				32	16	20.30	20.08	20.16	20.5
				32	32	19.00	19.18	19.44	20.0
				64	0	19.52	19.67	19.60	20.0
			QPSK	1	1	20.69	20.75	20.13	21.5
				1	32	20.80	20.27	20.49	21.5
				1	63	20.16	19.78	19.52	21.5
				32	0	19.64	19.15	19.19	21.0
				32	16	20.10	20.15	20.04	21.0
				32	32	18.61	19.16	19.05	19.5
				64	0	19.08	19.05	19.10	19.5
			16QAM	1	1	19.54	19.32	19.06	19.5
			64QAM	1	1	18.65	17.82	17.78	18.0
			256QAM	1	1	16.17	16.12	16.22	16.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up
						631000	633332	635667	

						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	Limit
						3465.00	3499.98	3535.00	(dBm)
30	30	DFT-OFDM	PI2BPSK	1	1	20.84	20.75	20.17	21.0
				1	39	20.44	20.77	20.18	21.0
				1	76	19.47	19.55	19.86	20.5
				36	0	19.48	19.64	19.71	20.0
				36	21	20.09	20.13	20.24	20.5
				36	41	19.12	19.04	19.24	20.0
				75	0	19.68	19.53	19.66	20.0
			QPSK	1	1	20.92	20.72	20.20	21.5
				1	39	20.74	20.22	20.40	21.5
				1	76	19.90	19.97	19.59	21.5
				36	0	19.43	19.34	19.04	21.0
				36	21	20.33	20.40	20.19	21.0
				36	41	18.88	18.99	19.01	19.5
				75	0	19.02	18.91	19.20	19.5
			16QAM	1	1	19.71	19.16	19.03	19.5
			64QAM	1	1	18.50	17.80	17.68	18.0
			256QAM	1	1	16.30	16.22	16.23	16.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						631333	633332	635333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3470.00	3499.98	3530.00	
40	30	DFT-OFDM	PI2BPSK	1	1	20.71	20.84	20.17	21.0
				1	53	20.54	20.73	20.09	21.0
				1	104	19.58	19.58	19.72	20.5
				50	0	19.68	19.71	19.66	20.0
				50	28	20.21	19.91	20.24	20.5
				50	55	19.25	19.30	19.38	20.0
				100	0	19.54	19.51	19.57	20.0
			QPSK	1	1	20.95	20.88	20.11	21.5
				1	53	20.56	20.20	20.27	21.5
				1	104	19.99	19.86	19.74	21.5
				50	0	19.56	19.29	19.14	21.0
				50	28	20.13	20.28	20.14	21.0
				50	55	18.75	19.10	19.23	19.5
				100	0	19.22	18.89	18.99	19.5
			16QAM	1	1	19.61	19.37	19.23	19.5
			64QAM	1	1	18.47	17.81	17.59	18.0
			256QAM	1	1	16.35	16.33	16.05	16.5

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						631667	633332	635000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3475.00	3499.98	3525.00	
50	30	DFT-OFDM	PI2BPSK	1	1	20.94	20.72	20.29	21.0
				1	66	20.26	20.45	20.24	21.0
				1	131	19.41	19.64	19.78	20.5
				64	0	19.59	19.76	19.48	20.0
				64	34	20.13	20.02	20.00	20.5
				64	68	19.38	19.04	19.37	20.0
				128	0	19.68	19.54	19.50	20.0
			QPSK	1	1	20.85	20.84	20.40	21.5
				1	66	20.70	20.21	20.31	21.5
				1	131	20.31	20.07	19.62	21.5
				64	0	19.58	19.38	19.15	21.0
				64	34	20.25	20.36	20.21	21.0
				64	68	18.65	19.10	18.98	19.5
				128	0	19.27	19.11	19.20	19.5
			16QAM	1	1	19.57	19.40	19.24	19.5
			64QAM	1	1	18.56	17.85	17.61	18.0
			256QAM	1	1	16.16	16.28	16.01	16.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						632000	633332	634667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3480.00	3499.98	3520.00	
60	30	DFT-OFDM	PI2BPSK	1	1	20.94	20.66	20.35	21.0
				1	81	20.22	20.60	20.28	21.0
				1	160	19.51	19.66	19.90	20.5
				81	0	19.47	19.53	19.64	20.0
				81	41	20.29	20.05	19.99	20.5
				81	80	19.16	19.27	19.41	20.0
				162	0	19.71	19.61	19.68	20.0
			QPSK	1	1	20.77	20.66	20.32	21.5
				1	81	20.78	20.21	20.55	21.5
				1	160	20.09	19.80	19.78	21.5
				81	0	19.68	19.24	19.01	21.0
				81	41	20.03	20.10	20.29	21.0
				81	80	18.90	18.97	18.98	19.5
				162	0	19.10	19.09	19.11	19.5
			16QAM	1	1	19.72	19.20	19.16	19.5

			64QAM	1	1	18.57	17.90	17.62	18.0
			256QAM	1	1	16.26	16.16	16.12	16.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						632333	633332	634333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3485.00	3499.98	3515.00	
70	30	DFT-OFDM	PI2BPSK	1	1	20.84	20.71	20.51	21.0
				1	94	20.44	20.66	20.13	21.0
				1	187	19.49	19.63	19.70	20.5
				90	0	19.60	19.65	19.67	20.0
				90	49	20.06	20.25	20.19	20.5
				90	98	19.23	19.01	19.31	20.0
				180	0	19.57	19.51	19.51	20.0
			QPSK	1	1	20.80	20.94	20.19	21.5
				1	94	20.65	20.07	20.31	21.5
				1	187	19.96	19.87	19.57	21.5
				90	0	19.62	19.17	19.40	21.0
				90	49	20.06	20.18	20.11	21.0
				90	98	18.66	18.90	18.98	19.5
				180	0	19.02	18.98	19.11	19.5
			16QAM	1	1	19.62	19.28	19.15	19.5
			64QAM	1	1	18.62	17.86	17.72	18.0
			256QAM	1	1	16.29	16.06	16.05	16.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						632667	633332	634000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3490.00	3499.98	3510.00	
80	30	DFT-OFDM	PI2BPSK	1	1	20.76	20.64	20.30	21.0
				1	108	20.18	20.42	20.12	21.0
				1	215	19.38	19.45	19.65	20.5
				108	0	19.51	19.86	19.66	20.0
				108	54	20.22	20.19	20.22	20.5
				108	108	19.13	19.06	19.45	20.0
				216	0	19.73	19.74	19.66	20.0
			QPSK	1	1	20.75	20.94	20.19	21.5
				1	108	20.54	20.19	20.34	21.5
				1	215	20.25	19.91	19.53	21.5
				108	0	19.41	19.31	19.02	21.0
				108	54	20.19	20.32	20.09	21.0
				108	108	18.71	19.04	19.20	19.5

				216	0	19.22	18.95	18.92	19.5
			16QAM	1	1	19.83	19.36	19.16	19.5
			64QAM	1	1	18.52	17.75	17.57	18.0
			256QAM	1	1	16.31	16.12	16.11	16.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						633000	633332	633667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3495.00	3499.98	3505.00	
90	30	DFT-OFDM	PI2BPSK	1	1	20.77	20.75	20.35	21.0
				1	122	20.39	20.52	20.28	21.0
				1	243	19.57	19.51	19.76	20.5
				120	0	19.62	19.72	19.76	20.0
				120	62	20.25	20.17	20.05	20.5
				120	124	19.17	19.08	19.39	20.0
				243	0	19.54	19.52	19.63	20.0
			QPSK	1	1	20.86	20.72	20.2	21.5
				1	122	20.73	20.22	20.38	21.5
				1	243	20.07	19.89	19.68	21.5
				120	0	19.59	19.29	19.13	21.0
				120	62	20.21	20.27	20.2	21.0
				120	124	18.65	19.1	19.09	19.5
				243	0	19.09	19.15	19.08	19.5
			16QAM	1	1	19.82	19.39	19.11	19.5
			64QAM	1	1	18.57	17.79	17.64	18.0
			256QAM	1	1	16.33	16.27	16.13	16.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						N/A	633332	N/A	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						N/A	3499.98	N/A	
100	30	DFT-OFDM	PI2BPSK	1	1	N/A	20.3	N/A	21.0
				1	136	N/A	20.3	N/A	21.0
				1	271	N/A	19.75	N/A	20.5
				135	0	N/A	19.67	N/A	20.0
				135	69	N/A	20.21	N/A	20.5
				135	137	N/A	19.65	N/A	20.0
				270	0	N/A	19.67	N/A	20.0
			QPSK	1	1	N/A	20.35	N/A	21.5
				1	136	N/A	21.13	N/A	21.5
				1	271	N/A	19.75	N/A	21.5
				135	0	N/A	19.18	N/A	21.0

				135	69	N/A	20.32	N/A	21.0
				135	137	N/A	19.09	N/A	19.5
				270	0	N/A	19.18	N/A	19.5
			16QAM	1	1	N/A	19.37	N/A	19.5
			64QAM	1	1	N/A	17.99	N/A	18.0
			256QAM	1	1	N/A	16.08	N/A	16.5

NR N77 A PC2

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						630333	633332	636333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3455.00	3499.98	3545.00	
10	30	DFT-OFDM	PI2BPSK	1	1	24.06	24.43	24.05	24.5
				1	12	24.92	25.10	25.24	25.5
				1	22	22.99	22.47	22.96	23.0
				12	0	24.97	24.48	24.99	25.0
				12	6	24.42	24.02	24.15	24.5
				12	11	24.36	24.94	24.09	25.0
				24	0	24.39	24.22	24.32	24.5
			QPSK	1	1	23.17	23.20	22.98	23.5
				1	12	24.60	24.86	24.01	25.5
				1	22	22.08	21.69	21.94	23.0
				12	0	24.84	24.59	25.05	25.5
				12	6	24.34	24.70	23.99	25.0
				12	11	24.73	24.86	24.58	25.0
				24	0	24.87	24.59	23.74	25.0
			16QAM	1	1	21.53	21.06	20.88	21.5
			64QAM	1	1	21.80	20.85	20.84	21.0
			256QAM	1	1	20.42	19.53	19.69	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						630500	633332	636167	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3457.50	3499.98	3542.50	
15	30	DFT-OFDM	PI2BPSK	1	1	23.95	24.21	24.28	24.5
				1	19	24.89	25.03	25.48	25.5
				1	36	22.87	22.42	22.98	23.0
				18	0	24.77	24.40	24.66	25.0
				18	10	24.45	24.20	24.28	24.5
				18	19	24.34	24.58	24.37	25.0
				36	0	24.33	24.11	24.49	24.5
			QPSK	1	1	23.34	23.04	22.83	23.5
				1	19	24.55	24.71	24.17	25.5
				1	36	22.11	21.64	21.73	23.0
				18	0	24.84	24.88	25.01	25.5
				18	10	24.43	24.77	24.06	25.0
				18	19	24.72	24.89	24.51	25.0

				36	0	24.66	24.78	23.99	25.0
			16QAM	1	1	21.74	20.93	20.87	21.5
			64QAM	1	1	21.75	20.67	20.94	21.0
			256QAM	1	1	20.18	19.46	19.70	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630667	633332	636000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3460.00	3499.98	3540.00	
20	30	DFT-OFDM	PI2BPSK	1	1	23.89	24.22	24.00	24.5
				1	25	24.93	25.04	25.32	25.5
				1	49	22.85	22.38	22.86	23.0
				25	0	24.85	24.39	24.87	25.0
				25	13	24.28	24.21	24.14	24.5
				25	25	24.57	24.69	24.36	25.0
				50	0	24.39	24.26	24.39	24.5
			QPSK	1	1	23.08	23.14	23.08	23.5
				1	25	24.39	24.82	24.16	25.5
				1	49	22.07	21.54	21.85	23.0
				25	0	24.61	24.67	24.99	25.5
				25	13	24.56	24.62	24.14	25.0
				25	25	24.69	24.83	24.57	25.0
				50	0	24.86	24.58	23.89	25.0
			16QAM	1	1	21.64	20.96	21.00	21.5
			64QAM	1	1	21.83	20.73	20.47	21.0
			256QAM	1	1	20.18	19.48	19.90	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630833	633332	635833	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3462.50	3499.98	3537.50	
25	30	DFT-OFDM	PI2BPSK	1	1	23.90	24.27	24.19	24.5
				1	32	24.67	25.02	25.45	25.5
				1	63	22.81	22.68	22.81	23.0
				32	0	24.77	24.61	24.91	25.0
				32	16	24.27	24.29	24.24	24.5
				32	32	24.52	24.75	24.35	25.0
				64	0	24.45	24.28	24.50	24.5
			QPSK	1	1	23.27	23.28	23.09	23.5
				1	32	24.58	24.59	24.27	25.5
				1	63	22.01	21.63	21.93	23.0
				32	0	24.71	24.86	24.99	25.5

				32	16	24.39	24.75	24.19	25.0
				32	32	24.48	24.85	24.54	25.0
				64	0	24.69	24.69	23.95	25.0
			16QAM	1	1	21.57	21.13	20.87	21.5
			64QAM	1	1	21.76	20.81	20.77	21.0
			256QAM	1	1	20.39	19.50	19.82	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						631000	633332	635667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3465.00	3499.98	3535.00	
30	30	DFT-OFDM	PI2BPSK	1	1	24.08	24.33	24.21	24.5
				1	39	24.91	25.12	25.20	25.5
				1	76	22.64	22.43	22.84	23.0
				36	0	24.85	24.43	25.00	25.0
				36	21	24.28	24.18	24.11	24.5
				36	41	24.50	24.85	24.26	25.0
				75	0	24.32	24.15	24.43	24.5
			QPSK	1	1	23.07	23.31	23.10	23.5
				1	39	24.54	24.83	24.25	25.5
				1	76	21.95	21.50	21.67	23.0
				36	0	24.66	24.84	24.90	25.5
				36	21	24.37	24.83	24.04	25.0
				36	41	24.64	24.85	24.43	25.0
				75	0	24.75	24.70	23.72	25.0
			16QAM	1	1	21.50	21.11	20.97	21.5
			64QAM	1	1	21.57	20.80	20.96	21.0
			256QAM	1	1	20.29	19.70	19.87	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						631333	633332	635333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3470.00	3499.98	3530.00	
40	30	DFT-OFDM	PI2BPSK	1	1	23.93	24.20	24.08	24.5
				1	53	24.69	24.92	25.32	25.5
				1	104	22.94	22.44	22.82	23.0
				50	0	24.58	24.59	24.94	25.0
				50	28	24.33	24.18	24.18	24.5
				50	55	24.54	24.93	24.22	25.0
				100	0	24.41	24.34	24.27	24.5
			QPSK	1	1	23.18	23.25	23.07	23.5
				1	53	24.41	24.57	24.24	25.5

				1	104	21.92	21.66	21.73	23.0
				50	0	24.81	24.77	24.89	25.5
				50	28	24.56	24.68	24.13	25.0
				50	55	24.67	24.77	24.50	25.0
				100	0	24.82	24.81	23.81	25.0
			16QAM	1	1	21.57	21.09	20.83	21.5
			64QAM	1	1	21.60	20.83	20.77	21.0
			256QAM	1	1	20.41	19.53	19.81	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						631667	633332	635000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3475.00	3499.98	3525.00	
50	30	DFT-OFDM	PI2BPSK	1	1	24.02	24.32	24.14	24.5
				1	66	24.89	25.01	25.29	25.5
				1	131	22.88	22.68	22.85	23.0
				64	0	24.97	24.52	24.69	25.0
				64	34	24.29	24.20	24.20	24.5
				64	68	24.35	24.80	24.28	25.0
				128	0	24.28	24.33	24.27	24.5
			QPSK	1	1	23.21	23.24	22.82	23.5
				1	66	24.57	24.59	24.21	25.5
				1	131	21.94	21.47	21.74	23.0
				64	0	24.68	24.76	24.83	25.5
				64	34	24.56	24.77	24.24	25.0
				64	68	24.46	24.82	24.51	25.0
				128	0	24.86	24.80	23.83	25.0
			16QAM	1	1	21.77	21.12	20.77	21.5
			64QAM	1	1	21.55	20.90	20.80	21.0
			256QAM	1	1	20.24	19.56	19.99	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632000	633332	634667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3480.00	3499.98	3520.00	
60	30	DFT-OFDM	PI2BPSK	1	1	23.86	24.32	24.30	24.5
				1	81	24.77	24.91	25.27	25.5
				1	160	22.78	22.52	22.89	23.0
				81	0	25.00	24.40	24.86	25.0
				81	41	24.40	24.14	24.33	24.5
				81	80	24.52	24.76	24.23	25.0
				162	0	24.34	24.18	24.48	24.5

			QPSK	1	1	23.08	23.07	22.89	23.5
				1	81	24.55	24.56	24.27	25.5
				1	160	22.03	21.49	21.85	23.0
				81	0	24.78	24.67	25.01	25.5
				81	41	24.45	24.81	24.14	25.0
				81	80	24.49	24.79	24.40	25.0
				162	0	24.67	24.83	23.82	25.0
			16QAM	1	1	21.62	21.04	20.72	21.5
			64QAM	1	1	21.78	20.66	20.89	21.0
			256QAM	1	1	20.16	19.72	19.91	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632333	633332	634333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3485.00	3499.98	3515.00	
70	30	DFT-OFDM	PI2BPSK	1	1	24.03	24.31	24.08	24.5
				1	94	24.83	25.18	25.47	25.5
				1	187	22.99	22.50	22.95	23.0
				90	0	23.58	24.56	24.94	25.0
				90	49	24.42	24.03	24.23	24.5
				90	98	24.54	24.97	24.21	25.0
				180	0	24.41	24.33	24.27	24.5
			QPSK	1	1	23.10	23.32	22.88	23.5
				1	94	24.49	24.86	24.04	25.5
				1	187	21.94	21.68	21.76	23.0
				90	0	24.85	24.81	25.01	25.5
				90	49	24.62	24.64	24.18	25.0
				90	98	24.68	24.88	24.42	25.0
				180	0	24.75	24.72	23.76	25.0
			16QAM	1	1	21.49	20.90	20.91	21.5
			64QAM	1	1	21.70	20.80	20.99	21.0
			256QAM	1	1	20.39	19.54	19.70	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632667	633332	634000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3490.00	3499.98	3510.00	
80	30	DFT-OFDM	PI2BPSK	1	1	24.03	24.33	24.06	24.5
				1	108	24.92	25.16	25.47	25.5
				1	215	22.99	22.53	22.89	23.0
				108	0	25.00	24.51	24.35	25.0
				108	54	24.31	24.06	24.25	24.5

				108	108	24.48	24.74	24.20	25.0
				216	0	24.34	24.18	24.43	25.0
			QPSK	1	1	23.06	23.11	22.99	23.5
				1	108	24.59	24.74	24.05	25.5
				1	215	21.90	21.58	21.73	23.0
				108	0	24.84	24.86	25.10	25.5
				108	54	24.37	24.84	24.22	25.0
				108	108	24.52	24.75	24.39	25.0
				216	0	24.74	24.72	23.83	25.0
			16QAM	1	1	21.55	20.94	20.90	21.5
			64QAM	1	1	21.76	20.76	20.82	21.0
			256QAM	1	1	20.33	19.66	19.90	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						633000	633332	633667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3495.00	3499.98	3505.00	
90	30	DFT-OFDM	PI2BPSK	1	1	23.98	24.29	24.15	24.5
				1	122	24.78	25.06	25.33	25.5
				1	243	22.89	22.53	22.83	23.0
				120	0	24.91	24.46	25.00	25.0
				120	62	24.35	24.14	24.21	24.5
				120	124	24.46	24.88	24.22	25.0
				243	0	24.43	24.19	24.40	24.5
			QPSK	1	1	23.21	23.18	22.95	23.5
				1	122	24.50	24.71	24.15	25.5
				1	243	21.96	21.59	21.82	23.0
				120	0	24.70	24.74	24.98	25.5
				120	62	24.48	24.76	24.12	25.0
				120	124	24.59	24.77	24.50	25.0
				243	0	24.76	24.70	23.86	25.0
			16QAM	1	1	21.64	21.05	20.87	21.5
			64QAM	1	1	21.70	20.75	20.92	21.0
			256QAM	1	1	20.27	19.59	19.84	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						N/A	633332	N/A	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						N/A	3499.98	N/A	
100	30	DFT-OFDM	PI2BPSK	1	1	N/A	24.14	N/A	24.5
				1	136	N/A	25.11	N/A	25.5
				1	271	N/A	22.66	N/A	23.0

				135	0	N/A	24.61	N/A	25.0
				135	69	N/A	24.06	N/A	24.5
				135	137	N/A	24.81	N/A	25.0
				270	0	N/A	24.21	N/A	24.5
			QPSK	1	1	N/A	23.09	N/A	23.5
				1	136	N/A	24.78	N/A	25.5
				1	271	N/A	21.52	N/A	23.0
				135	0	N/A	24.79	N/A	25.5
				135	69	N/A	24.85	N/A	25.0
				135	137	N/A	24.81	N/A	25.0
				270	0	N/A	24.78	N/A	25.0
			16QAM	1	1	N/A	21.15	N/A	21.5
			64QAM	1	1	N/A	20.88	N/A	21.0
			256QAM	1	1	N/A	19.60	N/A	20.0

Sensor on

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630333.3333	633332	636333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3455	3499.98	3545	
10	30	DFT-OFDM	PI2BPSK	1	1	22.54	22.93	22.50	24.0
				1	12	23.37	23.57	23.77	24.0
				1	22	21.48	21.01	21.44	21.5
				12	0	23.43	22.99	23.53	24.0
				12	6	22.97	22.52	22.69	23.0
				12	11	22.90	23.44	22.58	23.5
				24	0	22.84	22.72	22.83	23.0
			QPSK	1	1	21.69	21.75	21.50	22.0
				1	12	23.07	23.36	22.52	24.0
				1	22	20.33	20.24	20.46	20.5
				12	0	23.36	23.08	23.50	24.0
				12	6	22.89	23.21	22.45	23.5
				12	11	23.28	23.34	23.08	23.5
				24	0	23.33	23.08	22.21	23.5
			16QAM	1	1	20.02	19.51	19.38	20.0
			64QAM	1	1	20.33	19.30	19.29	19.5
			256QAM	1	1	18.89	17.98	18.21	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630500	633332	636166.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	

						3457.5	3499.98	3542.5	
15	30	DFT-OFDM	PI2BPSK	1	1	22.50	22.75	22.76	24.0
				1	19	23.38	23.54	24.00	24.0
				1	36	21.38	20.94	21.50	21.5
				18	0	23.28	22.94	23.19	24.0
				18	10	22.99	22.71	22.73	23.0
				18	19	22.86	23.08	22.84	23.5
				36	0	22.78	22.60	22.97	23.0
			QPSK	1	1	21.85	21.53	21.31	22.0
				1	19	23.09	23.21	22.62	24.0
				1	36	20.41	20.09	20.19	20.5
				18	0	23.35	23.37	23.52	24.0
				18	10	22.91	23.30	22.58	23.5
				18	19	23.25	23.34	22.96	23.5
				36	0	23.11	23.24	22.54	23.5
			16QAM	1	1	20.27	19.42	19.32	20.0
			64QAM	1	1	20.28	19.21	19.44	19.5
			256QAM	1	1	18.66	17.99	18.19	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630666.6667	633332	636000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3460	3499.98	3540	
20	30	DFT-OFDM	PI2BPSK	1	1	22.34	22.70	22.55	24.0
				1	25	23.42	23.50	23.84	24.0
				1	49	21.31	20.87	21.38	21.5
				25	0	23.40	22.88	23.32	24.0
				25	13	22.73	22.68	22.67	23.0
				25	25	23.06	23.16	22.90	23.5
				50	0	22.90	22.75	22.84	23.0
			QPSK	1	1	21.54	21.62	21.58	22.0
				1	25	22.91	23.33	22.66	24.0
				1	49	20.25	20.01	20.35	20.5
				25	0	23.07	23.19	23.44	24.0
				25	13	23.08	23.12	22.62	23.5
				25	25	23.23	23.37	23.08	23.5
				50	0	23.38	23.07	22.41	23.5
			16QAM	1	1	20.09	19.49	19.52	20.0
			64QAM	1	1	20.32	19.26	19.00	19.5
			256QAM	1	1	18.66	17.94	18.38	18.5
		Mode	Modulation			Channel No.	Channel No.	Channel No.	

Bandwidth (MHz)	SCS (kHz)			RB size	RB offset	630833.3333	633332	635833.3333	Tune-up Limit (dBm)
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3462.5	3499.98	3537.5	
25	30	DFT-OFDM	PI2BPSK	1	1	22.43	22.82	22.71	24.0
				1	32	23.16	23.48	23.99	24.0
				1	63	21.28	21.14	21.36	21.5
				32	0	23.28	23.10	23.43	24.0
				32	16	22.74	22.81	22.76	23.0
				32	32	23.01	23.27	22.88	23.5
				64	0	22.94	22.78	22.99	23.0
			QPSK	1	1	21.75	21.80	21.58	22.0
				1	32	23.07	23.14	22.82	24.0
				1	63	20.16	20.11	20.38	20.5
				32	0	23.22	23.37	23.49	24.0
				32	16	22.90	23.29	22.66	23.5
				32	32	22.97	23.39	23.03	23.5
				64	0	23.15	23.21	22.50	23.5
			16QAM	1	1	20.12	19.65	19.34	20.0
			64QAM	1	1	20.22	19.26	19.31	19.5
			256QAM	1	1	18.92	17.95	18.32	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						631000	633332	635666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3465	3499.98	3535	
30	30	DFT-OFDM	PI2BPSK	1	1	22.62	22.82	22.76	24.0
				1	39	23.41	23.66	23.71	24.0
				1	76	21.19	20.90	21.33	21.5
				36	0	23.39	22.91	23.50	24.0
				36	21	22.77	22.68	22.62	23.0
				36	41	23.03	23.32	22.76	23.5
				75	0	22.84	22.63	22.95	23.0
			QPSK	1	1	21.58	21.85	21.61	22.0
				1	39	23.07	23.29	22.72	24.0
				1	76	20.40	20.02	20.20	20.5
				36	0	23.20	23.30	23.40	24.0
				36	21	22.90	23.28	22.59	23.5
				36	41	23.17	23.35	22.90	23.5
				75	0	23.25	23.19	22.23	23.5
			16QAM	1	1	20.00	19.57	19.50	20.0
			64QAM	1	1	20.11	19.29	19.44	19.5

			256QAM	1	1	18.79	18.17	18.42	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						631333.3333	633332	635333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3470	3499.98	3530	
40	30	DFT-OFDM	PI2BPSK	1	1	22.42	22.68	22.62	24.0
				1	53	23.14	23.47	23.80	24.0
				1	104	21.48	20.89	21.35	21.5
				50	0	23.06	23.11	23.46	24.0
				50	28	22.84	22.72	22.71	23.0
				50	55	23.09	23.41	22.67	23.5
				100	0	22.95	22.86	22.72	23.0
			QPSK	1	1	21.72	21.75	21.62	22.0
				1	53	22.93	23.09	22.79	24.0
				1	104	20.43	20.18	20.19	20.5
				50	0	23.34	23.31	23.37	24.0
				50	28	23.04	23.18	22.58	23.5
				50	55	23.15	23.28	23.03	23.5
				100	0	23.32	23.28	22.34	23.5
			16QAM	1	1	20.11	19.60	19.28	20.0
			64QAM	1	1	20.15	19.34	19.29	19.5
			256QAM	1	1	18.92	18.06	18.29	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						631666.6667	633332	635000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3475	3499.98	3525	
50	30	DFT-OFDM	PI2BPSK	1	1	22.47	22.80	22.65	24.0
				1	66	23.38	23.47	23.79	24.0
				1	131	21.43	21.13	21.39	21.5
				64	0	23.49	22.99	23.22	24.0
				64	34	22.80	22.72	22.71	23.0
				64	68	22.83	23.31	22.73	23.5
				128	0	22.76	22.78	22.82	23.0
			QPSK	1	1	21.74	21.76	21.35	22.0
				1	66	23.12	23.09	22.66	24.0
				1	131	20.47	19.97	20.22	20.5
				64	0	23.20	23.21	23.28	24.0
				64	34	23.07	23.29	22.79	23.5
				64	68	23.00	23.29	23.03	23.5
				128	0	23.39	23.35	22.37	23.5

			16QAM	1	1	20.22	19.61	19.31	20.0
			64QAM	1	1	20.04	19.41	19.26	19.5
			256QAM	1	1	18.78	18.05	18.47	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632000	633332	634666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3480	3499.98	3520	
60	30	DFT-OFDM	PI2BPSK	1	1	22.40	22.85	22.75	24.0
				1	81	23.32	23.46	23.77	24.0
				1	160	21.29	20.99	21.38	21.5
				81	0	23.50	22.91	23.31	24.0
				81	41	22.85	22.65	22.83	23.0
				81	80	23.02	23.27	22.78	23.5
				162	0	22.88	22.72	22.74	23.0
			QPSK	1	1	21.60	21.52	21.38	22.0
				1	81	23.05	23.04	22.77	24.0
				1	160	20.49	19.97	20.39	20.5
				81	0	23.29	23.12	23.55	24.0
				81	41	22.94	23.27	22.59	23.5
				81	80	22.97	23.29	22.91	23.5
				162	0	23.21	23.36	22.37	23.5
			16QAM	1	1	20.07	19.56	19.23	20.0
			64QAM	1	1	20.26	19.19	19.38	19.5
			256QAM	1	1	18.63	18.24	18.39	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632333.3333	633332	634333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3485	3499.98	3515	
70	30	DFT-OFDM	PI2BPSK	1	1	22.57	22.76	22.60	24.0
				1	94	23.38	23.66	23.64	24.0
				1	187	21.44	20.98	21.46	21.5
				90	0	22.07	23.03	23.44	24.0
				90	49	22.90	22.57	22.70	23.0
				90	98	22.99	23.06	22.75	23.5
				180	0	22.88	22.86	22.78	23.0
			QPSK	1	1	21.57	21.80	21.36	22.0
				1	94	23.03	23.38	22.57	24.0
				1	187	20.42	20.23	20.24	20.5
				90	0	23.30	23.28	23.48	24.0
				90	49	23.12	23.13	22.67	23.5

				90	98	23.22	23.33	22.89	23.5
				180	0	23.26	23.21	22.24	23.5
			16QAM	1	1	19.98	19.40	19.41	20.0
			64QAM	1	1	20.18	19.33	19.45	19.5
			256QAM	1	1	18.93	18.08	18.20	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632666.6667	633332	634000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3490	3499.98	3510	
80	30	DFT-OFDM	PI2BPSK	1	1	22.57	22.84	22.53	24.0
				1	108	23.40	23.66	23.05	24.0
				1	215	21.44	20.99	21.39	21.5
				108	0	23.53	23.05	22.83	24.0
				108	54	22.81	22.55	22.80	23.0
				108	108	22.99	23.21	22.74	23.5
				216	0	22.84	22.69	22.95	23.0
			QPSK	1	1	21.54	21.58	21.50	22.0
				1	108	23.06	23.28	22.55	24.0
				1	215	20.45	20.04	20.19	20.5
				108	0	23.37	23.35	23.59	24.0
				108	54	22.92	23.33	22.73	23.5
				108	108	23.01	23.23	22.94	23.5
				216	0	23.27	23.22	22.31	23.5
			16QAM	1	1	20.09	19.48	19.45	20.0
			64QAM	1	1	20.23	19.26	19.37	19.5
			256QAM	1	1	18.87	18.15	18.45	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						633000	633332	633666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3495	3499.98	3505	
90	30	DFT-OFDM	PI2BPSK	1	1	22.51	22.76	22.65	24.0
				1	122	23.26	23.58	23.84	24.0
				1	243	21.40	20.99	21.36	21.5
				120	0	23.42	22.95	23.49	24.0
				120	62	22.88	22.69	22.75	23.0
				120	124	22.94	23.37	22.70	23.5
				243	0	22.92	22.68	22.93	23.0
			QPSK	1	1	21.71	21.63	21.49	22.0
				1	122	22.98	23.25	22.69	24.0
				1	243	20.42	20.06	20.29	20.5

				120	0	23.25	23.26	23.44	24.0
				120	62	23.01	23.21	22.62	23.5
				120	124	23.04	23.32	22.99	23.5
				243	0	23.22	23.24	22.41	23.5
			16QAM	1	1	20.13	19.54	19.35	20.0
			64QAM	1	1	20.15	19.30	19.44	19.5
			256QAM	1	1	18.73	18.07	18.36	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						N/A	633332	N/A	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						N/A	3499.98	N/A	
100	30	DFT-OFDM	PI2BPSK	1	1	N/A	22.59	N/A	24.0
				1	136	N/A	23.59	N/A	24.0
				1	271	N/A	21.11	N/A	21.5
				135	0	N/A	23.08	N/A	24.0
				135	69	N/A	22.61	N/A	23.0
				135	137	N/A	23.35	N/A	23.5
				270	0	N/A	22.72	N/A	23.0
			QPSK	1	1	N/A	21.61	N/A	22.0
				1	136	N/A	23.29	N/A	24.0
				1	271	N/A	20.02	N/A	20.5
				135	0	N/A	23.34	N/A	24.0
				135	69	N/A	23.30	N/A	23.5
				135	137	N/A	23.34	N/A	23.5
				270	0	N/A	23.29	N/A	23.5
			16QAM	1	1	N/A	19.64	N/A	20.0
			64QAM	1	1	N/A	19.39	N/A	19.5
			256QAM	1	1	N/A	18.13	N/A	18.5

EN-DC+WLAN Sensor on

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						630333	633332	636333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3455.00	3499.98	3545.00	
10	30	DFT-OFDM	PI2BPSK	1	1	21.60	21.90	21.60	22.0
				1	12	22.41	22.15	22.23	22.5
				1	22	20.47	19.98	20.41	20.5
				12	0	22.45	21.98	22.46	22.5
				12	6	21.94	21.54	21.65	22.0
				12	11	21.89	22.45	21.54	22.5
				24	0	21.84	21.72	21.82	22.0
			QPSK	1	1	20.70	20.72	20.48	21.0
				1	12	22.11	22.39	21.51	23.0
				1	22	19.34	19.16	19.42	19.5
				12	0	22.37	22.07	22.50	22.5
				12	6	21.85	22.21	21.53	22.5
				12	11	22.18	22.31	22.06	22.5
				24	0	22.38	22.04	21.20	22.5
			16QAM	1	1	19.07	18.61	18.33	19.0
			64QAM	1	1	19.31	18.40	18.39	18.5
			256QAM	1	1	17.90	17.04	17.20	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						630500	633332	636167	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3457.50	3499.98	3542.50	
15	30	DFT-OFDM	PI2BPSK	1	1	21.50	21.74	21.77	22.0
				1	19	22.39	22.36	22.29	22.5
				1	36	20.32	19.94	20.49	20.5
				18	0	22.22	21.85	22.13	22.5
				18	10	21.99	21.65	21.77	22.0
				18	19	21.85	22.04	21.82	22.5
				36	0	21.80	21.62	21.98	22.0
			QPSK	1	1	20.89	20.53	20.28	21.0
				1	19	22.09	22.26	21.68	23.0
				1	36	19.35	19.17	19.27	19.5
				18	0	22.37	22.37	22.46	22.5
				18	10	21.96	22.26	21.54	22.5
				18	19	22.19	22.43	22.00	22.5
				36	0	22.21	22.25	21.51	22.5

			16QAM	1	1	19.21	18.42	18.41	19.0
			64QAM	1	1	19.26	18.15	18.41	18.5
			256QAM	1	1	17.69	16.96	17.21	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						630667	633332	636000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3460.00	3499.98	3540.00	
20	30	DFT-OFDM	PI2BPSK	1	1	21.39	21.73	21.55	22.0
				1	25	22.40	22.37	22.22	22.5
				1	49	20.38	19.84	20.36	20.5
				25	0	22.33	21.86	22.39	22.5
				25	13	21.80	21.66	21.68	22.0
				25	25	22.10	22.19	21.88	22.5
				50	0	21.91	21.78	21.88	22.0
			QPSK	1	1	20.53	20.64	20.58	21.0
				1	25	21.91	22.32	21.67	23.0
				1	49	19.43	19.02	19.38	19.5
				25	0	22.14	22.19	22.44	22.5
				25	13	22.06	22.09	21.68	22.5
				25	25	22.16	22.30	22.05	22.5
				50	0	22.32	22.05	21.42	22.5
			16QAM	1	1	19.18	18.46	18.53	19.0
			64QAM	1	1	19.33	18.23	18.01	18.5
			256QAM	1	1	17.64	17.00	17.37	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						630833	633332	635833	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3462.50	3499.98	3537.50	
25	30	DFT-OFDM	PI2BPSK	1	1	21.39	21.80	21.72	22.0
				1	32	22.19	22.39	22.41	22.5
				1	63	20.33	20.22	20.34	20.5
				32	0	22.30	22.08	22.41	22.5
				32	16	21.76	21.82	21.77	22.0
				32	32	22.04	22.21	21.89	22.5
				64	0	22.00	21.80	21.98	22.0
			QPSK	1	1	20.72	20.73	20.58	21.0
				1	32	22.04	22.06	21.72	23.0
				1	63	19.42	19.14	19.43	19.5
				32	0	22.25	22.37	22.44	22.5
				32	16	21.93	22.24	21.72	22.5

				32	32	21.99	22.33	22.03	22.5	
				64	0	22.18	22.24	21.41	22.5	
				16QAM	1	1	19.04	18.61	18.36	19.0
				64QAM	1	1	19.24	18.32	18.29	18.5
				256QAM	1	1	17.90	17.05	17.33	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)	
						631000	633332	635667		
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)		
						3465.00	3499.98	3535.00		
30	30	DFT-OFDM	PI2BPSK	1	1	21.54	21.83	21.74	22.0	
				1	39	22.43	22.22	22.45	22.5	
				1	76	20.16	19.94	20.34	20.5	
				36	0	22.30	21.94	22.49	22.5	
				36	21	21.83	21.72	21.60	22.0	
				36	41	21.97	22.33	21.80	22.5	
				75	0	21.85	21.70	21.97	22.0	
			QPSK	1	1	20.54	20.81	20.62	21.0	
				1	39	22.00	22.30	21.73	23.0	
				1	76	19.49	19.03	19.15	19.5	
				36	0	22.13	22.34	22.37	22.5	
				36	21	21.89	22.28	21.57	22.5	
				36	41	22.16	22.34	21.95	22.5	
				75	0	22.25	22.23	21.25	22.5	
			16QAM	1	1	18.95	18.58	18.43	19.0	
			64QAM	1	1	19.12	18.25	18.43	18.5	
			256QAM	1	1	17.79	17.25	17.38	17.5	
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)	
						631333	633332	635333		
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)		
						3470.00	3499.98	3530.00		
40	30	DFT-OFDM	PI2BPSK	1	1	21.44	21.65	21.59	22.0	
				1	53	22.22	22.44	22.36	22.5	
				1	104	20.47	19.95	20.33	20.5	
				50	0	22.03	22.13	22.40	22.5	
				50	28	21.86	21.69	21.73	22.0	
				50	55	22.08	22.43	21.67	22.5	
				100	0	21.91	21.81	21.72	22.0	
			QPSK	1	1	20.71	20.74	20.61	21.0	
				1	53	21.88	22.04	21.79	23.0	
				1	104	19.46	19.19	19.22	19.5	

				50	0	22.31	22.31	22.34	22.5
				50	28	22.03	22.13	21.61	22.5
				50	55	22.17	22.26	22.01	22.5
				100	0	22.36	22.27	21.30	22.5
			16QAM	1	1	19.11	18.58	18.34	19.0
			64QAM	1	1	19.09	18.32	18.22	18.5
			256QAM	1	1	17.95	17.04	17.27	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						631667	633332	635000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3475.00	3499.98	3525.00	
50	30	DFT-OFDM	PI2BPSK	1	1	21.51	21.85	21.63	22.0
				1	66	22.37	22.37	22.44	22.5
				1	131	20.37	20.19	20.33	20.5
				64	0	22.47	22.00	22.16	22.5
				64	34	21.82	21.69	21.68	22.0
				64	68	21.86	22.27	21.78	22.5
				128	0	21.79	21.81	21.80	22.0
			QPSK	1	1	20.74	20.74	20.29	21.0
				1	66	22.09	22.10	21.70	23.0
				1	131	19.42	18.98	19.22	19.5
				64	0	22.22	22.23	22.29	22.5
				64	34	22.11	22.32	21.71	22.5
				64	68	21.99	22.31	22.02	22.5
				128	0	22.38	22.26	21.38	22.5
			16QAM	1	1	19.24	18.57	18.30	19.0
			64QAM	1	1	19.03	18.44	18.35	18.5
			256QAM	1	1	17.71	17.08	17.50	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632000	633332	634667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3480.00	3499.98	3520.00	
60	30	DFT-OFDM	PI2BPSK	1	1	21.38	21.81	21.75	22.0
				1	81	22.24	22.41	22.18	22.5
				1	160	20.33	20.07	20.40	20.5
				81	0	22.34	21.86	22.34	22.5
				81	41	21.92	21.59	21.87	22.0
				81	80	22.02	22.21	21.76	22.5
				162	0	21.86	21.70	21.94	22.0
			QPSK	1	1	20.57	20.62	20.36	21.0

				1	81	22.06	22.01	21.78	23.0
				1	160	19.41	19.00	19.36	19.5
				81	0	22.29	22.21	22.05	22.5
				81	41	21.99	22.35	21.66	22.5
				81	80	21.99	22.32	21.92	22.5
				162	0	22.12	22.33	21.36	22.5
				16QAM	1	1	19.08	18.55	18.25
				64QAM	1	1	19.32	18.21	18.34
				256QAM	1	1	17.66	17.25	17.43
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632333	633332	634333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3485.00	3499.98	3515.00	
70	30	DFT-OFDM	PI2BPSK	1	1	21.58	21.78	21.57	22.0
				1	94	22.31	22.34	22.41	22.5
				1	187	20.45	20.01	20.42	20.5
				90	0	21.06	22.06	22.43	22.5
				90	49	21.89	21.50	21.76	22.0
				90	98	22.04	22.45	21.69	22.5
				180	0	21.94	21.78	21.76	22.0
			QPSK	1	1	20.63	20.81	20.35	21.0
				1	94	22.01	22.41	21.51	23.0
				1	187	19.40	19.16	19.28	19.5
				90	0	22.37	22.34	22.36	22.5
				90	49	22.16	22.13	21.72	22.5
				90	98	22.14	22.35	21.94	22.5
				180	0	22.21	22.20	21.26	22.5
			16QAM	1	1	18.98	18.40	18.41	19.0
			64QAM	1	1	19.16	18.30	18.47	18.5
			256QAM	1	1	17.85	17.09	17.25	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632667	633332	634000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3490.00	3499.98	3510.00	
80	30	DFT-OFDM	PI2BPSK	1	1	21.58	21.83	21.54	22.0
				1	108	22.37	22.16	22.14	22.5
				1	215	20.45	20.07	20.40	20.5
				108	0	22.46	22.03	21.89	22.5
				108	54	21.81	21.60	21.79	22.0
				108	108	22.01	22.25	21.74	22.5

				216	0	21.85	21.63	21.92	22.0
			QPSK	1	1	20.61	20.61	20.45	21.0
				1	108	22.05	22.28	21.54	23.0
				1	215	19.37	19.07	19.25	19.5
				108	0	22.35	22.40	22.14	22.5
				108	54	21.88	22.30	21.75	22.5
				108	108	22.05	22.27	21.87	22.5
				216	0	22.23	22.26	21.32	22.5
			16QAM	1	1	19.10	18.42	18.37	19.0
			64QAM	1	1	19.26	18.26	18.32	18.5
			256QAM	1	1	17.85	17.12	17.45	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						633000	633332	633667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3495.00	3499.98	3505.00	
90	30	DFT-OFDM	PI2BPSK	1	1	21.50	21.78	21.67	22.0
				1	122	22.26	22.17	22.39	22.5
				1	243	20.42	20.00	20.36	20.5
				120	0	22.44	21.97	22.45	22.5
				120	62	21.80	21.66	21.67	22.0
				120	124	21.97	22.38	21.73	22.5
				243	0	21.92	21.71	21.87	22.0
			QPSK	1	1	20.76	20.72	20.47	21.0
				1	122	22.03	22.18	21.68	23.0
				1	243	19.49	19.13	19.37	19.5
				120	0	22.23	22.20	22.33	22.5
				120	62	21.95	22.23	21.60	22.5
				120	124	22.07	22.27	21.98	22.5
				243	0	22.30	22.22	21.38	22.5
			16QAM	1	1	19.18	18.52	18.32	19.0
			64QAM	1	1	19.21	18.21	18.40	18.5
			256QAM	1	1	17.78	17.13	17.36	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						N/A	633332	N/A	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						N/A	3499.98	N/A	
100	30	DFT-OFDM	PI2BPSK	1	1	N/A	21.66	N/A	22.0
				1	136	N/A	22.16	N/A	22.5
				1	271	N/A	20.15	N/A	20.5
				135	0	N/A	22.09	N/A	22.5

				135	69	N/A	21.51	N/A	22.0
				135	137	N/A	22.28	N/A	22.5
				270	0	N/A	21.73	N/A	22.0
			QPSK	1	1	N/A	20.55	N/A	21.0
				1	136	N/A	22.33	N/A	23.0
				1	271	N/A	19.03	N/A	19.5
				135	0	N/A	22.33	N/A	22.5
				135	69	N/A	22.39	N/A	22.5
				135	137	N/A	22.32	N/A	22.5
				270	0	N/A	22.24	N/A	22.5
			16QAM	1	1	N/A	18.69	N/A	19.0
			64QAM	1	1	N/A	18.36	N/A	18.5
			256QAM	1	1	N/A	17.08	N/A	17.5

NR N77 C PC3

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647000	656000	665000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3705.00	3840.00	3975.00	
10	30	DFT-OFDM	PI2BPSK	1	1	22.54	23.29	24.22	24.5
				1	12	22.44	23.38	23.45	24.0
				1	22	23.39	24.03	23.34	24.5
				12	0	22.21	22.79	23.06	23.5
				12	6	22.16	23.76	23.80	24.0
				12	11	22.49	23.36	23.20	23.5
				24	0	21.75	23.00	22.95	23.5
			QPSK	1	1	22.80	23.36	24.10	24.5
				1	12	22.74	23.50	23.84	24.5
				1	22	23.15	23.92	23.45	24.5
				12	0	22.23	22.39	22.72	24.0
				12	6	22.55	23.60	23.53	24.0
				12	11	22.20	22.68	22.60	24.0
				24	0	21.31	22.44	22.56	23.0
			16QAM	1	1	21.80	22.06	23.20	23.5
			64QAM	1	1	20.30	20.95	21.57	22.0
			256QAM	1	1	18.64	18.73	19.87	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647167	656000	664833	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3707.50	3840.00	3972.50	
15	30	DFT-OFDM	PI2BPSK	1	1	22.59	23.31	24.22	24.5
				1	19	22.28	23.52	23.54	24.0
				1	36	23.48	24.13	23.36	24.5
				18	0	22.05	22.75	23.46	23.5
				18	10	22.40	23.75	23.79	24.0
				18	19	22.27	23.34	23.13	23.5
				36	0	21.70	23.14	23.24	23.5
			QPSK	1	1	22.66	23.53	23.95	24.5
				1	19	22.73	23.51	23.90	24.5
				1	36	23.24	24.07	23.44	24.5
				18	0	22.36	22.50	22.96	24.0
				18	10	22.44	23.75	23.41	24.0
				18	19	22.32	22.71	22.45	24.0

				36	0	21.42	22.37	22.54	23.0
			16QAM	1	1	21.61	22.31	23.38	23.5
			64QAM	1	1	20.34	20.85	21.60	22.0
			256QAM	1	1	18.78	18.93	19.91	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647333	656000	664667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3710.00	3840.00	3970.00	
20	30	DFT-OFDM	PI2BPSK	1	1	22.57	23.37	24.15	24.5
				1	25	22.44	23.49	23.51	24.0
				1	49	23.59	24.05	23.58	24.5
				25	0	22.28	22.68	23.42	23.5
				25	13	22.23	23.64	23.58	24.0
				25	25	22.30	23.35	23.13	23.5
				50	0	21.71	23.22	23.03	23.5
			QPSK	1	1	22.66	23.53	23.93	24.5
				1	25	22.73	23.30	23.67	24.5
				1	49	23.31	24.07	23.65	24.5
				25	0	22.47	22.35	22.97	24.0
				25	13	22.42	23.56	23.54	24.0
				25	25	22.23	22.74	22.42	24.0
				50	0	21.47	22.26	22.75	23.0
			16QAM	1	1	21.54	22.30	23.33	23.5
			64QAM	1	1	20.26	20.87	21.47	22.0
			256QAM	1	1	18.79	18.71	19.95	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647500	656000	664500	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3712.50	3840.00	3967.50	
25	30	DFT-OFDM	PI2BPSK	1	1	22.65	23.18	24.05	24.5
				1	32	22.42	23.64	23.67	24.0
				1	63	23.42	24.12	23.47	24.5
				32	0	22.26	22.71	23.31	23.5
				32	16	22.23	23.70	23.54	24.0
				32	32	22.25	23.16	23.14	23.5
				64	0	21.85	23.17	23.06	23.5
			QPSK	1	1	22.91	23.57	24.05	24.5
				1	32	22.82	23.28	23.71	24.5
				1	63	23.32	24.09	23.49	24.5
				32	0	22.29	22.35	22.68	24.0

				32	16	22.36	23.66	23.55	24.0
				32	32	22.33	22.71	22.44	24.0
				64	0	21.56	22.37	22.80	23.0
			16QAM	1	1	21.82	22.30	23.25	23.5
			64QAM	1	1	20.16	20.81	21.66	22.0
			256QAM	1	1	18.69	18.83	19.86	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647667	656000	664333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3715.00	3840.00	3965.00	
30	30	DFT-OFDM	PI2BPSK	1	1	22.63	23.35	24.05	24.5
				1	39	22.34	23.63	23.45	24.0
				1	76	23.56	23.89	23.48	24.5
				36	0	22.14	22.73	23.44	23.5
				36	21	22.42	23.70	23.51	24.0
				36	41	22.50	23.23	23.14	23.5
				75	0	21.97	23.19	23.01	23.5
			QPSK	1	1	22.77	23.58	24.06	24.5
				1	39	22.59	23.40	23.81	24.5
				1	76	23.22	23.94	23.62	24.5
				36	0	22.23	22.52	22.74	24.0
				36	21	22.37	23.69	23.56	24.0
				36	41	22.26	22.62	22.35	24.0
				75	0	21.41	22.25	22.57	23.0
			16QAM	1	1	21.61	22.16	23.31	23.5
			64QAM	1	1	20.13	20.77	21.66	22.0
			256QAM	1	1	18.59	18.85	19.65	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648000	656000	664000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3720.00	3840.00	3960.00	
40	30	DFT-OFDM	PI2BPSK	1	1	22.51	23.39	24.23	24.5
				1	53	22.28	23.61	23.48	24.0
				1	104	23.32	24.10	23.36	24.5
				50	0	22.21	22.73	23.16	23.5
				50	28	22.41	23.61	23.66	24.0
				50	55	22.34	23.40	23.13	23.5
				100	0	21.88	23.04	23.15	23.5
			QPSK	1	1	22.83	23.33	24.07	24.5
				1	53	22.69	23.36	23.60	24.5

				1	104	23.07	23.86	23.66	24.5
				50	0	22.27	22.26	22.79	24.0
				50	28	22.34	23.80	23.35	24.0
				50	55	22.32	22.65	22.44	24.0
				100	0	21.39	22.52	22.81	23.0
			16QAM	1	1	21.81	22.28	23.28	23.5
			64QAM	1	1	20.30	20.74	21.61	22.0
			256QAM	1	1	18.80	18.82	19.90	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648333	656000	663667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3725.00	3840.00	3955.00	
50	30	DFT-OFDM	PI2BPSK	1	1	22.56	23.12	24.22	24.5
				1	66	22.21	23.59	23.53	24.0
				1	131	23.52	23.93	23.40	24.5
				64	0	22.14	22.83	23.50	23.5
				64	34	22.40	23.74	23.66	24.0
				64	68	22.25	23.38	23.05	23.5
				128	0	21.81	23.21	23.16	23.5
			QPSK	1	1	22.91	23.41	23.95	24.5
				1	66	22.55	23.29	23.63	24.5
				1	131	23.30	23.98	23.44	24.5
				64	0	22.28	22.38	22.85	24.0
				64	34	22.36	23.74	23.42	24.0
				64	68	22.32	22.59	22.46	24.0
				128	0	21.37	22.52	22.71	23.0
			16QAM	1	1	21.78	22.06	23.47	23.5
			64QAM	1	1	20.21	20.95	21.51	22.0
			256QAM	1	1	18.88	18.75	19.45	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648667	656000	663333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3730.00	3840.00	3950.00	
60	30	DFT-OFDM	PI2BPSK	1	1	22.59	23.41	24.23	24.5
				1	81	22.43	23.65	23.54	24.0
				1	160	23.60	24.07	23.43	24.5
				81	0	22.15	22.83	23.49	23.5
				81	41	22.35	23.54	23.56	24.0
				81	80	22.50	23.21	23.16	23.5
				162	0	21.68	23.00	23.09	23.5

			QPSK	1	1	22.72	23.44	24.04	24.5
				1	81	22.81	23.39	23.81	24.5
				1	160	23.18	23.95	23.54	24.5
				81	0	22.22	22.32	22.81	24.0
				81	41	22.40	23.51	23.58	24.0
				81	80	22.32	22.65	22.54	24.0
				162	0	21.37	22.27	22.55	23.0
			16QAM	1	1	21.57	22.22	23.37	23.5
			64QAM	1	1	20.43	20.98	21.46	22.0
			256QAM	1	1	18.68	18.71	19.89	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649000	656000	663000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3735.00	3840.00	3945.00	
70	30	DFT-OFDM	PI2BPSK	1	1	22.85	23.12	24.08	24.5
				1	94	22.30	23.58	23.62	24.0
				1	187	23.35	24.08	23.50	24.5
				90	0	22.19	22.64	23.29	23.5
				90	49	22.32	23.52	23.78	24.0
				90	98	22.49	23.21	23.16	23.5
				180	0	21.82	23.06	23.14	23.5
			QPSK	1	1	22.74	23.42	23.84	24.5
				1	94	22.71	23.29	23.90	24.5
				1	187	23.18	23.98	23.57	24.5
				90	0	22.49	22.26	22.84	24.0
				90	49	22.53	23.74	23.54	24.0
				90	98	22.47	22.75	22.59	24.0
				180	0	21.46	22.36	22.80	23.0
			16QAM	1	1	21.77	22.23	23.29	23.5
			64QAM	1	1	20.35	20.90	21.58	22.0
			256QAM	1	1	18.70	18.69	19.93	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649333	656000	662667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3740.00	3840.00	3940.00	
80	30	DFT-OFDM	PI2BPSK	1	1	22.67	23.20	24.09	24.5
				1	108	22.28	23.40	23.46	24.0
				1	215	23.34	23.88	23.59	24.5
				108	0	22.11	22.84	23.26	23.5
				108	54	22.26	23.73	23.65	24.0

				108	108	22.30	23.24	23.21	23.5
				216	0	21.83	23.18	23.16	23.5
			QPSK	1	1	22.83	23.37	23.99	24.5
				1	108	22.81	23.35	23.67	24.5
				1	215	23.03	23.96	23.56	24.5
				108	0	22.44	22.49	22.96	24.0
				108	54	22.58	23.64	23.61	24.0
				108	108	22.50	22.81	22.62	24.0
				216	0	21.40	22.50	22.67	23.0
			16QAM	1	1	21.71	22.19	23.27	23.5
			64QAM	1	1	20.30	20.83	21.50	22.0
			256QAM	1	1	18.70	18.92	19.95	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649667	656000	662333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3745.00	3840.00	3935.00	
90	30	DFT-OFDM	PI2BPSK	1	1	22.50	23.27	24.17	24.5
				1	122	22.33	23.53	23.60	24.0
				1	243	23.46	24.00	23.48	24.5
				120	0	22.16	22.78	23.40	23.5
				120	62	22.31	23.65	23.65	24.0
				120	124	22.39	23.29	23.12	23.5
				243	0	21.82	23.12	23.10	23.5
			QPSK	1	1	22.80	23.44	23.97	24.5
				1	122	22.67	23.42	23.75	24.5
				1	243	23.18	24.00	23.53	24.5
				120	0	22.37	22.37	22.83	24.0
				120	62	22.45	23.66	23.46	24.0
				120	124	22.35	22.66	22.48	24.0
				243	0	21.42	22.40	22.67	23.0
			16QAM	1	1	21.67	22.16	23.34	23.5
			64QAM	1	1	20.28	20.88	21.51	22.0
			256QAM	1	1	18.73	18.79	19.99	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						650000	656000	662000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3750.00	3840.00	3930.00	
100	30	DFT-OFDM	PI2BPSK	1	1	22.52	23.2	24.02	24.5
				1	136	22.21	23.5	23.48	24.0
				1	271	23.35	24.01	23.62	24.5

				135	0	22.31	22.85	23.26	23.5
				135	69	22.43	23.53	23.53	24.0
				135	137	22.41	23.22	23.03	23.5
				270	0	21.95	23.05	23.09	23.5
			QPSK	1	1	22.65	23.3	23.9	24.5
				1	136	22.81	23.38	23.6	24.5
				1	271	23.2	24.03	23.48	24.5
				135	0	22.33	22.36	22.75	24.0
				135	69	22.39	23.52	23.56	24.0
				135	137	22.28	22.73	22.53	24.0
				270	0	21.42	22.5	22.57	23.0
			16QAM	1	1	21.63	22.27	23.23	23.5
			64QAM	1	1	20.14	20.75	21.51	22.0
			256QAM	1	1	18.65	18.82	19.84	20.0

Sensor on

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647000	656000	665000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3705	3840	3975	
10	30	DFT-OFDM	PI2BPSK	1	1	21.05	21.73	22.65	23.0
				1	12	20.98	21.82	21.93	22.5
				1	22	21.81	22.42	21.87	22.5
				12	0	20.75	21.25	21.5	22.0
				12	6	20.69	22.27	22.29	22.5
				12	11	21.01	21.86	21.66	22.0
				24	0	20.23	21.51	21.44	22.0
			QPSK	1	1	21.24	21.82	22.41	22.5
				1	12	21.17	21.96	22.35	22.5
				1	22	21.69	22.35	21.99	22.5
				12	0	20.67	20.92	21.14	21.5
				12	6	21.04	22	21.95	22.5
				12	11	20.65	21.15	21.01	21.5
				24	0	19.8	20.9	21.1	21.5
			16QAM	1	1	20.3	20.61	21.69	22.0
			64QAM	1	1	18.79	19.38	20	20.5
			256QAM	1	1	17.08	17.24	18.37	18.5
		Mode	Modulation			Channel No.	Channel No.	Channel No.	

Bandwidth (MHz)	SCS (kHz)			RB size	RB offset	647166.6667	656000	664833.3333	Tune-up Limit (dBm)
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3707.5	3840	3972.5	
15	30	DFT-OFDM	PI2BPSK	1	1	21.09	21.82	22.67	23.0
				1	19	20.71	21.93	22.01	22.5
				1	36	22.03	22.38	21.9	22.5
				18	0	20.46	21.15	21.93	22.0
				18	10	20.9	22.3	22.32	22.5
				18	19	20.74	21.87	21.54	22.0
				36	0	20.1	21.55	21.68	22.0
			QPSK	1	1	21.16	21.94	22.47	22.5
				1	19	21.26	21.97	22.4	22.5
				1	36	21.7	22.49	21.88	22.5
				18	0	20.9	21.01	21.38	21.5
				18	10	20.84	22.15	21.89	22.5
				18	19	20.83	21.19	21	21.5
				36	0	19.96	20.89	21.06	21.5
			16QAM	1	1	20.14	20.72	21.89	22.0
			64QAM	1	1	18.75	19.37	20.11	20.5
			256QAM	1	1	17.33	17.37	18.43	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647333.3333	656000	664666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3710	3840	3970	
20	30	DFT-OFDM	PI2BPSK	1	1	21.07	21.87	22.7	23.0
				1	25	20.93	21.89	22.06	22.5
				1	49	22.14	22.41	21.98	22.5
				25	0	20.74	21.12	21.86	22.0
				25	13	20.73	22.17	22.04	22.5
				25	25	20.78	21.84	21.67	22.0
				50	0	20.14	21.64	21.51	22.0
			QPSK	1	1	21.17	21.94	22.4	22.5
				1	25	21.15	21.76	22.19	22.5
				1	49	21.79	22.5	22.18	22.5
				25	0	21.02	20.9	21.42	21.5
				25	13	20.84	22	21.94	22.5
				25	25	20.77	21.29	20.91	21.5
				50	0	19.96	20.7	21.23	21.5
			16QAM	1	1	20.06	20.73	21.86	22.0
			64QAM	1	1	18.78	19.31	19.96	20.5

			256QAM	1	1	17.28	17.25	18.42	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647500	656000	664500	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3712.5	3840	3967.5	
25	30	DFT-OFDM	PI2BPSK	1	1	21.05	21.68	22.54	23.0
				1	32	20.89	22.1	22.09	22.5
				1	63	21.93	22.36	21.92	22.5
				32	0	20.73	21.18	21.86	22.0
				32	16	20.69	22.23	21.96	22.5
				32	32	20.79	21.67	21.68	22.0
				64	0	20.29	21.59	21.61	22.0
			QPSK	1	1	21.4	22.09	22.45	22.5
				1	32	21.33	21.72	22.16	22.5
				1	63	21.73	22.15	21.89	22.5
				32	0	20.8	20.82	21.14	21.5
				32	16	20.88	22.2	21.97	22.5
				32	32	20.81	21.13	20.9	21.5
				64	0	20.09	20.86	21.21	21.5
			16QAM	1	1	20.25	20.75	21.67	22.0
			64QAM	1	1	18.62	19.34	20.06	20.5
			256QAM	1	1	17.18	17.3	18.38	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647666.6667	656000	664333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3715	3840	3965	
30	30	DFT-OFDM	PI2BPSK	1	1	21.16	21.81	22.49	23.0
				1	39	20.82	22.06	21.92	22.5
				1	76	22.1	22.34	22.01	22.5
				36	0	20.65	21.2	21.88	22.0
				36	21	20.95	22.11	22.04	22.5
				36	41	20.95	21.67	21.68	22.0
				75	0	20.41	21.69	21.46	22.0
			QPSK	1	1	21.19	21.98	22.07	22.5
				1	39	21.03	21.87	22.35	22.5
				1	76	21.71	22.47	22.09	22.5
				36	0	20.72	21.01	21.19	21.5
				36	21	20.9	22.24	22.03	22.5
				36	41	20.71	21.14	20.8	21.5
				75	0	19.82	20.68	21.1	21.5

			16QAM	1	1	20.15	20.7	21.8	22.0
			64QAM	1	1	18.55	19.3	20.09	20.5
			256QAM	1	1	17.05	17.4	18.08	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648000	656000	664000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3720	3840	3960	
40	30	DFT-OFDM	PI2BPSK	1	1	21.04	21.85	22.64	23.0
				1	53	20.73	22.14	21.88	22.5
				1	104	21.8	22.06	21.79	22.5
				50	0	20.64	21.28	21.65	22.0
				50	28	20.84	22.15	22.21	22.5
				50	55	20.8	21.92	21.56	22.0
				100	0	20.4	21.55	21.66	22.0
			QPSK	1	1	21.29	21.79	22.49	22.5
				1	53	21.12	21.8	22.14	22.5
				1	104	21.51	22.29	22.2	22.5
				50	0	20.78	20.67	21.24	21.5
				50	28	20.89	22.25	21.83	22.5
				50	55	20.79	21.07	20.96	21.5
				100	0	19.91	21.07	21.25	21.5
			16QAM	1	1	20.34	20.7	21.83	22.0
			64QAM	1	1	18.82	19.21	20.07	20.5
			256QAM	1	1	17.27	17.22	18.38	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648333.3333	656000	663666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3725	3840	3955	
50	30	DFT-OFDM	PI2BPSK	1	1	21	21.52	22.62	23.0
				1	66	20.72	21.99	22.07	22.5
				1	131	22.02	22.38	21.95	22.5
				64	0	20.61	21.35	21.68	22.0
				64	34	20.89	22.21	22.12	22.5
				64	68	20.65	21.81	21.59	22.0
				128	0	20.22	21.76	21.7	22.0
			QPSK	1	1	21.39	21.87	22.39	22.5
				1	66	21.06	21.78	22.03	22.5
				1	131	21.83	22.38	21.93	22.5
				64	0	20.72	20.89	21.3	21.5
				64	34	20.9	22.2	21.85	22.5

				64	68	20.83	21.04	20.86	21.5
				128	0	19.91	20.94	21.26	21.5
			16QAM	1	1	20.29	20.52	21.9	22.0
			64QAM	1	1	18.74	19.45	20	20.5
			256QAM	1	1	17.29	17.15	17.96	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648666.6667	656000	663333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3730	3840	3950	
60	30	DFT-OFDM	PI2BPSK	1	1	21.12	21.9	22.65	23.0
				1	81	20.85	22.16	21.98	22.5
				1	160	22.13	22.41	21.86	22.5
				81	0	20.56	21.28	22	22.0
				81	41	20.82	21.99	22.11	22.5
				81	80	21.05	21.65	21.62	22.0
				162	0	20.21	21.53	21.63	22.0
			QPSK	1	1	21.21	21.9	22.5	22.5
				1	81	21.28	21.8	22.25	22.5
				1	160	21.59	22.4	22.05	22.5
				81	0	20.75	20.83	21.31	21.5
				81	41	20.9	21.95	22.01	22.5
				81	80	20.86	21.15	21.06	21.5
				162	0	19.8	20.7	21.01	21.5
			16QAM	1	1	20.45	20.73	21.87	22.0
			64QAM	1	1	18.92	19.5	19.87	20.5
			256QAM	1	1	17.11	17.15	18.4	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649000	656000	663000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3735	3840	3945	
70	30	DFT-OFDM	PI2BPSK	1	1	21.28	21.59	22.5	23.0
				1	94	20.75	22.11	22.03	22.5
				1	187	21.77	22.35	22.03	22.5
				90	0	20.74	21.06	21.69	22.0
				90	49	20.86	22	22.22	22.5
				90	98	20.94	21.75	21.66	22.0
				180	0	20.27	21.52	21.67	22.0
			QPSK	1	1	21.17	21.91	22.28	22.5
				1	94	21.22	21.75	22.36	22.5
				1	187	21.71	22.4	22.03	22.5

				90	0	20.92	20.73	21.28	21.5
				90	49	21.02	22.25	22.02	22.5
				90	98	20.95	21.29	21.1	21.5
				180	0	19.91	20.81	21.35	21.5
			16QAM	1	1	20.18	20.7	21.73	22.0
			64QAM	1	1	18.81	19.37	20.09	20.5
			256QAM	1	1	17.16	17.18	18.44	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649333.3333	656000	662666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3740	3840	3940	
80	30	DFT-OFDM	PI2BPSK	1	1	21.1	21.65	22.51	23.0
				1	108	20.76	21.94	21.89	22.5
				1	215	21.78	22.43	22.1	22.5
				108	0	20.64	21.36	21.68	22.0
				108	54	20.75	22.22	22.19	22.5
				108	108	20.75	21.76	21.67	22.0
				216	0	20.24	21.58	21.66	22.0
			QPSK	1	1	21.36	21.85	22.43	22.5
				1	108	21.31	21.79	22.17	22.5
				1	215	21.46	22.41	22.05	22.5
				108	0	20.94	20.96	21.5	21.5
				108	54	21.11	22.08	22.16	22.5
				108	108	20.9	21.26	21.03	21.5
				216	0	19.87	21.04	21.18	21.5
			16QAM	1	1	20.24	20.65	21.82	22.0
			64QAM	1	1	18.75	19.35	20.02	20.5
			256QAM	1	1	17.11	17.33	18.48	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649666.6667	656000	662333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3745	3840	3935	
90	30	DFT-OFDM	PI2BPSK	1	1	21.01	21.74	22.68	23.0
				1	122	20.83	21.96	22.08	22.5
				1	243	21.88	22.46	21.98	22.5
				120	0	20.64	21.23	21.85	22.0
				120	62	20.84	22.16	22.19	22.5
				120	124	20.91	21.83	21.6	22.0
				243	0	20.26	21.56	21.55	22.0
			QPSK	1	1	21.29	21.95	22.45	22.5

				1	122	21.11	21.97	22.16	22.5
				1	243	21.62	22.45	22.08	22.5
				120	0	20.87	20.83	21.29	21.5
				120	62	20.85	22.18	22	22.5
				120	124	20.8	21.06	20.93	21.5
				243	0	19.93	20.93	21.13	21.5
			16QAM	1	1	20.13	20.64	21.74	22.0
			64QAM	1	1	18.68	19.39	20.02	20.5
			256QAM	1	1	17.27	17.26	18.44	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						650000		662000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3750	3840	3930	
100	30	DFT-OFDM	PI2BPSK	1	1	21.05	21.64	22.5	23.0
				1	136	20.67	22.03	21.88	22.5
				1	271	21.79	22.43	22.04	22.5
				135	0	20.83	21.4	21.79	22.0
				135	69	20.94	22.07	22.04	22.5
				135	137	20.86	21.7	21.46	22.0
				270	0	20.47	21.57	21.53	22.0
			QPSK	1	1	21.2	21.73	22.35	22.5
				1	136	21.26	21.81	22.05	22.5
				1	271	22.35	22.49	21.93	22.5
				135	0	20.76	20.83	21.27	21.5
				135	69	22.47	22.05	22.48	22.5
				135	137	20.68	21.14	20.98	21.5
				270	0	19.92	21.03	21.05	21.5
			16QAM	1	1	20.04	20.81	21.71	22.0
			64QAM	1	1	18.67	19.26	20.04	20.5
			256QAM	1	1	17.09	17.31	18.25	18.5

EN-DC+WLAN Sensor on

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647000	656000	665000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3705.00	3840.00	3975.00	
10	30	DFT-OFDM	PI2BPSK	1	1	20.13	20.78	21.63	22.0
				1	12	19.91	20.79	20.86	21.5

				1	22	20.82	21.44	20.89	21.5
				12	0	19.69	20.19	20.50	21.5
				12	6	19.74	21.31	21.30	21.5
				12	11	19.97	20.87	20.64	21.5
				24	0	19.32	20.56	20.55	21.0
			QPSK	1	1	20.34	20.79	21.43	21.5
				1	12	20.18	20.93	21.27	21.5
				1	22	20.59	21.40	21.05	22.0
				12	0	19.63	19.89	20.31	21.0
				12	6	20.06	21.12	21.08	21.5
				12	11	19.65	20.16	20.11	21.0
				24	0	18.83	19.94	20.06	20.5
			16QAM	1	1	19.38	19.55	20.61	21.0
			64QAM	1	1	17.80	18.38	19.05	19.5
			256QAM	1	1	16.07	16.32	17.35	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647167	656000	664833	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3707.50	3840.00	3972.50	
15	30	DFT-OFDM	PI2BPSK	1	1	20.11	20.87	21.80	22.0
				1	19	19.84	20.96	21.09	21.5
				1	36	21.08	21.06	20.94	21.5
				18	0	19.99	20.30	20.91	21.5
				18	10	19.80	21.27	21.22	21.5
				18	19	19.67	20.80	20.62	21.5
				36	0	19.17	20.57	20.69	21.0
			QPSK	1	1	20.09	20.99	21.43	21.5
				1	19	20.24	21.09	21.31	21.5
				1	36	20.80	21.64	20.87	22.0
				18	0	19.95	20.01	20.40	21.0
				18	10	19.98	21.35	21.01	21.5
				18	19	19.87	20.21	19.99	21.0
				36	0	18.97	19.94	19.95	20.5
			16QAM	1	1	19.18	19.80	20.92	21.0
			64QAM	1	1	17.75	18.36	19.05	19.5
			256QAM	1	1	16.24	16.34	17.40	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647333	656000	664667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3710.00	3840.00	3970.00	

20	30	DFT-OFDM	PI2BPSK	1	1	20.02	20.91	21.61	22.0
				1	25	19.98	20.95	20.93	21.5
				1	49	21.09	21.36	21.16	21.5
				25	0	19.76	20.19	20.96	21.5
				25	13	19.68	21.16	20.98	21.5
				25	25	19.86	20.86	20.70	21.5
				50	0	19.21	20.69	20.61	21.0
			QPSK	1	1	20.26	21.04	21.38	21.5
				1	25	20.20	20.84	21.10	21.5
				1	49	20.73	21.53	21.11	22.0
				25	0	19.88	19.89	20.41	21.0
				25	13	19.90	21.07	21.00	21.5
				25	25	19.69	20.24	19.84	21.0
				50	0	18.93	19.71	20.31	20.5
			16QAM	1	1	19.13	19.72	20.73	21.0
			64QAM	1	1	17.75	18.45	18.87	19.5
			256QAM	1	1	16.30	16.21	17.45	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647500	656000	664500	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3712.50	3840.00	3967.50	
25	30	DFT-OFDM	PI2BPSK	1	1	20.12	20.72	21.61	22.0
				1	32	19.97	21.08	21.15	21.5
				1	63	21.01	21.42	20.97	21.5
				32	0	19.74	20.20	20.77	21.5
				32	16	19.77	21.22	20.94	21.5
				32	32	19.71	20.72	20.62	21.5
				64	0	19.35	20.64	20.62	21.0
			QPSK	1	1	20.45	21.14	21.50	21.5
				1	32	20.32	20.86	21.17	21.5
				1	63	20.80	21.64	20.98	22.0
				32	0	19.76	19.84	20.24	21.0
				32	16	19.90	21.10	20.99	21.5
				32	32	19.79	20.31	19.90	21.0
				64	0	18.97	19.90	20.27	20.5
			16QAM	1	1	19.37	19.86	20.66	21.0
			64QAM	1	1	17.62	18.28	19.26	19.5
			256QAM	1	1	16.23	16.35	17.44	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up
						647667	656000	664333	

						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	Limit (dBm)
						3715.00	3840.00	3965.00	
30	30	DFT-OFDM	PI2BPSK	1	1	20.06	20.80	21.55	22.0
				1	39	19.93	21.17	20.96	21.5
				1	76	20.99	21.42	20.91	21.5
				36	0	19.65	20.32	20.84	21.5
				36	21	20.01	21.25	21.10	21.5
				36	41	19.95	20.83	20.55	21.5
				75	0	19.44	20.67	20.50	21.0
			QPSK	1	1	20.28	21.12	21.50	21.5
				1	39	19.99	20.95	21.32	21.5
				1	76	20.72	21.54	21.08	22.0
				36	0	19.63	20.04	20.27	21.0
				36	21	19.95	21.18	21.08	21.5
				36	41	19.76	20.07	19.81	21.0
				75	0	18.93	19.85	20.17	20.5
			16QAM	1	1	19.11	19.73	20.75	21.0
			64QAM	1	1	17.61	18.34	19.19	19.5
			256QAM	1	1	16.11	16.45	17.13	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648000	656000	664000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3720.00	3840.00	3960.00	
40	30	DFT-OFDM	PI2BPSK	1	1	21.35	20.97	21.82	22.0
				1	53	19.73	21.02	20.95	21.5
				1	104	20.81	21.49	20.89	21.5
				50	0	19.61	20.30	20.58	21.5
				50	28	19.88	21.12	21.11	21.5
				50	55	19.91	20.89	20.67	21.5
				100	0	19.39	20.45	20.70	21.0
			QPSK	1	1	20.34	20.82	21.38	21.5
				1	53	20.29	20.91	21.03	21.5
				1	104	20.65	21.26	21.10	22.0
				50	0	19.75	19.79	20.23	21.0
				50	28	19.90	21.35	20.88	21.5
				50	55	19.82	20.08	19.87	21.0
				100	0	18.99	19.93	20.41	20.5
			16QAM	1	1	19.29	19.86	20.83	21.0
			64QAM	1	1	17.90	18.23	19.17	19.5
			256QAM	1	1	16.27	16.25	17.44	17.5

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						648333	656000	663667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3725.00	3840.00	3955.00	
50	30	DFT-OFDM	PI2BPSK	1	1	21.46	20.61	21.70	22.0
				1	66	19.73	21.09	21.07	21.5
				1	131	21.08	21.36	20.89	21.5
				64	0	19.60	20.42	21.06	21.5
				64	34	19.83	21.34	21.13	21.5
				64	68	19.74	20.90	20.59	21.5
				128	0	19.32	20.63	20.62	21.0
			QPSK	1	1	20.31	20.95	21.43	21.5
				1	66	19.95	20.71	21.04	21.5
				1	131	20.90	21.57	20.92	22.0
				64	0	19.88	19.97	20.40	21.0
				64	34	19.81	21.20	20.89	21.5
				64	68	19.88	20.07	19.91	21.0
				128	0	18.93	20.01	20.11	20.5
			16QAM	1	1	19.34	19.61	20.85	21.0
			64QAM	1	1	17.62	18.49	18.98	19.5
			256QAM	1	1	16.29	16.29	16.95	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						648667	656000	663333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3730.00	3840.00	3950.00	
60	30	DFT-OFDM	PI2BPSK	1	1	20.18	20.99	21.74	22.0
				1	81	19.98	21.24	21.04	21.5
				1	160	21.03	21.47	21.01	21.5
				81	0	19.55	20.30	20.97	21.5
				81	41	19.83	21.14	21.04	21.5
				81	80	19.99	20.66	20.62	21.5
				162	0	19.09	20.55	20.54	21.0
			QPSK	1	1	20.17	20.92	21.38	21.5
				1	81	20.37	20.85	21.22	21.5
				1	160	20.64	21.52	20.94	22.0
				81	0	19.82	19.92	20.36	21.0
				81	41	19.91	21.01	21.10	21.5
				81	80	19.86	20.21	20.13	21.0
				162	0	18.86	19.75	20.14	20.5
			16QAM	1	1	19.13	19.67	20.94	21.0