

			64QAM	1	1	17.93	18.54	19.00	19.5
			256QAM	1	1	16.14	16.11	17.47	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						649000	656000	663000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3735.00	3840.00	3945.00	
70	30	DFT-OFDM	PI2BPSK	1	1	20.40	20.64	21.49	22.0
				1	94	19.72	21.08	21.22	21.5
				1	187	20.92	21.46	20.95	21.5
				90	0	19.63	20.12	20.74	21.5
				90	49	19.89	21.11	21.19	21.5
				90	98	20.06	20.80	20.59	21.5
				180	0	19.41	20.59	20.55	21.0
			QPSK	1	1	20.15	20.82	21.28	21.5
				1	94	20.17	20.79	21.39	21.5
				1	187	20.72	21.52	21.08	22.0
				90	0	19.96	19.83	20.44	21.0
				90	49	20.00	21.17	21.11	21.5
				90	98	20.05	20.17	20.16	21.0
				180	0	18.93	19.93	20.37	20.5
			16QAM	1	1	19.17	19.67	20.79	21.0
			64QAM	1	1	17.83	18.32	19.14	19.5
			256QAM	1	1	16.18	16.18	17.45	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						649333	656000	662667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3740.00	3840.00	3940.00	
80	30	DFT-OFDM	PI2BPSK	1	1	20.24	20.64	21.68	22.0
				1	108	19.74	20.91	20.89	21.5
				1	215	20.83	21.35	21.11	21.5
				108	0	19.63	20.43	20.66	21.5
				108	54	19.75	21.18	21.14	21.5
				108	108	19.85	20.67	20.61	21.5
				216	0	19.39	20.77	20.60	21.0
			QPSK	1	1	20.27	20.85	21.45	21.5
				1	108	20.21	20.87	21.12	21.5
				1	215	20.58	21.47	21.00	22.0
				108	0	20.00	19.99	20.40	21.0
				108	54	20.02	21.22	21.01	21.5
				108	108	19.99	20.27	20.21	21.0

				216	0	18.85	19.94	20.10	20.5
			16QAM	1	1	19.18	19.60	20.80	21.0
			64QAM	1	1	17.82	18.42	18.98	19.5
			256QAM	1	1	16.11	16.48	17.36	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649667	656000	662333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3745.00	3840.00	3935.00	
90	30	DFT-OFDM	PI2BPSK	1	1	20.03	20.77	21.77	22.0
				1	122	19.78	21.04	21.16	21.5
				1	243	21.01	21.35	21.01	21.5
				120	0	19.67	20.27	20.90	21.5
				120	62	19.87	21.10	21.11	21.5
				120	124	19.80	20.84	20.66	21.5
				243	0	19.29	20.54	20.66	21.0
			QPSK	1	1	20.34	21.01	21.38	21.5
				1	122	20.21	20.91	21.18	21.5
				1	243	20.61	21.45	21.13	22.0
				120	0	19.92	19.77	20.26	21.0
				120	62	19.93	21.22	21.01	21.5
				120	124	19.80	20.17	19.96	21.0
				243	0	19.00	19.90	20.18	20.5
			16QAM	1	1	19.10	19.69	20.84	21.0
			64QAM	1	1	17.71	18.38	19.02	19.5
			256QAM	1	1	16.19	16.27	17.44	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						650000	656000	662000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3750.00	3840.00	3930.00	
100	30	DFT-OFDM	PI2BPSK	1	1	20.03	20.76	21.51	22.0
				1	136	19.7	20.92	20.93	21.5
				1	271	20.8	21.46	21.18	21.5
				135	0	19.81	20.31	20.67	21.5
				135	69	19.87	20.95	20.95	21.5
				135	137	19.89	20.74	20.53	21.5
				270	0	19.45	20.46	20.49	21.0
			QPSK	1	1	20.07	20.81	21.36	21.5
				1	136	20.3	20.85	21.12	21.5
				1	271	21.44	21.56	20.98	22.0
				135	0	19.86	19.78	20.29	21.0

				135	69	21.14	21.45	21.46	21.5
				135	137	19.88	20.31	19.98	21.0
				270	0	18.84	19.91	20	20.5
			16QAM	1	1	19.09	19.85	20.76	21.0
			64QAM	1	1	17.61	18.35	19.09	19.5
			256QAM	1	1	16.15	16.4	17.29	17.5

NR N77 C PC2

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647000	656000	665000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3705.00	3840.00	3975.00	
10	30	DFT-OFDM	PI2BPSK	1	1	24.00	24.35	24.31	24.5
				1	12	24.91	25.02	25.14	25.5
				1	22	22.89	22.63	22.95	23.5
				12	0	24.85	24.43	24.77	25.0
				12	6	24.85	24.32	24.25	25.0
				12	11	24.48	24.77	24.18	25.0
				24	0	24.35	24.28	24.16	24.5
			QPSK	1	1	23.13	23.24	23.04	23.5
				1	12	24.60	24.87	24.06	25.5
				1	22	23.05	21.57	21.90	23.5
				12	0	24.95	24.54	24.68	25.0
				12	6	24.37	24.36	24.50	25.0
				12	11	24.45	24.94	24.34	25.0
				24	0	24.85	24.71	23.79	25.0
			16QAM	1	1	21.91	20.98	20.72	22.0
			64QAM	1	1	21.32	20.69	20.83	22.0
			256QAM	1	1	20.08	19.75	19.86	20.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647167	656000	664833	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3707.50	3840.00	3972.50	
15	30	DFT-OFDM	PI2BPSK	1	1	24.08	24.30	24.06	24.5
				1	19	24.78	25.02	25.30	25.5
				1	36	23.02	22.72	22.92	23.5
				18	0	24.87	24.29	24.89	25.0
				18	10	24.63	24.43	23.97	25.0
				18	19	24.48	24.79	24.26	25.0
				36	0	24.33	24.33	24.31	24.5
			QPSK	1	1	23.16	23.37	22.91	23.5
				1	19	24.49	24.69	23.98	25.5
				1	36	22.99	22.16	21.98	23.5
				18	0	24.92	24.60	24.69	25.0
				18	10	24.47	24.98	24.34	25.0
				18	19	24.51	24.69	24.47	25.0

				36	0	24.32	24.71	23.80	25.0
			16QAM	1	1	21.99	21.02	20.56	22.0
			64QAM	1	1	21.45	20.73	20.90	22.0
			256QAM	1	1	20.13	19.74	19.91	20.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647333	656000	664667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3710.00	3840.00	3970.00	
20	30	DFT-OFDM	PI2BPSK	1	1	24.08	24.26	24.22	24.5
				1	25	24.76	25.21	25.12	25.5
				1	49	22.88	22.59	23.17	23.5
				25	0	24.82	24.15	24.82	25.0
				25	13	24.93	24.38	24.08	25.0
				25	25	24.51	24.26	24.36	25.0
				50	0	24.46	24.40	24.20	24.5
			QPSK	1	1	23.18	23.18	22.80	23.5
				1	25	24.47	24.69	24.14	25.5
				1	49	22.98	22.34	21.79	23.5
				25	0	24.85	24.61	24.78	25.0
				25	13	24.28	24.69	24.23	25.0
				25	25	24.49	24.88	24.53	25.0
				50	0	24.97	24.64	23.69	25.0
			16QAM	1	1	21.97	21.13	20.75	22.0
			64QAM	1	1	21.46	20.77	20.94	22.0
			256QAM	1	1	20.28	19.79	19.91	20.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647500	656000	664500	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3712.50	3840.00	3967.50	
25	30	DFT-OFDM	PI2BPSK	1	1	24.06	24.16	24.14	24.5
				1	32	24.75	25.05	25.12	25.5
				1	63	23.08	22.48	23.15	23.5
				32	0	24.89	24.40	24.95	25.0
				32	16	24.91	24.37	24.16	25.0
				32	32	24.25	24.90	24.27	25.0
				64	0	24.41	24.27	24.35	24.5
			QPSK	1	1	23.32	23.39	22.97	23.5
				1	32	24.68	24.74	24.06	25.5
				1	63	23.26	21.67	21.95	23.5
				32	0	24.96	24.62	24.95	25.0

				32	16	24.49	24.99	24.49	25.0
				32	32	24.53	24.96	24.47	25.0
				64	0	24.16	24.54	23.72	25.0
			16QAM	1	1	21.88	21.19	20.66	22.0
			64QAM	1	1	21.39	20.68	21.04	22.0
			256QAM	1	1	20.15	19.62	19.94	20.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647667	656000	664333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3715.00	3840.00	3965.00	
30	30	DFT-OFDM	PI2BPSK	1	1	24.16	24.27	24.06	24.5
				1	39	25.00	25.18	25.34	25.5
				1	76	22.98	22.60	23.15	23.5
				36	0	24.26	24.36	24.83	25.0
				36	21	24.64	24.42	24.01	25.0
				36	41	24.33	24.87	24.38	25.0
				75	0	24.28	24.33	24.41	24.5
			QPSK	1	1	23.13	23.15	23.00	23.5
				1	39	24.62	24.81	24.03	25.5
				1	76	23.10	21.61	21.82	23.5
				36	0	24.96	24.72	24.88	25.0
				36	21	24.42	24.39	24.36	25.0
				36	41	24.36	24.70	24.46	25.0
				75	0	24.69	24.73	23.81	25.0
			16QAM	1	1	21.98	21.08	20.56	22.0
			64QAM	1	1	21.48	20.70	20.82	22.0
			256QAM	1	1	20.18	19.78	19.94	20.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648000	656000	664000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3720.00	3840.00	3960.00	
40	30	DFT-OFDM	PI2BPSK	1	1	24.18	24.41	24.17	24.5
				1	53	24.81	25.04	25.42	25.5
				1	104	23.06	22.51	22.89	23.5
				50	0	24.97	24.17	24.75	25.0
				50	28	24.77	24.32	23.96	25.0
				50	55	24.48	24.81	24.14	25.0
				100	0	24.34	24.42	24.31	24.5
			QPSK	1	1	23.11	23.18	23.01	23.5
				1	53	24.50	24.84	24.26	25.5

				1	104	23.00	22.15	21.82	23.5
				50	0	24.97	24.48	24.99	25.0
				50	28	24.50	24.99	24.49	25.0
				50	55	24.59	24.88	24.44	25.0
				100	0	24.95	24.71	23.78	25.0
			16QAM	1	1	21.95	21.15	20.80	22.0
			64QAM	1	1	21.41	20.58	21.04	22.0
			256QAM	1	1	20.19	19.78	19.72	20.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648333	656000	663667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3725.00	3840.00	3955.00	
50	30	DFT-OFDM	PI2BPSK	1	1	24.14	24.23	24.23	24.5
				1	66	24.83	25.20	25.34	25.5
				1	131	22.95	22.55	23.06	23.5
				64	0	24.88	24.23	24.92	25.0
				64	34	24.93	24.35	24.00	25.0
				64	68	24.45	24.72	24.22	25.0
				128	0	24.50	24.32	24.34	24.5
			QPSK	1	1	23.15	23.19	22.94	23.5
				1	66	24.48	24.67	23.99	25.5
				1	131	22.97	21.58	21.72	23.5
				64	0	24.16	24.45	24.16	25.0
				64	34	24.41	24.95	24.44	25.0
				64	68	24.59	24.77	24.35	25.0
				128	0	24.52	24.64	23.76	25.0
			16QAM	1	1	21.75	21.17	20.69	22.0
			64QAM	1	1	21.39	20.68	20.95	22.0
			256QAM	1	1	20.16	19.86	19.91	20.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648667	656000	663333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3730.00	3840.00	3950.00	
60	30	DFT-OFDM	PI2BPSK	1	1	24.00	24.34	24.30	24.5
				1	81	24.75	24.98	25.28	25.5
				1	160	23.12	22.42	23.08	23.5
				81	0	24.96	24.27	24.98	25.0
				81	41	24.88	24.32	24.10	25.0
				81	80	24.49	24.85	24.25	25.0
				162	0	24.36	24.47	24.21	24.5

			QPSK	1	1	23.36	23.18	23.03	23.5
				1	81	24.48	24.88	24.09	25.5
				1	160	23.23	21.51	21.96	23.5
				81	0	24.58	24.68	24.96	25.0
				81	41	24.50	24.71	24.37	25.0
				81	80	24.48	24.97	24.48	25.0
				162	0	24.88	24.63	23.77	25.0
			16QAM	1	1	21.85	21.09	20.68	22.0
			64QAM	1	1	21.50	20.60	21.05	22.0
			256QAM	1	1	20.01	19.68	19.91	20.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649000	656000	663000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3735.00	3840.00	3945.00	
70	30	DFT-OFDM	PI2BPSK	1	1	24.01	24.41	24.30	24.5
				1	94	24.98	25.20	25.20	25.5
				1	187	22.95	22.44	23.04	23.5
				90	0	24.64	24.34	24.74	25.0
				90	49	24.84	24.58	24.24	25.0
				90	98	24.48	24.72	24.28	25.0
				180	0	24.29	24.38	24.37	24.5
			QPSK	1	1	23.07	23.30	22.86	23.5
				1	94	24.58	24.83	24.21	25.5
				1	187	23.17	21.56	21.95	23.5
				90	0	24.92	24.45	24.67	25.0
				90	49	24.56	24.88	24.40	25.0
				90	98	24.52	24.80	24.56	25.0
				180	0	24.49	24.62	23.84	25.0
			16QAM	1	1	21.83	21.16	20.57	22.0
			64QAM	1	1	21.48	20.64	20.83	22.0
			256QAM	1	1	20.10	19.63	19.90	20.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649333	656000	662667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3740.00	3840.00	3940.00	
80	30	DFT-OFDM	PI2BPSK	1	1	24.17	24.33	24.21	24.5
				1	108	24.78	25.11	25.15	25.5
				1	215	22.88	22.66	22.89	23.5
				108	0	24.83	24.19	24.94	25.0
				108	54	24.93	24.29	24.23	25.0

				108	108	24.36	24.90	24.31	25.0
				216	0	24.33	24.35	24.30	24.5
			QPSK	1	1	23.31	23.42	22.97	23.5
				1	108	24.62	24.60	24.17	25.5
				1	215	23.11	21.54	21.84	23.5
				108	0	24.96	24.59	24.18	25.0
				108	54	24.34	24.96	24.48	25.0
				108	108	24.46	24.76	24.34	25.0
				216	0	24.86	24.64	23.95	25.0
			16QAM	1	1	21.91	21.19	20.67	22.0
			64QAM	1	1	21.47	20.56	21.04	22.0
			256QAM	1	1	20.06	19.67	19.74	20.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649667	656000	662333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3745.00	3840.00	3935.00	
90	30	DFT-OFDM	PI2BPSK	1	1	24.15	24.38	24.17	24.5
				1	122	24.89	25.06	25.27	25.5
				1	243	23.00	22.57	23.03	23.5
				120	0	24.96	24.28	24.87	25.0
				120	62	24.78	24.43	24.11	25.0
				120	124	24.38	24.87	24.23	25.0
				243	0	24.39	24.39	24.28	24.5
			QPSK	1	1	23.21	23.28	22.94	23.5
				1	122	24.59	24.73	24.12	25.5
				1	243	23.12	21.53	21.87	23.5
				120	0	24.96	24.60	24.51	25.0
				120	62	24.42	24.75	24.36	25.0
				120	124	24.51	24.83	24.43	25.0
				243	0	25.00	24.61	23.82	25.0
			16QAM	1	1	21.87	21.04	20.66	22.0
			64QAM	1	1	21.46	20.67	20.94	22.0
			256QAM	1	1	20.16	19.74	19.82	20.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						650000	656000	662000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3750.00	3840.00	3930.00	
100	30	DFT-OFDM	PI2BPSK	1	1	24.06	24.35	24.22	24.5
				1	136	24.93	25.09	25.24	25.5
				1	271	23.07	22.67	22.98	23.5

				135	0	24.86	24.34	24.86	25.0
				135	69	24.76	24.28	24.21	25.0
				135	137	24.45	24.77	24.08	25.0
				270	0	24.39	24.25	24.30	24.5
			QPSK	1	1	23.17	23.22	22.97	23.5
				1	136	24.58	24.65	24.06	25.5
				1	271	23.01	21.64	21.78	23.5
				135	0	24.92	24.63	24.98	25.0
				135	69	24.50	24.89	24.24	25.0
				135	137	24.48	24.87	24.46	25.0
				270	0	24.86	24.67	23.95	25.0
			16QAM	1	1	21.74	21.17	20.75	22.0
			64QAM	1	1	21.59	20.81	21.04	22.0
			256QAM	1	1	20.19	19.68	19.97	20.5

Sensor on

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647000	656000	665000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3705	3840	3975	
10	30	DFT-OFDM	PI2BPSK	1	1	22.50	22.89	22.85	23.0
				1	12	23.42	23.54	23.68	24.0
				1	22	21.41	21.15	21.40	21.5
				12	0	23.38	22.94	23.26	23.5
				12	6	23.33	22.86	22.76	23.5
				12	11	23.00	23.23	22.70	23.5
				24	0	22.84	22.75	22.71	23.0
			QPSK	1	1	21.64	21.77	21.56	22.0
				1	12	23.11	23.37	22.53	23.5
				1	22	21.53	20.04	20.44	22.0
				12	0	23.50	23.02	23.21	24.0
				12	6	22.91	22.84	22.96	23.0
				12	11	22.94	23.42	22.86	23.5
				24	0	23.32	23.16	22.32	23.5
			16QAM	1	1	20.39	19.50	19.24	20.5
			64QAM	1	1	19.83	19.16	19.32	20.0
			256QAM	1	1	18.61	18.24	18.36	19.0
		Mode	Modulation			Channel No.	Channel No.	Channel No.	

Bandwidth (MHz)	SCS (kHz)			RB size	RB offset	647166.6667	656000	664833.3333	Tune-up Limit (dBm)
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3707.5	3840	3972.5	
15	30	DFT-OFDM	PI2BPSK	1	1	22.63	22.79	22.60	23.0
				1	19	23.24	23.50	23.84	24.0
				1	36	21.54	21.19	21.41	22.0
				18	0	23.42	22.78	23.42	23.5
				18	10	23.09	22.91	22.42	23.5
				18	19	23.01	23.28	22.77	23.5
				36	0	22.88	22.88	22.82	23.0
			QPSK	1	1	21.62	21.89	21.36	22.0
				1	19	22.97	23.16	22.46	23.5
				1	36	21.52	20.70	20.45	22.0
				18	0	23.37	23.07	23.16	23.5
				18	10	22.97	23.51	22.84	24.0
				18	19	23.06	23.16	22.98	23.5
				36	0	22.79	23.25	22.28	23.5
			16QAM	1	1	20.49	19.50	19.10	20.5
			64QAM	1	1	19.92	19.25	19.38	20.0
			256QAM	1	1	18.58	18.25	18.37	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647333.3333	656000	664666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3710	3840	3970	
20	30	DFT-OFDM	PI2BPSK	1	1	22.60	22.76	22.67	23.0
				1	25	23.29	23.68	23.63	24.0
				1	49	21.35	21.04	21.68	22.0
				25	0	23.27	22.60	23.29	23.5
				25	13	23.47	22.92	22.60	23.5
				25	25	22.98	22.79	22.85	23.0
				50	0	22.98	22.92	22.73	23.0
			QPSK	1	1	21.64	21.66	21.30	22.0
				1	25	22.93	23.24	22.63	23.5
				1	49	21.46	20.83	20.25	21.5
				25	0	23.39	23.11	23.25	23.5
				25	13	22.81	23.24	22.73	23.5
				25	25	23.04	23.38	23.07	23.5
				50	0	23.45	23.12	22.15	23.5
			16QAM	1	1	20.44	19.58	19.28	20.5
			64QAM	1	1	20.01	19.26	19.43	20.5

			256QAM	1	1	18.82	18.33	18.43	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647500	656000	664500	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3712.5	3840	3967.5	
25	30	DFT-OFDM	PI2BPSK	1	1	22.53	22.66	22.61	23.0
				1	32	23.29	23.51	23.59	24.0
				1	63	21.60	20.94	21.64	22.0
				32	0	23.38	22.85	23.45	23.5
				32	16	23.36	22.91	22.62	23.5
				32	32	22.77	23.45	22.78	23.5
				64	0	22.89	22.77	22.82	23.0
			QPSK	1	1	21.78	21.94	21.42	22.0
				1	32	23.22	23.29	22.52	23.5
				1	63	21.78	20.14	20.42	22.0
				32	0	23.42	23.13	23.40	23.5
				32	16	23.02	23.46	23.04	23.5
				32	32	22.98	23.45	22.97	23.5
				64	0	22.67	23.01	22.18	23.5
			16QAM	1	1	20.34	19.67	19.14	20.5
			64QAM	1	1	19.86	19.20	19.59	20.0
			256QAM	1	1	18.65	18.14	18.47	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647666.6667	656000	664333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3715	3840	3965	
30	30	DFT-OFDM	PI2BPSK	1	1	22.64	22.77	22.52	23.0
				1	39	23.55	23.67	23.80	24.0
				1	76	21.45	21.14	21.63	22.0
				36	0	22.79	22.83	23.28	23.5
				36	21	23.18	22.91	22.54	23.5
				36	41	22.86	23.38	22.83	23.5
				75	0	22.78	22.84	22.90	23.0
			QPSK	1	1	21.58	21.60	21.54	22.0
				1	39	23.13	23.32	22.50	23.5
				1	76	21.62	20.11	20.29	22.0
				36	0	23.44	23.23	23.43	23.5
				36	21	22.93	22.93	22.87	23.0
				36	41	22.88	23.22	22.93	23.5
				75	0	23.18	23.20	22.33	23.5

			16QAM	1	1	20.45	19.56	19.02	20.5
			64QAM	1	1	19.99	19.21	19.37	20.0
			256QAM	1	1	18.68	18.24	18.48	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648000	656000	664000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3720	3840	3960	
40	30	DFT-OFDM	PI2BPSK	1	1	22.73	22.93	22.68	23.0
				1	53	23.32	23.53	23.92	24.0
				1	104	21.57	21.03	21.42	22.0
				50	0	23.52	22.70	23.27	24.0
				50	28	23.25	22.84	22.44	23.5
				50	55	22.96	23.34	22.62	23.5
				100	0	22.82	22.90	22.85	23.0
			QPSK	1	1	21.58	21.69	21.48	22.0
				1	53	23.02	23.32	22.74	23.5
				1	104	21.49	20.63	20.29	21.5
				50	0	23.46	22.98	23.54	24.0
				50	28	22.98	23.51	22.95	24.0
				50	55	23.12	23.40	22.92	23.5
				100	0	23.44	23.22	22.26	23.5
			16QAM	1	1	20.49	19.60	19.33	20.5
			64QAM	1	1	19.93	19.07	19.57	20.0
			256QAM	1	1	18.73	18.23	18.21	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648333.3333	656000	663666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3725	3840	3955	
50	30	DFT-OFDM	PI2BPSK	1	1	22.62	22.78	22.69	23.0
				1	66	23.29	23.65	23.79	24.0
				1	131	21.50	21.10	21.59	22.0
				64	0	23.33	22.76	23.39	23.5
				64	34	23.47	22.85	22.46	23.5
				64	68	22.97	23.26	22.68	23.5
				128	0	22.95	22.85	22.82	23.0
			QPSK	1	1	21.66	21.68	21.46	22.0
				1	66	22.97	23.21	22.48	23.5
				1	131	21.51	20.08	20.26	22.0
				64	0	22.63	22.97	22.63	23.0
				64	34	22.95	23.50	22.90	24.0

				64	68	23.05	23.30	22.89	23.5
				128	0	23.04	23.11	22.22	23.5
			16QAM	1	1	20.20	19.66	19.16	20.5
			64QAM	1	1	19.93	19.13	19.44	20.0
			256QAM	1	1	18.66	18.31	18.42	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648666.6667	656000	663333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3730	3840	3950	
60	30	DFT-OFDM	PI2BPSK	1	1	22.53	22.82	22.75	23.0
				1	81	23.21	23.44	23.78	24.0
				1	160	21.66	20.89	21.53	22.0
				81	0	23.49	22.79	23.48	23.5
				81	41	23.35	22.78	22.62	23.5
				81	80	23.02	23.33	22.73	23.5
				162	0	22.88	22.97	22.75	23.0
			QPSK	1	1	21.89	21.68	21.53	22.0
				1	81	23.03	23.43	22.59	23.5
				1	160	21.76	20.06	20.42	22.0
				81	0	23.04	23.22	23.41	23.5
				81	41	23.05	23.23	22.86	23.5
				81	80	23.03	23.45	22.99	23.5
				162	0	23.41	23.18	22.29	23.5
			16QAM	1	1	20.31	19.59	19.14	20.5
			64QAM	1	1	20.01	19.10	19.54	20.5
			256QAM	1	1	18.47	18.18	18.41	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649000	656000	663000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3735	3840	3945	
70	30	DFT-OFDM	PI2BPSK	1	1	22.55	22.92	22.80	23.0
				1	94	23.44	23.68	23.72	24.0
				1	187	21.49	20.98	21.49	21.5
				90	0	23.16	22.89	23.27	23.5
				90	49	23.35	23.09	22.73	23.5
				90	98	22.94	23.26	22.80	23.5
				180	0	22.76	22.87	22.86	23.0
			QPSK	1	1	21.61	21.84	21.37	22.0
				1	94	23.07	23.28	22.70	23.5
				1	187	21.68	20.02	20.40	22.0

				90	0	23.42	22.97	23.18	23.5
				90	49	23.03	23.36	22.90	23.5
				90	98	23.04	23.29	23.10	23.5
				180	0	22.94	23.12	22.38	23.5
			16QAM	1	1	20.30	19.63	19.03	20.5
			64QAM	1	1	19.93	19.17	19.34	20.0
			256QAM	1	1	18.62	18.11	18.42	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649333.3333	656000	662666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3740	3840	3940	
80	30	DFT-OFDM	PI2BPSK	1	1	22.69	22.85	22.66	23.0
				1	108	23.32	23.65	23.60	24.0
				1	215	21.34	21.13	21.42	21.5
				108	0	23.34	22.73	23.46	23.5
				108	54	23.40	22.77	22.71	23.5
				108	108	22.90	23.39	22.86	23.5
				216	0	22.80	22.83	22.81	23.0
			QPSK	1	1	21.76	21.95	21.43	22.0
				1	108	23.13	23.14	22.68	23.5
				1	215	21.56	20.01	20.29	22.0
				108	0	23.45	23.04	22.71	23.5
				108	54	22.83	23.48	22.97	23.5
				108	108	23.00	23.24	#DIV/0!	#DIV/0!
				216	0	23.39	23.14	22.47	23.5
			16QAM	1	1	20.42	19.74	19.16	20.5
			64QAM	1	1	19.96	19.02	19.56	20.0
			256QAM	1	1	18.55	18.18	18.21	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649666.6667	656000	662333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3745	3840	3935	
90	30	DFT-OFDM	PI2BPSK	1	1	22.63	22.85	22.67	23.0
				1	122	23.40	23.57	23.72	24.0
				1	243	21.51	21.07	21.56	22.0
				120	0	23.51	22.79	23.32	24.0
				120	62	23.33	22.92	22.60	23.5
				120	124	22.91	23.38	22.70	23.5
				243	0	22.93	22.92	22.79	23.0
			QPSK	1	1	21.68	21.75	21.49	22.0

				1	122	23.13	23.27	22.65	23.5
				1	243	21.59	20.02	20.38	22.0
				120	0	23.47	23.13	22.97	23.5
				120	62	22.87	23.23	22.89	23.5
				120	124	22.96	23.28	22.95	23.5
				243	0	23.50	23.08	22.32	24.0
			16QAM	1	1	20.40	19.58	19.15	20.5
			64QAM	1	1	19.95	19.17	19.47	20.0
			256QAM	1	1	18.71	18.24	18.31	19.0
			Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.
650000	656000	662000							
Fre. (MHz)	Fre. (MHz)	Fre. (MHz)							
3750	3840	3930							
100	30	DFT-OFDM	PI2BPSK	1	1	22.60	22.81	22.73	23.0
				1	136	23.45	23.63	23.73	24.0
				1	271	21.62	21.16	21.45	22.0
				135	0	23.40	22.83	23.35	23.5
				135	69	23.28	22.77	22.73	23.5
				135	137	22.98	23.31	22.60	23.5
				270	0	22.93	22.78	22.84	23.0
			QPSK	1	1	21.68	21.71	21.46	22.0
				1	136	23.05	23.11	22.55	24.0
				1	271	21.56	20.13	20.30	22.0
				135	0	23.40	23.15	23.46	23.5
				135	69	23.04	23.36	22.79	23.5
				135	137	22.98	23.38	22.99	23.5
				270	0	23.40	23.16	22.50	23.5
			16QAM	1	1	20.20	19.71	19.21	20.5
			64QAM	1	1	20.13	19.36	19.56	20.5
			256QAM	1	1	18.71	18.19	18.42	19.0

EN-DC+WLAN Sensor

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647000	656000	665000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3705.00	3840.00	3975.00	
10	30	DFT-OFDM	PI2BPSK	1	1	21.47	21.84	21.78	22.0
				1	12	22.45	22.50	22.61	23.0
				1	22	20.34	20.15	20.45	21.0
				12	0	22.34	21.98	22.29	22.5
				12	6	22.35	21.83	21.76	22.5
				12	11	22.01	22.31	21.66	22.5
				24	0	21.86	21.82	21.61	22.0
			QPSK	1	1	20.63	20.79	20.59	21.0
				1	12	22.12	22.41	21.59	22.5
				1	22	20.41	19.06	19.44	20.5
				12	0	22.47	22.03	22.17	23.0
				12	6	21.90	21.86	22.01	22.5
				12	11	22.00	22.47	21.89	22.5
				24	0	22.39	22.16	21.30	22.5
			16QAM	1	1	19.37	18.44	18.25	19.5
			64QAM	1	1	18.82	18.16	18.38	19.5
			256QAM	1	1	17.58	17.28	17.32	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647167	656000	664833	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3707.50	3840.00	3972.50	
15	30	DFT-OFDM	PI2BPSK	1	1	21.53	21.82	21.51	22.0
				1	19	22.30	22.47	22.83	23.0
				1	36	20.47	20.23	20.46	21.0
				18	0	22.40	21.83	22.39	22.5
				18	10	22.16	21.90	21.52	22.5
				18	19	21.99	22.33	21.76	22.5
				36	0	21.88	21.86	21.82	22.0
			QPSK	1	1	20.63	20.82	20.42	21.0
				1	19	21.98	22.21	21.52	22.5
				1	36	20.50	19.63	19.48	20.5
				18	0	22.40	22.15	22.14	23.0
				18	10	22.01	22.45	21.81	22.5
				18	19	21.99	22.14	22.01	22.5

				36	0	21.86	22.17	21.35	22.5
			16QAM	1	1	19.46	18.51	18.07	19.5
			64QAM	1	1	18.93	18.27	18.43	19.5
			256QAM	1	1	17.60	17.24	17.39	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647333	656000	664667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3710.00	3840.00	3970.00	
20	30	DFT-OFDM	PI2BPSK	1	1	21.61	21.76	21.69	22.0
				1	25	22.25	22.66	22.67	23.0
				1	49	20.42	20.06	20.71	21.0
				25	0	22.27	21.69	22.29	22.5
				25	13	22.41	21.86	21.58	22.5
				25	25	21.99	21.81	21.86	22.5
				50	0	21.91	21.92	21.65	22.0
			QPSK	1	1	20.68	20.68	20.32	21.0
				1	25	21.97	22.16	21.67	22.5
				1	49	20.36	19.81	19.33	20.5
				25	0	22.39	22.15	22.33	23.0
				25	13	21.80	22.21	21.78	22.5
				25	25	21.95	22.37	22.00	22.5
				50	0	22.25	22.13	21.19	22.5
			16QAM	1	1	19.46	18.61	18.20	19.5
			64QAM	1	1	18.91	18.27	18.49	19.5
			256QAM	1	1	17.79	17.31	17.37	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647500	656000	664500	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3712.50	3840.00	3967.50	
25	30	DFT-OFDM	PI2BPSK	1	1	21.54	21.64	21.60	22.0
				1	32	22.29	22.58	22.59	23.0
				1	63	20.62	20.01	20.68	21.0
				32	0	22.43	21.95	22.47	22.5
				32	16	22.36	21.91	21.67	22.5
				32	32	21.73	22.39	21.74	22.5
				64	0	21.93	21.81	21.87	22.0
			QPSK	1	1	20.83	20.88	20.43	21.0
				1	32	22.18	22.19	21.59	22.5
				1	63	20.48	19.22	19.47	20.5
				32	0	22.45	22.10	22.49	23.0

				32	16	21.99	22.44	21.96	22.5
				32	32	22.00	22.46	21.99	22.5
				64	0	21.63	21.99	21.26	22.5
			16QAM	1	1	19.38	18.73	18.18	19.5
			64QAM	1	1	18.85	18.22	18.50	19.5
			256QAM	1	1	17.64	17.11	17.40	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647667	656000	664333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3715.00	3840.00	3965.00	
30	30	DFT-OFDM	PI2BPSK	1	1	21.63	21.80	21.56	22.0
				1	39	22.51	22.73	22.83	23.0
				1	76	20.46	20.12	20.68	21.0
				36	0	21.76	21.82	22.29	22.5
				36	21	22.17	21.88	21.51	22.5
				36	41	21.80	22.40	21.92	22.5
				75	0	21.80	21.81	21.96	22.0
			QPSK	1	1	20.64	20.65	20.47	21.0
				1	39	22.09	22.31	21.49	22.5
				1	76	20.38	19.10	19.28	20.5
				36	0	22.48	22.22	22.34	23.0
				36	21	21.88	21.89	21.87	22.5
				36	41	21.85	22.17	21.97	22.5
				75	0	22.24	22.28	21.26	22.5
			16QAM	1	1	19.45	18.58	18.03	19.5
			64QAM	1	1	18.94	18.16	18.37	19.5
			256QAM	1	1	17.67	17.26	17.48	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648000	656000	664000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3720.00	3840.00	3960.00	
40	30	DFT-OFDM	PI2BPSK	1	1	21.65	21.89	21.70	22.0
				1	53	22.26	22.55	22.87	23.0
				1	104	20.54	20.03	20.36	21.0
				50	0	22.47	21.70	22.26	22.5
				50	28	22.31	21.84	21.50	22.5
				50	55	22.00	22.35	21.66	22.5
				100	0	21.89	21.96	21.86	22.0
			QPSK	1	1	20.66	20.71	20.56	21.0
				1	53	21.99	22.34	21.71	22.5

				1	104	20.46	19.67	19.33	20.5
				50	0	22.46	21.94	22.47	23.0
				50	28	21.99	22.47	22.01	22.5
				50	55	22.08	22.34	21.96	22.5
				100	0	22.44	22.18	21.26	22.5
			16QAM	1	1	19.43	18.64	18.29	19.5
			64QAM	1	1	18.92	18.13	18.50	19.5
			256QAM	1	1	17.67	17.24	17.20	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648333	656000	663667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3725.00	3840.00	3955.00	
50	30	DFT-OFDM	PI2BPSK	1	1	21.64	21.73	21.72	22.0
				1	66	22.34	22.67	22.82	23.0
				1	131	20.42	20.10	20.59	21.0
				64	0	22.33	21.72	22.43	22.5
				64	34	22.43	21.80	21.53	22.5
				64	68	21.90	22.19	21.74	22.5
				128	0	21.47	21.81	21.82	22.0
			QPSK	1	1	20.69	20.65	20.43	21.0
				1	66	21.97	22.18	21.53	22.5
				1	131	20.46	19.13	19.22	20.5
				64	0	21.66	21.95	21.61	23.0
				64	34	21.87	22.50	21.89	22.5
				64	68	22.12	22.29	21.87	22.5
				128	0	21.98	22.15	21.23	22.5
			16QAM	1	1	19.21	18.70	18.20	19.5
			64QAM	1	1	18.86	18.13	18.47	19.5
			256QAM	1	1	17.63	17.36	17.45	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648667	656000	663333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3730.00	3840.00	3950.00	
60	30	DFT-OFDM	PI2BPSK	1	1	21.54	21.80	21.85	22.0
				1	81	22.24	22.43	22.73	23.0
				1	160	20.67	19.90	20.55	21.0
				81	0	22.46	21.77	22.47	22.5
				81	41	22.39	21.85	21.62	22.5
				81	80	21.95	22.35	21.78	22.5
				162	0	21.86	21.98	21.76	22.0

			QPSK	1	1	20.86	20.72	20.55	21.0
				1	81	21.98	22.42	21.58	22.5
				1	160	20.39	19.01	19.49	20.5
				81	0	22.10	22.22	22.46	23.0
				81	41	21.96	22.19	21.82	22.5
				81	80	21.97	22.47	22.00	22.5
				162	0	22.39	22.08	21.25	22.5
			16QAM	1	1	19.39	18.62	18.19	19.5
			64QAM	1	1	18.95	18.05	18.52	19.5
			256QAM	1	1	17.56	17.19	17.41	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649000	656000	663000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3735.00	3840.00	3945.00	
70	30	DFT-OFDM	PI2BPSK	1	1	21.49	21.86	21.77	22.0
				1	94	22.43	22.68	22.69	23.0
				1	187	20.47	19.96	20.58	21.0
				90	0	22.15	21.79	22.20	22.5
				90	49	22.31	22.09	21.76	22.5
				90	98	22.01	22.19	21.76	22.5
				180	0	21.83	21.88	21.83	22.0
			QPSK	1	1	20.53	20.75	20.31	21.0
				1	94	22.03	22.29	21.71	22.5
				1	187	20.41	19.11	19.48	20.5
				90	0	22.37	21.92	22.20	23.0
				90	49	22.11	22.39	21.93	22.5
				90	98	22.07	22.25	22.04	22.5
				180	0	21.97	22.07	21.33	22.5
			16QAM	1	1	19.35	18.62	18.12	19.5
			64QAM	1	1	18.99	18.14	18.32	19.5
			256QAM	1	1	17.56	17.18	17.38	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649333	656000	662667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3740.00	3840.00	3940.00	
80	30	DFT-OFDM	PI2BPSK	1	1	21.69	21.83	21.70	22.0
				1	108	22.23	22.56	22.61	23.0
				1	215	20.42	20.16	20.36	21.0
				108	0	22.37	21.65	22.43	22.5
				108	54	22.40	21.80	21.70	22.5

				108	108	21.90	22.39	21.78	22.5
				216	0	21.88	21.81	21.79	22.0
			QPSK	1	1	20.78	20.97	20.52	21.0
				1	108	22.17	22.15	21.67	22.5
				1	215	20.39	19.07	19.32	20.5
				108	0	22.48	22.11	21.64	23.0
				108	54	21.81	22.49	21.99	22.5
				108	108	22.00	22.30	21.82	22.5
				216	0	22.31	22.14	21.41	22.5
			16QAM	1	1	19.42	18.73	18.17	19.5
			64QAM	1	1	18.95	18.11	18.54	19.5
			256QAM	1	1	17.58	17.20	17.19	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649667	656000	662333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3745.00	3840.00	3935.00	
90	30	DFT-OFDM	PI2BPSK	1	1	21.70	21.92	21.66	22.0
				1	122	22.37	22.51	22.72	23.0
				1	243	20.51	20.08	20.50	21.0
				120	0	22.14	21.81	22.42	22.5
				120	62	22.30	21.93	21.57	22.5
				120	124	21.86	22.33	21.72	22.5
				243	0	21.94	21.94	21.80	22.0
			QPSK	1	1	20.73	20.82	20.42	21.0
				1	122	22.09	22.28	21.67	22.5
				1	243	19.65	19.03	19.35	20.5
				120	0	22.42	22.08	22.06	23.0
				120	62	21.91	22.22	21.91	22.5
				120	124	22.02	22.30	21.88	22.5
				243	0	22.45	22.08	21.37	22.5
			16QAM	1	1	19.38	18.52	18.11	19.5
			64QAM	1	1	18.95	18.19	18.48	19.5
			256QAM	1	1	17.61	17.19	17.31	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						650000	656000	662000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3750.00	3840.00	3930.00	
100	30	DFT-OFDM	PI2BPSK	1	1	21.56	21.86	21.74	22.0
				1	136	22.44	22.59	22.78	23.0
				1	271	20.61	20.13	20.53	21.0

				135	0	22.32	21.85	22.41	22.5
				135	69	22.30	21.76	21.74	22.5
				135	137	21.93	22.22	21.54	22.5
				270	0	21.89	21.74	21.76	22.0
			QPSK	1	1	20.63	20.69	20.48	21.0
				1	136	22.05	22.11	21.52	22.5
				1	271	20.46	19.09	19.27	20.5
				135	0	22.39	22.16	22.51	23.0
				135	69	21.98	22.38	21.73	22.5
				135	137	22.00	22.35	22.01	22.5
				270	0	22.33	22.13	21.44	22.5
			16QAM	1	1	19.28	18.67	18.29	19.5
			64QAM	1	1	19.08	18.32	18.56	19.5
			256QAM	1	1	17.72	17.23	17.48	18.0

NR N78 A PC3

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						630333	633332	636333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3455.00	3499.98	3545.00	
10	30	DFT-OFDM	PI2BPSK	1	1	22.91	22.64	22.59	23.0
				1	12	22.82	22.93	22.88	23.0
				1	22	22.33	22.47	22.32	22.5
				12	0	22.23	22.34	22.19	22.5
				12	6	22.68	22.78	22.83	23.0
				12	11	22.24	22.06	21.99	22.5
				24	0	22.29	22.26	22.15	22.5
			QPSK	1	1	22.83	22.87	22.84	23.0
				1	12	22.61	22.79	22.40	23.0
				1	22	22.47	22.37	22.36	23.0
				12	0	21.84	21.84	21.83	23.0
				12	6	22.73	22.69	22.68	23.0
				12	11	21.54	21.43	21.56	23.0
				24	0	21.95	21.63	21.58	22.0
			16QAM	1	1	21.85	21.70	21.37	22.0
			64QAM	1	1	20.31	20.39	20.48	20.5
			256QAM	1	1	18.12	18.29	18.51	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						630500	633332	636167	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3457.50	3499.98	3542.50	
15	30	DFT-OFDM	PI2BPSK	1	1	22.94	22.73	22.77	23.0
				1	19	22.89	22.96	22.68	23.0
				1	36	22.49	22.16	22.25	22.5
				18	0	22.38	22.44	22.14	22.5
				18	10	22.63	22.63	22.68	23.0
				18	19	22.27	21.99	22.01	22.5
				36	0	22.22	22.12	22.09	22.5
			QPSK	1	1	22.78	22.67	22.68	23.0
				1	19	22.84	22.89	22.47	23.0
				1	36	22.63	22.42	22.51	23.0
				18	0	21.87	21.77	21.82	23.0
				18	10	22.89	22.73	22.90	23.0
				18	19	21.71	21.63	21.52	23.0

				36	0	21.91	21.55	21.67	22.0
			16QAM	1	1	21.85	21.70	21.49	22.0
			64QAM	1	1	20.46	20.36	20.41	20.5
			256QAM	1	1	18.20	18.28	18.58	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630667	633332	636000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3460.00	3499.98	3540.00	
20	30	DFT-OFDM	PI2BPSK	1	1	22.74	22.83	22.70	23.0
				1	25	22.67	22.71	22.78	23.0
				1	49	22.30	22.34	22.24	22.5
				25	0	22.30	22.37	22.09	22.5
				25	13	22.90	22.71	22.91	23.0
				25	25	22.00	22.21	21.95	22.5
				50	0	22.39	22.17	22.22	22.5
			QPSK	1	1	22.76	22.65	22.82	23.0
				1	25	22.78	22.97	22.43	23.0
				1	49	22.57	22.15	22.38	23.0
				25	0	21.89	21.70	21.74	23.0
				25	13	22.92	22.74	22.77	23.0
				25	25	21.76	21.68	21.49	23.0
				50	0	21.91	21.77	21.57	22.0
			16QAM	1	1	21.80	21.67	21.51	22.0
			64QAM	1	1	20.50	20.44	20.25	20.5
			256QAM	1	1	18.06	18.23	18.55	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630833	633332	635833	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3462.50	3499.98	3537.50	
25	30	DFT-OFDM	PI2BPSK	1	1	22.82	22.63	22.56	23.0
				1	32	22.86	22.64	22.88	23.0
				1	63	22.41	22.41	22.35	22.5
				32	0	22.40	22.16	22.28	22.5
				32	16	22.62	22.80	22.94	23.0
				32	32	22.04	22.15	21.92	22.5
				64	0	22.18	22.11	22.33	22.5
			QPSK	1	1	22.92	22.71	22.74	23.0
				1	32	22.79	22.98	22.44	23.0
				1	63	22.47	22.20	22.48	23.0
				32	0	21.75	21.80	21.78	23.0

				32	16	22.93	22.84	22.77	23.0
				32	32	21.59	21.67	21.69	23.0
				64	0	21.79	21.67	21.49	22.0
			16QAM	1	1	21.83	21.62	21.59	22.0
			64QAM	1	1	20.57	20.34	20.22	20.5
			256QAM	1	1	18.13	18.47	18.54	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						631000	633332	635667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3465.00	3499.98	3535.00	
30	30	DFT-OFDM	PI2BPSK	1	1	22.82	22.76	22.73	23.0
				1	39	22.85	22.80	22.80	23.0
				1	76	22.47	22.39	22.42	22.5
				36	0	22.38	22.15	22.13	22.5
				36	21	22.81	22.61	22.80	23.0
				36	41	22.02	22.27	22.22	22.5
				75	0	22.34	22.15	22.32	22.5
			QPSK	1	1	22.90	22.77	22.80	23.0
				1	39	22.84	22.79	22.40	23.0
				1	76	22.61	22.20	22.32	23.0
				36	0	21.71	21.70	21.91	23.0
				36	21	22.74	22.92	22.85	23.0
				36	41	21.63	21.60	21.67	23.0
				75	0	21.70	21.60	21.53	22.0
			16QAM	1	1	21.91	21.43	21.34	22.0
			64QAM	1	1	20.50	20.41	20.19	20.5
			256QAM	1	1	18.20	18.41	18.63	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						631333	633332	635333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3470.00	3499.98	3530.00	
40	30	DFT-OFDM	PI2BPSK	1	1	22.85	22.61	22.67	23.0
				1	53	22.78	22.90	22.94	23.0
				1	104	22.41	22.06	22.33	22.5
				50	0	22.33	22.44	22.31	22.5
				50	28	22.64	22.78	22.83	23.0
				50	55	22.20	22.09	21.98	22.5
				100	0	22.30	22.04	22.28	22.5
			QPSK	1	1	22.86	22.71	22.79	23.0
				1	53	22.86	22.91	22.34	23.0

				1	104	22.52	22.21	22.27	23.0
				50	0	21.77	21.83	21.75	23.0
				50	28	22.71	22.74	22.78	23.0
				50	55	21.74	21.57	21.59	23.0
				100	0	21.77	21.54	21.55	22.0
			16QAM	1	1	22.03	21.53	21.35	22.0
			64QAM	1	1	20.32	20.45	20.37	20.5
			256QAM	1	1	18.17	18.33	18.70	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						631667	633332	635000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3475.00	3499.98	3525.00	
50	30	DFT-OFDM	PI2BPSK	1	1	22.69	22.77	22.65	23.0
				1	66	22.85	22.67	22.74	23.0
				1	131	22.43	22.40	22.30	22.5
				64	0	22.31	22.32	22.38	22.5
				64	34	22.87	22.68	22.89	23.0
				64	68	22.27	22.24	21.96	22.5
				128	0	22.39	22.24	22.19	22.5
			QPSK	1	1	22.90	22.68	22.63	23.0
				1	66	22.60	22.80	22.33	23.0
				1	131	22.52	22.22	22.30	23.0
				64	0	21.72	21.60	21.71	23.0
				64	34	22.93	22.90	22.62	23.0
				64	68	21.72	21.43	21.54	23.0
				128	0	21.94	21.76	21.58	22.0
			16QAM	1	1	21.93	21.73	21.59	22.0
			64QAM	1	1	20.33	20.29	20.45	20.5
			256QAM	1	1	18.20	18.25	18.52	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632000	633332	634667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3480.00	3499.98	3520.00	
60	30	DFT-OFDM	PI2BPSK	1	1	22.75	22.86	22.58	23.0
				1	81	22.97	22.87	22.77	23.0
				1	160	22.35	22.48	22.16	22.5
				81	0	22.21	22.38	22.30	22.5
				81	41	22.77	22.68	22.90	23.0
				81	80	22.15	21.99	21.99	22.5
				162	0	22.34	22.14	22.21	22.5

			QPSK	1	1	22.85	22.95	22.81	23.0
				1	81	22.70	22.97	22.31	23.0
				1	160	22.54	22.31	22.28	23.0
				81	0	21.77	21.67	21.84	23.0
				81	41	22.78	22.67	22.76	23.0
				81	80	21.65	21.62	21.48	23.0
				162	0	21.88	21.80	21.49	22.0
			16QAM	1	1	22.01	21.67	21.41	22.0
			64QAM	1	1	20.27	20.38	20.25	20.5
			256QAM	1	1	18.27	18.48	18.60	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632333	633332	634333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3485.00	3499.98	3515.00	
70	30	DFT-OFDM	PI2BPSK	1	1	22.80	22.61	22.73	23.0
				1	94	22.67	22.90	22.84	23.0
				1	187	22.42	22.34	22.42	22.5
				90	0	22.29	22.31	22.39	22.5
				90	49	22.67	22.78	22.74	23.0
				90	98	22.17	22.09	21.96	22.5
				180	0	22.21	22.06	22.23	22.5
			QPSK	1	1	22.76	22.72	22.75	23.0
				1	94	22.75	23.00	22.38	23.0
				1	187	22.40	22.42	22.46	23.0
				90	0	21.61	21.57	21.65	23.0
				90	49	22.75	22.89	22.87	23.0
				90	98	21.76	21.53	21.70	23.0
				180	0	21.73	21.66	21.60	22.0
			16QAM	1	1	22.03	21.69	21.63	22.0
			64QAM	1	1	20.51	20.46	20.30	20.5
			256QAM	1	1	18.12	18.28	18.71	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632667	633332	634000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3490.00	3499.98	3510.00	
80	30	DFT-OFDM	PI2BPSK	1	1	22.73	22.78	22.83	23.0
				1	108	22.80	22.64	22.85	23.0
				1	215	22.41	22.38	22.22	22.5
				108	0	22.18	22.20	22.36	22.5
				108	54	22.77	22.63	22.71	23.0

				108	108	22.19	21.97	21.96	22.5
				216	0	22.35	22.22	22.22	22.5
			QPSK	1	1	22.92	22.83	22.73	23.0
				1	108	22.80	22.96	22.32	23.0
				1	215	22.57	22.34	22.34	23.0
				108	0	21.87	21.75	21.64	23.0
				108	54	22.87	22.92	22.78	23.0
				108	108	21.55	21.47	21.60	23.0
				216	0	21.73	21.82	21.55	22.0
			16QAM	1	1	21.96	21.70	21.40	22.0
			64QAM	1	1	20.46	20.33	20.43	20.5
			256QAM	1	1	18.14	18.53	18.54	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						633000	633332	633667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3495.00	3499.98	3505.00	
90	30	DFT-OFDM	PI2BPSK	1	1	22.81	22.76	22.68	23.0
				1	122	22.92	22.92	22.79	23.0
				1	243	22.4	22.37	22.3	22.5
				120	0	22.26	22.29	22.24	22.5
				120	62	22.75	22.73	22.79	23.0
				120	124	22.13	22.12	22.07	22.5
				243	0	22.25	22.12	22.23	22.5
			QPSK	1	1	22.9	22.8	22.76	23.0
				1	122	22.73	22.93	22.46	23.0
				1	243	22.53	22.28	22.37	23.0
				120	0	21.74	21.69	21.76	23.0
				120	62	22.8	22.82	22.75	23.0
				120	124	21.61	21.54	21.57	23.0
				243	0	21.8	21.69	21.56	22.0
			16QAM	1	1	21.9	21.58	21.49	22.0
			64QAM	1	1	20.42	20.43	20.33	20.5
			256QAM	1	1	18.19	18.38	18.62	19.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						N/A	633332	N/A	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						N/A	3499.98	N/A	
100	30	DFT-OFDM	PI2BPSK	1	1	N/A	22.74	N/A	23.0
				1	136	N/A	22.75	N/A	23.0
				1	271	N/A	22.34	N/A	22.5

				135	0	N/A	22.22	N/A	22.5
				135	69	N/A	22.74	N/A	23.0
				135	137	N/A	22.09	N/A	22.5
				270	0	N/A	22.11	N/A	22.5
			QPSK	1	1	N/A	22.76	N/A	23.0
				1	136	N/A	22.79	N/A	23.0
				1	271	N/A	22.34	N/A	23.0
				135	0	N/A	21.72	N/A	23.0
				135	69	N/A	22.79	N/A	23.0
				135	137	N/A	21.54	N/A	23.0
				270	0	N/A	21.81	N/A	22.0
			16QAM	1	1	N/A	21.63	N/A	22.0
			64QAM	1	1	N/A	20.17	N/A	20.5
			256QAM	1	1	N/A	18.58	N/A	19.0

EN-DC Sensor on

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630333.3333	633332	636333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3455	3499.98	3545	
10	30	DFT-OFDM	PI2BPSK	1	1	21.12	21.2	21.14	21.5
				1	12	21.27	21.38	21.36	21.5
				1	22	20.83	20.96	20.82	21.0
				12	0	20.71	20.87	20.7	21.0
				12	6	21.22	21.32	21.4	22.0
				12	11	20.83	20.56	20.51	21.0
				24	0	20.75	20.79	20.69	21.0
			QPSK	1	1	21.31	21.38	21.31	21.5
				1	12	21.14	21.29	20.92	21.5
				1	22	20.93	20.84	20.82	21.0
				12	0	20.29	20.29	20.32	20.5
				12	6	21.25	21.28	21.24	21.5
				12	11	20.1	19.88	20.05	20.5
				24	0	20.43	20.11	20.08	20.5
			16QAM	1	1	20.34	20.3	19.87	20.5
			64QAM	1	1	18.9	18.93	18.86	19.0
			256QAM	1	1	16.58	16.76	17.09	17.5
		Mode	Modulation			Channel No.	Channel No.	Channel No.	

Bandwidth (MHz)	SCS (kHz)			RB size	RB offset	630500	633332	636166.6667	Tune-up Limit (dBm)
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3457.5	3499.98	3542.5	
15	30	DFT-OFDM	PI2BPSK	1	1	21.44	21.2	21.29	21.5
				1	19	21.34	21.49	21.2	21.5
				1	36	20.94	20.73	20.83	21.0
				18	0	20.87	20.99	20.7	21.0
				18	10	21.18	21.19	21.21	22.0
				18	19	20.74	20.55	20.56	21.0
				36	0	20.72	20.69	20.56	21.0
			QPSK	1	1	21.32	21.27	21.27	21.5
				1	19	21.4	21.38	20.93	21.5
				1	36	20.86	20.94	20.74	21.0
				18	0	20.41	20.22	20.37	20.5
				18	10	21.37	21.3	21.47	21.5
				18	19	20.27	20.17	20.09	20.5
				36	0	20.38	20.08	20.18	20.5
			16QAM	1	1	20.4	20.3	19.95	20.5
			64QAM	1	1	18.93	18.85	19	19.0
			256QAM	1	1	16.79	16.75	17.14	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630666.6667	633332	636000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3460	3499.98	3540	
20	30	DFT-OFDM	PI2BPSK	1	1	21.24	21.35	21.16	21.5
				1	25	21.22	21.21	21.33	21.5
				1	49	20.88	20.93	20.71	21.0
				25	0	20.8	20.96	20.59	21.0
				25	13	21.39	21.2	21.36	22.0
				25	25	20.57	20.72	20.46	21.0
				50	0	20.94	20.7	20.76	21.0
			QPSK	1	1	21.23	21.12	21.42	21.5
				1	25	21.34	21.49	20.95	21.5
				1	49	20.69	20.72	20.98	21.0
				25	0	20.48	20.25	20.19	20.5
				25	13	21.43	21.25	21.32	21.5
				25	25	20.22	20.23	19.96	20.5
				50	0	20.46	20.25	20.13	20.5
			16QAM	1	1	20.33	20.19	20	20.5
			64QAM	1	1	19.07	18.96	18.77	19.0

			256QAM	1	1	16.66	16.81	17.03	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630833.3333	633332	635833.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3462.5	3499.98	3537.5	
25	30	DFT-OFDM	PI2BPSK	1	1	21.3	21.19	21.15	21.5
				1	32	21.39	21.24	21.43	21.5
				1	63	20.95	20.86	20.94	21.0
				32	0	20.88	20.71	20.88	21.0
				32	16	21.16	21.38	21.54	22.0
				32	32	20.53	20.62	20.42	21.0
				64	0	20.76	20.66	20.93	21.0
			QPSK	1	1	21.4	21.17	21.34	21.5
				1	32	21.28	21.11	20.98	21.5
				1	63	20.95	20.74	20.76	21.0
				32	0	20.29	20.4	20.28	20.5
				32	16	21.46	21.41	21.28	21.5
				32	32	20.15	20.16	20.19	20.5
				64	0	20.37	20.21	20	20.5
			16QAM	1	1	20.42	20.1	20.13	20.5
			64QAM	1	1	19.09	18.87	18.68	19.0
			256QAM	1	1	16.66	17.07	17.02	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						631000	633332	635666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3465	3499.98	3535	
30	30	DFT-OFDM	PI2BPSK	1	1	21.28	21.36	21.23	21.5
				1	39	21.37	21.28	21.36	21.5
				1	76	20.75	20.87	20.95	21.0
				36	0	20.94	20.65	20.58	21.0
				36	21	21.28	21.14	21.38	22.0
				36	41	20.52	20.79	20.69	21.0
				75	0	20.88	20.65	20.87	21.0
			QPSK	1	1	21.4	21.33	21.32	21.5
				1	39	21.42	21.29	20.92	21.5
				1	76	20.69	20.71	20.83	21.0
				36	0	20.26	20.23	20.38	20.5
				36	21	21.3	21.49	21.36	21.5
				36	41	20.18	20.13	20.18	20.5
				75	0	20.24	20.15	20.09	20.5

			16QAM	1	1	20.38	19.88	19.88	20.5
			64QAM	1	1	19.08	18.98	18.68	19.0
			256QAM	1	1	16.72	16.94	17.08	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						631333.3333	633332	635333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3470	3499.98	3530	
40	30	DFT-OFDM	PI2BPSK	1	1	21.34	21.12	21.23	21.5
				1	53	21.28	21.35	21.46	21.5
				1	104	20.87	20.58	20.81	21.0
				50	0	20.86	20.75	20.78	21.0
				50	28	21.17	21.25	21.29	22.0
				50	55	20.73	20.63	20.58	21.0
				100	0	20.76	20.49	20.85	21.0
			QPSK	1	1	21.37	21.26	21.25	21.5
				1	53	21.43	21.41	20.9	21.5
				1	104	20.75	20.77	20.81	21.0
				50	0	20.3	20.35	20.3	20.5
				50	28	21.3	21.3	21.34	21.5
				50	55	20.29	20.09	20.1	20.5
				100	0	20.36	20.07	20.11	20.5
			16QAM	1	1	20.49	20.06	19.94	20.5
			64QAM	1	1	18.81	19	18.9	19.0
			256QAM	1	1	16.73	16.8	17.24	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						631666.6667	633332	635000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3475	3499.98	3525	
50	30	DFT-OFDM	PI2BPSK	1	1	21.25	21.33	21.19	21.5
				1	66	21.31	21.21	21.21	21.5
				1	131	20.82	20.87	20.9	21.0
				64	0	20.81	20.78	20.85	21.0
				64	34	21.45	21.17	21.45	22.0
				64	68	20.76	20.74	20.5	21.0
				128	0	20.92	20.76	20.7	21.0
			QPSK	1	1	21.37	21.22	21.14	21.5
				1	66	21.17	21.26	20.82	21.5
				1	131	20.71	20.74	20.87	21.0
				64	0	20.19	20.12	20.2	20.5
				64	34	21.42	21.48	21.09	21.5

				64	68	20.17	19.95	20.04	20.5
				128	0	20.48	20.21	20.17	20.5
			16QAM	1	1	20.43	20.33	20.05	20.5
			64QAM	1	1	18.85	18.87	18.69	19.0
			256QAM	1	1	16.74	16.76	17.03	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632000	633332	634666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3480	3499.98	3520	
60	30	DFT-OFDM	PI2BPSK	1	1	21.31	21.33	21.1	21.5
				1	81	21.48	21.45	21.23	21.5
				1	160	20.87	20.97	20.71	21.0
				81	0	20.7	20.93	20.88	21.0
				81	41	21.27	21.14	21.47	22.0
				81	80	20.65	20.51	20.48	21.0
				162	0	20.82	20.69	20.68	21.0
			QPSK	1	1	21.4	21.43	21.41	21.5
				1	81	21.22	21.48	20.76	21.5
				1	160	20.85	20.77	20.74	21.0
				81	0	20.36	20.26	20.29	20.5
				81	41	21.33	21.17	21.29	21.5
				81	80	20.17	20.15	20.03	20.5
				162	0	20.46	20.36	20.09	20.5
			16QAM	1	1	20.56	20.25	19.87	20.5
			64QAM	1	1	18.73	18.91	18.84	19.0
			256QAM	1	1	16.73	17.08	17.2	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632333.3333	633332	634333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3485	3499.98	3515	
70	30	DFT-OFDM	PI2BPSK	1	1	21.34	21.08	21.26	21.5
				1	94	21.14	21.49	21.38	21.5
				1	187	20.93	20.79	20.88	21.0
				90	0	20.74	20.9	20.87	21.0
				90	49	21.17	21.34	21.29	22.0
				90	98	20.64	20.59	20.43	21.0
				180	0	20.66	20.63	20.76	21.0
			QPSK	1	1	21.21	21.19	21.23	21.5
				1	94	21.28	21.35	20.85	21.5
				1	187	20.86	20.9	20.93	21.0

				90	0	20.07	20.04	20.17	20.5
				90	49	21.29	21.45	21.33	21.5
				90	98	20.31	20.11	20.15	20.5
				180	0	20.28	20.11	20.19	20.5
			16QAM	1	1	20.58	20.27	20.15	20.5
			64QAM	1	1	19.09	18.96	18.86	19.0
			256QAM	1	1	16.57	16.8	17.25	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632666.6667	633332	634000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3490	3499.98	3510	
80	30	DFT-OFDM	PI2BPSK	1	1	21.28	21.28	21.37	21.5
				1	108	21.35	21.14	21.36	21.5
				1	215	21	20.86	20.73	21.0
				108	0	20.7	20.72	20.85	21.0
				108	54	21.25	21.08	21.3	22.0
				108	108	20.76	20.48	20.41	21.0
				216	0	20.88	20.73	20.68	21.0
			QPSK	1	1	21.41	21.28	21.18	21.5
				1	108	21.29	21.41	20.91	21.5
				1	215	20.95	20.93	20.92	21.0
				108	0	20.44	20.21	20.21	20.5
				108	54	21.41	21.4	21.34	21.5
				108	108	20.06	20	20.19	20.5
				216	0	20.33	20.27	20	20.5
			16QAM	1	1	20.41	20.2	19.9	20.5
			64QAM	1	1	19.03	18.91	18.9	19.0
			256QAM	1	1	16.65	17.01	17.07	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						633000	633332	633666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3495	3499.98	3505	
90	30	DFT-OFDM	PI2BPSK	1	1	21.36	21.24	21.2	21.5
				1	122	21.44	21.43	21.25	21.5
				1	243	20.98	20.83	20.83	21.0
				120	0	20.8	20.76	20.7	21.0
				120	62	21.28	21.32	21.34	22.0
				120	124	20.6	20.61	20.63	21.0
				243	0	20.71	20.65	20.68	21.0
			QPSK	1	1	21.39	21.32	21.21	21.5

				1	122	21.18	21.46	21.06	21.5
				1	243	20.71	20.88	20.83	21.0
				120	0	20.23	20.21	20.34	20.5
				120	62	21.36	21.32	21.35	21.5
				120	124	20.19	20.14	20.04	20.5
				243	0	20.39	20.26	20.1	20.5
			16QAM	1	1	20.48	20.09	19.94	20.5
			64QAM	1	1	18.89	18.99	18.81	19.0
			256QAM	1	1	16.72	16.84	17.22	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						N/A	633332	N/A	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						N/A	3499.98	N/A	
100	30	DFT-OFDM	PI2BPSK	1	1	N/A	21.19	N/A	21.5
				1	136	N/A	21.25	N/A	21.5
				1	271	N/A	20.89	N/A	21.0
				135	0	N/A	20.68	N/A	21.0
				135	69	N/A	21.32	N/A	22.0
				135	137	N/A	20.63	N/A	21.0
				270	0	N/A	20.65	N/A	21.0
			QPSK	1	1	N/A	21.3	N/A	21.5
				1	136	N/A	21.39	N/A	21.5
				1	271	N/A	20.87	N/A	21.0
				135	0	N/A	20.27	N/A	20.5
				135	69	N/A	21.35	N/A	21.5
				135	137	N/A	20.1	N/A	20.5
				270	0	N/A	20.36	N/A	20.5
			16QAM	1	1	N/A	20.2	N/A	20.5
			64QAM	1	1	N/A	18.74	N/A	19.0
			256QAM	1	1	N/A	17.05	N/A	17.5

EN-DC+WLAN Sensor on

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630333	633332	636333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3455.00	3499.98	3545.00	
10	30	DFT-OFDM	PI2BPSK	1	1	20.38	20.14	20.12	20.5
				1	12	20.37	20.43	20.38	20.5

				1	22	19.79	19.35	19.81	20.0
				12	0	19.64	19.84	19.73	20.0
				12	6	20.12	20.32	20.23	20.5
				12	11	19.73	19.48	19.55	20.0
				24	0	19.8	19.73	19.62	20.0
			QPSK	1	1	20.23	20.42	20.26	20.5
				1	12	20.13	20.36	19.84	20.5
				1	22	20.07	19.9	19.87	20.5
				12	0	19.33	19.41	19.41	20.5
				12	6	20.23	20.13	20.2	20.5
				12	11	19.04	18.88	18.97	20.5
				24	0	19.45	19.22	19.05	19.5
			16QAM	1	1	19.34	19.16	18.84	19.5
			64QAM	1	1	17.91	17.92	17.94	18.0
			256QAM	1	1	15.55	15.8	15.89	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630500	633332	636166.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3457.5	3499.98	3542.5	
15	30	DFT-OFDM	PI2BPSK	1	1	20.08	20.14	20.28	20.5
				1	19	20.46	20.48	20.18	20.5
				1	36	19.35	19.7	19.85	20.0
				18	0	19.95	19.95	19.58	20.0
				18	10	20.14	20.21	20.1	20.5
				18	19	19.72	19.44	19.41	20.0
				36	0	19.67	19.64	19.68	20.0
			QPSK	1	1	20.3	20.21	20.15	20.5
				1	19	20.37	20.32	19.87	20.5
				1	36	20.11	20.02	19.97	20.5
				18	0	19.39	19.31	19.33	20.5
				18	10	20.3	20.21	20.41	20.5
				18	19	19.18	19.07	19.12	20.5
				36	0	19.35	19.12	19.17	19.5
			16QAM	1	1	19.26	19.18	19.04	19.5
			64QAM	1	1	18.04	17.95	17.93	18.0
			256QAM	1	1	15.68	15.71	15.71	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630666.6667	633332	636000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3460	3499.98	3540	

20	30	DFT-OFDM	PI2BPSK	1	1	20.31	20.31	20.17	20.5
				1	25	20.22	20.23	20.27	20.5
				1	49	19.9	19.85	19.65	20.0
				25	0	19.84	19.83	19.56	20.0
				25	13	20.41	20.24	20.38	20.5
				25	25	19.46	19.75	19.48	20.0
				50	0	19.86	19.58	19.77	20.0
			QPSK	1	1	20.34	20.08	20.36	20.5
				1	25	20.38	20.47	19.94	20.5
				1	49	20.09	19.64	19.87	20.5
				25	0	19.31	19.19	19.23	20.5
				25	13	20.4	20.15	20.24	20.5
				25	25	19.33	19.23	19.05	20.5
				50	0	19.34	19.34	19.02	19.5
			16QAM	1	1	19.29	19.12	18.93	19.5
			64QAM	1	1	17.91	17.96	17.81	18.0
			256QAM	1	1	15.47	15.79	15.97	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						630833.3333	633332	635833.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3462.5	3499.98	3537.5	
25	30	DFT-OFDM	PI2BPSK	1	1	20.3	20.13	19.97	20.5
				1	32	20.34	20.12	20.33	20.5
				1	63	19.97	20	19.79	20.0
				32	0	19.88	19.56	19.84	20.0
				32	16	20.06	20.22	20.46	20.5
				32	32	19.48	19.59	19.48	20.0
				64	0	19.67	19.68	19.81	20.0
			QPSK	1	1	20.41	20.27	20.15	20.5
				1	32	20.39	20.49	19.84	20.5
				1	63	20.02	19.73	19.97	20.5
				32	0	19.33	19.25	19.22	20.5
				32	16	20.46	20.31	20.22	20.5
				32	32	19.14	19.14	19.25	20.5
				64	0	19.25	19.26	19.06	19.5
			16QAM	1	1	19.4	19.19	19.19	19.5
			64QAM	1	1	18.05	17.84	17.69	18.0
			256QAM	1	1	15.68	15.71	15.86	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up
						631000	633332	635666.6667	

						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	Limit
						3465	3499.98	3535	(dBm)
30	30	DFT-OFDM	PI2BPSK	1	1	20.34	20.24	20.25	20.5
				1	39	20.43	20.38	20.21	20.5
				1	76	19.9	19.91	19.84	20.0
				36	0	19.83	19.57	19.57	20.0
				36	21	20.21	20.21	20.22	20.5
				36	41	19.62	19.74	19.82	20.0
				75	0	19.94	19.7	19.74	20.0
			QPSK	1	1	20.5	20.25	20.37	20.5
				1	39	20.4	20.33	19.84	20.5
				1	76	20.17	19.74	19.91	20.5
				36	0	19.23	19.12	19.5	20.5
				36	21	20.22	20.44	20.42	20.5
				36	41	19.12	19.05	19.07	20.5
				75	0	19.16	19.05	19.06	19.5
			16QAM	1	1	19.42	19.01	18.75	19.5
			64QAM	1	1	17.92	17.95	17.68	18.0
			256QAM	1	1	15.63	15.96	15.83	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						631333.3333	633332	635333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3470	3499.98	3530	
40	30	DFT-OFDM	PI2BPSK	1	1	20.43	20.12	20.14	20.5
				1	53	20.38	20.5	20.43	20.5
				1	104	19.81	19.57	19.74	20.0
				50	0	19.76	19.91	19.76	20.0
				50	28	20.18	20.25	20.41	20.5
				50	55	19.74	19.5	19.41	20.0
				100	0	19.81	19.62	19.84	20.0
			QPSK	1	1	20.41	20.15	20.35	20.5
				1	53	20.3	20.39	19.89	20.5
				1	104	20	19.75	19.8	20.5
				50	0	19.17	19.42	19.16	20.5
				50	28	20.25	20.3	20.3	20.5
				50	55	19.32	19.08	19.09	20.5
				100	0	19.26	19.11	19.06	19.5
			16QAM	1	1	19.44	19.05	18.88	19.5
			64QAM	1	1	17.75	17.95	17.96	18.0
			256QAM	1	1	15.69	15.75	15.96	16.0

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						631666.6667	633332	635000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3475	3499.98	3525	
50	30	DFT-OFDM	PI2BPSK	1	1	20.26	20.17	20.12	20.5
				1	66	20.32	20.15	20.24	20.5
				1	131	19.91	19.97	19.86	20.0
				64	0	19.84	19.92	19.92	20.0
				64	34	20.31	20.1	20.38	20.5
				64	68	19.71	19.79	19.4	20.0
				128	0	19.85	19.72	19.65	20.0
			QPSK	1	1	20.5	20.08	20.05	20.5
				1	66	20.08	20.25	19.89	20.5
				1	131	19.99	19.65	19.71	20.5
				64	0	19.2	19.13	19.31	20.5
				64	34	20.5	20.41	20.16	20.5
				64	68	19.21	18.93	19.13	20.5
				128	0	19.46	19.35	19.04	19.5
			16QAM	1	1	19.38	19.29	19.08	19.5
			64QAM	1	1	17.76	17.74	17.88	18.0
			256QAM	1	1	15.65	15.72	15.92	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						632000	633332	634666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3480	3499.98	3520	
60	30	DFT-OFDM	PI2BPSK	1	1	20.2	20.38	20.03	20.5
				1	81	20.43	20.27	20.26	20.5
				1	160	19.85	20	19.61	20.0
				81	0	19.61	19.94	19.76	20.0
				81	41	20.24	20.09	20.34	20.5
				81	80	19.57	19.43	19.55	20.0
				162	0	19.89	19.64	19.7	20.0
			QPSK	1	1	20.45	20.39	20.23	20.5
				1	81	20.28	20.35	19.91	20.5
				1	160	19.94	19.72	19.72	20.5
				81	0	19.37	19.07	19.36	20.5
				81	41	20.36	20.12	20.19	20.5
				81	80	19.18	19.02	19.07	20.5
				162	0	19.34	19.35	18.97	19.5
			16QAM	1	1	19.42	19.2	18.83	19.5

			64QAM	1	1	17.78	17.86	17.83	18.0
			256QAM	1	1	15.74	15.77	15.34	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						632333.3333	633332	634333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3485	3499.98	3515	
70	30	DFT-OFDM	PI2BPSK	1	1	20.29	20.11	20.28	20.5
				1	94	20.09	20.35	20.36	20.5
				1	187	19.88	19.84	19.96	20.0
				90	0	19.77	19.88	19.95	20.0
				90	49	20.25	20.26	20.16	20.5
				90	98	19.69	19.69	19.45	20.0
				180	0	19.73	19.54	19.69	20.0
			QPSK	1	1	20.24	20.32	20.34	20.5
				1	94	20.35	20.48	19.92	20.5
				1	187	19.8	19.93	20.05	20.5
				90	0	19.02	19.03	19.11	20.5
				90	49	20.31	20.36	20.46	20.5
				90	98	19.33	19.08	19.14	20.5
				180	0	19.19	19.09	19.13	19.5
			16QAM	1	1	19.57	19.13	19.03	19.5
			64QAM	1	1	18.07	17.89	17.81	18.0
			256QAM	1	1	15.64	15.74	15.71	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						632666.6667	633332	634000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3490	3499.98	3510	
80	30	DFT-OFDM	PI2BPSK	1	1	20.16	20.25	20.32	20.5
				1	108	20.25	20.09	20.41	20.5
				1	215	19.82	19.89	19.71	20.0
				108	0	19.78	19.63	19.85	20.0
				108	54	20.31	20.1	20.24	20.5
				108	108	19.75	19.5	19.39	20.0
				216	0	19.79	19.67	19.68	20.0
			QPSK	1	1	20.32	20.39	20.28	20.5
				1	108	20.2	20.48	19.92	20.5
				1	215	19.97	19.88	19.86	20.5
				108	0	19.27	19.3	19.18	20.5
				108	54	20.45	20.41	20.25	20.5
				108	108	19.01	18.87	19.17	20.5

				216	0	19.19	19.34	18.99	19.5
			16QAM	1	1	19.54	19.13	18.93	19.5
			64QAM	1	1	17.88	17.91	17.89	18.0
			256QAM	1	1	15.59	15.76	15.93	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						633000	633332	633666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3495	3499.98	3505	
90	30	DFT-OFDM	PI2BPSK	1	1	20.3	20.25	20.14	20.5
				1	122	20.33	20.38	20.22	20.5
				1	243	19.9	19.79	19.81	20.0
				120	0	19.7	19.84	19.67	20.0
				120	62	20.18	20.17	20.36	20.5
				120	124	19.53	19.55	19.49	20.0
				243	0	19.78	19.67	19.65	20.0
			QPSK	1	1	20.48	20.4	20.33	20.5
				1	122	20.14	20.4	19.95	20.5
				1	243	20.12	19.78	19.88	20.5
				120	0	19.25	19.1	19.17	20.5
				120	62	20.32	20.32	20.33	20.5
				120	124	19.03	19	19.06	20.5
				243	0	19.24	19.19	19.01	19.5
			16QAM	1	1	19.36	18.98	19.04	19.5
			64QAM	1	1	17.89	17.91	17.92	18.0
			256QAM	1	1	15.63	15.79	15.95	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						N/A	633332	N/A	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						N/A	3499.98	N/A	
100	30	DFT-OFDM	PI2BPSK	1	1	N/A	20.14	N/A	20.5
				1	136	N/A	20.16	N/A	20.5
				1	271	N/A	19.81	N/A	20.0
				135	0	N/A	19.8	N/A	20.0
				135	69	N/A	20.21	N/A	20.5
				135	137	N/A	19.57	N/A	20.0
				270	0	N/A	19.58	N/A	20.0
			QPSK	1	1	N/A	20.17	N/A	20.5
				1	136	N/A	20.26	N/A	20.5
				1	271	N/A	19.91	N/A	20.5
				135	0	N/A	19.23	N/A	20.5

				135	69	N/A	20.25	N/A	20.5
				135	137	N/A	18.95	N/A	20.5
				270	0	N/A	19.38	N/A	19.5
			16QAM	1	1	N/A	19.14	N/A	19.5
			64QAM	1	1	N/A	17.71	N/A	18.0
			256QAM	1	1	N/A	15.98	N/A	16.0

NR N78 C PC3

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647000	650000	653000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3705.00	3750.00	3795.00	
10	30	DFT-OFDM	PI2BPSK	1	1	21.44	21.43	21.61	22.0
				1	12	22.53	22.51	22.63	23.0
				1	22	23.11	23.32	23.17	23.5
				12	0	21.20	21.35	21.37	21.5
				12	6	22.36	22.35	22.41	23.0
				12	11	22.41	22.24	22.42	22.5
				24	0	21.83	21.93	22.15	22.5
			QPSK	1	1	21.39	21.51	21.76	22.5
				1	12	22.19	22.48	22.05	23.5
				1	22	23.09	23.21	23.44	23.5
				12	0	20.69	20.93	20.91	22.5
				12	6	22.28	22.39	22.43	22.5
				12	11	21.76	21.87	21.90	22.5
				24	0	21.26	21.32	21.38	21.5
			16QAM	1	1	20.42	20.92	20.59	21.0
			64QAM	1	1	19.22	19.42	19.18	19.5
			256QAM	1	1	16.95	17.04	17.60	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647167	650000	652833	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3707.50	3750.00	3792.50	
15	30	DFT-OFDM	PI2BPSK	1	1	21.49	21.54	21.74	22.0
				1	19	22.32	22.47	22.81	23.0
				1	36	23.06	23.47	23.41	23.5
				18	0	21.33	21.40	21.46	21.5
				18	10	22.42	22.39	22.40	23.0
				18	19	22.34	22.38	22.45	22.5
				36	0	21.97	21.90	21.97	22.5
			QPSK	1	1	21.49	21.27	21.76	22.5
				1	19	22.10	22.52	22.12	23.5
				1	36	23.23	23.18	23.35	23.5
				18	0	20.69	20.93	21.06	22.5
				18	10	22.21	22.34	22.46	22.5

				18	19	21.85	21.76	22.14	22.5
				36	0	21.32	21.33	21.34	21.5
			16QAM	1	1	20.54	20.81	20.62	21.0
			64QAM	1	1	19.39	19.14	19.07	19.5
			256QAM	1	1	16.96	17.06	17.54	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647333	650000	652667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3710.00	3750.00	3790.00	
20	30	DFT-OFDM	PI2BPSK	1	1	21.64	21.46	21.76	22.0
				1	25	22.39	22.68	22.77	23.0
				1	49	23.36	23.26	23.28	23.5
				25	0	21.27	21.38	21.39	21.5
				25	13	22.25	22.45	22.40	23.0
				25	25	22.26	22.46	22.49	22.5
				50	0	22.03	21.80	22.07	22.5
			QPSK	1	1	21.37	21.47	21.78	22.5
				1	25	22.04	22.50	22.27	23.5
				1	49	23.32	23.11	23.24	23.5
				25	0	20.63	20.90	20.99	22.5
				25	13	22.45	22.41	22.39	22.5
				25	25	21.93	21.79	21.99	22.5
				50	0	21.32	21.46	21.29	21.5
			16QAM	1	1	20.35	20.93	20.79	21.0
			64QAM	1	1	19.26	19.21	19.04	19.5
			256QAM	1	1	16.68	16.99	17.54	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647500	650000	652500	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3712.50	3750.00	3787.50	
25	30	DFT-OFDM	PI2BPSK	1	1	21.48	21.58	21.69	22.0
				1	32	22.29	22.72	22.76	23.0
				1	63	23.25	23.29	23.33	23.5
				32	0	21.38	21.44	21.34	21.5
				32	16	22.38	22.41	22.48	23.0
				32	32	22.30	22.41	22.31	22.5
				64	0	21.79	22.07	22.20	22.5
			QPSK	1	1	21.61	21.32	21.50	22.5
				1	32	22.16	22.55	22.18	23.5
				1	63	23.11	23.04	23.34	23.5

				32	0	20.72	20.75	20.92	22.5
				32	16	22.35	22.45	22.47	22.5
				32	32	21.69	21.74	21.86	22.5
				64	0	21.39	21.41	21.43	21.5
			16QAM	1	1	20.51	20.89	20.58	21.0
			64QAM	1	1	19.24	19.28	19.07	19.5
			256QAM	1	1	16.92	16.87	17.63	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647667	650000	652333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3715.00	3750.00	3785.00	
30	30	DFT-OFDM	PI2BPSK	1	1	21.54	21.38	21.52	22.0
				1	39	22.26	22.55	22.71	23.0
				1	76	23.24	23.26	23.36	23.5
				36	0	21.28	21.43	21.48	21.5
				36	21	22.44	22.53	22.42	23.0
				36	41	22.46	22.50	22.49	22.5
				75	0	21.87	22.06	22.21	22.5
			QPSK	1	1	21.46	21.28	21.70	22.5
				1	39	22.18	22.45	22.10	23.5
				1	76	23.37	23.14	23.35	23.5
				36	0	20.91	20.75	20.95	22.5
				36	21	22.32	22.37	22.35	22.5
				36	41	21.74	21.97	22.11	22.5
				75	0	21.23	21.30	21.43	21.5
			16QAM	1	1	20.53	20.72	20.61	21.0
			64QAM	1	1	19.36	19.17	18.99	19.5
			256QAM	1	1	16.90	17.07	17.74	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648000	650000	652000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3720.00	3750.00	3780.00	
40	30	DFT-OFDM	PI2BPSK	1	1	21.62	21.56	21.59	22.0
				1	53	22.36	22.63	22.68	23.0
				1	104	23.26	23.47	23.19	23.5
				50	0	21.45	21.50	21.42	21.5
				50	28	22.30	22.43	22.47	23.0
				50	55	22.49	22.42	22.45	22.5
				100	0	21.92	21.90	21.91	22.5
			QPSK	1	1	21.39	21.26	21.74	22.5

				1	53	21.97	22.34	22.30	23.5
				1	104	23.28	23.18	23.31	23.5
				50	0	20.74	20.71	21.00	22.5
				50	28	22.26	22.25	22.49	22.5
				50	55	21.85	21.97	22.05	22.5
				100	0	21.22	21.39	21.27	21.5
				16QAM	1	1	20.44	20.97	20.72
				64QAM	1	1	19.32	19.24	19.04
				256QAM	1	1	16.82	16.95	17.72
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						648333	650000	651667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3725.00	3750.00	3775.00	
50	30	DFT-OFDM	PI2BPSK	1	1	21.40	21.58	21.75	22.0
				1	66	22.25	22.47	22.79	23.0
				1	131	23.18	23.39	23.18	23.5
				64	0	21.32	21.39	21.35	21.5
				64	34	22.30	22.50	22.67	23.0
				64	68	22.27	22.32	22.26	22.5
				128	0	21.89	21.88	22.17	22.5
			QPSK	1	1	21.67	21.45	21.60	22.5
				1	66	22.13	22.60	22.15	23.5
				1	131	23.36	23.16	23.27	23.5
				64	0	20.90	20.69	21.05	22.5
				64	34	22.22	22.44	22.35	22.5
				64	68	21.80	21.80	22.11	22.5
				128	0	21.32	21.48	21.16	21.5
			16QAM	1	1	20.31	20.70	20.60	21.0
			64QAM	1	1	19.18	19.30	19.19	19.5
			256QAM	1	1	16.83	17.03	17.53	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						648667	650000	651333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3730.00	3750.00	3770.00	
60	30	DFT-OFDM	PI2BPSK	1	1	21.55	21.54	21.49	22.0
				1	81	22.26	22.49	22.75	23.0
				1	160	23.23	23.21	23.25	23.5
				81	0	21.43	21.30	21.35	21.5
				81	41	22.41	22.35	22.63	23.0
				81	80	22.49	22.43	22.04	22.5

				162	0	21.81	21.81	22.06	22.5
			QPSK	1	1	21.64	21.37	21.65	22.5
				1	81	21.96	22.34	22.16	23.5
				1	160	23.32	23.17	23.22	23.5
				81	0	20.70	20.98	20.98	22.5
				81	41	22.42	22.25	22.17	22.5
				81	80	21.90	21.95	22.11	22.5
				162	0	21.37	21.23	21.41	21.5
			16QAM	1	1	20.54	20.81	20.65	21.0
			64QAM	1	1	19.17	19.15	19.16	19.5
			256QAM	1	1	16.69	16.92	17.70	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649000	650000	651000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3735.00	3750.00	3765.00	
70	30	DFT-OFDM	PI2BPSK	1	1	21.61	21.42	21.57	22.0
				1	94	22.53	22.53	22.57	23.0
				1	187	23.22	23.27	23.38	23.5
				90	0	21.27	21.42	21.45	21.5
				90	49	22.36	22.55	22.46	23.0
				90	98	22.33	22.45	22.42	22.5
				180	0	21.84	21.99	22.06	22.5
			QPSK	1	1	21.45	21.27	21.77	22.5
				1	94	22.01	22.31	22.21	23.5
				1	187	23.18	23.24	23.49	23.5
				90	0	20.62	20.97	20.77	22.5
				90	49	22.25	22.31	22.36	22.5
				90	98	21.79	21.93	21.99	22.5
				180	0	21.32	21.34	21.33	21.5
			16QAM	1	1	20.52	20.81	20.73	21.0
			64QAM	1	1	19.18	19.41	19.20	19.5
			256QAM	1	1	16.78	17.05	17.67	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649333	650000	650667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3740.00	3750.00	3760.00	
80	30	DFT-OFDM	PI2BPSK	1	1	21.48	21.43	21.49	22.0
				1	108	22.29	22.70	22.73	23.0
				1	215	23.11	23.36	23.22	23.5
				108	0	21.25	21.25	21.34	21.5

				108	54	22.25	22.39	22.60	23.0
				108	108	22.42	22.49	22.36	22.5
				216	0	22.08	21.88	22.21	22.5
			QPSK	1	1	21.40	21.44	21.75	22.5
				1	108	22.25	22.53	22.15	23.5
				1	215	23.20	23.28	23.34	23.5
				108	0	20.67	20.77	21.03	22.5
				108	54	22.47	22.25	22.07	22.5
				108	108	21.79	21.88	21.98	22.5
				216	0	21.28	21.35	21.13	21.5
			16QAM	1	1	20.46	20.67	20.59	21.0
			64QAM	1	1	19.22	19.43	19.13	19.5
			256QAM	1	1	16.82	17.08	17.59	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649667	650000	650333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3745.00	3750.00	3755.00	
90	30	DFT-OFDM	PI2BPSK	1	1	21.51	21.47	21.64	22.0
				1	122	22.4	22.58	22.69	23.0
				1	243	23.21	23.34	23.3	23.5
				120	0	21.34	21.4	21.5	21.5
				120	62	22.32	22.41	22.54	23.0
				120	124	22.34	22.37	22.46	22.5
				243	0	21.93	21.94	22.06	22.5
			QPSK	1	1	21.52	21.39	21.63	22.5
				1	122	22.1	22.45	22.16	23.5
				1	243	23.22	23.14	23.34	23.5
				120	0	20.77	20.84	20.91	22.5
				120	62	22.35	22.38	22.5	22.5
				120	124	21.81	21.85	22	22.5
				243	0	21.33	21.36	21.42	21.5
			16QAM	1	1	20.44	20.82	20.7	21.0
			64QAM	1	1	19.32	19.29	19.09	19.5
			256QAM	1	1	16.81	17.02	17.68	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						N/A	650000	N/A	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						N/A	3750.00	N/A	
100	30	DFT-OFDM	PI2BPSK	1	1	N/A	21.51	N/A	22.0
				1	136	N/A	22.47	N/A	22.5

				1	271	N/A	23.29	N/A	23.5
				135	0	N/A	21.28	N/A	21.5
				135	69	N/A	22.46	N/A	22.5
				135	137	N/A	22.4	N/A	22.5
				270	0	N/A	21.88	N/A	22.0
			QPSK	1	1	N/A	22.98	N/A	23.5
				1	136	N/A	22.44	N/A	23.5
				1	271	N/A	23.31	N/A	23.5
				135	0	N/A	20.76	N/A	22.5
				135	69	N/A	22.35	N/A	22.5
				135	137	N/A	21.96	N/A	22.5
				270	0	N/A	21.47	N/A	21.5
			16QAM	1	1	N/A	20.73	N/A	21.0
			64QAM	1	1	N/A	19.14	N/A	19.5
			256QAM	1	1	N/A	17.33	N/A	18.0

EN-DC Sensor on

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647000	650000	653000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3705	3750	3795	
10	30	DFT-OFDM	PI2BPSK	1	1	20.33	20.36	20.16	22.0
				1	12	20.99	21.02	21.08	
				1	22	21.65	21.82	21.67	
				12	0	19.67	19.83	19.88	21.0
				12	6	20.83	20.90	20.89	
				12	11	20.86	20.71	20.96	
				24	0	20.34	20.42	20.45	20.5
			QPSK	1	1	20.15	20.14	20.31	22.0
				1	12	20.73	21.00	20.57	
				1	22	21.60	21.70	21.97	
				12	0	19.14	19.43	19.42	21.0
				12	6	20.83	20.91	20.92	
				12	11	20.28	20.33	20.44	
				24	0	19.80	19.79	19.87	20.5
			16QAM	1	1	18.87	19.42	19.13	19.5
			64QAM	1	1	17.67	17.88	17.66	18.0
			256QAM	1	1	15.43	15.55	15.99	16.0

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647166.6667	650000	652833.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3707.5	3750	3792.5	
15	30	DFT-OFDM	PI2BPSK	1	1	20.02	20.00	20.29	22.0
				1	19	20.85	20.98	21.32	
				1	36	21.61	21.95	21.91	
				18	0	19.79	19.92	19.92	21.0
				18	10	20.93	20.94	20.88	
				18	19	20.82	20.87	20.93	
				36	0	20.46	20.44	20.45	20.5
			QPSK	1	1	20.15	20.35	20.31	22.0
				1	19	20.58	21.02	20.64	
				1	36	21.74	21.71	21.86	
				18	0	19.20	19.41	19.56	21.0
				18	10	20.68	20.85	20.96	
				18	19	20.34	20.25	20.64	
				36	0	19.87	19.84	19.87	20.5
			16QAM	1	1	19.01	19.33	19.15	19.5
			64QAM	1	1	17.90	17.62	17.59	18.0
			256QAM	1	1	15.47	15.58	15.83	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647333.3333	650000	652666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3710	3750	3790	
20	30	DFT-OFDM	PI2BPSK	1	1	20.16	20.14	20.24	22.0
				1	25	20.89	21.17	21.23	
				1	49	21.83	21.71	21.81	
				25	0	19.72	19.87	19.91	21.0
				25	13	20.80	20.91	20.94	
				25	25	20.78	20.94	20.47	
				50	0	20.16	20.30	20.35	20.5
			QPSK	1	1	20.18	20.00	20.27	22.0
				1	25	20.59	20.97	20.75	
				1	49	21.87	21.56	21.69	
				25	0	19.11	19.41	19.50	21.0
				25	13	20.98	20.92	20.89	
				25	25	20.46	20.25	20.52	
				50	0	19.79	19.98	19.75	20.5
			16QAM	1	1	18.87	19.48	19.30	19.5

			64QAM	1	1	17.79	17.69	17.59	18.0
			256QAM	1	1	15.22	15.52	15.86	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647500	650000	652500	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3712.5	3750	3787.5	
25	30	DFT-OFDM	PI2BPSK	1	1	20.00	20.05	20.20	22.0
				1	32	20.75	21.27	21.30	
				1	63	21.72	21.77	21.86	
				32	0	19.93	19.98	19.82	21.0
				32	16	20.89	20.95	21.00	
				32	32	20.77	20.86	20.78	
				64	0	20.34	20.35	20.37	20.5
			QPSK	1	1	20.13	20.59	20.17	22.0
				1	32	20.62	21.06	20.64	
				1	63	21.58	21.55	21.83	
				32	0	19.26	19.26	19.43	21.0
				32	16	20.83	20.95	21.00	
				32	32	20.17	20.28	20.32	
				64	0	19.88	19.94	19.94	20.5
			16QAM	1	1	18.98	19.34	19.13	19.5
			64QAM	1	1	17.78	17.75	17.58	18.0
			256QAM	1	1	15.44	15.41	15.85	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647666.6667	650000	652333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3715	3750	3785	
30	30	DFT-OFDM	PI2BPSK	1	1	20.05	20.69	20.07	22.0
				1	39	20.78	21.01	21.18	
				1	76	21.77	21.74	21.87	
				36	0	19.80	19.92	20.01	21.0
				36	21	20.95	21.00	20.97	
				36	41	20.93	20.95	20.94	
				75	0	20.41	20.41	20.48	20.5
			QPSK	1	1	20.01	20.47	20.24	22.0
				1	39	20.68	20.93	20.65	
				1	76	21.90	21.65	21.88	
				36	0	19.37	19.26	19.43	21.0
				36	21	20.82	20.83	20.88	
				36	41	20.19	20.42	20.65	

				75	0	19.77	19.79	19.98	20.5
			16QAM	1	1	19.00	19.22	19.07	19.5
			64QAM	1	1	17.81	17.64	17.52	18.0
			256QAM	1	1	15.37	15.58	15.58	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648000	650000	652000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3720	3750	3780	
40	30	DFT-OFDM	PI2BPSK	1	1	20.12	20.04	20.05	22.0
				1	53	20.86	21.08	21.17	
				1	104	21.80	21.97	21.67	
				50	0	20.00	19.99	19.92	21.0
				50	28	20.85	20.96	20.35	
				50	55	20.85	20.96	20.92	
				100	0	20.45	20.38	20.39	20.5
			QPSK	1	1	20.47	20.46	20.24	22.0
				1	53	20.46	20.89	20.76	
				1	104	21.73	21.63	21.77	
				50	0	19.29	19.23	19.50	21.0
				50	28	20.81	20.70	20.98	
				50	55	20.36	20.42	20.58	
				100	0	19.75	19.91	19.74	20.5
			16QAM	1	1	18.93	19.42	19.17	19.5
			64QAM	1	1	17.77	17.76	17.52	18.0
			256QAM	1	1	15.36	15.43	15.88	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648333.3333	650000	651666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3725	3750	3775	
50	30	DFT-OFDM	PI2BPSK	1	1	20.50	20.06	20.26	22.0
				1	66	20.77	20.93	21.29	
				1	131	21.71	21.84	21.67	
				64	0	19.83	19.89	19.83	21.0
				64	34	20.85	21.00	20.64	
				64	68	20.81	20.83	20.77	
				128	0	20.35	20.36	20.17	20.5
			QPSK	1	1	20.13	20.45	20.09	22.0
				1	66	20.60	21.11	20.69	
				1	131	21.89	21.61	21.81	
				64	0	19.37	19.21	19.58	21.0

				64	34	20.74	20.93	20.87	
				64	68	20.32	20.27	20.57	
				128	0	19.87	19.93	19.66	
			16QAM	1	1	18.82	19.17	19.07	19.5
			64QAM	1	1	17.65	17.84	17.66	18.0
			256QAM	1	1	15.29	15.48	15.69	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648666.6667	650000	651333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3730	3750	3770	
60	30	DFT-OFDM	PI2BPSK	1	1	20.04	20.06	20.03	22.0
				1	81	20.80	20.97	21.21	
				1	160	21.75	21.69	21.73	
				81	0	19.93	19.77	19.81	21.0
				81	41	20.91	20.88	20.99	
				81	80	20.84	20.94	20.55	
				162	0	20.28	20.36	20.49	20.5
			QPSK	1	1	20.10	20.47	20.17	22.0
				1	81	20.45	20.80	20.62	
				1	160	21.85	21.69	21.77	
				81	0	19.19	19.44	19.53	21.0
				81	41	20.92	20.75	20.67	
				81	80	20.44	20.48	20.65	
				162	0	19.82	19.75	19.96	20.5
			16QAM	1	1	19.05	19.36	19.18	19.5
			64QAM	1	1	17.65	17.64	17.68	18.0
			256QAM	1	1	15.18	15.47	15.85	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649000	650000	651000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3735	3750	3765	
70	30	DFT-OFDM	PI2BPSK	1	1	20.08	20.33	20.06	22.0
				1	94	21.05	20.98	21.08	
				1	187	21.74	21.80	21.83	
				90	0	19.79	19.91	20.00	21.0
				90	49	20.86	20.85	20.93	
				90	98	20.88	20.93	20.92	
				180	0	20.36	20.50	20.10	20.5
			QPSK	1	1	20.33	20.25	20.26	22.0
				1	94	20.48	20.81	20.66	

				1	187	21.63	21.71	21.96	21.0
				90	0	19.14	19.44	19.30	
				90	49	20.74	20.86	20.84	
				90	98	20.30	20.44	20.54	
				180	0	19.79	19.88	19.88	20.5
			16QAM	1	1	18.98	19.30	19.28	19.5
			64QAM	1	1	17.70	17.86	17.67	18.0
			256QAM	1	1	15.29	15.51	15.55	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649333.3333	650000	650666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3740	3750	3760	
80	30	DFT-OFDM	PI2BPSK	1	1	20.00	20.69	20.41	22.0
				1	108	20.75	21.19	21.22	
				1	215	21.58	21.84	21.69	
				108	0	19.71	19.71	19.84	21.0
				108	54	20.77	20.93	20.69	
				108	108	20.92	20.95	20.88	
				216	0	20.33	20.40	20.41	20.5
			QPSK	1	1	20.47	20.50	20.29	22.0
				1	108	20.79	21.02	20.60	
				1	215	21.71	21.77	21.85	
				108	0	19.22	19.28	19.53	21.0
				108	54	20.95	20.75	20.54	
				108	108	20.30	20.37	20.46	
				216	0	19.80	19.89	19.62	20.5
			16QAM	1	1	18.94	19.14	19.04	19.5
			64QAM	1	1	17.70	17.97	17.58	18.0
			256QAM	1	1	15.29	15.53	15.88	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649666.6667	650000	650333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3745	3750	3755	
90	30	DFT-OFDM	PI2BPSK	1	1	20.00	20.17	20.13	22.0
				1	122	20.87	21.08	21.24	
				1	243	21.75	21.89	21.79	
				120	0	19.89	19.90	19.95	21.0
				120	62	20.79	20.96	20.47	
				120	124	20.86	20.87	20.99	
				243	0	20.45	20.49	20.46	20.5

			QPSK	1	1	20.01	20.65	20.12	22.0
				1	122	20.58	20.94	20.69	
				1	243	21.74	21.61	21.81	
				120	0	19.24	19.34	19.39	21.0
				120	62	20.83	20.84	20.95	
				120	124	20.30	20.32	20.51	
				243	0	19.81	19.86	19.97	20.5
			16QAM	1	1	18.95	19.30	19.22	19.5
			64QAM	1	1	17.78	17.74	17.62	18.0
			256QAM	1	1	15.26	15.57	15.93	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						N/A	650000	N/A	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						N/A	3750	N/A	
100	30	DFT-OFDM	PI2BPSK	1	1	N/A	20.03	N/A	22.0
				1	136	N/A	21.00	N/A	
				1	271	N/A	21.77	N/A	
				135	0	N/A	19.82	N/A	21.0
				135	69	N/A	20.95	N/A	
				135	137	N/A	20.94	N/A	
				270	0	N/A	20.37	N/A	20.5
			QPSK	1	1	N/A	21.47	N/A	22.0
				1	136	N/A	20.97	N/A	
				1	271	N/A	21.85	N/A	
				135	0	N/A	19.21	N/A	21.0
				135	69	N/A	20.84	N/A	
				135	137	N/A	20.49	N/A	
				270	0	N/A	20.01	N/A	20.5
			16QAM	1	1	N/A	19.21	N/A	19.5
			64QAM	1	1	N/A	17.63	N/A	18.0
			256QAM	1	1	N/A	15.42	N/A	16.0

EN-DC+WLAN Sensor on

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647000	650000	653000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3705.00	3750.00	3795.00	
10	30	DFT-OFDM	PI2BPSK	1	1	18.96	18.92	19.08	19.5

					1	12	20.03	20.01	20.12	20.5
					1	22	20.56	20.85	20.66	21.0
					12	0	18.73	18.81	18.92	19.0
					12	6	19.87	19.86	19.93	20.0
					12	11	19.90	19.72	19.96	20.0
					24	0	19.31	19.47	19.45	19.5
				QPSK	1	1	19.35	19.06	19.25	21.0
					1	12	19.67	19.95	19.51	21.0
					1	22	20.59	20.76	20.96	21.0
					12	0	18.22	18.39	18.43	20.0
					12	6	19.76	19.84	19.93	20.5
					12	11	19.24	19.36	19.42	20.5
				24	0	18.73	18.87	18.92	19.0	
				16QAM	1	1	17.93	18.37	18.05	18.5
				64QAM	1	1	16.75	16.93	16.67	17.0
				256QAM	1	1	14.48	14.49	15.12	15.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)	
						647167	650000	652833		
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)		
						3707.50	3750.00	3792.50		
15	30	DFT-OFDM	PI2BPSK	1	1	18.96	19.02	19.29	19.5	
				1	19	19.85	20.01	20.35	20.5	
				1	36	20.58	20.93	20.88	21.0	
				18	0	18.87	18.92	18.97	19.0	
				18	10	19.88	19.88	19.92	20.0	
				18	19	19.79	19.91	20.00	20.0	
				36	0	19.42	19.41	19.49	19.5	
			QPSK	1	1	19.03	19.25	19.29	21.0	
				1	19	19.57	19.99	19.59	21.0	
				1	36	20.72	20.64	20.84	21.0	
				18	0	18.16	18.45	18.51	20.0	
				18	10	19.73	19.81	20.01	20.5	
				18	19	19.33	19.31	19.64	20.5	
				36	0	18.78	18.87	18.87	19.0	
			16QAM	1	1	18.05	18.36	18.13	18.5	
			64QAM	1	1	16.85	16.65	16.57	17.0	
256QAM	1	1	14.49	14.56	15.04	15.5				
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up	
						647333	650000	652667		
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)		

						3710.00	3750.00	3790.00	Limit (dBm)
20	30	DFT-OFDM	PI2BPSK	1	1	19.19	18.97	19.21	19.5
				1	25	19.86	20.21	20.25	20.5
				1	49	20.91	20.77	20.81	21.0
				25	0	18.81	18.84	18.84	19.0
				25	13	19.73	19.96	19.86	20.0
				25	25	19.79	19.94	19.97	20.0
				50	0	19.50	19.28	19.41	19.5
			QPSK	1	1	19.33	19.25	19.29	21.0
				1	25	19.58	20.00	19.76	21.0
				1	49	20.81	20.63	20.71	21.0
				25	0	18.11	18.38	18.44	20.0
				25	13	19.90	19.88	19.89	20.5
				25	25	19.42	19.28	19.53	20.5
				50	0	18.85	18.97	18.75	19.0
			16QAM	1	1	17.83	18.47	18.32	18.5
			64QAM	1	1	16.78	16.74	16.54	17.0
			256QAM	1	1	14.21	14.44	15.03	15.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647500	650000	652500	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3712.50	3750.00	3787.50	
25	30	DFT-OFDM	PI2BPSK	1	1	19.00	19.11	19.22	19.5
				1	32	19.80	20.22	20.30	20.5
				1	63	20.77	20.80	20.80	21.0
				32	0	18.89	18.92	18.86	19.0
				32	16	19.86	19.96	19.97	20.0
				32	32	19.79	19.94	19.76	20.0
				64	0	19.24	19.43	19.21	19.5
			QPSK	1	1	19.09	19.05	19.00	21.0
				1	32	19.62	20.04	19.67	21.0
				1	63	20.58	20.54	20.84	21.0
				32	0	18.19	18.25	18.46	20.0
				32	16	19.90	19.92	19.92	20.5
				32	32	19.20	19.20	19.31	20.5
				64	0	18.92	18.89	18.89	19.0
			16QAM	1	1	17.98	18.43	18.09	18.5
			64QAM	1	1	16.74	16.75	16.57	17.0
			256QAM	1	1	14.38	14.33	15.08	15.5

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647667	650000	652333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3715.00	3750.00	3785.00	
30	30	DFT-OFDM	PI2BPSK	1	1	19.09	18.84	19.04	19.5
				1	39	19.76	20.07	20.19	20.5
				1	76	20.73	20.81	20.81	21.0
				36	0	18.74	18.91	18.97	19.0
				36	21	19.97	19.85	19.91	20.0
				36	41	19.91	19.99	19.99	20.0
				75	0	19.38	19.29	19.44	19.5
			QPSK	1	1	19.01	19.38	19.25	21.0
				1	39	19.64	19.95	19.55	21.0
				1	76	20.92	20.59	20.84	21.0
				36	0	18.36	18.20	18.42	20.0
				36	21	19.83	19.85	19.85	20.5
				36	41	19.22	19.50	19.62	20.5
				75	0	18.72	18.82	18.93	19.0
			16QAM	1	1	18.01	18.23	18.08	18.5
			64QAM	1	1	16.90	16.68	16.48	17.0
			256QAM	1	1	14.40	14.58	15.23	15.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						648000	650000	652000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3720.00	3750.00	3780.00	
40	30	DFT-OFDM	PI2BPSK	1	1	19.08	19.07	19.14	19.5
				1	53	19.82	20.15	20.19	20.5
				1	104	20.80	20.36	20.68	21.0
				50	0	18.90	18.85	18.87	19.0
				50	28	19.75	19.90	19.93	20.0
				50	55	19.95	19.97	19.95	20.0
				100	0	19.42	19.40	19.44	19.5
			QPSK	1	1	19.65	19.35	19.19	21.0
				1	53	19.52	19.85	19.85	21.0
				1	104	20.83	20.67	20.86	21.0
				50	0	18.19	18.24	18.52	20.0
				50	28	19.80	19.75	19.97	20.5
				50	55	19.36	19.45	19.53	20.5
				100	0	18.77	18.84	18.72	19.0
			16QAM	1	1	17.93	18.48	18.22	18.5

			64QAM	1	1	16.81	16.74	16.55	17.0
			256QAM	1	1	14.37	14.45	15.20	15.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						648333	650000	651667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3725.00	3750.00	3775.00	
50	30	DFT-OFDM	PI2BPSK	1	1	18.88	19.13	19.26	19.5
				1	66	19.70	19.94	20.31	20.5
				1	131	20.73	20.89	20.66	21.0
				64	0	18.81	18.92	18.80	19.0
				64	34	19.85	19.99	19.25	20.0
				64	68	19.75	19.78	19.79	20.0
				128	0	19.37	19.35	19.12	19.5
			QPSK	1	1	19.15	19.32	19.15	21.0
				1	66	19.62	20.06	19.67	21.0
				1	131	20.88	20.69	20.80	21.0
				64	0	18.38	18.17	18.50	20.0
				64	34	19.68	19.98	19.82	20.5
				64	68	19.29	19.32	19.58	20.5
				128	0	18.77	18.96	18.64	19.0
			16QAM	1	1	17.84	18.23	18.06	18.5
			64QAM	1	1	16.65	16.82	16.68	17.0
			256QAM	1	1	14.32	14.49	15.04	15.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						648667	650000	651333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3730.00	3750.00	3770.00	
60	30	DFT-OFDM	PI2BPSK	1	1	19.00	19.07	19.00	19.5
				1	81	19.74	20.04	20.24	20.5
				1	160	20.78	20.73	20.73	21.0
				81	0	18.95	18.81	18.86	19.0
				81	41	19.90	19.85	19.35	20.0
				81	80	19.98	19.88	19.51	20.0
				162	0	19.32	19.33	19.41	19.5
			QPSK	1	1	19.15	19.39	19.11	21.0
				1	81	19.42	19.89	19.67	21.0
				1	160	20.84	20.70	20.75	21.0
				81	0	18.16	18.50	18.43	20.0
				81	41	19.88	19.75	19.66	20.5
				81	80	19.40	19.44	19.63	20.5

				162	0	18.82	18.74	18.91	19.0
			16QAM	1	1	18.06	18.31	18.17	18.5
			64QAM	1	1	16.71	16.65	16.66	17.0
			256QAM	1	1	14.24	14.38	15.19	15.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649000	650000	651000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3735.00	3750.00	3765.00	
70	30	DFT-OFDM	PI2BPSK	1	1	19.07	18.96	19.03	19.5
				1	94	19.99	20.03	20.11	20.5
				1	187	20.76	20.79	20.86	21.0
				90	0	18.80	18.91	18.92	19.0
				90	49	19.87	19.85	19.95	20.0
				90	98	19.88	19.95	19.94	20.0
				180	0	19.37	19.45	19.49	19.5
			QPSK	1	1	19.85	19.68	19.22	21.0
				1	94	19.47	19.82	19.75	21.0
				1	187	20.72	20.77	20.58	21.0
				90	0	18.11	18.43	18.30	20.0
				90	49	19.79	19.76	19.90	20.5
				90	98	19.25	19.40	19.49	20.5
				180	0	18.77	18.81	18.78	19.0
			16QAM	1	1	18.07	18.36	18.24	18.5
			64QAM	1	1	16.65	16.95	16.66	17.0
			256QAM	1	1	14.27	14.52	15.13	15.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649333	650000	650667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3740.00	3750.00	3760.00	
80	30	DFT-OFDM	PI2BPSK	1	1	18.95	18.94	18.96	19.5
				1	108	19.79	20.20	20.20	20.5
				1	215	20.59	20.87	20.74	21.0
				108	0	18.73	18.76	18.89	19.0
				108	54	19.71	19.91	19.69	20.0
				108	108	19.87	19.94	19.91	20.0
				216	0	19.43	19.33	19.39	19.5
			QPSK	1	1	19.69	19.58	19.24	21.0
				1	108	19.76	20.04	19.68	21.0
				1	215	20.75	20.73	20.83	21.0
				108	0	18.19	18.24	18.50	20.0

				108	54	19.98	19.75	19.58	20.5
				108	108	19.33	19.38	19.44	20.5
				216	0	18.76	18.90	18.67	19.0
			16QAM	1	1	17.96	18.22	18.11	18.5
			64QAM	1	1	16.72	16.88	16.66	17.0
			256QAM	1	1	14.35	14.57	15.13	15.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649667	650000	650333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3745.00	3750.00	3755.00	
90	30	DFT-OFDM	PI2BPSK	1	1	19.01	18.92	19.13	19.5
				1	122	19.87	20.09	20.22	20.5
				1	243	20.68	20.85	20.8	21.0
				120	0	18.84	18.87	18.95	19.0
				120	62	19.78	19.91	19.35	20.0
				120	124	19.89	19.82	19.95	20.0
				243	0	19.4	19.4	19.14	19.5
			QPSK	1	1	19.05	19.58	19.11	21.0
				1	122	19.6	19.98	19.71	21.0
				1	243	20.72	20.64	20.83	21.0
				120	0	18.32	18.3	18.37	20.0
				120	62	19.89	19.87	19.96	20.5
				120	124	19.35	19.32	19.5	20.5
				243	0	18.86	18.84	18.89	19.0
			16QAM	1	1	17.92	18.3	18.18	18.5
			64QAM	1	1	16.8	16.77	16.55	17.0
			256QAM	1	1	14.3	14.49	15.14	15.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						N/A	650000	N/A	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						N/A	3750.00	N/A	
100	30	DFT-OFDM	PI2BPSK	1	1	N/A	19.05	N/A	19.5
				1	136	N/A	19.94	N/A	20.5
				1	271	N/A	20.83	N/A	21.0
				135	0	N/A	18.76	N/A	19.0
				135	69	N/A	20	N/A	20.0
				135	137	N/A	19.85	N/A	20.0
				270	0	N/A	19.37	N/A	19.5
			QPSK	1	1	N/A	20.48	N/A	21.0
				1	136	N/A	19.99	N/A	21.0

				1	271	N/A	20.83	N/A	21.0
				135	0	N/A	18.31	N/A	20.0
				135	69	N/A	19.8	N/A	20.5
				135	137	N/A	19.49	N/A	20.5
				270	0	N/A	18.94	N/A	19.0
			16QAM	1	1	N/A	18.2	N/A	18.5
			64QAM	1	1	N/A	16.68	N/A	17.0
			256QAM	1	1	N/A	14.47	N/A	15.5

NR N78 A PC2

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						630333	633332	636333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3455.00	3499.98	3545.00	
10	30	DFT-OFDM	PI2BPSK	1	1	24.10	24.12	24.30	24.5
				1	12	25.12	25.04	25.42	25.5
				1	22	22.52	22.74	23.14	23.5
				12	0	24.72	24.57	24.63	25.0
				12	6	24.34	24.05	24.40	24.5
				12	11	24.61	24.76	24.04	25.0
				24	0	24.25	24.19	24.31	24.5
			QPSK	1	1	23.23	23.23	23.06	23.5
				1	12	24.73	24.62	23.86	25.5
				1	22	21.58	21.83	21.53	22.0
				12	0	24.34	24.65	24.86	25.0
				12	6	24.48	24.94	24.07	25.0
				12	11	24.72	24.84	24.31	25.0
				24	0	24.90	24.48	24.05	25.0
			16QAM	1	1	21.38	21.04	20.75	21.5
			64QAM	1	1	20.93	21.06	21.00	21.5
			256QAM	1	1	20.26	19.65	19.66	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						630500	633332	636167	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3457.50	3499.98	3542.50	
15	30	DFT-OFDM	PI2BPSK	1	1	24.08	24.23	24.23	24.5
				1	19	24.96	25.09	25.22	25.5
				1	36	22.46	22.75	22.88	23.5
				18	0	24.61	24.33	24.65	25.0
				18	10	24.33	24.16	24.27	24.5
				18	19	24.48	24.76	24.11	25.0
				36	0	24.46	24.16	24.33	24.5
			QPSK	1	1	23.12	23.20	23.27	23.5
				1	19	24.75	24.63	23.85	25.5
				1	36	21.63	21.60	21.74	22.0
				18	0	24.41	24.69	24.74	25.0
				18	10	24.44	24.95	24.26	25.0
				18	19	24.61	24.92	24.49	25.0

				36	0	24.50	24.53	24.04	25.0
			16QAM	1	1	21.34	21.05	20.79	21.5
			64QAM	1	1	20.96	20.91	20.86	21.5
			256QAM	1	1	20.21	19.82	19.94	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630667	633332	636000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3460.00	3499.98	3540.00	
20	30	DFT-OFDM	PI2BPSK	1	1	24.08	24.34	24.20	24.5
				1	25	24.97	25.05	25.47	25.5
				1	49	22.36	22.66	23.00	23.5
				25	0	24.60	24.44	24.78	25.0
				25	13	24.32	24.10	24.35	24.5
				25	25	24.47	24.86	24.09	25.0
				50	0	24.39	24.06	24.34	24.5
			QPSK	1	1	22.99	23.11	23.13	23.5
				1	25	24.55	24.83	23.87	25.5
				1	49	21.60	21.76	21.74	22.0
				25	0	24.31	24.81	24.95	25.0
				25	13	24.37	24.90	24.01	25.0
				25	25	24.61	24.79	24.33	25.0
				50	0	24.95	24.57	24.25	25.0
			16QAM	1	1	21.48	21.15	20.73	21.5
			64QAM	1	1	20.91	21.05	20.78	21.5
			256QAM	1	1	20.11	19.82	19.75	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630833	633332	635833	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3462.50	3499.98	3537.50	
25	30	DFT-OFDM	PI2BPSK	1	1	24.10	24.18	24.38	24.5
				1	32	25.12	25.20	25.46	25.5
				1	63	22.37	22.49	23.02	23.5
				32	0	24.62	24.59	24.76	25.0
				32	16	24.34	24.17	24.29	24.5
				32	32	24.55	24.88	23.94	25.0
				64	0	24.49	24.17	24.24	24.5
			QPSK	1	1	23.07	23.19	23.17	23.5
				1	32	24.52	24.64	24.00	25.5
				1	63	21.68	21.55	21.69	22.0
				32	0	24.42	24.80	24.94	25.0

				32	16	24.53	24.92	24.25	25.0
				32	32	24.64	24.94	24.31	25.0
				64	0	24.83	24.68	24.21	25.0
			16QAM	1	1	21.48	21.14	20.76	21.5
			64QAM	1	1	20.84	21.06	20.76	21.5
			256QAM	1	1	20.27	19.75	19.74	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						631000	633332	635667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3465.00	3499.98	3535.00	
30	30	DFT-OFDM	PI2BPSK	1	1	23.97	24.11	24.26	24.5
				1	39	24.85	24.33	24.71	25.5
				1	76	22.53	22.65	22.96	23.5
				36	0	24.76	24.52	24.78	25.0
				36	21	24.46	24.23	24.37	24.5
				36	41	24.59	24.80	24.02	25.0
				75	0	24.39	24.03	24.48	24.5
			QPSK	1	1	23.17	23.41	23.11	23.5
				1	39	24.71	24.78	23.82	25.5
				1	76	21.76	21.66	21.51	22.0
				36	0	24.40	24.61	24.74	25.0
				36	21	24.37	24.86	24.07	25.0
				36	41	24.66	24.75	24.21	25.0
				75	0	24.98	24.56	23.99	25.0
			16QAM	1	1	21.32	21.04	20.84	21.5
			64QAM	1	1	20.80	20.96	20.96	21.5
			256QAM	1	1	20.31	19.87	19.68	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						631333	633332	635333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3470.00	3499.98	3530.00	
40	30	DFT-OFDM	PI2BPSK	1	1	24.17	24.23	24.19	24.5
				1	53	25.00	24.78	24.39	25.5
				1	104	22.48	22.54	23.02	23.5
				50	0	24.63	24.57	24.79	25.0
				50	28	24.25	24.22	24.36	24.5
				50	55	24.48	24.76	24.11	25.0
				100	0	24.41	24.18	24.44	24.5
			QPSK	1	1	23.22	23.39	23.01	23.5
				1	53	24.64	24.64	23.85	25.5

				1	104	21.70	21.83	21.58	22.0
				50	0	24.41	24.67	24.97	25.0
				50	28	24.46	24.71	24.15	25.0
				50	55	24.57	25.00	24.35	25.0
				100	0	24.86	24.75	24.18	25.0
			16QAM	1	1	21.32	21.19	20.90	21.5
			64QAM	1	1	20.99	21.03	20.98	21.5
			256QAM	1	1	20.24	19.71	19.77	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						631667	633332	635000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3475.00	3499.98	3525.00	
50	30	DFT-OFDM	PI2BPSK	1	1	24.05	24.23	24.32	24.5
				1	66	24.95	24.92	24.81	25.5
				1	131	22.50	22.76	23.00	23.5
				64	0	24.78	24.60	24.84	25.0
				64	34	24.46	24.25	24.19	24.5
				64	68	24.49	24.94	24.07	25.0
				128	0	24.37	24.05	24.47	24.5
			QPSK	1	1	23.07	23.12	23.15	23.5
				1	66	24.69	24.53	23.83	25.5
				1	131	21.65	21.61	21.71	22.0
				64	0	24.44	24.77	24.73	25.0
				64	34	24.49	24.95	24.14	25.0
				64	68	24.62	24.72	24.22	25.0
				128	0	24.91	24.51	24.18	25.0
			16QAM	1	1	21.32	21.15	20.85	21.5
			64QAM	1	1	20.81	20.86	20.99	21.5
			256QAM	1	1	20.31	19.81	19.76	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632000	633332	634667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3480.00	3499.98	3520.00	
60	30	DFT-OFDM	PI2BPSK	1	1	24.19	24.22	24.27	24.5
				1	81	24.94	24.26	24.75	25.5
				1	160	22.29	22.64	22.86	23.5
				81	0	24.79	24.46	24.83	25.0
				81	41	24.36	24.33	24.34	24.5
				81	80	24.56	24.87	24.12	25.0
				162	0	24.50	24.14	24.38	24.5

			QPSK	1	1	23.05	23.19	23.10	23.5
				1	81	24.80	24.66	23.76	25.5
				1	160	21.58	21.76	21.61	22.0
				81	0	24.25	24.60	24.83	25.0
				81	41	24.35	24.86	24.16	25.0
				81	80	24.67	24.73	24.34	25.0
				162	0	24.87	24.57	24.07	25.0
			16QAM	1	1	21.30	21.22	20.66	21.5
			64QAM	1	1	20.77	21.00	21.00	21.5
			256QAM	1	1	20.32	19.73	19.69	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632333	633332	634333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3485.00	3499.98	3515.00	
70	30	DFT-OFDM	PI2BPSK	1	1	24.01	24.20	24.22	24.5
				1	94	24.99	24.85	24.77	25.5
				1	187	22.28	22.48	22.88	23.5
				90	0	24.86	24.46	24.75	25.0
				90	49	24.39	24.23	24.23	24.5
				90	98	24.44	24.75	24.13	25.0
				180	0	24.34	24.16	24.50	24.5
			QPSK	1	1	23.18	23.34	23.08	23.5
				1	94	24.65	24.58	23.84	25.5
				1	187	21.57	21.73	21.78	22.0
				90	0	24.23	24.78	24.91	25.0
				90	49	24.40	24.91	24.21	25.0
				90	98	24.46	24.81	24.32	25.0
				180	0	24.84	24.49	23.98	25.0
			16QAM	1	1	21.39	21.21	20.66	21.5
			64QAM	1	1	20.85	20.87	20.98	21.5
			256QAM	1	1	20.26	19.88	19.84	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632667	633332	634000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3490.00	3499.98	3510.00	
80	30	DFT-OFDM	PI2BPSK	1	1	24.23	24.30	24.20	24.5
				1	108	24.95	24.96	24.99	25.5
				1	215	22.43	22.73	23.10	23.5
				108	0	24.60	24.48	24.84	25.0
				108	54	24.21	24.32	24.14	24.5

				108	108	24.42	24.87	23.90	25.0
				216	0	24.44	24.01	24.48	24.5
			QPSK	1	1	23.14	23.22	23.19	23.5
				1	108	24.60	24.76	23.90	25.5
				1	215	21.73	21.81	21.58	22.0
				108	0	24.38	24.61	24.99	25.0
				108	54	24.53	24.88	24.09	25.0
				108	108	24.46	24.75	24.27	25.0
				216	0	24.90	24.68	24.18	25.0
			16QAM	1	1	21.27	21.08	20.80	21.5
			64QAM	1	1	20.72	20.90	20.78	21.5
			256QAM	1	1	20.22	19.87	19.84	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						633000	633332	633667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3495.00	3499.98	3505.00	
90	30	DFT-OFDM	PI2BPSK	1	1	24.11	24.20	24.29	24.5
				1	122	25.00	24.92	24.91	25.5
				1	243	22.42	22.62	22.99	23.5
				120	0	24.71	24.47	24.75	25.0
				120	62	24.31	24.20	24.25	24.5
				120	124	24.47	24.89	24.05	25.0
				243	0	24.47	24.16	24.38	24.5
			QPSK	1	1	23.14	23.26	23.12	23.5
				1	122	24.65	24.68	23.91	25.5
				1	243	21.69	21.68	21.63	22.0
				120	0	24.31	24.67	24.86	25.0
				120	62	24.46	25.00	24.15	25.0
				120	124	24.61	24.87	24.35	25.0
				243	0	24.95	24.62	24.10	25.0
			16QAM	1	1	21.42	21.12	20.79	21.5
			64QAM	1	1	20.85	20.94	20.89	21.5
			256QAM	1	1	20.22	19.79	19.81	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						N/A	633332	N/A	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						N/A	3499.98	N/A	
100	30	DFT-OFDM	PI2BPSK	1	1	N/A	24.30	N/A	24.5
				1	136	N/A	24.95	N/A	25.5
				1	271	N/A	22.67	N/A	23.5

				135	0	N/A	24.57	N/A	25.0
				135	69	N/A	24.16	N/A	24.5
				135	137	N/A	24.86	N/A	25.0
				270	0	N/A	24.11	N/A	24.5
			QPSK	1	1	N/A	23.36	N/A	23.5
				1	136	N/A	24.70	N/A	25.5
				1	271	N/A	21.81	N/A	22.0
				135	0	N/A	24.62	N/A	25.0
				135	69	N/A	24.92	N/A	25.0
				135	137	N/A	24.78	N/A	25.0
				270	0	N/A	24.70	N/A	25.0
			16QAM	1	1	N/A	21.24	N/A	21.5
			64QAM	1	1	N/A	20.92	N/A	21.5
			256QAM	1	1	N/A	19.72	N/A	20.0

EN-DC Sensor on

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630333.3333	633332	636333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3455	3499.98	3545	
10	30	DFT-OFDM	PI2BPSK	1	1	22.58	22.58	22.83	23.0
				1	12	23.60	23.54	23.89	24.0
				1	22	21.01	21.28	21.41	21.5
				12	0	23.23	23.08	23.12	23.5
				12	6	22.82	22.53	22.88	23.0
				12	11	23.10	23.25	22.58	23.5
				24	0	22.80	22.69	22.82	23.0
			QPSK	1	1	21.77	21.78	21.61	22.0
				1	12	23.18	23.14	22.37	24.0
				1	22	20.08	20.35	20.08	20.5
				12	0	22.80	23.12	23.39	23.5
				12	6	22.93	23.45	22.62	23.5
				12	11	23.20	23.38	22.77	23.5
				24	0	23.35	23.00	22.58	23.5
			16QAM	1	1	19.86	19.49	19.21	20.0
			64QAM	1	1	19.41	19.34	19.49	19.5
			256QAM	1	1	18.74	18.16	18.11	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630500	633332	636166.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	

						3457.5	3499.98	3542.5	
15	30	DFT-OFDM	PI2BPSK	1	1	22.57	22.78	22.69	23.0
				1	19	23.41	23.54	23.70	24.0
				1	36	20.94	21.30	21.41	21.5
				18	0	23.07	22.78	23.19	23.5
				18	10	22.79	22.68	22.76	23.0
				18	19	23.01	23.24	22.61	23.5
				36	0	22.99	22.69	22.86	23.0
			QPSK	1	1	21.64	21.69	21.79	22.0
				1	19	23.28	23.12	22.32	24.0
				1	36	20.16	20.14	20.24	20.5
				18	0	22.92	23.18	23.28	23.5
				18	10	22.97	23.48	22.75	23.5
				18	19	23.11	23.42	23.03	23.5
				36	0	23.02	23.03	22.55	23.5
			16QAM	1	1	19.79	19.57	19.27	20.0
			64QAM	1	1	19.47	19.38	19.35	19.5
			256QAM	1	1	18.74	18.33	18.49	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630666.6667	633332	636000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3460	3499.98	3540	
20	30	DFT-OFDM	PI2BPSK	1	1	22.57	22.89	22.65	23.0
				1	25	23.49	23.50	23.98	24.0
				1	49	20.89	21.11	21.44	21.5
				25	0	23.09	22.92	23.29	23.5
				25	13	22.87	22.62	22.90	23.0
				25	25	22.97	23.37	22.59	23.5
				50	0	22.85	22.56	22.86	23.0
			QPSK	1	1	21.46	21.63	21.63	22.0
				1	25	23.05	23.29	22.38	24.0
				1	49	20.07	20.26	20.20	20.5
				25	0	22.77	23.26	23.50	23.5
				25	13	22.86	23.43	22.47	23.5
				25	25	23.07	23.25	22.79	23.5
				50	0	23.47	23.08	22.70	23.5
			16QAM	1	1	20.00	19.62	19.19	20.0
			64QAM	1	1	19.43	19.48	19.28	19.5
			256QAM	1	1	18.66	18.34	18.22	18.5
		Mode	Modulation			Channel No.	Channel No.	Channel No.	

Bandwidth (MHz)	SCS (kHz)			RB size	RB offset	630833.3333	633332	635833.3333	Tune-up Limit (dBm)
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3462.5	3499.98	3537.5	
25	30	DFT-OFDM	PI2BPSK	1	1	22.62	22.65	22.84	23.0
				1	32	23.62	23.74	23.49	24.0
				1	63	20.84	20.94	21.48	21.5
				32	0	23.17	23.13	23.27	23.5
				32	16	22.89	22.71	22.82	23.0
				32	32	23.06	23.36	22.48	23.5
				64	0	23.00	22.70	22.73	23.0
			QPSK	1	1	21.61	21.68	21.69	22.0
				1	32	23.06	23.14	22.55	24.0
				1	63	20.20	20.10	20.21	20.5
				32	0	22.97	23.32	23.39	23.5
				32	16	23.04	23.28	22.73	23.5
				32	32	23.18	23.43	22.81	23.5
				64	0	23.31	23.19	22.68	23.5
			16QAM	1	1	20.00	19.65	19.21	20.0
			64QAM	1	1	19.29	19.42	19.21	19.5
			256QAM	1	1	18.72	18.23	18.25	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						631000	633332	635666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3465	3499.98	3535	
30	30	DFT-OFDM	PI2BPSK	1	1	22.49	22.63	22.71	23.0
				1	39	23.61	23.53	23.85	24.0
				1	76	21.08	21.13	21.45	21.5
				36	0	23.24	23.06	23.33	23.5
				36	21	22.91	22.73	22.86	23.0
				36	41	23.06	23.25	22.53	23.5
				75	0	22.89	22.49	22.93	23.0
			QPSK	1	1	21.69	21.87	21.58	22.0
				1	39	23.24	23.24	22.33	24.0
				1	76	20.30	20.20	20.03	20.5
				36	0	22.89	23.13	23.21	23.5
				36	21	22.92	23.36	22.55	23.5
				36	41	23.21	23.20	22.75	23.5
				75	0	23.46	23.06	22.49	23.5
			16QAM	1	1	19.81	19.56	19.34	20.0
			64QAM	1	1	19.26	19.34	19.47	19.5

			256QAM	1	1	18.81	18.34	18.22	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						631333.3333	633332	635333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3470	3499.98	3530	
40	30	DFT-OFDM	PI2BPSK	1	1	22.64	22.76	22.71	23.0
				1	53	23.51	23.52	23.66	24.0
				1	104	20.94	21.00	21.38	21.5
				50	0	23.16	23.02	23.27	23.5
				50	28	22.80	22.67	22.82	23.0
				50	55	23.01	23.30	22.65	23.5
				100	0	22.94	22.66	22.95	23.0
			QPSK	1	1	21.74	21.90	21.55	22.0
				1	53	23.12	23.10	22.37	24.0
				1	104	20.21	20.33	20.07	20.5
				50	0	22.91	23.12	23.44	23.5
				50	28	22.92	23.48	22.67	23.5
				50	55	23.07	23.47	22.90	23.5
				100	0	23.36	23.26	22.63	23.5
			16QAM	1	1	19.81	19.68	19.38	20.0
			64QAM	1	1	19.49	19.46	19.47	19.5
			256QAM	1	1	18.71	18.24	18.32	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						631666.6667	633332	635000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3475	3499.98	3525	
50	30	DFT-OFDM	PI2BPSK	1	1	22.50	22.75	22.78	23.0
				1	66	23.57	23.56	23.77	24.0
				1	131	21.05	21.25	21.46	21.5
				64	0	23.26	23.05	23.34	23.5
				64	34	22.93	22.71	22.68	23.0
				64	68	23.00	23.48	22.58	23.5
				128	0	22.90	22.59	22.92	23.0
			QPSK	1	1	21.57	21.59	21.60	22.0
				1	66	23.22	23.06	22.35	24.0
				1	131	20.11	20.16	20.17	20.5
				64	0	22.94	23.22	23.18	23.5
				64	34	23.00	23.41	22.63	23.5
				64	68	23.12	23.23	22.76	23.5
				128	0	23.45	23.04	22.63	23.5

			16QAM	1	1	19.77	19.70	19.32	20.0
			64QAM	1	1	19.35	19.40	19.49	19.5
			256QAM	1	1	18.84	18.30	18.25	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632000	633332	634666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3480	3499.98	3520	
60	30	DFT-OFDM	PI2BPSK	1	1	22.72	22.67	22.75	23.0
				1	81	23.46	23.75	23.85	24.0
				1	160	20.82	21.09	21.36	21.5
				81	0	23.29	22.96	23.36	23.5
				81	41	22.83	22.83	22.84	23.0
				81	80	23.03	23.36	22.62	23.5
				162	0	22.68	22.66	22.92	23.0
			QPSK	1	1	21.51	21.73	21.55	22.0
				1	81	23.28	23.20	22.21	24.0
				1	160	20.11	20.31	20.08	20.5
				81	0	22.78	23.09	23.32	23.5
				81	41	22.88	23.41	22.64	23.5
				81	80	23.17	23.21	22.83	23.5
				162	0	23.37	23.05	22.57	23.5
			16QAM	1	1	19.78	19.73	19.12	20.0
			64QAM	1	1	19.22	19.50	19.43	19.5
			256QAM	1	1	18.79	18.22	18.20	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632333.3333	633332	634333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3485	3499.98	3515	
70	30	DFT-OFDM	PI2BPSK	1	1	22.50	22.68	22.69	23.0
				1	94	23.50	23.63	23.92	24.0
				1	187	20.83	21.00	21.39	21.5
				90	0	23.40	23.01	23.24	23.5
				90	49	22.86	22.70	22.73	23.0
				90	98	22.96	23.20	22.65	23.5
				180	0	22.86	22.66	22.97	23.0
			QPSK	1	1	21.70	21.81	21.62	22.0
				1	94	23.17	23.12	22.29	24.0
				1	187	20.11	20.23	20.26	20.5
				90	0	22.68	23.28	23.40	23.5
				90	49	22.94	23.43	22.75	23.5

				90	98	23.01	23.32	22.83	23.5	
				180	0	23.39	23.04	22.45	23.5	
				16QAM	1	1	19.84	19.71	19.12	20.0
				64QAM	1	1	19.40	19.33	19.48	19.5
				256QAM	1	1	18.71	18.40	18.37	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)	
						632666.6667	633332	634000		
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)		
						3490	3499.98	3510		
80	30	DFT-OFDM	PI2BPSK	1	1	22.72	22.77	22.71	23.0	
				1	108	23.45	23.61	23.80	24.0	
				1	215	20.93	21.24	21.48	21.5	
				108	0	23.05	22.93	23.39	23.5	
				108	54	22.68	22.84	22.63	23.0	
				108	108	22.94	23.33	22.35	23.5	
				216	0	22.98	22.49	22.88	23.0	
			QPSK	1	1	21.61	21.71	21.70	22.0	
				1	108	23.07	23.23	22.44	24.0	
				1	215	20.26	20.34	20.12	20.5	
				108	0	22.93	23.13	23.46	23.5	
				108	54	23.00	23.40	22.58	23.5	
				108	108	23.01	23.22	22.77	23.5	
				216	0	23.35	23.14	22.68	23.5	
			16QAM	1	1	19.82	19.59	19.29	20.0	
			64QAM	1	1	19.27	19.35	19.23	19.5	
			256QAM	1	1	18.72	18.33	18.34	18.5	
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)	
						633000	633332	633666.6667		
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)		
						3495	3499.98	3505		
90	30	DFT-OFDM	PI2BPSK	1	1	22.59	22.68	22.83	23.0	
				1	122	23.45	23.68	23.88	24.0	
				1	243	20.90	21.10	21.47	21.5	
				120	0	23.19	22.95	23.24	23.5	
				120	62	22.83	22.68	22.70	23.0	
				120	124	22.99	23.36	22.59	23.5	
				243	0	22.95	22.68	22.83	23.0	
			QPSK	1	1	21.61	21.78	21.58	22.0	
				1	122	23.16	23.14	22.39	24.0	
				1	243	20.22	20.17	20.08	20.5	

				120	0	22.86	23.13	23.40	23.5
				120	62	22.94	23.42	22.64	23.5
				120	124	23.16	23.40	22.90	23.5
				243	0	23.50	23.17	22.61	23.5
			16QAM	1	1	19.93	19.63	19.34	20.0
			64QAM	1	1	19.35	19.47	19.39	19.5
			256QAM	1	1	18.73	18.25	18.26	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						N/A	633332	N/A	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						N/A	3499.98	N/A	
100	30	DFT-OFDM	PI2BPSK	1	1	N/A	22.77	N/A	23.0
				1	136	N/A	23.60	N/A	24.0
				1	271	N/A	21.13	N/A	21.5
				135	0	N/A	23.02	N/A	23.5
				135	69	N/A	22.65	N/A	23.0
				135	137	N/A	23.33	N/A	23.5
				270	0	N/A	22.66	N/A	23.0
			QPSK	1	1	N/A	21.89	N/A	22.0
				1	136	N/A	23.19	N/A	24.0
				1	271	N/A	20.31	N/A	20.5
				135	0	N/A	23.12	N/A	23.5
				135	69	N/A	23.41	N/A	23.5
				135	137	N/A	23.25	N/A	23.5
				270	0	N/A	23.15	N/A	23.5
			16QAM	1	1	N/A	19.71	N/A	20.0
			64QAM	1	1	N/A	19.43	N/A	19.5
			256QAM	1	1	N/A	18.19	N/A	18.5

EN-DC+WLAN Sensor

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630333	633332	636333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3455.00	3499.98	3545.00	
10	30	DFT-OFDM	PI2BPSK	1	1	21.63	21.63	21.80	22.0
				1	12	22.60	22.58	22.95	23.0
				1	22	20.00	20.24	20.43	20.5
				12	0	22.20	22.06	22.10	22.5
				12	6	21.89	21.57	21.88	22.0
				12	11	22.10	22.29	21.49	22.5

				24	0	21.74	21.66	21.84	22.0
			QPSK	1	1	20.73	20.68	20.59	21.0
				1	12	22.27	22.16	21.36	22.5
				1	22	19.13	19.31	19.04	19.5
				12	0	21.79	22.10	22.34	22.5
				12	6	22.01	22.47	21.62	22.5
				12	11	22.23	22.29	21.83	22.5
				24	0	22.40	21.94	21.54	22.5
			16QAM	1	1	18.83	18.54	18.30	19.0
			64QAM	1	1	18.45	18.49	18.42	18.5
			256QAM	1	1	17.81	17.10	17.14	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						630500	633332	636167	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3457.50	3499.98	3542.50	
15	30	DFT-OFDM	PI2BPSK	1	1	21.60	21.74	21.78	22.0
				1	19	22.51	22.61	22.70	23.0
				1	36	19.94	20.29	20.37	20.5
				18	0	22.06	21.79	22.15	22.5
				18	10	21.78	21.69	21.74	22.0
				18	19	21.93	22.24	21.56	22.5
				36	0	21.96	21.61	21.78	22.0
			QPSK	1	1	20.60	20.74	20.82	21.0
				1	19	22.28	22.12	21.37	22.5
				1	36	19.09	19.14	19.19	19.5
				18	0	21.94	22.22	22.21	22.5
				18	10	21.89	22.49	21.76	22.5
				18	19	22.13	22.38	22.02	22.5
				36	0	22.02	21.98	21.57	22.5
			16QAM	1	1	18.79	18.58	18.28	19.0
			64QAM	1	1	18.45	18.36	18.33	18.5
			256QAM	1	1	17.67	17.36	17.41	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						630667	633332	636000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3460.00	3499.98	3540.00	
20	30	DFT-OFDM	PI2BPSK	1	1	21.55	21.86	21.67	22.0
				1	25	22.45	22.56	22.95	23.0
				1	49	19.83	20.20	20.48	20.5
				25	0	22.09	21.94	22.29	22.5

				25	13	21.79	21.65	21.89	22.0
				25	25	21.94	22.37	21.58	22.5
				50	0	21.84	21.51	21.81	22.0
			QPSK	1	1	20.50	20.62	20.60	21.0
				1	25	22.03	22.30	21.34	22.5
				1	49	19.08	19.23	19.20	19.5
				25	0	21.77	22.32	22.42	22.5
				25	13	21.86	22.39	21.48	22.5
				25	25	22.12	22.26	21.84	22.5
				50	0	22.48	22.12	21.70	22.5
			16QAM	1	1	18.96	18.61	18.22	19.0
			64QAM	1	1	18.40	18.47	18.31	18.5
			256QAM	1	1	17.63	17.37	17.30	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						630833	633332	635833	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3462.50	3499.98	3537.50	
25	30	DFT-OFDM	PI2BPSK	1	1	21.64	21.69	21.90	22.0
				1	32	22.64	22.69	22.94	23.0
				1	63	19.92	20.03	20.43	20.5
				32	0	22.12	22.12	22.30	22.5
				32	16	21.82	21.63	21.78	22.0
				32	32	22.06	22.40	21.43	22.5
				64	0	21.98	21.69	21.73	22.0
			QPSK	1	1	20.56	20.71	20.63	21.0
				1	32	21.99	22.16	21.49	22.5
				1	63	19.23	19.05	19.19	19.5
				32	0	21.96	22.31	22.41	22.5
				32	16	22.04	22.46	21.73	22.5
				32	32	22.12	22.41	21.81	22.5
				64	0	22.30	22.17	21.71	22.5
			16QAM	1	1	19.03	18.67	18.22	19.0
			64QAM	1	1	18.36	18.29	18.31	18.5
			256QAM	1	1	17.72	17.24	17.19	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						631000	633332	635667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3465.00	3499.98	3535.00	
30	30	DFT-OFDM	PI2BPSK	1	1	21.47	21.60	21.72	22.0
				1	39	22.57	22.57	22.94	23.0

				1	76	20.00	20.14	20.41	20.5
				36	0	22.29	21.98	22.30	22.5
				36	21	21.97	21.73	21.83	22.0
				36	41	22.11	22.35	21.51	22.5
				75	0	21.94	21.55	21.97	22.0
			QPSK	1	1	20.72	20.91	20.59	21.0
				1	39	22.22	22.33	21.29	22.5
				1	76	19.26	19.17	19.04	19.5
				36	0	21.88	22.07	22.22	22.5
				36	21	21.87	22.39	21.62	22.5
				36	41	22.12	22.24	21.73	22.5
				75	0	22.49	22.08	21.45	22.5
			16QAM	1	1	18.82	18.58	18.35	19.0
			64QAM	1	1	18.32	18.46	18.49	18.5
			256QAM	1	1	17.80	17.32	17.13	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						631333	633332	635333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3470.00	3499.98	3530.00	
40	30	DFT-OFDM	PI2BPSK	1	1	21.66	21.73	21.68	22.0
				1	53	22.47	22.58	22.72	23.0
				1	104	20.01	20.05	20.43	20.5
				50	0	22.11	22.12	22.33	22.5
				50	28	21.78	21.69	21.85	22.0
				50	55	21.98	22.31	21.56	22.5
				100	0	21.89	21.63	21.89	22.0
			QPSK	1	1	20.74	20.92	20.51	21.0
				1	53	22.12	22.15	21.38	22.5
				1	104	19.15	19.29	19.12	19.5
				50	0	21.89	22.20	22.45	22.5
				50	28	22.00	22.50	21.63	22.5
				50	55	22.12	22.47	21.84	22.5
				100	0	22.34	22.25	21.68	22.5
			16QAM	1	1	18.82	18.73	18.37	19.0
			64QAM	1	1	18.46	18.43	18.45	18.5
			256QAM	1	1	17.69	17.20	17.25	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						631667	633332	635000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3475.00	3499.98	3525.00	

50	30	DFT-OFDM	PI2BPSK	1	1	21.59	21.72	21.77	22.0
				1	66	22.56	22.50	22.75	23.0
				1	131	19.95	20.23	20.46	20.5
				64	0	22.31	22.14	22.31	22.5
				64	34	21.96	21.73	21.72	22.0
				64	68	22.03	22.41	21.59	22.5
				128	0	21.90	21.60	21.97	22.0
			QPSK	1	1	20.59	20.65	20.70	21.0
				1	66	22.19	22.00	21.37	22.5
				1	131	19.20	19.06	19.21	19.5
				64	0	21.93	22.32	22.21	22.5
				64	34	21.98	22.41	21.62	22.5
				64	68	22.17	22.17	21.73	22.5
				128	0	22.37	21.97	21.71	22.5
			16QAM	1	1	18.84	18.63	18.37	19.0
			64QAM	1	1	18.33	18.36	18.43	18.5
			256QAM	1	1	17.79	17.28	17.23	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						632000	633332	634667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3480.00	3499.98	3520.00	
60	30	DFT-OFDM	PI2BPSK	1	1	21.72	21.69	21.72	22.0
				1	81	22.47	22.75	22.87	23.0
				1	160	19.75	20.17	20.40	20.5
				81	0	22.31	21.98	22.29	22.5
				81	41	21.87	21.82	21.88	22.0
				81	80	22.03	22.37	21.61	22.5
				162	0	21.99	21.64	21.92	22.0
			QPSK	1	1	20.54	20.73	20.61	21.0
				1	81	22.25	22.11	21.31	22.5
				1	160	19.09	19.21	19.08	19.5
				81	0	21.74	22.11	22.33	22.5
				81	41	21.81	22.37	21.65	22.5
				81	80	22.20	22.28	21.84	22.5
				162	0	22.39	22.02	21.54	22.5
			16QAM	1	1	18.81	18.72	18.19	19.0
			64QAM	1	1	18.27	18.45	18.44	18.5
			256QAM	1	1	17.83	17.19	17.19	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up
						632333	633332	634333	

						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	Limit (dBm)
						3485.00	3499.98	3515.00	
70	30	DFT-OFDM	PI2BPSK	1	1	21.56	21.72	21.68	22.0
				1	94	22.50	22.61	22.86	23.0
				1	187	19.76	20.03	20.38	20.5
				90	0	22.38	21.92	22.25	22.5
				90	49	21.85	21.73	21.73	22.0
				90	98	21.97	22.28	21.58	22.5
				180	0	21.80	21.66	21.69	22.0
			QPSK	1	1	20.73	20.81	20.53	21.0
				1	94	22.18	22.04	21.38	22.5
				1	187	19.07	19.28	19.30	19.5
				90	0	21.77	22.23	22.45	22.5
				90	49	21.95	22.36	21.69	22.5
				90	98	21.94	22.34	21.83	22.5
				180	0	22.39	21.95	21.50	22.5
			16QAM	1	1	18.91	18.74	18.17	19.0
			64QAM	1	1	18.31	18.40	18.43	18.5
			256QAM	1	1	17.73	17.35	17.32	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						632667	633332	634000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3490.00	3499.98	3510.00	
80	30	DFT-OFDM	PI2BPSK	1	1	21.75	21.79	21.66	22.0
				1	108	22.45	22.60	22.78	23.0
				1	215	19.94	20.18	20.48	20.5
				108	0	22.06	22.02	22.39	22.5
				108	54	21.66	21.78	21.65	22.0
				108	108	21.95	22.40	21.39	22.5
				216	0	21.97	21.51	21.93	22.0
			QPSK	1	1	20.66	20.77	20.71	21.0
				1	108	22.10	22.23	21.45	22.5
				1	215	19.20	19.26	19.12	19.5
				108	0	21.93	22.11	22.44	22.5
				108	54	22.06	22.35	21.62	22.5
				108	108	21.93	22.23	21.72	22.5
				216	0	22.41	22.21	21.66	22.5
			16QAM	1	1	18.82	18.53	18.30	19.0
			64QAM	1	1	18.22	18.44	18.23	18.5
			256QAM	1	1	17.72	17.37	17.36	17.5

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						633000	633332	633667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3495.00	3499.98	3505.00	
90	30	DFT-OFDM	PI2BPSK	1	1	21.66	21.65	21.82	22.0
				1	122	22.52	22.67	22.90	23.0
				1	243	19.97	20.14	20.44	20.5
				120	0	22.26	21.99	22.30	22.5
				120	62	21.86	21.74	21.76	22.0
				120	124	21.98	22.44	21.58	22.5
				243	0	22.00	21.62	21.93	22.0
			QPSK	1	1	20.69	20.72	20.67	21.0
				1	122	22.19	22.19	21.37	22.5
				1	243	19.18	19.21	19.16	19.5
				120	0	21.83	22.18	22.39	22.5
				120	62	21.91	22.46	21.63	22.5
				120	124	22.10	22.35	21.80	22.5
				243	0	22.42	22.10	21.56	22.5
			16QAM	1	1	18.97	18.63	18.29	19.0
			64QAM	1	1	18.35	18.49	18.34	18.5
			256QAM	1	1	17.67	17.24	17.27	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						N/A	633332	N/A	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						N/A	3499.98	N/A	
100	30	DFT-OFDM	PI2BPSK	1	1	N/A	21.78	N/A	22.0
				1	136	N/A	22.60	N/A	23.0
				1	271	N/A	20.18	N/A	20.5
				135	0	N/A	22.07	N/A	22.5
				135	69	N/A	21.62	N/A	22.0
				135	137	N/A	22.41	N/A	22.5
				270	0	N/A	21.66	N/A	22.0
			QPSK	1	1	N/A	20.84	N/A	21.0
				1	136	N/A	22.25	N/A	22.5
				1	271	N/A	19.27	N/A	19.5
				135	0	N/A	22.08	N/A	22.5
				135	69	N/A	22.39	N/A	22.5
				135	137	N/A	22.23	N/A	22.5
				270	0	N/A	22.23	N/A	22.5
			16QAM	1	1	N/A	18.71	N/A	19.0

			64QAM	1	1	N/A	18.38	N/A	18.5
			256QAM	1	1	N/A	17.27	N/A	17.5