

NR N78 C PC3

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647000	650000	653000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3705.00	3750.00	3795.00	
10	30	DFT-OFDM	PI2BPSK	1	1	21.44	21.43	21.61	22.0
				1	12	22.53	22.51	22.63	23.0
				1	22	23.11	23.32	23.17	23.5
				12	0	21.20	21.35	21.37	21.5
				12	6	22.36	22.35	22.41	23.0
				12	11	22.41	22.24	22.42	22.5
				24	0	21.83	21.93	22.15	22.5
			QPSK	1	1	21.39	21.51	21.76	22.5
				1	12	22.19	22.48	22.05	23.5
				1	22	23.09	23.21	23.44	23.5
				12	0	20.69	20.93	20.91	22.5
				12	6	22.28	22.39	22.43	22.5
				12	11	21.76	21.87	21.90	22.5
				24	0	21.26	21.32	21.38	21.5
			16QAM	1	1	20.42	20.92	20.59	21.0
			64QAM	1	1	19.22	19.42	19.18	19.5
			256QAM	1	1	16.95	17.04	17.60	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647167	650000	652833	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3707.50	3750.00	3792.50	
15	30	DFT-OFDM	PI2BPSK	1	1	21.49	21.54	21.74	22.0
				1	19	22.32	22.47	22.81	23.0
				1	36	23.06	23.47	23.41	23.5
				18	0	21.33	21.40	21.46	21.5
				18	10	22.42	22.39	22.40	23.0
				18	19	22.34	22.38	22.45	22.5
				36	0	21.97	21.90	21.97	22.5
			QPSK	1	1	21.49	21.27	21.76	22.5
				1	19	22.10	22.52	22.12	23.5
				1	36	23.23	23.18	23.35	23.5

				18	0	20.69	20.93	21.06	22.5
				18	10	22.21	22.34	22.46	22.5
				18	19	21.85	21.76	22.14	22.5
				36	0	21.32	21.33	21.34	21.5
			16QAM	1	1	20.54	20.81	20.62	21.0
			64QAM	1	1	19.39	19.14	19.07	19.5
			256QAM	1	1	16.96	17.06	17.54	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647333	650000	652667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3710.00	3750.00	3790.00	
20	30	DFT-OFDM	PI2BPSK	1	1	21.64	21.46	21.76	22.0
				1	25	22.39	22.68	22.77	23.0
				1	49	23.36	23.26	23.28	23.5
				25	0	21.27	21.38	21.39	21.5
				25	13	22.25	22.45	22.40	23.0
				25	25	22.26	22.46	22.49	22.5
				50	0	22.03	21.80	22.07	22.5
			QPSK	1	1	21.37	21.47	21.78	22.5
				1	25	22.04	22.50	22.27	23.5
				1	49	23.32	23.11	23.24	23.5
				25	0	20.63	20.90	20.99	22.5
				25	13	22.45	22.41	22.39	22.5
				25	25	21.93	21.79	21.99	22.5
				50	0	21.32	21.46	21.29	21.5
			16QAM	1	1	20.35	20.93	20.79	21.0
			64QAM	1	1	19.26	19.21	19.04	19.5
			256QAM	1	1	16.68	16.99	17.54	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647500	650000	652500	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3712.50	3750.00	3787.50	
25	30	DFT-OFDM	PI2BPSK	1	1	21.48	21.58	21.69	22.0
				1	32	22.29	22.72	22.76	23.0
				1	63	23.25	23.29	23.33	23.5
				32	0	21.38	21.44	21.34	21.5
				32	16	22.38	22.41	22.48	23.0
				32	32	22.30	22.41	22.31	22.5
				64	0	21.79	22.07	22.20	22.5
			QPSK	1	1	21.61	21.32	21.50	22.5

				1	32	22.16	22.55	22.18	23.5
				1	63	23.11	23.04	23.34	23.5
				32	0	20.72	20.75	20.92	22.5
				32	16	22.35	22.45	22.47	22.5
				32	32	21.69	21.74	21.86	22.5
				64	0	21.39	21.41	21.43	21.5
			16QAM	1	1	20.51	20.89	20.58	21.0
			64QAM	1	1	19.24	19.28	19.07	19.5
			256QAM	1	1	16.92	16.87	17.63	18.0
			Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.
647667	650000	652333							
Fre. (MHz)	Fre. (MHz)	Fre. (MHz)							
3715.00	3750.00	3785.00							
30	30	DFT-OFDM	PI2BPSK	1	1	21.54	21.38	21.52	22.0
				1	39	22.26	22.55	22.71	23.0
				1	76	23.24	23.26	23.36	23.5
				36	0	21.28	21.43	21.48	21.5
				36	21	22.44	22.53	22.42	23.0
				36	41	22.46	22.50	22.49	22.5
				75	0	21.87	22.06	22.21	22.5
			QPSK	1	1	21.46	21.28	21.70	22.5
				1	39	22.18	22.45	22.10	23.5
				1	76	23.37	23.14	23.35	23.5
				36	0	20.91	20.75	20.95	22.5
				36	21	22.32	22.37	22.35	22.5
				36	41	21.74	21.97	22.11	22.5
				75	0	21.23	21.30	21.43	21.5
			16QAM	1	1	20.53	20.72	20.61	21.0
			64QAM	1	1	19.36	19.17	18.99	19.5
			256QAM	1	1	16.90	17.07	17.74	18.0
			Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.
648000	650000	652000							
Fre. (MHz)	Fre. (MHz)	Fre. (MHz)							
3720.00	3750.00	3780.00							
40	30	DFT-OFDM	PI2BPSK	1	1	21.62	21.56	21.59	22.0
				1	53	22.36	22.63	22.68	23.0
				1	104	23.26	23.47	23.19	23.5
				50	0	21.45	21.50	21.42	21.5
				50	28	22.30	22.43	22.47	23.0
				50	55	22.49	22.42	22.45	22.5

				100	0	21.92	21.90	21.91	22.5
			QPSK	1	1	21.39	21.26	21.74	22.5
				1	53	21.97	22.34	22.30	23.5
				1	104	23.28	23.18	23.31	23.5
				50	0	20.74	20.71	21.00	22.5
				50	28	22.26	22.25	22.49	22.5
				50	55	21.85	21.97	22.05	22.5
				100	0	21.22	21.39	21.27	21.5
			16QAM	1	1	20.44	20.97	20.72	21.0
			64QAM	1	1	19.32	19.24	19.04	19.5
			256QAM	1	1	16.82	16.95	17.72	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						648333	650000	651667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3725.00	3750.00	3775.00	
50	30	DFT-OFDM	PI2BPSK	1	1	21.40	21.58	21.75	22.0
				1	66	22.25	22.47	22.79	23.0
				1	131	23.18	23.39	23.18	23.5
				64	0	21.32	21.39	21.35	21.5
				64	34	22.30	22.50	22.67	23.0
				64	68	22.27	22.32	22.26	22.5
				128	0	21.89	21.88	22.17	22.5
			QPSK	1	1	21.67	21.45	21.60	22.5
				1	66	22.13	22.60	22.15	23.5
				1	131	23.36	23.16	23.27	23.5
				64	0	20.90	20.69	21.05	22.5
				64	34	22.22	22.44	22.35	22.5
				64	68	21.80	21.80	22.11	22.5
				128	0	21.32	21.48	21.16	21.5
			16QAM	1	1	20.31	20.70	20.60	21.0
			64QAM	1	1	19.18	19.30	19.19	19.5
			256QAM	1	1	16.83	17.03	17.53	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						648667	650000	651333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3730.00	3750.00	3770.00	
60	30	DFT-OFDM	PI2BPSK	1	1	21.55	21.54	21.49	22.0
				1	81	22.26	22.49	22.75	23.0
				1	160	23.23	23.21	23.25	23.5
				81	0	21.43	21.30	21.35	21.5

				81	41	22.41	22.35	22.63	23.0
				81	80	22.49	22.43	22.04	22.5
				162	0	21.81	21.81	22.06	22.5
			QPSK	1	1	21.64	21.37	21.65	22.5
				1	81	21.96	22.34	22.16	23.5
				1	160	23.32	23.17	23.22	23.5
				81	0	20.70	20.98	20.98	22.5
				81	41	22.42	22.25	22.17	22.5
				81	80	21.90	21.95	22.11	22.5
				162	0	21.37	21.23	21.41	21.5
			16QAM	1	1	20.54	20.81	20.65	21.0
			64QAM	1	1	19.17	19.15	19.16	19.5
			256QAM	1	1	16.69	16.92	17.70	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649000	650000	651000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3735.00	3750.00	3765.00	
70	30	DFT-OFDM	PI2BPSK	1	1	21.61	21.42	21.57	22.0
				1	94	22.53	22.53	22.57	23.0
				1	187	23.22	23.27	23.38	23.5
				90	0	21.27	21.42	21.45	21.5
				90	49	22.36	22.55	22.46	23.0
				90	98	22.33	22.45	22.42	22.5
				180	0	21.84	21.99	22.06	22.5
			QPSK	1	1	21.45	21.27	21.77	22.5
				1	94	22.01	22.31	22.21	23.5
				1	187	23.18	23.24	23.49	23.5
				90	0	20.62	20.97	20.77	22.5
				90	49	22.25	22.31	22.36	22.5
				90	98	21.79	21.93	21.99	22.5
				180	0	21.32	21.34	21.33	21.5
			16QAM	1	1	20.52	20.81	20.73	21.0
			64QAM	1	1	19.18	19.41	19.20	19.5
			256QAM	1	1	16.78	17.05	17.67	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649333	650000	650667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3740.00	3750.00	3760.00	
80	30	DFT-OFDM	PI2BPSK	1	1	21.48	21.43	21.49	22.0
				1	108	22.29	22.70	22.73	23.0

				1	215	23.11	23.36	23.22	23.5
				108	0	21.25	21.25	21.34	21.5
				108	54	22.25	22.39	22.60	23.0
				108	108	22.42	22.49	22.36	22.5
				216	0	22.08	21.88	22.21	22.5
			QPSK	1	1	21.40	21.44	21.75	22.5
				1	108	22.25	22.53	22.15	23.5
				1	215	23.20	23.28	23.34	23.5
				108	0	20.67	20.77	21.03	22.5
				108	54	22.47	22.25	22.07	22.5
				108	108	21.79	21.88	21.98	22.5
				216	0	21.28	21.35	21.13	21.5
			16QAM	1	1	20.46	20.67	20.59	21.0
			64QAM	1	1	19.22	19.43	19.13	19.5
			256QAM	1	1	16.82	17.08	17.59	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						649667	650000	650333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3745.00	3750.00	3755.00	
90	30	DFT-OFDM	PI2BPSK	1	1	21.51	21.47	21.64	22.0
				1	122	22.4	22.58	22.69	23.0
				1	243	23.21	23.34	23.3	23.5
				120	0	21.34	21.4	21.5	21.5
				120	62	22.32	22.41	22.54	23.0
				120	124	22.34	22.37	22.46	22.5
				243	0	21.93	21.94	22.06	22.5
			QPSK	1	1	21.52	21.39	21.63	22.5
				1	122	22.1	22.45	22.16	23.5
				1	243	23.22	23.14	23.34	23.5
				120	0	20.77	20.84	20.91	22.5
				120	62	22.35	22.38	22.5	22.5
				120	124	21.81	21.85	22	22.5
				243	0	21.33	21.36	21.42	21.5
			16QAM	1	1	20.44	20.82	20.7	21.0
			64QAM	1	1	19.32	19.29	19.09	19.5
			256QAM	1	1	16.81	17.02	17.68	18.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						N/A	650000	N/A	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						N/A	3750.00	N/A	

100	30	DFT-OFDM	PI2BPSK	1	1	N/A	21.51	N/A	22.0
				1	136	N/A	22.47	N/A	22.5
				1	271	N/A	23.29	N/A	23.5
				135	0	N/A	21.28	N/A	21.5
				135	69	N/A	22.46	N/A	22.5
				135	137	N/A	22.4	N/A	22.5
				270	0	N/A	21.88	N/A	22.0
			QPSK	1	1	N/A	22.98	N/A	23.5
				1	136	N/A	22.44	N/A	23.5
				1	271	N/A	23.31	N/A	23.5
				135	0	N/A	20.76	N/A	22.5
				135	69	N/A	22.35	N/A	22.5
				135	137	N/A	21.96	N/A	22.5
				270	0	N/A	21.47	N/A	21.5
			16QAM	1	1	N/A	20.73	N/A	21.0
			64QAM	1	1	N/A	19.14	N/A	19.5
			256QAM	1	1	N/A	17.33	N/A	18.0

EN-DC Sensor on

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647000	650000	653000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3705	3750	3795	
10	30	DFT-OFDM	PI2BPSK	1	1	20.33	20.36	20.16	22.0
				1	12	20.99	21.02	21.08	
				1	22	21.65	21.82	21.67	
				12	0	19.67	19.83	19.88	21.0
				12	6	20.83	20.90	20.89	
				12	11	20.86	20.71	20.96	
				24	0	20.34	20.42	20.45	20.5
			QPSK	1	1	20.15	20.14	20.31	22.0
				1	12	20.73	21.00	20.57	
				1	22	21.60	21.70	21.97	
				12	0	19.14	19.43	19.42	21.0
				12	6	20.83	20.91	20.92	
				12	11	20.28	20.33	20.44	
				24	0	19.80	19.79	19.87	20.5
			16QAM	1	1	18.87	19.42	19.13	19.5

			64QAM	1	1	17.67	17.88	17.66	18.0
			256QAM	1	1	15.43	15.55	15.99	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647166.6667	650000	652833.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3707.5	3750	3792.5	
15	30	DFT-OFDM	PI2BPSK	1	1	20.02	20.00	20.29	22.0
				1	19	20.85	20.98	21.32	
				1	36	21.61	21.95	21.91	
				18	0	19.79	19.92	19.92	21.0
				18	10	20.93	20.94	20.88	
				18	19	20.82	20.87	20.93	
				36	0	20.46	20.44	20.45	20.5
			QPSK	1	1	20.15	20.35	20.31	22.0
				1	19	20.58	21.02	20.64	
				1	36	21.74	21.71	21.86	
				18	0	19.20	19.41	19.56	21.0
				18	10	20.68	20.85	20.96	
				18	19	20.34	20.25	20.64	
				36	0	19.87	19.84	19.87	20.5
			16QAM	1	1	19.01	19.33	19.15	19.5
			64QAM	1	1	17.90	17.62	17.59	18.0
			256QAM	1	1	15.47	15.58	15.83	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647333.3333	650000	652666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3710	3750	3790	
20	30	DFT-OFDM	PI2BPSK	1	1	20.16	20.14	20.24	22.0
				1	25	20.89	21.17	21.23	
				1	49	21.83	21.71	21.81	
				25	0	19.72	19.87	19.91	21.0
				25	13	20.80	20.91	20.94	
				25	25	20.78	20.94	20.47	
				50	0	20.16	20.30	20.35	20.5
			QPSK	1	1	20.18	20.00	20.27	22.0
				1	25	20.59	20.97	20.75	
				1	49	21.87	21.56	21.69	
				25	0	19.11	19.41	19.50	21.0
				25	13	20.98	20.92	20.89	
				25	25	20.46	20.25	20.52	

				50	0	19.79	19.98	19.75	20.5
			16QAM	1	1	18.87	19.48	19.30	19.5
			64QAM	1	1	17.79	17.69	17.59	18.0
			256QAM	1	1	15.22	15.52	15.86	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647500	650000	652500	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3712.5	3750	3787.5	
25	30	DFT-OFDM	PI2BPSK	1	1	20.00	20.05	20.20	22.0
				1	32	20.75	21.27	21.30	
				1	63	21.72	21.77	21.86	
				32	0	19.93	19.98	19.82	21.0
				32	16	20.89	20.95	21.00	
				32	32	20.77	20.86	20.78	
				64	0	20.34	20.35	20.37	20.5
			QPSK	1	1	20.13	20.59	20.17	22.0
				1	32	20.62	21.06	20.64	
				1	63	21.58	21.55	21.83	
				32	0	19.26	19.26	19.43	21.0
				32	16	20.83	20.95	21.00	
				32	32	20.17	20.28	20.32	
				64	0	19.88	19.94	19.94	20.5
			16QAM	1	1	18.98	19.34	19.13	19.5
			64QAM	1	1	17.78	17.75	17.58	18.0
			256QAM	1	1	15.44	15.41	15.85	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647666.6667	650000	652333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3715	3750	3785	
30	30	DFT-OFDM	PI2BPSK	1	1	20.05	20.69	20.07	22.0
				1	39	20.78	21.01	21.18	
				1	76	21.77	21.74	21.87	
				36	0	19.80	19.92	20.01	21.0
				36	21	20.95	21.00	20.97	
				36	41	20.93	20.95	20.94	
				75	0	20.41	20.41	20.48	20.5
			QPSK	1	1	20.01	20.47	20.24	22.0
				1	39	20.68	20.93	20.65	
				1	76	21.90	21.65	21.88	
				36	0	19.37	19.26	19.43	21.0

				36	21	20.82	20.83	20.88	
				36	41	20.19	20.42	20.65	
				75	0	19.77	19.79	19.98	
			16QAM	1	1	19.00	19.22	19.07	19.5
			64QAM	1	1	17.81	17.64	17.52	18.0
			256QAM	1	1	15.37	15.58	15.58	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648000	650000	652000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3720	3750	3780	
40	30	DFT-OFDM	PI2BPSK	1	1	20.12	20.04	20.05	22.0
				1	53	20.86	21.08	21.17	
				1	104	21.80	21.97	21.67	
				50	0	20.00	19.99	19.92	21.0
				50	28	20.85	20.96	20.35	
				50	55	20.85	20.96	20.92	
				100	0	20.45	20.38	20.39	20.5
			QPSK	1	1	20.47	20.46	20.24	22.0
				1	53	20.46	20.89	20.76	
				1	104	21.73	21.63	21.77	
				50	0	19.29	19.23	19.50	21.0
				50	28	20.81	20.70	20.98	
				50	55	20.36	20.42	20.58	
				100	0	19.75	19.91	19.74	20.5
			16QAM	1	1	18.93	19.42	19.17	19.5
			64QAM	1	1	17.77	17.76	17.52	18.0
			256QAM	1	1	15.36	15.43	15.88	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648333.3333	650000	651666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3725	3750	3775	
50	30	DFT-OFDM	PI2BPSK	1	1	20.50	20.06	20.26	22.0
				1	66	20.77	20.93	21.29	
				1	131	21.71	21.84	21.67	
				64	0	19.83	19.89	19.83	21.0
				64	34	20.85	21.00	20.64	
				64	68	20.81	20.83	20.77	
				128	0	20.35	20.36	20.17	20.5
			QPSK	1	1	20.13	20.45	20.09	22.0
				1	66	20.60	21.11	20.69	

				1	131	21.89	21.61	21.81	21.0
				64	0	19.37	19.21	19.58	
				64	34	20.74	20.93	20.87	
				64	68	20.32	20.27	20.57	
				128	0	19.87	19.93	19.66	20.5
			16QAM	1	1	18.82	19.17	19.07	19.5
			64QAM	1	1	17.65	17.84	17.66	18.0
			256QAM	1	1	15.29	15.48	15.69	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648666.6667	650000	651333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3730	3750	3770	
60	30	DFT-OFDM	PI2BPSK	1	1	20.04	20.06	20.03	22.0
				1	81	20.80	20.97	21.21	
				1	160	21.75	21.69	21.73	
				81	0	19.93	19.77	19.81	21.0
				81	41	20.91	20.88	20.99	
				81	80	20.84	20.94	20.55	
				162	0	20.28	20.36	20.49	20.5
			QPSK	1	1	20.10	20.47	20.17	22.0
				1	81	20.45	20.80	20.62	
				1	160	21.85	21.69	21.77	
				81	0	19.19	19.44	19.53	21.0
				81	41	20.92	20.75	20.67	
				81	80	20.44	20.48	20.65	
				162	0	19.82	19.75	19.96	20.5
			16QAM	1	1	19.05	19.36	19.18	19.5
			64QAM	1	1	17.65	17.64	17.68	18.0
			256QAM	1	1	15.18	15.47	15.85	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649000	650000	651000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3735	3750	3765	
70	30	DFT-OFDM	PI2BPSK	1	1	20.08	20.33	20.06	22.0
				1	94	21.05	20.98	21.08	
				1	187	21.74	21.80	21.83	
				90	0	19.79	19.91	20.00	21.0
				90	49	20.86	20.85	20.93	
				90	98	20.88	20.93	20.92	
				180	0	20.36	20.50	20.10	20.5

			QPSK	1	1	20.33	20.25	20.26	22.0
				1	94	20.48	20.81	20.66	
				1	187	21.63	21.71	21.96	
				90	0	19.14	19.44	19.30	21.0
				90	49	20.74	20.86	20.84	
				90	98	20.30	20.44	20.54	
				180	0	19.79	19.88	19.88	20.5
			16QAM	1	1	18.98	19.30	19.28	19.5
			64QAM	1	1	17.70	17.86	17.67	18.0
			256QAM	1	1	15.29	15.51	15.55	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649333.3333	650000	650666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3740	3750	3760	
80	30	DFT-OFDM	PI2BPSK	1	1	20.00	20.69	20.41	22.0
				1	108	20.75	21.19	21.22	
				1	215	21.58	21.84	21.69	
				108	0	19.71	19.71	19.84	21.0
				108	54	20.77	20.93	20.69	
				108	108	20.92	20.95	20.88	
				216	0	20.33	20.40	20.41	20.5
			QPSK	1	1	20.47	20.50	20.29	22.0
				1	108	20.79	21.02	20.60	
				1	215	21.71	21.77	21.85	
				108	0	19.22	19.28	19.53	21.0
				108	54	20.95	20.75	20.54	
				108	108	20.30	20.37	20.46	
				216	0	19.80	19.89	19.62	20.5
			16QAM	1	1	18.94	19.14	19.04	19.5
			64QAM	1	1	17.70	17.97	17.58	18.0
			256QAM	1	1	15.29	15.53	15.88	16.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649666.6667	650000	650333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3745	3750	3755	
90	30	DFT-OFDM	PI2BPSK	1	1	20.00	20.17	20.13	22.0
				1	122	20.87	21.08	21.24	
				1	243	21.75	21.89	21.79	
				120	0	19.89	19.90	19.95	21.0
				120	62	20.79	20.96	20.47	

				120	124	20.86	20.87	20.99	20.5
				243	0	20.45	20.49	20.46	
			QPSK	1	1	20.01	20.65	20.12	22.0
				1	122	20.58	20.94	20.69	
				1	243	21.74	21.61	21.81	
				120	0	19.24	19.34	19.39	21.0
				120	62	20.83	20.84	20.95	
				120	124	20.30	20.32	20.51	
				243	0	19.81	19.86	19.97	20.5
			16QAM	1	1	18.95	19.30	19.22	19.5
			64QAM	1	1	17.78	17.74	17.62	18.0
			256QAM	1	1	15.26	15.57	15.93	16.0

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						N/A	650000	N/A	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						N/A	3750	N/A	
100	30	DFT-OFDM	PI2BPSK	1	1	N/A	20.03	N/A	22.0
				1	136	N/A	21.00	N/A	
				1	271	N/A	21.77	N/A	
				135	0	N/A	19.82	N/A	21.0
				135	69	N/A	20.95	N/A	
				135	137	N/A	20.94	N/A	
				270	0	N/A	20.37	N/A	20.5
			QPSK	1	1	N/A	21.47	N/A	22.0
				1	136	N/A	20.97	N/A	
				1	271	N/A	21.85	N/A	
				135	0	N/A	19.21	N/A	21.0
				135	69	N/A	20.84	N/A	
				135	137	N/A	20.49	N/A	
				270	0	N/A	20.01	N/A	20.5
			16QAM	1	1	N/A	19.21	N/A	19.5
			64QAM	1	1	N/A	17.63	N/A	18.0
			256QAM	1	1	N/A	15.42	N/A	16.0

EN-DC+WLAN Sensor on

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up
						647000	650000	653000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	

						3705.00	3750.00	3795.00	Limit (dBm)
10	30	DFT-OFDM	PI2BPSK	1	1	18.96	18.92	19.08	19.5
				1	12	20.03	20.01	20.12	20.5
				1	22	20.56	20.85	20.66	21.0
				12	0	18.73	18.81	18.92	19.0
				12	6	19.87	19.86	19.93	20.0
				12	11	19.90	19.72	19.96	20.0
				24	0	19.31	19.47	19.45	19.5
			QPSK	1	1	19.35	19.06	19.25	21.0
				1	12	19.67	19.95	19.51	21.0
				1	22	20.59	20.76	20.96	21.0
				12	0	18.22	18.39	18.43	20.0
				12	6	19.76	19.84	19.93	20.5
				12	11	19.24	19.36	19.42	20.5
				24	0	18.73	18.87	18.92	19.0
			16QAM	1	1	17.93	18.37	18.05	18.5
			64QAM	1	1	16.75	16.93	16.67	17.0
			256QAM	1	1	14.48	14.49	15.12	15.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647167	650000	652833	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3707.50	3750.00	3792.50	
15	30	DFT-OFDM	PI2BPSK	1	1	18.96	19.02	19.29	19.5
				1	19	19.85	20.01	20.35	20.5
				1	36	20.58	20.93	20.88	21.0
				18	0	18.87	18.92	18.97	19.0
				18	10	19.88	19.88	19.92	20.0
				18	19	19.79	19.91	20.00	20.0
				36	0	19.42	19.41	19.49	19.5
			QPSK	1	1	19.03	19.25	19.29	21.0
				1	19	19.57	19.99	19.59	21.0
				1	36	20.72	20.64	20.84	21.0
				18	0	18.16	18.45	18.51	20.0
				18	10	19.73	19.81	20.01	20.5
				18	19	19.33	19.31	19.64	20.5
				36	0	18.78	18.87	18.87	19.0
			16QAM	1	1	18.05	18.36	18.13	18.5
			64QAM	1	1	16.85	16.65	16.57	17.0
			256QAM	1	1	14.49	14.56	15.04	15.5

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647333	650000	652667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3710.00	3750.00	3790.00	
20	30	DFT-OFDM	PI2BPSK	1	1	19.19	18.97	19.21	19.5
				1	25	19.86	20.21	20.25	20.5
				1	49	20.91	20.77	20.81	21.0
				25	0	18.81	18.84	18.84	19.0
				25	13	19.73	19.96	19.86	20.0
				25	25	19.79	19.94	19.97	20.0
				50	0	19.50	19.28	19.41	19.5
			QPSK	1	1	19.33	19.25	19.29	21.0
				1	25	19.58	20.00	19.76	21.0
				1	49	20.81	20.63	20.71	21.0
				25	0	18.11	18.38	18.44	20.0
				25	13	19.90	19.88	19.89	20.5
				25	25	19.42	19.28	19.53	20.5
				50	0	18.85	18.97	18.75	19.0
			16QAM	1	1	17.83	18.47	18.32	18.5
			64QAM	1	1	16.78	16.74	16.54	17.0
			256QAM	1	1	14.21	14.44	15.03	15.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647500	650000	652500	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3712.50	3750.00	3787.50	
25	30	DFT-OFDM	PI2BPSK	1	1	19.00	19.11	19.22	19.5
				1	32	19.80	20.22	20.30	20.5
				1	63	20.77	20.80	20.80	21.0
				32	0	18.89	18.92	18.86	19.0
				32	16	19.86	19.96	19.97	20.0
				32	32	19.79	19.94	19.76	20.0
				64	0	19.24	19.43	19.21	19.5
			QPSK	1	1	19.09	19.05	19.00	21.0
				1	32	19.62	20.04	19.67	21.0
				1	63	20.58	20.54	20.84	21.0
				32	0	18.19	18.25	18.46	20.0
				32	16	19.90	19.92	19.92	20.5
				32	32	19.20	19.20	19.31	20.5
				64	0	18.92	18.89	18.89	19.0
			16QAM	1	1	17.98	18.43	18.09	18.5

			64QAM	1	1	16.74	16.75	16.57	17.0
			256QAM	1	1	14.38	14.33	15.08	15.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647667	650000	652333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3715.00	3750.00	3785.00	
30	30	DFT-OFDM	PI2BPSK	1	1	19.09	18.84	19.04	19.5
				1	39	19.76	20.07	20.19	20.5
				1	76	20.73	20.81	20.81	21.0
				36	0	18.74	18.91	18.97	19.0
				36	21	19.97	19.85	19.91	20.0
				36	41	19.91	19.99	19.99	20.0
				75	0	19.38	19.29	19.44	19.5
			QPSK	1	1	19.01	19.38	19.25	21.0
				1	39	19.64	19.95	19.55	21.0
				1	76	20.92	20.59	20.84	21.0
				36	0	18.36	18.20	18.42	20.0
				36	21	19.83	19.85	19.85	20.5
				36	41	19.22	19.50	19.62	20.5
				75	0	18.72	18.82	18.93	19.0
			16QAM	1	1	18.01	18.23	18.08	18.5
			64QAM	1	1	16.90	16.68	16.48	17.0
			256QAM	1	1	14.40	14.58	15.23	15.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						648000	650000	652000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3720.00	3750.00	3780.00	
40	30	DFT-OFDM	PI2BPSK	1	1	19.08	19.07	19.14	19.5
				1	53	19.82	20.15	20.19	20.5
				1	104	20.80	20.36	20.68	21.0
				50	0	18.90	18.85	18.87	19.0
				50	28	19.75	19.90	19.93	20.0
				50	55	19.95	19.97	19.95	20.0
				100	0	19.42	19.40	19.44	19.5
			QPSK	1	1	19.65	19.35	19.19	21.0
				1	53	19.52	19.85	19.85	21.0
				1	104	20.83	20.67	20.86	21.0
				50	0	18.19	18.24	18.52	20.0
				50	28	19.80	19.75	19.97	20.5
				50	55	19.36	19.45	19.53	20.5

				100	0	18.77	18.84	18.72	19.0
			16QAM	1	1	17.93	18.48	18.22	18.5
			64QAM	1	1	16.81	16.74	16.55	17.0
			256QAM	1	1	14.37	14.45	15.20	15.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648333	650000	651667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3725.00	3750.00	3775.00	
50	30	DFT-OFDM	PI2BPSK	1	1	18.88	19.13	19.26	19.5
				1	66	19.70	19.94	20.31	20.5
				1	131	20.73	20.89	20.66	21.0
				64	0	18.81	18.92	18.80	19.0
				64	34	19.85	19.99	19.25	20.0
				64	68	19.75	19.78	19.79	20.0
				128	0	19.37	19.35	19.12	19.5
			QPSK	1	1	19.15	19.32	19.15	21.0
				1	66	19.62	20.06	19.67	21.0
				1	131	20.88	20.69	20.80	21.0
				64	0	18.38	18.17	18.50	20.0
				64	34	19.68	19.98	19.82	20.5
				64	68	19.29	19.32	19.58	20.5
				128	0	18.77	18.96	18.64	19.0
			16QAM	1	1	17.84	18.23	18.06	18.5
			64QAM	1	1	16.65	16.82	16.68	17.0
			256QAM	1	1	14.32	14.49	15.04	15.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648667	650000	651333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3730.00	3750.00	3770.00	
60	30	DFT-OFDM	PI2BPSK	1	1	19.00	19.07	19.00	19.5
				1	81	19.74	20.04	20.24	20.5
				1	160	20.78	20.73	20.73	21.0
				81	0	18.95	18.81	18.86	19.0
				81	41	19.90	19.85	19.35	20.0
				81	80	19.98	19.88	19.51	20.0
				162	0	19.32	19.33	19.41	19.5
			QPSK	1	1	19.15	19.39	19.11	21.0
				1	81	19.42	19.89	19.67	21.0
				1	160	20.84	20.70	20.75	21.0
				81	0	18.16	18.50	18.43	20.0

				81	41	19.88	19.75	19.66	20.5
				81	80	19.40	19.44	19.63	20.5
				162	0	18.82	18.74	18.91	19.0
			16QAM	1	1	18.06	18.31	18.17	18.5
			64QAM	1	1	16.71	16.65	16.66	17.0
			256QAM	1	1	14.24	14.38	15.19	15.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649000	650000	651000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3735.00	3750.00	3765.00	
70	30	DFT-OFDM	PI2BPSK	1	1	19.07	18.96	19.03	19.5
				1	94	19.99	20.03	20.11	20.5
				1	187	20.76	20.79	20.86	21.0
				90	0	18.80	18.91	18.92	19.0
				90	49	19.87	19.85	19.95	20.0
				90	98	19.88	19.95	19.94	20.0
				180	0	19.37	19.45	19.49	19.5
			QPSK	1	1	19.85	19.68	19.22	21.0
				1	94	19.47	19.82	19.75	21.0
				1	187	20.72	20.77	20.58	21.0
				90	0	18.11	18.43	18.30	20.0
				90	49	19.79	19.76	19.90	20.5
				90	98	19.25	19.40	19.49	20.5
				180	0	18.77	18.81	18.78	19.0
			16QAM	1	1	18.07	18.36	18.24	18.5
			64QAM	1	1	16.65	16.95	16.66	17.0
			256QAM	1	1	14.27	14.52	15.13	15.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649333	650000	650667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3740.00	3750.00	3760.00	
80	30	DFT-OFDM	PI2BPSK	1	1	18.95	18.94	18.96	19.5
				1	108	19.79	20.20	20.20	20.5
				1	215	20.59	20.87	20.74	21.0
				108	0	18.73	18.76	18.89	19.0
				108	54	19.71	19.91	19.69	20.0
				108	108	19.87	19.94	19.91	20.0
				216	0	19.43	19.33	19.39	19.5
			QPSK	1	1	19.69	19.58	19.24	21.0
				1	108	19.76	20.04	19.68	21.0

				1	215	20.75	20.73	20.83	21.0
				108	0	18.19	18.24	18.50	20.0
				108	54	19.98	19.75	19.58	20.5
				108	108	19.33	19.38	19.44	20.5
				216	0	18.76	18.90	18.67	19.0
			16QAM	1	1	17.96	18.22	18.11	18.5
			64QAM	1	1	16.72	16.88	16.66	17.0
			256QAM	1	1	14.35	14.57	15.13	15.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649667	650000	650333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3745.00	3750.00	3755.00	
90	30	DFT-OFDM	PI2BPSK	1	1	19.01	18.92	19.13	19.5
				1	122	19.87	20.09	20.22	20.5
				1	243	20.68	20.85	20.8	21.0
				120	0	18.84	18.87	18.95	19.0
				120	62	19.78	19.91	19.35	20.0
				120	124	19.89	19.82	19.95	20.0
				243	0	19.4	19.4	19.14	19.5
			QPSK	1	1	19.05	19.58	19.11	21.0
				1	122	19.6	19.98	19.71	21.0
				1	243	20.72	20.64	20.83	21.0
				120	0	18.32	18.3	18.37	20.0
				120	62	19.89	19.87	19.96	20.5
				120	124	19.35	19.32	19.5	20.5
				243	0	18.86	18.84	18.89	19.0
			16QAM	1	1	17.92	18.3	18.18	18.5
			64QAM	1	1	16.8	16.77	16.55	17.0
			256QAM	1	1	14.3	14.49	15.14	15.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						N/A	650000	N/A	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						N/A	3750.00	N/A	
100	30	DFT-OFDM	PI2BPSK	1	1	N/A	19.05	N/A	19.5
				1	136	N/A	19.94	N/A	20.5
				1	271	N/A	20.83	N/A	21.0
				135	0	N/A	18.76	N/A	19.0
				135	69	N/A	20	N/A	20.0
				135	137	N/A	19.85	N/A	20.0
				270	0	N/A	19.37	N/A	19.5

				1	1	N/A	20.48	N/A	21.0
				1	136	N/A	19.99	N/A	21.0
				1	271	N/A	20.83	N/A	21.0
			QPSK	135	0	N/A	18.31	N/A	20.0
				135	69	N/A	19.8	N/A	20.5
				135	137	N/A	19.49	N/A	20.5
				270	0	N/A	18.94	N/A	19.0
			16QAM	1	1	N/A	18.2	N/A	18.5
			64QAM	1	1	N/A	16.68	N/A	17.0
			256QAM	1	1	N/A	14.47	N/A	15.5

NR N78 C PC2

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647000	650000	653000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3705.00	3750.00	3795.00	
10	30	DFT-OFDM	PI2BPSK	1	1	24.08	24.02	24.37	24.5
				1	12	24.95	25.09	25.29	25.5
				1	22	22.17	22.66	22.69	23.0
				12	0	24.44	24.50	24.81	25.0
				12	6	24.24	24.09	24.06	24.5
				12	11	24.51	24.12	24.11	25.0
				24	0	24.37	24.16	24.01	24.5
			QPSK	1	1	23.06	23.14	23.02	23.5
				1	12	24.56	24.67	24.08	25.0
				1	22	21.68	21.53	21.79	22.0
				12	0	24.47	24.62	24.92	25.0
				12	6	24.56	24.90	24.32	25.0
				12	11	24.38	24.72	24.47	25.0
				24	0	24.19	24.41	24.07	24.5
			16QAM	1	1	20.62	20.87	20.88	21.0
			64QAM	1	1	20.88	20.82	21.00	21.5
			256QAM	1	1	20.01	19.63	19.81	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647167	650000	652833	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3707.50	3750.00	3792.50	
15	30	DFT-OFDM	PI2BPSK	1	1	24.14	24.09	24.29	24.5
				1	19	25.03	25.22	25.24	25.5
				1	36	22.33	22.60	22.89	23.0
				18	0	24.58	24.72	24.92	25.0
				18	10	24.08	24.28	24.20	24.5
				18	19	24.73	23.92	23.92	25.0
				36	0	24.25	23.98	24.14	24.5
			QPSK	1	1	23.06	23.06	22.97	23.5
				1	19	24.67	24.86	24.11	25.0
				1	36	21.52	21.57	21.73	22.0
				18	0	24.23	24.61	24.92	25.0
				18	10	24.63	24.80	24.25	25.0
				18	19	24.66	24.71	24.42	25.0

				36	0	24.36	24.40	24.00	24.5
			16QAM	1	1	20.45	20.65	20.67	21.0
			64QAM	1	1	20.97	20.93	20.80	21.5
			256QAM	1	1	19.92	19.80	19.74	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647333	650000	652667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3710.00	3750.00	3790.00	
20	30	DFT-OFDM	PI2BPSK	1	1	24.10	24.01	24.29	24.5
				1	25	24.95	25.05	25.29	25.5
				1	49	22.36	22.70	22.91	23.0
				25	0	24.56	24.56	24.81	25.0
				25	13	24.11	24.19	24.17	24.5
				25	25	24.63	23.88	24.00	25.0
				50	0	24.23	23.94	24.10	24.5
			QPSK	1	1	23.17	23.15	23.03	23.5
				1	25	24.54	24.63	23.94	25.0
				1	49	21.59	21.77	21.63	22.0
				25	0	24.23	24.68	25.00	25.0
				25	13	24.58	24.75	24.24	25.0
				25	25	24.65	24.74	24.30	25.0
				50	0	24.17	24.37	24.00	24.5
			16QAM	1	1	20.50	20.86	20.76	21.0
			64QAM	1	1	20.77	20.91	20.87	21.5
			256QAM	1	1	19.78	19.70	19.69	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647500	650000	652500	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3712.50	3750.00	3787.50	
25	30	DFT-OFDM	PI2BPSK	1	1	24.21	23.93	24.19	24.5
				1	32	24.82	25.15	25.48	25.5
				1	63	22.19	22.80	22.96	23.0
				32	0	24.62	24.56	24.75	25.0
				32	16	24.32	24.24	24.14	24.5
				32	32	24.67	23.92	24.08	25.0
				64	0	24.48	23.97	24.24	24.5
			QPSK	1	1	23.10	23.34	23.12	23.5
				1	32	24.57	24.78	23.97	25.0
				1	63	21.62	21.53	21.64	22.0
				32	0	24.42	24.73	24.80	25.0

				32	16	24.61	24.78	24.25	25.0
				32	32	24.61	24.78	24.32	25.0
				64	0	24.13	24.37	24.07	24.5
			16QAM	1	1	20.59	20.75	20.65	21.0
			64QAM	1	1	20.73	20.79	20.88	21.5
			256QAM	1	1	19.84	19.77	19.83	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647667	650000	652333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3715.00	3750.00	3785.00	
30	30	DFT-OFDM	PI2BPSK	1	1	24.11	24.16	24.30	24.5
				1	39	24.96	25.32	25.40	25.5
				1	76	22.34	22.83	22.96	23.0
				36	0	24.69	24.45	24.99	25.0
				36	21	24.21	24.34	24.12	24.5
				36	41	24.63	23.99	24.03	25.0
				75	0	24.27	24.13	24.25	24.5
			QPSK	1	1	23.21	23.27	23.11	23.5
				1	39	24.59	24.72	24.14	25.0
				1	76	21.60	21.68	21.77	22.0
				36	0	24.24	24.76	24.88	25.0
				36	21	24.58	24.94	24.29	25.0
				36	41	24.39	24.81	24.41	25.0
				75	0	24.27	24.33	23.96	24.5
			16QAM	1	1	20.52	20.71	20.82	21.0
			64QAM	1	1	20.85	20.92	21.01	21.5
			256QAM	1	1	19.87	19.70	19.81	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648000	650000	652000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3720.00	3750.00	3780.00	
40	30	DFT-OFDM	PI2BPSK	1	1	24.04	24.15	24.21	24.5
				1	53	24.87	25.21	25.46	25.5
				1	104	22.22	22.62	22.78	23.0
				50	0	24.44	24.46	24.80	25.0
				50	28	24.14	24.22	24.11	24.5
				50	55	24.75	23.84	24.06	25.0
				100	0	24.29	24.10	24.10	24.5
			QPSK	1	1	23.03	23.07	23.19	23.5
				1	53	24.64	24.85	24.11	25.0

				1	104	21.65	21.66	21.67	22.0
				50	0	24.41	24.76	24.99	25.0
				50	28	24.66	24.83	24.08	25.0
				50	55	24.53	24.73	24.36	25.0
				100	0	24.39	24.50	24.16	24.5
			16QAM	1	1	20.47	20.76	20.93	21.0
			64QAM	1	1	20.96	20.84	21.00	21.5
			256QAM	1	1	20.08	19.93	19.97	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648333	650000	651667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3725.00	3750.00	3775.00	
50	30	DFT-OFDM	PI2BPSK	1	1	24.27	23.91	24.21	24.5
				1	66	25.01	25.07	25.44	25.5
				1	131	22.31	22.68	22.95	23.0
				64	0	24.44	24.47	24.90	25.0
				64	34	24.20	24.17	24.25	24.5
				64	68	24.65	24.03	24.09	25.0
				128	0	24.42	24.05	24.02	24.5
			QPSK	1	1	23.06	23.26	22.96	23.5
				1	66	24.54	24.67	24.05	25.0
				1	131	21.69	21.52	21.71	22.0
				64	0	24.22	24.71	24.80	25.0
				64	34	24.68	24.69	24.17	25.0
				64	68	24.68	24.87	24.30	25.0
				128	0	24.25	24.46	24.25	24.5
			16QAM	1	1	20.37	20.90	20.75	21.0
			64QAM	1	1	20.92	20.80	21.05	21.5
			256QAM	1	1	19.99	19.70	19.81	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648667	650000	651333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3730.00	3750.00	3770.00	
60	30	DFT-OFDM	PI2BPSK	1	1	24.20	23.91	24.44	24.5
				1	81	24.98	25.14	25.39	25.5
				1	160	22.22	22.83	22.87	23.0
				81	0	24.73	24.63	24.74	25.0
				81	41	24.12	24.19	24.16	24.5
				81	80	24.57	23.92	23.83	25.0
				162	0	24.41	24.21	24.16	24.5

			QPSK	1	1	23.08	23.19	22.99	23.5
				1	81	24.47	24.71	23.86	25.0
				1	160	21.70	21.49	21.59	22.0
				81	0	24.24	24.78	24.80	25.0
				81	41	24.69	24.97	24.32	25.0
				81	80	24.56	24.67	24.50	25.0
				162	0	24.11	24.46	24.05	24.5
			16QAM	1	1	20.35	20.81	20.66	21.0
			64QAM	1	1	21.00	20.94	20.94	21.5
			256QAM	1	1	20.02	19.93	19.91	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649000	650000	651000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3735.00	3750.00	3765.00	
70	30	DFT-OFDM	PI2BPSK	1	1	24.29	24.07	24.27	24.5
				1	94	25.03	25.11	25.22	25.5
				1	187	22.40	22.54	23.00	23.0
				90	0	24.59	24.69	24.90	25.0
				90	49	24.24	24.32	24.24	24.5
				90	98	24.74	23.93	23.84	25.0
				180	0	24.29	24.02	24.00	24.5
			QPSK	1	1	23.22	23.29	23.04	23.5
				1	94	24.68	24.80	24.14	25.0
				1	187	21.76	21.56	21.58	22.0
				90	0	24.29	24.78	24.94	25.0
				90	49	24.48	24.86	24.13	25.0
				90	98	24.64	24.69	24.45	25.0
				180	0	24.11	24.41	24.15	24.5
			16QAM	1	1	20.61	20.91	20.93	21.0
			64QAM	1	1	20.75	21.04	20.90	21.5
			256QAM	1	1	19.87	19.66	19.74	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649333	650000	650667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3740.00	3750.00	3760.00	
80	30	DFT-OFDM	PI2BPSK	1	1	24.19	23.98	24.20	24.5
				1	108	24.92	25.22	25.27	25.5
				1	215	22.36	22.56	22.79	23.0
				108	0	24.71	24.47	24.69	25.0
				108	54	24.09	24.30	24.07	24.5

				108	108	24.76	24.10	24.01	25.0
				216	0	24.15	24.19	24.28	24.5
			QPSK	1	1	23.09	23.17	23.19	23.5
				1	108	24.56	24.85	23.86	25.0
				1	215	21.67	21.64	21.61	22.0
				108	0	24.25	24.83	24.79	25.0
				108	54	24.67	24.80	24.19	25.0
				108	108	24.51	24.75	24.49	25.0
				216	0	24.14	24.22	24.24	24.5
			16QAM	1	1	20.38	20.65	20.77	21.0
			64QAM	1	1	20.74	21.04	20.86	21.5
			256QAM	1	1	19.93	19.65	19.95	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649667	650000	650333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3745.00	3750.00	3755.00	
90	30	DFT-OFDM	PI2BPSK	1	1	24.19	24.05	24.34	24.5
				1	122	24.90	25.18	25.37	25.5
				1	243	22.32	22.69	22.92	23.0
				120	0	24.58	24.59	24.89	25.0
				120	62	24.22	24.22	24.17	24.5
				120	124	24.61	23.98	23.96	25.0
				243	0	24.37	24.06	24.15	24.5
			QPSK	1	1	23.10	23.20	23.06	23.5
				1	122	24.62	24.71	23.99	25.0
				1	243	21.64	21.64	21.73	22.0
				120	0	24.33	24.75	24.87	25.0
				120	62	24.54	24.87	24.23	25.0
				120	124	24.53	24.82	24.42	25.0
				243	0	24.24	24.47	24.10	24.5
			16QAM	1	1	20.48	20.76	20.78	21.0
			64QAM	1	1	20.85	20.89	20.95	21.5
			256QAM	1	1	19.93	19.78	19.84	20.0
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						N/A	650000	N/A	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						N/A	3750.00	N/A	
100	30	DFT-OFDM	PI2BPSK	1	1	N/A	24.18	N/A	24.5
				1	136	N/A	25.20	N/A	25.5
				1	271	N/A	22.77	N/A	23.0

				135	0	N/A	24.62	N/A	25.0
				135	69	N/A	24.20	N/A	24.5
				135	137	N/A	24.98	N/A	25.0
				270	0	N/A	24.10	N/A	24.5
			QPSK	1	1	N/A	23.27	N/A	23.5
				1	136	N/A	24.75	N/A	25.0
				1	271	N/A	21.67	N/A	22.0
				135	0	N/A	24.80	N/A	25.0
				135	69	N/A	24.96	N/A	25.0
				135	137	N/A	24.73	N/A	25.0
				270	0	N/A	24.40	N/A	24.5
			16QAM	1	1	N/A	20.98	N/A	21.0
			64QAM	1	1	N/A	21.04	N/A	21.5
			256QAM	1	1	N/A	19.63	N/A	20.0

EN-DC Sensor on

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647000	650000	653000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3705	3750	3795	
10	30	DFT-OFDM	PI2BPSK	1	1	22.60	22.54	22.86	23.0
				1	12	23.41	23.61	23.83	24.0
				1	22	20.71	21.13	21.21	21.5
				12	0	22.97	23.03	23.35	23.5
				12	6	22.70	22.59	22.54	23.0
				12	11	23.02	22.59	22.63	23.5
				24	0	22.91	22.69	22.51	23.0
			QPSK	1	1	21.59	21.67	21.54	22.0
				1	12	23.07	23.12	22.63	24.0
				1	22	20.20	20.03	20.32	20.5
				12	0	22.95	23.15	23.38	23.5
				12	6	23.06	23.35	22.78	23.5
				12	11	22.91	23.24	22.98	23.5
				24	0	22.64	22.90	22.62	23.0
			16QAM	1	1	19.17	19.40	19.36	19.5
			64QAM	1	1	19.40	19.34	19.47	20.0
			256QAM	1	1	18.54	18.16	18.31	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647166.6667	650000	652833.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3707.5	3750	3792.5	
15	30	DFT-OFDM	PI2BPSK	1	1	22.68	22.54	22.74	23.0
				1	19	23.58	23.74	23.74	24.0
				1	36	20.80	21.12	21.38	21.5
				18	0	23.10	23.17	23.37	23.5
				18	10	22.59	22.76	22.70	23.0
				18	19	23.19	22.40	22.46	23.5
				36	0	22.76	22.43	22.67	23.0
			QPSK	1	1	21.57	21.51	21.47	22.0
				1	19	23.22	23.35	22.56	24.0
				1	36	20.04	20.02	20.23	20.5
				18	0	22.69	23.07	23.42	23.5
				18	10	23.16	23.31	22.76	23.5
				18	19	23.13	23.23	22.90	23.5

				36	0	22.86	22.86	22.53	23.0
			16QAM	1	1	19.00	19.19	19.17	19.5
			64QAM	1	1	19.49	19.40	19.33	20.0
			256QAM	1	1	18.44	18.32	18.22	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647333.3333	650000	652666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3710	3750	3790	
20	30	DFT-OFDM	PI2BPSK	1	1	22.60	22.48	22.74	23.0
				1	25	23.46	23.60	23.75	24.0
				1	49	20.84	21.17	21.44	21.5
				25	0	23.07	23.07	23.36	23.5
				25	13	22.66	22.71	22.68	23.0
				25	25	23.17	22.38	22.52	23.5
				50	0	22.77	22.46	22.56	23.0
			QPSK	1	1	21.69	21.69	21.56	22.0
				1	25	23.08	23.12	22.44	24.0
				1	49	20.10	20.29	20.14	20.5
				25	0	22.76	23.20	23.41	23.5
				25	13	23.03	23.26	22.78	23.5
				25	25	23.13	23.24	22.76	23.5
				50	0	22.66	22.87	22.46	23.0
			16QAM	1	1	18.95	19.38	19.27	19.5
			64QAM	1	1	19.22	19.41	19.33	20.0
			256QAM	1	1	18.25	18.20	18.14	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647500	650000	652500	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3712.5	3750	3787.5	
25	30	DFT-OFDM	PI2BPSK	1	1	22.74	22.42	22.69	23.0
				1	32	23.37	23.61	23.93	24.0
				1	63	20.69	21.27	21.26	21.5
				32	0	23.11	23.03	23.21	23.5
				32	16	22.82	22.76	22.62	23.0
				32	32	23.19	22.42	22.56	23.5
				64	0	22.98	22.46	22.69	23.0
			QPSK	1	1	21.58	21.79	21.62	22.0
				1	32	23.03	23.23	22.42	24.0
				1	63	20.10	20.01	20.10	20.5
				32	0	22.93	23.20	23.31	23.5

				32	16	23.11	23.33	22.79	23.5
				32	32	23.14	23.28	22.77	23.5
				64	0	22.66	22.87	22.55	23.0
			16QAM	1	1	19.10	19.22	19.10	19.5
			64QAM	1	1	19.26	19.33	19.34	20.0
			256QAM	1	1	18.32	18.25	18.31	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						647666.6667	650000	652333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3715	3750	3785	
30	30	DFT-OFDM	PI2BPSK	1	1	22.56	22.61	22.76	23.0
				1	39	23.48	23.79	23.93	24.0
				1	76	20.85	21.33	21.50	21.5
				36	0	23.21	22.96	23.45	23.5
				36	21	22.70	22.80	22.64	23.0
				36	41	23.08	22.48	22.52	23.5
				75	0	22.72	22.68	22.71	23.0
			QPSK	1	1	21.68	21.78	21.56	22.0
				1	39	23.12	23.26	22.64	24.0
				1	76	20.13	20.15	20.32	20.5
				36	0	22.70	23.29	23.43	23.5
				36	21	23.10	23.41	22.82	23.5
				36	41	22.91	23.28	22.88	23.5
				75	0	22.81	22.85	22.45	23.0
			16QAM	1	1	19.00	19.21	19.31	19.5
			64QAM	1	1	19.40	19.45	19.52	20.0
			256QAM	1	1	18.34	18.25	18.30	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648000	650000	652000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3720	3750	3780	
40	30	DFT-OFDM	PI2BPSK	1	1	22.59	22.64	22.68	23.0
				1	53	23.35	23.72	23.96	24.0
				1	104	20.74	21.14	21.26	21.5
				50	0	22.91	22.95	23.27	23.5
				50	28	22.64	22.71	22.57	23.0
				50	55	23.23	22.36	22.51	23.5
				100	0	22.81	22.59	22.63	23.0
			QPSK	1	1	21.50	21.56	21.67	22.0
				1	53	23.10	23.32	22.56	24.0

				1	104	20.14	20.21	20.15	20.5
				50	0	22.96	23.23	22.43	23.5
				50	28	23.19	23.31	22.58	23.5
				50	55	23.05	23.27	22.89	23.5
				100	0	22.89	22.88	22.64	23.0
			16QAM	1	1	19.00	19.25	19.39	19.5
			64QAM	1	1	19.46	19.37	19.47	20.0
			256QAM	1	1	18.59	18.47	18.42	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648333.3333	650000	651666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3725	3750	3775	
50	30	DFT-OFDM	PI2BPSK	1	1	22.75	22.44	22.73	23.0
				1	66	23.50	23.62	23.93	24.0
				1	131	20.77	21.15	21.41	21.5
				64	0	22.94	23.00	23.40	23.5
				64	34	22.66	22.64	22.71	23.0
				64	68	23.13	22.55	22.62	23.5
				128	0	22.89	22.55	22.56	23.0
			QPSK	1	1	21.58	21.78	21.42	22.0
				1	66	23.02	23.20	22.53	24.0
				1	131	20.23	20.03	20.21	20.5
				64	0	22.68	23.21	23.35	23.5
				64	34	23.21	23.18	22.62	23.5
				64	68	23.17	23.37	22.85	23.5
				128	0	22.76	22.96	22.70	23.0
			16QAM	1	1	18.89	19.44	19.24	19.5
			64QAM	1	1	19.46	19.31	19.55	20.0
			256QAM	1	1	18.47	18.20	18.32	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648666.6667	650000	651333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3730	3750	3770	
60	30	DFT-OFDM	PI2BPSK	1	1	22.67	22.36	22.91	23.0
				1	81	23.50	23.69	23.86	24.0
				1	160	20.75	21.29	21.38	21.5
				81	0	23.24	23.08	23.21	23.5
				81	41	22.62	22.74	22.69	23.0
				81	80	23.05	22.40	22.33	23.5
				162	0	22.91	22.74	22.63	23.0

			QPSK	1	1	21.53	21.65	21.44	22.0
				1	81	22.97	23.20	22.37	24.0
				1	160	20.15	20.02	20.11	20.5
				81	0	22.73	23.33	23.31	23.5
				81	41	23.18	23.50	22.79	23.5
				81	80	23.07	23.18	22.97	23.5
				162	0	22.61	22.99	22.50	23.0
			16QAM	1	1	18.89	19.28	19.16	19.5
			64QAM	1	1	19.49	19.41	19.45	20.0
			256QAM	1	1	18.48	18.48	18.41	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649000	650000	651000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3735	3750	3765	
70	30	DFT-OFDM	PI2BPSK	1	1	22.84	22.53	22.80	23.0
				1	94	23.50	23.63	23.71	24.0
				1	187	20.91	21.04	21.46	21.5
				90	0	23.08	23.23	23.35	23.5
				90	49	22.74	22.80	22.72	23.0
				90	98	23.29	22.42	22.29	23.5
				180	0	22.77	22.48	22.55	23.0
			QPSK	1	1	21.68	21.76	21.49	22.0
				1	94	23.16	23.31	22.59	24.0
				1	187	20.29	20.01	20.07	20.5
				90	0	22.84	23.32	23.43	23.5
				90	49	23.01	23.34	22.68	23.5
				90	98	23.09	23.18	22.91	23.5
				180	0	22.66	22.92	22.60	23.0
			16QAM	1	1	19.09	19.40	19.44	19.5
			64QAM	1	1	19.25	19.57	19.44	20.0
			256QAM	1	1	18.39	18.20	18.25	18.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649333.3333	650000	650666.6667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3740	3750	3760	
80	30	DFT-OFDM	PI2BPSK	1	1	22.67	22.47	22.65	23.0
				1	108	23.47	23.76	23.74	24.0
				1	215	20.85	21.11	21.27	21.5
				108	0	23.22	22.94	23.21	23.5
				108	54	22.59	22.77	22.61	23.0

				108	108	23.25	22.56	22.53	23.5	
				216	0	22.67	22.66	22.80	23.0	
				QPSK	1	1	21.56	21.64	21.64	22.0
					1	108	23.01	23.30	22.38	24.0
					1	215	20.21	20.11	20.12	20.5
					108	0	22.73	23.28	23.31	23.5
					108	54	23.21	23.33	22.67	23.5
					108	108	23.02	23.26	22.98	23.5
					216	0	22.67	22.73	22.75	23.0
				16QAM	1	1	18.93	19.20	19.23	19.5
				64QAM	1	1	19.21	19.55	19.41	20.0
				256QAM	1	1	18.45	18.17	18.47	18.5

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649666.6667	650000	650333.3333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3745	3750	3755	

90	30	DFT-OFDM	PI2BPSK	1	1	22.74	22.57	22.82	23.0
				1	122	23.35	23.67	23.89	24.0
				1	243	20.81	21.17	21.46	21.5
				120	0	23.10	23.10	23.42	23.5
				120	62	22.76	22.69	22.64	23.0
				120	124	23.10	22.49	22.50	23.5
				243	0	22.92	22.53	22.66	23.0
			QPSK	1	1	21.60	21.70	21.52	22.0
				1	122	23.13	23.23	22.51	24.0
				1	243	20.19	20.10	20.19	20.5
				120	0	22.87	23.22	23.42	23.5
				120	62	23.00	23.32	22.77	23.5
				120	124	22.99	23.37	22.90	23.5
				243	0	22.78	22.92	22.59	23.0
			16QAM	1	1	18.95	19.23	19.26	19.5
			64QAM	1	1	19.35	19.43	19.48	20.0
			256QAM	1	1	18.40	18.23	18.29	18.5

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						N/A	650000	N/A	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						N/A	3750	N/A	

100	30	DFT-OFDM	PI2BPSK	1	1	N/A	22.64	N/A	23.0
				1	136	N/A	23.66	N/A	24.0
				1	271	N/A	21.31	N/A	21.5

				135	0	N/A	23.16	N/A	23.5
				135	69	N/A	22.65	N/A	23.0
				135	137	N/A	23.49	N/A	23.5
				270	0	N/A	22.60	N/A	23.0
			QPSK	1	1	N/A	21.77	N/A	22.0
				1	136	N/A	23.27	N/A	24.0
				1	271	N/A	20.15	N/A	20.5
				135	0	N/A	23.27	N/A	23.5
				135	69	N/A	23.50	N/A	23.5
				135	137	N/A	23.19	N/A	23.5
				270	0	N/A	22.89	N/A	23.0
			16QAM	1	1	N/A	19.49	N/A	19.5
			64QAM	1	1	N/A	19.59	N/A	20.0
			256QAM	1	1	N/A	18.11	N/A	18.5

EN-DC+WLAN Sensor on

Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647000	650000	653000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3705.00	3750.00	3795.00	
10	30	DFT-OFDM	PI2BPSK	1	1	21.58	21.45	21.81	22.0
				1	12	22.49	22.66	22.74	23.0
				1	22	19.68	20.11	20.21	20.5
				12	0	21.87	22.01	22.24	22.5
				12	6	21.70	21.66	21.52	22.0
				12	11	21.97	21.66	21.55	22.5
				24	0	21.86	21.72	21.45	22.0
			QPSK	1	1	20.56	20.68	20.46	21.0
				1	12	22.07	22.10	21.59	23.0
				1	22	19.13	19.08	19.27	19.5
				12	0	22.00	22.13	22.36	22.5
				12	6	22.11	22.44	21.77	22.5
				12	11	21.85	22.25	21.95	22.5
				24	0	21.67	21.84	21.53	22.0
			16QAM	1	1	18.20	18.30	18.34	19.0
			64QAM	1	1	18.35	18.34	18.45	18.5
			256QAM	1	1	17.44	17.12	17.35	17.5
		Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	

Bandwidth (MHz)	SCS (kHz)					647167	650000	652833	Tune- up Limit (dBm)
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3707.50	3750.00	3792.50	
15	30	DFT-OFDM	PI2BPSK	1	1	21.65	21.53	21.86	22.0
				1	19	22.61	22.73	22.77	23.0
				1	36	19.84	20.14	20.42	20.5
				18	0	22.05	22.19	22.46	22.5
				18	10	21.59	21.71	21.64	22.0
				18	19	22.23	21.46	21.50	22.5
				36	0	21.75	21.48	21.71	22.0
			QPSK	1	1	20.56	20.63	20.48	21.0
				1	19	22.14	22.41	21.69	23.0
				1	36	19.08	19.14	19.25	19.5
				18	0	21.72	22.10	22.40	22.5
				18	10	22.11	22.34	21.68	22.5
				18	19	22.22	22.14	21.90	22.5
				36	0	21.82	21.83	21.47	22.0
			16QAM	1	1	17.92	18.19	18.16	19.0
			64QAM	1	1	18.54	18.45	18.36	18.5
			256QAM	1	1	17.41	17.31	17.30	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647333	650000	652667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3710.00	3750.00	3790.00	
20	30	DFT-OFDM	PI2BPSK	1	1	21.61	21.44	21.82	22.0
				1	25	22.38	22.50	22.73	23.0
				1	49	19.84	20.17	20.35	20.5
				25	0	22.11	22.12	22.32	22.5
				25	13	21.64	21.68	21.74	22.0
				25	25	22.06	21.46	21.52	22.5
				50	0	21.80	21.42	21.61	22.0
			QPSK	1	1	20.70	20.58	20.53	21.0
				1	25	22.01	22.18	21.49	23.0
				1	49	19.13	19.24	19.11	19.5
				25	0	21.77	22.14	22.49	22.5
				25	13	22.16	22.21	21.76	22.5
				25	25	22.08	22.22	21.80	22.5
				50	0	21.74	21.83	21.47	22.0
			16QAM	1	1	17.95	18.38	18.29	19.0

			64QAM	1	1	18.30	18.46	18.32	18.5
			256QAM	1	1	17.25	17.28	17.27	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647500	650000	652500	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3712.50	3750.00	3787.50	
25	30	DFT-OFDM	PI2BPSK	1	1	21.71	21.45	21.73	22.0
				1	32	22.34	22.73	22.92	23.0
				1	63	19.70	20.38	20.43	20.5
				32	0	22.19	22.06	22.33	22.5
				32	16	21.85	21.76	21.57	22.0
				32	32	22.12	21.50	21.59	22.5
				64	0	21.96	21.55	21.72	22.0
			QPSK	1	1	20.64	20.82	20.67	21.0
				1	32	22.15	22.25	21.46	23.0
				1	63	19.11	19.01	19.17	19.5
				32	0	21.92	22.30	22.25	22.5
				32	16	22.05	22.30	21.77	22.5
				32	32	22.14	22.29	21.82	22.5
				64	0	21.67	21.85	21.57	22.0
			16QAM	1	1	18.02	18.24	18.11	19.0
			64QAM	1	1	18.21	18.30	18.31	18.5
			256QAM	1	1	17.40	17.21	17.37	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						647667	650000	652333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3715.00	3750.00	3785.00	
30	30	DFT-OFDM	PI2BPSK	1	1	21.67	21.62	21.77	22.0
				1	39	22.44	22.82	22.96	23.0
				1	76	19.85	20.31	20.43	20.5
				36	0	22.23	21.94	22.50	22.5
				36	21	21.72	21.89	21.58	22.0
				36	41	22.13	21.55	21.53	22.5
				75	0	21.73	21.61	21.70	22.0
			QPSK	1	1	20.65	20.75	20.54	21.0
				1	39	22.09	22.27	21.58	23.0
				1	76	19.07	19.26	19.31	19.5
				36	0	21.76	22.31	22.43	22.5
				36	21	22.14	22.47	21.83	22.5
				36	41	21.92	22.31	21.84	22.5

				75	0	21.71	21.81	21.48	22.0
			16QAM	1	1	17.99	18.26	18.31	19.0
			64QAM	1	1	18.35	18.45	18.42	18.5
			256QAM	1	1	17.32	17.17	17.28	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648000	650000	652000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3720.00	3750.00	3780.00	
40	30	DFT-OFDM	PI2BPSK	1	1	21.51	21.65	21.65	22.0
				1	53	22.44	22.70	22.91	23.0
				1	104	19.75	20.10	20.36	20.5
				50	0	22.01	21.93	22.31	22.5
				50	28	21.61	21.73	21.66	22.0
				50	55	22.32	21.41	21.58	22.5
				100	0	21.73	21.59	21.53	22.0
			QPSK	1	1	20.59	20.53	20.70	21.0
				1	53	22.18	22.32	21.64	23.0
				1	104	19.09	19.16	19.18	19.5
				50	0	21.91	22.34	22.36	22.5
				50	28	22.15	22.31	21.56	22.5
				50	55	22.10	22.19	21.81	22.5
				100	0	21.90	21.99	21.61	22.0
			16QAM	1	1	18.00	18.29	18.36	19.0
			64QAM	1	1	18.42	18.36	18.39	18.5
			256QAM	1	1	17.28	17.35	17.40	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648333	650000	651667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3725.00	3750.00	3775.00	
50	30	DFT-OFDM	PI2BPSK	1	1	21.73	21.39	21.72	22.0
				1	66	22.58	22.54	22.99	23.0
				1	131	19.83	20.13	20.47	20.5
				64	0	21.97	21.91	22.38	22.5
				64	34	21.68	21.65	21.82	22.0
				64	68	22.21	21.54	21.64	22.5
				128	0	21.94	21.53	21.48	22.0
			QPSK	1	1	20.63	20.73	20.41	21.0
				1	66	22.05	22.23	21.63	23.0
				1	131	19.26	19.02	19.23	19.5
				64	0	21.70	22.17	22.32	22.5

				64	34	22.18	22.18	21.71	22.5
				64	68	22.15	22.41	21.74	22.5
				128	0	21.70	22.00	21.74	22.0
			16QAM	1	1	17.95	18.44	18.30	19.0
			64QAM	1	1	18.50	18.32	18.35	18.5
			256QAM	1	1	17.43	17.28	17.37	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						648667	650000	651333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3730.00	3750.00	3770.00	
60	30	DFT-OFDM	PI2BPSK	1	1	21.78	21.36	21.87	22.0
				1	81	22.51	22.66	22.85	23.0
				1	160	19.70	20.35	20.44	20.5
				81	0	22.16	22.07	22.26	22.5
				81	41	21.64	21.67	21.64	22.0
				81	80	22.06	21.44	21.39	22.5
				162	0	21.86	21.68	21.60	22.0
			QPSK	1	1	20.54	20.65	20.52	21.0
				1	81	21.99	22.26	21.41	23.0
				1	160	19.21	19.03	19.16	19.5
				81	0	21.79	22.31	22.29	22.5
				81	41	22.22	22.46	21.82	22.5
				81	80	22.06	22.23	21.95	22.5
				162	0	21.56	21.93	21.59	22.0
			16QAM	1	1	17.80	18.24	18.21	19.0
			64QAM	1	1	18.44	18.46	18.47	18.5
			256QAM	1	1	17.53	17.38	17.35	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649000	650000	651000	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3735.00	3750.00	3765.00	
70	30	DFT-OFDM	PI2BPSK	1	1	21.74	21.64	21.78	22.0
				1	94	22.49	22.64	22.76	23.0
				1	187	19.98	19.97	20.47	20.5
				90	0	22.17	22.26	22.38	22.5
				90	49	21.82	21.79	21.72	22.0
				90	98	22.18	21.36	21.32	22.5
				180	0	21.81	21.60	21.43	22.0
			QPSK	1	1	20.65	20.72	20.55	21.0
				1	94	22.16	22.30	21.57	23.0

				1	187	19.30	19.00	19.06	19.5
				90	0	21.84	22.21	22.41	22.5
				90	49	21.97	22.38	21.69	22.5
				90	98	22.07	22.22	22.00	22.5
				180	0	21.55	21.96	21.58	22.0
			16QAM	1	1	18.14	18.40	18.36	19.0
			64QAM	1	1	18.19	18.12	18.37	18.5
			256QAM	1	1	17.30	17.16	17.25	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649333	650000	650667	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3740.00	3750.00	3760.00	
80	30	DFT-OFDM	PI2BPSK	1	1	21.75	21.52	21.64	22.0
				1	108	22.43	22.77	22.74	23.0
				1	215	19.84	20.06	20.28	20.5
				108	0	22.25	21.98	22.17	22.5
				108	54	21.66	21.73	21.61	22.0
				108	108	22.24	21.57	21.47	22.5
				216	0	21.62	21.68	21.82	22.0
			QPSK	1	1	20.53	20.67	20.76	21.0
				1	108	22.08	22.40	21.43	23.0
				1	215	19.10	19.16	19.08	19.5
				108	0	21.77	22.28	22.27	22.5
				108	54	22.15	22.33	21.69	22.5
				108	108	22.06	22.19	21.93	22.5
				216	0	21.69	21.80	21.70	22.0
			16QAM	1	1	17.84	18.14	18.33	19.0
			64QAM	1	1	18.17	18.48	18.36	18.5
			256QAM	1	1	17.46	17.14	17.38	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune-up Limit (dBm)
						649667	650000	650333	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						3745.00	3750.00	3755.00	
90	30	DFT-OFDM	PI2BPSK	1	1	21.75	21.62	21.77	22.0
				1	122	22.47	22.64	22.84	23.0
				1	243	19.78	20.14	20.47	20.5
				120	0	22.15	22.06	22.36	22.5
				120	62	21.73	21.65	21.71	22.0
				120	124	22.12	21.49	21.44	22.5
				243	0	21.88	21.52	21.70	22.0

			QPSK	1	1	20.57	20.70	20.53	21.0
				1	122	22.08	22.15	21.57	23.0
				1	243	19.11	19.17	19.27	19.5
				120	0	21.78	22.30	22.35	22.5
				120	62	22.03	22.33	21.68	22.5
				120	124	22.06	22.31	21.90	22.5
				243	0	21.69	21.65	21.58	22.0
			16QAM	1	1	17.94	18.23	18.33	19.0
			64QAM	1	1	18.28	18.44	18.46	18.5
			256QAM	1	1	17.40	17.36	17.40	17.5
Bandwidth (MHz)	SCS (kHz)	Mode	Modulation	RB size	RB offset	Channel No.	Channel No.	Channel No.	Tune- up Limit (dBm)
						N/A	650000	N/A	
						Fre. (MHz)	Fre. (MHz)	Fre. (MHz)	
						N/A	3750.00	N/A	
100	30	DFT-OFDM	PI2BPSK	1	1	N/A	21.72	N/A	22.0
				1	136	N/A	22.77	N/A	23.0
				1	271	N/A	20.24	N/A	20.5
				135	0	N/A	22.16	N/A	22.5
				135	69	N/A	21.72	N/A	22.0
				135	137	N/A	22.50	N/A	22.5
				270	0	N/A	21.65	N/A	22.0
			QPSK	1	1	N/A	20.79	N/A	21.0
				1	136	N/A	22.20	N/A	23.0
				1	271	N/A	19.24	N/A	19.5
				135	0	N/A	22.24	N/A	22.5
				135	69	N/A	22.45	N/A	22.5
				135	137	N/A	22.16	N/A	22.5
				270	0	N/A	21.97	N/A	22.0
			16QAM	1	1	N/A	18.54	N/A	19.0
			64QAM	1	1	N/A	18.49	N/A	18.5
			256QAM	1	1	N/A	17.19	N/A	17.5

2.4GHz W-Fi

Mode	Freq(MHz)	Conducted AVG Output Power (dBm)			Tune-up Limit (dBm)
		ANT7	ANT8	MIMO	
802.11b	2412	19.05	19.16	/	20.0
	2437	19.68	19.49	/	20.0
	2462	19.52	19.12	/	20.0
802.11g- CDD	2412	16.40	16.53	19.48	19.5
	2437	16.68	16.26	19.49	19.5
	2462	16.22	16.52	19.38	19.5
802.11n 20M	2412	15.89	15.76	18.84	19.0
	2437	15.38	15.56	18.48	19.0
	2462	15.33	15.31	18.33	19.0
802.11n 40M	2422	16.08	16.24	19.17	20.0
	2437	16.39	16.71	19.56	20.0
	2452	16.11	16.34	19.24	20.0

RU

Mode	Freq(MHz)	RU size	RU Index	Conducted AVG Output Power (dBm)			Tune-up Limit (dBm)
				ANT7	ANT8	MIMO	
802.11ax 20M	2412	26	0	14.43	14.8	17.63	18.0
			4	14.28	13.75	17.03	18.0
			8	15.11	14.64	17.89	18.0
		52	37	14.56	15.04	17.82	18.0
			38	14.59	14.43	17.52	18.0
			40	15.21	14.64	17.94	18.0
		106	53	14.28	14.54	17.42	18.0
			54	15.07	14.52	17.81	18.0
		SU	/	15.17	14.33	17.78	18.0
	2437	26	0	14.83	14.59	14.72	15.0
			4	14.51	14.48	17.51	18.0
			8	14.36	14.34	17.36	18.0
		52	37	14.59	14.44	17.53	18.0
			38	14.64	14.55	17.61	18.0
			40	14.69	14.61	17.66	18.0
		106	53	14.73	14.6	17.68	18.0
			54	14.7	14.64	17.68	18.0
		SU	/	14.96	14.27	17.64	18.0
	2462	26	0	14.49	14.25	17.38	18.0
			4	14.29	14.23	17.27	18.0
			8	15.08	14.44	17.78	18.0
		52	37	14.41	14.15	17.29	18.0
			38	14.25	14.1	17.19	18.0
			40	14.71	14.25	17.50	18.0
		106	53	14.32	14.13	17.24	18.0
			54	14.8	14.5	17.66	18.0
		SU	/	14.73	13.98	17.38	18.0
802.11ax 40M	2422	SU	/	15.24	14.22	17.77	18.0
	2437	SU	/	14.86	13.97	17.45	18.0
	2452	SU	/	14.73	13.90	17.35	18.0

5GHz W-Fi

Mode	Freq(MHz)	Conducted AVG Output Power (dBm)			Tune-up Limit (dBm)
		ANT7	ANT8	MIMO	
802.11a-CDD	5180	13.56	13.84	16.71	17.0
	5200	13.33	13.97	16.67	17.0
	5240	13.16	13.89	16.55	17.0
	5260	15.63	16.95	19.35	19.5
	5280	15.25	16.78	19.09	19.5
	5320	14.83	16.24	18.60	19.5
	5500	16.63	15.50	19.11	19.5
	5580	16.78	15.89	19.37	19.5
	5700	16.82	15.79	19.35	19.5
	5720-2C	16.07	15.50	18.80	19.5
	5720-3	9.79	9.19	12.51	13.0
	5745	16.33	15.27	18.84	19.0
	5785	15.99	15.27	18.66	19.0
	5825	16.34	14.75	18.63	19.0
802.11n 20M	5180	13.60	13.89	16.76	17.5
	5200	13.29	13.92	16.63	17.5
	5240	13.94	14.64	17.31	17.5
	5260	15.62	16.55	19.12	19.5
	5280	15.70	16.55	19.16	19.5
	5320	15.07	16.10	18.63	19.5
	5500	16.94	15.54	19.31	20.0
	5580	17.14	15.85	19.55	20.0
	5700	16.74	15.55	19.20	20.0
	5720-2C	16.32	15.58	18.98	19.0
	5720-3	10.73	9.84	13.32	13.5
	5745	16.34	15.23	18.83	19.0
	5785	16.19	15.13	18.70	19.0
	5825	16.45	14.63	18.64	19.0
802.11n 40M	5190	15.17	15.52	18.36	19.0
	5230	15.17	15.82	18.52	19.0
	5270	15.36	16.19	18.81	19.0
	5310	15.08	16.12	18.64	19.0
	5510	16.62	15.32	19.03	19.5

	5550	16.73	15.35	19.10	19.5
	5670	16.39	15.81	19.12	19.5
	5710-2C	16.68	15.57	19.17	19.5
	5710-3	4.56	3.30	6.99	7.0
	5755	16.85	15.57	19.27	19.5
	5795	16.71	15.37	19.10	19.5
802.11ac 80M	5210	14.39	14.64	17.53	18.5
	5290	14.49	15.52	18.05	18.5
	5530	16.56	15.23	18.96	18.5
	5610	16.35	15.07	18.77	19.0
	5690-2C	16.48	15.51	19.03	19.5
	5690-3	2.51	0.92	4.80	5.0
	5775	16.58	15.16	18.94	19.0

RU

Mode	Freq(MHz)	RU size	RU Index	Conducted AVG Output Power (dBm)			Tune-up Limit (dBm)
				ANT7	ANT8	MIMO	
802.11ax 20M	5180	26	0	9.58	9.72	12.66	13.0
			4	9.67	9.92	12.81	13.0
			8	8.94	9.09	12.03	13.0
		52	37	11.72	11.72	14.73	15.0
			38	11.58	11.73	14.67	15.0
			40	11.43	11.83	14.64	15.0
		106	53	14.13	14.30	17.23	18.0
			54	13.93	14.32	17.14	18.0
		SU	/	14.64	14.68	17.67	18.0
	5200	26	0	8.85	9.09	11.98	13.5
			4	9.98	10.50	13.26	13.5
			8	9.51	10.16	12.86	13.5
		52	37	11.54	11.96	14.77	15.0
			38	11.44	11.86	14.67	15.0
			40	11.23	11.85	14.56	15.0
		106	53	14.03	14.36	17.21	18.0

		SU	54	14.20	14.88	17.56	18.0
			/	14.32	14.91	17.64	18.0
	5240	26	0	9.12	9.75	12.46	13.0
			4	9.40	9.96	12.70	13.0
			8	9.02	9.54	12.30	13.0
		52	37	11.28	11.91	14.62	15.0
			38	11.25	11.96	14.63	15.0
			40	11.13	11.84	14.51	15.0
		106	53	14.23	14.99	17.64	18.0
			54	14.06	14.76	17.43	18.0
		SU	/	14.30	14.84	17.59	18.0
	5260	26	0	9.09	10.31	12.75	14.0
			4	9.37	10.73	13.11	14.0
			8	9.16	10.48	12.88	14.0
		52	37	11.50	12.52	15.05	15.5
			38	11.40	12.49	14.99	15.5
			40	11.51	12.52	15.05	15.5
		106	53	14.47	15.59	18.08	18.5
			54	14.49	15.67	18.13	18.5
		SU	/	13.82	14.65	17.27	18.5
	5280	26	0	9.36	10.46	12.96	13.5
			4	9.57	10.78	13.23	13.5
			8	9.15	10.30	12.77	13.5
		52	37	11.54	12.56	15.09	15.5
			38	11.43	12.48	15.00	15.5
			40	11.70	12.66	15.22	15.5
		106	53	14.60	15.68	18.18	18.5
			54	14.57	15.71	18.19	18.5
		SU	/	14.30	15.12	17.74	18.5
	5320	26	0	9.22	10.58	12.96	13.5
			4	9.18	10.58	12.95	13.5
			8	9.26	10.65	13.02	13.5
		52	37	11.86	13.20	15.59	16.0
			38	11.80	13.14	15.53	16.0
			40	11.57	13.03	15.37	16.0
		106	53	14.84	16.24	18.61	18.5
			54	14.57	16.05	18.38	18.5
		SU	/	13.79	14.96	17.42	18.5
	5500	26	0	10.72	9.76	13.28	14.0
			4	11.28	10.08	13.73	14.0

			8	10.84	9.56	13.26	14.0
		52	37	13.01	12.00	15.54	16.0
			38	13.13	12.02	15.62	16.0
			40	13.18	11.96	15.62	16.0
		106	53	15.66	14.57	18.16	18.5
			54	15.50	14.35	17.97	18.5
		SU	/	14.76	13.41	17.15	18.5
	5580	26	0	10.39	9.24	12.86	13.5
			4	10.43	9.44	12.97	13.5
			8	10.49	9.39	12.99	13.5
		52	37	12.99	11.89	15.49	16.0
			38	12.97	11.81	15.44	16.0
			40	12.56	11.90	15.25	16.0
		106	53	14.79	13.92	17.39	18.0
			54	14.84	13.94	17.42	18.0
		SU	/	14.59	13.49	17.09	18.0
	5700	26	0	10.85	9.81	13.37	14.0
			4	11.05	10.07	13.60	14.0
			8	10.53	9.64	13.12	14.0
		52	37	13.05	12.16	15.64	16.0
			38	12.86	11.95	15.44	16.0
			40	12.68	11.72	15.24	16.0
		106	53	14.82	14.01	17.44	17.5
			54	14.64	13.77	17.24	17.5
		SU	/	14.69	13.48	17.14	17.5
	5720-2C	SU	/	14.88	14.12	17.53	18.0
	5720-3	SU	/	9.02	8.29	11.68	12.0
	5745	26	0	14.87	13.99	17.46	18.0
			4	14.82	13.76	17.33	18.0
			8	15.04	13.94	17.54	18.0
		52	37	14.56	13.62	17.13	18.0
			38	14.98	14.13	17.59	18.0
			40	14.41	13.43	16.96	18.0
		106	53	14.54	13.85	17.22	18.0
			54	14.58	13.67	17.16	18.0
		SU	/	14.76	13.67	17.26	18.0
	5785	26	0	14.91	14.02	17.50	18.0
			4	14.79	13.69	17.29	18.0
			8	14.38	13.28	16.88	18.0

		52	37	14.78	13.61	17.24	18.0
			38	14.74	13.35	17.11	18.0
			40	14.81	13.58	17.25	18.0
		106	53	14.95	13.66	17.36	18.0
			54	15.00	13.78	17.44	18.0
		SU	/	14.63	13.77	17.23	18.0
	5825	26	0	14.70	13.37	17.10	18.0
			4	15.00	13.76	17.43	18.0
			8	14.64	13.11	16.95	18.0
		52	37	14.68	13.24	17.03	18.0
			38	15.03	13.81	17.47	18.0
			40	14.78	13.52	17.21	18.0
		106	53	14.84	13.60	17.27	18.0
			54	14.79	13.57	17.23	18.0
		SU	/	14.24	12.52	16.47	18.0
802.11ax 40M	5190	SU	/	14.32	14.53	17.44	18.0
	5230	SU	/	14.11	14.52	17.33	18.0
	5270	SU	/	14.16	14.95	17.58	18.0
	5310	SU	/	14.01	15.03	17.56	18.0
	5510	SU	/	14.48	13.11	16.86	18.0
	5550	SU	/	14.61	13.19	16.97	18.0
	5670	SU	/	14.56	13.85	17.23	18.0
	5710-2C	SU	/	15.00	13.78	17.44	18.0
	5710-3	SU	/	3.57	2.23	5.96	6.0
	5755	SU	/	14.66	13.26	17.03	17.5
	5795	SU	/	14.74	13.32	17.10	17.5
802.11ax 80M	5210	SU	/	13.62	13.65	16.65	16.5
	5290	SU	/	12.75	13.72	16.27	16.5
	5530	SU	/	13.64	12.24	16.01	16.5
	5610	SU	/	13.36	12.11	15.79	16.5
	5690-2C	SU	/	13.78	12.73	16.30	16.5
	5690-3	SU	/	0.71	-1.02	2.94	3.0
	5775	SU	/	13.42	11.88	15.73	16.5