


Annex A. Photographs


A.1 Setup Photo



A.2 Test sample

Main Antenna

Antenna Drawing



HALOGEN FREE


This document and information contained herein are the property of AWAN. copies are issued in strict confidence and shall not be reproduced or copied, or used as the basis of manufacture or sale of apparatus without permission

HSF相關均請依分發測試標準參照
<HSF 相關物質分析表圖示>




符合AWAN 環境管理技術標準
All materials meet the AWAN's spec. Environment - related substances management technical standard.

Antenna Photo

Front




Back



Note: antenna photo should include L type ruler

Aux Antenna

Antenna Drawing



HALOGEN FREE


This document and information contained herein are the property of AWAN, copies are issued in strict confidence and shall not be reproduced or copied, or used as the basis of manufacture or sale of apparatus without permission

HSF 相關物質分析及測試數據參照
<HSF 物質物質分析作業圖示表>




符合AWAN環境管理物質技術標準
All materials meet the AWAN's spec. Environment - related substances management technical standard.

Antenna Photo

Front



Back




Note: antenna photo should include L type ruler

Annex B. Antenna Location

B.1 Antenna Host Platform Location Information

Include a dimensioned photo(s) or dimensioned drawing(s) of Main and Aux antenna placements (measurements are not required for receive-only antenna).


Any antenna that transmits must show dimensions to bottom of laptop. Provide a description of the materials that are used for supporting or surrounding transmit antennas; for example, non-conductive plastics vs. conductive coated plastic or metallic materials.



B.2 Antenna dimensional information for SAR evaluation


Include a dimensioned photo(s) or dimensioned drawing(s) showing the distance (mm) between the transmit antennas and the user. For notebook/laptop hosts show lapheld position (example below). For tablet hosts show all orientations including lapheld, primary & secondary portrait, primary & secondary landscape positions. Include a description of any proximity sensors or power throttling implementations that limit or exclude use of any host orientation.

Antennas on the panel section



Measuring Surface	Antenna	Separation Distance(antenna-to- Surface)(mm)	1g SAR
Bottom Side	Main	4.8	FCC/ISED
	Aux	4.8	FCC/ISED

Antennas on the keyboard section



Measuring Surface	Antenna	Separation Distance(antenna-to-Surface)(mm)	1g or 10g SAR
Bottom Side	Main	161.92	1g (FCC/ISED)
	Aux	161.73	1g (FCC/ISED)
Top Edge	Main	3.97	1g (ISED)
	Aux	3.80	1g (ISED)
Left Edge	Main	92.33	10g (ISED)
	Aux	218.01	10g (ISED)
Right Edge	Main	149.11	10g (ISED)
	Aux	23.12	10g (ISED)