



U-NII-2C IEEE 802.11a 5500MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11a 5580MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11a 5700MHz_Ant 1

26dB Bandwidth



99% Occupied Bandwidth



U-NII-2C IEEE 802.11n HT20 5500MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11n HT20 5500MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth



U-NII-2C IEEE 802.11n HT20 5580MHz_Ant 1

26dB Bandwidth



99% Occupied Bandwidth




U-NII-2C IEEE 802.11n HT20 5580MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11n HT20 5700MHz_Ant 1

26dB Bandwidth



99% Occupied Bandwidth




U-NII-2C IEEE 802.11n HT20 5700MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11ac VHT20 5500MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11ac VHT20 5500MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11ac VHT20 5580MHz_Ant 1

26dB Bandwidth



99% Occupied Bandwidth




U-NII-2C IEEE 802.11ac VHT20 5580MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11ac VHT20 5700MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11ac VHT20 5700MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11n HT40 5510MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth



U-NII-2C IEEE 802.11n HT40 5510MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11n HT40 5670MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11n HT40 5670MHz_Ant 2

26dB Bandwidth




26dB Bandwidth




U-NII-2C IEEE 802.11ac VHT40 5510MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth



U-NII-2C IEEE 802.11ac VHT40 5510MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11ac VHT40 5670MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth



U-NII-2C IEEE 802.11ac VHT40 5670MHz_Ant 2

26dB Bandwidth




99% Occupied Bandwidth





U-NII-2C IEEE 802.11ac VHT80 5530MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth






U-NII-3 IEEE 802.11a 5745MHz_Ant 1

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11a 5785MHz_Ant 1

6dB Bandwidth




99% Occupied Bandwidth










U-NII-3 IEEE 802.11a 5825MHz_Ant 1

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11n HT20 5745MHz_Ant 1**6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11n HT20 5745MHz_Ant 2****6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11n HT20 5785MHz_Ant 1****6dB Bandwidth****99% Occupied Bandwidth**

U-NII-3 IEEE 802.11n HT20 5785MHz_Ant 2

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11n HT20 5825MHz_Ant 1

6dB Bandwidth




99% Occupied Bandwidth










U-NII-3 IEEE 802.11n HT20 5825MHz_Ant 2

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11ac VHT20 5745MHz_Ant 1**6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11ac VHT20 5745MHz_Ant 2****6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11ac VHT20 5785MHz_Ant 1****6dB Bandwidth****99% Occupied Bandwidth**

U-NII-3 IEEE 802.11ac VHT20 5785MHz_Ant 2

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11ac VHT20 5825MHz_Ant 1

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11ac VHT20 5825MHz_Ant 2

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11n HT40 5755MHz_Ant 1

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11n HT40 5755MHz_Ant 2

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11n HT40 5795MHz_Ant 1

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11n HT40 5795MHz_Ant 2

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11ac VHT40 5755MHz_Ant 1

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11ac VHT40 5755MHz_Ant 2

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11ac VHT40 5795MHz_Ant 1

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11ac VHT40 5795MHz_Ant 2

6dB Bandwidth




99% Occupied Bandwidth





U-NII-3 IEEE 802.11ac VHT80 5775MHz_Ant 1

6dB Bandwidth



99% Occupied Bandwidth





4. MAXIMUM CONDUCTED OUTPUT POWER


4.1. Limit

Band	EUT Type	Limit
U-NII-1	Outdoor Access Point	1W(30dBm) (Max. e.i.r.p $\leq 125\text{mW}$ at any elevation angle above 30 degrees as measured from the horizon)
	Indoor Access Point	1W(30dBm)
	Fixed point-to-point Access Point	1W(30dBm)
	Mobile and Portable Client Device	250mW(23.98dBm)
U-NII-2A	All Device	250mW(23.98dBm) or $11\text{dBm} + 10 \log B$, Which is lesser. (B is 26dB Bandwidth in MHz)
U-NII-2C	All Device	250mW(23.98dBm) or $11\text{dBm} + 10 \log B$, Which is lesser. (B is 26dB Bandwidth in MHz)
U-NII-3	All Device	1W(30dBm)

Note:

For the Band U-NII-2A and U-NII-2C, the maximum conducted output power limit calculate result refer to section 3.5.

4.2. Test Setup



4.3. Test Procedure

- Connect EUT antenna terminal to the OSP-B157WB with RF cable.
- Set the EUT transmit continuously with maximum output power.
- Through the test software in TS8897 to control a wideband gated RF power meter provided that the gate parameters are adjusted such that the power is measured only when the EUT is transmitting at its maximum power control level. Because the measurement is made only during the ON time of the transmitter, no duty cycle correction factor is required.
- Repeat above procedures until all modes and channels were measured.
- Record the results in the test report.

4.4. Test Result

Temperature	27.5℃	Relative Humidity			43%	Test Voltage	120V/60Hz		
BAND	Test Mode	Fre (MHz)	Conducted AVG Output Power (dBm)		Total Conducted Output Power (W)	Total Conducted Output Power (dBm)	Limit (dBm)	Result	
			Ant 1	Ant 2					
U-NII-1	IEEE 802.11a	5180	12.02	11.86	0.0159	12.02	23.86	PASS	
		5200	12.07	12.11	0.0161	12.07	23.86	PASS	
		5240	12.29	12.27	0.0169	12.29	23.86	PASS	
	IEEE 802.11n HT20	5180	4.16	3.49	0.00484	6.85	23.86	PASS	
		5200	3.48	3.86	0.00466	6.68	23.86	PASS	
		5240	3.69	4.07	0.00489	6.90	23.86	PASS	
	IEEE 802.11ac VHT20	5180	4.19	4.44	0.00540	7.33	23.86	PASS	
		5200	4.05	4.57	0.00541	7.33	23.86	PASS	
		5240	4.69	5.00	0.00610	7.86	23.86	PASS	
	IEEE 802.11n HT40	5190	6.13	6.38	0.00844	9.26	23.86	PASS	
		5230	6.25	6.59	0.00877	9.43	23.86	PASS	
	IEEE 802.11ac VHT40	5190	8.51	8.86	0.01478	11.70	23.86	PASS	
		5230	8.85	9.33	0.01625	12.11	23.86	PASS	
	IEEE 802.11ac VHT80	5210	9.61	9.61	0.01828	12.62	23.86	PASS	
	U-NII-2A	IEEE 802.11a	5260	12.16	12.13	0.01642	12.16	23.86	PASS
			5300	12.38	12.41	0.01729	12.38	23.86	PASS
5320			12.36	12.25	0.01721	12.36	23.86	PASS	
IEEE 802.11n HT20		5260	11.31	11.13	0.02650	14.23	23.86	PASS	
		5300	11.46	11.27	0.02740	14.38	23.86	PASS	
		5320	11.38	11.05	0.02646	14.23	23.86	PASS	
IEEE 802.11ac VHT20		5260	11.99	12.16	0.03226	15.09	23.86	PASS	
		5300	12.03	12.33	0.03308	15.20	23.86	PASS	
		5320	12.06	12.10	0.03231	15.09	23.86	PASS	
IEEE 802.11n HT40		5270	10.41	10.34	0.02179	13.38	23.86	PASS	
		5310	10.50	10.41	0.02220	13.46	23.86	PASS	
IEEE 802.11ac VHT40		5270	12.87	13.20	0.04027	16.05	23.86	PASS	
		5310	13.00	13.11	0.04043	16.07	23.86	PASS	
IEEE 802.11ac VHT80		5290	14.62	14.60	0.05782	17.62	23.86	PASS	

BAND	Test Mode	Fre (MHz)	Conducted AVG Output Power (dBm)		Total Conducted Output Power (W)	Total Conducted Output Power (dBm)	Limit (dBm)	Result
			Ant 1	Ant 2				
U-NII-2C	IEEE 802.11a	5500	11.87	11.69	0.01536	11.87	23.86	PASS
		5580	11.89	11.94	0.01546	11.89	23.86	PASS
		5700	11.72	11.66	0.01486	11.72	23.86	PASS
	IEEE 802.11n HT20	5500	10.84	10.46	0.02325	13.66	23.86	PASS
		5580	10.93	10.79	0.02440	13.87	23.86	PASS
		5700	10.73	10.56	0.02319	13.65	23.86	PASS
	IEEE 802.11ac VHT20	5500	11.93	11.61	0.03005	14.78	23.86	PASS
		5580	11.40	11.09	0.02665	14.26	23.86	PASS
		5700	11.01	10.66	0.02425	13.85	23.86	PASS
	IEEE 802.11n HT40	5510	11.62	11.71	0.02935	14.68	23.86	PASS
		5670	12.19	12.33	0.03364	15.27	23.86	PASS
	IEEE 802.11ac VHT40	5510	12.90	12.47	0.03717	15.70	23.86	PASS
		5670	11.94	11.65	0.03025	14.81	23.86	PASS
	IEEE 802.11ac VHT80	5530	12.89	12.96	0.03922	15.93	23.86	PASS
U-NII-3	IEEE 802.11a	5745	12.19	12.53	0.01656	12.19	29.88	PASS
		5785	12.05	11.84	0.01604	12.05	29.88	PASS
		5825	12.07	12.24	0.01610	12.07	29.88	PASS
	IEEE 802.11n HT20	5745	11.17	11.43	0.02701	14.32	29.88	PASS
		5785	11.12	10.85	0.02510	14.00	29.88	PASS
		5825	11.09	11.19	0.02599	14.15	29.88	PASS
	IEEE 802.11ac VHT20	5745	10.01	9.76	0.01949	12.90	29.88	PASS
		5785	11.05	11.07	0.02553	14.07	29.88	PASS
		5825	10.25	10.07	0.02074	13.17	29.88	PASS
	IEEE 802.11n HT40	5755	12.25	12.41	0.03421	15.34	29.88	PASS
		5795	12.18	12.39	0.03384	15.29	29.88	PASS
	IEEE 802.11ac VHT40	5755	11.44	11.43	0.02782	14.44	29.88	PASS
		5795	12.18	12.33	0.03362	15.27	29.88	PASS
	IEEE 802.11ac VHT80	5775	13.16	13.15	0.04134	16.16	29.88	PASS

5. PEAK POWER SPECTRAL DENSITY

5.1. Limit

Band	EUT Type	Limit
U-NII-1	Outdoor Access Point	17dBm/MHz
	Indoor Access Point	17dBm/MHz
	Fixed point-to-point Access Point	17dBm/MHz
	Mobile and Portable Client Device	11dBm/MHz
U-NII-2A	All Device	11dBm/MHz
U-NII-2C	All Device	11dBm/MHz
U-NII-3	All Device	30dBm/500KHz

5.2. Test Setup



5.3. Spectrum Analyzer Setting

Spectrum Parameters	Setting
RBW	1MHz(For U-NII-1&U-NII-2A&U-NII-2C) 500KHz(For U-NII-3)
VBW	3MHz(For U-NII-1&U-NII-2A&U-NII-2C) 2MHz(For U-NII-3)
Span	encompass the entire 26 dB EBW or 99% OBW of the signal
Sweep Time	Auto
Number of Sweep Point	$\geq 2 \times \text{SPAN}/\text{RBW}$
Detector	RMS(power averaging)
Trace Average	≥ 100 traces

5.4. Test Procedure

- Connect EUT antenna terminal to the spectrum analyzer with RF cable.
- Spectrum analyzer setting parameters in accordance with section 5.3.
- Set the EUT transmit continuously with maximum output power.
- Allow trace to stabilize, use the marker-to-peak function to set the marker to the average of the emission.
- If the duty cycle of test signal $< 98\%$, the result = max measured value + $10 \times \log(1/\text{duty cycle})$;
If the duty cycle of test signal $\geq 98\%$, the result = max measured value.
- Repeat above procedures until all modes and channels were measured.
- Record the results in the test report.

5.5. Test Result

Temperature		27.5℃	Relative Humidity		43%	Test Voltage	120V/60Hz	
BAND	Test Mode	Fre (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Total Power Density (dBm/MHz)	Limit (dBm/MHz)	Result
			Ant 1	Ant 2				
U-NII-1	IEEE 802.11a	5180	3.95	4.84	0.42	5.26	10.88	PASS
		5200	3.71	4.93	0.42	5.35	10.88	PASS
		5240	3.45	5.05	0.42	5.47	10.88	PASS
	IEEE 802.11n HT20	5180	-1.74	-1.27	0.49	2.00	10.88	PASS
		5200	-1.75	-0.66	0.49	2.33	10.88	PASS
		5240	-1.98	-0.96	0.49	2.06	10.88	PASS
	IEEE 802.11ac VHT20	5180	-1.32	-0.87	0.55	2.47	10.88	PASS
		5200	-1.73	-0.82	0.55	2.30	10.88	PASS
		5240	-2.45	-1.09	0.55	1.84	10.88	PASS
	IEEE 802.11n HT40	5190	-2.20	-1.81	0.82	1.83	10.88	PASS
		5230	-3.01	-1.55	0.82	1.61	10.88	PASS
	IEEE 802.11ac VHT40	5190	-2.52	-1.42	1.44	2.52	10.88	PASS
		5230	-2.76	-1.38	1.44	2.44	10.88	PASS
	IEEE 802.11ac VHT80	5210	-2.48	-2.30	1.85	2.47	10.88	PASS
U-NII-2A	IEEE 802.11a	5260	3.42	5.31	0.42	5.73	10.88	PASS
		5300	3.00	5.22	0.42	5.64	10.88	PASS
		5320	2.94	5.65	0.42	6.07	10.88	PASS
	IEEE 802.11n HT20	5260	6.24	6.28	0.49	9.76	10.88	PASS
		5300	5.75	5.55	0.49	9.15	10.88	PASS
		5320	6.11	5.98	0.49	9.54	10.88	PASS
	IEEE 802.11ac VHT20	5260	6.06	5.58	0.55	9.38	10.88	PASS
		5300	6.31	5.69	0.55	9.57	10.88	PASS
		5320	6.85	5.02	0.55	9.59	10.88	PASS
	IEEE 802.11n HT40	5270	4.76	4.37	0.82	8.40	10.88	PASS
		5310	3.99	3.59	0.82	7.62	10.88	PASS
	IEEE 802.11ac VHT40	5270	4.55	3.81	1.44	8.65	10.88	PASS
		5310	4.80	4.24	1.44	8.98	10.88	PASS
	IEEE 802.11ac VHT80	5290	3.18	1.90	1.85	7.45	10.88	PASS



BAND	Test Mode	Fre (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Total Power Density (dBm/MHz)	Limit (dBm/MHz)	Result
			Ant 1	Ant 2				
U-NII-2C	IEEE 802.11a	5500	4.21	4.16	0.42	4.63	10.88	PASS
		5580	4.94	4.51	0.42	5.36	10.88	PASS
		5700	5.11	5.43	0.42	5.85	10.88	PASS
	IEEE 802.11n HT20	5500	5.55	4.47	0.49	8.54	10.88	PASS
		5580	5.38	4.69	0.49	8.55	10.88	PASS
		5700	5.87	5.52	0.49	9.20	10.88	PASS
	IEEE 802.11ac VHT20	5500	5.18	3.97	0.55	8.17	10.88	PASS
		5580	5.25	3.71	0.55	8.10	10.88	PASS
		5700	5.06	5.22	0.55	8.70	10.88	PASS
	IEEE 802.11n HT40	5510	4.31	2.53	0.82	7.34	10.88	PASS
		5670	3.85	3.65	0.82	7.58	10.88	PASS
	IEEE 802.11ac VHT40	5510	4.14	2.38	1.44	7.80	10.88	PASS
		5670	4.09	3.60	1.44	8.30	10.88	PASS
	IEEE 802.11ac VHT80	5530	1.27	1.01	1.85	6.00	10.88	PASS

BAND	Test Mode	Fre (MHz)	Power Density (dBm/500KHz)		Duty Factor (dB)	Total Power Density (dBm/500KHz)	Limit (dBm/500KHz)	Result
			Ant 1	Ant 2				
U-NII-3	IEEE 802.11a	5745	2.90	3.34	0.42	3.76	29.88	PASS
		5785	2.80	2.52	0.42	3.22	29.88	PASS
		5825	1.93	2.63	0.42	3.05	29.88	PASS
	IEEE 802.11n HT20	5745	4.16	4.75	0.49	7.96	29.88	PASS
		5785	4.14	3.89	0.49	7.51	29.88	PASS
		5825	3.96	3.52	0.49	7.24	29.88	PASS
	IEEE 802.11ac VHT20	5745	4.70	3.45	0.55	7.68	29.88	PASS
		5785	4.68	3.89	0.55	7.86	29.88	PASS
		5825	4.83	3.32	0.55	7.70	29.88	PASS
	IEEE 802.11n HT40	5755	2.72	2.40	0.82	6.39	29.88	PASS
		5795	2.64	2.27	0.82	6.28	29.88	PASS
	IEEE 802.11ac VHT40	5755	2.47	2.40	1.44	6.89	29.88	PASS
		5795	2.97	2.62	1.44	7.25	29.88	PASS
	IEEE 802.11ac VHT80	5775	0.65	0.51	1.85	5.44	29.88	PASS

U-NII-1 IEEE 802.11a 5180MHz

ANT 1



ANT 2



U-NII-1 IEEE 802.11a 5200MHz

ANT 1



ANT 2



U-NII-1 IEEE 802.11a 5240MHz


ANT 1

ANT 2




U-NII-1 IEEE 802.11n HT20 5180MHz

ANT 1




ANT 2




U-NII-1 IEEE 802.11n HT20 5200MHz

ANT 1




ANT 2




U-NII-1 IEEE 802.11n HT20 5240MHz

ANT 1




ANT 2




U-NII-1 IEEE 802.11ac VHT20 5180MHz

ANT 1




ANT 2




U-NII-1 IEEE 802.11ac VHT20 5200MHz

ANT 1




ANT 2



U-NII-1 IEEE 802.11ac VHT20 5240MHz

ANT 1




ANT 2




U-NII-1 IEEE 802.11n HT40 5190MHz

ANT 1




ANT 2




U-NII-1 IEEE 802.11n HT40 5230MHz

ANT 1




ANT 2





U-NII-1 IEEE 802.11ac VHT40 5190MHz

ANT 1




ANT 2






U-NII-2A IEEE 802.11a 5260MHz

ANT 1




ANT 2




U-NII-2A IEEE 802.11a 5300MHz

ANT 1




ANT 2




U-NII-2A IEEE 802.11a 5320MHz

ANT 1




ANT 2



U-NII-2A IEEE 802.11n HT20 5260MHz

ANT 1




ANT 2




U-NII-2A IEEE 802.11n HT20 5300MHz

ANT 1




ANT 2




U-NII-2A IEEE 802.11n HT20 5320MHz

ANT 1





ANT 2



U-NII-2A IEEE 802.11ac VHT20 5260MHz

ANT 1



ANT 2



U-NII-2A IEEE 802.11ac VHT20 5300MHz

ANT 1



ANT 2



U-NII-2A IEEE 802.11ac VHT20 5320MHz

ANT 1



ANT 2



U-NII-2A IEEE 802.11n HT40 5270MHz

ANT 1



ANT 2



U-NII-2A IEEE 802.11n HT40 5310MHz

ANT 1

ANT 2



U-NII-2A IEEE 802.11ac VHT40 5270MHz

ANT 1

ANT 2

