








Test Graphs

















































































Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 24+80 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.152	54.28	-11.59	65.87	43.60	0.23	10.45	QP
2	0.152	35.98	-19.89	55.87	25.30	0.23	10.45	Average
3 *	0.173	58.90	-5.91	64.81	48.20	0.25	10.45	QP
4	0.173	43.60	-11.21	54.81	32.90	0.25	10.45	Average
5	0.185	56.30	-7.94	64.24	45.60	0.24	10.46	QP
6	0.185	41.00	-13.24	54.24	30.30	0.24	10.46	Average
7	0.204	44.00	-19.45	63.45	33.30	0.24	10.46	QP
8	0.204	27.30	-26.15	53.45	16.60	0.24	10.46	Average
9	0.228	50.92	-11.60	62.52	40.19	0.26	10.47	QP
10	0.228	38.02	-14.50	52.52	27.29	0.26	10.47	Average
11	0.260	48.95	-12.47	61.42	38.21	0.27	10.47	QP
12	0.260	32.35	-19.07	51.42	21.61	0.27	10.47	Average
13	3.528	39.11	-16.89	56.00	28.49	0.40	10.22	QP
14	3.528	34.81	-11.19	46.00	24.19	0.40	10.22	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	41~42%
		Temperature :	22~23°C



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	1	Bluetooth BR_GFSK	0	2402	-	-	-
Mode 2	2400-2483.5	1	Bluetooth BR_GFSK	39	2441	-	-	-
Mode 3	2400-2483.5	1	Bluetooth BR_GFSK	78	2480	-	-	-
Mode 4	2400-2483.5	2	Bluetooth BR_GFSK	0	2402	-	-	-
Mode 5	2400-2483.5	2	Bluetooth BR_GFSK	39	2441	-	-	-
Mode 6	2400-2483.5	2	Bluetooth BR_GFSK	78	2480	-	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	0	2388.52	56.21	74.00	-17.79	H	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	0	4804.00	40.14	74.00	-33.86	H	PEAK	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	7323.00	42.38	74.00	-31.62	H	PEAK	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2495.99	56.39	74.00	-17.61	V	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	7440.00	42.54	74.00	-31.46	H	PEAK	Pass	Harmonic
4	Bluetooth BR_GFSK	0	2372.14	55.20	74.00	-18.80	H	PEAK	Pass	Band Edge
4	Bluetooth BR_GFSK	0	4804.00	39.71	74.00	-34.29	V	PEAK	Pass	Harmonic
5	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
5	Bluetooth BR_GFSK	39	7323.00	42.55	74.00	-31.45	V	PEAK	Pass	Harmonic
6	Bluetooth BR_GFSK	78	2499.23	56.30	74.00	-17.70	H	PEAK	Pass	Band Edge
6	Bluetooth BR_GFSK	78	7440.00	42.72	74.00	-31.28	H	PEAK	Pass	Harmonic





Mode	1																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.52</td><td>56.21</td><td>74.00</td><td>-17.79</td><td>43.68</td><td>32.25</td><td>6.70</td><td>32.42</td><td>6.00</td><td>100</td><td>204</td><td>PEAK</td></tr><tr><td>2</td><td>2388.52</td><td>31.42</td><td>54.00</td><td>-22.58</td><td>18.09</td><td>32.25</td><td>6.70</td><td>32.42</td><td>6.00</td><td>100</td><td>204</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.52	56.21	74.00	-17.79	43.68	32.25	6.70	32.42	6.00	100	204	PEAK	2	2388.52	31.42	54.00	-22.58	18.09	32.25	6.70	32.42	6.00	100	204	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>106.56</td><td>-----</td><td>-----</td><td>93.95</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>100</td><td>204</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>81.77</td><td>-----</td><td>-----</td><td>69.16</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>100</td><td>204</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	106.56	-----	-----	93.95	32.31	6.72	32.42	6.00	100	204	PEAK	2	2402.00	81.77	-----	-----	69.16	32.31	6.72	32.42	6.00	100	204	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2388.52	56.21	74.00	-17.79	43.68	32.25	6.70	32.42	6.00	100	204	PEAK																																																																																																																		
2	2388.52	31.42	54.00	-22.58	18.09	32.25	6.70	32.42	6.00	100	204	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2402.00	106.56	-----	-----	93.95	32.31	6.72	32.42	6.00	100	204	PEAK																																																																																																																		
2	2402.00	81.77	-----	-----	69.16	32.31	6.72	32.42	6.00	100	204	AVERAGE																																																																																																																		





Mode	1																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																			
ANT	1																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.52</td><td>55.76</td><td>74.00</td><td>-18.24</td><td>43.23</td><td>32.25</td><td>6.70</td><td>32.42</td><td>6.00</td><td>311</td><td>82 PEAK</td></tr><tr><td>2</td><td>2388.52</td><td>30.97</td><td>54.00</td><td>-23.03</td><td>18.44</td><td>32.25</td><td>6.70</td><td>32.42</td><td>6.00</td><td>311</td><td>82 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.52	55.76	74.00	-18.24	43.23	32.25	6.70	32.42	6.00	311	82 PEAK	2	2388.52	30.97	54.00	-23.03	18.44	32.25	6.70	32.42	6.00	311	82 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2388.52	55.76	74.00	-18.24	43.23	32.25	6.70	32.42	6.00	311	82 PEAK																																																									
2	2388.52	30.97	54.00	-23.03	18.44	32.25	6.70	32.42	6.00	311	82 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>105.17</td><td>-----</td><td>-----</td><td>92.56</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>311</td><td>82 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>80.38</td><td>-----</td><td>-----</td><td>67.77</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>311</td><td>82 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	105.17	-----	-----	92.56	32.31	6.72	32.42	6.00	311	82 PEAK	2	2402.00	80.38	-----	-----	67.77	32.31	6.72	32.42	6.00	311	82 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2402.00	105.17	-----	-----	92.56	32.31	6.72	32.42	6.00	311	82 PEAK																																																									
2	2402.00	80.38	-----	-----	67.77	32.31	6.72	32.42	6.00	311	82 AVERAGE																																																									





Mode	1																																																																																																				
	Harmonic																																																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.14</td><td>74.00</td><td>-33.86</td><td>62.48</td><td>34.10</td><td>9.53</td><td>65.97</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.14	74.00	-33.86	62.48	34.10	9.53	65.97	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.25</td><td>74.00</td><td>-34.75</td><td>61.59</td><td>34.10</td><td>9.53</td><td>65.97</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.25	74.00	-34.75	61.59	34.10	9.53	65.97	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	4804.00	40.14	74.00	-33.86	62.48	34.10	9.53	65.97	0.00	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	4804.00	39.25	74.00	-34.75	61.59	34.10	9.53	65.97	0.00	---	PEAK																																																																																										





Mode	2																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4882.00</td><td>39.49</td><td>74.00</td><td>-34.51</td><td>61.63</td><td>34.10</td><td>9.62</td><td>65.86</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.38</td><td>74.00</td><td>-31.62</td><td>60.06</td><td>35.65</td><td>11.88</td><td>65.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	39.49	74.00	-34.51	61.63	34.10	9.62	65.86	0.00	---	---	PEAK	2	7323.00	42.38	74.00	-31.62	60.06	35.65	11.88	65.21	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4882.00</td><td>39.05</td><td>74.00</td><td>-34.95</td><td>61.19</td><td>34.10</td><td>9.62</td><td>65.86</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.31</td><td>74.00</td><td>-31.69</td><td>59.99</td><td>35.65</td><td>11.88</td><td>65.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	39.05	74.00	-34.95	61.19	34.10	9.62	65.86	0.00	---	---	PEAK	2	7323.00	42.31	74.00	-31.69	59.99	35.65	11.88	65.21	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4882.00	39.49	74.00	-34.51	61.63	34.10	9.62	65.86	0.00	---	---	PEAK																																																																																																																		
2	7323.00	42.38	74.00	-31.62	60.06	35.65	11.88	65.21	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4882.00	39.05	74.00	-34.95	61.19	34.10	9.62	65.86	0.00	---	---	PEAK																																																																																																																		
2	7323.00	42.31	74.00	-31.69	59.99	35.65	11.88	65.21	0.00	---	---	PEAK																																																																																																																		





		3																																																																					
Mode		Band Edge																																																																					
		2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																					
ANT		1																																																																					
Pol.		Horizontal																																																																					
Peak																																																																							
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.42</td><td>55.93</td><td>74.00</td><td>-18.07</td><td>43.01</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>137</td><td>223</td><td>PEAK</td></tr><tr><td>2</td><td>2484.42</td><td>31.14</td><td>54.00</td><td>-22.86</td><td>18.22</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>137</td><td>223</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.42	55.93	74.00	-18.07	43.01	32.50	6.83	32.41	6.00	137	223	PEAK	2	2484.42	31.14	54.00	-22.86	18.22	32.50	6.83	32.41	6.00	137	223	AVERAGE
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2484.42	55.93	74.00	-18.07	43.01	32.50	6.83	32.41	6.00	137	223	PEAK																																																											
2	2484.42	31.14	54.00	-22.86	18.22	32.50	6.83	32.41	6.00	137	223	AVERAGE																																																											
																																																																							
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>107.25</td><td>-----</td><td>-----</td><td>94.33</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>137</td><td>223</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>82.46</td><td>-----</td><td>-----</td><td>69.54</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>137</td><td>223</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	107.25	-----	-----	94.33	32.50	6.83	32.41	6.00	137	223	PEAK	2	2480.00	82.46	-----	-----	69.54	32.50	6.83	32.41	6.00	137	223	AVERAGE		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2480.00	107.25	-----	-----	94.33	32.50	6.83	32.41	6.00	137	223	PEAK																																																											
2	2480.00	82.46	-----	-----	69.54	32.50	6.83	32.41	6.00	137	223	AVERAGE																																																											



Mode	3																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.99</td><td>56.39</td><td>74.00</td><td>-17.61</td><td>43.45</td><td>32.50</td><td>6.85</td><td>32.41</td><td>6.00</td><td>292</td><td>76</td><td>PEAK</td></tr><tr><td>2</td><td>2495.99</td><td>31.60</td><td>54.00</td><td>-22.40</td><td>18.66</td><td>32.50</td><td>6.85</td><td>32.41</td><td>6.00</td><td>292</td><td>76</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.99	56.39	74.00	-17.61	43.45	32.50	6.85	32.41	6.00	292	76	PEAK	2	2495.99	31.60	54.00	-22.40	18.66	32.50	6.85	32.41	6.00	292	76	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.95</td><td>-----</td><td>-----</td><td>91.03</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>292</td><td>76</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>79.16</td><td>-----</td><td>-----</td><td>66.24</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>292</td><td>76</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.95	-----	-----	91.03	32.50	6.83	32.41	6.00	292	76	PEAK	2	2480.00	79.16	-----	-----	66.24	32.50	6.83	32.41	6.00	292	76	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2495.99	56.39	74.00	-17.61	43.45	32.50	6.85	32.41	6.00	292	76	PEAK																																																																																																																		
2	2495.99	31.60	54.00	-22.40	18.66	32.50	6.85	32.41	6.00	292	76	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2480.00	103.95	-----	-----	91.03	32.50	6.83	32.41	6.00	292	76	PEAK																																																																																																																		
2	2480.00	79.16	-----	-----	66.24	32.50	6.83	32.41	6.00	292	76	AVERAGE																																																																																																																		





Mode	3																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4960.00</td><td>40.06</td><td>74.00</td><td>-33.94</td><td>62.07</td><td>34.04</td><td>9.70</td><td>65.75</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.54</td><td>74.00</td><td>-31.46</td><td>60.37</td><td>35.78</td><td>11.96</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	40.06	74.00	-33.94	62.07	34.04	9.70	65.75	0.00	---	PEAK	2	7440.00	42.54	74.00	-31.46	60.37	35.78	11.96	65.57	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4960.00</td><td>39.62</td><td>74.00</td><td>-34.38</td><td>61.63</td><td>34.04</td><td>9.70</td><td>65.75</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.93</td><td>74.00</td><td>-32.07</td><td>59.76</td><td>35.78</td><td>11.96</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.62	74.00	-34.38	61.63	34.04	9.70	65.75	0.00	---	PEAK	2	7440.00	41.93	74.00	-32.07	59.76	35.78	11.96	65.57	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.06	74.00	-33.94	62.07	34.04	9.70	65.75	0.00	---	PEAK																																																																																																																			
2	7440.00	42.54	74.00	-31.46	60.37	35.78	11.96	65.57	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4960.00	39.62	74.00	-34.38	61.63	34.04	9.70	65.75	0.00	---	PEAK																																																																																																																			
2	7440.00	41.93	74.00	-32.07	59.76	35.78	11.96	65.57	0.00	---	PEAK																																																																																																																			





Mode	3	
	18G-25G	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	The plot shows the average power spectrum for horizontal polarization. The y-axis is 'Level (dBuV/m)' ranging from 0 to 130 in increments of 16.3. The x-axis is 'Frequency (MHz)' ranging from 18000 to 25000 in increments of 1400. A blue line represents the measured signal, which is relatively flat around 48.8 dBuV/m. Two horizontal red lines indicate the FCC Part 15C limits: one at approximately 75 dBuV/m labeled 'FCC PART 15C' and another at approximately 55 dBuV/m labeled 'FCC PART 15C (AVG)'.	The plot shows the average power spectrum for vertical polarization. The y-axis is 'Level (dBuV/m)' ranging from 0 to 130 in increments of 16.3. The x-axis is 'Frequency (MHz)' ranging from 18000 to 25000 in increments of 1400. A blue line represents the measured signal, which is relatively flat around 48.8 dBuV/m. Two horizontal red lines indicate the FCC Part 15C limits: one at approximately 75 dBuV/m labeled 'FCC PART 15C' and another at approximately 55 dBuV/m labeled 'FCC PART 15C (AVG)'.



Mode	3																																																																																																																																																																																																																														
	30-1G																																																																																																																																																																																																																														
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																																																																														
ANT	1																																																																																																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																																																																																																								
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red limit line and a blue signal line. Six peaks are identified and numbered 1 through 6. The x-axis ranges from 30 to 1000 MHz, and the y-axis ranges from -20 to 80 dBuV/m. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>21.98</td><td>40.00</td><td>-18.02</td><td>28.22</td><td>25.14</td><td>0.83</td><td>32.21</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>136.46</td><td>24.03</td><td>43.50</td><td>-19.47</td><td>36.82</td><td>17.49</td><td>1.78</td><td>32.06</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>268.14</td><td>31.51</td><td>46.00</td><td>-14.49</td><td>41.97</td><td>19.03</td><td>2.51</td><td>32.00</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>330.22</td><td>31.59</td><td>46.00</td><td>-14.41</td><td>41.28</td><td>19.65</td><td>2.77</td><td>32.11</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>414.85</td><td>26.68</td><td>46.00</td><td>-19.32</td><td>33.49</td><td>22.27</td><td>3.11</td><td>32.19</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>488.08</td><td>28.02</td><td>46.00</td><td>-17.98</td><td>33.12</td><td>23.67</td><td>3.37</td><td>32.14</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	21.98	40.00	-18.02	28.22	25.14	0.83	32.21	0.00	---	Peak	2	136.46	24.03	43.50	-19.47	36.82	17.49	1.78	32.06	0.00	---	Peak	3	268.14	31.51	46.00	-14.49	41.97	19.03	2.51	32.00	0.00	---	Peak	4	330.22	31.59	46.00	-14.41	41.28	19.65	2.77	32.11	0.00	---	Peak	5	414.85	26.68	46.00	-19.32	33.49	22.27	3.11	32.19	0.00	---	Peak	6	488.08	28.02	46.00	-17.98	33.12	23.67	3.37	32.14	0.00	---	Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red limit line and a blue signal line. Six peaks are identified and numbered 1 through 6. The x-axis ranges from 30 to 1000 MHz, and the y-axis ranges from -20 to 80 dBuV/m. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>42.61</td><td>30.69</td><td>40.00</td><td>-9.31</td><td>43.72</td><td>18.16</td><td>1.00</td><td>32.19</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>195.14</td><td>27.71</td><td>43.50</td><td>-15.79</td><td>42.96</td><td>14.72</td><td>2.12</td><td>32.09</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>267.89</td><td>22.14</td><td>46.00</td><td>-23.86</td><td>32.58</td><td>19.05</td><td>2.51</td><td>32.00</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>487.84</td><td>29.19</td><td>46.00</td><td>-16.81</td><td>34.29</td><td>23.67</td><td>3.37</td><td>32.14</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>598.91</td><td>27.83</td><td>46.00</td><td>-18.17</td><td>30.39</td><td>25.64</td><td>3.73</td><td>31.93</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>853.29</td><td>29.10</td><td>46.00</td><td>-16.90</td><td>26.45</td><td>29.69</td><td>4.44</td><td>31.48</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	42.61	30.69	40.00	-9.31	43.72	18.16	1.00	32.19	0.00	---	Peak	2	195.14	27.71	43.50	-15.79	42.96	14.72	2.12	32.09	0.00	---	Peak	3	267.89	22.14	46.00	-23.86	32.58	19.05	2.51	32.00	0.00	---	Peak	4	487.84	29.19	46.00	-16.81	34.29	23.67	3.37	32.14	0.00	---	Peak	5	598.91	27.83	46.00	-18.17	30.39	25.64	3.73	31.93	0.00	---	Peak	6	853.29	29.10	46.00	-16.90	26.45	29.69	4.44	31.48	0.00	---	Peak
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																				
1	30.00	21.98	40.00	-18.02	28.22	25.14	0.83	32.21	0.00	---	Peak																																																																																																																																																																																																																				
2	136.46	24.03	43.50	-19.47	36.82	17.49	1.78	32.06	0.00	---	Peak																																																																																																																																																																																																																				
3	268.14	31.51	46.00	-14.49	41.97	19.03	2.51	32.00	0.00	---	Peak																																																																																																																																																																																																																				
4	330.22	31.59	46.00	-14.41	41.28	19.65	2.77	32.11	0.00	---	Peak																																																																																																																																																																																																																				
5	414.85	26.68	46.00	-19.32	33.49	22.27	3.11	32.19	0.00	---	Peak																																																																																																																																																																																																																				
6	488.08	28.02	46.00	-17.98	33.12	23.67	3.37	32.14	0.00	---	Peak																																																																																																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																				
1	42.61	30.69	40.00	-9.31	43.72	18.16	1.00	32.19	0.00	---	Peak																																																																																																																																																																																																																				
2	195.14	27.71	43.50	-15.79	42.96	14.72	2.12	32.09	0.00	---	Peak																																																																																																																																																																																																																				
3	267.89	22.14	46.00	-23.86	32.58	19.05	2.51	32.00	0.00	---	Peak																																																																																																																																																																																																																				
4	487.84	29.19	46.00	-16.81	34.29	23.67	3.37	32.14	0.00	---	Peak																																																																																																																																																																																																																				
5	598.91	27.83	46.00	-18.17	30.39	25.64	3.73	31.93	0.00	---	Peak																																																																																																																																																																																																																				
6	853.29	29.10	46.00	-16.90	26.45	29.69	4.44	31.48	0.00	---	Peak																																																																																																																																																																																																																				





Mode	4																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																			
ANT	2																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2372.14</td><td>55.20</td><td>74.00</td><td>-18.80</td><td>42.76</td><td>32.19</td><td>6.68</td><td>32.43</td><td>6.00</td><td>100</td><td>76 PEAK</td></tr><tr><td>2</td><td>2372.14</td><td>30.44</td><td>54.00</td><td>-23.56</td><td>18.00</td><td>32.19</td><td>6.68</td><td>32.43</td><td>6.00</td><td>100</td><td>76 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2372.14	55.20	74.00	-18.80	42.76	32.19	6.68	32.43	6.00	100	76 PEAK	2	2372.14	30.44	54.00	-23.56	18.00	32.19	6.68	32.43	6.00	100	76 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2372.14	55.20	74.00	-18.80	42.76	32.19	6.68	32.43	6.00	100	76 PEAK																																																									
2	2372.14	30.44	54.00	-23.56	18.00	32.19	6.68	32.43	6.00	100	76 AVERAGE																																																									
Fundamental																																																																				
																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>107.28</td><td>-----</td><td>-----</td><td>94.67</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>100</td><td>76 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>82.51</td><td>-----</td><td>-----</td><td>69.90</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>100</td><td>76 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	107.28	-----	-----	94.67	32.31	6.72	32.42	6.00	100	76 PEAK	2	2402.00	82.51	-----	-----	69.90	32.31	6.72	32.42	6.00	100	76 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2402.00	107.28	-----	-----	94.67	32.31	6.72	32.42	6.00	100	76 PEAK																																																									
2	2402.00	82.51	-----	-----	69.90	32.31	6.72	32.42	6.00	100	76 AVERAGE																																																									



Mode	4																																																																							
	Band Edge																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																							
ANT	2																																																																							
Pol.	Vertical						Fundamental																																																																	
Peak																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2366.29</td><td>55.19</td><td>74.00</td><td>-18.81</td><td>42.78</td><td>32.17</td><td>6.67</td><td>32.43</td><td>6.00</td><td>100</td><td>32 PEAK</td></tr><tr><td>2</td><td>2366.29</td><td>30.43</td><td>54.00</td><td>-23.57</td><td>18.02</td><td>32.17</td><td>6.67</td><td>32.43</td><td>6.00</td><td>100</td><td>32 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2366.29	55.19	74.00	-18.81	42.78	32.17	6.67	32.43	6.00	100	32 PEAK	2	2366.29	30.43	54.00	-23.57	18.02	32.17	6.67	32.43	6.00	100	32 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	2366.29	55.19	74.00	-18.81	42.78	32.17	6.67	32.43	6.00	100	32 PEAK																																																													
2	2366.29	30.43	54.00	-23.57	18.02	32.17	6.67	32.43	6.00	100	32 AVERAGE																																																													
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>106.20</td><td>-----</td><td>-----</td><td>93.59</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>100</td><td>32 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>81.44</td><td>-----</td><td>-----</td><td>68.83</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>100</td><td>32 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	106.20	-----	-----	93.59	32.31	6.72	32.42	6.00	100	32 PEAK	2	2402.00	81.44	-----	-----	68.83	32.31	6.72	32.42	6.00	100	32 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	2402.00	106.20	-----	-----	93.59	32.31	6.72	32.42	6.00	100	32 PEAK																																																													
2	2402.00	81.44	-----	-----	68.83	32.31	6.72	32.42	6.00	100	32 AVERAGE																																																													





Mode	4																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																					
ANT	2																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.05</td><td>74.00</td><td>-34.95</td><td>61.39</td><td>34.10</td><td>9.53</td><td>65.97</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.05	74.00	-34.95	61.39	34.10	9.53	65.97	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.71</td><td>74.00</td><td>-34.29</td><td>62.05</td><td>34.10</td><td>9.53</td><td>65.97</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.71	74.00	-34.29	62.05	34.10	9.53	65.97	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	4804.00	39.05	74.00	-34.95	61.39	34.10	9.53	65.97	0.00	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	4804.00	39.71	74.00	-34.29	62.05	34.10	9.53	65.97	0.00	---	PEAK																																																																																											





Mode	5																																																																																																																												
	Harmonic																																																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																												
ANT	2																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.82</td><td>74.00</td><td>-34.18</td><td>61.96</td><td>34.10</td><td>9.62</td><td>65.86</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.29</td><td>74.00</td><td>-31.71</td><td>59.97</td><td>35.65</td><td>11.88</td><td>65.21</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	39.82	74.00	-34.18	61.96	34.10	9.62	65.86	0.00	---	PEAK	2	7323.00	42.29	74.00	-31.71	59.97	35.65	11.88	65.21	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.62</td><td>74.00</td><td>-34.38</td><td>61.76</td><td>34.10</td><td>9.62</td><td>65.86</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.55</td><td>74.00</td><td>-31.45</td><td>60.23</td><td>35.65</td><td>11.88</td><td>65.21</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	39.62	74.00	-34.38	61.76	34.10	9.62	65.86	0.00	---	PEAK	2	7323.00	42.55	74.00	-31.45	60.23	35.65	11.88	65.21	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	4882.00	39.82	74.00	-34.18	61.96	34.10	9.62	65.86	0.00	---	PEAK																																																																																																																		
2	7323.00	42.29	74.00	-31.71	59.97	35.65	11.88	65.21	0.00	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	4882.00	39.62	74.00	-34.38	61.76	34.10	9.62	65.86	0.00	---	PEAK																																																																																																																		
2	7323.00	42.55	74.00	-31.45	60.23	35.65	11.88	65.21	0.00	---	PEAK																																																																																																																		





Mode	6																																																																																																																											
	Band Edge																																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																											
ANT	2																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.23</td><td>56.30</td><td>74.00</td><td>-17.70</td><td>43.36</td><td>32.50</td><td>6.85</td><td>32.41</td><td>6.00</td><td>100</td><td>80</td><td>PEAK</td></tr><tr><td>2</td><td>2499.23</td><td>31.54</td><td>54.00</td><td>-22.46</td><td>18.60</td><td>32.50</td><td>6.85</td><td>32.41</td><td>6.00</td><td>100</td><td>80</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2499.23	56.30	74.00	-17.70	43.36	32.50	6.85	32.41	6.00	100	80	PEAK	2	2499.23	31.54	54.00	-22.46	18.60	32.50	6.85	32.41	6.00	100	80	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>107.59</td><td>-----</td><td>94.67</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>100</td><td>80</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>82.83</td><td>-----</td><td>69.91</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>100</td><td>80</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	107.59	-----	94.67	32.50	6.83	32.41	6.00	100	80	PEAK	2	2480.00	82.83	-----	69.91	32.50	6.83	32.41	6.00	100	80	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	2499.23	56.30	74.00	-17.70	43.36	32.50	6.85	32.41	6.00	100	80	PEAK																																																																																																																
2	2499.23	31.54	54.00	-22.46	18.60	32.50	6.85	32.41	6.00	100	80	AVERAGE																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	2480.00	107.59	-----	94.67	32.50	6.83	32.41	6.00	100	80	PEAK																																																																																																																	
2	2480.00	82.83	-----	69.91	32.50	6.83	32.41	6.00	100	80	AVERAGE																																																																																																																	



Mode	6																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																			
ANT	2																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.21</td><td>55.89</td><td>74.00</td><td>-18.11</td><td>42.96</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>100</td><td>110 PEAK</td></tr><tr><td>2</td><td>2491.21</td><td>31.13</td><td>54.00</td><td>-22.87</td><td>18.20</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>100</td><td>110 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.21	55.89	74.00	-18.11	42.96	32.50	6.84	32.41	6.00	100	110 PEAK	2	2491.21	31.13	54.00	-22.87	18.20	32.50	6.84	32.41	6.00	100	110 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2491.21	55.89	74.00	-18.11	42.96	32.50	6.84	32.41	6.00	100	110 PEAK																																																									
2	2491.21	31.13	54.00	-22.87	18.20	32.50	6.84	32.41	6.00	100	110 AVERAGE																																																									
	Fundamental																																																																			
																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>106.75</td><td>-----</td><td>93.83</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>100</td><td>110 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>81.99</td><td>-----</td><td>69.07</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>100</td><td>110 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.75	-----	93.83	32.50	6.83	32.41	6.00	100	110 PEAK	2	2480.00	81.99	-----	69.07	32.50	6.83	32.41	6.00	100	110 AVERAGE		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2480.00	106.75	-----	93.83	32.50	6.83	32.41	6.00	100	110 PEAK																																																										
2	2480.00	81.99	-----	69.07	32.50	6.83	32.41	6.00	100	110 AVERAGE																																																										




Mode	6																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	2																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.76</td><td>74.00</td><td>-34.24</td><td>61.77</td><td>34.04</td><td>9.70</td><td>65.75</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.72</td><td>74.00</td><td>-31.28</td><td>60.55</td><td>35.78</td><td>11.96</td><td>65.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.76	74.00	-34.24	61.77	34.04	9.70	65.75	0.00	---	---	PEAK	2	7440.00	42.72	74.00	-31.28	60.55	35.78	11.96	65.57	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.28</td><td>74.00</td><td>-33.72</td><td>62.29</td><td>34.04</td><td>9.70</td><td>65.75</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.21</td><td>74.00</td><td>-31.79</td><td>60.04</td><td>35.78</td><td>11.96</td><td>65.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	40.28	74.00	-33.72	62.29	34.04	9.70	65.75	0.00	---	---	PEAK	2	7440.00	42.21	74.00	-31.79	60.04	35.78	11.96	65.57	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4960.00	39.76	74.00	-34.24	61.77	34.04	9.70	65.75	0.00	---	---	PEAK																																																																																																																		
2	7440.00	42.72	74.00	-31.28	60.55	35.78	11.96	65.57	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.28	74.00	-33.72	62.29	34.04	9.70	65.75	0.00	---	---	PEAK																																																																																																																		
2	7440.00	42.21	74.00	-31.79	60.04	35.78	11.96	65.57	0.00	---	---	PEAK																																																																																																																		


Appendix D. Duty Cycle Plots

<Ant 1>

3DH5 on time (One Pulse) Plot on Channel 39



3DH5 on time (Count Pulses) Plot on Channel 39




Note:


1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.

<Ant 2>

3DH5 on time (One Pulse) Plot on Channel 39



3DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.89 / 100 = 5.78 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.76 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.