









Mode	15																																																																			
	Harmonic																																																																			
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																			
ANT	2																																																																			
Pol.	Horizontal																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>39.14</td><td>74.00</td><td>-34.86</td><td>61.29</td><td>34.10</td><td>9.61</td><td>65.86</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>42.69</td><td>74.00</td><td>-31.31</td><td>60.37</td><td>35.64</td><td>11.88</td><td>65.20</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	39.14	74.00	-34.86	61.29	34.10	9.61	65.86	0.00	---	PEAK	2	7320.00	42.69	74.00	-31.31	60.37	35.64	11.88	65.20	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	4880.00	39.14	74.00	-34.86	61.29	34.10	9.61	65.86	0.00	---	PEAK																																																									
2	7320.00	42.69	74.00	-31.31	60.37	35.64	11.88	65.20	0.00	---	PEAK																																																									
Vertical																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>40.11</td><td>74.00</td><td>-33.89</td><td>62.26</td><td>34.10</td><td>9.61</td><td>65.86</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>42.29</td><td>74.00</td><td>-31.71</td><td>59.97</td><td>35.64</td><td>11.88</td><td>65.20</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	40.11	74.00	-33.89	62.26	34.10	9.61	65.86	0.00	---	PEAK	2	7320.00	42.29	74.00	-31.71	59.97	35.64	11.88	65.20	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	4880.00	40.11	74.00	-33.89	62.26	34.10	9.61	65.86	0.00	---	PEAK																																																									
2	7320.00	42.29	74.00	-31.71	59.97	35.64	11.88	65.20	0.00	---	PEAK																																																									



Mode	16																																																							
	Band Edge																																																							
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																							
ANT	2																																																							
Pol.	Horizontal																																																							
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.82</td><td>56.62</td><td>74.00</td><td>-17.38</td><td>43.68</td><td>32.50</td><td>6.85</td><td>32.41</td><td>6.00</td><td>100</td><td>204 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.82	56.62	74.00	-17.38	43.68	32.50	6.85	32.41	6.00	100	204 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2493.82	56.62	74.00	-17.38	43.68	32.50	6.85	32.41	6.00	100	204 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>102.75</td><td>-----</td><td>-----</td><td>89.83</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>100</td><td>204 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.75	-----	-----	89.83	32.50	6.83	32.41	6.00	100	204 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2480.00	102.75	-----	-----	89.83	32.50	6.83	32.41	6.00	100	204 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.52</td><td>45.74</td><td>54.00</td><td>-8.26</td><td>32.82</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>100</td><td>204 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.52	45.74	54.00	-8.26	32.82	32.50	6.83	32.41	6.00	100	204 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.52	45.74	54.00	-8.26	32.82	32.50	6.83	32.41	6.00	100	204 AVERAGE																																													
AVERAGE																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.46</td><td>-----</td><td>-----</td><td>87.54</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>100</td><td>204 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.46	-----	-----	87.54	32.50	6.83	32.41	6.00	100	204 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2480.00	100.46	-----	-----	87.54	32.50	6.83	32.41	6.00	100	204 AVERAGE																																													



Mode	16																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																		
ANT	2																																																																																																		
Pol.	Vertical					Fundamental																																																																																													
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>55.73</td><td>74.00</td><td>-18.27</td><td>42.81</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>132</td><td>74 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	55.73	74.00	-18.27	42.81	32.50	6.83	32.41	6.00	132	74 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.82</td><td>-----</td><td>-----</td><td>88.90</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>132</td><td>74 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.82	-----	-----	88.90	32.50	6.83	32.41	6.00	132
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.56	55.73	74.00	-18.27	42.81	32.50	6.83	32.41	6.00	132	74 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	101.82	-----	-----	88.90	32.50	6.83	32.41	6.00	132	74 PEAK																																																																																								
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.86</td><td>45.46</td><td>54.00</td><td>-8.54</td><td>32.52</td><td>32.50</td><td>6.85</td><td>32.41</td><td>6.00</td><td>132</td><td>74 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.86	45.46	54.00	-8.54	32.52	32.50	6.85	32.41	6.00	132	74 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.65</td><td>-----</td><td>-----</td><td>86.73</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>132</td><td>74 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.65	-----	-----	86.73	32.50	6.83	32.41	6.00	132
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2492.86	45.46	54.00	-8.54	32.52	32.50	6.85	32.41	6.00	132	74 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	99.65	-----	-----	86.73	32.50	6.83	32.41	6.00	132	74 AVERAGE																																																																																								





Mode	16																																																																																																																								
	Harmonic																																																																																																																								
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																								
ANT	2																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak																																																																																																																									
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.82</td><td>74.00</td><td>-34.18</td><td>61.83</td><td>34.04</td><td>9.70</td><td>65.75</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.23</td><td>74.00</td><td>-31.77</td><td>60.06</td><td>35.78</td><td>11.96</td><td>65.57</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.82	74.00	-34.18	61.83	34.04	9.70	65.75	0.00	--- PEAK	2	7440.00	42.23	74.00	-31.77	60.06	35.78	11.96	65.57	0.00	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.55</td><td>74.00</td><td>-33.45</td><td>62.56</td><td>34.04</td><td>9.70</td><td>65.75</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.57</td><td>74.00</td><td>-31.43</td><td>60.40</td><td>35.78</td><td>11.96</td><td>65.57</td><td>0.00</td><td>--- PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	40.55	74.00	-33.45	62.56	34.04	9.70	65.75	0.00	--- PEAK	2	7440.00	42.57	74.00	-31.43	60.40	35.78	11.96	65.57	0.00	--- PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	4960.00	39.82	74.00	-34.18	61.83	34.04	9.70	65.75	0.00	--- PEAK																																																																																																															
2	7440.00	42.23	74.00	-31.77	60.06	35.78	11.96	65.57	0.00	--- PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	4960.00	40.55	74.00	-33.45	62.56	34.04	9.70	65.75	0.00	--- PEAK																																																																																																															
2	7440.00	42.57	74.00	-31.43	60.40	35.78	11.96	65.57	0.00	--- PEAK																																																																																																															



Mode	16	
	18G-25G	
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	The plot shows the average power spectrum for the horizontal polarization. The y-axis is 'Level (dBuV/m)' ranging from 0 to 130 in increments of 16.3. The x-axis is 'Frequency (MHz)' ranging from 18000 to 25000 in increments of 400. A blue line represents the measured signal, which is relatively flat around 48.8 dBuV/m. Two horizontal red lines indicate the FCC Part 15C limits: one at approximately 75 dBuV/m labeled 'FCC PART 15C' and another at approximately 55 dBuV/m labeled 'FCC PART 15C (AVG)'.	The plot shows the average power spectrum for the vertical polarization. The y-axis is 'Level (dBuV/m)' ranging from 0 to 130 in increments of 16.3. The x-axis is 'Frequency (MHz)' ranging from 18000 to 25000 in increments of 400. A blue line represents the measured signal, which is relatively flat around 48.8 dBuV/m. Two horizontal red lines indicate the FCC Part 15C limits: one at approximately 75 dBuV/m labeled 'FCC PART 15C' and another at approximately 55 dBuV/m labeled 'FCC PART 15C (AVG)'.



Mode	16																																																																																																												
	30-1G																																																																																																												
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																												
ANT	2																																																																																																												
Pol.	Horizontal																																																																																																												
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>20.57</td><td>40.00</td><td>-19.43</td><td>26.81</td><td>25.14</td><td>0.83</td><td>32.21</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>137.19</td><td>22.60</td><td>43.50</td><td>-20.90</td><td>35.40</td><td>17.48</td><td>1.78</td><td>32.06</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>219.64</td><td>28.71</td><td>46.00</td><td>-17.29</td><td>43.37</td><td>15.07</td><td>2.26</td><td>31.99</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>268.14</td><td>29.95</td><td>46.00</td><td>-16.05</td><td>40.41</td><td>19.03</td><td>2.51</td><td>32.00</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>329.00</td><td>30.88</td><td>46.00</td><td>-15.12</td><td>40.62</td><td>19.61</td><td>2.77</td><td>32.12</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>572.96</td><td>26.56</td><td>46.00</td><td>-19.44</td><td>29.42</td><td>25.72</td><td>3.64</td><td>32.22</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	20.57	40.00	-19.43	26.81	25.14	0.83	32.21	0.00	--- Peak	2	137.19	22.60	43.50	-20.90	35.40	17.48	1.78	32.06	0.00	--- Peak	3	219.64	28.71	46.00	-17.29	43.37	15.07	2.26	31.99	0.00	--- Peak	4	268.14	29.95	46.00	-16.05	40.41	19.03	2.51	32.00	0.00	--- Peak	5	329.00	30.88	46.00	-15.12	40.62	19.61	2.77	32.12	0.00	--- Peak	6	572.96	26.56	46.00	-19.44	29.42	25.72	3.64	32.22	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	30.00	20.57	40.00	-19.43	26.81	25.14	0.83	32.21	0.00	--- Peak																																																																																																			
2	137.19	22.60	43.50	-20.90	35.40	17.48	1.78	32.06	0.00	--- Peak																																																																																																			
3	219.64	28.71	46.00	-17.29	43.37	15.07	2.26	31.99	0.00	--- Peak																																																																																																			
4	268.14	29.95	46.00	-16.05	40.41	19.03	2.51	32.00	0.00	--- Peak																																																																																																			
5	329.00	30.88	46.00	-15.12	40.62	19.61	2.77	32.12	0.00	--- Peak																																																																																																			
6	572.96	26.56	46.00	-19.44	29.42	25.72	3.64	32.22	0.00	--- Peak																																																																																																			
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>42.85</td><td>31.20</td><td>40.00</td><td>-8.80</td><td>44.35</td><td>18.04</td><td>1.00</td><td>32.19</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>146.64</td><td>22.78</td><td>43.50</td><td>-20.72</td><td>35.77</td><td>17.22</td><td>1.85</td><td>32.06</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>195.14</td><td>29.02</td><td>43.50</td><td>-14.48</td><td>44.27</td><td>14.72</td><td>2.12</td><td>32.09</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>268.14</td><td>22.98</td><td>46.00</td><td>-23.02</td><td>33.44</td><td>19.03</td><td>2.51</td><td>32.00</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>487.11</td><td>29.03</td><td>46.00</td><td>-16.97</td><td>34.14</td><td>23.66</td><td>3.37</td><td>32.14</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>548.71</td><td>28.64</td><td>46.00</td><td>-17.36</td><td>32.24</td><td>25.30</td><td>3.57</td><td>32.47</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	42.85	31.20	40.00	-8.80	44.35	18.04	1.00	32.19	0.00	--- Peak	2	146.64	22.78	43.50	-20.72	35.77	17.22	1.85	32.06	0.00	--- Peak	3	195.14	29.02	43.50	-14.48	44.27	14.72	2.12	32.09	0.00	--- Peak	4	268.14	22.98	46.00	-23.02	33.44	19.03	2.51	32.00	0.00	--- Peak	5	487.11	29.03	46.00	-16.97	34.14	23.66	3.37	32.14	0.00	--- Peak	6	548.71	28.64	46.00	-17.36	32.24	25.30	3.57	32.47	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	42.85	31.20	40.00	-8.80	44.35	18.04	1.00	32.19	0.00	--- Peak																																																																																																			
2	146.64	22.78	43.50	-20.72	35.77	17.22	1.85	32.06	0.00	--- Peak																																																																																																			
3	195.14	29.02	43.50	-14.48	44.27	14.72	2.12	32.09	0.00	--- Peak																																																																																																			
4	268.14	22.98	46.00	-23.02	33.44	19.03	2.51	32.00	0.00	--- Peak																																																																																																			
5	487.11	29.03	46.00	-16.97	34.14	23.66	3.37	32.14	0.00	--- Peak																																																																																																			
6	548.71	28.64	46.00	-17.36	32.24	25.30	3.57	32.47	0.00	--- Peak																																																																																																			




Appendix D. Duty Cycle Plots

Ant	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Ant 1	Bluetooth LE 1Mbps	51.72	0.391	2.556	2.7KHz
Ant 1	Bluetooth LE 2Mbps	38.38	0.206	4.859	5.1KHz
Ant 1	Bluetooth LE 500Kbps	59.11	1.077	0.929	1KHz
Ant 2	Bluetooth LE 1Mbps	51.72	0.391	2.556	2.7KHz
Ant 2	Bluetooth LE 2Mbps	38.55	0.207	4.825	5.1KHz
Ant 2	Bluetooth LE 500Kbps	58.85	1.070	0.935	1KHz

<Ant 1>


Bluetooth LE 1Mbps



Date: 9..JUL.2025 20:38:39




Bluetooth LE 2Mbps



Date: 9.JUL.2025 20:40:52

Bluetooth LE 500Kbps




Date: 9.JUL.2025 20:58:49




<Ant 2>

Bluetooth LE 1Mbps



Date: 9.JUL.2025 21:55:06


Bluetooth LE 2Mbps



Date: 9.JUL.2025 21:56:35



Bluetooth LE 500Kbps



Date: 9.JUL.2025 22:01:17