



<2.4GHz WLAN_Ant 1_Full Power>

Mode	Channel	Frequency (MHz)	Average Power (mW)	Turn-Up Limit	Duty Cycle %
802.11b-1Mbps	1	2412	10.45	11.00	100.00
	6	2437	10.30	11.00	100.00
	11	2462	10.30	11.00	100.00
802.11g-6Mbps	1	2412	10.11	11.00	99.32
	6	2437	10.10	11.00	99.32
	11	2462	10.00	11.00	99.32
802.11n-HT20 MCS0	1	2412	9.79	11.00	100.00
	6	2437	9.82	11.00	100.00
	11	2462	9.79	11.00	100.00
802.11ax-HE20 MCS0	1	2412	9.85	11.00	100.00
	6	2437	9.80	11.00	100.00
	11	2462	9.71	11.00	100.00

<5.2GHz WLAN_Ant 1_Full Power>

Mode	Channel	Frequency (MHz)	Average Power (mW)	Turn-Up Limit	Duty Cycle %
802.11a-6Mbps	36	5180	9.74	11.00	98.97
	40	5200	10.04	11.00	98.97
	44	5220	9.90	11.00	98.97
802.11n-HT20 MCS0	36	5180	9.45	11.00	100.00
	40	5200	9.76	11.00	100.00
	44	5220	9.63	11.00	100.00
802.11n-HT40 MCS0	36	5180	9.37	11.00	100.00
	40	5200	9.98	11.00	100.00
	44	5220	9.66	11.00	100.00
802.11ac-VHT20 MCS0	36	5180	9.46	11.00	100.00
	40	5200	9.77	11.00	100.00
	44	5220	9.65	11.00	100.00
802.11ac-VHT40 MCS0	36	5180	9.40	11.00	100.00
	40	5200	10.00	11.00	100.00
	44	5220	9.85	11.00	100.00
802.11ac-VHT80 MCS0	36	5180	9.50	11.00	100.00
	40	5200	9.80	11.00	100.00
	44	5220	9.66	11.00	100.00
802.11ax-HE20 MCS0	36	5180	9.44	11.00	100.00
	40	5200	10.03	11.00	100.00
	44	5220	9.70	11.00	100.00

<5.3GHz WLAN_Ant 1_Full Power>

Mode	Channel	Frequency (MHz)	Average Power (mW)	Turn-Up Limit	Duty Cycle %
802.11a-6Mbps	52	5280	9.94	11.00	98.97
	56	5300	10.24	11.00	98.97
	60	5320	10.43	11.00	98.97
802.11n-HT20 MCS0	52	5280	9.43	11.00	100.00
	56	5300	9.80	11.00	100.00
	60	5320	9.96	11.00	100.00
802.11n-HT40 MCS0	52	5280	10.16	11.00	100.00
	56	5300	10.19	11.00	100.00
	60	5320	10.07	11.00	100.00
802.11ac-VHT20 MCS0	52	5280	9.53	11.00	100.00
	56	5300	9.85	11.00	100.00
	60	5320	10.05	11.00	100.00
802.11ac-VHT40 MCS0	52	5280	9.88	11.00	100.00
	56	5300	10.28	11.00	100.00
	60	5320	10.18	11.00	100.00
802.11ac-VHT80 MCS0	52	5280	10.17	11.00	100.00
	56	5300	9.65	11.00	100.00
	60	5320	9.87	11.00	100.00
802.11ax-HE20 MCS0	52	5280	9.55	11.00	100.00
	56	5300	9.88	11.00	100.00
	60	5320	10.06	11.00	100.00
802.11ax-HE40 MCS0	52	5280	10.20	11.00	100.00
	56	5300	10.20	11.00	100.00
	60	5320	10.20	11.00	100.00
802.11ax-HE80 MCS0	52	5280	9.87	11.00	100.00
	56	5300	9.68	11.00	100.00
	60	5320	9.68	11.00	100.00

<S.5GHz WLAN_Ant 1_Full Power>

Mode	Channel	Frequency (MHz)	Average Power (dBm)	Tune-Up Limit	Duty Cycle %
802.11a @Mbps	100	5500	8.76	9.00	98.97
	116	5580	8.05	9.00	98.97
	124	5620	8.14	8.00	98.97
	132	5660	7.73	8.50	98.97
	140	5700	7.74	8.50	98.97
802.11a-HT20 MCS0	144	5720	7.67	8.00	98.97
	100	5500	8.22	9.00	100.00
	116	5580	8.24	4.00	100.00
	124	5620	7.70	8.50	100.00
	132	5660	7.30	8.00	100.00
802.11a-HT40 MCS0	140	5700	8.20	7.00	100.00
	144	5720	8.10	7.00	100.00
	102	5510	6.97	6.50	100.00
	110	5550	7.40	8.00	100.00
	126	5630	7.64	8.50	100.00
802.11a-HT80 MCS0	134	5670	6.96	7.50	100.00
	142	5710	6.76	6.50	100.00
	106	5520	8.32	9.00	100.00
	116	5580	8.31	4.00	100.00
	124	5620	7.75	8.50	100.00
802.11ac-VHT20 MCS0	132	5660	7.35	8.00	100.00
	140	5700	6.90	7.00	100.00
	144	5720	6.17	7.00	100.00
	102	5510	6.05	7.00	100.00
	110	5550	7.48	8.00	100.00
802.11ac-VHT40 MCS0	126	5630	7.73	8.50	100.00
	134	5670	6.66	7.50	100.00
	142	5710	6.84	6.50	100.00
	106	5530	7.97	8.50	100.00
	122	5610	6.75	6.50	100.00
802.11ac-VHT80 MCS0	138	5690	6.21	7.00	100.00
	114	5570	6.85	6.50	100.00
	100	5500	8.41	9.00	100.00
	116	5580	8.36	4.00	100.00
	124	5620	7.65	8.50	100.00
802.11ac-HE20 MCS0	132	5660	7.45	8.00	100.00
	140	5700	6.44	7.00	100.00
	144	5720	6.25	7.00	100.00
	102	5510	6.10	7.00	100.00
	110	5550	7.51	8.50	100.00
802.11ac-HE40 MCS0	126	5630	7.60	8.50	100.00
	134	5670	6.71	7.50	100.00
	142	5710	6.93	6.50	100.00
	106	5530	7.98	8.50	100.00
	122	5610	6.84	6.50	100.00
802.11ac-HE80 MCS0	138	5690	6.31	7.00	100.00
	114	5570	6.94	6.50	100.00

<S.8GHz WLAN_Ant 1_Full Power>

Mode	Channel	Frequency (MHz)	Average Power (dBm)	Tune-Up Limit	Duty Cycle %
802.11a @Mbps	140	5745	7.05	8.00	98.97
	157	5795	6.65	7.50	98.97
	165	5825	7.08	8.00	98.97
802.11n-HT20 MCS0	140	5745	6.47	7.00	100.00
	157	5785	6.18	7.00	100.00
	165	5825	6.56	7.50	100.00
802.11n-HT40 MCS0	151	5755	5.40	6.00	100.00
	159	5795	6.87	7.50	100.00
	140	5745	6.57	7.50	100.00
802.11ac-VHT20 MCS0	157	5785	6.24	7.00	100.00
	165	5825	6.67	7.50	100.00
	153	5775	6.55	6.50	100.00
802.11ac-VHT40 MCS0	159	5795	6.96	7.50	100.00
	155	5775	6.16	7.00	100.00
	149	5745	6.67	7.50	100.00
802.11ac-HE20 MCS0	157	5785	6.29	7.00	100.00
	165	5825	6.74	7.50	100.00
	151	5755	5.68	6.50	100.00
802.11ac-HE40 MCS0	159	5795	7.05	8.00	100.00
	155	5775	6.22	7.00	100.00

6GHz Indoor WLAN_Ant 1_Full Power							
Band	Mode	Channel	Frequency (MHz)	Average Power (dBm)	Time-Up Limit	Duty Cycle %	
UNI 5	802.11a (MPPs)	1	5265	1.89	2.50	98.97	
		49	6195	2.15	3.00	98.97	
		93	6415	1.69	2.65	98.97	
	802.11ax-HE20 MCS0	1	5965	2.59	3.50	100.00	
		49	6195	2.44	3.00	100.00	
		93	6415	1.84	2.50	100.00	
	802.11ax-HE40 MCS0	3	5965	5.45	6.00	100.00	
		51	6205	5.81	6.50	100.00	
		91	6405	4.74	5.50	100.00	
	802.11ax-HE80 MCS0	7	5985	8.26	9.00	100.00	
		55	6225	7.78	8.50	100.00	
		87	6385	7.58	8.50	100.00	
	802.11ax-HE160 MCS0	15	6205	8.59	9.50	100.00	
		47	6185	5.17	10.00	100.00	
		97	6435	2.42	3.00	98.97	
	UNI 6	802.11a (MPPs)	105	6475	2.39	3.00	98.97
			113	6515	1.65	2.50	98.97
			97	6435	2.98	3.50	100.00
		802.11ax-HE20 MCS0	105	6475	2.68	3.50	100.00
			113	6515	2.12	3.00	100.00
			99	6445	5.52	6.50	100.00
802.11ax-HE40 MCS0		115	6520	4.33	5.50	100.00	
		103	6465	8.79	9.50	100.00	
		119	6545	8.32	9.00	100.00	
802.11ax-HE160 MCS0	111	6505	8.34	9.00	100.00		
	117	6535	2.09	3.00	98.97		
	149	6595	1.98	2.50	98.97		
UNI 7	802.11a (MPPs)	181	6855	1.88	2.50	98.97	
		117	6535	2.71	3.50	100.00	
		149	6695	2.61	3.50	100.00	
	802.11ax-HE20 MCS0	181	6855	2.55	3.50	100.00	
		123	6565	4.87	5.50	100.00	
		147	6880	5.02	6.00	100.00	
	802.11ax-HE40 MCS0	179	6845	5.47	6.00	100.00	
		135	6625	7.68	8.50	100.00	
		151	6705	8.47	9.00	100.00	
	802.11ax-HE80 MCS0	167	6785	7.76	8.50	100.00	
		143	6565	8.92	9.50	100.00	
		189	6965	2.49	3.00	98.97	
UNI 8	802.11a (MPPs)	209	6995	2.40	3.00	98.97	
		229	7095	2.97	3.50	98.97	
		189	6895	2.64	3.50	100.00	
	802.11ax-HE20 MCS0	209	6995	3.09	4.00	100.00	
		229	7095	3.38	4.00	100.00	
		195	6925	6.11	7.00	100.00	
	802.11ax-HE40 MCS0	211	7005	6.85	6.50	100.00	
		227	7085	6.21	7.00	100.00	
		199	6945	8.48	9.00	100.00	
	802.11ax-HE80 MCS0	215	7025	8.85	8.50	100.00	
		207	6985	9.39	10.00	100.00	

<2.4GHz WLAN_Ant 2_Full Power>

Mode	Channel	Frequency (MHz)	Average Power (dBm)	Tune-Up Limit	Duty Cycle (%)
802.11b 1Mbps	1	2412	9.88	10.50	100.00
	6	2437	9.73	10.50	100.00
	11	2462	9.62	10.50	100.00
802.11g 6Mbps	1	2412	9.62	10.50	99.32
	6	2437	9.48	10.50	99.32
	11	2462	9.81	10.50	99.32
802.11n-HT20 MCS0	1	2412	9.29	10.50	100.00
	6	2437	9.20	10.50	100.00
	11	2462	9.40	10.50	100.00
802.11ax-HE20 MCS0	1	2412	9.50	10.50	100.00
	6	2437	9.33	10.50	100.00
	11	2462	9.60	10.50	100.00

<5.2GHz WLAN_Ant 2_Full Power>

Mode	Channel	Frequency (MHz)	Average Power (dBm)	Tune-Up Limit	Duty Cycle (%)
802.11a 6Mbps	36	5180	9.58	11.00	98.97
	40	5200	9.81	11.00	98.97
	44	5220	9.70	11.00	98.97
802.11n-HT20 MCS0	48	5240	9.91	11.00	98.97
	36	5180	9.20	11.00	100.00
	40	5200	9.43	11.00	100.00
802.11ax-HT40 MCS0	44	5220	9.30	11.00	100.00
	48	5240	9.53	11.00	100.00
	36	5180	9.23	11.00	100.00
802.11ac-VHT20 MCS0	46	5230	9.30	11.00	100.00
	36	5180	9.23	11.00	100.00
	40	5200	9.45	11.00	100.00
802.11ac-VHT40 MCS0	44	5220	9.33	11.00	100.00
	48	5240	9.56	11.00	100.00
	36	5180	9.24	11.00	100.00
802.11ac-VHT80 MCS0	46	5230	9.32	11.00	100.00
	42	5210	9.60	11.00	100.00
	36	5180	9.26	11.00	100.00
802.11ax-HE40 MCS0	40	5200	9.48	11.00	100.00
	44	5220	9.35	11.00	100.00
	48	5240	9.58	11.00	100.00
802.11ax-HE80 MCS0	36	5180	9.27	11.00	100.00
	46	5230	9.35	11.00	100.00
	42	5210	9.07	11.00	100.00

<5.3GHz WLAN_Ant 2_Full Power>

Mode	Channel	Frequency (MHz)	Average Power (dBm)	Tune-Up Limit	Duty Cycle %
802.11a 8Mbps	62	5260	9.77	11.00	98.97
	66	5280	10.50	11.00	98.97
	60	5300	10.34	11.00	98.97
	64	5320	10.53	11.00	98.97
802.11n-HT20 MCS0	62	5260	9.33	11.00	100.00
	66	5280	9.67	11.00	100.00
	60	5300	9.67	11.00	100.00
	64	5320	10.08	11.00	100.00
802.11n-HT40 MCS0	64	5270	9.88	11.00	100.00
	62	5310	9.31	11.00	100.00
802.11ac-VHT20 MCS0	62	5260	9.42	11.00	100.00
	66	5280	9.74	11.00	100.00
	60	5300	9.96	11.00	100.00
	64	5320	10.15	11.00	100.00
802.11ac-VHT40 MCS0	64	5270	9.91	11.00	100.00
	62	5310	9.40	11.00	100.00
802.11ac-VHT80 MCS0	66	5280	9.51	11.00	100.00
802.11ac-VHT160 MCS0	60	5300	9.31	11.00	100.00
802.11ax-HE20 MCS0	62	5260	9.46	11.00	100.00
	66	5280	9.78	11.00	100.00
802.11ax-HE40 MCS0	64	5300	10.20	11.00	100.00
	64	5270	9.84	11.00	100.00
802.11ax-HE80 MCS0	62	5310	9.42	11.00	100.00
	66	5290	9.54	11.00	100.00
802.11ax-HE160 MCS0	60	5320	9.34	11.00	100.00

<5.8GHz WLAN_Ant 2_Full Power>

Mode	Channel	Frequency (MHz)	Average Power (dBm)	Tune-Up Limit	Duty Cycle %
802.11a 8Mbps	100	5560	8.20	9.00	98.97
	116	5580	8.08	9.00	98.97
	124	5620	8.48	9.00	98.97
	132	5660	8.36	9.00	98.97
802.11n-HT20 MCS0	140	5700	8.46	9.00	98.97
	144	5720	8.35	9.00	98.97
	100	5560	7.68	8.50	100.00
	116	5580	8.83	4.50	100.00
802.11n-HT40 MCS0	124	5620	8.02	9.00	100.00
	132	5660	7.84	8.50	100.00
	140	5700	8.95	7.50	100.00
	144	5720	8.91	8.00	100.00
802.11ac-VHT20 MCS0	102	5570	6.89	7.50	100.00
	110	5550	7.23	8.00	100.00
	126	5630	7.85	8.50	100.00
	134	5670	8.46	7.00	100.00
802.11ac-VHT40 MCS0	142	5710	8.92	7.50	100.00
	100	5560	7.76	8.50	100.00
	116	5580	8.89	4.50	100.00
	124	5620	8.09	9.00	100.00
802.11ac-VHT80 MCS0	132	5660	7.93	8.50	100.00
	140	5700	8.65	7.50	100.00
	144	5720	8.96	8.00	100.00
	102	5570	6.94	7.50	100.00
802.11ac-VHT160 MCS0	110	5550	7.33	8.00	100.00
	126	5630	7.90	8.50	100.00
	134	5670	8.58	7.50	100.00
	142	5710	8.83	7.00	100.00
802.11ac-VHT320 MCS0	106	5530	6.83	8.00	100.00
	122	5610	6.51	7.50	100.00
	138	5690	6.24	7.00	100.00
	114	5570	6.23	7.00	100.00
802.11ax-HE20 MCS0	100	5560	7.84	8.50	100.00
	116	5580	8.96	4.50	100.00
	124	5620	8.19	9.00	100.00
	132	5660	8.03	9.00	100.00
802.11ax-HE40 MCS0	140	5700	8.75	7.50	100.00
	144	5720	8.91	7.00	100.00
	102	5570	7.24	8.00	100.00
	110	5550	7.40	8.00	100.00
802.11ax-HE80 MCS0	126	5630	8.00	8.50	100.00
	134	5670	8.64	7.50	100.00
	142	5710	8.68	7.50	100.00
	106	5550	7.44	8.00	100.00
802.11ax-HE160 MCS0	122	5610	6.96	7.50	100.00
	138	5690	6.29	7.00	100.00
802.11ax-HE320 MCS0	114	5570	6.29	7.00	100.00

<5.8GHz WLAN_Ant_2_Full Power>

Mode	Channel	Frequency (MHz)	Average Power (dBm)	Time-Up Limit	Duty Cycle (%)
802.11a (Mbps)	149	5742	7.63	8.50	98.97
	157	5765	7.69	8.50	98.97
	165	5825	7.56	8.50	98.97
802.11n-HT20 MCS0	149	5745	7.58	8.50	100.00
	157	5785	7.25	8.00	100.00
	165	5925	7.21	8.00	100.00
802.11n-HT40 MCS0	151	5752	8.87	7.50	100.00
	159	5795	7.51	8.50	100.00
	149	5745	7.64	8.50	100.00
802.11ac-VHT20 MCS0	157	5785	7.35	8.00	100.00
	165	5925	7.27	8.00	100.00
	151	5752	8.84	7.50	100.00
802.11ac-VHT40 MCS0	159	5795	7.56	8.50	100.00
	155	5775	7.30	8.00	100.00
	149	5745	7.74	8.50	100.00
802.11ax-HE20 MCS0	157	5785	7.45	8.00	100.00
	165	5925	7.25	8.00	100.00
	151	5752	7.64	8.00	100.00
802.11ax-HE40 MCS0	159	5795	7.66	8.50	100.00
	155	5775	7.38	8.00	100.00

<6GHz Indoor WLAN_Ant_2_Full Power>

Band	Mode	Channel	Frequency (MHz)	Average Power (dBm)	Time-Up Limit	Duty Cycle (%)
LNII 5	802.11a (Mbps)	1	6665	1.66	2.50	98.97
		49	6195	1.56	2.50	98.97
		93	6415	1.53	2.50	98.97
	802.11ax-HE20 MCS0	1	6665	2.28	3.00	100.00
		49	6195	1.75	2.50	100.00
		93	6415	1.72	2.50	100.00
		3	6665	5.07	6.00	100.00
		51	6205	4.69	5.50	100.00
		91	6405	5.04	6.00	100.00
	802.11ax-HE30 MCS0	7	6685	7.88	8.50	100.00
		55	6225	7.27	8.50	100.00
		87	6365	8.16	9.00	100.00
		15	6025	8.21	9.00	100.00
		47	6185	7.91	8.50	100.00
		97	6435	2.11	3.00	98.97
802.11a (Mbps)	105	6475	2.65	3.50	98.97	
	113	6515	2.30	3.00	98.97	
	87	6435	2.23	3.50	100.00	
	105	6475	2.82	3.50	100.00	
	113	6515	2.45	3.00	100.00	
	99	6445	5.23	6.00	100.00	
802.11ax-HE40 MCS0	115	6525	4.51	5.50	100.00	
	103	6465	8.82	9.50	100.00	
	119	6545	8.07	9.00	100.00	
	111	6505	8.75	9.50	100.00	
	117	6535	1.57	2.50	98.97	
	97	6435	2.11	3.00	98.97	
LNII 7	802.11a (Mbps)	149	6695	2.10	3.00	98.97
		181	6835	1.82	2.50	98.97
		117	6535	2.27	3.00	100.00
	802.11ax-HE20 MCS0	149	6695	2.79	3.50	100.00
		181	6835	2.45	3.00	100.00
		123	6685	4.51	5.50	100.00
		147	6805	4.66	5.50	100.00
		179	6845	5.21	6.00	100.00
		135	6625	8.43	9.00	100.00
	802.11ax-HE30 MCS0	151	6705	8.83	9.50	100.00
		167	6785	8.73	9.50	100.00
		143	6665	9.50	10.00	100.00
		159	6805	2.37	3.00	98.97
		209	6995	1.88	2.50	98.97
		229	7095	2.98	3.50	98.97
802.11a (Mbps)	189	6895	2.52	3.50	100.00	
	209	6995	2.51	3.50	100.00	
	229	7095	3.08	4.00	100.00	
	195	6855	5.17	7.00	100.00	
	211	7005	5.11	6.00	100.00	
	227	7085	6.29	7.00	100.00	
802.11ax-HE30 MCS0	199	6945	8.24	9.00	100.00	
	215	7025	8.49	9.00	100.00	
	207	6985	8.32	9.00	100.00	

<2.4GHz WLAN_Ant 1+2_Full Power>

Mode	Channel	Frequency (MHz)	Average Power (dBm)	Tune-Up Limit	Duty Cycle %
802.11b 1Mbps	1	2412	13.23	14.00	100.00
	6	2437	13.03	14.00	100.00
	11	2462	13.08	14.00	100.00
802.11g 6Mbps	1	2412	12.88	14.00	99.32
	6	2437	12.81	14.00	99.32
	11	2462	12.92	14.00	99.32
802.11n-HT20 MCS0	1	2412	12.56	14.00	100.00
	6	2437	12.53	14.00	100.00
	11	2462	12.56	14.00	100.00
802.11ax-HE20 MCS0	1	2412	12.69	14.00	100.00
	6	2437	12.63	14.00	100.00
	11	2462	12.67	14.00	100.00

<5.2GHz WLAN_Ant 1+2_Full Power>

Mode	Channel	Frequency (MHz)	Average Power (dBm)	Tune-Up Limit	Duty Cycle %
802.11a 6Mbps	36	5180	12.68	14.00	98.97
	40	5200	12.94	14.00	98.97
	44	5220	12.62	14.00	98.97
802.11n-HT20 MCS0	48	5240	13.05	14.00	98.97
	36	5180	12.34	14.00	100.00
	40	5200	12.60	14.00	100.00
802.11n-HT40 MCS0	44	5220	12.46	14.00	100.00
	48	5240	12.65	14.00	100.00
	36	5180	12.31	14.00	100.00
802.11ac-VHT20 MCS0	46	5230	12.65	14.00	100.00
	36	5180	12.36	14.00	100.00
	40	5200	12.62	14.00	100.00
802.11ac-VHT40 MCS0	44	5220	12.60	14.00	100.00
	48	5240	12.69	14.00	100.00
	38	5190	12.33	14.00	100.00
802.11ax-HE40 MCS0	46	5230	12.66	14.00	100.00
	42	5210	12.37	14.00	100.00
	36	5180	12.36	14.00	100.00
802.11ax-HE80 MCS0	40	5200	12.65	14.00	100.00
	44	5220	12.62	14.00	100.00
	48	5240	12.72	14.00	100.00
802.11ax-HE160 MCS0	38	5190	12.36	14.00	100.00
	46	5230	12.71	14.00	100.00
	42	5210	12.41	14.00	100.00

<5.3GHz WLAN_Ant 1+2_Full Power>

Mode	Channel	Frequency (MHz)	Average Power (dBm)	Tune-Up Limit	Duty Cycle %
802.11a (Mbps)	52	5280	12.87	14.00	98.97
	56	5280	13.19	14.00	98.97
	60	5300	13.40	14.00	98.97
	64	5320	13.59	14.00	98.97
802.11a-HT20 MCS0	52	5280	12.36	14.00	100.00
	56	5280	12.75	14.00	100.00
	60	5300	12.93	14.00	100.00
	64	5320	13.14	14.00	100.00
802.11a-HT40 MCS0	52	5280	12.39	14.00	100.00
	60	5300	12.72	14.00	100.00
	52	5280	12.49	14.00	100.00
	56	5280	12.81	14.00	100.00
802.11ac-VHT20 MCS0	60	5300	13.01	14.00	100.00
	64	5320	13.23	14.00	100.00
	54	5270	13.06	14.00	100.00
	52	5250	12.81	14.00	100.00
802.11ac-VHT40 MCS0	54	5270	13.06	14.00	100.00
	52	5250	12.69	14.00	100.00
802.11ac-VHT80 MCS0	50	5250	12.59	14.00	100.00
	52	5250	12.52	14.00	100.00
802.11ac-HE20 MCS0	56	5280	12.83	14.00	100.00
	60	5300	13.04	14.00	100.00
	64	5320	13.26	14.00	100.00
	54	5270	13.08	14.00	100.00
802.11ac-HE40 MCS0	52	5250	12.84	14.00	100.00
	58	5290	12.72	14.00	100.00
802.11ac-HE80 MCS0	50	5250	12.53	14.00	100.00
	52	5250	12.53	14.00	100.00

<5.5GHz WLAN_Ant 1+2_Full Power>

Mode	Channel	Frequency (MHz)	Average Power (dBm)	Tune-Up Limit	Duty Cycle %
802.11a (Mbps)	100	5500	11.47	12.00	98.97
	116	5580	11.23	12.00	98.97
	124	5620	11.33	12.00	98.97
	132	5660	11.09	12.00	98.97
	140	5700	11.13	12.00	98.97
	144	5720	10.95	11.50	98.97
	100	5500	10.97	11.50	100.00
	116	5580	8.26	7.50	100.00
802.11a-HT20 MCS0	100	5500	10.87	11.50	100.00
	132	5660	10.59	11.50	100.00
	140	5700	9.42	10.00	100.00
	144	5720	9.02	10.00	100.00
	102	5510	9.46	10.00	100.00
	110	5550	10.33	11.00	100.00
	126	5630	10.76	11.50	100.00
	134	5670	9.23	10.50	100.00
802.11a-HT40 MCS0	142	5710	9.17	10.00	100.00
	100	5500	11.07	12.00	100.00
	116	5580	6.82	7.50	100.00
	124	5620	10.93	11.50	100.00
	132	5660	10.66	11.50	100.00
	140	5700	9.51	10.50	100.00
	144	5720	9.16	10.50	100.00
	102	5510	9.53	10.50	100.00
802.11ac-VHT20 MCS0	110	5550	10.41	11.00	100.00
	126	5630	10.83	11.50	100.00
	134	5670	9.62	10.50	100.00
	142	5710	9.26	10.00	100.00
	106	5530	10.66	11.50	100.00
	122	5610	9.16	10.50	100.00
	138	5690	9.24	10.00	100.00
	114	5570	9.05	10.00	100.00
802.11ac-VHT40 MCS0	100	5500	11.14	12.00	100.00
	116	5580	6.68	7.50	100.00
	124	5620	11.03	12.00	100.00
	132	5660	10.76	11.50	100.00
	140	5700	9.61	10.50	100.00
	144	5720	9.14	10.00	100.00
	102	5510	9.79	10.50	100.00
	110	5550	10.47	11.00	100.00
802.11ac-VHT80 MCS0	126	5630	10.91	11.50	100.00
	134	5670	9.69	10.50	100.00
	142	5710	9.33	10.00	100.00
	108	5530	10.73	11.50	100.00
	122	5610	9.23	10.00	100.00
	138	5690	9.31	10.00	100.00
	114	5570	9.13	10.00	100.00
	100	5500	11.07	12.00	100.00
802.11ac-HE20 MCS0	116	5580	6.68	7.50	100.00
	124	5620	11.03	12.00	100.00
	132	5660	10.76	11.50	100.00
	140	5700	9.61	10.50	100.00
	144	5720	9.14	10.00	100.00
	102	5510	9.79	10.50	100.00
	110	5550	10.47	11.00	100.00
	126	5630	10.91	11.50	100.00
802.11ac-HE40 MCS0	134	5670	9.69	10.50	100.00
	142	5710	9.33	10.00	100.00
	108	5530	10.73	11.50	100.00
	122	5610	9.23	10.00	100.00
	138	5690	9.31	10.00	100.00
	114	5570	9.13	10.00	100.00
	100	5500	11.07	12.00	100.00
	116	5580	6.68	7.50	100.00
802.11ac-HE80 MCS0	124	5620	11.03	12.00	100.00
	132	5660	10.76	11.50	100.00
	140	5700	9.61	10.50	100.00
	144	5720	9.14	10.00	100.00
	102	5510	9.79	10.50	100.00
	110	5550	10.47	11.00	100.00
	126	5630	10.91	11.50	100.00
	134	5670	9.69	10.50	100.00
142	5710	9.33	10.00	100.00	
802.11ac-HE160 MCS0	108	5530	10.73	11.50	100.00
	122	5610	9.23	10.00	100.00
	138	5690	9.31	10.00	100.00
	114	5570	9.13	10.00	100.00
	100	5500	11.07	12.00	100.00
	116	5580	6.68	7.50	100.00
	124	5620	11.03	12.00	100.00
	132	5660	10.76	11.50	100.00

<5.8GHz WLAN_Ant 1+2_Full Power>

Mode	Channel	Frequency (MHz)	Average Power (dBm)	Tune-Up Limit	Duty Cycle %
802.11a @Mbps	149	5745	10.53	11.00	98.97
	157	5785	10.22	11.00	98.97
	155	5825	10.34	11.00	98.97
802.11a-HT20 MCS0	149	5745	10.07	11.00	100.00
	157	5785	9.76	10.50	100.00
	155	5825	9.92	10.50	100.00
802.11a-HT40 MCS0	151	5755	9.24	10.00	100.00
	159	5795	10.21	11.00	100.00
	149	5745	10.15	11.00	100.00
802.11a-HT720 MCS0	157	5785	9.84	10.50	100.00
	165	5825	9.99	10.50	100.00
	151	5755	9.32	10.00	100.00
802.11ac-VHT40 MCS0	159	5795	10.28	11.00	100.00
	155	5775	9.78	10.50	100.00
	149	5745	10.25	11.00	100.00
802.11ac-VHT80 MCS0	157	5785	9.90	10.50	100.00
	165	5825	10.07	11.00	100.00
	161	5795	9.42	10.00	100.00
802.11ax-HE40 MCS0	159	5795	10.58	11.00	100.00
	155	5775	9.85	10.50	100.00

<6GHz Indoor WLAN_Ant 1+2_Full Power>

Band	Mode	Channel	Frequency (MHz)	Average Power (dBm)	Tune-Up Limit	Duty Cycle %	
LUNI 5	802.11a @Mbps	1	5955	4.78	5.50	98.97	
		49	6195	4.88	5.50	98.97	
		93	6415	4.63	5.50	98.97	
	802.11ax-HE20 MCS0	1	5955	5.45	6.00	100.00	
		49	6195	5.12	6.00	100.00	
		53	6415	4.79	5.50	100.00	
		3	5965	8.27	9.00	100.00	
		802.11ax-HE40 MCS0	51	6205	8.30	9.00	100.00
			91	6405	7.30	8.50	100.00
			7	5985	11.08	12.00	100.00
		802.11ax-HE80 MCS0	55	6225	10.54	11.50	100.00
			87	6385	11.08	12.00	100.00
	15		6025	11.41	12.00	100.00	
	802.11ax-HE160 MCS0	47	6185	11.60	12.50	100.00	
		97	6435	5.28	6.00	98.97	
105		6475	5.54	6.50	98.97		
LUNI 6	802.11a @Mbps	113	6515	5.10	6.00	98.97	
		97	6435	5.87	6.50	100.00	
		105	6475	5.76	6.50	100.00	
	802.11ax-HE40 MCS0	113	6515	5.30	6.00	100.00	
		99	6445	8.39	9.00	100.00	
		115	6525	7.74	8.50	100.00	
		103	6485	11.82	12.50	100.00	
		802.11ax-HE80 MCS0	119	6545	11.21	12.00	100.00
			111	6505	11.86	12.50	100.00
			117	6535	4.85	5.50	98.97
		802.11a @Mbps	149	6695	5.06	6.00	98.97
			181	6855	4.85	5.50	98.97
	117		6535	5.51	6.50	100.00	
	802.11ax-HE20 MCS0		149	6695	5.86	6.50	100.00
			181	6855	5.51	6.50	100.00
123			6565	7.70	8.50	100.00	
802.11ax-HE40 MCS0	147		6685	7.85	8.50	100.00	
	179		6845	8.35	9.00	100.00	
	135		6625	11.08	12.00	100.00	
	802.11ax-HE80 MCS0	151	6705	11.86	12.50	100.00	
		167	6785	11.26	12.00	100.00	
		143	6665	12.23	13.00	100.00	
LUNI 8	802.11a @Mbps	149	6895	5.45	6.00	98.97	
		209	6995	5.16	6.00	98.97	
		229	7095	5.59	6.50	98.97	
	802.11ax-HE20 MCS0	189	6895	5.59	6.50	100.00	
		209	6995	5.82	6.50	100.00	
		229	7095	6.24	7.00	100.00	
		802.11ax-HE40 MCS0	185	6855	9.15	10.00	100.00
			211	7005	8.51	9.50	100.00
			227	7085	9.26	10.00	100.00
		802.11ax-HE80 MCS0	199	6945	11.37	12.00	100.00
			215	7025	11.68	12.50	100.00
			207	6985	11.90	12.50	100.00

<Bluetooth_Ant_1_Full Power>

Mode	Channel	Frequency (MHz)	Average Power (dBm)	Tune-Up Limit	Duty Cycle, %
BR / EDR 1Mbps	0	2402	4.13	0.00	76.97
	39	2441	4.21	0.00	76.97
	78	2480	3.80	0.00	76.97
BR / EDR 2Mbps	0	2402	3.76	0.00	31.10
	39	2441	3.71	0.00	31.10
	78	2480	3.74	0.00	31.10
BR / EDR 3Mbps	0	2402	3.76	0.00	31.02
	39	2441	3.63	0.00	31.02
	78	2480	3.60	0.00	31.02
LE 125kbs	0	2402	3.92	0.00	75.26
	19	2440	3.65	0.00	75.26
	39	2480	3.57	0.00	75.26
LE 500kbs	0	2402	4.20	0.00	59.20
	19	2440	4.03	0.00	59.20
	39	2480	3.88	0.00	59.20
LE 1Mbps	0	2402	3.69	0.00	51.92
	19	2440	3.54	0.00	51.92
	39	2480	3.44	0.00	51.92
LE 2Mbps	0	2402	3.73	0.00	39.19
	19	2440	3.59	0.00	39.19
	39	2480	3.51	0.00	39.19

<Bluetooth_Ant 2_Full Power>

Mode	Channel	Frequency (MHz)	Average Power (dBm)	Tune-Up Limit	Duty Cycle %
BR / EDR 1Mbps	0	2402	3.43	5.00	76.71
	39	2441	3.65	5.00	76.71
	78	2480	3.28	5.00	76.71
BR / EDR 2Mbps	0	2402	3.08	5.00	31.02
	39	2441	3.29	5.00	31.02
	78	2480	2.95	4.50	31.02
BR / EDR 3Mbps	0	2402	3.08	5.00	31.02
	39	2441	3.31	5.00	31.02
	78	2480	2.86	4.50	31.02
LE 125kbs	0	2402	3.25	5.00	75.35
	19	2440	3.38	5.00	75.35
	39	2480	3.09	5.00	75.35
LE 500kbs	0	2402	3.68	5.50	58.73
	19	2440	3.84	5.50	58.73
	39	2480	3.44	5.00	58.73
LE 1Mbps	0	2402	3.09	5.00	51.43
	19	2440	3.30	5.00	51.43
	39	2480	3.03	5.00	51.43
LE 2Mbps	0	2402	3.21	5.00	39.19
	19	2440	3.31	5.00	39.19
	39	2480	2.96	4.50	39.19