








Test Graphs




















































































































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 24+80 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.155	56.19	-9.55	65.74	45.50	0.24	10.45	QP
2	0.155	36.99	-18.75	55.74	26.30	0.24	10.45	Average
3 *	0.170	58.80	-6.14	64.94	48.10	0.25	10.45	QP
4	0.170	41.90	-13.04	54.94	31.20	0.25	10.45	Average
5	0.185	57.31	-6.93	64.24	46.60	0.25	10.46	QP
6	0.185	42.01	-12.23	54.24	31.30	0.25	10.46	Average
7	0.219	54.93	-7.95	62.88	44.21	0.26	10.46	QP
8	0.219	40.33	-12.55	52.88	29.61	0.26	10.46	Average
9	0.264	50.96	-10.33	61.29	40.20	0.29	10.47	QP
10	0.264	39.26	-12.03	51.29	28.50	0.29	10.47	Average
11	0.307	47.00	-13.06	60.06	36.20	0.32	10.48	QP
12	0.307	35.00	-15.06	50.06	24.20	0.32	10.48	Average
13	3.623	41.13	-14.87	56.00	30.51	0.41	10.21	QP
14	3.623	35.93	-10.07	46.00	25.31	0.41	10.21	Average



Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 24+80 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.153	53.98	-11.84	65.82	43.30	0.23	10.45	QP
2	0.153	35.28	-20.54	55.82	24.60	0.23	10.45	Average
3 *	0.175	58.80	-5.92	64.72	48.09	0.25	10.46	QP
4	0.175	44.00	-10.72	54.72	33.29	0.25	10.46	Average
5	0.219	52.92	-9.96	62.88	42.21	0.25	10.46	QP
6	0.219	37.02	-15.86	52.88	26.31	0.25	10.46	Average
7	0.270	49.25	-11.87	61.12	38.50	0.28	10.47	QP
8	0.270	37.05	-14.07	51.12	26.30	0.28	10.47	Average
9	0.308	45.67	-14.35	60.02	34.90	0.29	10.48	QP
10	0.308	34.07	-15.95	50.02	23.30	0.29	10.48	Average
11	3.584	39.41	-16.59	56.00	28.80	0.40	10.21	QP
12	3.584	34.91	-11.09	46.00	24.30	0.40	10.21	Average
13	4.926	39.40	-16.60	56.00	28.80	0.40	10.20	QP
14	4.926	29.20	-16.80	46.00	18.60	0.40	10.20	Average

Note:

1. Level(dBuV) = Read Level(dBuV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBuV) – Limit Line(dBuV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	41~42%
		Temperature :	22~23°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD	802.11ax HE20	36	5180	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	CDD	802.11ax HE20	44	5220	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	CDD	802.11ax HE20	48	5240	MCS0	Full	-
Mode 13	U-NII-2A	5.25-5.35	CDD	802.11ax HE20	52	5260	MCS0	Full	-
Mode 14	U-NII-2A	5.25-5.35	CDD	802.11ax HE20	60	5300	MCS0	Full	-
Mode 15	U-NII-2A	5.25-5.35	CDD	802.11ax HE20	64	5320	MCS0	Full	-
Mode 16	U-NII-2C	5.47-5.725	CDD	802.11ax HE20	100	5500	MCS0	Full	-
Mode 17	U-NII-2C	5.47-5.725	CDD	802.11ax HE20	116	5580	MCS0	Full	-
Mode 18	U-NII-2C	5.47-5.725	CDD	802.11ax HE20	140	5700	MCS0	Full	-
Mode 19	U-NII-1	5.15-5.25	CDD	802.11ax HE20	36	5180	MCS0	RU26/0	-
Mode 20	U-NII-1	5.15-5.25	CDD	802.11ax HE20	36	5180	MCS0	RU52/37	-
Mode 21	U-NII-1	5.15-5.25	CDD	802.11ax HE20	36	5180	MCS0	RU106/53	-
Mode 22	U-NII-2A	5.25-5.35	CDD	802.11ax HE20	64	5320	MCS0	RU26/8	-
Mode 23	U-NII-2A	5.25-5.35	CDD	802.11ax HE20	64	5320	MCS0	RU52/40	-
Mode 24	U-NII-2A	5.25-5.35	CDD	802.11ax HE20	64	5320	MCS0	RU106/54	-
Mode 25	U-NII-2C	5.47-5.725	CDD	802.11ax HE20	100	5500	MCS0	RU26/0	-
Mode 26	U-NII-2C	5.47-5.725	CDD	802.11ax HE20	100	5500	MCS0	RU52/37	-
Mode 27	U-NII-2C	5.47-5.725	CDD	802.11ax HE20	100	5500	MCS0	RU106/53	-
Mode 28	U-NII-2C	5.47-5.725	CDD	802.11ax HE20	140	5700	MCS0	RU26/8	-
Mode 29	U-NII-2C	5.47-5.725	CDD	802.11ax HE20	140	5700	MCS0	RU52/40	-
Mode 30	U-NII-2C	5.47-5.725	CDD	802.11ax HE20	140	5700	MCS0	RU106/54	-
Mode 31	U-NII-1	5.15-5.25	CDD	802.11ax HE40	38	5190	MCS0	Full	-
Mode 32	U-NII-1	5.15-5.25	CDD	802.11ax HE40	46	5230	MCS0	Full	-
Mode 33	U-NII-2A	5.25-5.35	CDD	802.11ax HE40	54	5270	MCS0	Full	-
Mode 34	U-NII-2A	5.25-5.35	CDD	802.11ax HE40	62	5310	MCS0	Full	-
Mode 35	U-NII-2C	5.47-5.725	CDD	802.11ax HE40	102	5510	MCS0	Full	-
Mode 36	U-NII-2C	5.47-5.725	CDD	802.11ax HE40	110	5550	MCS0	Full	-
Mode 37	U-NII-2C	5.47-5.725	CDD	802.11ax HE40	134	5670	MCS0	Full	-
Mode 38	U-NII-1	5.15-5.25	CDD	802.11ax HE80	42	5210	MCS0	Full	-
Mode 39	U-NII-2A	5.25-5.35	CDD	802.11ax HE80	58	5290	MCS0	Full	-
Mode 40	U-NII-2C	5.47-5.725	CDD	802.11ax HE80	106	5530	MCS0	Full	-



Mode 41	U-NII-2C	5.47-5.725	CDD	802.11ax HE80	122	5610	MCS0	Full	-
Mode 42	U-NII-2A	5.25-5.35	CDD	802.11ax HE160	50	5250	MCS0	Full	-
Mode 43	U-NII-3	5.725-5.85	CDD	802.11a	149	5745	6Mbps	-	-
Mode 44	U-NII-3	5.725-5.85	CDD	802.11a	157	5785	6Mbps	-	-
Mode 45	U-NII-3	5.725-5.85	CDD	802.11a	165	5825	6Mbps	-	-
Mode 46	U-NII-3	5.725-5.85	CDD	802.11ax HE20	149	5745	MCS0	Full	-
Mode 47	U-NII-3	5.725-5.85	CDD	802.11ax HE20	157	5785	MCS0	-	-
Mode 48	U-NII-3	5.725-5.85	CDD	802.11ax HE20	165	5825	MCS0	Full	-
Mode 49	U-NII-3	5.725-5.85	CDD	802.11ax HE40	151	5755	MCS0	Full	-
Mode 50	U-NII-3	5.725-5.85	CDD	802.11ax HE40	159	5795	MCS0	Full	-
Mode 51	U-NII-3	5.725-5.85	CDD	802.11ax HE80	155	5775	MCS0	Full	-
Mode 52	U-NII-3	5.725-5.85	CDD	802.11ax HE20	149	5745	MCS0	RU26/0	-
Mode 53	U-NII-3	5.725-5.85	CDD	802.11ax HE20	165	5825	MCS0	RU26/8	-
Mode 54	U-NII-3	5.725-5.85	CDD	802.11ax HE20	149	5745	MCS0	RU52/37	-
Mode 55	U-NII-3	5.725-5.85	CDD	802.11ax HE20	165	5825	MCS0	RU52/40	-
Mode 56	U-NII-3	5.725-5.85	CDD	802.11ax HE20	149	5745	MCS0	RU106/53	-
Mode 57	U-NII-3	5.725-5.85	CDD	802.11ax HE20	165	5825	MCS0	RU106/54	-
Mode 58	U-NII-2C	5.47-5.85	CDD	802.11a	144	5720	6Mbps	-	-
Mode 59	U-NII-2C	5.47-5.85	CDD	802.11ax HE20	144	5720	MCS0	-	-
Mode 60	U-NII-2C	5.47-5.85	CDD	802.11ax HE40	142	5710	MCS0	-	-
Mode 61	U-NII-2C	5.47-5.85	CDD	802.11ax HE80	138	5690	MCS0	-	-

Co-location

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 62	2400-2483.5	2400-2483.5	1	Bluetooth-LE_GSFK	39	2480	2Mbps	-	-
	U-NII-3	5.725-5.85	CDD	802.11ax HE40	159	5795	MCS0	Full	-
Mode 63	2400-2483.5	2400-2483.5	2	Bluetooth-LE_GSFK	39	2480	2Mbps	-	-
	U-NII-3	5.725-5.85	CDD	802.11ax HE40	159	5795	MCS0	Full	-
Mode 64	2400-2483.5	2400-2483.5	2	Bluetooth-LE_GSFK	39	2480	2Mbps	-	-
	U-NII-3	5.725-5.85	CDD	802.11ax HE40	159	5795	MCS0	Full	-
	EMR 593.75KHz								



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.70	47.09	54.00	-6.91	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	45.78	68.20	-22.42	V	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	46.14	68.20	-22.06	V	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	45.48	68.20	-22.72	H	PEAK	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	46.07	68.20	-22.13	V	PEAK	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	46.07	74.00	-27.93	V	PEAK	Pass	Harmonic
6	802.11a	64	5351.90	49.75	54.00	-4.25	H	AVERAGE	Pass	Band Edge
6	802.11a	64	7093.33	44.77	68.20	-23.43	H	PEAK	Pass	Harmonic
7	802.11a	100	5456.72	45.58	54.00	-8.42	H	AVERAGE	Pass	Band Edge
7	802.11a	100	8250.00	46.16	54.00	-7.84	H	AVERAGE	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	7440.00	48.96	54.00	-5.04	H	Average	Pass	Harmonic
9	802.11a	140	5726.76	63.93	68.20	-4.27	H	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	46.70	74.00	-27.30	H	PEAK	Pass	Harmonic
10	802.11ax HE20	36	5148.20	46.05	54.00	-7.95	H	AVERAGE	Pass	Band Edge
10	802.11ax HE20	36	10360.00	45.67	68.20	-22.53	H	PEAK	Pass	Harmonic
11	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE20	44	10440.00	45.35	68.20	-22.85	H	PEAK	Pass	Harmonic
12	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE20	48	10480.00	47.43	68.20	-20.77	V	PEAK	Pass	Harmonic
13	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ax HE20	52	10520.00	45.23	68.20	-22.97	V	PEAK	Pass	Harmonic
14	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	60	10600.00	46.64	74.00	-27.36	H	PEAK	Pass	Harmonic
15	802.11ax HE20	64	5353.70	47.56	54.00	-6.44	H	AVERAGE	Pass	Band Edge
15	802.11ax HE20	64	7093.50	50.33	68.20	-17.87	V	Peak	Pass	Harmonic
16	802.11ax HE20	100	5459.92	45.15	54.00	-8.85	H	AVERAGE	Pass	Band Edge
16	802.11ax HE20	100	8250.00	49.46	54.00	-4.54	H	AVERAGE	Pass	Harmonic
17	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	116	7439.81	48.93	54.00	-5.07	H	AVERAGE	Pass	Harmonic
18	802.11ax HE20	140	5726.12	64.82	68.20	-3.38	H	PEAK	Pass	Band Edge
18	802.11ax HE20	140	7599.81	47.42	54.00	-6.58	H	AVERAGE	Pass	Harmonic
19	802.11ax HE20	36	5133.40	43.67	54.00	-10.33	H	AVERAGE	Pass	Band Edge
19	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
20	802.11ax HE20	36	5141.50	43.84	54.00	-10.16	H	AVERAGE	Pass	Band Edge
20	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
21	802.11ax HE20	36	5149.50	43.74	54.00	-10.26	H	AVERAGE	Pass	Band Edge
21	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
22	802.11ax HE20	64	5350.00	43.49	54.00	-10.51	H	AVERAGE	Pass	Band Edge
22	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
23	802.11ax HE20	64	5350.20	43.96	54.00	-10.04	H	AVERAGE	Pass	Band Edge
23	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE20	64	5350.00	43.41	54.00	-10.59	H	AVERAGE	Pass	Band Edge
24	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic



25	802.11ax HE20	100	5458.80	43.58	54.00	-10.42	H	AVERAGE	Pass	Band Edge
25	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE20	100	5459.76	43.34	54.00	-10.66	H	AVERAGE	Pass	Band Edge
26	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE20	100	5457.84	42.69	54.00	-11.31	H	AVERAGE	Pass	Band Edge
27	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
28	802.11ax HE20	140	5749.08	56.46	68.20	-11.74	V	PEAK	Pass	Band Edge
28	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
29	802.11ax HE20	140	5746.84	56.65	68.20	-11.55	H	PEAK	Pass	Band Edge
29	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	140	5729.08	56.84	68.20	-11.36	H	PEAK	Pass	Band Edge
30	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE40	38	5149.76	49.52	54.00	-4.48	H	AVERAGE	Pass	Band Edge
31	802.11ax HE40	38	10380.00	45.23	68.20	-22.97	V	PEAK	Pass	Harmonic
32	802.11ax HE40	46	5148.16	45.80	54.00	-8.20	H	AVERAGE	Pass	Band Edge
32	802.11ax HE40	46	10460.00	45.57	68.20	-22.63	H	PEAK	Pass	Harmonic
33	802.11ax HE40	54	5374.12	45.45	54.00	-8.55	H	AVERAGE	Pass	Band Edge
33	802.11ax HE40	54	10540.00	45.39	68.20	-22.81	H	PEAK	Pass	Harmonic
34	802.11ax HE40	62	5354.50	49.91	54.00	-4.09	H	AVERAGE	Pass	Band Edge
34	802.11ax HE40	62	7080.30	49.79	68.20	-18.41	H	Peak	Pass	Harmonic
35	802.11ax HE40	102	5465.52	64.53	68.20	-3.67	H	PEAK	Pass	Band Edge
35	802.11ax HE40	102	7346.65	48.63	54.00	-5.37	V	AVERAGE	Pass	Harmonic
36	802.11ax HE40	110	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE40	110	7399.98	48.39	54.00	-5.61	H	AVERAGE	Pass	Harmonic
37	802.11ax HE40	134	5725.88	64.35	68.20	-3.85	H	Peak	Pass	Band Edge
37	802.11ax HE40	134	7559.98	46.81	54.00	-7.19	H	AVERAGE	Pass	Harmonic
38	802.11ax HE80	42	5149.92	50.01	54.00	-3.99	H	AVERAGE	Pass	Band Edge
38	802.11ax HE80	42	10420.00	45.91	68.20	-22.29	V	PEAK	Pass	Harmonic
39	802.11ax HE80	58	5354.50	49.64	54.00	-4.36	H	AVERAGE	Pass	Band Edge
39	802.11ax HE80	58	7053.90	49.64	68.20	-18.56	H	Peak	Pass	Harmonic
40	802.11ax HE80	106	5455.12	50.18	54.00	-3.82	H	AVERAGE	Pass	Band Edge
40	802.11ax HE80	106	11060.00	46.21	74.00	-27.79	V	PEAK	Pass	Harmonic
41	802.11ax HE80	122	5730.28	60.13	68.20	-8.07	H	PEAK	Pass	Band Edge
41	802.11ax HE80	122	7479.81	48.66	54.00	-5.34	H	AVERAGE	Pass	Harmonic
42	802.11ax HE160	50	5404.77	50.47	54.00	-3.53	H	AVERAGE	Pass	Band Edge
42	802.11ax HE160	50	10500.00	46.02	68.20	-22.18	V	PEAK	Pass	Harmonic
43	802.11a	149	5628.00	54.86	68.20	-13.34	H	PEAK	Pass	Band Edge
43	802.11a	149	7660.00	46.95	74.00	-27.05	H	PEAK	Pass	Harmonic
44	802.11a	157	-	-	-	-	-	-	-	Band Edge
44	802.11a	157	7713.14	47.73	54.00	-6.27	H	AVERAGE	Pass	Harmonic
45	802.11a	165	5954.40	56.51	68.20	-11.69	H	PEAK	Pass	Band Edge
45	802.11a	165	7766.70	49.65	68.20	-18.55	H	PEAK	Pass	Harmonic
46	802.11ax HE20	149	5631.20	56.31	68.20	-11.89	H	PEAK	Pass	Band Edge
46	802.11ax HE20	149	7659.81	47.67	54.00	-6.33	H	AVERAGE	Pass	Harmonic
47	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE20	157	7713.14	51.22	54.00	-2.78	H	AVERAGE	Pass	Harmonic
48	802.11ax HE20	165	5994.80	55.68	68.20	-12.52	V	PEAK	Pass	Band Edge
48	802.11ax HE20	165	7766.47	51.23	68.20	-16.97	H	PEAK	Pass	Harmonic
49	802.11ax HE40	151	5641.23	59.36	68.20	-8.84	H	PEAK	Pass	Band Edge
49	802.11ax HE40	151	11510.00	43.94	74.00	-30.06	H	PEAK	Pass	Harmonic
50	802.11ax HE40	159	5939.20	56.01	68.20	-12.19	H	PEAK	Pass	Band Edge







50	802.11ax HE40	159	7726.47	51.46	54.00	-2.54	H	AVERAGE	Pass	Harmonic
51	802.11ax HE80	155	5648.80	61.78	68.20	-6.42	H	PEAK	Pass	Band Edge
51	802.11ax HE80	155	7699.81	49.58	54.00	-4.42	H	AVERAGE	Pass	Harmonic
52	802.11ax HE20	149	5612.40	53.89	68.20	-14.31	V	PEAK	Pass	Band Edge
52	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
53	802.11ax HE20	165	5984.00	55.48	68.20	-12.72	V	PEAK	Pass	Band Edge
53	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
54	802.11ax HE20	149	5643.60	53.78	68.20	-14.42	V	PEAK	Pass	Band Edge
54	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE20	165	5974.80	55.62	68.20	-12.58	V	PEAK	Pass	Band Edge
55	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE20	149	5605.60	53.93	68.20	-14.27	H	PEAK	Pass	Band Edge
56	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
57	802.11ax HE20	165	5993.60	55.56	68.20	-12.64	H	PEAK	Pass	Band Edge
57	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
58	802.11a	144	-	-	-	-	-	-	-	Band Edge
58	802.11a	144	11440.00	36.09	54.00	-17.91	V	AVERAGE	Pass	Harmonic
59	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
59	802.11ax HE20	144	7626.48	47.13	54.00	-6.87	H	AVERAGE	Pass	Harmonic
60	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
60	802.11ax HE40	142	11420.00	46.55	74.00	-27.45	V	PEAK	Pass	Harmonic
61	802.11ax HE80	138	-	-	-	-	-	-	-	Band Edge
61	802.11ax HE80	138	11380.00	45.45	74.00	-28.55	H	PEAK	Pass	Harmonic





Co-location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
62	Bluetooth-LE_GSKF	39	2484.70	45.71	54.00	-8.29	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	7440.00	41.85	74.00	-32.15	H	PEAK	Pass	Harmonic
	802.11ax HE40	159	5937.20	55.66	68.20	-12.54	H	PEAK	Pass	Band Edge
	802.11ax HE40	159	7726.65	51.25	54.00	-2.75	H	AVERAGE	Pass	Harmonic
63	Bluetooth-LE_GSKF	39	2498.92	45.50	54.00	-8.50	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	7440.00	41.25	74.00	-32.75	V	PEAK	Pass	Harmonic
	802.11ax HE40	159	5998.00	56.11	68.20	-12.09	V	PEAK	Pass	Band Edge
	802.11ax HE40	159	7726.65	51.30	54.00	-2.70	H	AVERAGE	Pass	Harmonic
64	Bluetooth-LE_GSKF	39	2484.28	46.09	54.00	-7.91	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	5795.00	50.15	74.00	-23.85	H	Peak	Pass	Harmonic
	802.11ax HE40	159	5955.60	54.99	68.20	-13.21	H	PEAK	Pass	Band Edge
	802.11ax HE40	159	7726.47	49.91	54.00	-4.09	H	AVERAGE	Pass	Harmonic





Mode	1																																																																																																									
	Band Edge																																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																									
ANT	CDD																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																			
Peak																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5140.00</td><td>57.02</td><td>74.00</td><td>-16.98</td><td>44.90</td><td>34.22</td><td>9.87</td><td>31.97</td><td>0.00</td><td>100</td><td>89</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5140.00	57.02	74.00	-16.98	44.90	34.22	9.87	31.97	0.00	100	89	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>111.95</td><td>-----</td><td>-----</td><td>99.74</td><td>34.28</td><td>9.92</td><td>31.99</td><td>0.00</td><td>100</td><td>89</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	111.95	-----	-----	99.74	34.28	9.92	31.99	0.00	100	89	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5140.00	57.02	74.00	-16.98	44.90	34.22	9.87	31.97	0.00	100	89	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5180.00	111.95	-----	-----	99.74	34.28	9.92	31.99	0.00	100	89	PEAK																																																																																														
Avg																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.70</td><td>47.09</td><td>54.00</td><td>-6.91</td><td>34.98</td><td>34.20</td><td>9.88</td><td>31.97</td><td>0.00</td><td>100</td><td>89</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.70	47.09	54.00	-6.91	34.98	34.20	9.88	31.97	0.00	100	89	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>104.76</td><td>-----</td><td>-----</td><td>92.57</td><td>34.26</td><td>9.91</td><td>31.98</td><td>0.00</td><td>100</td><td>89</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	104.76	-----	-----	92.57	34.26	9.91	31.98	0.00	100	89	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5149.70	47.09	54.00	-6.91	34.98	34.20	9.88	31.97	0.00	100	89	AVERAGE																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5180.00	104.76	-----	-----	92.57	34.26	9.91	31.98	0.00	100	89	AVERAGE																																																																																														





Mode	1																																																																																																	
	Band Edge																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																	
ANT	CDD																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5122.50</td><td>56.07</td><td>74.00</td><td>-17.93</td><td>43.91</td><td>34.26</td><td>9.86</td><td>31.96</td><td>0.00</td><td>279 71 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5122.50	56.07	74.00	-17.93	43.91	34.26	9.86	31.96	0.00	279 71 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>107.53</td><td>-----</td><td>-----</td><td>95.34</td><td>34.26</td><td>9.91</td><td>31.98</td><td>0.00</td><td>279 71 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	107.53	-----	-----	95.34	34.26	9.91	31.98	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5122.50	56.07	74.00	-17.93	43.91	34.26	9.86	31.96	0.00	279 71 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5180.00	107.53	-----	-----	95.34	34.26	9.91	31.98	0.00	279 71 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.00</td><td>44.93</td><td>54.00</td><td>-9.07</td><td>32.82</td><td>34.20</td><td>9.88</td><td>31.97</td><td>0.00</td><td>279 71 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.00	44.93	54.00	-9.07	32.82	34.20	9.88	31.97	0.00	279 71 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>101.14</td><td>-----</td><td>-----</td><td>88.95</td><td>34.26</td><td>9.91</td><td>31.98</td><td>0.00</td><td>279 71 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	101.14	-----	-----	88.95	34.26	9.91	31.98	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5148.00	44.93	54.00	-9.07	32.82	34.20	9.88	31.97	0.00	279 71 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5180.00	101.14	-----	-----	88.95	34.26	9.91	31.98	0.00	279 71 AVERAGE																																																																																								





Mode	1																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																					
ANT	CDD																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.61</td><td>68.20</td><td>-23.59</td><td>58.61</td><td>37.46</td><td>13.99</td><td>65.45</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.61	68.20	-23.59	58.61	37.46	13.99	65.45	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.78</td><td>68.20</td><td>-22.42</td><td>59.77</td><td>37.46</td><td>13.99</td><td>65.44</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	45.78	68.20	-22.42	59.77	37.46	13.99	65.44	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10360.00	44.61	68.20	-23.59	58.61	37.46	13.99	65.45	0.00	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10360.00	45.78	68.20	-22.42	59.77	37.46	13.99	65.44	0.00	---	PEAK																																																																																											





Mode	2																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																					
ANT	CDD																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 10440.00</td><td>45.19</td><td>68.20</td><td>-23.01</td><td>58.90</td><td>37.60</td><td>14.03</td><td>65.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10440.00	45.19	68.20	-23.01	58.90	37.60	14.03	65.34	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 10440.00</td><td>46.14</td><td>68.20</td><td>-22.06</td><td>59.85</td><td>37.60</td><td>14.03</td><td>65.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10440.00	46.14	68.20	-22.06	59.85	37.60	14.03	65.34	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 10440.00	45.19	68.20	-23.01	58.90	37.60	14.03	65.34	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 10440.00	46.14	68.20	-22.06	59.85	37.60	14.03	65.34	0.00	---	---	PEAK																																																																																											




		3																																																				
Mode		Harmonic																																																				
		U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																				
ANT		CDD																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>45.48</td><td>68.20</td><td>-22.72</td><td>59.06</td><td>37.68</td><td>14.04</td><td>65.30</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	45.48	68.20	-22.72	59.06	37.68	14.04	65.30	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10480.00	45.48	68.20	-22.72	59.06	37.68	14.04	65.30	0.00	--- PEAK																																												
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>45.17</td><td>68.20</td><td>-23.03</td><td>58.79</td><td>37.65</td><td>14.04</td><td>65.31</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	45.17	68.20	-23.03	58.79	37.65	14.04	65.31	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10480.00	45.17	68.20	-23.03	58.79	37.65	14.04	65.31	0.00	--- PEAK																																												







Mode	4																																																																																																			
	Harmonic																																																																																																			
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																			
ANT	CDD																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 10520.00</td><td>45.56</td><td>68.20</td><td>-22.64</td><td>59.06</td><td>37.72</td><td>14.05</td><td>65.27</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10520.00	45.56	68.20	-22.64	59.06	37.72	14.05	65.27	0.00	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 10520.00</td><td>46.07</td><td>68.20</td><td>-22.13</td><td>59.54</td><td>37.74</td><td>14.05</td><td>65.26</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10520.00	46.07	68.20	-22.13	59.54	37.74	14.05	65.26	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1 10520.00	45.56	68.20	-22.64	59.06	37.72	14.05	65.27	0.00	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1 10520.00	46.07	68.20	-22.13	59.54	37.74	14.05	65.26	0.00	---	PEAK																																																																																										







		5																																																															
Mode		Harmonic																																																															
		U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																															
ANT		CDD																																																															
Pol.		Horizontal						Vertical																																																									
Peak Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1</td><td>10600.00</td><td>45.81</td><td>74.00</td><td>-28.19</td><td>59.00</td><td>37.90</td><td>14.08</td><td>65.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1	10600.00	45.81	74.00	-28.19	59.00	37.90	14.08	65.17	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																								
1	10600.00	45.81	74.00	-28.19	59.00	37.90	14.08	65.17	0.00	---	---	PEAK																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1</td><td>10600.00</td><td>46.07</td><td>74.00</td><td>-27.93</td><td>59.26</td><td>37.90</td><td>14.08</td><td>65.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1	10600.00	46.07	74.00	-27.93	59.26	37.90	14.08	65.17	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																								
1	10600.00	46.07	74.00	-27.93	59.26	37.90	14.08	65.17	0.00	---	---	PEAK																																																					





Mode	6																																																									
	Band Edge																																																									
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																									
ANT	CDD																																																									
Pol.	Horizontal						Fundamental																																																			
Peak																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.70</td><td>59.87</td><td>74.00</td><td>-14.13</td><td>47.12</td><td>34.60</td><td>10.00</td><td>31.93</td><td>0.00</td><td>100</td><td>85</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5351.70	59.87	74.00	-14.13	47.12	34.60	10.00	31.93	0.00	100	85
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5351.70	59.87	74.00	-14.13	47.12	34.60	10.00	31.93	0.00	100	85	PEAK																																														
Peak																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>115.43</td><td>-----</td><td>-----</td><td>102.87</td><td>34.48</td><td>10.05</td><td>31.97</td><td>0.00</td><td>100</td><td>85</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	115.43	-----	-----	102.87	34.48	10.05	31.97	0.00	100	85
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5320.00	115.43	-----	-----	102.87	34.48	10.05	31.97	0.00	100	85	PEAK																																														
Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.90</td><td>49.75</td><td>54.00</td><td>-4.25</td><td>37.00</td><td>34.60</td><td>10.00</td><td>31.93</td><td>0.00</td><td>100</td><td>85</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5351.90	49.75	54.00	-4.25	37.00	34.60	10.00	31.93	0.00	100	85
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5351.90	49.75	54.00	-4.25	37.00	34.60	10.00	31.93	0.00	100	85	AVERAGE																																														
Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>106.28</td><td>-----</td><td>-----</td><td>93.72</td><td>34.48</td><td>10.05</td><td>31.97</td><td>0.00</td><td>100</td><td>85</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	106.28	-----	-----	93.72	34.48	10.05	31.97	0.00	100	85
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5320.00	106.28	-----	-----	93.72	34.48	10.05	31.97	0.00	100	85	AVERAGE																																														







Mode	6																																																																																																	
	Band Edge																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																	
ANT	CDD																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.40</td><td>58.33</td><td>74.00</td><td>-15.67</td><td>45.58</td><td>34.60</td><td>10.00</td><td>31.93</td><td>0.00</td><td>294 76 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.40	58.33	74.00	-15.67	45.58	34.60	10.00	31.93	0.00	294 76 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>109.17</td><td>-----</td><td>-----</td><td>96.57</td><td>34.50</td><td>10.06</td><td>31.96</td><td>0.00</td><td>294 76 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.17	-----	-----	96.57	34.50	10.06	31.96	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5351.40	58.33	74.00	-15.67	45.58	34.60	10.00	31.93	0.00	294 76 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	109.17	-----	-----	96.57	34.50	10.06	31.96	0.00	294 76 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.50</td><td>47.22</td><td>54.00</td><td>-6.78</td><td>34.47</td><td>34.60</td><td>10.00</td><td>31.93</td><td>0.00</td><td>294 76 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.50	47.22	54.00	-6.78	34.47	34.60	10.00	31.93	0.00	294 76 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>102.62</td><td>-----</td><td>-----</td><td>90.09</td><td>34.46</td><td>10.04</td><td>31.97</td><td>0.00</td><td>294 76 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.62	-----	-----	90.09	34.46	10.04	31.97	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5351.50	47.22	54.00	-6.78	34.47	34.60	10.00	31.93	0.00	294 76 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	102.62	-----	-----	90.09	34.46	10.04	31.97	0.00	294 76 AVERAGE																																																																																								







Mode	6																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																							
ANT	CDD																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																	
Peak Avg																																																																																																																																								
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7093.33</td><td>44.77</td><td>68.20</td><td>-23.43</td><td>61.94</td><td>35.69</td><td>11.65</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>45.21</td><td>74.00</td><td>-28.79</td><td>58.33</td><td>37.90</td><td>14.10</td><td>65.12</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7093.33	44.77	68.20	-23.43	61.94	35.69	11.65	64.51	0.00	---	---	PEAK	2	10640.00	45.21	74.00	-28.79	58.33	37.90	14.10	65.12	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7093.33</td><td>43.57</td><td>68.20</td><td>-24.63</td><td>60.74</td><td>35.69</td><td>11.65</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>58.86</td><td>37.90</td><td>14.10</td><td>65.12</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7093.33	43.57	68.20	-24.63	60.74	35.69	11.65	64.51	0.00	---	---	PEAK	2	10640.00	45.74	74.00	-28.26	58.86	37.90	14.10	65.12	0.00	---	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																													
1	7093.33	44.77	68.20	-23.43	61.94	35.69	11.65	64.51	0.00	---	---	PEAK																																																																																																																												
2	10640.00	45.21	74.00	-28.79	58.33	37.90	14.10	65.12	0.00	---	---	PEAK																																																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																													
1	7093.33	43.57	68.20	-24.63	60.74	35.69	11.65	64.51	0.00	---	---	PEAK																																																																																																																												
2	10640.00	45.74	74.00	-28.26	58.86	37.90	14.10	65.12	0.00	---	---	PEAK																																																																																																																												





Mode	7																																																																		
	Band Edge																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																		
ANT	CDD																																																																		
Pol.	Horizontal																																																																		
Peak	Fundamental																																																																		
																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.36</td><td>55.38</td><td>74.00</td><td>-18.62</td><td>42.34</td><td>34.79</td><td>10.18</td><td>31.93</td><td>0.00</td><td>107</td><td>87 PEAK</td></tr><tr><td>2</td><td>5467.12</td><td>56.66</td><td>68.20</td><td>-11.54</td><td>43.65</td><td>34.77</td><td>10.19</td><td>31.95</td><td>0.00</td><td>107</td><td>87 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.36	55.38	74.00	-18.62	42.34	34.79	10.18	31.93	0.00	107	87 PEAK	2	5467.12	56.66	68.20	-11.54	43.65	34.77	10.19	31.95	0.00	107
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5453.36	55.38	74.00	-18.62	42.34	34.79	10.18	31.93	0.00	107	87 PEAK																																																								
2	5467.12	56.66	68.20	-11.54	43.65	34.77	10.19	31.95	0.00	107	87 PEAK																																																								
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.72</td><td>45.58</td><td>54.00</td><td>-8.42</td><td>32.55</td><td>34.79</td><td>10.18</td><td>31.94</td><td>0.00</td><td>107</td><td>87 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.72	45.58	54.00	-8.42	32.55	34.79	10.18	31.94	0.00	107	87 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5456.72	45.58	54.00	-8.42	32.55	34.79	10.18	31.94	0.00	107	87 AVERAGE																																																								
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>114.13</td><td>-----</td><td>-----</td><td>101.20</td><td>34.70</td><td>10.22</td><td>31.99</td><td>0.00</td><td>107</td><td>87 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	114.13	-----	-----	101.20	34.70	10.22	31.99	0.00	107	87 PEAK											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5500.00	114.13	-----	-----	101.20	34.70	10.22	31.99	0.00	107	87 PEAK																																																								
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>105.86</td><td>-----</td><td>-----</td><td>92.92</td><td>34.71</td><td>10.21</td><td>31.98</td><td>0.00</td><td>107</td><td>87 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.86	-----	-----	92.92	34.71	10.21	31.98	0.00	107	87 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5500.00	105.86	-----	-----	92.92	34.71	10.21	31.98	0.00	107	87 AVERAGE																																																								





Mode	7																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																
ANT	CDD																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5406.96</td><td>54.21</td><td>74.00</td><td>-19.79</td><td>41.32</td><td>34.63</td><td>10.14</td><td>31.88</td><td>0.00</td><td>280</td><td>77 PEAK</td></tr><tr><td>2</td><td>5462.80</td><td>54.99</td><td>68.20</td><td>-13.21</td><td>41.98</td><td>34.77</td><td>10.19</td><td>31.95</td><td>0.00</td><td>280</td><td>77 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5406.96	54.21	74.00	-19.79	41.32	34.63	10.14	31.88	0.00	280	77 PEAK	2	5462.80	54.99	68.20	-13.21	41.98	34.77	10.19	31.95	0.00	280	77 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>110.95</td><td>-----</td><td>-----</td><td>98.01</td><td>34.71</td><td>10.21</td><td>31.98</td><td>0.00</td><td>280</td><td>77 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.95	-----	-----	98.01	34.71	10.21	31.98	0.00	280	77 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5406.96	54.21	74.00	-19.79	41.32	34.63	10.14	31.88	0.00	280	77 PEAK																																																																																																						
2	5462.80	54.99	68.20	-13.21	41.98	34.77	10.19	31.95	0.00	280	77 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	110.95	-----	-----	98.01	34.71	10.21	31.98	0.00	280	77 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>44.58</td><td>54.00</td><td>-9.42</td><td>31.56</td><td>34.78</td><td>10.18</td><td>31.94</td><td>0.00</td><td>280</td><td>77 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	44.58	54.00	-9.42	31.56	34.78	10.18	31.94	0.00	280	77 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.20</td><td>-----</td><td>-----</td><td>89.26</td><td>34.71</td><td>10.21</td><td>31.98</td><td>0.00</td><td>280</td><td>77 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.20	-----	-----	89.26	34.71	10.21	31.98	0.00	280	77 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.92	44.58	54.00	-9.42	31.56	34.78	10.18	31.94	0.00	280	77 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	102.20	-----	-----	89.26	34.71	10.21	31.98	0.00	280	77 AVERAGE																																																																																																						






		7																																																																																	
Mode		Harmonic																																																																																	
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																	
ANT		CDD																																																																																	
Pol.		Horizontal						Vertical																																																																											
Peak Avg																																																																																			
																																																																																			
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8250.00</td><td>49.43</td><td>74.00</td><td>-24.57</td><td>67.66</td><td>35.90</td><td>12.56</td><td>66.69</td><td>0.00</td><td>100</td><td>72 PEAK</td></tr><tr><td>2</td><td>8250.00</td><td>46.16</td><td>54.00</td><td>-7.84</td><td>64.39</td><td>35.90</td><td>12.56</td><td>66.69</td><td>0.00</td><td>100</td><td>72 AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.52</td><td>74.00</td><td>-28.48</td><td>58.08</td><td>37.90</td><td>14.24</td><td>64.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8250.00	49.43	74.00	-24.57	67.66	35.90	12.56	66.69	0.00	100	72 PEAK	2	8250.00	46.16	54.00	-7.84	64.39	35.90	12.56	66.69	0.00	100	72 AVERAGE	3	11000.00	45.52	74.00	-28.48	58.08	37.90	14.24	64.70	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	8250.00	49.43	74.00	-24.57	67.66	35.90	12.56	66.69	0.00	100	72 PEAK																																																																								
2	8250.00	46.16	54.00	-7.84	64.39	35.90	12.56	66.69	0.00	100	72 AVERAGE																																																																								
3	11000.00	45.52	74.00	-28.48	58.08	37.90	14.24	64.70	0.00	---	---	PEAK																																																																							
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8250.00</td><td>44.78</td><td>74.00</td><td>-29.22</td><td>63.01</td><td>35.90</td><td>12.56</td><td>66.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>46.57</td><td>74.00</td><td>-27.43</td><td>59.13</td><td>37.90</td><td>14.24</td><td>64.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8250.00	44.78	74.00	-29.22	63.01	35.90	12.56	66.69	0.00	---	---	PEAK	2	11000.00	46.57	74.00	-27.43	59.13	37.90	14.24	64.70	0.00	---	---	PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	8250.00	44.78	74.00	-29.22	63.01	35.90	12.56	66.69	0.00	---	---	PEAK																																																																							
2	11000.00	46.57	74.00	-27.43	59.13	37.90	14.24	64.70	0.00	---	---	PEAK																																																																							






		8																																																																																			
Mode		Harmonic																																																																																			
		U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																			
ANT		CDD																																																																																			
Pol.		Horizontal						Vertical																																																																													
Peak Avg																																																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7440.00</td><td>51.30</td><td>74.00</td><td>-22.70</td><td>69.13</td><td>35.78</td><td>11.96</td><td>65.57</td><td>0.00</td><td>122</td><td>258</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>48.96</td><td>54.00</td><td>-5.04</td><td>66.79</td><td>35.78</td><td>11.96</td><td>65.57</td><td>0.00</td><td>122</td><td>258</td><td>Average</td></tr><tr><td>3</td><td>11160.00</td><td>45.48</td><td>74.00</td><td>-28.52</td><td>57.67</td><td>37.96</td><td>14.36</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7440.00	51.30	74.00	-22.70	69.13	35.78	11.96	65.57	0.00	122	258	Peak	2	7440.00	48.96	54.00	-5.04	66.79	35.78	11.96	65.57	0.00	122	258	Average	3	11160.00	45.48	74.00	-28.52	57.67	37.96	14.36	64.51	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	7440.00	51.30	74.00	-22.70	69.13	35.78	11.96	65.57	0.00	122	258	Peak																																																																									
2	7440.00	48.96	54.00	-5.04	66.79	35.78	11.96	65.57	0.00	122	258	Average																																																																									
3	11160.00	45.48	74.00	-28.52	57.67	37.96	14.36	64.51	0.00	---	---	PEAK																																																																									
																																																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7440.00</td><td>46.60</td><td>74.00</td><td>-27.40</td><td>64.43</td><td>35.78</td><td>11.96</td><td>65.57</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11160.00</td><td>45.59</td><td>74.00</td><td>-28.41</td><td>57.78</td><td>37.96</td><td>14.36</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7440.00	46.60	74.00	-27.40	64.43	35.78	11.96	65.57	0.00	---	---	Peak	2	11160.00	45.59	74.00	-28.41	57.78	37.96	14.36	64.51	0.00	---	---	PEAK												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	7440.00	46.60	74.00	-27.40	64.43	35.78	11.96	65.57	0.00	---	---	Peak																																																																									
2	11160.00	45.59	74.00	-28.41	57.78	37.96	14.36	64.51	0.00	---	---	PEAK																																																																									



Mode	9																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																		
ANT	CDD																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5726.76</td><td>63.93</td><td>68.20</td><td>-4.27</td><td>50.96</td><td>34.50</td><td>10.43</td><td>31.96</td><td>0.00</td><td>100</td><td>88</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.76	63.93	68.20	-4.27	50.96	34.50	10.43	31.96	0.00	100	88	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>111.34</td><td>-----</td><td>-----</td><td>98.45</td><td>34.50</td><td>10.41</td><td>32.02</td><td>0.00</td><td>100</td><td>88</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	111.34	-----	-----	98.45	34.50	10.41	32.02	0.00	100	88
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5726.76	63.93	68.20	-4.27	50.96	34.50	10.43	31.96	0.00	100	88	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	111.34	-----	-----	98.45	34.50	10.41	32.02	0.00	100	88	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>104.24</td><td>-----</td><td>-----</td><td>91.36</td><td>34.50</td><td>10.40</td><td>32.02</td><td>0.00</td><td>100</td><td>88</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.24	-----	-----	91.36	34.50	10.40	32.02	0.00	100	88	AVERAGE																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	104.24	-----	-----	91.36	34.50	10.40	32.02	0.00	100	88	AVERAGE																																																																																							







Mode	9																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																						
ANT	CDD																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5729.64</td><td>57.45</td><td>68.20</td><td>-10.75</td><td>44.47</td><td>34.50</td><td>10.43</td><td>31.95</td><td>0.00</td><td>284</td><td>77 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5729.64	57.45	68.20	-10.75	44.47	34.50	10.43	31.95	0.00	284	77 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>106.22</td><td>-----</td><td>-----</td><td>93.31</td><td>34.52</td><td>10.40</td><td>32.01</td><td>0.00</td><td>284</td><td>77 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	106.22	-----	-----	93.31	34.52	10.40	32.01	0.00	284
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5729.64	57.45	68.20	-10.75	44.47	34.50	10.43	31.95	0.00	284	77 PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5700.00	106.22	-----	-----	93.31	34.52	10.40	32.01	0.00	284	77 PEAK																																																																																												
Avg	Blank																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>100.60</td><td>-----</td><td>-----</td><td>87.72</td><td>34.50</td><td>10.40</td><td>32.02</td><td>0.00</td><td>284</td><td>77 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	100.60	-----	-----	87.72	34.50	10.40	32.02	0.00	284	77 AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5700.00	100.60	-----	-----	87.72	34.50	10.40	32.02	0.00	284	77 AVERAGE																																																																																												







		9																																																																											
Mode		Harmonic																																																																											
		U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																											
ANT		CDD																																																																											
Pol.		Horizontal						Vertical																																																																					
Peak Avg																																																																													
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7599.81</td><td>45.68</td><td>74.00</td><td>-28.32</td><td>63.80</td><td>35.80</td><td>12.00</td><td>65.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>46.70</td><td>74.00</td><td>-27.30</td><td>58.30</td><td>38.10</td><td>14.53</td><td>64.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7599.81	45.68	74.00	-28.32	63.80	35.80	12.00	65.92	0.00	---	---	PEAK	2	11400.00	46.70	74.00	-27.30	58.30	38.10	14.53	64.23	0.00	---	---	PEAK
		Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																		
1	7599.81	45.68	74.00	-28.32	63.80	35.80	12.00	65.92	0.00	---	---	PEAK																																																																	
2	11400.00	46.70	74.00	-27.30	58.30	38.10	14.53	64.23	0.00	---	---	PEAK																																																																	
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7599.81</td><td>43.14</td><td>74.00</td><td>-30.86</td><td>61.26</td><td>35.80</td><td>12.00</td><td>65.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>45.62</td><td>74.00</td><td>-28.38</td><td>57.22</td><td>38.10</td><td>14.53</td><td>64.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7599.81	43.14	74.00	-30.86	61.26	35.80	12.00	65.92	0.00	---	---	PEAK	2	11400.00	45.62	74.00	-28.38	57.22	38.10	14.53	64.23	0.00	---	---	PEAK
		Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																		
1	7599.81	43.14	74.00	-30.86	61.26	35.80	12.00	65.92	0.00	---	---	PEAK																																																																	
2	11400.00	45.62	74.00	-28.38	57.22	38.10	14.53	64.23	0.00	---	---	PEAK																																																																	





Mode	10																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																																		
ANT	CDD																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.10</td><td>58.02</td><td>74.00</td><td>-15.98</td><td>45.91</td><td>34.20</td><td>9.88</td><td>31.97</td><td>0.00</td><td>100</td><td>85</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.10	58.02	74.00	-15.98	45.91	34.20	9.88	31.97	0.00	100	85	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>111.22</td><td>-----</td><td>-----</td><td>99.01</td><td>34.28</td><td>9.92</td><td>31.99</td><td>0.00</td><td>100</td><td>85</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.22	-----	-----	99.01	34.28	9.92	31.99	0.00	100	85
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5148.10	58.02	74.00	-15.98	45.91	34.20	9.88	31.97	0.00	100	85	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	111.22	-----	-----	99.01	34.28	9.92	31.99	0.00	100	85	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.20</td><td>46.05</td><td>54.00</td><td>-7.95</td><td>33.94</td><td>34.20</td><td>9.88</td><td>31.97</td><td>0.00</td><td>100</td><td>85</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.20	46.05	54.00	-7.95	33.94	34.20	9.88	31.97	0.00	100	85	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>103.00</td><td>-----</td><td>-----</td><td>90.89</td><td>34.26</td><td>9.91</td><td>31.98</td><td>0.00</td><td>100</td><td>85</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.00	-----	-----	90.89	34.26	9.91	31.98	0.00	100	85
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5148.20	46.05	54.00	-7.95	33.94	34.20	9.88	31.97	0.00	100	85	AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	103.00	-----	-----	90.89	34.26	9.91	31.98	0.00	100	85	AVERAGE																																																																																							





Mode	10																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																																		
ANT	CDD																																																																																																		
Pol.	Vertical					Fundamental																																																																																													
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5128.30</td><td>55.75</td><td>74.00</td><td>-18.25</td><td>43.61</td><td>34.24</td><td>9.86</td><td>31.96</td><td>0.00</td><td>263</td><td>70 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5128.30	55.75	74.00	-18.25	43.61	34.24	9.86	31.96	0.00	263	70 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>108.87</td><td>-----</td><td>-----</td><td>96.69</td><td>34.25</td><td>9.91</td><td>31.98</td><td>0.00</td><td>263</td><td>70 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	108.87	-----	-----	96.69	34.25	9.91	31.98	0.00	263
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5128.30	55.75	74.00	-18.25	43.61	34.24	9.86	31.96	0.00	263	70 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5180.00	108.87	-----	-----	96.69	34.25	9.91	31.98	0.00	263	70 PEAK																																																																																								
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5145.30</td><td>44.21</td><td>54.00</td><td>-9.79</td><td>32.09</td><td>34.21</td><td>9.88</td><td>31.97</td><td>0.00</td><td>263</td><td>70 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5145.30	44.21	54.00	-9.79	32.09	34.21	9.88	31.97	0.00	263	70 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>98.98</td><td>-----</td><td>-----</td><td>86.80</td><td>34.25</td><td>9.91</td><td>31.98</td><td>0.00</td><td>263</td><td>70 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	98.98	-----	-----	86.80	34.25	9.91	31.98	0.00	263
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5145.30	44.21	54.00	-9.79	32.09	34.21	9.88	31.97	0.00	263	70 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5180.00	98.98	-----	-----	86.80	34.25	9.91	31.98	0.00	263	70 AVERAGE																																																																																								



		10																																																									
Mode		Harmonic																																																									
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																									
ANT		CDD																																																									
Pol.		Horizontal						Vertical																																																			
Peak Avg																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10360.00</td><td>45.67</td><td>68.20</td><td>-22.53</td><td>59.67</td><td>37.46</td><td>13.99</td><td>65.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	45.67	68.20	-22.53	59.67	37.46	13.99	65.45	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	10360.00	45.67	68.20	-22.53	59.67	37.46	13.99	65.45	0.00	---	---	PEAK																																															
																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10360.00</td><td>44.41</td><td>68.20</td><td>-23.79</td><td>58.41</td><td>37.46</td><td>13.99</td><td>65.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	44.41	68.20	-23.79	58.41	37.46	13.99	65.45	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	10360.00	44.41	68.20	-23.79	58.41	37.46	13.99	65.45	0.00	---	---	PEAK																																															





		11																																																																																																																																							
Mode		Harmonic																																																																																																																																							
		U-NII-1_5.15-5.25_802.11ax HE20_CH44_Full_5220MHz																																																																																																																																							
ANT		CDD																																																																																																																																							
Pol.		Horizontal											Vertical																																																																																																																												
Peak Avg																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>45.35</td><td>68.20</td><td>-22.85</td><td>59.09</td><td>37.59</td><td>14.02</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	45.35	68.20	-22.85	59.09	37.59	14.02	65.35	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>44.93</td><td>68.20</td><td>-23.27</td><td>58.67</td><td>37.59</td><td>14.02</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	44.93	68.20	-23.27	58.67	37.59	14.02	65.35	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	10440.00	45.35	68.20	-22.85	59.09	37.59	14.02	65.35	0.00	---	---	PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	10440.00	44.93	68.20	-23.27	58.67	37.59	14.02	65.35	0.00	---	---	PEAK																																																																																																																													



Mode	12																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full_5240MHz																																																																																																																													
ANT	CDD																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>8383.00</td><td>46.18</td><td>74.00</td><td>-27.82</td><td>64.49</td><td>35.00</td><td>12.65</td><td>66.76</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10480.00</td><td>45.67</td><td>68.20</td><td>-22.53</td><td>59.25</td><td>37.68</td><td>14.04</td><td>65.30</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8383.00	46.18	74.00	-27.82	64.49	35.00	12.65	66.76	0.00	---	Peak	2	10480.00	45.67	68.20	-22.53	59.25	37.68	14.04	65.30	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>8383.00</td><td>46.54</td><td>74.00</td><td>-27.46</td><td>64.85</td><td>35.00</td><td>12.65</td><td>66.76</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10480.00</td><td>47.43</td><td>68.20</td><td>-20.77</td><td>61.06</td><td>37.65</td><td>14.03</td><td>65.31</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8383.00	46.54	74.00	-27.46	64.85	35.00	12.65	66.76	0.00	---	Peak	2	10480.00	47.43	68.20	-20.77	61.06	37.65	14.03	65.31	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	8383.00	46.18	74.00	-27.82	64.49	35.00	12.65	66.76	0.00	---	Peak																																																																																																																			
2	10480.00	45.67	68.20	-22.53	59.25	37.68	14.04	65.30	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	8383.00	46.54	74.00	-27.46	64.85	35.00	12.65	66.76	0.00	---	Peak																																																																																																																			
2	10480.00	47.43	68.20	-20.77	61.06	37.65	14.03	65.31	0.00	---	PEAK																																																																																																																			







		13																																																								
Mode		Harmonic																																																								
		U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full_5260MHz																																																								
ANT		CDD																																																								
Pol.		Horizontal																																																								
Peak Avg																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	45.20	68.20	-23.00	58.67	37.74	14.05	65.26	0.00	---	---	PEAK												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	10520.00	45.20	68.20	-23.00	58.67	37.74	14.05	65.26	0.00	---	---	PEAK																																														
		Vertical																																																								
																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10520.00</td><td>45.23</td><td>68.20</td><td>-22.97</td><td>58.69</td><td>37.75</td><td>14.05</td><td>65.26</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	45.23	68.20	-22.97	58.69	37.75	14.05	65.26	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	10520.00	45.23	68.20	-22.97	58.69	37.75	14.05	65.26	0.00	---	---	PEAK																																														







		14																																																																								
Mode		Harmonic																																																																								
		U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full_5300MHz																																																																								
ANT		CDD																																																																								
Pol.		Horizontal											Vertical																																																													
Peak Avg																																																																										
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8400.00</td><td>45.81</td><td>74.00</td><td>-28.19</td><td>64.05</td><td>35.86</td><td>12.70</td><td>66.80</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10600.00</td><td>46.64</td><td>74.00</td><td>-27.36</td><td>59.83</td><td>37.90</td><td>14.08</td><td>65.17</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>																	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8400.00	45.81	74.00	-28.19	64.05	35.86	12.70	66.80	0.00	---	Peak	2	10600.00	46.64	74.00	-27.36	59.83	37.90	14.08	65.17	0.00	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																
1	8400.00	45.81	74.00	-28.19	64.05	35.86	12.70	66.80	0.00	---	Peak																																																															
2	10600.00	46.64	74.00	-27.36	59.83	37.90	14.08	65.17	0.00	---	PEAK																																																															
<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8479.50</td><td>46.48</td><td>74.00</td><td>-27.52</td><td>64.72</td><td>35.86</td><td>12.70</td><td>66.80</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10600.00</td><td>46.40</td><td>74.00</td><td>-27.60</td><td>59.59</td><td>37.90</td><td>14.08</td><td>65.17</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>																	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8479.50	46.48	74.00	-27.52	64.72	35.86	12.70	66.80	0.00	---	Peak	2	10600.00	46.40	74.00	-27.60	59.59	37.90	14.08	65.17	0.00	---	PEAK	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																
1	8479.50	46.48	74.00	-27.52	64.72	35.86	12.70	66.80	0.00	---	Peak																																																															
2	10600.00	46.40	74.00	-27.60	59.59	37.90	14.08	65.17	0.00	---	PEAK																																																															





		15																																																																																																			
Mode	Band Edge																																																																																																				
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																																				
ANT	CDD																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5354.90</td><td>57.64</td><td>74.00</td><td>-16.36</td><td>44.88</td><td>34.60</td><td>10.00</td><td>31.92</td><td>0.00</td><td>100</td><td>84 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.90	57.64	74.00	-16.36	44.88	34.60	10.00	31.92	0.00	100	84 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>112.61</td><td>-----</td><td>-----</td><td>100.01</td><td>34.50</td><td>10.06</td><td>31.96</td><td>0.00</td><td>100</td><td>84 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	112.61	-----	-----	100.01	34.50	10.06	31.96	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5354.90	57.64	74.00	-16.36	44.88	34.60	10.00	31.92	0.00	100	84 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5320.00	112.61	-----	-----	100.01	34.50	10.06	31.96	0.00	100	84 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.70</td><td>47.56</td><td>54.00</td><td>-6.44</td><td>34.81</td><td>34.60</td><td>10.00</td><td>31.93</td><td>0.00</td><td>100</td><td>84 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.70	47.56	54.00	-6.44	34.81	34.60	10.00	31.93	0.00	100	84 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>103.96</td><td>-----</td><td>-----</td><td>91.43</td><td>34.46</td><td>10.04</td><td>31.97</td><td>0.00</td><td>100</td><td>84 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	103.96	-----	-----	91.43	34.46	10.04	31.97	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5353.70	47.56	54.00	-6.44	34.81	34.60	10.00	31.93	0.00	100	84 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5320.00	103.96	-----	-----	91.43	34.46	10.04	31.97	0.00	100	84 AVERAGE																																																																																										







Mode	15																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																																		
ANT	CDD																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.10</td><td>58.40</td><td>74.00</td><td>-15.60</td><td>45.65</td><td>34.60</td><td>10.00</td><td>31.93</td><td>0.00</td><td>295 76 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.10	58.40	74.00	-15.60	45.65	34.60	10.00	31.93	0.00	295 76 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>109.87</td><td>-----</td><td>-----</td><td>97.34</td><td>34.46</td><td>10.04</td><td>31.97</td><td>0.00</td><td>295 76 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.87	-----	-----	97.34	34.46	10.04	31.97	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5352.10	58.40	74.00	-15.60	45.65	34.60	10.00	31.93	0.00	295 76 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	109.87	-----	-----	97.34	34.46	10.04	31.97	0.00	295 76 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.10</td><td>45.98</td><td>54.00</td><td>-8.02</td><td>33.23</td><td>34.60</td><td>10.00</td><td>31.93</td><td>0.00</td><td>295 76 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.10	45.98	54.00	-8.02	33.23	34.60	10.00	31.93	0.00	295 76 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>100.93</td><td>-----</td><td>-----</td><td>88.33</td><td>34.50</td><td>10.06</td><td>31.96</td><td>0.00</td><td>295 76 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.93	-----	-----	88.33	34.50	10.06	31.96	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5351.10	45.98	54.00	-8.02	33.23	34.60	10.00	31.93	0.00	295 76 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	100.93	-----	-----	88.33	34.50	10.06	31.96	0.00	295 76 AVERAGE																																																																																									







Mode	15																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																																																																	
ANT	CDD																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7093.50</td><td>49.12</td><td>68.20</td><td>-19.08</td><td>66.29</td><td>35.69</td><td>11.65</td><td>64.51</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10640.00</td><td>45.54</td><td>74.00</td><td>-28.46</td><td>58.66</td><td>37.90</td><td>14.10</td><td>65.12</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7093.50	49.12	68.20	-19.08	66.29	35.69	11.65	64.51	0.00	---	Peak	2	10640.00	45.54	74.00	-28.46	58.66	37.90	14.10	65.12	0.00	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7093.50</td><td>50.33</td><td>68.20</td><td>-17.87</td><td>67.50</td><td>35.69</td><td>11.65</td><td>64.51</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10640.00</td><td>46.01</td><td>74.00</td><td>-27.99</td><td>59.13</td><td>37.90</td><td>14.10</td><td>65.12</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7093.50	50.33	68.20	-17.87	67.50	35.69	11.65	64.51	0.00	---	Peak	2	10640.00	46.01	74.00	-27.99	59.13	37.90	14.10	65.12	0.00	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	7093.50	49.12	68.20	-19.08	66.29	35.69	11.65	64.51	0.00	---	Peak																																																																																																																							
2	10640.00	45.54	74.00	-28.46	58.66	37.90	14.10	65.12	0.00	---	PEAK																																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	7093.50	50.33	68.20	-17.87	67.50	35.69	11.65	64.51	0.00	---	Peak																																																																																																																							
2	10640.00	46.01	74.00	-27.99	59.13	37.90	14.10	65.12	0.00	---	PEAK																																																																																																																							



Mode	16																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full_5500MHz																																																																			
ANT	CDD																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.52</td><td>56.03</td><td>74.00</td><td>-17.97</td><td>42.99</td><td>34.79</td><td>10.18</td><td>31.93</td><td>0.00</td><td>104</td><td>86 PEAK</td></tr><tr><td>2</td><td>5463.76</td><td>55.04</td><td>68.20</td><td>-13.16</td><td>42.03</td><td>34.77</td><td>10.19</td><td>31.95</td><td>0.00</td><td>104</td><td>86 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.52	56.03	74.00	-17.97	42.99	34.79	10.18	31.93	0.00	104	86 PEAK	2	5463.76	55.04	68.20	-13.16	42.03	34.77	10.19	31.95	0.00	104	86 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5453.52	56.03	74.00	-17.97	42.99	34.79	10.18	31.93	0.00	104	86 PEAK																																																									
2	5463.76	55.04	68.20	-13.16	42.03	34.77	10.19	31.95	0.00	104	86 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>113.88</td><td>-----</td><td>-----</td><td>100.95</td><td>34.70</td><td>10.22</td><td>31.99</td><td>0.00</td><td>104</td><td>86 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	113.88	-----	-----	100.95	34.70	10.22	31.99	0.00	104	86 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	113.88	-----	-----	100.95	34.70	10.22	31.99	0.00	104	86 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>45.15</td><td>54.00</td><td>-8.85</td><td>32.13</td><td>34.78</td><td>10.18</td><td>31.94</td><td>0.00</td><td>104</td><td>86 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	45.15	54.00	-8.85	32.13	34.78	10.18	31.94	0.00	104	86 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.92	45.15	54.00	-8.85	32.13	34.78	10.18	31.94	0.00	104	86 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>104.42</td><td>-----</td><td>-----</td><td>91.46</td><td>34.70</td><td>10.23</td><td>31.97</td><td>0.00</td><td>104</td><td>86 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.42	-----	-----	91.46	34.70	10.23	31.97	0.00	104	86 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	104.42	-----	-----	91.46	34.70	10.23	31.97	0.00	104	86 AVERAGE																																																									



Mode	16																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full_5500MHz																																																																																																																
ANT	CDD																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5443.12</td><td>55.22</td><td>74.00</td><td>-18.78</td><td>42.20</td><td>34.77</td><td>10.17</td><td>31.92</td><td>0.00</td><td>281</td><td>74 PEAK</td></tr><tr><td>2</td><td>5470.00</td><td>54.27</td><td>68.20</td><td>-13.93</td><td>41.27</td><td>34.76</td><td>10.19</td><td>31.95</td><td>0.00</td><td>281</td><td>74 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.12	55.22	74.00	-18.78	42.20	34.77	10.17	31.92	0.00	281	74 PEAK	2	5470.00	54.27	68.20	-13.93	41.27	34.76	10.19	31.95	0.00	281	74 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>107.88</td><td>-----</td><td>-----</td><td>94.94</td><td>34.71</td><td>10.21</td><td>31.98</td><td>0.00</td><td>281</td><td>74 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.88	-----	-----	94.94	34.71	10.21	31.98	0.00	281	74 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5443.12	55.22	74.00	-18.78	42.20	34.77	10.17	31.92	0.00	281	74 PEAK																																																																																																						
2	5470.00	54.27	68.20	-13.93	41.27	34.76	10.19	31.95	0.00	281	74 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	107.88	-----	-----	94.94	34.71	10.21	31.98	0.00	281	74 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>43.99</td><td>54.00</td><td>-10.01</td><td>30.97</td><td>34.78</td><td>10.18</td><td>31.94</td><td>0.00</td><td>281</td><td>74 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	43.99	54.00	-10.01	30.97	34.78	10.18	31.94	0.00	281	74 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>100.17</td><td>-----</td><td>-----</td><td>87.24</td><td>34.70</td><td>10.22</td><td>31.99</td><td>0.00</td><td>281</td><td>74 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.17	-----	-----	87.24	34.70	10.22	31.99	0.00	281	74 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.92	43.99	54.00	-10.01	30.97	34.78	10.18	31.94	0.00	281	74 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	100.17	-----	-----	87.24	34.70	10.22	31.99	0.00	281	74 AVERAGE																																																																																																						






		16																																																																																																																																		
Mode		Harmonic																																																																																																																																		
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full_5500MHz																																																																																																																																		
ANT		CDD																																																																																																																																		
Pol.		Horizontal											Vertical																																																																																																																							
Peak Avg																																																																																																																																				
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>8250.00</td><td>51.00</td><td>74.00</td><td>-22.20</td><td>70.03</td><td>35.90</td><td>12.56</td><td>66.69</td><td>0.00</td><td>111</td><td>69 PEAK</td></tr><tr><td>2</td><td>8250.00</td><td>49.46</td><td>54.00</td><td>-4.54</td><td>67.69</td><td>35.90</td><td>12.56</td><td>66.69</td><td>0.00</td><td>111</td><td>69 AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.32</td><td>74.00</td><td>-28.68</td><td>57.88</td><td>37.90</td><td>14.24</td><td>64.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	8250.00	51.00	74.00	-22.20	70.03	35.90	12.56	66.69	0.00	111	69 PEAK	2	8250.00	49.46	54.00	-4.54	67.69	35.90	12.56	66.69	0.00	111	69 AVERAGE	3	11000.00	45.32	74.00	-28.68	57.88	37.90	14.24	64.70	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>8250.00</td><td>50.04</td><td>74.00</td><td>-23.96</td><td>68.27</td><td>35.90</td><td>12.56</td><td>66.69</td><td>0.00</td><td>300</td><td>90 PEAK</td></tr><tr><td>2</td><td>8250.00</td><td>47.29</td><td>54.00</td><td>-6.71</td><td>65.52</td><td>35.90</td><td>12.56</td><td>66.69</td><td>0.00</td><td>300</td><td>90 AVERAGE</td></tr><tr><td>3</td><td>11000.00</td><td>45.64</td><td>74.00</td><td>-28.36</td><td>58.20</td><td>37.90</td><td>14.24</td><td>64.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>				Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	8250.00	50.04	74.00	-23.96	68.27	35.90	12.56	66.69	0.00	300	90 PEAK	2	8250.00	47.29	54.00	-6.71	65.52	35.90	12.56	66.69	0.00	300	90 AVERAGE	3	11000.00	45.64	74.00	-28.36	58.20	37.90	14.24	64.70	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
1	8250.00	51.00	74.00	-22.20	70.03	35.90	12.56	66.69	0.00	111	69 PEAK																																																																																																																									
2	8250.00	49.46	54.00	-4.54	67.69	35.90	12.56	66.69	0.00	111	69 AVERAGE																																																																																																																									
3	11000.00	45.32	74.00	-28.68	57.88	37.90	14.24	64.70	0.00	---	---	PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
1	8250.00	50.04	74.00	-23.96	68.27	35.90	12.56	66.69	0.00	300	90 PEAK																																																																																																																									
2	8250.00	47.29	54.00	-6.71	65.52	35.90	12.56	66.69	0.00	300	90 AVERAGE																																																																																																																									
3	11000.00	45.64	74.00	-28.36	58.20	37.90	14.24	64.70	0.00	---	---	PEAK																																																																																																																								






		17																																																																
Mode		Harmonic																																																																
		U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full_5580MHz																																																																
ANT		CDD																																																																
Pol.		Horizontal																																																																
Peak Avg																																																																		
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7439.81	50.97	74.00	-23.03	69.93	35.78	11.96	66.70	0.00	120	91 PEAK	2 7439.81	48.93	54.00	-5.07	67.89	35.78	11.96	66.70	0.00	120	91 AVERAGE	3 11160.00	42.74	74.00	-31.26	57.24	37.96	14.36	66.82	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 7439.81	50.97	74.00	-23.03	69.93	35.78	11.96	66.70	0.00	120	91 PEAK																																																								
2 7439.81	48.93	54.00	-5.07	67.89	35.78	11.96	66.70	0.00	120	91 AVERAGE																																																								
3 11160.00	42.74	74.00	-31.26	57.24	37.96	14.36	66.82	0.00	---	---	PEAK																																																							
		Vertical																																																																
Peak Avg																																																																		
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7439.81	46.96	74.00	-27.04	65.92	35.78	11.96	66.70	0.00	100	104 PEAK	2 7439.81	43.48	54.00	-10.52	62.44	35.78	11.96	66.70	0.00	100	104 AVERAGE	3 11160.00	43.09	74.00	-30.91	57.59	37.96	14.36	66.82	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 7439.81	46.96	74.00	-27.04	65.92	35.78	11.96	66.70	0.00	100	104 PEAK																																																								
2 7439.81	43.48	54.00	-10.52	62.44	35.78	11.96	66.70	0.00	100	104 AVERAGE																																																								
3 11160.00	43.09	74.00	-30.91	57.59	37.96	14.36	66.82	0.00	---	---	PEAK																																																							



Mode	18																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full_5700MHz																																																																																																			
ANT	CDD																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5726.12</td><td>64.82</td><td>68.20</td><td>-3.38</td><td>51.85</td><td>34.50</td><td>10.43</td><td>31.96</td><td>0.00</td><td>100</td><td>87 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5726.12	64.82	68.20	-3.38	51.85	34.50	10.43	31.96	0.00	100	87 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>111.20</td><td>-----</td><td>-----</td><td>98.32</td><td>34.50</td><td>10.40</td><td>32.02</td><td>0.00</td><td>100</td><td>87 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	111.20	-----	-----	98.32	34.50	10.40	32.02	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5726.12	64.82	68.20	-3.38	51.85	34.50	10.43	31.96	0.00	100	87 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5700.00	111.20	-----	-----	98.32	34.50	10.40	32.02	0.00	100	87 PEAK																																																																																									
Avg	Blank																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>103.91</td><td>-----</td><td>-----</td><td>91.03</td><td>34.50</td><td>10.40</td><td>32.02</td><td>0.00</td><td>100</td><td>87 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	103.91	-----	-----	91.03	34.50	10.40	32.02	0.00	100	87 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5700.00	103.91	-----	-----	91.03	34.50	10.40	32.02	0.00	100	87 AVERAGE																																																																																									



Mode	18																																																																																																								
	Band Edge																																																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full_5700MHz																																																																																																								
ANT	CDD																																																																																																								
Pol.	Vertical						Fundamental																																																																																																		
Peak																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.72</td><td>62.33</td><td>68.20</td><td>-5.87</td><td>49.36</td><td>34.50</td><td>10.43</td><td>31.96</td><td>0.00</td><td>285</td><td>76</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.72	62.33	68.20	-5.87	49.36	34.50	10.43	31.96	0.00	285	76	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>107.98</td><td>-----</td><td>-----</td><td>95.10</td><td>34.50</td><td>10.40</td><td>32.02</td><td>0.00</td><td>285</td><td>76</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	107.98	-----	-----	95.10	34.50	10.40	32.02	0.00	285	76
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5725.72	62.33	68.20	-5.87	49.36	34.50	10.43	31.96	0.00	285	76	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5700.00	107.98	-----	-----	95.10	34.50	10.40	32.02	0.00	285	76	PEAK																																																																																													
Avg	Blank																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>100.71</td><td>-----</td><td>-----</td><td>87.83</td><td>34.50</td><td>10.40</td><td>32.02</td><td>0.00</td><td>285</td><td>76</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	100.71	-----	-----	87.83	34.50	10.40	32.02	0.00	285	76	AVERAGE																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5700.00	100.71	-----	-----	87.83	34.50	10.40	32.02	0.00	285	76	AVERAGE																																																																																													