







Mode	51																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																															
ANT	CDD																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>66.94</td><td>111.36</td><td>-44.42</td><td>53.34</td><td>34.91</td><td>10.53</td><td>31.04</td><td>0.00</td><td>101</td><td>102</td><td>PEAK</td></tr><tr><td>2</td><td>5862.40</td><td>67.53</td><td>108.83</td><td>-41.30</td><td>53.93</td><td>34.92</td><td>10.53</td><td>31.05</td><td>0.00</td><td>101</td><td>102</td><td>PEAK</td></tr><tr><td>3</td><td>5922.40</td><td>57.88</td><td>70.12</td><td>-12.24</td><td>44.16</td><td>35.04</td><td>10.56</td><td>31.88</td><td>0.00</td><td>101</td><td>102</td><td>PEAK</td></tr><tr><td>4</td><td>5932.80</td><td>59.07</td><td>68.20</td><td>-9.13</td><td>45.30</td><td>35.07</td><td>10.57</td><td>31.87</td><td>0.00</td><td>101</td><td>102</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	66.94	111.36	-44.42	53.34	34.91	10.53	31.04	0.00	101	102	PEAK	2	5862.40	67.53	108.83	-41.30	53.93	34.92	10.53	31.05	0.00	101	102	PEAK	3	5922.40	57.88	70.12	-12.24	44.16	35.04	10.56	31.88	0.00	101	102	PEAK	4	5932.80	59.07	68.20	-9.13	45.30	35.07	10.57	31.87	0.00	101	102	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.00	66.94	111.36	-44.42	53.34	34.91	10.53	31.04	0.00	101	102	PEAK																																																																																				
2	5862.40	67.53	108.83	-41.30	53.93	34.92	10.53	31.05	0.00	101	102	PEAK																																																																																				
3	5922.40	57.88	70.12	-12.24	44.16	35.04	10.56	31.88	0.00	101	102	PEAK																																																																																				
4	5932.80	59.07	68.20	-9.13	45.30	35.07	10.57	31.87	0.00	101	102	PEAK																																																																																				



Mode	51																																																																																							
	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																							
ANT	CDD																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5649.20</td><td>57.30</td><td>68.20</td><td>-10.90</td><td>44.22</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>325</td><td>92 PEAK</td></tr><tr><td>2 5650.00</td><td>55.28</td><td>68.20</td><td>-12.92</td><td>42.20</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>325</td><td>92 PEAK</td></tr><tr><td>3 5707.60</td><td>68.39</td><td>107.43</td><td>-39.04</td><td>55.49</td><td>34.50</td><td>10.41</td><td>32.01</td><td>0.00</td><td>325</td><td>92 PEAK</td></tr><tr><td>4 5720.00</td><td>67.67</td><td>110.90</td><td>-43.23</td><td>54.72</td><td>34.50</td><td>10.42</td><td>31.97</td><td>0.00</td><td>325</td><td>92 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5649.20	57.30	68.20	-10.90	44.22	34.60	10.36	31.88	0.00	325	92 PEAK	2 5650.00	55.28	68.20	-12.92	42.20	34.60	10.36	31.88	0.00	325	92 PEAK	3 5707.60	68.39	107.43	-39.04	55.49	34.50	10.41	32.01	0.00	325	92 PEAK	4 5720.00	67.67	110.90	-43.23	54.72	34.50	10.42	31.97	0.00	325	92 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5649.20	57.30	68.20	-10.90	44.22	34.60	10.36	31.88	0.00	325	92 PEAK																																																																														
2 5650.00	55.28	68.20	-12.92	42.20	34.60	10.36	31.88	0.00	325	92 PEAK																																																																														
3 5707.60	68.39	107.43	-39.04	55.49	34.50	10.41	32.01	0.00	325	92 PEAK																																																																														
4 5720.00	67.67	110.90	-43.23	54.72	34.50	10.42	31.97	0.00	325	92 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>103.28</td><td>-----</td><td>-----</td><td>90.16</td><td>34.53</td><td>10.46</td><td>31.87</td><td>0.00</td><td>325</td><td>92 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	103.28	-----	-----	90.16	34.53	10.46	31.87	0.00	325	92 PEAK																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5775.00	103.28	-----	-----	90.16	34.53	10.46	31.87	0.00	325	92 PEAK																																																																														






Mode	51																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																														
ANT	CDD																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>61.95</td><td>112.27</td><td>-50.32</td><td>48.35</td><td>34.91</td><td>10.53</td><td>31.04</td><td>0.00</td><td>325 92 PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>58.72</td><td>106.14</td><td>-47.42</td><td>45.11</td><td>34.94</td><td>10.54</td><td>31.07</td><td>0.00</td><td>325 92 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.26</td><td>68.35</td><td>-13.09</td><td>41.53</td><td>35.05</td><td>10.56</td><td>31.88</td><td>0.00</td><td>325 92 PEAK</td></tr><tr><td>4</td><td>5925.20</td><td>55.41</td><td>68.20</td><td>-12.79</td><td>41.68</td><td>35.05</td><td>10.56</td><td>31.88</td><td>0.00</td><td>325 92 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	61.95	112.27	-50.32	48.35	34.91	10.53	31.04	0.00	325 92 PEAK	2	5872.00	58.72	106.14	-47.42	45.11	34.94	10.54	31.07	0.00	325 92 PEAK	3	5924.00	55.26	68.35	-13.09	41.53	35.05	10.56	31.88	0.00	325 92 PEAK	4	5925.20	55.41	68.20	-12.79	41.68	35.05	10.56	31.88	0.00	325 92 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.40	61.95	112.27	-50.32	48.35	34.91	10.53	31.04	0.00	325 92 PEAK																																																																					
2	5872.00	58.72	106.14	-47.42	45.11	34.94	10.54	31.07	0.00	325 92 PEAK																																																																					
3	5924.00	55.26	68.35	-13.09	41.53	35.05	10.56	31.88	0.00	325 92 PEAK																																																																					
4	5925.20	55.41	68.20	-12.79	41.68	35.05	10.56	31.88	0.00	325 92 PEAK																																																																					







		51																																																																																																																																																																											
Mode		Harmonic																																																																																																																																																																											
		U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																																																											
ANT		CDD																																																																																																																																																																											
Pol.		Horizontal												Vertical																																																																																																																																																															
Peak Avg																																																																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7699.81</td><td>51.29</td><td>74.00</td><td>-22.71</td><td>70.28</td><td>35.00</td><td>12.10</td><td>66.89</td><td>0.00</td><td>325</td><td>151</td><td>PEAK</td></tr><tr><td>2</td><td>7699.81</td><td>49.58</td><td>54.00</td><td>-4.42</td><td>68.57</td><td>35.00</td><td>12.10</td><td>66.89</td><td>0.00</td><td>325</td><td>151</td><td>AVERAGE</td></tr><tr><td>3</td><td>11550.00</td><td>43.68</td><td>74.00</td><td>-30.32</td><td>57.38</td><td>38.25</td><td>14.64</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7699.81	51.29	74.00	-22.71	70.28	35.00	12.10	66.89	0.00	325	151	PEAK	2	7699.81	49.58	54.00	-4.42	68.57	35.00	12.10	66.89	0.00	325	151	AVERAGE	3	11550.00	43.68	74.00	-30.32	57.38	38.25	14.64	66.59	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7699.81</td><td>47.65</td><td>74.00</td><td>-26.35</td><td>66.64</td><td>35.00</td><td>12.10</td><td>66.89</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>7699.81</td><td>44.25</td><td>54.00</td><td>-9.75</td><td>63.24</td><td>35.00</td><td>12.10</td><td>66.89</td><td>0.00</td><td>100</td><td>100</td><td>AVERAGE</td></tr><tr><td>3</td><td>11550.00</td><td>43.50</td><td>74.00</td><td>-30.50</td><td>57.20</td><td>38.25</td><td>14.64</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7699.81	47.65	74.00	-26.35	66.64	35.00	12.10	66.89	0.00	100	100	PEAK	2	7699.81	44.25	54.00	-9.75	63.24	35.00	12.10	66.89	0.00	100	100	AVERAGE	3	11550.00	43.50	74.00	-30.50	57.20	38.25	14.64	66.59	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																		
1	7699.81	51.29	74.00	-22.71	70.28	35.00	12.10	66.89	0.00	325	151	PEAK																																																																																																																																																																	
2	7699.81	49.58	54.00	-4.42	68.57	35.00	12.10	66.89	0.00	325	151	AVERAGE																																																																																																																																																																	
3	11550.00	43.68	74.00	-30.32	57.38	38.25	14.64	66.59	0.00	---	---	PEAK																																																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																		
1	7699.81	47.65	74.00	-26.35	66.64	35.00	12.10	66.89	0.00	100	100	PEAK																																																																																																																																																																	
2	7699.81	44.25	54.00	-9.75	63.24	35.00	12.10	66.89	0.00	100	100	AVERAGE																																																																																																																																																																	
3	11550.00	43.50	74.00	-30.50	57.20	38.25	14.64	66.59	0.00	---	---	PEAK																																																																																																																																																																	






		52																																																																																																																																
Mode	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																																	
ANT	CDD																																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5626.80</td><td>53.47</td><td>68.20</td><td>-14.73</td><td>40.34</td><td>34.60</td><td>10.34</td><td>31.81</td><td>0.00</td><td>100</td><td>289 PEAK</td></tr><tr><td>2 5650.80</td><td>51.49</td><td>68.80</td><td>-17.31</td><td>38.41</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>289 PEAK</td></tr><tr><td>3 5702.80</td><td>52.69</td><td>106.09</td><td>-53.40</td><td>39.80</td><td>34.50</td><td>10.41</td><td>32.02</td><td>0.00</td><td>100</td><td>289 PEAK</td></tr><tr><td>4 5720.00</td><td>52.73</td><td>110.90</td><td>-58.17</td><td>39.78</td><td>34.50</td><td>10.42</td><td>31.97</td><td>0.00</td><td>100</td><td>289 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5626.80	53.47	68.20	-14.73	40.34	34.60	10.34	31.81	0.00	100	289 PEAK	2 5650.80	51.49	68.80	-17.31	38.41	34.60	10.36	31.88	0.00	100	289 PEAK	3 5702.80	52.69	106.09	-53.40	39.80	34.50	10.41	32.02	0.00	100	289 PEAK	4 5720.00	52.73	110.90	-58.17	39.78	34.50	10.42	31.97	0.00	100	289 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>112.03</td><td>-----</td><td>-----</td><td>99.01</td><td>34.50</td><td>10.44</td><td>31.92</td><td>0.00</td><td>100</td><td>289 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	112.03	-----	-----	99.01	34.50	10.44	31.92	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5626.80	53.47	68.20	-14.73	40.34	34.60	10.34	31.81	0.00	100	289 PEAK																																																																																																																								
2 5650.80	51.49	68.80	-17.31	38.41	34.60	10.36	31.88	0.00	100	289 PEAK																																																																																																																								
3 5702.80	52.69	106.09	-53.40	39.80	34.50	10.41	32.02	0.00	100	289 PEAK																																																																																																																								
4 5720.00	52.73	110.90	-58.17	39.78	34.50	10.42	31.97	0.00	100	289 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5745.00	112.03	-----	-----	99.01	34.50	10.44	31.92	0.00	100	289 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>104.43</td><td>-----</td><td>-----</td><td>91.42</td><td>34.50</td><td>10.44</td><td>31.93</td><td>0.00</td><td>100</td><td>289 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	104.43	-----	-----	91.42	34.50	10.44	31.93	0.00	100	289 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5745.00	104.43	-----	-----	91.42	34.50	10.44	31.93	0.00	100	289 AVERAGE																																																																																																																								






		52																																																																																					
Mode		Band Edge																																																																																					
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/O_5745MHz																																																																																					
ANT		CDD																																																																																					
Pol.		Vertical					Fundamental																																																																																
Peak																																																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5612.40</td><td>53.89</td><td>68.20</td><td>-14.31</td><td>40.74</td><td>34.60</td><td>10.32</td><td>31.77</td><td>0.00</td><td>300</td><td>356 PEAK</td></tr><tr><td>2 5650.00</td><td>52.42</td><td>68.20</td><td>-15.78</td><td>39.34</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>300</td><td>356 PEAK</td></tr><tr><td>3 5702.80</td><td>53.94</td><td>106.09</td><td>-52.15</td><td>41.05</td><td>34.50</td><td>10.41</td><td>32.02</td><td>0.00</td><td>300</td><td>356 PEAK</td></tr><tr><td>4 5720.80</td><td>51.72</td><td>112.72</td><td>-61.00</td><td>38.77</td><td>34.50</td><td>10.42</td><td>31.97</td><td>0.00</td><td>300</td><td>356 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5612.40	53.89	68.20	-14.31	40.74	34.60	10.32	31.77	0.00	300	356 PEAK	2 5650.00	52.42	68.20	-15.78	39.34	34.60	10.36	31.88	0.00	300	356 PEAK	3 5702.80	53.94	106.09	-52.15	41.05	34.50	10.41	32.02	0.00	300	356 PEAK	4 5720.80	51.72	112.72	-61.00	38.77	34.50	10.42	31.97	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5612.40	53.89	68.20	-14.31	40.74	34.60	10.32	31.77	0.00	300	356 PEAK																																																																													
2 5650.00	52.42	68.20	-15.78	39.34	34.60	10.36	31.88	0.00	300	356 PEAK																																																																													
3 5702.80	53.94	106.09	-52.15	41.05	34.50	10.41	32.02	0.00	300	356 PEAK																																																																													
4 5720.80	51.72	112.72	-61.00	38.77	34.50	10.42	31.97	0.00	300	356 PEAK																																																																													
Avg																																																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>106.08</td><td>-----</td><td>-----</td><td>93.07</td><td>34.50</td><td>10.44</td><td>31.93</td><td>0.00</td><td>300</td><td>356 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	106.08	-----	-----	93.07	34.50	10.44	31.93	0.00	300	356 PEAK																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5745.00	106.08	-----	-----	93.07	34.50	10.44	31.93	0.00	300	356 PEAK																																																																													
																																																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>99.35</td><td>-----</td><td>-----</td><td>86.34</td><td>34.50</td><td>10.44</td><td>31.93</td><td>0.00</td><td>300</td><td>356 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	99.35	-----	-----	86.34	34.50	10.44	31.93	0.00	300	356 AVERAGE																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5745.00	99.35	-----	-----	86.34	34.50	10.44	31.93	0.00	300	356 AVERAGE																																																																													
																																																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>99.35</td><td>-----</td><td>-----</td><td>86.34</td><td>34.50</td><td>10.44</td><td>31.93</td><td>0.00</td><td>300</td><td>356 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	99.35	-----	-----	86.34	34.50	10.44	31.93	0.00	300	356 AVERAGE																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5745.00	99.35	-----	-----	86.34	34.50	10.44	31.93	0.00	300	356 AVERAGE																																																																													






		53																																																																																	
Mode		Band Edge																																																																																	
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																	
ANT		CDD																																																																																	
Pol.		Horizontal																																																																																	
Peak																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>53.42</td><td>111.36</td><td>-57.94</td><td>39.82</td><td>34.91</td><td>10.53</td><td>31.84</td><td>0.00</td><td>100</td><td>285 PEAK</td></tr><tr><td>2</td><td>5872.40</td><td>55.37</td><td>106.03</td><td>-50.66</td><td>41.76</td><td>34.94</td><td>10.54</td><td>31.87</td><td>0.00</td><td>100</td><td>285 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>54.26</td><td>68.64</td><td>-14.38</td><td>40.53</td><td>35.05</td><td>10.56</td><td>31.88</td><td>0.00</td><td>100</td><td>285 PEAK</td></tr><tr><td>4</td><td>5952.00</td><td>54.84</td><td>68.20</td><td>-13.36</td><td>41.00</td><td>35.11</td><td>10.58</td><td>31.85</td><td>0.00</td><td>100</td><td>285 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5854.00	53.42	111.36	-57.94	39.82	34.91	10.53	31.84	0.00	100	285 PEAK	2	5872.40	55.37	106.03	-50.66	41.76	34.94	10.54	31.87	0.00	100	285 PEAK	3	5924.40	54.26	68.64	-14.38	40.53	35.05	10.56	31.88	0.00	100	285 PEAK	4	5952.00	54.84	68.20	-13.36	41.00	35.11	10.58	31.85	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																								
1	5854.00	53.42	111.36	-57.94	39.82	34.91	10.53	31.84	0.00	100	285 PEAK																																																																								
2	5872.40	55.37	106.03	-50.66	41.76	34.94	10.54	31.87	0.00	100	285 PEAK																																																																								
3	5924.40	54.26	68.64	-14.38	40.53	35.05	10.56	31.88	0.00	100	285 PEAK																																																																								
4	5952.00	54.84	68.20	-13.36	41.00	35.11	10.58	31.85	0.00	100	285 PEAK																																																																								
Fundamental																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>112.21</td><td>-----</td><td>-----</td><td>98.66</td><td>34.84</td><td>10.52</td><td>31.81</td><td>0.00</td><td>100</td><td>285 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	112.21	-----	-----	98.66	34.84	10.52	31.81	0.00	100	285 PEAK																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																								
1	5825.00	112.21	-----	-----	98.66	34.84	10.52	31.81	0.00	100	285 PEAK																																																																								
Avg	Blank																																																																																		
																																																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.92</td><td>-----</td><td>-----</td><td>92.37</td><td>34.84</td><td>10.52</td><td>31.81</td><td>0.00</td><td>100</td><td>285 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	105.92	-----	-----	92.37	34.84	10.52	31.81	0.00	100	285 AVERAGE																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																								
1	5825.00	105.92	-----	-----	92.37	34.84	10.52	31.81	0.00	100	285 AVERAGE																																																																								






		53																																																																																																																																	
Mode	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																		
ANT	CDD																																																																																																																																		
Pol.	Vertical					Fundamental																																																																																																																													
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>54.79</td><td>112.27</td><td>-57.48</td><td>41.19</td><td>34.91</td><td>10.53</td><td>31.84</td><td>0.00</td><td>300</td><td>264 PEAK</td></tr><tr><td>2 5873.60</td><td>53.29</td><td>105.69</td><td>-52.40</td><td>39.67</td><td>34.95</td><td>10.54</td><td>31.87</td><td>0.00</td><td>300</td><td>264 PEAK</td></tr><tr><td>3 5924.40</td><td>55.09</td><td>68.64</td><td>-13.55</td><td>41.36</td><td>35.05</td><td>10.56</td><td>31.88</td><td>0.00</td><td>300</td><td>264 PEAK</td></tr><tr><td>4 5984.00</td><td>55.48</td><td>68.20</td><td>-12.72</td><td>41.46</td><td>35.24</td><td>10.59</td><td>31.81</td><td>0.00</td><td>300</td><td>264 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	54.79	112.27	-57.48	41.19	34.91	10.53	31.84	0.00	300	264 PEAK	2 5873.60	53.29	105.69	-52.40	39.67	34.95	10.54	31.87	0.00	300	264 PEAK	3 5924.40	55.09	68.64	-13.55	41.36	35.05	10.56	31.88	0.00	300	264 PEAK	4 5984.00	55.48	68.20	-12.72	41.46	35.24	10.59	31.81	0.00	300	264 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>108.16</td><td>-----</td><td>-----</td><td>94.61</td><td>34.84</td><td>10.52</td><td>31.81</td><td>0.00</td><td>300</td><td>264 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	108.16	-----	-----	94.61	34.84	10.52	31.81	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5854.40	54.79	112.27	-57.48	41.19	34.91	10.53	31.84	0.00	300	264 PEAK																																																																																																																									
2 5873.60	53.29	105.69	-52.40	39.67	34.95	10.54	31.87	0.00	300	264 PEAK																																																																																																																									
3 5924.40	55.09	68.64	-13.55	41.36	35.05	10.56	31.88	0.00	300	264 PEAK																																																																																																																									
4 5984.00	55.48	68.20	-12.72	41.46	35.24	10.59	31.81	0.00	300	264 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	108.16	-----	-----	94.61	34.84	10.52	31.81	0.00	300	264 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.00</td><td>-----</td><td>-----</td><td>86.45</td><td>34.84</td><td>10.52</td><td>31.81</td><td>0.00</td><td>300</td><td>264 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	100.00	-----	-----	86.45	34.84	10.52	31.81	0.00	300	264 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	100.00	-----	-----	86.45	34.84	10.52	31.81	0.00	300	264 AVERAGE																																																																																																																									






Mode	54																																																																																
	Band Edge																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																
ANT	CDD																																																																																
Pol.	Horizontal																																																																																
Peak																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5648.40</td><td>53.10</td><td>68.20</td><td>-15.10</td><td>40.02</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>288 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.77</td><td>68.00</td><td>-17.03</td><td>38.69</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>288 PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>54.03</td><td>105.41</td><td>-51.38</td><td>41.15</td><td>34.50</td><td>10.41</td><td>32.03</td><td>0.00</td><td>100</td><td>288 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>53.50</td><td>111.81</td><td>-58.31</td><td>40.55</td><td>34.50</td><td>10.42</td><td>31.97</td><td>0.00</td><td>100</td><td>288 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5648.40	53.10	68.20	-15.10	40.02	34.60	10.36	31.88	0.00	100	288 PEAK	2	5650.00	51.77	68.00	-17.03	38.69	34.60	10.36	31.88	0.00	100	288 PEAK	3	5700.40	54.03	105.41	-51.38	41.15	34.50	10.41	32.03	0.00	100	288 PEAK	4	5720.40	53.50	111.81	-58.31	40.55	34.50	10.42	31.97	0.00	100	288 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																							
1	5648.40	53.10	68.20	-15.10	40.02	34.60	10.36	31.88	0.00	100	288 PEAK																																																																						
2	5650.00	51.77	68.00	-17.03	38.69	34.60	10.36	31.88	0.00	100	288 PEAK																																																																						
3	5700.40	54.03	105.41	-51.38	41.15	34.50	10.41	32.03	0.00	100	288 PEAK																																																																						
4	5720.40	53.50	111.81	-58.31	40.55	34.50	10.42	31.97	0.00	100	288 PEAK																																																																						
Avg	Blank																																																																																
																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5745.00</td><td>109.75</td><td>-----</td><td>-----</td><td>96.74</td><td>34.50</td><td>10.44</td><td>31.93</td><td>0.00</td><td>100</td><td>288 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	109.75	-----	-----	96.74	34.50	10.44	31.93	0.00	100	288 PEAK																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																							
1	5745.00	109.75	-----	-----	96.74	34.50	10.44	31.93	0.00	100	288 PEAK																																																																						
Avg	Blank																																																																																
																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5745.00</td><td>102.16</td><td>-----</td><td>-----</td><td>89.14</td><td>34.50</td><td>10.44</td><td>31.92</td><td>0.00</td><td>100</td><td>288 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	102.16	-----	-----	89.14	34.50	10.44	31.92	0.00	100	288 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																							
1	5745.00	102.16	-----	-----	89.14	34.50	10.44	31.92	0.00	100	288 AVERAGE																																																																						





	54																																																																																																																																								
Mode	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																								
ANT	CDD																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5643.60</td><td>53.78</td><td>68.20</td><td>-14.42</td><td>40.69</td><td>34.60</td><td>10.35</td><td>31.86</td><td>0.00</td><td>301</td><td>355 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.63</td><td>68.20</td><td>-16.57</td><td>38.55</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>301</td><td>355 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>52.49</td><td>105.30</td><td>-52.81</td><td>39.62</td><td>34.50</td><td>10.40</td><td>32.03</td><td>0.00</td><td>301</td><td>355 PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>52.77</td><td>112.72</td><td>-59.95</td><td>39.82</td><td>34.50</td><td>10.42</td><td>31.97</td><td>0.00</td><td>301</td><td>355 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5643.60	53.78	68.20	-14.42	40.69	34.60	10.35	31.86	0.00	301	355 PEAK	2	5650.00	51.63	68.20	-16.57	38.55	34.60	10.36	31.88	0.00	301	355 PEAK	3	5700.00	52.49	105.30	-52.81	39.62	34.50	10.40	32.03	0.00	301	355 PEAK	4	5720.80	52.77	112.72	-59.95	39.82	34.50	10.42	31.97	0.00	301	355 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.67</td><td>-----</td><td>-----</td><td>92.66</td><td>34.50</td><td>10.44</td><td>31.93</td><td>0.00</td><td>301</td><td>355 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.67	-----	-----	92.66	34.50	10.44	31.93	0.00	301	355 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5643.60	53.78	68.20	-14.42	40.69	34.60	10.35	31.86	0.00	301	355 PEAK																																																																																																																														
2	5650.00	51.63	68.20	-16.57	38.55	34.60	10.36	31.88	0.00	301	355 PEAK																																																																																																																														
3	5700.00	52.49	105.30	-52.81	39.62	34.50	10.40	32.03	0.00	301	355 PEAK																																																																																																																														
4	5720.80	52.77	112.72	-59.95	39.82	34.50	10.42	31.97	0.00	301	355 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	105.67	-----	-----	92.66	34.50	10.44	31.93	0.00	301	355 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.87</td><td>-----</td><td>-----</td><td>83.85</td><td>34.50</td><td>10.44</td><td>31.92</td><td>0.00</td><td>301</td><td>355 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	96.87	-----	-----	83.85	34.50	10.44	31.92	0.00	301	355 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	96.87	-----	-----	83.85	34.50	10.44	31.92	0.00	301	355 AVERAGE																																																																																																																														





	55																																																																																																																							
Mode	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																							
ANT	CDD																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>52.53</td><td>111.36</td><td>-58.83</td><td>38.93</td><td>34.91</td><td>10.53</td><td>31.84</td><td>0.00</td><td>100</td><td>284 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>55.42</td><td>105.58</td><td>-50.16</td><td>41.80</td><td>34.95</td><td>10.54</td><td>31.87</td><td>0.00</td><td>100</td><td>284 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>54.69</td><td>68.64</td><td>-13.95</td><td>40.96</td><td>35.05</td><td>10.56</td><td>31.88</td><td>0.00</td><td>100</td><td>284 PEAK</td></tr><tr><td>4</td><td>5984.80</td><td>54.95</td><td>68.20</td><td>-13.25</td><td>40.93</td><td>35.24</td><td>10.59</td><td>31.81</td><td>0.00</td><td>100</td><td>284 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5854.00	52.53	111.36	-58.83	38.93	34.91	10.53	31.84	0.00	100	284 PEAK	2	5874.00	55.42	105.58	-50.16	41.80	34.95	10.54	31.87	0.00	100	284 PEAK	3	5924.40	54.69	68.64	-13.95	40.96	35.05	10.56	31.88	0.00	100	284 PEAK	4	5984.80	54.95	68.20	-13.25	40.93	35.24	10.59	31.81	0.00	100	284 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>110.97</td><td>-----</td><td>-----</td><td>97.43</td><td>34.82</td><td>10.52</td><td>31.80</td><td>0.00</td><td>100</td><td>284 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	110.97	-----	-----	97.43	34.82	10.52	31.80	0.00	100	284 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																													
1	5854.00	52.53	111.36	-58.83	38.93	34.91	10.53	31.84	0.00	100	284 PEAK																																																																																																													
2	5874.00	55.42	105.58	-50.16	41.80	34.95	10.54	31.87	0.00	100	284 PEAK																																																																																																													
3	5924.40	54.69	68.64	-13.95	40.96	35.05	10.56	31.88	0.00	100	284 PEAK																																																																																																													
4	5984.80	54.95	68.20	-13.25	40.93	35.24	10.59	31.81	0.00	100	284 PEAK																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																													
1	5825.00	110.97	-----	-----	97.43	34.82	10.52	31.80	0.00	100	284 PEAK																																																																																																													
Avg	Blank																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.97</td><td>-----</td><td>-----</td><td>89.42</td><td>34.84</td><td>10.52</td><td>31.81</td><td>0.00</td><td>100</td><td>284 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	102.97	-----	-----	89.42	34.84	10.52	31.81	0.00	100	284 AVERAGE																																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																													
1	5825.00	102.97	-----	-----	89.42	34.84	10.52	31.81	0.00	100	284 AVERAGE																																																																																																													






Mode	55																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>53.06</td><td>112.27</td><td>-59.21</td><td>39.46</td><td>34.91</td><td>10.53</td><td>31.84</td><td>0.00</td><td>300</td><td>264 PEAK</td></tr><tr><td>2</td><td>5862.40</td><td>57.09</td><td>108.83</td><td>-51.74</td><td>43.49</td><td>34.92</td><td>10.53</td><td>31.85</td><td>0.00</td><td>300</td><td>264 PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>53.68</td><td>69.83</td><td>-16.15</td><td>39.95</td><td>35.05</td><td>10.56</td><td>31.88</td><td>0.00</td><td>300</td><td>264 PEAK</td></tr><tr><td>4</td><td>5974.80</td><td>55.62</td><td>68.20</td><td>-12.58</td><td>41.65</td><td>35.20</td><td>10.59</td><td>31.82</td><td>0.00</td><td>300</td><td>264 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	53.06	112.27	-59.21	39.46	34.91	10.53	31.84	0.00	300	264 PEAK	2	5862.40	57.09	108.83	-51.74	43.49	34.92	10.53	31.85	0.00	300	264 PEAK	3	5922.80	53.68	69.83	-16.15	39.95	35.05	10.56	31.88	0.00	300	264 PEAK	4	5974.80	55.62	68.20	-12.58	41.65	35.20	10.59	31.82	0.00	300	264 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.40	53.06	112.27	-59.21	39.46	34.91	10.53	31.84	0.00	300	264 PEAK																																																																																	
2	5862.40	57.09	108.83	-51.74	43.49	34.92	10.53	31.85	0.00	300	264 PEAK																																																																																	
3	5922.80	53.68	69.83	-16.15	39.95	35.05	10.56	31.88	0.00	300	264 PEAK																																																																																	
4	5974.80	55.62	68.20	-12.58	41.65	35.20	10.59	31.82	0.00	300	264 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>105.76</td><td>-----</td><td>-----</td><td>92.22</td><td>34.82</td><td>10.52</td><td>31.80</td><td>0.00</td><td>300</td><td>264 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	105.76	-----	-----	92.22	34.82	10.52	31.80	0.00	300	264 PEAK																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	105.76	-----	-----	92.22	34.82	10.52	31.80	0.00	300	264 PEAK																																																																																	






		56																																																																																
Mode		Band Edge																																																																																
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																
ANT		CDD																																																																																
Pol.		Horizontal						Fundamental																																																																										
Peak																																																																																		
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5685.60</td><td>53.93</td><td>68.20</td><td>-14.27</td><td>40.76</td><td>34.60</td><td>10.32</td><td>31.75</td><td>0.00</td><td>100</td><td>289 PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>53.82</td><td>69.69</td><td>-15.87</td><td>40.75</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>100</td><td>289 PEAK</td></tr><tr><td>3</td><td>5783.60</td><td>53.09</td><td>106.31</td><td>-53.22</td><td>40.20</td><td>34.50</td><td>10.41</td><td>32.02</td><td>0.00</td><td>100</td><td>289 PEAK</td></tr><tr><td>4</td><td>5728.00</td><td>51.01</td><td>110.90</td><td>-59.89</td><td>38.06</td><td>34.50</td><td>10.42</td><td>31.97</td><td>0.00</td><td>100</td><td>289 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5685.60	53.93	68.20	-14.27	40.76	34.60	10.32	31.75	0.00	100	289 PEAK	2	5652.00	53.82	69.69	-15.87	40.75	34.60	10.36	31.89	0.00	100	289 PEAK	3	5783.60	53.09	106.31	-53.22	40.20	34.50	10.41	32.02	0.00	100	289 PEAK	4	5728.00	51.01	110.90	-59.89	38.06	34.50	10.42	31.97	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
1	5685.60	53.93	68.20	-14.27	40.76	34.60	10.32	31.75	0.00	100	289 PEAK																																																																							
2	5652.00	53.82	69.69	-15.87	40.75	34.60	10.36	31.89	0.00	100	289 PEAK																																																																							
3	5783.60	53.09	106.31	-53.22	40.20	34.50	10.41	32.02	0.00	100	289 PEAK																																																																							
4	5728.00	51.01	110.90	-59.89	38.06	34.50	10.42	31.97	0.00	100	289 PEAK																																																																							
Avg		Blank																																																																																
								<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.89</td><td>-----</td><td>-----</td><td>85.87</td><td>34.50</td><td>10.44</td><td>31.92</td><td>0.00</td><td>100</td><td>289 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	98.89	-----	-----	85.87	34.50	10.44	31.92	0.00	100	289 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																										
1	5745.00	98.89	-----	-----	85.87	34.50	10.44	31.92	0.00	100	289 AVERAGE																																																																							






	56																																																																																																																																								
Mode	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																								
ANT	CDD																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5616.40</td><td>53.47</td><td>68.20</td><td>-14.73</td><td>40.32</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>300</td><td>356 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.89</td><td>68.20</td><td>-16.31</td><td>38.81</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>300</td><td>356 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>52.13</td><td>105.52</td><td>-53.39</td><td>39.25</td><td>34.50</td><td>10.41</td><td>32.03</td><td>0.00</td><td>300</td><td>356 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>53.29</td><td>111.81</td><td>-58.52</td><td>40.34</td><td>34.50</td><td>10.42</td><td>31.97</td><td>0.00</td><td>300</td><td>356 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5616.40	53.47	68.20	-14.73	40.32	34.60	10.33	31.78	0.00	300	356 PEAK	2	5650.00	51.89	68.20	-16.31	38.81	34.60	10.36	31.88	0.00	300	356 PEAK	3	5700.00	52.13	105.52	-53.39	39.25	34.50	10.41	32.03	0.00	300	356 PEAK	4	5720.40	53.29	111.81	-58.52	40.34	34.50	10.42	31.97	0.00	300	356 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.12</td><td>-----</td><td>-----</td><td>90.10</td><td>34.50</td><td>10.44</td><td>31.92</td><td>0.00</td><td>300</td><td>356 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.12	-----	-----	90.10	34.50	10.44	31.92	0.00	300	356 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5616.40	53.47	68.20	-14.73	40.32	34.60	10.33	31.78	0.00	300	356 PEAK																																																																																																																														
2	5650.00	51.89	68.20	-16.31	38.81	34.60	10.36	31.88	0.00	300	356 PEAK																																																																																																																														
3	5700.00	52.13	105.52	-53.39	39.25	34.50	10.41	32.03	0.00	300	356 PEAK																																																																																																																														
4	5720.40	53.29	111.81	-58.52	40.34	34.50	10.42	31.97	0.00	300	356 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	103.12	-----	-----	90.10	34.50	10.44	31.92	0.00	300	356 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>93.48</td><td>-----</td><td>-----</td><td>80.46</td><td>34.50</td><td>10.44</td><td>31.92</td><td>0.00</td><td>300</td><td>356 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	93.48	-----	-----	80.46	34.50	10.44	31.92	0.00	300	356 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	93.48	-----	-----	80.46	34.50	10.44	31.92	0.00	300	356 AVERAGE																																																																																																																														





		57																																																																																										
Mode	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>54.35</td><td>112.27</td><td>-57.92</td><td>40.75</td><td>34.91</td><td>10.53</td><td>31.84</td><td>0.00</td><td>100</td><td>286 PEAK</td></tr><tr><td>2</td><td>5872.80</td><td>54.54</td><td>105.92</td><td>-51.38</td><td>40.92</td><td>34.95</td><td>10.54</td><td>31.87</td><td>0.00</td><td>100</td><td>286 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>52.76</td><td>68.35</td><td>-15.59</td><td>39.03</td><td>35.05</td><td>10.56</td><td>31.88</td><td>0.00</td><td>100</td><td>286 PEAK</td></tr><tr><td>4</td><td>5993.60</td><td>55.56</td><td>68.20</td><td>-12.64</td><td>41.49</td><td>35.27</td><td>10.60</td><td>31.80</td><td>0.00</td><td>100</td><td>286 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	54.35	112.27	-57.92	40.75	34.91	10.53	31.84	0.00	100	286 PEAK	2	5872.80	54.54	105.92	-51.38	40.92	34.95	10.54	31.87	0.00	100	286 PEAK	3	5924.80	52.76	68.35	-15.59	39.03	35.05	10.56	31.88	0.00	100	286 PEAK	4	5993.60	55.56	68.20	-12.64	41.49	35.27	10.60	31.80	0.00	100	286 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.40	54.35	112.27	-57.92	40.75	34.91	10.53	31.84	0.00	100	286 PEAK																																																																																	
2	5872.80	54.54	105.92	-51.38	40.92	34.95	10.54	31.87	0.00	100	286 PEAK																																																																																	
3	5924.80	52.76	68.35	-15.59	39.03	35.05	10.56	31.88	0.00	100	286 PEAK																																																																																	
4	5993.60	55.56	68.20	-12.64	41.49	35.27	10.60	31.80	0.00	100	286 PEAK																																																																																	
Fundamental																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>106.55</td><td>-----</td><td>-----</td><td>93.00</td><td>34.84</td><td>10.52</td><td>31.81</td><td>0.00</td><td>100</td><td>286 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.55	-----	-----	93.00	34.84	10.52	31.81	0.00	100	286 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	106.55	-----	-----	93.00	34.84	10.52	31.81	0.00	100	286 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>99.13</td><td>-----</td><td>-----</td><td>85.58</td><td>34.84</td><td>10.52</td><td>31.81</td><td>0.00</td><td>100</td><td>286 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.13	-----	-----	85.58	34.84	10.52	31.81	0.00	100	286 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	99.13	-----	-----	85.58	34.84	10.52	31.81	0.00	100	286 AVERAGE																																																																																	





	57																																																																																																																																			
Mode	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																			
ANT	CDD																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>53.32</td><td>112.27</td><td>-58.95</td><td>39.72</td><td>34.91</td><td>10.53</td><td>31.84</td><td>0.00</td><td>217</td><td>263 PEAK</td></tr><tr><td>2 5868.40</td><td>54.99</td><td>107.15</td><td>-52.16</td><td>41.38</td><td>34.94</td><td>10.53</td><td>31.86</td><td>0.00</td><td>217</td><td>263 PEAK</td></tr><tr><td>3 5924.00</td><td>53.00</td><td>68.94</td><td>-15.94</td><td>39.27</td><td>35.05</td><td>10.56</td><td>31.88</td><td>0.00</td><td>217</td><td>263 PEAK</td></tr><tr><td>4 5958.80</td><td>55.12</td><td>68.20</td><td>-13.08</td><td>41.24</td><td>35.14</td><td>10.58</td><td>31.84</td><td>0.00</td><td>217</td><td>263 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	53.32	112.27	-58.95	39.72	34.91	10.53	31.84	0.00	217	263 PEAK	2 5868.40	54.99	107.15	-52.16	41.38	34.94	10.53	31.86	0.00	217	263 PEAK	3 5924.00	53.00	68.94	-15.94	39.27	35.05	10.56	31.88	0.00	217	263 PEAK	4 5958.80	55.12	68.20	-13.08	41.24	35.14	10.58	31.84	0.00	217	263 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>102.27</td><td>-----</td><td>-----</td><td>88.73</td><td>34.82</td><td>10.52</td><td>31.80</td><td>0.00</td><td>217</td><td>263 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	102.27	-----	-----	88.73	34.82	10.52	31.80	0.00	217	263 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.40	53.32	112.27	-58.95	39.72	34.91	10.53	31.84	0.00	217	263 PEAK																																																																																																																										
2 5868.40	54.99	107.15	-52.16	41.38	34.94	10.53	31.86	0.00	217	263 PEAK																																																																																																																										
3 5924.00	53.00	68.94	-15.94	39.27	35.05	10.56	31.88	0.00	217	263 PEAK																																																																																																																										
4 5958.80	55.12	68.20	-13.08	41.24	35.14	10.58	31.84	0.00	217	263 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	102.27	-----	-----	88.73	34.82	10.52	31.80	0.00	217	263 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>94.70</td><td>-----</td><td>-----</td><td>81.16</td><td>34.82</td><td>10.52</td><td>31.80</td><td>0.00</td><td>217</td><td>263 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	94.70	-----	-----	81.16	34.82	10.52	31.80	0.00	217	263 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	94.70	-----	-----	81.16	34.82	10.52	31.80	0.00	217	263 AVERAGE																																																																																																																										





		58																																																																																																																														
Mode	Harmonic																																																																																																																															
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																															
ANT	CDD																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7626.48</td><td>45.40</td><td>74.00</td><td>-28.60</td><td>63.53</td><td>35.00</td><td>12.03</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>46.50</td><td>74.00</td><td>-27.50</td><td>57.98</td><td>38.14</td><td>14.56</td><td>64.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7626.48	45.40	74.00	-28.60	63.53	35.00	12.03	65.96	0.00	---	---	PEAK	2	11440.00	46.50	74.00	-27.50	57.98	38.14	14.56	64.18	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7627.00</td><td>45.11</td><td>74.00</td><td>-28.89</td><td>63.24</td><td>35.80</td><td>12.03</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11440.00</td><td>47.09</td><td>74.00</td><td>-26.91</td><td>58.57</td><td>38.14</td><td>14.56</td><td>64.18</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.09</td><td>54.00</td><td>-17.91</td><td>47.54</td><td>38.15</td><td>14.57</td><td>64.17</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7627.00	45.11	74.00	-28.89	63.24	35.80	12.03	65.96	0.00	---	---	Peak	2	11440.00	47.09	74.00	-26.91	58.57	38.14	14.56	64.18	0.00	300	360	PEAK	3	11440.00	36.09	54.00	-17.91	47.54	38.15	14.57	64.17	0.00	300	360
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7626.48	45.40	74.00	-28.60	63.53	35.00	12.03	65.96	0.00	---	---	PEAK																																																																																																																				
2	11440.00	46.50	74.00	-27.50	57.98	38.14	14.56	64.18	0.00	---	---	PEAK																																																																																																																				
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7627.00	45.11	74.00	-28.89	63.24	35.80	12.03	65.96	0.00	---	---	Peak																																																																																																																				
2	11440.00	47.09	74.00	-26.91	58.57	38.14	14.56	64.18	0.00	300	360	PEAK																																																																																																																				
3	11440.00	36.09	54.00	-17.91	47.54	38.15	14.57	64.17	0.00	300	360	AVERAGE																																																																																																																				





Mode	59																																																																																																																																														
	Harmonic																																																																																																																																														
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_5720MHz																																																																																																																																														
ANT	CDD																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																								
Peak Avg																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>49.84</td><td>74.00</td><td>-24.16</td><td>67.97</td><td>35.00</td><td>12.03</td><td>65.96</td><td>0.00</td><td>184</td><td>352</td><td>PEAK</td></tr><tr><td>2</td><td>7626.48</td><td>47.13</td><td>54.00</td><td>-6.87</td><td>65.26</td><td>35.00</td><td>12.03</td><td>65.96</td><td>0.00</td><td>184</td><td>352</td><td>AVERAGE</td></tr><tr><td>3</td><td>11440.00</td><td>46.51</td><td>74.00</td><td>-27.49</td><td>57.99</td><td>38.14</td><td>14.56</td><td>64.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	49.84	74.00	-24.16	67.97	35.00	12.03	65.96	0.00	184	352	PEAK	2	7626.48	47.13	54.00	-6.87	65.26	35.00	12.03	65.96	0.00	184	352	AVERAGE	3	11440.00	46.51	74.00	-27.49	57.99	38.14	14.56	64.18	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>42.10</td><td>74.00</td><td>-31.90</td><td>60.23</td><td>35.00</td><td>12.03</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>46.64</td><td>74.00</td><td>-27.36</td><td>58.12</td><td>38.14</td><td>14.56</td><td>64.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	42.10	74.00	-31.90	60.23	35.00	12.03	65.96	0.00	---	---	PEAK	2	11440.00	46.64	74.00	-27.36	58.12	38.14	14.56	64.18	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	7626.48	49.84	74.00	-24.16	67.97	35.00	12.03	65.96	0.00	184	352	PEAK																																																																																																																																			
2	7626.48	47.13	54.00	-6.87	65.26	35.00	12.03	65.96	0.00	184	352	AVERAGE																																																																																																																																			
3	11440.00	46.51	74.00	-27.49	57.99	38.14	14.56	64.18	0.00	---	---	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	7626.48	42.10	74.00	-31.90	60.23	35.00	12.03	65.96	0.00	---	---	PEAK																																																																																																																																			
2	11440.00	46.64	74.00	-27.36	58.12	38.14	14.56	64.18	0.00	---	---	PEAK																																																																																																																																			







Mode	60																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_5710MHz																																																																																																																																										
ANT	CDD																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7613.14</td><td>44.62</td><td>74.00</td><td>-29.38</td><td>62.75</td><td>35.00</td><td>12.01</td><td>65.94</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>45.58</td><td>74.00</td><td>-28.42</td><td>57.11</td><td>38.12</td><td>14.55</td><td>64.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7613.14	44.62	74.00	-29.38	62.75	35.00	12.01	65.94	0.00	---	---	PEAK	2	11420.00	45.58	74.00	-28.42	57.11	38.12	14.55	64.20	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7613.14</td><td>42.40</td><td>74.00</td><td>-31.60</td><td>60.53</td><td>35.00</td><td>12.01</td><td>65.94</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>46.55</td><td>74.00</td><td>-27.45</td><td>58.08</td><td>38.12</td><td>14.55</td><td>64.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7613.14	42.40	74.00	-31.60	60.53	35.00	12.01	65.94	0.00	---	---	PEAK	2	11420.00	46.55	74.00	-27.45	58.08	38.12	14.55	64.20	0.00	---	---
		Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																
1	7613.14	44.62	74.00	-29.38	62.75	35.00	12.01	65.94	0.00	---	---	PEAK																																																																																																																															
2	11420.00	45.58	74.00	-28.42	57.11	38.12	14.55	64.20	0.00	---	---	PEAK																																																																																																																															
		Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																
1	7613.14	42.40	74.00	-31.60	60.53	35.00	12.01	65.94	0.00	---	---	PEAK																																																																																																																															
2	11420.00	46.55	74.00	-27.45	58.08	38.12	14.55	64.20	0.00	---	---	PEAK																																																																																																																															



Mode	61																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_5690MHz																																																																																																																																											
ANT	CDD																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7586.48</td><td>44.56</td><td>74.00</td><td>-29.44</td><td>62.65</td><td>35.00</td><td>12.00</td><td>65.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>45.45</td><td>74.00</td><td>-28.55</td><td>57.10</td><td>38.08</td><td>14.52</td><td>64.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7586.48	44.56	74.00	-29.44	62.65	35.00	12.00	65.89	0.00	---	---	PEAK	2	11380.00	45.45	74.00	-28.55	57.10	38.08	14.52	64.25	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7586.48</td><td>41.87</td><td>74.00</td><td>-32.13</td><td>59.96</td><td>35.00</td><td>12.00</td><td>65.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>45.11</td><td>74.00</td><td>-28.89</td><td>56.76</td><td>38.08</td><td>14.52</td><td>64.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	7586.48	41.87	74.00	-32.13	59.96	35.00	12.00	65.89	0.00	---	---	PEAK	2	11380.00	45.11	74.00	-28.89	56.76	38.08	14.52	64.25	0.00	---	---	PEAK
			Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	7586.48	44.56	74.00	-29.44	62.65	35.00	12.00	65.89	0.00	---	---	PEAK																																																																																																																																
2	11380.00	45.45	74.00	-28.55	57.10	38.08	14.52	64.25	0.00	---	---	PEAK																																																																																																																																
		Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	7586.48	41.87	74.00	-32.13	59.96	35.00	12.00	65.89	0.00	---	---	PEAK																																																																																																																																
2	11380.00	45.11	74.00	-28.89	56.76	38.08	14.52	64.25	0.00	---	---	PEAK																																																																																																																																





Co-location

		62																																																																																															
Mode		Band Edge																																																																																															
		2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																															
ANT		1																																																																																															
Pol.		Horizontal					Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>56.34</td><td>74.00</td><td>-17.66</td><td>43.42</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>135 225 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	56.34	74.00	-17.66	43.42	32.50	6.83	32.41	6.00	135 225 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.62</td><td>-----</td><td>-----</td><td>90.70</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>135 225 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.62	-----	-----	90.70	32.50	6.83	32.41	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.50	56.34	74.00	-17.66	43.42	32.50	6.83	32.41	6.00	135 225 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2480.00	103.62	-----	-----	90.70	32.50	6.83	32.41	6.00	135 225 PEAK																																																																																							
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.86</td><td>45.56</td><td>54.00</td><td>-8.44</td><td>32.64</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>135 225 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.86	45.56	54.00	-8.44	32.64	32.50	6.83	32.41	6.00	135 225 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.38</td><td>-----</td><td>-----</td><td>88.46</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>135 225 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.38	-----	-----	88.46	32.50	6.83	32.41	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.86	45.56	54.00	-8.44	32.64	32.50	6.83	32.41	6.00	135 225 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2480.00	101.38	-----	-----	88.46	32.50	6.83	32.41	6.00	135 225 AVERAGE																																																																																							






Mode	62																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2497.00</td><td>55.62</td><td>74.00</td><td>-18.38</td><td>42.68</td><td>32.50</td><td>6.85</td><td>32.41</td><td>6.00</td><td>292</td><td>75 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.00	55.62	74.00	-18.38	42.68	32.50	6.85	32.41	6.00	292	75 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>98.22</td><td>-----</td><td>-----</td><td>85.30</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>292</td><td>75 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.22	-----	-----	85.30	32.50	6.83	32.41	6.00	292
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2497.00	55.62	74.00	-18.38	42.68	32.50	6.85	32.41	6.00	292	75 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	98.22	-----	-----	85.30	32.50	6.83	32.41	6.00	292	75 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.70</td><td>45.71</td><td>54.00</td><td>-8.29</td><td>32.79</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>292</td><td>75 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.70	45.71	54.00	-8.29	32.79	32.50	6.83	32.41	6.00	292	75 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>95.92</td><td>-----</td><td>-----</td><td>83.00</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>292</td><td>75 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.92	-----	-----	83.00	32.50	6.83	32.41	6.00	292
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2484.70	45.71	54.00	-8.29	32.79	32.50	6.83	32.41	6.00	292	75 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	95.92	-----	-----	83.00	32.50	6.83	32.41	6.00	292	75 AVERAGE																																																																																										




Mode	62																																																																																																																																																			
	Harmonic																																																																																																																																																			
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																																																			
ANT	1																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																													
Peak Avg																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.39</td><td>74.00</td><td>-33.61</td><td>62.84</td><td>34.04</td><td>9.70</td><td>66.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5795.00</td><td>51.80</td><td>74.00</td><td>-22.20</td><td>73.16</td><td>34.68</td><td>10.50</td><td>66.54</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>41.85</td><td>74.00</td><td>-32.15</td><td>60.81</td><td>35.78</td><td>11.96</td><td>66.70</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.39	74.00	-33.61	62.84	34.04	9.70	66.19	0.00	---	PEAK	2	5795.00	51.80	74.00	-22.20	73.16	34.68	10.50	66.54	0.00	---	Peak	3	7440.00	41.85	74.00	-32.15	60.81	35.78	11.96	66.70	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.67</td><td>74.00</td><td>-34.33</td><td>62.12</td><td>34.04</td><td>9.70</td><td>66.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5795.00</td><td>48.42</td><td>74.00</td><td>-25.58</td><td>69.78</td><td>34.68</td><td>10.50</td><td>66.54</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>40.93</td><td>74.00</td><td>-33.07</td><td>59.89</td><td>35.78</td><td>11.96</td><td>66.70</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.67	74.00	-34.33	62.12	34.04	9.70	66.19	0.00	---	PEAK	2	5795.00	48.42	74.00	-25.58	69.78	34.68	10.50	66.54	0.00	---	Peak	3	7440.00	40.93	74.00	-33.07	59.89	35.78	11.96	66.70	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																										
1	4960.00	40.39	74.00	-33.61	62.84	34.04	9.70	66.19	0.00	---	PEAK																																																																																																																																									
2	5795.00	51.80	74.00	-22.20	73.16	34.68	10.50	66.54	0.00	---	Peak																																																																																																																																									
3	7440.00	41.85	74.00	-32.15	60.81	35.78	11.96	66.70	0.00	---	PEAK																																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																										
1	4960.00	39.67	74.00	-34.33	62.12	34.04	9.70	66.19	0.00	---	PEAK																																																																																																																																									
2	5795.00	48.42	74.00	-25.58	69.78	34.68	10.50	66.54	0.00	---	Peak																																																																																																																																									
3	7440.00	40.93	74.00	-33.07	59.89	35.78	11.96	66.70	0.00	---	PEAK																																																																																																																																									






Mode	62																																																																																																																																																											
	Band Edge - L																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																																											
ANT	CDD																																																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																																																					
Peak																																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5625.00</td><td>54.79</td><td>68.20</td><td>-13.41</td><td>41.67</td><td>34.60</td><td>10.33</td><td>31.81</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>53.30</td><td>68.00</td><td>-15.50</td><td>40.22</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr><tr><td>3</td><td>5705.00</td><td>53.82</td><td>106.87</td><td>-53.05</td><td>40.92</td><td>34.50</td><td>10.41</td><td>32.01</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>51.94</td><td>110.90</td><td>-58.96</td><td>38.99</td><td>34.50</td><td>10.42</td><td>31.97</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5625.00	54.79	68.20	-13.41	41.67	34.60	10.33	31.81	0.00	100	105	PEAK	2	5650.00	53.30	68.00	-15.50	40.22	34.60	10.36	31.88	0.00	100	105	PEAK	3	5705.00	53.82	106.87	-53.05	40.92	34.50	10.41	32.01	0.00	100	105	PEAK	4	5720.00	51.94	110.90	-58.96	38.99	34.50	10.42	31.97	0.00	100	105	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>94.02</td><td>-----</td><td>-----</td><td>87.10</td><td>32.50</td><td>6.83</td><td>32.41</td><td>0.00</td><td>100</td><td>105</td><td>Peak</td></tr><tr><td>2</td><td>5795.00</td><td>103.04</td><td>-----</td><td>-----</td><td>89.59</td><td>34.70</td><td>10.50</td><td>31.75</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	94.02	-----	-----	87.10	32.50	6.83	32.41	0.00	100	105	Peak	2	5795.00	103.04	-----	-----	89.59	34.70	10.50	31.75	0.00	100	105	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	5625.00	54.79	68.20	-13.41	41.67	34.60	10.33	31.81	0.00	100	105	PEAK																																																																																																																																																
2	5650.00	53.30	68.00	-15.50	40.22	34.60	10.36	31.88	0.00	100	105	PEAK																																																																																																																																																
3	5705.00	53.82	106.87	-53.05	40.92	34.50	10.41	32.01	0.00	100	105	PEAK																																																																																																																																																
4	5720.00	51.94	110.90	-58.96	38.99	34.50	10.42	31.97	0.00	100	105	PEAK																																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	2482.00	94.02	-----	-----	87.10	32.50	6.83	32.41	0.00	100	105	Peak																																																																																																																																																
2	5795.00	103.04	-----	-----	89.59	34.70	10.50	31.75	0.00	100	105	PEAK																																																																																																																																																
Avg	Blank																																																																																																																																																											
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>90.23</td><td>-----</td><td>-----</td><td>83.31</td><td>32.50</td><td>6.83</td><td>32.41</td><td>0.00</td><td>100</td><td>105</td><td>Average</td></tr><tr><td>2</td><td>5795.00</td><td>93.90</td><td>-----</td><td>-----</td><td>80.45</td><td>34.70</td><td>10.50</td><td>31.75</td><td>0.00</td><td>100</td><td>105</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	90.23	-----	-----	83.31	32.50	6.83	32.41	0.00	100	105	Average	2	5795.00	93.90	-----	-----	80.45	34.70	10.50	31.75	0.00	100	105	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	2482.00	90.23	-----	-----	83.31	32.50	6.83	32.41	0.00	100	105	Average																																																																																																																																																
2	5795.00	93.90	-----	-----	80.45	34.70	10.50	31.75	0.00	100	105	AVERAGE																																																																																																																																																




Mode	62																																																																
	Band Edge - R																																																																
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																
ANT	CDD																																																																
Pol.	Horizontal	Fundamental																																																															
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5854.00</td><td>53.19</td><td>111.36</td><td>-58.17</td><td>39.59</td><td>34.91</td><td>10.53</td><td>31.04</td></tr><tr><td>2</td><td>5867.60</td><td>54.71</td><td>107.37</td><td>-52.66</td><td>41.10</td><td>34.94</td><td>10.53</td><td>31.06</td></tr><tr><td>3</td><td>5921.20</td><td>54.90</td><td>71.01</td><td>-16.11</td><td>41.18</td><td>35.04</td><td>10.56</td><td>31.88</td></tr><tr><td>4</td><td>5937.20</td><td>55.66</td><td>68.20</td><td>-12.54</td><td>41.89</td><td>35.07</td><td>10.57</td><td>31.87</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5854.00	53.19	111.36	-58.17	39.59	34.91	10.53	31.04	2	5867.60	54.71	107.37	-52.66	41.10	34.94	10.53	31.06	3	5921.20	54.90	71.01	-16.11	41.18	35.04	10.56	31.88	4	5937.20	55.66	68.20	-12.54	41.89	35.07	10.57	31.87	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																									
1	5854.00	53.19	111.36	-58.17	39.59	34.91	10.53	31.04																																																									
2	5867.60	54.71	107.37	-52.66	41.10	34.94	10.53	31.06																																																									
3	5921.20	54.90	71.01	-16.11	41.18	35.04	10.56	31.88																																																									
4	5937.20	55.66	68.20	-12.54	41.89	35.07	10.57	31.87																																																									



	62																																																																																																																																																			
Mode	Band Edge - L																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																																			
ANT	CDD																																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																																													
Peak																																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5600.00</td><td>53.97</td><td>68.20</td><td>-14.23</td><td>40.79</td><td>34.60</td><td>10.31</td><td>31.73</td><td>0.00</td><td>289</td><td>74 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>52.79</td><td>68.20</td><td>-15.41</td><td>39.71</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>289</td><td>74 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>52.09</td><td>105.30</td><td>-53.21</td><td>39.22</td><td>34.50</td><td>10.40</td><td>32.03</td><td>0.00</td><td>289</td><td>74 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>51.08</td><td>110.90</td><td>-59.82</td><td>38.13</td><td>34.50</td><td>10.42</td><td>31.97</td><td>0.00</td><td>289</td><td>74 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5600.00	53.97	68.20	-14.23	40.79	34.60	10.31	31.73	0.00	289	74 PEAK	2	5650.00	52.79	68.20	-15.41	39.71	34.60	10.36	31.88	0.00	289	74 PEAK	3	5700.00	52.09	105.30	-53.21	39.22	34.50	10.40	32.03	0.00	289	74 PEAK	4	5720.00	51.08	110.90	-59.82	38.13	34.50	10.42	31.97	0.00	289	74 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>96.76</td><td>-----</td><td>-----</td><td>89.84</td><td>32.50</td><td>6.83</td><td>32.41</td><td>0.00</td><td>289</td><td>74 Peak</td></tr><tr><td>2</td><td>5795.00</td><td>100.56</td><td>-----</td><td>-----</td><td>87.11</td><td>34.70</td><td>10.50</td><td>31.75</td><td>0.00</td><td>289</td><td>74 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	96.76	-----	-----	89.84	32.50	6.83	32.41	0.00	289	74 Peak	2	5795.00	100.56	-----	-----	87.11	34.70	10.50	31.75	0.00	289
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	5600.00	53.97	68.20	-14.23	40.79	34.60	10.31	31.73	0.00	289	74 PEAK																																																																																																																																									
2	5650.00	52.79	68.20	-15.41	39.71	34.60	10.36	31.88	0.00	289	74 PEAK																																																																																																																																									
3	5700.00	52.09	105.30	-53.21	39.22	34.50	10.40	32.03	0.00	289	74 PEAK																																																																																																																																									
4	5720.00	51.08	110.90	-59.82	38.13	34.50	10.42	31.97	0.00	289	74 PEAK																																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	2482.00	96.76	-----	-----	89.84	32.50	6.83	32.41	0.00	289	74 Peak																																																																																																																																									
2	5795.00	100.56	-----	-----	87.11	34.70	10.50	31.75	0.00	289	74 PEAK																																																																																																																																									
Avg	Blank																																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>93.07</td><td>-----</td><td>-----</td><td>86.15</td><td>32.50</td><td>6.83</td><td>32.41</td><td>0.00</td><td>289</td><td>74 Average</td></tr><tr><td>2</td><td>5794.00</td><td>91.66</td><td>-----</td><td>-----</td><td>78.26</td><td>34.68</td><td>10.49</td><td>31.77</td><td>0.00</td><td>289</td><td>74 Average</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	93.07	-----	-----	86.15	32.50	6.83	32.41	0.00	289	74 Average	2	5794.00	91.66	-----	-----	78.26	34.68	10.49	31.77	0.00	289	74 Average																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	2482.00	93.07	-----	-----	86.15	32.50	6.83	32.41	0.00	289	74 Average																																																																																																																																									
2	5794.00	91.66	-----	-----	78.26	34.68	10.49	31.77	0.00	289	74 Average																																																																																																																																									



	62																																																																																										
Mode	Band Edge - R																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																										
ANT	CDD																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak							Blank																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>52.08</td><td>111.36</td><td>-59.28</td><td>38.48</td><td>34.91</td><td>10.53</td><td>31.04</td><td>0.00</td><td>289</td><td>74 PEAK</td></tr><tr><td>2</td><td>5871.20</td><td>55.57</td><td>106.36</td><td>-50.79</td><td>41.95</td><td>34.94</td><td>10.54</td><td>31.06</td><td>0.00</td><td>289</td><td>74 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>52.53</td><td>68.35</td><td>-15.82</td><td>38.00</td><td>35.05</td><td>10.56</td><td>31.08</td><td>0.00</td><td>289</td><td>74 PEAK</td></tr><tr><td>4</td><td>5989.20</td><td>55.60</td><td>68.20</td><td>-12.60</td><td>41.55</td><td>35.26</td><td>10.59</td><td>31.00</td><td>0.00</td><td>289</td><td>74 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	52.08	111.36	-59.28	38.48	34.91	10.53	31.04	0.00	289	74 PEAK	2	5871.20	55.57	106.36	-50.79	41.95	34.94	10.54	31.06	0.00	289	74 PEAK	3	5924.00	52.53	68.35	-15.82	38.00	35.05	10.56	31.08	0.00	289	74 PEAK	4	5989.20	55.60	68.20	-12.60	41.55	35.26	10.59	31.00	0.00	289	74 PEAK				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5854.00	52.08	111.36	-59.28	38.48	34.91	10.53	31.04	0.00	289	74 PEAK																																																																																
2	5871.20	55.57	106.36	-50.79	41.95	34.94	10.54	31.06	0.00	289	74 PEAK																																																																																
3	5924.00	52.53	68.35	-15.82	38.00	35.05	10.56	31.08	0.00	289	74 PEAK																																																																																
4	5989.20	55.60	68.20	-12.60	41.55	35.26	10.59	31.00	0.00	289	74 PEAK																																																																																



		62																																																																					
Mode		Harmonic																																																																					
		U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																					
ANT		CDD																																																																					
Pol.		Horizontal																																																																					
Peak Avg																																																																							
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7726.65	53.38	74.00	-20.62	72.37	35.80	12.13	66.92	0.00	100	241	PEAK	2	7726.65	51.25	54.00	-2.75	70.24	35.80	12.13	66.92	0.00	100	241	AVERAGE	3	11590.00	43.66	74.00	-30.34	57.25	38.29	14.67	66.55	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	7726.65	53.38	74.00	-20.62	72.37	35.80	12.13	66.92	0.00	100	241	PEAK																																																											
2	7726.65	51.25	54.00	-2.75	70.24	35.80	12.13	66.92	0.00	100	241	AVERAGE																																																											
3	11590.00	43.66	74.00	-30.34	57.25	38.29	14.67	66.55	0.00	---	---	PEAK																																																											
		Vertical																																																																					
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7726.65	49.84	74.00	-24.16	68.83	35.80	12.13	66.92	0.00	300	270	PEAK	2	7726.65	47.31	54.00	-6.69	66.30	35.80	12.13	66.92	0.00	300	270	AVERAGE	3	11590.00	43.56	74.00	-30.44	57.15	38.29	14.67	66.55	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	7726.65	49.84	74.00	-24.16	68.83	35.80	12.13	66.92	0.00	300	270	PEAK																																																											
2	7726.65	47.31	54.00	-6.69	66.30	35.80	12.13	66.92	0.00	300	270	AVERAGE																																																											
3	11590.00	43.56	74.00	-30.44	57.15	38.29	14.67	66.55	0.00	---	---	PEAK																																																											





Mode	63																																																																																										
	Band Edge																																																																																										
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																										
ANT	2																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.52	56.63	74.00	-17.37	43.70	32.50	6.84	32.41	6.00	127	55 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.64</td><td>-----</td><td>-----</td><td>90.72</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>127</td><td>55 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.64	-----	-----	90.72	32.50	6.83	32.41	6.00	127	55 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2480.52	56.63	74.00	-17.37	43.70	32.50	6.84	32.41	6.00	127	55 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2480.00	103.64	-----	-----	90.72	32.50	6.83	32.41	6.00	127	55 PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>45.45</td><td>54.00</td><td>-8.55</td><td>32.53</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>127</td><td>55 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	45.45	54.00	-8.55	32.53	32.50	6.83	32.41	6.00	127	55 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.37</td><td>-----</td><td>-----</td><td>88.45</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>127</td><td>55 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.37	-----	-----	88.45	32.50	6.83	32.41	6.00	127
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2483.56	45.45	54.00	-8.55	32.53	32.50	6.83	32.41	6.00	127	55 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2480.00	101.37	-----	-----	88.45	32.50	6.83	32.41	6.00	127	55 AVERAGE																																																																																






Mode	63																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																			
ANT	2																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.54	55.40	74.00	-18.60	42.47	32.50	6.84	32.41	6.00	100	116 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.46</td><td>-----</td><td>-----</td><td>87.54</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>100</td><td>116 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.46	-----	-----	87.54	32.50	6.83	32.41	6.00	100	116 PEAK					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2488.54	55.40	74.00	-18.60	42.47	32.50	6.84	32.41	6.00	100	116 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	100.46	-----	-----	87.54	32.50	6.83	32.41	6.00	100	116 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.92</td><td>45.50</td><td>54.00</td><td>-8.50</td><td>32.56</td><td>32.50</td><td>6.85</td><td>32.41</td><td>6.00</td><td>100</td><td>116 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.92	45.50	54.00	-8.50	32.56	32.50	6.85	32.41	6.00	100	116 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>98.24</td><td>-----</td><td>-----</td><td>85.32</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>100</td><td>116 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.24	-----	-----	85.32	32.50	6.83	32.41	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2498.92	45.50	54.00	-8.50	32.56	32.50	6.85	32.41	6.00	100	116 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	98.24	-----	-----	85.32	32.50	6.83	32.41	6.00	100	116 AVERAGE																																																																																									




Mode	63																																																																																				
	Harmonic																																																																																				
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																				
ANT	2																																																																																				
Pol.	Horizontal																																																																																				
Peak Avg																																																																																					
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.02</td><td>74.00</td><td>-33.98</td><td>62.47</td><td>34.04</td><td>9.70</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5795.00</td><td>50.59</td><td>74.00</td><td>-23.41</td><td>71.95</td><td>34.68</td><td>10.50</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>40.80</td><td>74.00</td><td>-33.20</td><td>59.76</td><td>35.78</td><td>11.96</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4960.00	40.02	74.00	-33.98	62.47	34.04	9.70	66.19	0.00	---	---	PEAK	2	5795.00	50.59	74.00	-23.41	71.95	34.68	10.50	66.54	0.00	---	---	Peak	3	7440.00	40.80	74.00	-33.20	59.76	35.78	11.96	66.70	0.00	---	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																										
1	4960.00	40.02	74.00	-33.98	62.47	34.04	9.70	66.19	0.00	---	---	PEAK																																																																									
2	5795.00	50.59	74.00	-23.41	71.95	34.68	10.50	66.54	0.00	---	---	Peak																																																																									
3	7440.00	40.80	74.00	-33.20	59.76	35.78	11.96	66.70	0.00	---	---	PEAK																																																																									
Vertical																																																																																					
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.75</td><td>74.00</td><td>-34.25</td><td>62.20</td><td>34.04</td><td>9.70</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5795.00</td><td>48.60</td><td>74.00</td><td>-25.40</td><td>69.96</td><td>34.68</td><td>10.50</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>41.25</td><td>74.00</td><td>-32.75</td><td>60.21</td><td>35.78</td><td>11.96</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4960.00	39.75	74.00	-34.25	62.20	34.04	9.70	66.19	0.00	---	---	PEAK	2	5795.00	48.60	74.00	-25.40	69.96	34.68	10.50	66.54	0.00	---	---	Peak	3	7440.00	41.25	74.00	-32.75	60.21	35.78	11.96	66.70	0.00	---	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																										
1	4960.00	39.75	74.00	-34.25	62.20	34.04	9.70	66.19	0.00	---	---	PEAK																																																																									
2	5795.00	48.60	74.00	-25.40	69.96	34.68	10.50	66.54	0.00	---	---	Peak																																																																									
3	7440.00	41.25	74.00	-32.75	60.21	35.78	11.96	66.70	0.00	---	---	PEAK																																																																									





Mode	63																																																																																																																																																										
	Band Edge - L																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																																										
ANT	CDD																																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																																				
Peak																																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5616.00</td><td>53.58</td><td>68.20</td><td>-14.62</td><td>40.43</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>100</td><td>96</td><td>PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>53.68</td><td>70.29</td><td>-16.61</td><td>40.62</td><td>34.59</td><td>10.36</td><td>31.89</td><td>0.00</td><td>100</td><td>96</td><td>PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>52.68</td><td>105.64</td><td>-52.96</td><td>39.80</td><td>34.50</td><td>10.41</td><td>32.03</td><td>0.00</td><td>100</td><td>96</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>50.67</td><td>110.90</td><td>-60.23</td><td>37.72</td><td>34.50</td><td>10.42</td><td>31.97</td><td>0.00</td><td>100</td><td>96</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5616.00	53.58	68.20	-14.62	40.43	34.60	10.33	31.78	0.00	100	96	PEAK	2	5652.00	53.68	70.29	-16.61	40.62	34.59	10.36	31.89	0.00	100	96	PEAK	3	5701.20	52.68	105.64	-52.96	39.80	34.50	10.41	32.03	0.00	100	96	PEAK	4	5720.00	50.67	110.90	-60.23	37.72	34.50	10.42	31.97	0.00	100	96	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>98.97</td><td>-----</td><td>-----</td><td>92.05</td><td>32.50</td><td>6.83</td><td>32.41</td><td>0.00</td><td>100</td><td>96</td><td>Peak</td></tr><tr><td>2</td><td>5795.00</td><td>103.62</td><td>-----</td><td>-----</td><td>90.26</td><td>34.65</td><td>10.49</td><td>31.78</td><td>0.00</td><td>100</td><td>96</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	98.97	-----	-----	92.05	32.50	6.83	32.41	0.00	100	96	Peak	2	5795.00	103.62	-----	-----	90.26	34.65	10.49	31.78	0.00	100	96
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	5616.00	53.58	68.20	-14.62	40.43	34.60	10.33	31.78	0.00	100	96	PEAK																																																																																																																																															
2	5652.00	53.68	70.29	-16.61	40.62	34.59	10.36	31.89	0.00	100	96	PEAK																																																																																																																																															
3	5701.20	52.68	105.64	-52.96	39.80	34.50	10.41	32.03	0.00	100	96	PEAK																																																																																																																																															
4	5720.00	50.67	110.90	-60.23	37.72	34.50	10.42	31.97	0.00	100	96	PEAK																																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	2482.00	98.97	-----	-----	92.05	32.50	6.83	32.41	0.00	100	96	Peak																																																																																																																																															
2	5795.00	103.62	-----	-----	90.26	34.65	10.49	31.78	0.00	100	96	PEAK																																																																																																																																															
Avg	Blank																																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>95.70</td><td>-----</td><td>-----</td><td>88.78</td><td>32.50</td><td>6.83</td><td>32.41</td><td>0.00</td><td>100</td><td>96</td><td>Average</td></tr><tr><td>2</td><td>5794.00</td><td>93.35</td><td>-----</td><td>-----</td><td>79.95</td><td>34.68</td><td>10.49</td><td>31.77</td><td>0.00</td><td>100</td><td>96</td><td>Average</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	95.70	-----	-----	88.78	32.50	6.83	32.41	0.00	100	96	Average	2	5794.00	93.35	-----	-----	79.95	34.68	10.49	31.77	0.00	100	96	Average																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	2482.00	95.70	-----	-----	88.78	32.50	6.83	32.41	0.00	100	96	Average																																																																																																																																															
2	5794.00	93.35	-----	-----	79.95	34.68	10.49	31.77	0.00	100	96	Average																																																																																																																																															




Mode	63																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>54.93</td><td>112.27</td><td>-57.34</td><td>41.33</td><td>34.91</td><td>10.53</td><td>31.84</td><td>0.00</td><td>100</td><td>96 PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>52.89</td><td>105.36</td><td>-52.47</td><td>39.27</td><td>34.95</td><td>10.54</td><td>31.87</td><td>0.00</td><td>100</td><td>96 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>52.69</td><td>68.64</td><td>-15.95</td><td>38.96</td><td>35.05</td><td>10.56</td><td>31.88</td><td>0.00</td><td>100</td><td>96 PEAK</td></tr><tr><td>4</td><td>5979.60</td><td>54.96</td><td>68.20</td><td>-13.24</td><td>40.96</td><td>35.22</td><td>10.59</td><td>31.81</td><td>0.00</td><td>100</td><td>96 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	54.93	112.27	-57.34	41.33	34.91	10.53	31.84	0.00	100	96 PEAK	2	5874.80	52.89	105.36	-52.47	39.27	34.95	10.54	31.87	0.00	100	96 PEAK	3	5924.40	52.69	68.64	-15.95	38.96	35.05	10.56	31.88	0.00	100	96 PEAK	4	5979.60	54.96	68.20	-13.24	40.96	35.22	10.59	31.81	0.00	100	96 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.40	54.93	112.27	-57.34	41.33	34.91	10.53	31.84	0.00	100	96 PEAK																																																																																	
2	5874.80	52.89	105.36	-52.47	39.27	34.95	10.54	31.87	0.00	100	96 PEAK																																																																																	
3	5924.40	52.69	68.64	-15.95	38.96	35.05	10.56	31.88	0.00	100	96 PEAK																																																																																	
4	5979.60	54.96	68.20	-13.24	40.96	35.22	10.59	31.81	0.00	100	96 PEAK																																																																																	



Mode	63																																																																									
	Band Edge - L																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																									
ANT	CDD																																																																									
Pol.	Vertical																																																																									
Peak																																																																										
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td></tr><tr><td>1</td><td>5625.60</td><td>53.82</td><td>68.20</td><td>-14.38</td><td>40.70</td><td>34.60</td><td>10.33</td><td>31.81</td></tr><tr><td>2</td><td>5650.40</td><td>51.64</td><td>68.50</td><td>-16.86</td><td>38.56</td><td>34.60</td><td>10.36</td><td>31.88</td></tr><tr><td>3</td><td>5704.00</td><td>52.92</td><td>106.42</td><td>-53.50</td><td>40.03</td><td>34.50</td><td>10.41</td><td>32.02</td></tr><tr><td>4</td><td>5720.40</td><td>51.88</td><td>111.81</td><td>-59.93</td><td>38.93</td><td>34.50</td><td>10.42</td><td>31.97</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5625.60	53.82	68.20	-14.38	40.70	34.60	10.33	31.81	2	5650.40	51.64	68.50	-16.86	38.56	34.60	10.36	31.88	3	5704.00	52.92	106.42	-53.50	40.03	34.50	10.41	32.02	4	5720.40	51.88	111.81	-59.93	38.93	34.50	10.42	31.97
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																		
1	5625.60	53.82	68.20	-14.38	40.70	34.60	10.33	31.81																																																																		
2	5650.40	51.64	68.50	-16.86	38.56	34.60	10.36	31.88																																																																		
3	5704.00	52.92	106.42	-53.50	40.03	34.50	10.41	32.02																																																																		
4	5720.40	51.88	111.81	-59.93	38.93	34.50	10.42	31.97																																																																		
Avg	Blank																																																																									
																																																																										
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td></tr><tr><td>1</td><td>2482.00</td><td>85.23</td><td>-----</td><td>-----</td><td>78.31</td><td>32.50</td><td>6.83</td><td>32.41</td></tr><tr><td>2</td><td>5795.00</td><td>88.49</td><td>-----</td><td>-----</td><td>75.13</td><td>34.65</td><td>10.49</td><td>31.78</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2482.00	85.23	-----	-----	78.31	32.50	6.83	32.41	2	5795.00	88.49	-----	-----	75.13	34.65	10.49	31.78																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																		
1	2482.00	85.23	-----	-----	78.31	32.50	6.83	32.41																																																																		
2	5795.00	88.49	-----	-----	75.13	34.65	10.49	31.78																																																																		







	63										
Mode	Band Edge - R										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz										
ANT	CDD										
Pol.	Vertical						Fundamental				
Peak							Blank				
	Freq	Limit Level	Over Line	Read Limit	Ant Level	Cable Factor	Preamp Loss	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5854.40	53.13	112.27	-59.14	39.53	34.91	10.53	31.84	0.00	300	78 PEAK
2	5871.60	53.58	106.25	-52.67	39.96	34.94	10.54	31.86	0.00	300	78 PEAK
3	5922.00	54.44	70.42	-15.98	40.72	35.04	10.56	31.88	0.00	300	78 PEAK
4	5998.00	56.11	68.20	-12.09	42.01	35.29	10.60	31.79	0.00	300	78 PEAK







Mode	63																																																																																																																																																												
	Harmonic																																																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																																												
ANT	CDD																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																						
Peak Avg																																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7726.65</td><td>53.22</td><td>74.00</td><td>-20.78</td><td>72.21</td><td>35.00</td><td>12.13</td><td>66.92</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>2</td><td>7726.65</td><td>51.30</td><td>54.00</td><td>-2.70</td><td>70.29</td><td>35.00</td><td>12.13</td><td>66.92</td><td>0.00</td><td>100</td><td>239</td><td>AVERAGE</td></tr><tr><td>3</td><td>11590.00</td><td>43.22</td><td>74.00</td><td>-30.78</td><td>56.81</td><td>38.29</td><td>14.67</td><td>66.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7726.65	53.22	74.00	-20.78	72.21	35.00	12.13	66.92	0.00	100	239	PEAK	2	7726.65	51.30	54.00	-2.70	70.29	35.00	12.13	66.92	0.00	100	239	AVERAGE	3	11590.00	43.22	74.00	-30.78	56.81	38.29	14.67	66.55	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7726.65</td><td>50.41</td><td>74.00</td><td>-23.59</td><td>69.40</td><td>35.00</td><td>12.13</td><td>66.92</td><td>0.00</td><td>370</td><td>269</td><td>PEAK</td></tr><tr><td>2</td><td>7726.65</td><td>47.77</td><td>54.00</td><td>-6.23</td><td>66.76</td><td>35.00</td><td>12.13</td><td>66.92</td><td>0.00</td><td>370</td><td>269</td><td>AVERAGE</td></tr><tr><td>3</td><td>11590.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>58.00</td><td>38.29</td><td>14.67</td><td>66.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7726.65	50.41	74.00	-23.59	69.40	35.00	12.13	66.92	0.00	370	269	PEAK	2	7726.65	47.77	54.00	-6.23	66.76	35.00	12.13	66.92	0.00	370	269	AVERAGE	3	11590.00	44.41	74.00	-29.59	58.00	38.29	14.67	66.55	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	7726.65	53.22	74.00	-20.78	72.21	35.00	12.13	66.92	0.00	100	239	PEAK																																																																																																																																																	
2	7726.65	51.30	54.00	-2.70	70.29	35.00	12.13	66.92	0.00	100	239	AVERAGE																																																																																																																																																	
3	11590.00	43.22	74.00	-30.78	56.81	38.29	14.67	66.55	0.00	---	---	PEAK																																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	7726.65	50.41	74.00	-23.59	69.40	35.00	12.13	66.92	0.00	370	269	PEAK																																																																																																																																																	
2	7726.65	47.77	54.00	-6.23	66.76	35.00	12.13	66.92	0.00	370	269	AVERAGE																																																																																																																																																	
3	11590.00	44.41	74.00	-29.59	58.00	38.29	14.67	66.55	0.00	---	---	PEAK																																																																																																																																																	





Mode	64																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480_2480MHz																																																																																																				
ANT	2																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.64</td><td>55.72</td><td>74.00</td><td>-18.28</td><td>42.79</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>236</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.64	55.72	74.00	-18.28	42.79	32.50	6.84	32.41	6.00	236	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>96.13</td><td>-----</td><td>-----</td><td>83.22</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>236</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	96.13	-----	-----	83.22	32.50	6.82	32.41	6.00	236
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2496.64	55.72	74.00	-18.28	42.79	32.50	6.84	32.41	6.00	236	0 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	96.13	-----	-----	83.22	32.50	6.82	32.41	6.00	236	0 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.28</td><td>46.09</td><td>54.00</td><td>-7.91</td><td>33.18</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>236</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.28	46.09	54.00	-7.91	33.18	32.50	6.82	32.41	6.00	236	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>93.87</td><td>-----</td><td>-----</td><td>80.96</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>236</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	93.87	-----	-----	80.96	32.50	6.82	32.41	6.00	236
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2484.28	46.09	54.00	-7.91	33.18	32.50	6.82	32.41	6.00	236	0 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	93.87	-----	-----	80.96	32.50	6.82	32.41	6.00	236	0 AVERAGE																																																																																										






Mode	64																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480_2480MHz																																																																																																		
ANT	2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2496.34</td><td>55.49</td><td>74.00</td><td>-18.51</td><td>42.56</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>124 301 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.34	55.49	74.00	-18.51	42.56	32.50	6.84	32.41	6.00	124 301 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>98.91</td><td>-----</td><td>-----</td><td>86.00</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>124 301 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.91	-----	-----	86.00	32.50	6.82	32.41	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2496.34	55.49	74.00	-18.51	42.56	32.50	6.84	32.41	6.00	124 301 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	98.91	-----	-----	86.00	32.50	6.82	32.41	6.00	124 301 PEAK																																																																																									
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2499.04</td><td>45.52</td><td>54.00</td><td>-8.48</td><td>32.59</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>124 301 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.04	45.52	54.00	-8.48	32.59	32.50	6.84	32.41	6.00	124 301 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>96.72</td><td>-----</td><td>-----</td><td>83.81</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>124 301 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	96.72	-----	-----	83.81	32.50	6.82	32.41	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2499.04	45.52	54.00	-8.48	32.59	32.50	6.84	32.41	6.00	124 301 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	96.72	-----	-----	83.81	32.50	6.82	32.41	6.00	124 301 AVERAGE																																																																																									




Mode	64																																																																															
	Harmonic																																																																															
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480_2480MHz																																																																															
ANT	2																																																																															
Pol.	Horizontal																																																																															
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.89</td><td>74.00</td><td>-34.11</td><td>62.34</td><td>34.04</td><td>9.70</td><td>66.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5795.00</td><td>50.15</td><td>74.00</td><td>-23.85</td><td>71.51</td><td>34.68</td><td>10.50</td><td>66.54</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>40.71</td><td>74.00</td><td>-33.29</td><td>59.67</td><td>35.78</td><td>11.96</td><td>66.70</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.89	74.00	-34.11	62.34	34.04	9.70	66.19	0.00	---	PEAK	2	5795.00	50.15	74.00	-23.85	71.51	34.68	10.50	66.54	0.00	---	Peak	3	7440.00	40.71	74.00	-33.29	59.67	35.78	11.96	66.70	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	4960.00	39.89	74.00	-34.11	62.34	34.04	9.70	66.19	0.00	---	PEAK																																																																					
2	5795.00	50.15	74.00	-23.85	71.51	34.68	10.50	66.54	0.00	---	Peak																																																																					
3	7440.00	40.71	74.00	-33.29	59.67	35.78	11.96	66.70	0.00	---	PEAK																																																																					
Vertical																																																																																
																																																																																
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.26</td><td>74.00</td><td>-34.74</td><td>61.71</td><td>34.04</td><td>9.70</td><td>66.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5795.00</td><td>48.09</td><td>74.00</td><td>-25.91</td><td>69.45</td><td>34.68</td><td>10.50</td><td>66.54</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>41.39</td><td>74.00</td><td>-32.61</td><td>60.35</td><td>35.78</td><td>11.96</td><td>66.70</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.26	74.00	-34.74	61.71	34.04	9.70	66.19	0.00	---	PEAK	2	5795.00	48.09	74.00	-25.91	69.45	34.68	10.50	66.54	0.00	---	Peak	3	7440.00	41.39	74.00	-32.61	60.35	35.78	11.96	66.70	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	4960.00	39.26	74.00	-34.74	61.71	34.04	9.70	66.19	0.00	---	PEAK																																																																					
2	5795.00	48.09	74.00	-25.91	69.45	34.68	10.50	66.54	0.00	---	Peak																																																																					
3	7440.00	41.39	74.00	-32.61	60.35	35.78	11.96	66.70	0.00	---	PEAK																																																																					






	64																																																																																																																																																					
Mode	Band Edge - L																																																																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																																					
ANT	MIMO																																																																																																																																																					
Pol.	Horizontal						Fundamental																																																																																																																																															
Peak																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5623.60</td><td>54.23</td><td>68.20</td><td>-13.97</td><td>41.03</td><td>34.60</td><td>10.40</td><td>31.00</td><td>0.00</td><td>100</td><td>100 PEAK</td></tr><tr><td>2</td><td>5652.40</td><td>54.85</td><td>69.99</td><td>-15.14</td><td>41.71</td><td>34.60</td><td>10.43</td><td>31.09</td><td>0.00</td><td>100</td><td>100 PEAK</td></tr><tr><td>3</td><td>5702.80</td><td>52.97</td><td>106.09</td><td>-53.12</td><td>40.02</td><td>34.50</td><td>10.47</td><td>32.02</td><td>0.00</td><td>100</td><td>100 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>50.68</td><td>110.90</td><td>-60.22</td><td>37.66</td><td>34.50</td><td>10.49</td><td>31.97</td><td>0.00</td><td>100</td><td>100 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5623.60	54.23	68.20	-13.97	41.03	34.60	10.40	31.00	0.00	100	100 PEAK	2	5652.40	54.85	69.99	-15.14	41.71	34.60	10.43	31.09	0.00	100	100 PEAK	3	5702.80	52.97	106.09	-53.12	40.02	34.50	10.47	32.02	0.00	100	100 PEAK	4	5720.00	50.68	110.90	-60.22	37.66	34.50	10.49	31.97	0.00	100	100 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2482.00</td><td>94.72</td><td>-----</td><td>-----</td><td>87.81</td><td>32.50</td><td>6.82</td><td>32.41</td><td>0.00</td><td>100</td><td>100 PEAK</td></tr><tr><td>2</td><td>5795.00</td><td>105.57</td><td>-----</td><td>-----</td><td>92.04</td><td>34.72</td><td>10.57</td><td>31.76</td><td>0.00</td><td>100</td><td>100 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	94.72	-----	-----	87.81	32.50	6.82	32.41	0.00	100	100 PEAK	2	5795.00	105.57	-----	-----	92.04	34.72	10.57	31.76	0.00	100	100 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	5623.60	54.23	68.20	-13.97	41.03	34.60	10.40	31.00	0.00	100	100 PEAK																																																																																																																																											
2	5652.40	54.85	69.99	-15.14	41.71	34.60	10.43	31.09	0.00	100	100 PEAK																																																																																																																																											
3	5702.80	52.97	106.09	-53.12	40.02	34.50	10.47	32.02	0.00	100	100 PEAK																																																																																																																																											
4	5720.00	50.68	110.90	-60.22	37.66	34.50	10.49	31.97	0.00	100	100 PEAK																																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	2482.00	94.72	-----	-----	87.81	32.50	6.82	32.41	0.00	100	100 PEAK																																																																																																																																											
2	5795.00	105.57	-----	-----	92.04	34.72	10.57	31.76	0.00	100	100 PEAK																																																																																																																																											
Avg	Blank																																																																																																																																																					
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2482.00</td><td>91.35</td><td>-----</td><td>-----</td><td>84.44</td><td>32.50</td><td>6.82</td><td>32.41</td><td>0.00</td><td>100</td><td>100 AVERAGE</td></tr><tr><td>2</td><td>5795.00</td><td>96.99</td><td>-----</td><td>-----</td><td>83.57</td><td>34.65</td><td>10.55</td><td>31.78</td><td>0.00</td><td>100</td><td>100 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	91.35	-----	-----	84.44	32.50	6.82	32.41	0.00	100	100 AVERAGE	2	5795.00	96.99	-----	-----	83.57	34.65	10.55	31.78	0.00	100	100 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	2482.00	91.35	-----	-----	84.44	32.50	6.82	32.41	0.00	100	100 AVERAGE																																																																																																																																											
2	5795.00	96.99	-----	-----	83.57	34.65	10.55	31.78	0.00	100	100 AVERAGE																																																																																																																																											




Mode	64																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																														
ANT	MIMO																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>53.64</td><td>111.36</td><td>-57.72</td><td>39.95</td><td>34.91</td><td>10.62</td><td>31.04</td><td>0.00</td><td>100</td></tr><tr><td>2</td><td>5873.60</td><td>54.62</td><td>105.69</td><td>-51.07</td><td>40.90</td><td>34.95</td><td>10.64</td><td>31.07</td><td>0.00</td><td>100</td></tr><tr><td>3</td><td>5924.00</td><td>52.13</td><td>68.35</td><td>-16.22</td><td>38.26</td><td>35.05</td><td>10.70</td><td>31.08</td><td>0.00</td><td>100</td></tr><tr><td>4</td><td>5955.60</td><td>54.99</td><td>68.20</td><td>-13.21</td><td>40.97</td><td>35.12</td><td>10.74</td><td>31.04</td><td>0.00</td><td>100</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	53.64	111.36	-57.72	39.95	34.91	10.62	31.04	0.00	100	2	5873.60	54.62	105.69	-51.07	40.90	34.95	10.64	31.07	0.00	100	3	5924.00	52.13	68.35	-16.22	38.26	35.05	10.70	31.08	0.00	100	4	5955.60	54.99	68.20	-13.21	40.97	35.12	10.74	31.04	0.00	100	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.00	53.64	111.36	-57.72	39.95	34.91	10.62	31.04	0.00	100																																																																					
2	5873.60	54.62	105.69	-51.07	40.90	34.95	10.64	31.07	0.00	100																																																																					
3	5924.00	52.13	68.35	-16.22	38.26	35.05	10.70	31.08	0.00	100																																																																					
4	5955.60	54.99	68.20	-13.21	40.97	35.12	10.74	31.04	0.00	100																																																																					





		64																																																																																																																																																				
Mode	Band Edge - L																																																																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																																					
ANT	MIMO																																																																																																																																																					
Pol.	Vertical						Fundamental																																																																																																																																															
Peak																																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5639.20</td><td>54.10</td><td>68.20</td><td>-14.10</td><td>40.93</td><td>34.60</td><td>10.42</td><td>31.85</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>53.71</td><td>70.29</td><td>-16.58</td><td>40.58</td><td>34.59</td><td>10.43</td><td>31.89</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>51.66</td><td>105.30</td><td>-53.64</td><td>38.72</td><td>34.50</td><td>10.47</td><td>32.03</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>49.64</td><td>110.90</td><td>-61.26</td><td>36.62</td><td>34.50</td><td>10.49</td><td>31.97</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5639.20	54.10	68.20	-14.10	40.93	34.60	10.42	31.85	0.00	100	105 PEAK	2	5652.00	53.71	70.29	-16.58	40.58	34.59	10.43	31.89	0.00	100	105 PEAK	3	5700.00	51.66	105.30	-53.64	38.72	34.50	10.47	32.03	0.00	100	105 PEAK	4	5720.00	49.64	110.90	-61.26	36.62	34.50	10.49	31.97	0.00	100	105 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>84.28</td><td>-----</td><td>-----</td><td>77.37</td><td>32.50</td><td>6.82</td><td>32.41</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>2</td><td>5795.00</td><td>98.71</td><td>-----</td><td>-----</td><td>85.20</td><td>34.70</td><td>10.56</td><td>31.75</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	84.28	-----	-----	77.37	32.50	6.82	32.41	0.00	100	105 PEAK	2	5795.00	98.71	-----	-----	85.20	34.70	10.56	31.75	0.00	100	105 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	5639.20	54.10	68.20	-14.10	40.93	34.60	10.42	31.85	0.00	100	105 PEAK																																																																																																																																											
2	5652.00	53.71	70.29	-16.58	40.58	34.59	10.43	31.89	0.00	100	105 PEAK																																																																																																																																											
3	5700.00	51.66	105.30	-53.64	38.72	34.50	10.47	32.03	0.00	100	105 PEAK																																																																																																																																											
4	5720.00	49.64	110.90	-61.26	36.62	34.50	10.49	31.97	0.00	100	105 PEAK																																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	2482.00	84.28	-----	-----	77.37	32.50	6.82	32.41	0.00	100	105 PEAK																																																																																																																																											
2	5795.00	98.71	-----	-----	85.20	34.70	10.56	31.75	0.00	100	105 PEAK																																																																																																																																											
Avg																																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>80.87</td><td>-----</td><td>-----</td><td>73.96</td><td>32.50</td><td>6.82</td><td>32.41</td><td>0.00</td><td>100</td><td>105 AVERAGE</td></tr><tr><td>2</td><td>5795.00</td><td>89.91</td><td>-----</td><td>-----</td><td>76.49</td><td>34.65</td><td>10.55</td><td>31.78</td><td>0.00</td><td>100</td><td>105 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	80.87	-----	-----	73.96	32.50	6.82	32.41	0.00	100	105 AVERAGE	2	5795.00	89.91	-----	-----	76.49	34.65	10.55	31.78	0.00	100	105 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>80.87</td><td>-----</td><td>-----</td><td>73.96</td><td>32.50</td><td>6.82</td><td>32.41</td><td>0.00</td><td>100</td><td>105 AVERAGE</td></tr><tr><td>2</td><td>5795.00</td><td>89.91</td><td>-----</td><td>-----</td><td>76.49</td><td>34.65</td><td>10.55</td><td>31.78</td><td>0.00</td><td>100</td><td>105 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	80.87	-----	-----	73.96	32.50	6.82	32.41	0.00	100	105 AVERAGE	2	5795.00	89.91	-----	-----	76.49	34.65	10.55	31.78	0.00	100	105 AVERAGE																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	2482.00	80.87	-----	-----	73.96	32.50	6.82	32.41	0.00	100	105 AVERAGE																																																																																																																																											
2	5795.00	89.91	-----	-----	76.49	34.65	10.55	31.78	0.00	100	105 AVERAGE																																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	2482.00	80.87	-----	-----	73.96	32.50	6.82	32.41	0.00	100	105 AVERAGE																																																																																																																																											
2	5795.00	89.91	-----	-----	76.49	34.65	10.55	31.78	0.00	100	105 AVERAGE																																																																																																																																											



Mode	64																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																														
ANT	MIMO																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5854.80</td><td>52.50</td><td>111.36</td><td>-58.86</td><td>38.81</td><td>34.91</td><td>10.62</td><td>31.84</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>2 5869.60</td><td>54.57</td><td>106.81</td><td>-52.24</td><td>40.85</td><td>34.94</td><td>10.64</td><td>31.86</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>3 5920.80</td><td>54.69</td><td>71.30</td><td>-16.61</td><td>40.84</td><td>35.04</td><td>10.70</td><td>31.89</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr><tr><td>4 5977.60</td><td>54.96</td><td>68.20</td><td>-13.24</td><td>40.81</td><td>35.21</td><td>10.76</td><td>31.82</td><td>0.00</td><td>100</td><td>105 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5854.80	52.50	111.36	-58.86	38.81	34.91	10.62	31.84	0.00	100	105 PEAK	2 5869.60	54.57	106.81	-52.24	40.85	34.94	10.64	31.86	0.00	100	105 PEAK	3 5920.80	54.69	71.30	-16.61	40.84	35.04	10.70	31.89	0.00	100	105 PEAK	4 5977.60	54.96	68.20	-13.24	40.81	35.21	10.76	31.82	0.00	100	105 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 5854.80	52.50	111.36	-58.86	38.81	34.91	10.62	31.84	0.00	100	105 PEAK																																																																					
2 5869.60	54.57	106.81	-52.24	40.85	34.94	10.64	31.86	0.00	100	105 PEAK																																																																					
3 5920.80	54.69	71.30	-16.61	40.84	35.04	10.70	31.89	0.00	100	105 PEAK																																																																					
4 5977.60	54.96	68.20	-13.24	40.81	35.21	10.76	31.82	0.00	100	105 PEAK																																																																					




		64																																																																																																																																																								
Mode		Harmonic																																																																																																																																																								
		U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																																								
ANT		MIMO																																																																																																																																																								
Pol.		Horizontal						Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																										
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7726.47</td><td>51.77</td><td>74.00</td><td>-22.23</td><td>70.63</td><td>35.00</td><td>12.26</td><td>66.92</td><td>0.00</td><td>100</td><td>177 PEAK</td></tr><tr><td>2 7726.47</td><td>49.91</td><td>54.00</td><td>-4.09</td><td>68.77</td><td>35.00</td><td>12.26</td><td>66.92</td><td>0.00</td><td>100</td><td>177 AVERAGE</td></tr><tr><td>3 11590.00</td><td>45.19</td><td>74.00</td><td>-28.81</td><td>58.32</td><td>38.29</td><td>15.13</td><td>66.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7726.47	51.77	74.00	-22.23	70.63	35.00	12.26	66.92	0.00	100	177 PEAK	2 7726.47	49.91	54.00	-4.09	68.77	35.00	12.26	66.92	0.00	100	177 AVERAGE	3 11590.00	45.19	74.00	-28.81	58.32	38.29	15.13	66.55	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7726.47</td><td>50.95</td><td>74.00</td><td>-23.05</td><td>69.81</td><td>35.00</td><td>12.26</td><td>66.92</td><td>0.00</td><td>271</td><td>360 PEAK</td></tr><tr><td>2 7726.47</td><td>48.48</td><td>54.00</td><td>-5.52</td><td>67.34</td><td>35.00</td><td>12.26</td><td>66.92</td><td>0.00</td><td>271</td><td>360 AVERAGE</td></tr><tr><td>3 11590.00</td><td>45.30</td><td>74.00</td><td>-28.70</td><td>58.43</td><td>38.29</td><td>15.13</td><td>66.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7726.47	50.95	74.00	-23.05	69.81	35.00	12.26	66.92	0.00	271	360 PEAK	2 7726.47	48.48	54.00	-5.52	67.34	35.00	12.26	66.92	0.00	271	360 AVERAGE	3 11590.00	45.30	74.00	-28.70	58.43	38.29	15.13	66.55	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1 7726.47	51.77	74.00	-22.23	70.63	35.00	12.26	66.92	0.00	100	177 PEAK																																																																																																																																																
2 7726.47	49.91	54.00	-4.09	68.77	35.00	12.26	66.92	0.00	100	177 AVERAGE																																																																																																																																																
3 11590.00	45.19	74.00	-28.81	58.32	38.29	15.13	66.55	0.00	---	---	PEAK																																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1 7726.47	50.95	74.00	-23.05	69.81	35.00	12.26	66.92	0.00	271	360 PEAK																																																																																																																																																
2 7726.47	48.48	54.00	-5.52	67.34	35.00	12.26	66.92	0.00	271	360 AVERAGE																																																																																																																																																
3 11590.00	45.30	74.00	-28.70	58.43	38.29	15.13	66.55	0.00	---	---	PEAK																																																																																																																																															

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.97	-	-	10Hz
802.11ax HE20	100	-	-	10Hz
802.11ax HE40	100	-	-	10Hz
802.11ax HE80	100	-	-	10Hz
802.11ax HE160	100	-	-	10Hz
802.11ax HE20 RU26	100	-	-	10Hz
802.11ax HE20 RU52	100	-	-	10Hz
802.11ax HE20 RU106	100	-	-	10Hz

802.11a






802.11ax HE20




802.11ax HE40






802.11ax HE80



Date: 9.JUL.2025 02:20:54


802.11ax HE160




Date: 9.JUL.2025 02:19:31



802.11ax HE20 RU26



802.11ax HE20 RU52





802.11ax HE20 RU106

