

Label must contain,

- FCC/IC ID and HVIN shall be permanently indicated on the exterior of the product
- Identification of the product, e.g., trade name, model, etc
- The name and address, and telephone number, or internet contact information of the responsible party
- A statement that the product complies with the rules as mentioned below,

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

Radio Module Label

Radio Module Model : EdgeAX5	Radio Module Model : EdgeAX6
 FCC ID: HZB-MEGA5 IC: 1856A-MEGA5 HVIN: Megabit 5 dual	HVIN: Megabit 6 dual

Host Label for USA & World models


Stratum™ X1 SX1-1023C	Stratum™ X1 SX1-1023C
Model: SX1-1023C-US Ethernet MAC-Addr: XXXXXXXXXXXXX Wireless MAC-Addr: XXXXXXXXXXXXX SN: XXXXXXXXXXXXX PN: 906-00025 Rev: X	Model: SX1-1023C-WD Ethernet MAC-Addr: XXXXXXXXXXXXX Wireless MAC-Addr: XXXXXXXXXXXXX SN: XXXXXXXXXXXXX PN: 906-00026 Rev: X
Proxim Wireless Corporation Powered by WORP®  FCC ID: HZB-MEGA2 Contains Transmitter Module FCC ID: HZB-MEGA5 This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference. (2) This device must accept any interference received, including interference that may cause undesired operation.   IP67 "Outdoor Use" Certified Radio Inside Refer to user documentation for regulatory details and all radio approvals. HVIN: Megabit 5 single	Proxim Wireless Corporation Powered by WORP®  FCC ID: HZB-MEGA2 IC: 1856A-MEGA2 Contains Transmitter Module FCC ID: HZB-MEGA5 IC: 1856A-MEGA5   IP67 "Outdoor Use" Certified Radio Inside Refer to user documentation for regulatory details and all radio approvals. HVIN: Megabit 5 single
Input: 56Vdc 0.536A Power over Ethernet Made in China	Input: 56Vdc 0.536A Power over Ethernet Made in China

Label must contain,


- FCC/IC ID and HVIN shall be permanently indicated on the exterior of the product
- Identification of the product, e.g., trade name, model, etc
- The name and address, and telephone number, or internet contact information of the responsible party
- A statement that the product complies with the rules as mentioned below,

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

Radio Module Label



Host Label for USA & World models




Stratum™ X3 SX3-1020A	
Model: SX3-1020A-US	
Ethernet MAC-Addr:	XXXXXXXXXXXX 
Wireless MAC-Addr:	XXXXXXXXXXXX 
SN:	XXXXXXXXXXXX 
PN: 906-00019	Rev: X 
Proxim Wireless Corporation Powered by WORP®  FCC ID: HZB-MEGA2 Contains Transmitter Module FCC ID: HZB-MEGA5 This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference. (2) This device must accept any interference received, including interference that may cause undesired operation.	
 IP67 "Outdoor Use"	 PROXIMXXXXXX
Certified Radio Inside Refer to user documentation for regulatory details and all radio approvals. HVIN : Megabit 5 multi	
Input : 56V dc  1.1A - via Ethernet Port OR 12V dc  3.0A - via Access Port Output : 56V dc  15W max. (Optional) (Only when 56Vdc input provided) Made in China	

Stratum™ X3 SX3-1020A	
Model: SX3-1020A-WD	
Ethernet MAC-Addr:	XXXXXXXXXXXX 
Wireless MAC-Addr:	XXXXXXXXXXXX 
SN:	XXXXXXXXXXXX 
PN: 906-00020	Rev: X 
Proxim Wireless Corporation Powered by WORP® FCC ID: HZB-MEGA2 IC: 1856A-MEGA2  Contains Transmitter Module FCC ID: HZB-MEGA5 IC: 1856A-MEGA5	
   IP67 "Outdoor Use"	 PROXIMXXXXXX
Certified Radio Inside Refer to user documentation for regulatory details and all radio approvals. HVIN : Megabit 5 multi	
I/P : 56V dc  1.1A - via Ethernet Port OR 12V dc  3.0A - via Access Port O/P : 56V dc  15W max. (Optional) (Only when 56Vdc input provided) Made in China	


STRATUM-X1 PRODUCT LABEL LOCATION

PRODUCT LABEL LOCATION




217.0±0.5

170.0±0.5



56.00±0.5



STRATUM-X3 PRODUCT LABEL LOCATION

PRODUCT LABEL LOCATION

